The MPGD-Based Photon Detectors for the upgrade of COMPASS RICH-1 and beyond

J. Agarwala^a, M. Alexeev^b, C.D.R. Azevedo^c, F. Bradamante^d, A. Bressan^d, M. Büchele^e, M. Chiosso^f, C. Chatterjee^d, P. Ciliberti^d, S. Dalla Torre^{a,*}, S. Dasgupta^a, O. Denisov^b, M. Finger^g, M. Finger Jr^g, H. Fischer^e, M. Gregori^a, G. Hamar^a, F. Herrmann^e, S. Levorato^a, A. Martin^d, G. Menon^a, D. Panzieri^h, G. Sbrizzai^d, S. Schopferer^e, M. Slunecka^g, M. Sulcⁱ, F. Tessarotto^a, J.F.C.A. Veloso^c, Y. Zhao^a

> *a INFN Trieste, Trieste, Italy b INFN Torino, Torino, Italy ^cUniversity of Aveiro, Aveiro, Portugal ^dUniversity of Trieste and INFN Trieste, Trieste, Italy ^eUniversit¨at Freiburg, Freiburg, Germany ^fUniversity of Torino and INFN Torino, Torino, Italy ^gCharles University, Prague, Czech Republic and JINR, Dubna, Russia ^hUniversity of East Piemonte, Alessandria and INFN Torino, Torino, Italy ⁱTechnical University of Liberec, Liberec, Czech Republic*

arXiv:1807.00816v1 [physics.ins-det] 2 Jul 2018

Abstract

After pioneering gaseous detectors of single photon for RICH applications using CsI solid state photocathodes in MWPCs within the RD26 collaboration and by the constructions for the RICH detector of the COMPASS experiment at CERN SPS, in 2016 we have upgraded COMPASS RICH by novel gaseous photon detectors based on MPGD technology. Four novel photon detectors, covering a total active area of 1.5 m^2 covering a total active area of 1.5 m^2 , have been installed in order to cope with the challenging efficiency and stability requirements of the COMPASS physics programme. These detectors are the first application in an experiment of MPGD-based single photon detectors. All aspects of the upgrade are presented, including engineering, mass production, quality assessment and performance. Perspectives for further developments in the field of gaseous single photon detectors are also presented.

Keywords: Gaseous photon detectors, MPGD, Thick GEM, resistive MICROMEGAS, COMPASS

1. Introduction

namely reduced ageing and increased electrical stability, and faster signal development, namely higher rate capabilities.

2. The novel photon detectors

The detector architecture is the result of a seven-year R&D activity [\[3\]](#page-3-2). It is based on a hybrid MPGD combination (Fig. [1\)](#page-1-0), consisting in two layers of THick GEMs (THGEM) [\[4\]](#page-3-3) followed by a resistive MicroMegas (MM) [\[5\]](#page-3-4) on a pad segmented anode. The first THGEM also acts as a reflective photocathode: its top face is coated with a CsI film. The feedback of photons generating in the multiplication process is suppressed by the presence of two THGEM layers, while the large majority of the ions from multiplication are trapped in the MM stage. MPGD properties ensure signal development in about 100 ns.

Each of the four large $(600 \times 600 \text{ mm}^2)$ single photon detectors is formed by two identical modules 600×300 mm², arranged side by side. The THGEM geometrical parameters are: 470 μ m thickness, 400 μ m hole diameter and 800 μ m pitch. Holes are rim-less, namely there is no uncoated area around the hole edge. In order to mitigate the effect of occasional discharges, the top and bottom electrodes of each THGEM are segmented in 12 parallel areas separated by 0.7 mm clearance, each biased via an individual protection resistor. Therefore, discharges only affect a single sector and the operating conditions are restored in about 10 s. The two layers are staggered, namely

THE RICH-1 detector [\[1\]](#page-3-0) of the COMPASS Experiment [\[2\]](#page-3-1) at CERN SPS has been upgraded: four new Photon Detectors (unit size: 600×600 mm²), based on MPGD technology and covering a total active area of 1.5 m^2 replace the previously used MWPC-based photon detectors in order to cope with the challenging efficiency and stability requirements of the new COM-PASS measurements. In COMPASS RICH-1, MPGD photon detectors are used for the first time in a running experiment. This realization also opens the way of a more extended use of novel gaseous photon detectors in the domain of the Cherenkov imaging technique for Particle IDentification (PID), key detectors in several research sectors and, in particular, in hadron physics. The relevance is related to the role of gaseous photon detectors, which are still the only available option to instrument detection surfaces when insensitivity to magnetic field, low material budget, and affordable costs in view of large detection surfaces are required. The MPGD-based photon detectors overcome the limitation of the previous generation of gaseous photon detector thanks to two essential performance characteristics: reduced ion and photon backflow to the photocathode,

[∗]Corresponding author *Email address:* silvia.dallatorre@ts.infn.it (S. Dalla Torre)

Figure 1: Sketch of the hybrid single photon detector: two staggered THGEM layers are coupled to a resistive bulk MM. Image not to scale.

Figure 2: a) Sketch of the capacitive coupled readout pad. The biasing voltage is distributed via independent 470 M Ω resistors to the pad facing the micromesh structure. The buried pad is isolated via 70 μ m thick fiberglass and connected to the front end chip. b) Schematic of the capacitive coupled pad principle illustrated via discrete element blocks. c) Metallography section of the PCB: detail of the through-via connecting the external pad through the hole of the buried pad.

there is complete misalignment between the two set of holes: it is so possible to enlarge the electron cloud reaching the MM stage, therefore favoring larger gain in the last amplification stage.

The MMs have a gap of 128 μ m; they are built using MM bulk technology [\[6\]](#page-3-5) using $300 \mu m$ diameter pillars with 2 mm pitch. Their resistivity is by an original implementation (Fig. [2\)](#page-1-1). The MM anode is segmented in 7.5×7.5 mm² pads. The 0.5 mm clearance between pads prevents the occasional discharges to propagate towards the surrounding pads: the voltage drop of the anodic pads surrounding a tripping one is about 2 V over the typical 600 V operation voltage, causing a local gain drop lower than 4%. The nominal voltage condition of the pad where the discharge occurred is restored in about 1 s. The detector is operated with $Ar:CH_4 = 50:50$ gas mixture, which ensures effective extraction of photoelectrons from the photocathode.

3. Construction, quality control of the components, assembly and installation

The electrical stability of large-size THGEMs is a critical issue. A dedicated protocol has been elaborated for finishing the industrial produced THGEMs . It includes polishing with fine grain pumice powder, cleaning with water at high pressure, ultrasonic bath with Sonica PCB solution (PH11), rinsing with distilled water and backing in oven at 160^oC. The procedure moves THGEM breakdown voltage to at least 90% of the phenomenological Paschen limit [\[7\]](#page-3-6). The quality control of the detector components includes:

- the preselection of the raw material for the PCB that will form the THGEMs in order to use only foils with homogeneous thickness to guarantee the homogeneity of the gain;
- the THGEM control by optical inspection, by collecting and analyzing microscope images scanning by samples the large multiplier surface;
- the THGEM validation by gain maps using the multipliers in single layer detectors; gain uniformity at 7% r.m.s. is obtained;
- the collection of MM gain maps illuminating the detectors by an X-ray gun station; gain uniformity at 5% r.m.s. is obtained;
- the measurement of the quantum efficiency of the CsI photocathodes, which is performed immediately after the coating process; the uniformity within a photocathode is at the 3% level r.m.s. and among the whole production at the 10% level r.m.s.;
- the gas leak checks and overall electrical stability checks of the final detectors.

The presence of CsI photocathodes, that must never be exposed to air to fully preserve their quantum efficiency, impose to perform detector assembly, transportation and installation in glove boxes flushed with N_2 . Figure [3](#page-2-0) presents the dedicated glove box matching the RICH vessel mechanics used for the on-detector installation.

4. The high voltage system

An essential tool for the detector commissioning is the High Voltage (HV) control system, which also grants the voltage and current monitoring and data logging. The power supplies are commercial ones by CAEN inserted in a SY4527 mainframe. The four detectors are organized, from the HV supply point of view, in four independent sectors each; nine different electrode types, each one with its specific role, are present in the multilayer detectors. The total number of HV channels is 136. Manual setting and control of all these HV channels would be both unpractical and unsafe. The voltages and currents of all the channels are read-out and recorded at 1 Hz frequency. If the current spark rate is above a given value the voltage is automatically readjusted. The system also provides automatic voltage

Figure 3: Picture of the glove box matching the RICH vessel mechanics used for the photon detector installation on the RICH.

adjustment to compensate for the variation of the environmental parameters, namely pressure and temperature, that can affect the detector gain. Gain stability at the 5% level over months of operation has been obtained.

5. Preliminary performance results

No HV trip is observed during detector operation: thanks to the resistors protecting the THGEM segments and the MM pads, in case of occasional discharges, only current sparks are observed, which temporary affect the local performance. The sparks in the two THGEM layers are fully correlated. The sparks observed in the MM are induced by the THGEM sparks. The restoration after a current spark is completed within 10 s and the current spark rate is typically 1/h/detector $(600\times600$ mm²). These figures result in totally negligible deadtime related to sparks.

The measured rate of ion backflow to the photocathode is at the 3% level. The electronics noise, substantially uniform over the detector surface, is at the 900 electrons equivalent level (r.m.s).

The images generated in the photon detectors are clean and affected by very limited background (Fig. [4\)](#page-2-1). The detector resolution in the measurement of the Cherenkov angle from single photoelectrons is 1.7-1.8 mrad r.m.s., fully matching the expectation (Fig. [5\)](#page-2-2). The amplitude spectrum of the photoelectron signals is expected to be exponential. This is verified for pure photoelectron samples, obtained selecting hits contributing to ring images: the exponential behavior is present over more than two orders of magnitude (Fig. [6\)](#page-3-7). The detector gain

Figure 4: Images of hit pattern in the novel photon detectors. The center of the expected ring patterns is obtained from the reconstructed particle trajectories; the particle momentum and the expected Cherenkov angle in the pion hypothesis are also reported. No image elaboration or background subtraction is applied.

Figure 5: Distribution of the difference between the Cherenkov angle calculated from the reconstructed particle momentum and the Cherenkov angle provided by single detected photoelectrons; a sample of identified pions is used.

is extracted from a fit of the spectrum and it ranges between 13k and 14k. The efficiency for single photoelectron detection is obtained from the gain and the threshold applied to the signal and it results higher than 80%. The noise contributing to the ring images can be estimated from the spectrum deviation from a pure exponential function at small amplitude and it is at the 10% level. A preliminary estimate of the number of detected photoelectrons per particle extrapolated to the saturation angle indicates 11 detected photoelectrons.

The high effective gain, the gain stability and the number of detected photoelectrons per ring satisfy all the prerequisite requirements to ensure effective hadron identification and stable performance with the novel RICH-1 photon detectors.

6. Future perspective

The future Electron-Ion Collider (EIC) [\[8\]](#page-3-8) requires hadron identification at high momenta, a mission that can only be accomplished by RICH counters with extended gas radiator. The use of RICHes in the setup of collider experiments implies specific challenges. The radiator cannot be too extended to limit the overall apparatus size, imposing the need to detect more photoelectrons per radiator unit length. The photon de-

Figure 6: Amplitude distribution for a sample of hits contributing to ring Cherenkov images.

tectors have to operate in presence of magnetic field. A recent test-beam exercise has demonstrated the possibility to increase the number of detected photoelectrons by selecting the far UV range around 120 nm [\[9\]](#page-3-9). For this purpose, the RICH prototype has been operated window-less and CF_4 has been used at the same time as radiator gas and detector gas. Therefore, we have started an R&D program to match these specific requirements. It includes the exploratory study of a new option for the photoconverter: coating by hydrogenized nanodiamond powder [\[10\]](#page-3-10).

7. Conclusion

The preliminary results obtained in the characterization of novel MPGD-based photon detectors, in particular high effective gain, gain stability and number of photons per ring, indicate that they will fully accomplish the mission of increasing the stability and efficiency of the photon detector system of COMPASS RICH-1. They also represent a technological achievement. In fact, for the first time in a running experiment, THGEMs are successfully used, single photon detection is accomplished by MPGDs, MPGDs are operated at gains larger than 10k.

We have offered indications that MPGD-based photon detectors have a mission to accomplish also in the future, in particular in the hadron physics sector.

Acknowledgments

The authors are grateful to the colleagues of the COMPASS Collaboration for continuous support and encouragement.

This work is partially supported by the H2020 project AIDA-2020, GA no. 654168.

J. Agarwala is supported by an ICTP TRIL fellowship.

References

[1] E. Albrecht, et al., Status and characterisation of COMPASS RICH-1, Nucl. Instrum. Meth. A553 (2005) 215; P. Abbon et al., Read-out electronics for fast photon detection with COMPASS RICH-1, Nucl. Instrum. Meth. A587 (2008) 371; P. Abbon et al., Design and construction of the fast photon detection system for COMPASS RICH-1, Nucl. Instrum. Meth. A616 (2010) 21; P. Abbon et al., Particle identification with COM-PASS RICH-1, Nucl. Instr. and Meth.A631 (2011) 26.

- [2] The COMPASS Collaboration, P. Abbon et al., The COMPASS experiment at CERN, Nucl. Instrum. Meth. A577 (2007) 455; the COMPASS Collaboration, P. Abbon et al., The COMPASS setup for physics with hadron beams, Nucl. Instrum. Meth. A779 (2015) 69.
- [3] M. Alexeev et al., The quest for a third generation of gaseous photon detectors for Cherenkov imaging counters, Nucl. Instrum. Meth. A610 (2009) 174; M. Alexeev et al., THGEM based photon detector for Cherenkov imaging applications, Nucl. Instrum. Meth. A617 (2010) 396; M. Alexeev et al., Micropattern gaseous photon detectors for Cherenkov imaging counters, Nucl. Instrum. Meth. A623 (2010) 129; M. Alexeev et al., Development of THGEM-based photon detectors for Cherenkov Imaging Counters, 2010 JINST 5 P03009; M. Alexeev et al., Progress towards a THGEM-based detector of single photons, Nucl. Instrum. Meth. A639 (2011) 130; M. Alexeev et al., Detection of single photons with ThickGEM-based counters, 2012 JINST 7 C02014; M. Alexeev et al., Detection of single photons with THickGEM-based counters, Nucl. Instrum. Meth. A695 (2012) 159; M. Alexeev et al., Development of THGEMbased Photon Detectors for COMPASS RICH-1, Physics Procedia 37 (2012) 781; M. Alexeev et al., THGEM-based photon detectors for the upgrade of COMPASS RICH-1, Nucl. Instrum. Meth. A732 (2013) 264; M. Alexeev et al., Ion backflow in thick GEM-based detectors of single photons, 2013 JINST 8 P01021; M. Alexeev et al., Status and progress of novel photon detectors based on THGEM and hybrid MPGD architectures, 2013 JINST 8 C12005; M. Alexeev et al., Progresses in the production of large-size THGEM boards, 2014 JINST 9 C03046; M. Alexeev et al., MPGD-based counters of single photons developed for COMPASS RICH-1, 2014 JINST 9 C09017; M. Alexeev et al., Status and progress of the novel photon detectors based on THGEM and hybrid MPGD architectures, Nucl. Instrum. Meth. A766 (2014) 133; M. Alexeev et al., MPGDbased counters of single photons for Cherenkov imaging counters, PoS (TIPP2014) 075; M. Alexeev et al., The gain in Thick GEM multipliers and its time-evolution, 2015 JINST 10 P03026; M. Alexeev et al., Status of the development of large area photon detectors based on THGEMs and hybrid MPGD architectures for Cherenkov imaging applications, Nucl. Instrum. Meth. A824 (2016) 139.
- [4] L. Periale et al., Detection of the primary scintillation light from dense Ar, Kr and Xe with novel photosensitive gaseous detectors, Nucl. Instrum. Meth. A478 (2002) 377; P. Jeanneret, Time Projection Chambers and detection of neutrinos, PhD thesis, Neuchatel University, 2001; P.S. Barbeau et al, Toward coherent neutrino detection using low-background micropattern gas detectors IEEE NS-50 (2003) 1285; R. Chechik et al, Thick GEM-like hole multipliers: properties and possible applications, Nucl. Instrum. Meth. A535 (2004) 303.
- [5] Y. Giomataris et al., MICROMEGAS: a high-granularity positionsensitive gaseous detector for high particle-flux environments, Nucl. Instrum. Meth. A376 (1996) 29.
- [6] I. Giomataris et al., Micromegas in a bulk, Nucl. Instrum. Meth. A560 (2006) 405.
- [7] F. Paschen, Über die zum Funkenübergang in Luft, Wasserstoff und Kohlensäure bei verschiedenen Drucken erforderliche Potentialdifferenz, Annalen der Physik 273 (1889) 69.
- [8] A. Accardi et al., Electron-Ion Collider: The next QCD frontier, Eur. Phys. J. A52 (2016) 268.
- [9] M. Blatnik et al., Performance of a Quintuple-GEM Based RICH Detector Prototype, IEEE NS 62 (2015) 3256.
- [10] L. Velardi, A. Valentini, G. Cicala, UV photocathodes based on nanodiamond particles: Effect of carbon hybridization on the efficiency, Diamond and Related Materials 76 (2017) 1.