

H B  
H  
QUE 09 JUN 1986

TRI-PP-86-13  
Mar 1986

- 2 -

## Tensor Analyzing Power in $\pi d$ Elastic Scattering

G.R. Smith, A. Altman, P. Delheij, D.R. Gill, D. Healey, R.R. Johnson,

G. Jones, D. Ottewell, F.M. Rozon, M.E. Sevier, F. Tervisidis,

R.P. Trelle, G.D. Wait and P. Walden

TRIUMF, Vancouver, B.C., Canada, V6T 2A3

G.J. Lolas, E.L. Mathie, and S.I.H. Naqvi

University of Regina, Regina, Saskatchewan, Canada, S4S 0A2

E.T. Boschitz and C.R. Ottermann

Kernforschungszentrum und

Universitaet Karlsruhe, D-7500 Karlsruhe, Federal Republic of Germany

G.S. Kyle

New Mexico State University, Las Cruces, N.M. 88001

P.A. Amadruz

SIN, CH-5234 Villigen, Switzerland

### Abstract

A tensor polarized deuteron target has been employed for the first measurements of the tensor analyzing power,  $T_{20}$ , in  $\pi d$  elastic scattering. Data at six angles were measured at pion bombarding energies of 134 and 151 MeV. The results settle a long standing controversy over conflicting measurements of the tensor polarization  $t_{20}$ , and dispute evidence for dibaryon resonances predicated on one of these  $t_{20}$  measurements. The data are shown to be in reasonable agreement with recent Faddeev calculations which have reduced contributions from pion absorption.

(Submitted to Physical Review Letters)

PACS numbers: 25.80.+f, 24.70.+s, 25.10.+s

For the past several years, one of the most intriguing questions in intermediate energy pion physics has revolved around two sets of conflicting measurements of the tensor polarization,  $t_{20}$ , in  $\pi d$  elastic scattering. One set of measurements<sup>1</sup> was performed by an ETH group at SIN, and indicated that  $t_{20}$  is mostly positive, with striking, oscillatory angular distributions at  $T_\pi=134$  MeV. Two peaks were observed near  $\theta_d=15^\circ$  and  $30^\circ$  with tensor polarization as high as 0.6.

At neighboring energies as close as 120 MeV and 151 MeV, the angular dependence was almost completely flattened. The resulting peak in the  $\theta_d=15^\circ$  excitation function was so narrow ( $\Delta E \sim 15$  MeV) that these data were considered evidence for the existence of a dibaryon resonance. However, independent measurements at  $T_\pi=142$  MeV made by an experimental group<sup>2</sup> at LAMPF revealed a flat angular distribution of negative  $t_{20}$  values. The LAMPF excitation curve was smooth, and generally consistent with conventional calculations if pion absorption terms were not included.

Both experiments employed the same technique for measuring  $t_{20}$ , namely, recoil deuterons from  $\pi d$  elastic scattering events were analyzed in a second scattering within a  $^3\text{He}$  cell polarimeter via the  $^3\text{He}(d,p)$  reaction. Both experiments were subjected to intense scrutiny, but the source of the experimental discrepancy remained unclear.

Recently, an independent measurement of  $t_{20}$  was carried out at TRIUMF<sup>3</sup> which used the same double scattering technique as both the ETH and LAMPF experiments. The TRIUMF data agreed with the LAMPF results. Although this experiment appeared to have resolved the discrepancy, some doubts remained. The technique and the geometry of the TRIUMF polarimeter was rather similar to the one used at LAMPF. In the meantime the ETH



CM-P00067454

group reproduced their earlier results with a completely redesigned polarimeter.<sup>4</sup> Therefore it was not possible to conclude on the basis of the TRIUMF data that the SIN data are incorrect.

Obviously, a completely different experimental approach was required to resolve the controversy. The most ideal solution is to measure the tensor analyzing power,  $T_{20}$ , for  $\pi d$  elastic scattering with a tensor polarized deuteron target in a single scattering experiment. This observable can then be related to the tensor polarization of the recoil deuteron,  $t_{20}$ , measured in the double scattering experiments via the relation<sup>5</sup>

$$t_{20}^{\text{lab}}(\theta_d) = T_{20}^{\text{cm}}(\theta_d) d_{00}^2(\theta_d) + 2T_{21}^{\text{cm}}(\theta_d) d_{10}^2(\theta_d) + 2T_{22}^{\text{cm}}(\theta_d) d_{20}^2(\theta_d) \quad (1)$$

where the  $d_{jk}^l(\theta_d)$  are the usual Wigner  $d$  functions. The conversion arises because the  $T_{20}$  are measured in a coordinate system in which the  $z$ -axis is along the incident beam momentum, and the  $t_{20}$  are measured in the laboratory system in which the  $z$ -axis points in the direction of the outgoing deuteron momentum. A conversion of  $t_{20}^{\text{lab}}$  to  $t_{20}^{\text{cm}}$  requires a coordinate system rotation, which admixes the tensor components  $t_{21}$  and  $t_{22}$ . In the angular range where  $t_{20}$  data<sup>1,2,3</sup> already exist, the influence of  $T_{21}^{\text{cm}}$  and  $T_{22}^{\text{cm}}$  is small.

We report in this letter the first measurements of the tensor analyzing power,  $T_{20}$ , in the  $\pi d$  elastic scattering reaction. The experiment is the first to employ a tensor polarized deuteron target in a hadronic interaction. The experiment was performed on the M1 beam line at TRIUMF.

The tensor polarized target, to be described more completely in a future publication, consisted of frozen 1 mm diameter beads contained in a teflon basket measuring  $16 \times 16 \times 5$  mm<sup>3</sup>. The basket was immersed in a mixture of  $^3\text{He}/^4\text{He}$  in the mixing chamber of a dilution refrigerator. The beads were formed from a mixture of 95% fully deuterated N-butyl alcohol and 5% D<sub>2</sub>O into which EHBA-(Cr<sup>3+</sup>) was dissolved<sup>6</sup> to a molecular density of  $6 \times 10^{19}$ /ml. The polarizing field of 2.5 T was provided by a superconducting split pair solenoid with a magnetic field axis along that of the incident beam. The field orientation was carefully checked to within 0.3° in a series of magnetic field measurements at various points in space downstream of the polarized target after it was installed in the M1 area. The average target tensor polarization ( $P_{zz}$ ) achieved was  $0.085 \pm 0.008$ .

The polarization was measured with three independent techniques. In the first two techniques, the relationship between the vector polarization  $P_z$ , and  $P_{zz}$  given by  $P_{zz} = 2 - \sqrt{4 - P_z^2}$  was used. The standard method of comparing the area of the dynamically polarized deuteron NMR signal with the area of the thermal equilibrium (TE) NMR signal was employed to obtain an average  $P_z$  of  $0.328 \pm 0.020$ , which corresponds to a  $P_{zz}$  of  $0.082 \pm 0.010$ .

The second technique<sup>7</sup> involved analysis of the asymmetry in the peak shape of the dynamically polarized NMR signal for every signal measured just after polarization, and just before depolarization. Explicit measurements of the NMR background accompanied each of these NMR measurements. The results of this technique were consistent with those of the TE technique. The actual value of  $P_z$  used in the analysis of each  $\pi d$  elastic scattering data set was the average of the values obtained with

the TE and asymmetry methods. The overall average was  $P_z=0.333\pm 0.015$ , or  $P_{zz}=0.085\pm 0.008$ .

Finally,  $P_{zz}$  was measured directly by utilizing the known tensor analyzing power at  $90^\circ$ (cm) in the  $\pi d$  to  $2p$  reaction, as first suggested by Niskanen.<sup>8</sup> The incident pion energy for this measurement was 80 MeV. Two scintillators and two x-y wire chambers were centered at  $82.5^\circ$ (lab) on each side of the target. The value of the tensor analyzing power was determined from a phase shift analysis of existing  $p p + \pi d$  data to be  $-1.30\pm 0.03$ , a value consistent with that yielded by a special relation<sup>9</sup> between  $T_{20}$  and  $A_{yy}$  which exists for the  $p p + \pi d$  reaction at  $90^\circ$ (cm), namely  $T_{20}=\sqrt{2}/4(3A_{yy}-1)$ , which gives  $T_{20}=-1.27\pm 0.05$  at this energy. The value of  $P_{zz}$  measured in this special calibration configuration was  $0.102\pm 0.022$ , in agreement with the other two techniques.

The detection system for the  $\pi d$  elastic scattering measurements was an improved version of a time of flight (TOF) spectrometer used for earlier measurements of  $t_{M1}$  in this reaction.<sup>10</sup> The main improvement was the addition of a thick (1.25 cm) scintillator for measuring the energy of stopped deuterons. The main characteristics of the detection system are: The solid angle of  $30 \text{ msr}$  for each of six independent arms was defined by a pion scintillator ( $\pi 21$ ) located 1 m from the polarized target, and viewed at each end by a photomultiplier tube for optimum timing resolution. Together with another scintillator ( $\pi 11$ ) at 0.5 m radius, this constituted one of the six pion telescopes, each of which was in coincidence with a corresponding recoil deuteron scintillator ( $D11$ ) at a radius of 1.3 m from the target. This thin (3.1 mm) scintillator was also viewed at each end by a photomultiplier tubes, and provided TOF as well as energy loss information. Following this

scintillator was an aluminum absorber, whose thickness was adjusted so that deuterons stopped in the following 1.25 cm thick scintillator ( $D21$ ). Following this was a veto scintillator ( $D31$ ). The angular acceptance of the apparatus was  $\pm 2.5^\circ$ . The experimental arrangement is shown in Fig. 1.

The data were collected in sequences of polarized and unpolarized runs, in order to check for possible systematic errors. Each sequence, including 3 polarized and 3 unpolarized runs, was repeated 5 times at 134 MeV and 3 times at 151 MeV. The relative differential cross sections were calculated from the following simple expression:  $\sigma=Y/(N \cdot CEFF)$ , where  $Y$  is the  $\pi d$  elastic yield,  $N$  the number of incident beam particles counted in  $S1$  and  $S2$ , and  $CEFF$  the computer efficiency (typically 99%). The uncertainty associated with the relative cross sections was  $\lesssim 1\%$  for each sequence. The incident beam was counted directly with scintillators  $S1$  and  $S2$ . Protons in the incident beam were reduced by using a differential degrader (2 mm of  $\text{CH}_2$ ) near the midplane of the  $M1$  channel. Those remaining in the beam were eliminated by placing pulse height requirements on  $S1$  and  $S2$  in the trigger, which was  $S1 \cdot S2 \cdot \overline{S1} \cdot \overline{S2} \cdot \pi 11 \cdot \pi 21 \cdot D11 \cdot \overline{D31}$ . The spatial stability of the incident beam was constantly monitored with a split scintillator sensitive to shifts of  $\gtrsim 100 \mu\text{m}$  either horizontally or vertically in the beam position. The incident flux was also kept constant at  $2 \times 10^6 \pi^+/s$ . The position of the target within the cryostat was verified with x-ray photographs. The  $M1$  beam line momentum is known to  $\pm 0.7 \text{ MeV}/c$ . It was calibrated by the measurement of the energy of ions ( $d^+, t^+, {}^3\text{He}^+$ , and  ${}^4\text{He}^+$ ) from the production target with a silicon detector. In addition, the TOF difference between pions and protons over

the length of the channel was found to be in good agreement with the above measurements.

The data were analyzed in several ways. Software polygons were drawn around the 1d elastic events identified in two dimensional histograms of  $E$  vs  $\Delta E$ ,  $E + \Delta E$  vs TOF,  $\Delta E$  vs TOF, and  $E$  vs TOF, where  $\Delta E$  corresponded to the pulse height in D1,  $E$  to the pulse height in D2, and the TOF was taken between  $\pi/2$  and D1. The data were replayed using different combinations of these requirements. The results of the different analyses were consistent with one another.

The spherical tensor analyzing power was calculated from the expression

$$T_{20} = \frac{\sqrt{2}}{P_{zz}} \left( \frac{\sigma_p}{\sigma_0} - 1 \right) \quad (2)$$

where  $P_{zz}$  is the target tensor polarization in Cartesian form, and  $\sigma_p(\sigma_0)$  the relative 1d elastic differential cross section measured with the target polarized (unpolarized). The uncertainty in  $T_{20}$  includes statistical uncertainties in the relative cross sections, as well as an absolute uncertainty of 0.008 in the magnitude of  $P_{zz}$ . An overall normalization uncertainty factor of 5% (relative), arising from the uncertainty in calibrating the absolute target polarization, is not included in this expression. From Eq. (2) it is clear that the possible sources of systematic errors in this experiment are totally different and fewer in number than those associated with the much more difficult double scattering experiments performed earlier.

A direct comparison of  $t_{20}^{\text{lab}}$  with  $T_{20}^{\text{cm}}$  requires a knowledge of  $T_{21}$  and  $T_{22}$ , as mentioned earlier. These observables have not yet been measured. Therefore, we have chosen to admix the calculated  $T_{21}$  and  $T_{22}$  of

Garcilazo,<sup>11</sup> weighted according to Eq. (1), with our measured  $T_{20}$  in order to compare to the earlier  $t_{20}^{\text{lab}}$  data. The results are shown in Fig. 2, along with the earlier double scattering measurements from SIN,<sup>1</sup> LAMPF<sup>2</sup> and TRIUMF.<sup>3</sup> Our results are consistent with those of the LAMPF and TRIUMF experiments at 134 MeV, and with those of LAMPF at 151 MeV. Our results are not consistent with those of the SIN experiment at either energy.

A model independent comparison of  $t_{20}^{\text{lab}}$  and  $T_{20}^{\text{cm}}$  can be made by using the maximum theoretically possible bounds on  $T_{21}$  and  $T_{22}$  in Eq. (1). These bounds are  $\pm\sqrt{3}/2$ , although the bounds on  $T_{21}$  can be reduced slightly to  $\pm 0.77$  using Lakin cone arguments.<sup>12</sup> The band of allowable  $t_{20}^{\text{lab}}$  determined from our  $T_{20}^{\text{cm}}$  data and these limits on  $T_{21}$  and  $T_{22}$  is entirely negative for cm angles greater than 145°, where the  $SIN t_{20}^{\text{lab}}$  data reach positive values as high as +0.6.

Our  $T_{20}^{\text{cm}}$  data are compared to the predictions of Garcilazo,<sup>11</sup> and Blankleider and Afnan,<sup>13</sup> in Fig. 3. Both predictions are Faddeev calculations, but they differ in some important practical aspects. In particular, they differ in the way in which pion absorption is handled via the  $P_{11}$   $\pi N$  partial wave input. The predictions of  $T_{20}$  are quite sensitive to this aspect of the calculation. Garcilazo has chosen to treat all pion-nucleon partial wave channels on an equal basis in terms of experimentally defined  $t$ -matrix elements. This effectively reduced the contribution from pion absorption in his calculations. The traditional approach<sup>13,14</sup> argues that a correct treatment of the  $P_{11}$  term necessitates splitting it into pole and non-pole terms. Such a treatment leads to a larger absorptive component than does Garcilazo's. Other calculations,<sup>13,15,16</sup> of which those of Ref. 13 are representative, incorporate this approach.

This impact of the  $P_{11}$  term in the calculations of Ref. 13 may be gauged by a comparison to calculations in which this term is left out. It is interesting that the calculations with no absorption are the ones in best agreement with the data. Whether this supports the assumptions involved in Garcilazo's calculations, or simply indicates that the effects of pion absorption are being overestimated in the other calculations, is still an open theoretical question. Clearly, more comprehensive measurements of  $T_{20}$  and other spin observables in the  $\pi d$  elastic scattering reaction will provide crucial tests needed to answer this question.

We gratefully acknowledge the help of the TRIUMF technical and support staff, as well as financial support from the Natural Sciences and Engineering Research Council of Canada.

#### References

- <sup>1</sup>J. Ulbricht et al., Phys. Rev. Lett. 48, 311 (1982); W. Gruebler et al., Phys. Rev. Lett. 49, 444 (1982); V. Koenig et al. J. Phys. G 9, L211 (1983); Swiss Institute for Nuclear Research Annual Reports (NL18), (1984).
- <sup>2</sup>R.J. Holt et al., Phys. Rev. Lett. 43, 1229 (1979); R.J. Holt et al., Phys. Rev. Lett. 47, 472 (1981); E. Ugricht et al., Phys. Rev. Lett. 52, 333 (1984); E. Ugricht et al., Phys. Rev. C31, 934 (1985).
- <sup>3</sup>Y.M. Shin et al., Phys. Rev. Lett. 55, 2672 (1985).
- <sup>4</sup>M. Bittcher et al., Swiss Institute for Nuclear Research Annual Report 1984 (NL18).
- <sup>5</sup>W. Grein and M.P. Locher, J. Phys. G 7, 1355 (1981).
- <sup>6</sup>S. Hiramatsu et al., Nucl. Inst. and Meth. 160, 193 (1979).
- <sup>7</sup>O. Hamada et al., Nucl. Instrum. Meth. 189, 561 (1981).
- <sup>8</sup>J.A. Niskanen, Phys. Lett. 81B, 187 (1979).
- Note that the reference frame used in this reference is not consistent with the Madison convention; therefore the  $t_{kq}$  are in general not the same as those used here.
- <sup>9</sup>E. Aprile-Giboni et al., Nucl. Phys. A415, 391 (1984). Note that there are several typographical errors in this reference.
- Eq. (9) should read  $T_{20} = \sqrt{2}/4 \cdot 2(3A_{yy}-1)$ , and the second row of Table 5 should begin with  $T_{20}(90)$ .
- <sup>10</sup>G.R. Smith et al., Phys. Rev. C29, 2206 (1984).
- <sup>11</sup>H. Garcilazo, Phys. Rev. Lett. 53, 652 (1984).
- <sup>12</sup>F. Seiler and H.W. Roser, Nucl. Phys. A315, 45 (1979), and B.A. Robson, "The Theory of Polarization Phenomena," (Clarendon Press, Oxford, 1974).

<sup>13</sup>B. Blankleider and I.R. Afnan, Phys. Rev. C24, 1572 (1981).<sup>14</sup>T. Mizutani et al., Phys. Rev. C24, 2633 (1981);Y. Avishai et al., Nucl. Phys. A352, 399 (1981);and C. Fayard et al., Phys. Rev. Lett. 45, 524 (1980).<sup>15</sup>Y. Avishai and T. Mizutani, Phys. Rev. C27, 312 (1983).<sup>16</sup>A.S. Rinat and Y. Starkand, Nucl. Phys. A397, 381 (1983).

TABLE I. The measured  $T_{20}^{\text{cm}}$  are tabulated against incident pion energy and scattering angle. The projected  $t_{20}^{\text{lab}}$ , obtained from  $T_{20}^{\text{cm}}$  using Eq. (1), are also tabulated.

$T_\pi$ (MeV)	$\theta$ (cm)	$T_{20}^{\text{cm}}$ (measured)	$t_{20}^{\text{lab}}$ (projected)
134	137.9	-25±.18	-41±.18
134	144.7	-58±.12	-66±.12
134	151.4	-63±.12	-69±.12
134	155.9	-71±.12	-75±.12
134	162.5	-78±.13	-81±.13
134	166.9	-70±.13	-71±.13
151	138.2	-68±.19	-81±.19
151	145.0	-75±.13	-86±.13
151	151.6	-63±.13	-72±.13
151	156.0	-76±.13	-82±.13
151	162.6	-84±.14	-88±.14
151	167.0	-53±.13	-56±.13

### Figure Captions

1. The experimental layout is shown, with the pion beam incident from the top. The meaning of the various detectors is explained in the text.

2. Angular distributions of the tensor polarization  $t_{20}^{\text{lab}}$  are shown at  $T_\pi = 134 \text{ MeV}$  (a) and  $151 \text{ MeV}$  (b). The measured tensor analyzing powers  $T_{20}^{\text{cm}}$  of this experiment have been converted to tensor polarizations  $t_{20}^{\text{lab}}$  in this figure by admixing calculated values of  $T_{21}^{\text{cm}}$  and  $T_{22}^{\text{cm}}$  (see text). The other  $t_{20}^{\text{lab}}$  data, obtained from double scattering experiments, are from SIN (Ref. 1) (open triangles), LAMPF (Ref. 2) (open circles), and from TRIUMF (Ref. 3) (open squares).

3. The tensor analyzing power  $T_{20}^{\text{cm}}$  data obtained in this experiment are compared to calculations at  $T_\pi = 134 \text{ MeV}$  (a) and  $151 \text{ MeV}$  (b). The solid curves (full calculation) and dash-dot curves (no  $P_{11}$  rescattering and no absorption) are from Blankleider and Afnan (Ref. 13). The dashed curves are from Garcilazo (Ref. 11).




Fig. 1




Fig. 2




Fig. 3