

# Digital Geometry Processing

**Computer Graphics CMU 15-462/15-662** 

#### Last time: Meshes & Manifolds


- Mathematical description of geometry
  - simplifying assumption: manifold
  - for polygon meshes: "fans, not fins"
- Data structures for surfaces
  - polygon soup
  - halfedge mesh
  - storage cost vs. access time, etc.
- **■** Today:
  - how do we manipulate geometry?
  - geometry processing / resampling





#### Today: Geometry Processing & Queries

- Extend traditional digital signal processing (audio, video, etc.) to deal with geometric signals:
  - upsampling / downsampling / resampling / filtering ...
  - aliasing (reconstructed surface gives "false impression")
- Also ask some basic questions about geometry:
  - What's the closest point? Do two triangles intersect? Etc.
- Beyond pure geometry, these are basic building blocks for many algorithms in graphics (rendering, animation...)




## 3D Scanning


## 3D Printing

#### Digital Geometry Processing: Motivation






### Geometry Processing Pipeline



### Geometry Processing Tasks




#### Geometry Processing: Reconstruction

- Given samples of geometry, reconstruct surface
- What are "samples"? Many possibilities:
  - points, points & normals, ...
  - image pairs / sets (multi-view stereo)
  - line density integrals (MRI/CT scans)



- silhouette-based (visual hull)
- Voronoi-based (e.g., power crust)
- PDE-based (e.g., Poisson reconstruction)
- Radon transform / isosurfacing (marching cubes)




#### Geometry Processing: Upsampling

- Increase resolution via interpolation
- Images: e.g., bilinear, bicubic interpolation
- Polygon meshes:
  - subdivision
  - bilateral upsampling

-








#### Geometry Processing: Downsampling


- Decrease resolution; try to preserve shape/appearance
- Images: nearest-neighbor, bilinear, bicubic interpolation
- Point clouds: subsampling (just take fewer points!)
- Polygon meshes:
  - iterative decimation, variational shape approximation, ...



#### Geometry Processing: Resampling


- Modify sample distribution to improve quality
- Images: not an issue! (Pixels always stored on a regular grid)
- Meshes: shape of polygons is extremely important!
  - different notion of "quality" depending on task






#### Geometry Processing: Filtering

- Remove noise, or emphasize important features (e.g., edges)
- Images: blurring, bilateral filter, edge detection, ...
- Polygon meshes:
  - curvature flow
  - bilateral filter
  - spectral filter









#### Geometry Processing: Compression

Reduce storage size by eliminating redundant data/approximating unimportant data

#### **Images:**


- run-length, Huffman coding lossless
- cosine/wavelet (JPEG/MPEG) lossy
- Polygon meshes:
  - compress geometry and connectivity
  - many techniques (lossy & lossless)





#### Geometry Processing: Shape Analysis


- Identify/understand important semantic features
- Images: computer vision, segmentation, face detection, ...
- Polygon meshes:
  - segmentation, correspondence, symmetry detection, ...




### Enough overview— Let's process some geometry!

#### Remeshing as resampling


- Remember our discussion of aliasing
- Bad sampling makes signal appear different than it really is
- E.g., undersampled curve looks flat
- Geometry is no different!
  - undersampling destroys features
  - oversampling bad for performance






#### What makes a "good" mesh?

- One idea: good approximation of original shape!
- Keep only elements that contribute information about shape
- Add additional information where, e.g., curvature is large




#### Approximation of position is not enough!


- Just because the vertices of a mesh are very close to the surface it approximates does not mean it's a good approximation!
- Need to consider other factors, e.g., close approximation of surface normals
- Otherwise, can have wrong appearance, wrong area, wrong...




#### What else makes a "good" triangle mesh?


Another rule of thumb: triangle








- E.g., all angles close to 60 degrees
- More sophisticated condition: Delaunay
- Can help w/ numerical accuracy/stability
- Tradeoffs w/ good geometric approximation\*
  - e.g., long & skinny might be "more efficient"




#### What else constitutes a good mesh?

- Another rule of thumb: regular vertex degree
- **■** E.g., valence 6 for triangle meshes (equilateral)



Why? Better polygon shape, important for (e.g.) subdivision:




**■ FACT: Can't have perfect valence everywhere! (except on torus)** 

#### How do we upsample a mesh?


#### Upsampling via Subdivision

- Repeatedly split each element into smaller pieces
- Replace vertex positions with weighted average of neighbors
- Main considerations:
  - interpolating vs. approximating
  - limit surface continuity (C<sup>1</sup>, C<sup>2</sup>, ...)
  - behavior at irregular vertices
- Many options:
  - Quad: Catmull-Clark
  - Triangle: Loop, Butterfly, Sqrt(3)





#### Catmull-Clark Subdivision


Step 0: split every polygon (any # of sides) into quadrilaterals:



■ New vertex positions are weighted combination of old ones:







#### **New vertex coords:**

$$\frac{Q+2R+(n-3)S}{n}$$


n – vertex degree


Q – average of face coords around vertex

 $R\,$  – average of edge coords around vertex

S – original vertex position

#### Catmull-Clark on quad mesh







(very few irregular vertices)

#### Good normal approximation almost everywhere:











smooth caustics

#### Catmull-Clark on triangle mesh







(huge number of irregular vertices!)

#### Poor normal approximation almost everywhere:








jagged reflection lines

jagged caustics


**ALIASING!** 

#### Loop Subdivision

- Alternative subdivision scheme for triangle meshes
- Curvature is continuous away from irregular vertices ("C2")
- Algorithm:
  - Split each triangle into four




- Assign new vertex positions according to weights:




#### Loop Subdivision via Edge Operations

First, split edges of original mesh in any order:



■ Next, flip new edges that touch a new & old vertex:




(Don't forget to update vertex positions!)

Images cribbed from Denis Zorin. CMU 15-462/662

#### What if we want fewer triangles?

#### Simplification via Edge Collapse

- One popular scheme: iteratively collapse edges
- Greedy algorithm:
  - assign each edge a cost
  - collapse edge with least cost
  - repeat until target number of elements is reached
- Particularly effective cost function: quadric error metric\*





#### **Quadric Error Metric**

- Approximate distance to a collection of triangles
- Distance is sum of point-to-plane distances
  - Q: Distance to plane w/ normal N passing through point p?

- A: 
$$d(x) = N \cdot x - N \cdot p = N \cdot (x - p)$$

Sum of distances:





#### Quadric Error - Homogeneous Coordinates


- Suppose in coordinates we have
  - a query point (x,y,z)
  - a normal (a,b,c)
  - an offset  $d := -(p,q,r) \cdot (a,b,c)$

s we have 
$$K = \begin{bmatrix} a^2 & ab & ac & ad \\ ab & b^2 & bc & bd \\ ac & bc & c^2 & cd \\ ad & bd & cd & d^2 \end{bmatrix}$$

- Then in homogeneous coordinates, let
  - u := (x,y,z,1)
  - v := (a,b,c,d)
- Signed distance to plane is then just  $u \cdot v = ax + by + cz + d$
- Squared distance is  $(u^Tv)^2 = u^T(vv^T)u =: u^TKu$
- Key idea: matrix K encodes distance to plane
- K is symmetric, contains 10 unique coefficients (small storage)

#### Quadric Error of Edge Collapse

- How much does it cost to collapse an edge?
- Idea: compute edge midpoint, measure quadric error




- Better idea: use point that minimizes quadric error as new point!
- Q: Ok, but how do we minimize quadric error?


#### Review: Minimizing a Quadratic Function

- Suppose I give you a function  $f(x) = ax^2 + bx + c$
- Q: What does the graph of this function look like?
- Could also look like this!
- Q: How do we find the minimum?
- A: Look for the point where the function isn't changing (if we look "up close")
- I.e., find the point where the derivative vanishes

$$f'(x) = 0$$
$$2ax + b = 0$$
$$x = -b/2a$$

(What about our second example?)





#### Minimizing a Quadratic Form

- A quadratic form is just a generalization of our quadratic polynomial from 1D to nD
- E.g., in 2D:  $f(x,y) = ax^2 + bxy + cy^2 + dx + ey + g$
- Can always (always!) write quadratic polynomial using a symmetric matrix (and a vector, and a constant):

$$f(x,y) = \begin{bmatrix} x & y \end{bmatrix} \begin{bmatrix} a & b/2 \\ b/2 & c \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + \begin{bmatrix} d & e \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} + g$$
$$= \mathbf{x}^{\mathsf{T}} A \mathbf{x} + \mathbf{u}^{\mathsf{T}} x + g \qquad \text{(this expression works for any n!)}$$

- Q: How do we find a critical point (min/max/saddle)?
- A: Set derivative to zero!  $2A\mathbf{x} + \mathbf{u} = 0$   $\mathbf{x} = -\frac{1}{2}A^{-1}\mathbf{u}$


(Can you show this is true, at least in 2D?)

#### Positive Definite Quadratic Form

- Just like our 1D parabola, critcal point is not always a min!
- Q: In 2D, 3D, nD, when do we get a minimum?
- A: When matrix A is positive-definite:

$$\mathbf{x}^\mathsf{T} A \mathbf{x} > 0 \quad \forall \mathbf{x}$$

- 1D: Must have  $xax = ax^2 > 0$ . In other words: a is positive!
- 2D: Graph of function looks like a "bowl":



Positive-definiteness is extremely important in computer graphics: it means we can find a minimum by solving linear equations. Basis of many, many modern algorithms (geometry processing, simulation, ...).

#### Minimizing Quadratic Error

■ Find "best" point for edge collapse by minimizing quad. form

$$\min \mathbf{u}^\mathsf{T} K \mathbf{u}$$

- Already know fourth (homogeneous) coordinate is 1!
- So, break up our quadratic function into two pieces:

$$\begin{bmatrix} \mathbf{x}^{\mathsf{T}} & 1 \end{bmatrix} \begin{bmatrix} B & \mathbf{w} \\ \mathbf{w} & d^2 \end{bmatrix} \begin{bmatrix} \mathbf{x} \\ 1 \end{bmatrix}$$
$$= \mathbf{x}^{\mathsf{T}} B \mathbf{x} + 2 \mathbf{w}^{\mathsf{T}} \mathbf{x} + d^2$$


- Now we have a quadratic form in the 3D position x.
- Can minimize as before:

$$2B\mathbf{x} + 2\mathbf{w} = 0 \qquad \iff \qquad \mathbf{x} = -B^{-1}\mathbf{w}$$

(Q: Why should B be positive-definite?)


### Quadric Error Simplification: Final Algorithm

- Compute K for each triangle (distance to plane)
- Set K at each vertex to sum of Ks from incident triangles
- Set K at each edge to sum of Ks at endpoints
- Find point at each edge minimizing quadric error
- Until we reach target # of triangles:
  - collapse edge (i,j) with smallest cost to get new vertex m
  - add K<sub>i</sub> and K<sub>j</sub> to get quadric K<sub>m</sub> at m
  - update cost of edges touching m
- More details in assignment writeup!



#### Quadric Simplification—Flipped Triangles

Depending on where we put the new vertex, one of the new triangles might be "flipped" (normal points in instead of out):





- Easy solution: check dot product between normals across edge
- If negative, don't collapse this edge!

## What if we're happy with the number of triangles, but want to improve quality?

#### How do we make a mesh "more Delaunay"?

- Already have a good tool: edge flips!
- If  $\alpha+\beta>\pi$ , flip it!






- FACT: in 2D, flipping edges eventually yields Delaunay mesh
- Theory: worst case O(n²); no longer true for surfaces in 3D.
- Practice: simple, effective way to improve mesh quality

#### Alternatively: how do we improve degree?


- Same tool: edge flips!
- If total deviation from degree-6 gets smaller, flip it!



- FACT: average vertex degree is 6 as number of elements increases
- Iterative edge flipping acts like "discrete diffusion" of degree
- Again, no (known) guarantees; works well in practice

#### How do we make a triangles "more round"?

- Delaunay doesn't mean triangles are "round" (angles near 60°)
- Can often improve shape by centering vertices:



- Simple version of technique called "Laplacian smoothing".\*\*
- On surface: move only in tangent direction
- How? Remove normal component from update vector.


#### Isotropic Remeshing Algorithm

- **■** Try to make triangles uniform shape & size
- Repeat four steps:
  - Split any edge over 4/3rds mean edge legth
  - Collapse any edge less than 4/5ths mean edge length
  - Flip edges to improve vertex degree
  - Center vertices tangentially



## What can go wrong when you resample a signal?

#### Danger of Resampling



(Q: What happens with an image?)

# But wait: we have the original mesh. Why not just project each new sample point onto the closest point of the original mesh?

#### Next Time: Geometric Queries

- Q: Given a point, in space, how do we find the closest point on a surface? Are we inside or outside the surface? How do we find intersection of two triangles? Etc.
- Q: Do implicit/explicit representations make such tasks easier?
- Q: What's the cost of the naïve algorithm, and how do we accelerate such queries for large meshes?

