

# Training data

## Eye movement data

```
public static void main(String[] args) {  
    static Scanner sc = new Scanner(System.in);  
    while (sc.hasNext()) {  
        String s = sc.next();  
        String res = "";  
        for (int i = 0; i < s.length(); i++) {  
            char c = s.charAt(i);  
            if (c == '@') {  
                int rep = s.charAt(i + 1) - '0';  
                char b = s.charAt(i + 2);  
                for (int j = 0; j < rep; j++)  
                    res += b;  
                i += 2;  
            } else {  
                res += c;  
            }  
        }  
        System.out.println(res);  
    }  
}
```

## Code text

```
public static void main(String[] args) {  
    static Scanner sc = new Scanner(System.in);  
    while (sc.hasNext()) {  
        String s = sc.next();  
        String res = "";  
        for (int i = 0; i < s.length(); i++) {  
            char c = s.charAt(i);  
            if (c == '@') {  
                int rep = s.charAt(i + 1) - '0';  
                char b = s.charAt(i + 2);  
                for (int j = 0; j < rep; j++)  
                    res += b;  
                i += 2;  
            } else {  
                res += c;  
            }  
        }  
        System.out.println(res);  
    }  
}
```

## State-action sequence

$t = 2$

$t = 1$

$t = 3$

input

# Context-based attention model

