


EUROPEAN ORGANIZATION FOR NUCLEAR RESEARCH



CERN-PH-EP-2014-90
08 May 2014

Measurement of prompt D-meson production in p–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$

ALICE Collaboration *

Abstract

The p_{T} -differential production cross sections of the prompt charmed mesons D^0 , D^+ , D^{*+} and D_s^+ and their charge conjugate in the rapidity interval $-0.96 < y_{\text{cms}} < 0.04$ were measured in p–Pb collisions at a centre-of-mass energy $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ALICE detector at the LHC. The nuclear modification factor R_{pPb} , quantifying the D-meson yield in p–Pb collisions relative to the yield in pp collisions scaled by the number of binary nucleon-nucleon collisions, is compatible within the 15–20% uncertainties with unity in the transverse momentum interval $1 < p_{\text{T}} < 24 \text{ GeV}/c$. No significant difference among the R_{pPb} of the four D-meson species is observed. The results are described within uncertainties by theoretical calculations that include initial-state effects. The measurement adds experimental evidence that the modification of the momentum spectrum of D mesons observed in Pb–Pb collisions with respect to pp collisions is due to strong final-state effects induced by hot partonic matter.

© 2014 CERN for the benefit of the ALICE Collaboration.

Reproduction of this article or parts of it is allowed as specified in the CC-BY-3.0 license.

*See Appendix A for the list of collaboration members

In hadronic collisions heavy quarks are produced in scattering processes with large momentum transfer. Theoretical predictions based on perturbative Quantum Chromo-Dynamics (QCD) describe the p_{T} -differential charm production cross sections in pp collisions at different energies [1–3].

The interpretation of heavy-ion collision experimental results is consistent with the formation of a high-density colour-deconfined medium, the Quark-Gluon Plasma (QGP) [4, 5]. Heavy quarks are sensitive to the transport properties of the medium since they are produced on a short time-scale and traverse the medium interacting with its constituents. In Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV, the D-meson nuclear modification factor R_{AA} , defined as ratio of the yield in nucleus-nucleus collisions to that observed in the pp ones scaled by the number of binary nucleon-nucleon collisions, indicates a strong suppression of the D-meson yield for $p_{\text{T}} \gtrsim 2$ GeV/c [6]. The suppression is interpreted as due to in-medium energy loss [7–10]. A complete understanding of the Pb–Pb results requires an understanding of cold-nuclear-matter effects in the initial and final state, which can be accessed by studying p–Pb collisions assuming that the QGP is not formed in these collisions. In the initial state, the nuclear environment affects the quark and gluon distributions, which are modified in bound nucleons depending on the parton fractional momentum x and the atomic mass number A [11, 12]. At LHC energies, the most relevant effect is gluon saturation at low x , which can modify the D-meson production significantly at low p_{T} . This effect can be described either by means of calculations based on phenomenological modification of the Parton Distribution Functions (PDFs) [13–15] or with the Colour Glass Condensate (CGC) effective theory [16–19]. Partons can also lose energy in the initial stages of the collision via initial-state radiation, thus modifying the centre-of-mass energy of the partonic system [20], or experience transverse momentum broadening due to multiple soft collisions before the $c\bar{c}$ pair is produced [21–23]. Recent calculations of parton energy loss in the nuclear medium suggest that the formed $c\bar{c}$ pair is also affected by these processes in p–Pb collisions [24]. The presence of final-state effects in small collision systems is suggested by recent studies on long-range correlations of charged hadrons [25–28] in p–Pb collisions, by results on the species-dependent nuclear modification factors of pions, kaons and protons [29] in d–Au collisions and on the larger suppression of the ψ' meson with respect to the J/ψ in both d–Au [30] and p–Pb [31] collisions.

Previous studies to address cold-nuclear-matter effects in heavy-flavour production were carried out at RHIC by measuring the production of leptons from heavy-flavour hadrons decays in d–Au collisions at $\sqrt{s_{\text{NN}}} = 200$ GeV [32–34]. PHENIX measured an enhancement of about 40% of the heavy-flavour decay electrons in the 20% most central d–Au collisions with respect to pp collisions [32]. A description of this result in terms of hydrodynamic flow in small collision systems was recently proposed [35]. PHENIX also measured an enhancement (suppression) of heavy-flavour decay muons at backward (forward) rapidities in d–Au collisions [33]. The difference observed in the two rapidity regions exceeds predictions based on initial parton density modifications, suggesting the presence of other cold-nuclear-matter effects. The measurement of fully reconstructed charmed hadrons in p–Pb collisions at the LHC can shed light on the different aspects of cold-nuclear-matter effects mentioned above and, in particular, can clarify whether the observed suppression of D-meson production in Pb–Pb collisions is a genuine hot QCD matter effect.

In this Letter, we present the measurement of the cross sections and of the nuclear modification factors, R_{pPb} , of prompt D^0 , D^+ , D^{*+} and D_s^+ mesons in p–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV performed with the ALICE detector [36, 37] at the LHC. D mesons were reconstructed in the rapidity interval $|y_{\text{lab}}| < 0.5$ via their hadronic decay channels $D^0 \rightarrow K^-\pi^+$ (with a branching ratio (BR) of $3.88 \pm 0.05\%$), $D^+ \rightarrow K^-\pi^+\pi^+$ (BR of $9.13 \pm 0.19\%$), $D^{*+} \rightarrow D^0\pi^+$ (BR of $67.7 \pm 0.5\%$) and $D_s^+ \rightarrow \phi\pi^+ \rightarrow K^-K^+\pi^+$ (BR of $2.28 \pm 0.12\%$) [38] and their charge conjugates. Because of the different energies per nucleon of the proton and the lead beams, the nucleon–nucleon centre-of-mass frame was moving with a rapidity $|\Delta y_{\text{NN}}| = 0.465$ in the proton beam direction (positive rapidities), leading to the rapidity coverage $-0.96 < y_{\text{cms}} < 0.04$.

Charged particles were reconstructed and identified with the central barrel detectors located within a 0.5 T solenoid magnet. Tracks were reconstructed with the Inner Tracking System (ITS) and the Time Projection Chamber (TPC). Particle IDentification (PID) was based on the specific energy loss dE/dx in the TPC gas and on the time of flight from the interaction point to the Time Of Flight (TOF) detector. The analysis was performed by using p–Pb data collected in 2013 with a minimum-bias trigger that required the arrival of bunches from both directions and coincident signals in both scintillator arrays of the V0 detector, covering the regions $2.8 < \eta < 5.1$ and $-3.7 < \eta < -1.7$. Events were selected off-line by using the timing information from the V0 and the Zero Degree Calorimeters to remove background due to beam-gas interactions. Only events with a primary vertex reconstructed within $\pm 10 \text{ cm}$ from the centre of the detector along the beam line were considered. About 10^8 events, corresponding to an integrated luminosity of $(48.6 \pm 1.6) \mu\text{b}^{-1}$, passed the selection criteria.

D-meson selection was based on the reconstruction of decay vertices displaced from the interaction vertex, exploiting the separation of a few hundred micrometers typical of the D-meson weak decays, as described in [6, 39–41]. D^0 , D^+ and D_s^+ candidates were defined using pairs or triplets of tracks with the proper charge sign combination. Tracks were required to have $|\eta| < 0.8$, $p_T > 0.4 \text{ GeV}/c$, at least 70 out of 159 associated space points in the TPC and at least 2 out of 6 hits in the ITS, out of which at least one in the two innermost layers. D^{*+} candidates were formed combining D^0 candidates with tracks with $|\eta| < 0.8$, $p_T > 0.1 \text{ GeV}/c$ and at least three associated hits in the ITS. The selection strategy was based on the displacement of the tracks from the interaction vertex and the pointing of the reconstructed D-meson momentum to the primary vertex. At low- p_T , further background rejection was obtained by identifying charged kaons with the TPC and TOF by applying cuts in units of resolution ($\pm 3\sigma$) around the expected mean values of dE/dx and time of flight. For D_s^+ candidate selection, the invariant mass of at least one of the two opposite-charge track pairs was required to be compatible with the mass of the ϕ meson ($\pm 2\sigma$).

The total cross section for hard processes $\sigma_{\text{pA}}^{\text{hard}}$ in proton–nucleus collisions scales as $\sigma_{\text{pA}}^{\text{hard}} = A \sigma_{\text{NN}}^{\text{hard}}$ [42], where $\sigma_{\text{NN}}^{\text{hard}}$ is the equivalent cross section in pp collisions. Therefore, the R_{pPb} for prompt D mesons is given by

$$R_{\text{pPb}} = \frac{\left(\frac{d\sigma}{dp_T}\right)_{\text{pPb}}}{A \times \left(\frac{d\sigma}{dp_T}\right)_{\text{pp}}}. \quad (1)$$

The production cross sections of prompt D mesons (not coming from beauty meson decays) were obtained as (e.g. for D^+)

$$\left. \frac{d\sigma^{D^+}}{dp_T} \right|_{|y_{\text{lab}}| < 0.5} = \frac{f_{\text{prompt}} \cdot N_{\text{raw}}^{D^\pm} |_{|y_{\text{lab}}| < y_{\text{fid}}}}{2\alpha_y \Delta p_T (\text{Acc} \times \varepsilon)_{\text{prompt}} \cdot \text{BR} \cdot L_{\text{int}}}. \quad (2)$$

$N_{\text{raw}}^{D^\pm}$ is the raw yield extracted in a given p_T interval (of width Δp_T) by means of a fit to the invariant mass distribution of the D-meson candidates. f_{prompt} is the prompt fraction of the raw yield. $(\text{Acc} \times \varepsilon)_{\text{prompt}}$ is the geometrical acceptance multiplied by the reconstruction and selection efficiency of prompt D mesons. The factor $\alpha_y = y_{\text{fid}}/0.5$ normalizes the yields, measured in $|y_{\text{lab}}| < y_{\text{fid}}$, to one unit of rapidity $|y_{\text{lab}}| < 0.5$. y_{fid} is the p_T -dependent fiducial acceptance cut (y_{fid} increases from 0.5 at $p_T = 0$ to 0.8 at $p_T = 5 \text{ GeV}/c$ and becomes constant at 0.8 for $p_T > 5 \text{ GeV}/c$). The cross sections are given for particles; thus, a factor 1/2 was added to take into account that both particles and anti-particles are counted in the raw yield. The integrated luminosity, L_{int} , was computed as $N_{\text{pPb,MB}}/\sigma_{\text{pPb,MB}}$ where $N_{\text{pPb,MB}}$ is the number of p–Pb collisions passing the minimum-bias trigger condition and $\sigma_{\text{pPb,MB}}$ is the cross section of the V0 trigger, which was measured to be $2.09 \text{ b} \pm 3.5\% \text{ (syst)}$ with the p–Pb van der Meer scan [43]. The minimum-bias trigger is 100% efficient for D mesons with $p_T > 1 \text{ GeV}/c$ and $|y_{\text{lab}}| < 0.5$.

The acceptance-times-efficiency ($\text{Acc} \times \varepsilon$) corrections were determined by using a Monte Carlo simulation. Proton–lead collisions were produced using the HIJING v1.36 [44] event generator. A $c\bar{c}$ or $b\bar{b}$ pair was added in each event using the PYTHIA v6.4.21 [45] generator with Perugia-0 tuning [46]. The generated particles were transported through the ALICE detector using GEANT3 [47]. The efficiency for D-meson reconstruction and selection varies from 0.5–1% for $p_T < 2 \text{ GeV}/c$ to 20–30% for $p_T > 12 \text{ GeV}/c$ because of the larger displacement of the decay vertex of high- p_T candidates due to the Lorentz boost. Hence the generated D-meson spectrum used to calculate the efficiencies was tuned to reproduce the shape given by Fixed-Order Next-To-Leading-Log resummation (FONLL) [2] calculations at $\sqrt{s} = 5.02 \text{ TeV}$ in each p_T interval. The efficiency depends also on the multiplicity of charged particles produced in the collision since the primary vertex resolution, and consequently the resolution of the topological selection variables, improves with increasing multiplicity. This dependence is different for each meson species and p_T interval: e.g. the D^0 efficiency in $5 < p_T < 8 \text{ GeV}/c$ increases by a factor 1.5 for low multiplicity events until it becomes constant at about 20 reconstructed primary particles. Therefore, the efficiency was calculated by weighting the simulated events according to their charged particle multiplicity in order to reproduce the multiplicity distribution observed in data.

The fraction of prompt D mesons, f_{prompt} , was estimated as in Ref. [6] by using the beauty production cross section from FONLL calculations [2], the $B \rightarrow D + X$ decay kinematics from the EvtGen package [48] and the reconstruction and selection efficiency for D mesons from B hadron decays. The R_{pPb} of prompt and feed-down D mesons were assumed to be equal and were varied in the range $0.9 < R_{\text{pPb}}^{\text{feed-down}}/R_{\text{pPb}}^{\text{prompt}} < 1.3$ to evaluate the systematic uncertainties. This range was chosen considering the predictions from calculations including initial state effects based on the Eskola-Paukkunen-Salgado 2009 (EPS09) [13] parameterizations of the nuclear modification of the PDF and CGC [16].

The reference pp cross sections at $\sqrt{s} = 5.02 \text{ TeV}$ were obtained by a perturbative-QCD-based energy scaling of the p_T -differential cross sections measured at $\sqrt{s} = 7 \text{ TeV}$ [40]. The scaling factor for each D-meson species was determined as the ratio of the cross sections from the FONLL calculations at 5.02 and 7 TeV. The uncertainty on the scaling factor was evaluated by varying the calculation parameters as described in Ref. [49] and it ranges from $^{+17.5\%}_{-4\%}$ at $p_T = 1 \text{ GeV}/c$ to about $\pm 3\%$ for $p_T > 8 \text{ GeV}/c$. In addition, the pp reference is affected by the uncertainty coming from the 7 TeV measurement ($\sim 17\%$) [40]. Since the D^0 cross section in pp collisions in the $1 < p_T < 2 \text{ GeV}/c$ interval was measured at both 7 and 2.76 TeV, both results were scaled to 5.02 TeV and averaged considering their relative statistical and systematic uncertainties as weights. Since the current measurement of the ALICE D^0 pp cross section at $\sqrt{s} = 7 \text{ TeV}$ is limited to $p_T = 16 \text{ GeV}/c$, the cross section was extrapolated to higher p_T using the spectrum predicted by FONLL [2] scaled to match pp data in $5 < p_T < 16 \text{ GeV}/c$. Then the D^0 cross section at 7 TeV in $16 < p_T < 24 \text{ GeV}/c$ was scaled to 5.02 TeV.

The systematic uncertainties on the D-meson cross sections include contributions from yield extraction (from 2% to 17% depending on p_T and D-meson species), an imperfect description of the cut variables in the simulation (from 5% to 8% for D^0 , D^+ and D^{*+} , $\sim 20\%$ for D_s^+), tracking efficiency (3% for each track), simulated p_T shapes (from 2% to 3% depending on p_T and D-meson species), and the subtraction of feed-down D mesons from B decays (from 4% and 40% depending on p_T and D-meson species). For the D^0 meson, the yield extraction systematic uncertainty also includes the contribution to the raw yield of signal candidates reconstructed assigning the wrong mass to the final-state hadrons. This contribution, which is strongly reduced by the PID selection, was estimated to be 3%(4%) at low(high) p_T based on the invariant mass distribution of these candidates in the simulation. Details of the procedure for the systematic uncertainty estimation are reported in Refs. [6, 39–41]. The measured cross sections have a global systematic uncertainty due to the determination of the integrated luminosity (3.7% [43]) and to the branching ratio [38]. For the R_{pPb} , the pp and p–Pb uncertainties were added in quadrature except for the branching ratio uncertainty, which cancels out in the ratio, and the feed-down contribution, which partially cancels out.




Figure 1: p_T -differential inclusive production cross section of prompt D^0 , D^+ , D^{*+} and D_s^+ mesons in p–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. Statistical uncertainties (bars) and systematic uncertainties (boxes) are shown.




Figure 2: R_{pPb} as a function of p_T for prompt D^0 , D^+ , D^{*+} and D_s^+ mesons in p–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. Statistical (bars), systematic (empty boxes), and normalization (full box) uncertainties are shown.

The p_T -differential production cross sections of prompt D^0 , D^+ , D^{*+} and D_s^+ mesons are shown in Fig. 1. The relative abundances of D mesons in p–Pb collisions are compatible within uncertainties with those measured in pp, ep and e^+e^- collisions at different energies [41]. The R_{pPb} of the four D-meson species, shown in Fig. 2, are consistent, and they are compatible with unity within the uncertainties in the measured p_T range. D-meson production in p–Pb collisions is consistent within statistical and systematic uncertainties with the binary collision scaling of the production in pp collisions. Moreover, within the uncertainties, the D_s^+ nuclear modification factor is compatible with that of non-strange D mesons. The average of the R_{pPb} of D^0 , D^+ and D^{*+} in the p_T range $1 < p_T < 24$ GeV/c was calculated




Figure 3: Average R_{pPb} of prompt D^0 , D^+ and D^{*+} mesons as a function of p_T compared to model calculations. Statistical (bars), systematic (empty boxes), and normalization (full box) uncertainties are shown.




Figure 4: Average R_{pPb} of prompt D^0 , D^+ and D^{*+} mesons as a function of p_T compared to D-meson R_{AA} in the 20% most central and in the 40%-80% Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV from Ref. [6]. Statistical (bars), systematic (empty boxes), and normalization (full boxes) uncertainties are shown.

using the relative statistical uncertainties as weights. The systematic error on the average was calculated by propagating the uncertainties through the weighted average, where the contributions from tracking efficiency, B feed-down correction, and scaling of the pp reference were taken as fully correlated among the three species. Figure 3 shows the average R_{pPb} compared to theoretical calculations. Predictions based either on next-to-leading order (NLO) pQCD calculations (MNR [50]) of D-meson production, including the EPS09 [13] nuclear modification of the CTEQ6M PDF [51], or on calculations based on the Color Glass Condensate [16] can describe the measurement by considering only initial-state effects. Data are also well described by calculations which include cold-nuclear-matter energy loss, nuclear

shadowing and k_T -broadening [9]. The possible effects due to the formation of a hydrodynamically expanding medium as calculated in Ref. [35] are expected to be small in minimum-bias collisions at LHC energies. The present uncertainties of the measurement do not allow any sensitivity to this effect. In Fig. 4, the average R_{AA} of prompt D mesons in central (0-20%) and in semi-peripheral (40%-80%) Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV [6] is reported along with the average R_{pPb} of prompt D mesons in p–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV, showing that cold-nuclear-matter effects are smaller than the uncertainties for $p_T \gtrsim 3$ GeV/ c . In addition, as reported in Ref. [6], the same EPS09 nuclear PDF parametrization that describes the D-meson R_{pPb} results predicts small initial state effects (less than 10% for $p_T > 5$ GeV/ c) for Pb–Pb collisions. As a consequence, the suppression observed in central Pb–Pb collisions for $p_T \gtrsim 2$ GeV/ c is predominantly induced by final-state effects, e.g. the charm energy loss in the medium [7–10].

In summary, we reported the measurement of the D-meson cross section and nuclear modification factor in p–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. The latter is consistent within uncertainties of about 15%-20% with unity and is compatible with theoretical calculations including gluon saturation. Thus, the suppression of D mesons with $p_T \gtrsim 2$ GeV/ c observed in Pb–Pb collisions cannot be explained in terms of initial-state effects but is due to strong final-state effects induced by hot partonic matter.

Acknowledgements

The ALICE Collaboration would like to thank all its engineers and technicians for their invaluable contributions to the construction of the experiment and the CERN accelerator teams for the outstanding performance of the LHC complex. The ALICE Collaboration would like to thank M. Cacciari for providing the pQCD predictions used for the feed-down correction and the energy scaling, and I. Vitev, H. Fujii and K. Watanabe for making available their predictions for the nuclear modification factor. The ALICE Collaboration gratefully acknowledges the resources and support provided by all Grid centres and the Worldwide LHC Computing Grid (WLCG) collaboration. The ALICE Collaboration acknowledges the following funding agencies for their support in building and running the ALICE detector: State Committee of Science, World Federation of Scientists (WFS) and Swiss Fonds Kidagan, Armenia, Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), Financiadora de Estudos e Projetos (FINEP), Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP); National Natural Science Foundation of China (NSFC), the Chinese Ministry of Education (CMOE) and the Ministry of Science and Technology of China (MSTC); Ministry of Education and Youth of the Czech Republic; Danish Natural Science Research Council, the Carlsberg Foundation and the Danish National Research Foundation; The European Research Council under the European Community’s Seventh Framework Programme; Helsinki Institute of Physics and the Academy of Finland; French CNRS-IN2P3, the ‘Region Pays de Loire’, ‘Region Alsace’, ‘Region Auvergne’ and CEA, France; German BMBF and the Helmholtz Association; General Secretariat for Research and Technology, Ministry of Development, Greece; Hungarian OTKA and National Office for Research and Technology (NKTH); Department of Atomic Energy and Department of Science and Technology of the Government of India; Istituto Nazionale di Fisica Nucleare (INFN) and Centro Fermi - Museo Storico della Fisica e Centro Studi e Ricerche “Enrico Fermi”, Italy; MEXT Grant-in-Aid for Specially Promoted Research, Japan; Joint Institute for Nuclear Research, Dubna; National Research Foundation of Korea (NRF); CONACYT, DGAPA, México, ALFA-EC and the EPLANET Program (European Particle Physics Latin American Network) Stichting voor Fundamenteel Onderzoek der Materie (FOM) and the Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO), Netherlands; Research Council of Norway (NFR); Polish Ministry of Science and Higher Education; National Science Centre, Poland; Ministry of National Education/Institute for Atomic Physics and CNCS-UEFISCDI - Romania; Ministry of Education and Science of Russian Federation, Russian Academy of Sciences, Russian Federal Agency of Atomic Energy, Russian Federal Agency for Science and Innovations and The Russian Foundation for Basic

Research; Ministry of Education of Slovakia; Department of Science and Technology, South Africa; CIEMAT, EELA, Ministerio de Economía y Competitividad (MINECO) of Spain, Xunta de Galicia (Consellería de Educación), CEADEN, Cubaenergía, Cuba, and IAEA (International Atomic Energy Agency); Swedish Research Council (VR) and Knut & Alice Wallenberg Foundation (KAW); Ukraine Ministry of Education and Science; United Kingdom Science and Technology Facilities Council (STFC); The United States Department of Energy, the United States National Science Foundation, the State of Texas, and the State of Ohio.

References

- [1] B. A. Kniehl, G. Kramer, I. Schienbein and H. Spiesberger, Phys. Rev. Lett. 96 (2006) 012001; B. A. Kniehl, G. Kramer, I. Schienbein and H. Spiesberger, Eur. Phys. J. C72 (2012) 2082.
- [2] M. Cacciari, M. Greco and P. Nason, JHEP 05 (1998) 007; M. Cacciari and P. Nason, JHEP 09 (2003) 006; M. Cacciari, S. Frixione, N. Houdeau, M. L. Mangano, P. Nason and G. Ridolfi, JHEP 10 (2012) 137.
- [3] R. Maciula and A. Szczurek, Phys. Rev. D 87 (2013) 094022.
- [4] J. Adams *et al.* [STAR Collaboration], Collaboration’s critical assessment of the evidence from RHIC collisions,” Nucl. Phys. A 757 (2005) 102; B. B. Back *et al.* [PHOBOS Collaboration], Nucl. Phys. A 757 (2005) 28; K. Adcox *et al.* [PHENIX Collaboration], Nucl. Phys. A 757 (2005) 184; I. Arsene *et al.* [BRAHMS Collaboration], Nucl. Phys. A 757 (2005) 1.
- [5] K. Aamodt *et al.* [ALICE Collaboration], Phys. Rev. Lett. 105 (2010) 252302; K. Aamodt *et al.* [ALICE Collaboration], Phys. Lett. B 696 (2011) 30; G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. 105 (2010) 252303.
- [6] B. Abelev *et al.* [ALICE Collaboration], JHEP 09 (2012) 112.
- [7] J. Uphoff, O. Fochler, Z. Xu and C. Greiner, Phys. Lett. B 717 (2012) 430.
- [8] S. Wicks, W. A. Horowitz, M. Djordjevic, and M. Gyulassy, Nucl. Phys. A 784 (2007) 426; W. A. Horowitz, AIP Conf. Proc. 1441 (2012) 889.
- [9] R. Sharma, I. Vitev and B. -W. Zhang, Phys. Rev. C 80 (2009) 054902.
- [10] M. He, R. J. Fries and R. Rapp, arXiv:1401.3817.
- [11] M. Arneodo, Phys. Rept. 240 (1994) 301.
- [12] S. Malace, D. Gaskell, D. W. Higinbotham, I. Cloet, arXiv:1405.1270.
- [13] K. Eskola, H. Paukkunen and C. Salgado, JHEP 04 (2009) 065.
- [14] D. de Florian and R. Sassot, Phys.Rev. D 69 (2004) 074028.
- [15] M. Hirai, S. Kumano and T.H. Nagai, Phys.Rev. C 76 (2007) 065207.
- [16] H. Fujii and K. Watanabe, arXiv:1308.1258.
- [17] P. Tribedy and R. Venugopalan, Phys. Lett. B 710, 125 (2012).
- [18] J. L. Albacete, A. Dumitru, H. Fujii, and Y. Nara, Nucl. Phys. A897, 1 (2013).
- [19] A. H. Rezaeian, Phys. Lett. B 718, 1058 (2013).
- [20] I. Vitev, Phys. Rev. C 75 (2007) 064906.
- [21] M. Lev and B. Petersson, Z. Phys. C 21 (1983) 155.
- [22] X. N. Wang, Phys. Rev. C 61 (2000) 064910.
- [23] B. Z. Kopeliovich, J. Nemchik, A. Schafer and A. V. Tarasov, Phys. Rev. Lett. 88 (2002) 232303.
- [24] F. Arleo, S. Peigne, T. Sami, Phys. Rev. D 83 (2011) 114036.
- [25] S. Chatrchyan *et al.* [CMS Collaboration], Phys. Lett. B 718 (2013) 795.

- [26] B. Abelev *et al.* [ALICE Collaboration], Phys. Lett. B 719 (2013) 29.
- [27] B. Abelev *et al.* [ALICE Collaboration], Phys. Lett. B 726 (2013) 164.
- [28] G. Aad *et al.* [ATLAS Collaboration], Phys. Rev. Lett. 110 (2012) 182302.
- [29] S. Adler *et al.* [PHENIX Collaboration], Phys. Rev. C 74 (2006) 024904.
- [30] A. Adare *et al.* [PHENIX Collaboration], Phys. Rev. Lett. 111 (2013) 202301.
- [31] B. B. Abelev *et al.* [ALICE Collaboration], arXiv:1405.3796 [nucl-ex].
- [32] A. Adare *et al.* [PHENIX Collaboration], Phys. Rev. Lett. 109 (2012) 242301.
- [33] A. Adare *et al.* [PHENIX Collaboration], arXiv:1310.1005.
- [34] J. Adams *et al.* [STAR Collaboration], Phys. Rev. Lett. 94 (2005) 062301.
- [35] A. M. Sickles, Phys. Lett. B 731 (2014) 51.
- [36] K. Aamodt *et al.* [ALICE Collaboration], JINST 3 (2008) S08002.
- [37] B. Abelev *et al.* [ALICE Collaboration], arXiv:1402.4476.
- [38] J. Beringer *et al.*, [Particle Data Group], Phys. Rev. D 86 (2012) 010001.
- [39] B. Abelev *et al.* [ALICE Collaboration], JHEP 07 (2012) 191.
- [40] B. Abelev *et al.* [ALICE Collaboration], JHEP 01 (2012) 128.
- [41] B. Abelev *et al.* [ALICE Collaboration], Phys. Lett. B 718 (2012) 279.
- [42] D. G. d'Enterria, arXiv:nucl-ex/0302016.
- [43] B. Abelev *et al.* [ALICE Collaboration], arXiv:1405.1849.
- [44] X.N. Wang and M. Gyulassy, Phys. Rev. D 44 (1991) 3501.
- [45] T. Sjostrand, S. Mrenna and P.Z. Skands, JHEP 05 (2006) 026.
- [46] P. Z. Skands, Phys. Rev. D **82** (2010) 074018.
- [47] R. Brun *et al.*, CERN Program Library Long Write-up W5013 (1994).
- [48] D. Lange, Nucl. Instrum. Meth. A462 (2001) 152.
- [49] R. Averbeck, N. Bastid, Z. Conesa del Valle, P. Crochet, A. Dainese and X. Zhang, arXiv:1107.3243.
- [50] M. Mangano, P. Nason and G. Ridolfi, Nucl. Phys. B 373 (1992) 295.
- [51] D. Stump, J. Huston, J. Pumplin, W. K. Tung, H. L. Lai, S. Kuhlmann and J. F. Owens, JHEP 0310 (2003) 046.

A The ALICE Collaboration

- B. Abelev⁷¹, J. Adam³⁷, D. Adamová⁷⁹, M.M. Aggarwal⁸³, G. Aglieri Rinella³⁴, M. Agnello^{107,90}, A. Agostinelli²⁶, N. Agrawal⁴⁴, Z. Ahammed¹²⁶, N. Ahmad¹⁸, I. Ahmed¹⁵, S.U. Ahn⁶⁴, S.A. Ahn⁶⁴, I. Aimo^{107,90}, S. Aiola¹³¹, M. Ajaz¹⁵, A. Akindinov⁵⁴, S.N. Alam¹²⁶, D. Aleksandrov⁹⁶, B. Alessandro¹⁰⁷, D. Alexandre⁹⁸, A. Alice^{12,101}, A. Alkin³, J. Alme³⁵, T. Alt³⁹, S. Altinpinar¹⁷, I. Altsybee¹²⁵, C. Alves Garcia Prado¹¹⁵, C. Andrei⁷⁴, A. Andronic⁹³, V. Anguelov⁸⁹, J. Anielski⁵⁰, T. Antićić⁹⁴, F. Antinori¹⁰⁴, P. Antonioli¹⁰¹, L. Aphecetche¹⁰⁹, H. Appelshäuser⁴⁹, S. Arcelli²⁶, N. Armesto¹⁶, R. Arnaldi¹⁰⁷, T. Aronsson¹³¹, I.C. Arsene^{93,21}, M. Arslanbekov⁴⁹, A. Augustinus³⁴, R. Averbeck⁹³, T.C. Awes⁸⁰, M.D. Azmi^{18,85}, M. Bach³⁹, A. Badalà¹⁰³, Y.W. Baek^{40,66}, S. Bagnasco¹⁰⁷, R. Bailhache⁴⁹, R. Bala⁸⁶, A. Baldissari¹⁴, F. Baltasar Dos Santos Pedrosa³⁴, R.C. Baral⁵⁷, R. Barbera²⁷, F. Barile³¹, G.G. Barnaföldi¹³⁰, L.S. Barnby⁹⁸, V. Barret⁶⁶, J. Bartke¹¹², M. Basile²⁶, N. Bastid⁶⁶, S. Basu¹²⁶, B. Bathan⁵⁰, G. Batigne¹⁰⁹, B. Batyunya⁶², P.C. Batzing²¹, C. Baumann⁴⁹, I.G. Bearden⁷⁶, H. Beck⁴⁹, C. Bedda⁹⁰, N.K. Behera⁴⁴, I. Belikov⁵¹, F. Bellini²⁶, R. Bellwied¹¹⁷, E. Belmont-Moreno⁶⁰, R. Belmont III¹²⁹, V. Belyaev⁷², G. Bencedi¹³⁰, S. Beole²⁵, I. Berceanu⁷⁴, A. Bercuci⁷⁴, Y. Berdnikov^{ii,81}, D. Berenyi¹³⁰, M.E. Berger⁸⁸, R.A. Bertens⁵³, D. Berzana²⁵, L. Betev³⁴, A. Bhasin⁸⁶, I.R. Bhat⁸⁶, A.K. Bhati⁸³, B. Bhattacharjee⁴¹, J. Bhom¹²², L. Bianchi²⁵, N. Bianchi⁶⁸, C. Bianchin⁵³, J. Bielčík³⁷, J. Bielčíková⁷⁹, A. Bilandžić⁷⁶, S. Bjelogrlic⁵³, F. Blanco¹⁰, D. Blau⁹⁶, C. Blume⁴⁹, F. Bock^{70,89}, A. Bogdanov⁷², H. Bøggild⁷⁶, M. Bogolyubsky¹⁰⁸, F.V. Böhmer⁸⁸, L. Boldizsár¹³⁰, M. Bombara³⁸, J. Book⁴⁹, H. Borel¹⁴, A. Borissov^{129,92}, F. Bossú⁶¹, M. Botje⁷⁷, E. Botta²⁵, S. Böttger⁴⁸, P. Braun-Munzinger⁹³, M. Bregant¹¹⁵, T. Breitner⁴⁸, T.A. Broker⁴⁹, T.A. Browning⁹¹, M. Broz³⁷, E. Bruna¹⁰⁷, G.E. Bruno³¹, D. Budnikov⁹⁵, H. Buesching⁴⁹, S. Bufalino¹⁰⁷, P. Buncic³⁴, O. Busch⁸⁹, Z. Buthelezi⁶¹, D. Caffarri^{34,28}, X. Cai⁷, H. Caines¹³¹, L. Calero Diaz⁶⁸, A. Caliva⁵³, E. Calvo Villar⁹⁹, P. Camerini²⁴, F. Carena³⁴, W. Carena³⁴, J. Castillo Castellanos¹⁴, E.A.R. Casula²³, V. Catanescu⁷⁴, C. Cavicchioli³⁴, C. Ceballos Sanchez⁹, J. Cepila³⁷, P. Cerello¹⁰⁷, B. Chang¹¹⁸, S. Chapelard³⁴, J.L. Charvet¹⁴, S. Chattopadhyay¹²⁶, S. Chattopadhyay⁹⁷, V. Chelnokov³, M. Cherney⁸², C. Cheshkov¹²⁴, B. Cheynis¹²⁴, V. Chibante Barroso³⁴, D.D. Chinellato^{116,117}, P. Chochula³⁴, M. Chojnacki⁷⁶, S. Choudhury¹²⁶, P. Christakoglou⁷⁷, C.H. Christensen⁷⁶, P. Christiansen³², T. Chujo¹²², S.U. Chung⁹², C. Cicalo¹⁰², L. Cifarelli^{26,12}, F. Cindolo¹⁰¹, J. Cleymans⁸⁵, F. Colamaria³¹, D. Colella³¹, A. Collu²³, M. Colocci²⁶, G. Conesa Balbastre⁶⁷, Z. Conesa del Valle⁴⁷, M.E. Connors¹³¹, J.G. Contreras^{11,37}, T.M. Cormier^{80,129}, Y. Corrales Morales²⁵, P. Cortese³⁰, I. Cortés Maldonado², M.R. Cosentino¹¹⁵, F. Costa³⁴, P. Crochet⁶⁶, R. Cruz Albino¹¹, E. Cuautle⁵⁹, L. Cunqueiro^{68,34}, A. Dainese¹⁰⁴, R. Dang⁷, A. Danu⁵⁸, D. Das⁹⁷, I. Das⁴⁷, K. Das⁹⁷, S. Das⁴, A. Dash¹¹⁶, S. Dash⁴⁴, S. De¹²⁶, H. Delagrange^{109,i}, A. Deloff⁷³, E. Dénes¹³⁰, G. D'Erasmo³¹, A. De Caro^{29,12}, G. de Cataldo¹⁰⁰, J. de Cuveland³⁹, A. De Falco²³, D. De Gruttola^{29,12}, N. De Marco¹⁰⁷, S. De Pasquale²⁹, R. de Rooij⁵³, M.A. Diaz Corchero¹⁰, T. Dietel^{50,85}, P. Dillenseger⁴⁹, R. Divià³⁴, D. Di Bari³¹, S. Di Liberto¹⁰⁵, A. Di Mauro³⁴, P. Di Nezza⁶⁸, Ø. Djupsland¹⁷, A. Dobrin⁵³, T. Dobrowolski⁷³, D. Domenicis Gimenez¹¹⁵, B. Döningus⁴⁹, O. Dordic²¹, S. Dörheim⁸⁸, A.K. Dubey¹²⁶, A. Dubla⁵³, L. Ducroux¹²⁴, P. Dupieux⁶⁶, A.K. Dutta Majumdar⁹⁷, T. E. Hilden⁴², R.J. Ehlers¹³¹, D. Elia¹⁰⁰, H. Engel⁴⁸, B. Erazmus^{34,109}, H.A. Erdal³⁵, D. Eschweiler³⁹, B. Espagnon⁴⁷, M. Esposito³⁴, M. Estienne¹⁰⁹, S. Esumi¹²², D. Evans⁹⁸, S. Evdokimov¹⁰⁸, D. Fabris¹⁰⁴, J. Faivre⁶⁷, D. Falchieri²⁶, A. Fantoni⁶⁸, M. Fasel⁸⁹, D. Fehlker¹⁷, L. Feldkamp⁵⁰, D. Felea⁵⁸, A. Feliciello¹⁰⁷, G. Feofilov¹²⁵, J. Ferencei⁷⁹, A. Fernández Téllez², E.G. Ferreiro¹⁶, A. Ferretti²⁵, A. Festanti²⁸, J. Figiel¹¹², M.A.S. Figueiredo¹¹⁹, S. Filchagin⁹⁵, D. Finogeev⁵², F.M. Fionda³¹, E.M. Fiore³¹, E. Floratos⁸⁴, M. Floris³⁴, S. Foertsch⁶¹, P. Foka⁹³, S. Fokin⁹⁶, E. Fragiocomo¹⁰⁶, A. Francescon^{34,28}, U. Frankenfeld⁹³, U. Fuchs³⁴, C. Furget⁶⁷, M. Fusco Girard²⁹, J.J. Gaardhøje⁷⁶, M. Gagliardi²⁵, A.M. Gago⁹⁹, M. Gallio²⁵, D.R. Gangadharan^{19,70}, P. Ganoti^{80,84}, C. Garabatos⁹³, E. Garcia-Solis¹³, C. Gargiulo³⁴, I. Garishvili⁷¹, J. Gerhard³⁹, M. Germain¹⁰⁹, A. Gheata³⁴, M. Gheata^{34,58}, B. Ghidini³¹, P. Ghosh¹²⁶, S.K. Ghosh⁴, P. Gianotti⁶⁸, P. Giubellino³⁴, E. Gladysz-Dziadus¹¹², P. Glässel⁸⁹, A. Gomez Ramirez⁴⁸, P. González-Zamora¹⁰, S. Gorbunov³⁹, L. Görlich¹¹², S. Gotovac¹¹¹, L.K. Graczykowski¹²⁸, A. Grelli⁵³, A. Grigoras³⁴, C. Grigoras³⁴, V. Grigoriev⁷², A. Grigoryan¹, S. Grigoryan⁶², B. Grinyov³, N. Grion¹⁰⁶, J.F. Grosse-Oetringhaus³⁴, J.-Y. Grossiord¹²⁴, R. Grosso³⁴, F. Guber⁵², R. Guernane⁶⁷, B. Guerzoni²⁶, M. Guilbaud¹²⁴, K. Gulbrandsen⁷⁶, H. Gulkanyan¹, M. Gumbo⁸⁵, T. Gunji¹²¹, A. Gupta⁸⁶, R. Gupta⁸⁶, K. H. Khan¹⁵, R. Haake⁵⁰, Ø. Haaland¹⁷, C. Hadjidakis⁴⁷, M. Haiduc⁵⁸, H. Hamagaki¹²¹, G. Hamar¹³⁰, L.D. Hanratty⁹⁸, A. Hansen⁷⁶, J.W. Harris¹³¹, H. Hartmann³⁹, A. Harton¹³, D. Hatzifotiadou¹⁰¹, S. Hayashi¹²¹, S.T. Heckel⁴⁹, M. Heide⁵⁰, H. Helstrup³⁵, A. Herghelegiu⁷⁴, G. Herrera Corral¹¹, B.A. Hess³³, K.F. Hetland³⁵, B. Hippolyte⁵¹, J. Hladky⁵⁶, P. Hristov³⁴, M. Huang¹⁷, T.J. Humanic¹⁹, N. Hussain⁴¹, D. Hutter³⁹, D.S. Hwang²⁰, R. Ilkaev⁹⁵, I. Ilkiv⁷³, M. Inaba¹²², G.M. Innocenti²⁵, C. Ionita³⁴, M. Ippolitov⁹⁶, M. Irfan¹⁸, M. Ivanov⁹³, V. Ivanov⁸¹, A. Jachołkowski²⁷,

P.M. Jacobs⁷⁰, C. Jahnke¹¹⁵, H.J. Jang⁶⁴, M.A. Janik¹²⁸, P.H.S.Y. Jayarathna¹¹⁷, C. Jena²⁸, S. Jena¹¹⁷, R.T. Jimenez Bustamante⁵⁹, P.G. Jones⁹⁸, H. Jung⁴⁰, A. Jusko⁹⁸, V. Kadyshevskiy⁶², S. Kalcher³⁹, P. Kalinak⁵⁵, A. Kalweit³⁴, J. Kamin⁴⁹, J.H. Kang¹³², V. Kaplin⁷², S. Kar¹²⁶, A. Karasu Uysal⁶⁵, O. Karavichev⁵², T. Karavicheva⁵², E. Karpechev⁵², U. Kebschull⁴⁸, R. Keidel¹³³, D.L.D. Keijdener⁵³, M.M. Khan^{iii, 18}, P. Khan⁹⁷, S.A. Khan¹²⁶, A. Khanzadeev⁸¹, Y. Kharlov¹⁰⁸, B. Kileng³⁵, B. Kim¹³², D.W. Kim^{64, 40}, D.J. Kim¹¹⁸, J.S. Kim⁴⁰, M. Kim⁴⁰, M. Kim¹³², S. Kim²⁰, T. Kim¹³², S. Kirsch³⁹, I. Kisel³⁹, S. Kiselev⁵⁴, A. Kisiel¹²⁸, G. Kiss¹³⁰, J.L. Klay⁶, J. Klein⁸⁹, C. Klein-Bösing⁵⁰, A. Kluge³⁴, M.L. Knichel⁹³, A.G. Knospe¹¹³, C. Kobdaj^{110, 34}, M. Kofarago³⁴, M.K. Köhler⁹³, T. Kollegger³⁹, A. Kolojvari¹²⁵, V. Kondratiev¹²⁵, N. Kondratyeva⁷², A. Konevskikh⁵², V. Kovalenko¹²⁵, M. Kowalski¹¹², S. Kox⁶⁷, G. Koyithatta Meethaleveedu⁴⁴, J. Kral¹¹⁸, I. Králik⁵⁵, A. Kravčáková³⁸, M. Krelina³⁷, M. Kretz³⁹, M. Krivda^{98, 55}, F. Krizek⁷⁹, E. Kryshen³⁴, M. Krzewicki^{93, 39}, V. Kučera⁷⁹, Y. Kucheriaev^{96, i}, T. Kugathasan³⁴, C. Kuhn⁵¹, P.G. Kuijer⁷⁷, I. Kulakov⁴⁹, J. Kumar⁴⁴, P. Kurashvili⁷³, A. Kurepin⁵², A.B. Kurepin⁵², A. Kuryakin⁹⁵, S. Kushpil⁷⁹, M.J. Kweon^{46, 89}, Y. Kwon¹³², P. Ladron de Guevara⁵⁹, C. Lagana Fernandes¹¹⁵, I. Lakomov⁴⁷, R. Langoy¹²⁷, C. Lara⁴⁸, A. Lardeux¹⁰⁹, A. Lattuca²⁵, S.L. La Pointe^{53, 107}, P. La Rocca²⁷, R. Lea²⁴, L. Leardini⁸⁹, G.R. Lee⁹⁸, I. Legrand³⁴, J. Lehnert⁴⁹, R.C. Lemmon⁷⁸, V. Lenti¹⁰⁰, E. Leogrande⁵³, M. Leoncino²⁵, I. León Monzón¹¹⁴, P. Lévai¹³⁰, S. Li^{7, 66}, J. Lien¹²⁷, R. Lietava⁹⁸, S. Linda²¹, V. Lindenstruth³⁹, C. Lippmann⁹³, M.A. Lisa¹⁹, H.M. Ljunggren³², D.F. Lodato⁵³, P.I. Loenne¹⁷, V.R. Loggins¹²⁹, V. Loginov⁷², D. Lohner⁸⁹, C. Loizides⁷⁰, X. Lopez⁶⁶, E. López Torres⁹, X.-G. Lu⁸⁹, P. Luettig⁴⁹, M. Lunardon²⁸, G. Luparello^{53, 24}, C. Luzzi³⁴, R. Ma¹³¹, A. Maevskaya⁵², M. Mager³⁴, D.P. Mahapatra⁵⁷, S.M. Mahmood²¹, A. Maire^{89, 51}, R.D. Majka¹³¹, M. Malaev⁸¹, I. Maldonado Cervantes⁵⁹, L. Malinina^{iv, 62}, D. Mal'Kevich⁵⁴, P. Malzacher⁹³, A. Mamonov⁹⁵, L. Manceau¹⁰⁷, V. Manko⁹⁶, F. Manso⁶⁶, V. Manzari¹⁰⁰, M. Marchisone^{66, 25}, J. Mareš⁵⁶, G.V. Margagliotti²⁴, A. Margotti¹⁰¹, A. Marín⁹³, C. Markert¹¹³, M. Marquard⁴⁹, I. Martashvili¹²⁰, N.A. Martin⁹³, P. Martinengo³⁴, M.I. Martínez², G. Martínez García¹⁰⁹, J. Martin Blanco¹⁰⁹, Y. Martynov³, A. Mas¹⁰⁹, S. Masciocchi⁹³, M. Masera²⁵, A. Masoni¹⁰², L. Massacrier¹⁰⁹, A. Mastroserio³¹, A. Matyja¹¹², C. Mayer¹¹², J. Mazer¹²⁰, M.A. Mazzoni¹⁰⁵, F. Meddi²², A. Menchaca-Rocha⁶⁰, E. Meninno²⁹, J. Mercado Pérez⁸⁹, M. Meres³⁶, Y. Miake¹²², K. Mikhaylov^{62, 54}, L. Milano³⁴, J. Milosevic^{v, 21}, A. Mischke⁵³, A.N. Mishra⁴⁵, D. Miśkowiec⁹³, J. Mitra¹²⁶, C.M. Mitu⁵⁸, J. Mlynarz¹²⁹, N. Mohammadi⁵³, B. Mohanty^{75, 126}, L. Molnar⁵¹, L. Montaño Zetina¹¹, E. Montes¹⁰, M. Morando²⁸, D.A. Moreira De Godoy¹¹⁵, S. Moretto²⁸, A. Morreale¹⁰⁹, A. Morsch³⁴, V. Muccifora⁶⁸, E. Mudnic¹¹¹, D. Mühlheim⁵⁰, S. Muhuri¹²⁶, M. Mukherjee¹²⁶, H. Müller³⁴, M.G. Munhoz¹¹⁵, S. Murray⁸⁵, L. Musa³⁴, J. Musinsky⁵⁵, B.K. Nandi⁴⁴, R. Nania¹⁰¹, E. Nappi¹⁰⁰, C. Natrass¹²⁰, K. Nayak⁷⁵, T.K. Nayak¹²⁶, S. Nazarenko⁹⁵, A. Nedosekin⁵⁴, M. Nicassio⁹³, M. Niculescu^{34, 58}, B.S. Nielsen⁷⁶, S. Nikolaev⁹⁶, S. Nikulin⁹⁶, V. Nikulin⁸¹, B.S. Nilsen⁸², F. Noferini^{12, 101}, P. Nomokonov⁶², G. Nooren⁵³, J. Norman¹¹⁹, A. Nyanin⁹⁶, J. Nystrand¹⁷, H. Oeschler⁸⁹, S. Oh¹³¹, S.K. Oh^{vi, 63, 40}, A. Okatan⁶⁵, L. Olah¹³⁰, J. Oleniacz¹²⁸, A.C. Oliveira Da Silva¹¹⁵, J. Onderwaater⁹³, C. Oppedisano¹⁰⁷, A. Ortiz Velasquez^{59, 32}, A. Oskarsson³², J. Otwinowski^{112, 93}, K. Oyama⁸⁹, M. Ozdemir⁴⁹, P. Sahoo⁴⁵, Y. Pachmayer⁸⁹, M. Pachr³⁷, P. Pagano²⁹, G. Paić⁵⁹, F. Painke³⁹, C. Pajares¹⁶, S.K. Pal¹²⁶, A. Palmeri¹⁰³, D. Pant⁴⁴, V. Papikyan¹, G.S. Pappalardo¹⁰³, P. Pareek⁴⁵, W.J. Park⁹³, S. Parmar⁸³, A. Passfeld⁵⁰, D.I. Patalakha¹⁰⁸, V. Paticchio¹⁰⁰, B. Paul⁹⁷, T. Pawlak¹²⁸, T. Peitzmann⁵³, H. Pereira Da Costa¹⁴, E. Pereira De Oliveira Filho¹¹⁵, D. Peresunko⁹⁶, C.E. Pérez Lara⁷⁷, A. Pesci¹⁰¹, V. Peskov⁴⁹, Y. Pestov⁵, V. Petráček³⁷, M. Petran³⁷, M. Petris⁷⁴, M. Petrovici⁷⁴, C. Petta²⁷, S. Piano¹⁰⁶, M. Pikna³⁶, P. Pillot¹⁰⁹, O. Pinazza^{101, 34}, L. Pinsky¹¹⁷, D.B. Piyarathna¹¹⁷, M. Płoskon⁷⁰, M. Planinic^{123, 94}, J. Pluta¹²⁸, S. Pochybova¹³⁰, P.L.M. Podesta-Lerma¹¹⁴, M.G. Poghosyan^{82, 34}, E.H.O. Pohjoisaho⁴², B. Polichtchouk¹⁰⁸, N. Poljak^{94, 123}, A. Pop⁷⁴, S. Porteboeuf-Houssais⁶⁶, J. Porter⁷⁰, B. Potukuchi⁸⁶, S.K. Prasad^{129, 4}, R. Preghenella^{101, 12}, F. Prino¹⁰⁷, C.A. Pruneau¹²⁹, I. Pschenichnov⁵², G. Puddu²³, P. Pujahari¹²⁹, V. Punin⁹⁵, J. Putschke¹²⁹, H. Qvigstad²¹, A. Rachevski¹⁰⁶, S. Raha⁴, J. Rak¹¹⁸, A. Rakotozafindrabe¹⁴, L. Ramello³⁰, R. Raniwala⁸⁷, S. Raniwala⁸⁷, S.S. Räsänen⁴², B.T. Rascanu⁴⁹, D. Rathee⁸³, A.W. Rauf¹⁵, V. Razazi²³, K.F. Read¹²⁰, J.S. Real⁶⁷, K. Redlich^{vii, 73}, R.J. Reed^{129, 131}, A. Rehman¹⁷, P. Reichelt⁴⁹, M. Reicher⁵³, F. Reidt³⁴, R. Renfordt⁴⁹, A.R. Reolon⁶⁸, A. Reshetin⁵², F. Rettig³⁹, J.-P. Revol³⁴, K. Reygers⁸⁹, V. Riabov⁸¹, R.A. Ricci⁶⁹, T. Richert³², M. Richter²¹, P. Riedler³⁴, W. Riegler³⁴, F. Riggi²⁷, A. Rivetti¹⁰⁷, E. Rocco⁵³, M. Rodríguez Cahuantzi², A. Rodriguez Manso⁷⁷, K. Røed²¹, E. Rogochaya⁶², S. Rohni⁸⁶, D. Rohr³⁹, D. Röhricht¹⁷, R. Romita^{78, 119}, F. Ronchetti⁶⁸, L. Ronflette¹⁰⁹, P. Rosnet⁶⁶, A. Rossi³⁴, F. Roukoutakis⁸⁴, A. Roy⁴⁵, C. Roy⁵¹, P. Roy⁹⁷, A.J. Rubio Montero¹⁰, R. Rui²⁴, R. Russo²⁵, E. Ryabinkin⁹⁶, Y. Ryabov⁸¹, A. Rybicki¹¹², S. Sadovsky¹⁰⁸, K. Šafářík³⁴, B. Sahlmuller⁴⁹, R. Sahoo⁴⁵, P.K. Sahu⁵⁷, J. Saini¹²⁶, S. Sakai^{68, 70}, C.A. Salgado¹⁶, J. Salzwedel¹⁹, S. Sambyal⁸⁶, V. Samsonov⁸¹, X. Sanchez Castro⁵¹, F.J. Sánchez Rodríguez¹¹⁴, L. Šándor⁵⁵,

A. Sandoval⁶⁰, M. Sano¹²², G. Santagati²⁷, D. Sarkar¹²⁶, E. Scapparone¹⁰¹, F. Scarlassara²⁸, R.P. Scharenberg⁹¹, C. Schiaua⁷⁴, R. Schicker⁸⁹, C. Schmidt⁹³, H.R. Schmidt³³, S. Schuchmann⁴⁹, J. Schukraft³⁴, M. Schulc³⁷, T. Schuster¹³¹, Y. Schutz^{109,34}, K. Schwarz⁹³, K. Schweda⁹³, G. Scioli²⁶, E. Scomparin¹⁰⁷, R. Scott¹²⁰, G. Segato²⁸, J.E. Seger⁸², Y. Sekiguchi¹²¹, I. Selyuzhenkov⁹³, J. Seo⁹², E. Serradilla^{10,60}, A. Sevcenco⁵⁸, A. Shabetai¹⁰⁹, G. Shabratova⁶², R. Shahoyan³⁴, A. Shangaraev¹⁰⁸, N. Sharma¹²⁰, S. Sharma⁸⁶, K. Shigaki⁴³, K. Shtejer²⁵, Y. Sibiriak⁹⁶, S. Siddhanta¹⁰², T. Siemiaczuk⁷³, D. Silvermyr⁸⁰, C. Silvestre⁶⁷, G. Simatovic¹²³, R. Singaraju¹²⁶, R. Singh⁸⁶, S. Singha^{126,75}, V. Singhal¹²⁶, B.C. Sinha¹²⁶, T. Sinha⁹⁷, B. Sitar³⁶, M. Sitta³⁰, T.B. Skaali²¹, K. Skjerdal¹⁷, M. Slupecki¹¹⁸, N. Smirnov¹³¹, R.J.M. Snellings⁵³, C. Søgaard³², R. Soltz⁷¹, J. Song⁹², M. Song¹³², F. Soramel²⁸, S. Sorensen¹²⁰, M. Spacek³⁷, E. Spiriti⁶⁸, I. Sputowska¹¹², M. Spyropoulou-Stassinaki⁸⁴, B.K. Srivastava⁹¹, J. Stachel⁸⁹, I. Stan⁵⁸, G. Stefanek⁷³, M. Steinpreis¹⁹, E. Stenlund³², G. Steyn⁶¹, J.H. Stiller⁸⁹, D. Stocco¹⁰⁹, M. Stolpovskiy¹⁰⁸, P. Strmen³⁶, A.A.P. Suaide¹¹⁵, T. Sugitate⁴³, C. Suire⁴⁷, M. Suleymanov¹⁵, R. Sultanov⁵⁴, M. Šumbera⁷⁹, T. Susa⁹⁴, T.J.M. Symons⁷⁰, A. Szabo³⁶, A. Szanto de Toledo¹¹⁵, I. Szarka³⁶, A. Szczepankiewicz³⁴, M. Szymanski¹²⁸, J. Takahashi¹¹⁶, M.A. Tangaro³¹, J.D. Tapia Takaki^{viii,47}, A. Tarantola Peloni⁴⁹, A. Tarazona Martinez³⁴, M.G. Tarzila⁷⁴, A. Tauro³⁴, G. Tejeda Muñoz², A. Telesca³⁴, C. Terrevoli²³, J. Thäder⁹³, D. Thomas⁵³, R. Tieulent¹²⁴, A.R. Timmins¹¹⁷, A. Toia^{49,104}, V. Trubnikov³, W.H. Trzaska¹¹⁸, T. Tsuji¹²¹, A. Tumkin⁹⁵, R. Turrisi¹⁰⁴, T.S. Tveter²¹, K. Ullaland¹⁷, A. Uras¹²⁴, G.L. Usai²³, M. Vajzer⁷⁹, M. Vala^{55,62}, L. Valencia Palomo⁶⁶, S. Vallero^{25,89}, P. Vande Vyvre³⁴, J. Van Der Maarel⁵³, J.W. Van Hoorn³⁴, M. van Leeuwen⁵³, A. Vargas², M. Vargyas¹¹⁸, R. Varma⁴⁴, M. Vasileiou⁸⁴, A. Vasiliev⁹⁶, V. Vechernin¹²⁵, M. Veldhoen⁵³, A. Velure¹⁷, M. Venaruzzo^{24,69}, E. Vercellin²⁵, S. Vergara Limón², R. Vernet⁸, M. Verweij¹²⁹, L. Vickovic¹¹¹, G. Viesti²⁸, J. Viinikainen¹¹⁸, Z. Vilakazi⁶¹, O. Villalobos Baillie⁹⁸, A. Vinogradov⁹⁶, L. Vinogradov¹²⁵, Y. Vinogradov⁹⁵, T. Virgili²⁹, Y.P. Viyogi¹²⁶, A. Vodopyanov⁶², M.A. Völk⁸⁹, K. Voloshin⁵⁴, S.A. Voloshin¹²⁹, G. Volpe³⁴, B. von Haller³⁴, I. Vorobyev¹²⁵, D. Vranic^{93,34}, J. Vrláková³⁸, B. Vulpescu⁶⁶, A. Vyushin⁹⁵, B. Wagner¹⁷, J. Wagner⁹³, V. Wagner³⁷, M. Wang^{7,109}, Y. Wang⁸⁹, D. Watanabe¹²², M. Weber^{34,117}, J.P. Wessels⁵⁰, U. Westerhoff⁵⁰, J. Wiechula³³, J. Wikne²¹, M. Wilde⁵⁰, G. Wilk⁷³, J. Wilkinson⁸⁹, M.C.S. Williams¹⁰¹, B. Windelband⁸⁹, M. Winn⁸⁹, C.G. Yaldo¹²⁹, Y. Yamaguchi¹²¹, H. Yang⁵³, P. Yang⁷, S. Yang¹⁷, S. Yano⁴³, S. Yasnopolskiy⁹⁶, J. Yi⁹², Z. Yin⁷, I.-K. Yoo⁹², I. Yushmanov⁹⁶, V. Zaccolo⁷⁶, C. Zach³⁷, A. Zaman¹⁵, C. Zampolli¹⁰¹, S. Zaporozhets⁶², A. Zarochentsev¹²⁵, P. Závada⁵⁶, N. Zaviyalov⁹⁵, H. Zbroszczyk¹²⁸, I.S. Zgura⁵⁸, M. Zhalov⁸¹, H. Zhang⁷, X. Zhang^{7,70}, Y. Zhang⁷, C. Zhao²¹, N. Zhigareva⁵⁴, D. Zhou⁷, F. Zhou⁷, Y. Zhou⁵³, Zhou, Zhuo¹⁷, H. Zhu⁷, J. Zhu⁷, X. Zhu⁷, A. Zichichi^{12,26}, A. Zimmermann⁸⁹, M.B. Zimmermann^{50,34}, G. Zinovjev³, Y. Zoccarato¹²⁴, M. Zyzak⁴⁹

Affiliation notes

ⁱ Deceased

ⁱⁱ Also at: St. Petersburg State Polytechnical University

ⁱⁱⁱ Also at: Department of Applied Physics, Aligarh Muslim University, Aligarh, India

^{iv} Also at: M.V. Lomonosov Moscow State University, D.V. Skobeltsyn Institute of Nuclear Physics, Moscow, Russia

^v Also at: University of Belgrade, Faculty of Physics and "Vinča" Institute of Nuclear Sciences, Belgrade, Serbia

^{vi} Permanent Address: Konkuk University, Seoul, Korea

^{vii} Also at: Institute of Theoretical Physics, University of Wrocław, Wrocław, Poland

^{viii} Also at: University of Kansas, Lawrence, KS, United States

Collaboration Institutes

¹ A.I. Alikhanyan National Science Laboratory (Yerevan Physics Institute) Foundation, Yerevan, Armenia

² Benemérita Universidad Autónoma de Puebla, Puebla, Mexico

³ Bogolyubov Institute for Theoretical Physics, Kiev, Ukraine

⁴ Bose Institute, Department of Physics and Centre for Astroparticle Physics and Space Science (CAPSS), Kolkata, India

⁵ Budker Institute for Nuclear Physics, Novosibirsk, Russia

⁶ California Polytechnic State University, San Luis Obispo, CA, United States

⁷ Central China Normal University, Wuhan, China

⁸ Centre de Calcul de l'IN2P3, Villeurbanne, France

- ⁹ Centro de Aplicaciones Tecnológicas y Desarrollo Nuclear (CEADEN), Havana, Cuba
¹⁰ Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
¹¹ Centro de Investigación y de Estudios Avanzados (CINVESTAV), Mexico City and Mérida, Mexico
¹² Centro Fermi - Museo Storico della Fisica e Centro Studi e Ricerche “Enrico Fermi”, Rome, Italy
¹³ Chicago State University, Chicago, USA
¹⁴ Commissariat à l’Energie Atomique, IRFU, Saclay, France
¹⁵ COMSATS Institute of Information Technology (CIIT), Islamabad, Pakistan
¹⁶ Departamento de Física de Partículas and IGFAE, Universidad de Santiago de Compostela, Santiago de Compostela, Spain
¹⁷ Department of Physics and Technology, University of Bergen, Bergen, Norway
¹⁸ Department of Physics, Aligarh Muslim University, Aligarh, India
¹⁹ Department of Physics, Ohio State University, Columbus, OH, United States
²⁰ Department of Physics, Sejong University, Seoul, South Korea
²¹ Department of Physics, University of Oslo, Oslo, Norway
²² Dipartimento di Fisica dell’Università ‘La Sapienza’ and Sezione INFN Rome, Italy
²³ Dipartimento di Fisica dell’Università and Sezione INFN, Cagliari, Italy
²⁴ Dipartimento di Fisica dell’Università and Sezione INFN, Trieste, Italy
²⁵ Dipartimento di Fisica dell’Università and Sezione INFN, Turin, Italy
²⁶ Dipartimento di Fisica e Astronomia dell’Università and Sezione INFN, Bologna, Italy
²⁷ Dipartimento di Fisica e Astronomia dell’Università and Sezione INFN, Catania, Italy
²⁸ Dipartimento di Fisica e Astronomia dell’Università and Sezione INFN, Padova, Italy
²⁹ Dipartimento di Fisica ‘E.R. Caianiello’ dell’Università and Gruppo Collegato INFN, Salerno, Italy
³⁰ Dipartimento di Scienze e Innovazione Tecnologica dell’Università del Piemonte Orientale and Gruppo Collegato INFN, Alessandria, Italy
³¹ Dipartimento Interateneo di Fisica ‘M. Merlin’ and Sezione INFN, Bari, Italy
³² Division of Experimental High Energy Physics, University of Lund, Lund, Sweden
³³ Eberhard Karls Universität Tübingen, Tübingen, Germany
³⁴ European Organization for Nuclear Research (CERN), Geneva, Switzerland
³⁵ Faculty of Engineering, Bergen University College, Bergen, Norway
³⁶ Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovakia
³⁷ Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, Prague, Czech Republic
³⁸ Faculty of Science, P.J. Šafárik University, Košice, Slovakia
³⁹ Frankfurt Institute for Advanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁴⁰ Gangneung-Wonju National University, Gangneung, South Korea
⁴¹ Gauhati University, Department of Physics, Guwahati, India
⁴² Helsinki Institute of Physics (HIP), Helsinki, Finland
⁴³ Hiroshima University, Hiroshima, Japan
⁴⁴ Indian Institute of Technology Bombay (IIT), Mumbai, India
⁴⁵ Indian Institute of Technology Indore, Indore (IITI), India
⁴⁶ Inha University, Incheon, South Korea
⁴⁷ Institut de Physique Nucléaire d’Orsay (IPNO), Université Paris-Sud, CNRS-IN2P3, Orsay, France
⁴⁸ Institut für Informatik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁴⁹ Institut für Kernphysik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁵⁰ Institut für Kernphysik, Westfälische Wilhelms-Universität Münster, Münster, Germany
⁵¹ Institut Pluridisciplinaire Hubert Curien (IPHC), Université de Strasbourg, CNRS-IN2P3, Strasbourg, France
⁵² Institute for Nuclear Research, Academy of Sciences, Moscow, Russia
⁵³ Institute for Subatomic Physics of Utrecht University, Utrecht, Netherlands
⁵⁴ Institute for Theoretical and Experimental Physics, Moscow, Russia
⁵⁵ Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovakia
⁵⁶ Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic
⁵⁷ Institute of Physics, Bhubaneswar, India
⁵⁸ Institute of Space Science (ISS), Bucharest, Romania
⁵⁹ Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, Mexico City, Mexico

- ⁶⁰ Instituto de Física, Universidad Nacional Autónoma de México, Mexico City, Mexico
⁶¹ iThemba LABS, National Research Foundation, Somerset West, South Africa
⁶² Joint Institute for Nuclear Research (JINR), Dubna, Russia
⁶³ Konkuk University, Seoul, South Korea
⁶⁴ Korea Institute of Science and Technology Information, Daejeon, South Korea
⁶⁵ KTO Karatay University, Konya, Turkey
⁶⁶ Laboratoire de Physique Corpusculaire (LPC), Clermont Université, Université Blaise Pascal, CNRS-IN2P3, Clermont-Ferrand, France
⁶⁷ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS-IN2P3, Grenoble, France
⁶⁸ Laboratori Nazionali di Frascati, INFN, Frascati, Italy
⁶⁹ Laboratori Nazionali di Legnaro, INFN, Legnaro, Italy
⁷⁰ Lawrence Berkeley National Laboratory, Berkeley, CA, United States
⁷¹ Lawrence Livermore National Laboratory, Livermore, CA, United States
⁷² Moscow Engineering Physics Institute, Moscow, Russia
⁷³ National Centre for Nuclear Studies, Warsaw, Poland
⁷⁴ National Institute for Physics and Nuclear Engineering, Bucharest, Romania
⁷⁵ National Institute of Science Education and Research, Bhubaneswar, India
⁷⁶ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
⁷⁷ Nikhef, National Institute for Subatomic Physics, Amsterdam, Netherlands
⁷⁸ Nuclear Physics Group, STFC Daresbury Laboratory, Daresbury, United Kingdom
⁷⁹ Nuclear Physics Institute, Academy of Sciences of the Czech Republic, Řež u Prahy, Czech Republic
⁸⁰ Oak Ridge National Laboratory, Oak Ridge, TN, United States
⁸¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
⁸² Physics Department, Creighton University, Omaha, NE, United States
⁸³ Physics Department, Panjab University, Chandigarh, India
⁸⁴ Physics Department, University of Athens, Athens, Greece
⁸⁵ Physics Department, University of Cape Town, Cape Town, South Africa
⁸⁶ Physics Department, University of Jammu, Jammu, India
⁸⁷ Physics Department, University of Rajasthan, Jaipur, India
⁸⁸ Physik Department, Technische Universität München, Munich, Germany
⁸⁹ Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁹⁰ Politecnico di Torino, Turin, Italy
⁹¹ Purdue University, West Lafayette, IN, United States
⁹² Pusan National University, Pusan, South Korea
⁹³ Research Division and ExtreMe Matter Institute EMMI, GSI Helmholtzzentrum für Schwerionenforschung, Darmstadt, Germany
⁹⁴ Rudjer Bošković Institute, Zagreb, Croatia
⁹⁵ Russian Federal Nuclear Center (VNIIEF), Sarov, Russia
⁹⁶ Russian Research Centre Kurchatov Institute, Moscow, Russia
⁹⁷ Saha Institute of Nuclear Physics, Kolkata, India
⁹⁸ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
⁹⁹ Sección Física, Departamento de Ciencias, Pontificia Universidad Católica del Perú, Lima, Peru
¹⁰⁰ Sezione INFN, Bari, Italy
¹⁰¹ Sezione INFN, Bologna, Italy
¹⁰² Sezione INFN, Cagliari, Italy
¹⁰³ Sezione INFN, Catania, Italy
¹⁰⁴ Sezione INFN, Padova, Italy
¹⁰⁵ Sezione INFN, Rome, Italy
¹⁰⁶ Sezione INFN, Trieste, Italy
¹⁰⁷ Sezione INFN, Turin, Italy
¹⁰⁸ SSC IHEP of NRC Kurchatov institute, Protvino, Russia
¹⁰⁹ SUBATECH, Ecole des Mines de Nantes, Université de Nantes, CNRS-IN2P3, Nantes, France
¹¹⁰ Suranaree University of Technology, Nakhon Ratchasima, Thailand
¹¹¹ Technical University of Split FESB, Split, Croatia
¹¹² The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Cracow, Poland

- ¹¹³ The University of Texas at Austin, Physics Department, Austin, TX, USA
¹¹⁴ Universidad Autónoma de Sinaloa, Culiacán, Mexico
¹¹⁵ Universidade de São Paulo (USP), São Paulo, Brazil
¹¹⁶ Universidade Estadual de Campinas (UNICAMP), Campinas, Brazil
¹¹⁷ University of Houston, Houston, TX, United States
¹¹⁸ University of Jyväskylä, Jyväskylä, Finland
¹¹⁹ University of Liverpool, Liverpool, United Kingdom
¹²⁰ University of Tennessee, Knoxville, TN, United States
¹²¹ University of Tokyo, Tokyo, Japan
¹²² University of Tsukuba, Tsukuba, Japan
¹²³ University of Zagreb, Zagreb, Croatia
¹²⁴ Université de Lyon, Université Lyon 1, CNRS/IN2P3, IPN-Lyon, Villeurbanne, France
¹²⁵ V. Fock Institute for Physics, St. Petersburg State University, St. Petersburg, Russia
¹²⁶ Variable Energy Cyclotron Centre, Kolkata, India
¹²⁷ Vestfold University College, Tønsberg, Norway
¹²⁸ Warsaw University of Technology, Warsaw, Poland
¹²⁹ Wayne State University, Detroit, MI, United States
¹³⁰ Wigner Research Centre for Physics, Hungarian Academy of Sciences, Budapest, Hungary
¹³¹ Yale University, New Haven, CT, United States
¹³² Yonsei University, Seoul, South Korea
¹³³ Zentrum für Technologietransfer und Telekommunikation (ZTT), Fachhochschule Worms, Worms, Germany