

# Additional comparisons with simulations using **QGSP\_BERT** and **FTFP\_BERT** physics lists from Geant4 version 9.6p01

The CALICE Collaboration <sup>1</sup>

## Abstract

The addendum contains an additional comparison of the global observables described in the CAN-040 with simulations using QGSP\_BERT and FTFP\_BERT physics lists from GEANT4 version 9.6p01. There is a noteworthy improvement in the FTFP\_BERT description of transverse shower profiles. The changes in predictions of the energy resolution are quite small for both physics lists.

*This note contains preliminary CALICE results, and is for the use of members of the CALICE Collaboration and others to whom permission has been given.*

---

<sup>1</sup>Corresponding authors: Marina Chadeeva; [marina@itep.ru](mailto:marina@itep.ru)  
Sergey Morozov; [morozovs@mail.desy.de](mailto:morozovs@mail.desy.de)

# Contents

1	Introduction	1
2	Comparisons for pions	1
3	Comparisons for protons	4

## 1 Introduction

The data points and simulations with GEANT4 version 9.4p03 shown in the plots below are the same as presented in CAN-040, the corresponding figures from CAN-040 are indicated in the captions.

The simulations with GEANT4 version 9.6p01 were done in the official Mokka environment (Mokka version 08\_01) and were followed by official CALICE digitization chain from `calice_soft` version v04-05, which was used to digitize the samples generated with GEANT4 version 9.4p03 for CAN-040.

All procedures of event selection and extraction of observables are described in CAN-040.

## 2 Comparisons for pions




Figure 1: Relative residuals of pion reconstructed energy  $E_{\text{reco}}$  to beam momentum for data (black circles) and simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue triangles) for FTFP\_BERT physics list (left, see Fig. 22a from CAN-040) and QGSP\_BERT physics list (right, see Fig. 3a from CAN-040). Systematic uncertainties for data are shown with grey band.




Figure 2: Ratio of mean longitudinal centre of gravity of pion shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 10a from CAN-040.




Figure 3: Ratio of mean standard deviation of longitudinal centre of gravity of pion shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 12a from CAN-040.




Figure 4: Ratio of mean radial width of pion shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 16a from CAN-040.




Figure 5: Ratio of mean standard deviation of radial width of pion shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 18a from CAN-040.

### 3 Comparisons for protons




Figure 6: Relative residuals of proton reconstructed energy  $E_{\text{reco}}$  to beam momentum for data (black circles) and simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue triangles) for FTFP\_BERT physics list (left, see Fig. 22a from CAN-040) and QGSP\_BERT physics list (right, see Fig. 3a from CAN-040). Systematic uncertainties for data are shown with cyan band.




Figure 7: Ratio of mean longitudinal centre of gravity of proton shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 10b from CAN-040.




Figure 8: Ratio of mean standard deviation of longitudinal centre of gravity of proton shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 12b from CAN-040.




Figure 9: Ratio of mean radial width of proton shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 16b from CAN-040.




Figure 10: Ratio of mean standard deviation of radial width of proton shower extracted from simulations with GEANT4 version 9.4 (red squares) and version 9.6 (blue diamonds) for FTFP\_BERT physics list (left) and QGSP\_BERT physics list (right) to that extracted from data for different beam momenta. Systematic uncertainties for data are shown with grey band. See Fig. 18b from CAN-040.