



Search for displaced photons produced in exotic decays of the Higgs boson using 13 TeV pp collisions with the ATLAS detector

The ATLAS Collaboration

A search is performed for delayed and nonpointing photons originating from the displaced decay of a neutral long-lived particle (LLP). The analysis uses the full Run 2 data set of proton–proton collisions delivered by the LHC at a center-of-mass energy of $\sqrt{s} = 13$ TeV between 2015 and 2018 and recorded by the ATLAS detector, corresponding to an integrated luminosity of 139 fb^{-1} . The capabilities of the ATLAS electromagnetic calorimeter are exploited to precisely measure the arrival times and trajectories of photons. The results are interpreted in a scenario where the LLPs are pair-produced in exotic decays of the 125 GeV Higgs boson, and each LLP subsequently decays into a photon and a particle that escapes direct detection, giving rise to missing transverse momentum. No significant excess is observed above the expectation due to Standard Model background processes. The results are used to set upper limits on the branching ratio of the exotic decay of the Higgs boson. A model-independent limit is also set on the production of photons with large values of displacement and time delay.

Contents

1	Introduction	3
2	ATLAS detector	5
3	Data and Monte Carlo samples	6
4	Photon pointing and timing measurements	7
4.1	Pointing measurements	7
4.2	Timing measurements	8
5	Event selection	9
5.1	Object selection	10
5.2	Event selection	12
5.3	Analysis strategy and optimization	12
6	Background estimation	14
7	Systematic uncertainties	15
7.1	Signal normalization uncertainties	16
7.2	Signal shape systematic uncertainties	16
7.3	Background shape systematic uncertainties	17
8	Statistical analysis	17
9	Results	18
10	Conclusion	25

1 Introduction

The Standard Model (SM) provides an accurate description of the fundamental particles and interactions at energy scales up to a few hundred GeV. However, the SM fails to explain several key phenomena, such as gravity, dark matter, and the matter–antimatter asymmetry in the universe. Such shortcomings suggest the presence of new physics, motivating the search for beyond-the-SM (BSM) physics.

Supersymmetry (SUSY) [1–7] is a theoretically well-motivated extension of the SM that proposes the existence of new SUSY partners (sparticles) of the SM particles. The sparticle has identical quantum numbers to its SM partner, differing only by half a unit of spin. A new quantum number, dubbed R-parity, distinguishes between supersymmetric and SM particles. In R-parity-conserving SUSY models [8–12], the lightest SUSY particle (LSP) is stable, and SUSY production in proton–proton (pp) collisions at the LHC would produce sparticles in pairs. The sparticles would then decay in cascades involving other sparticles and SM particles until the LSP is produced. A neutral, weakly interacting LSP would usually escape the detector without interacting, so LHC searches for SUSY often require a large amount of missing transverse momentum (E_T^{miss}) in the event.

In gauge-mediated SUSY breaking (GMSB) models [13–18], the gravitino (\tilde{G}) is the LSP for typical model parameter values. GMSB phenomenology is largely determined by the properties of the next-to-lightest supersymmetric particle (NLSP), since the decay chains of the sparticles with higher mass would typically lead to the NLSP, which would subsequently decay to produce the LSP. The weak coupling of the NLSP to the gravitino LSP could generate a non-negligible lifetime of the NLSP, leading to displaced NLSP decays [17].

An electrically neutral long-lived NLSP would avoid direct detection as it traveled partway (or entirely) through the ATLAS detector before decaying, with a prominent decay mode being to a photon plus the LSP. The photons resulting from displaced NLSP decays would be produced with some delay compared to prompt photons, due mostly to the time-of-flight of the massive NLSP before its decay. In addition, due to the opening angle between the photon and LSP produced in the NLSP decay, the photons would tend to be “nonpointing”, meaning that their flight path would not be consistent with originating from the primary vertex (PV) of the hard scatter of the event. The capabilities of the ATLAS liquid-argon (LAr) electromagnetic (EM) calorimeter to make precise “pointing” measurements of the flight direction and the arrival time of photons (t_γ) can be exploited to search for such photons. Given the size of the ATLAS detector, requiring LAr calorimeter measurements of the delayed photons restricts the sensitivity of the analysis to NLSP lifetimes of $\mathcal{O}(\text{ns})$.

Previous ATLAS analyses searched for nonpointing and delayed photons produced in long-lived NLSP decays in the data sets of pp collisions collected at center-of-mass energies of 7 TeV [19] and 8 TeV [20] during Run 1 of the LHC. Neither search found an excess above the SM background expectation, and set limits in the context of a particular set of GMSB SUSY models. A recent Run 2 CMS search for long-lived particles in such models also found that their data agreed with the SM prediction [21].

The discovery in 2012 of a particle with a mass near 125 GeV that is consistent with expectations for the SM Higgs boson opens new avenues for searches with BSM sensitivity. Specifically, the coupling of the Higgs boson to mass leads to search prospects for pairs of sparticles produced in Higgs boson decays, provided the sparticles are sufficiently light. Additional motivation for this production mechanism arises from current uncertainties in the branching ratios of the Higgs boson. Current experimental constraints from the Higgs boson property measurements allow the branching ratio for Higgs boson decays into invisible BSM states to be as large as 13% at 95% CL [22].

This analysis utilizes the full Run 2 ATLAS data set of 13 TeV pp collisions, and searches for evidence of Higgs boson decays into a pair of long-lived electrically neutral NLSP particles, each of which subsequently decays into an LSP, which escapes the detector, and a photon. Given the value of the Higgs boson mass, the energies of the final-state photons, as well as the value of E_T^{miss} , are not sufficiently high to provide a trigger for the events. Instead, the analysis considers SM Higgs boson production in association with either a Z boson, W boson or $t\bar{t}$ system. Leptonic decays of the associated W/Z boson or $t\bar{t}$ system are exploited to provide a single-lepton (electron or muon) trigger. An example leading-order Feynman diagram, for the case of $H + Z$ production, is shown in Figure 1. To reduce the model-dependence of the results, the analysis considers a simplified model where the masses of the NLSP and LSP and the lifetime of the NLSP are treated as independent parameters.




Figure 1: Example Feynman diagram of the signal model, with a Higgs boson produced in association with a Z boson. The Higgs boson decays into a pair of electrically neutral NLSP particles which are long-lived, each of which then decays into a photon and an LSP. The Z boson decays into a charged-lepton pair (electrons or muons).

In addition to the requirement of the lepton trigger, selected events must have at least one photon candidate. Events are divided into two orthogonal final states, with the 1γ final state requiring exactly one photon and the $\geq 2\gamma$ final state requiring two or more photons. As detailed in Section 5, the analysis strategy exploits measures of photon pointing and timing. The pointing information is used to divide the selected events into five nonoverlapping categories with different signal-to-background ratios, while the timing information provides the distribution for a likelihood fit used to search for the possible presence of signal events.

The analysis exploits the expectation of significant E_T^{miss} in signal events, due to the escaping LSPs, as well as any neutrinos produced in the leptonic decays of the associated system. In addition, the signal would produce delayed photons, which would have a positive value for their time of arrival at the EM calorimeter, whereas prompt backgrounds have time distributions centered at zero. The analysis therefore performs the signal search utilizing a signal region (SR) defined by requiring high E_T^{miss} and $t_\gamma > 0$. The data-driven background estimate is determined using a control region (CR) with low values of E_T^{miss} . The background estimate is validated using two different validation regions (VRs): the first requires intermediate values of E_T^{miss} and is denoted by $\text{VR}(E_T^{\text{miss}})$, while the second, denoted by $\text{VR}(t)$, imposes the same E_T^{miss} requirement as the SR but reverses the timing requirement by requiring $t_\gamma < 0$. By construction, the various regions are mutually exclusive, and any signal contamination of the CR, $\text{VR}(E_T^{\text{miss}})$ and $\text{VR}(t)$ data samples can be safely neglected. The development of the background modeling using the CR, and its validation using the VRs, were finalized before the data in the SR was unblinded and the final results obtained.

2 ATLAS detector

The ATLAS detector [23] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer installed before Run 2 [24, 25]. It is followed by the silicon microstrip tracker, which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic (EM) calorimetry is provided by barrel (EMB) and endcap (EMEC) high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules, optimized for electromagnetic and hadronic energy measurements respectively. The abilities of the LAr EM calorimeter to measure the flight direction and the arrival time of photons, which are key to this analysis, are described in detail in Section 4.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, covers the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Events of interest are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [26]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger further reduces in order to record events to disk at about 1 kHz.

An extensive software suite [27] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

3 Data and Monte Carlo samples

This analysis uses a data set of $\sqrt{s} = 13$ TeV pp collisions recorded by the ATLAS detector from 2015 to 2018, corresponding to the full Run 2 period of the LHC. Signal events with a Higgs boson produced in association with a Z boson were collected using the unprescaled single-electron and single-muon triggers [28, 29] with the lowest transverse momentum threshold for the electron or muon. After data quality requirements [30] are applied to ensure that all detector components were in good working condition, the data set corresponds to an integrated luminosity of $139.0 \pm 2.4 \text{ fb}^{-1}$ [31, 32]. The mean number of interactions per bunch crossing (“pileup”) during Run 2 was $\langle \mu \rangle = 33.7$.

No SM background Monte Carlo (MC) simulation samples are needed, since the analysis uses a fully data-driven background estimation procedure. To study the signal, MC samples for the ZH production process were generated at leading order (LO) using MADGRAPH5_AMC@NLO 2.6.2 [33], with a Higgs boson mass of 125 GeV, and normalized to the cross sections reported in Ref. [34]. The generated events were interfaced to PYTHIA 8 [35] to simulate subsequent decays of the Higgs boson and supersymmetric particles in the signal model and also the parton showering. The A14 set of tuned parameters [36] and the NNPDF2.3LO PDF set [37] were used in the event generation. The signal model MC events were passed through a GEANT4 [38] simulation of the ATLAS detector [39] and reconstructed with the same software [27] as used for the data. The generation of the simulated event samples includes the effect of pileup, both within the same bunch crossing as well as in bunch crossings before or after the one containing the hard interaction. Events in the simulation are weighted in order to reproduce the amount of pileup observed in the Run 2 data-taking period.

The final state and kinematics of the Higgs boson decay depend on the masses of the NLSP and LSP, in addition to the lifetime of the NLSP. The signal generation was implemented with the $\tilde{\chi}_2^0$ as the NLSP and the $\tilde{\chi}_1^0$ as the LSP, but the NLSP and LSP masses and NLSP lifetime were treated as free parameters. Therefore, GMSB signal models were generated in a three-dimensional grid. The grid of MC signal models was constructed with NLSP masses from 30 GeV up to 60 GeV, near the kinematic limit enforced by the Higgs boson mass. For each value of NLSP mass, LSP masses from 0.5 GeV up to a value of $m_{\text{NLSP}} - 10$ GeV were considered. Given the typical step size of 10 GeV used for both the NLSP and LSP masses, a total of 18 different $(m_{\text{NLSP}}, m_{\text{LSP}})$ pairs were simulated for a given value of NLSP lifetime. For each set of NLSP and LSP mass values, at least two different NLSP lifetimes, typically 2 ns and 10 ns, were simulated. Results can be generalized to other lifetime values by appropriately reweighting the samples of simulated events.

Some cross-checks of detector performance utilize MC samples of $Z \rightarrow ee$ events and events with radiative $Z \rightarrow \ell\ell\gamma$ decays, with $\ell\ell$ designating an opposite-sign same-flavor lepton (electron or muon) pair. The photon time resolution is not modeled accurately in the MC simulation, which underestimates the time resolution observed in data. Therefore, additional smearing is applied to the photon times as simulated in the MC signal events. In addition to a contribution applied independently to each photon, the additional smearing includes a correlated event-level contribution to account for the impact of the spread of the actual pp collision times, which results from the longitudinal profiles of the colliding proton bunches along the LHC beamline. The combined smearing contributions are tuned to match the timing performance observed for electrons in data because, due to their similar EM shower development, electrons and photons have similar timing performance. The correlated and uncorrelated contributions to the time measurement are deconvolved by studying the times of electron-positron pairs in $Z \rightarrow ee$ events.

4 Photon pointing and timing measurements

Photons produced in the decays of long-lived NLSPs can be nonpointing, delayed, or both. This analysis is made possible by the capability of the LAr EM calorimeters to perform precise measurements of the pointing and timing of EM objects, and in particular photons, as discussed in more detail below. The measurements of pointing and timing are almost completely uncorrelated for prompt backgrounds. The lack of correlation results from the fact that, as described below, the pointing measurement uses the spread of the EM shower to precisely measure its centroids in the first two layers in the EM calorimeter, while the timing measurement uses the time reconstructed from the pulse-shape of only the second-layer cell with the maximum energy deposit. In contrast, these measurements would be correlated for a photon that is produced in the decay of a heavy NLSP. Using both variables therefore provides a powerful way to separate signal from background.

4.1 Pointing measurements

For $|\eta| < 2.5$, the LAr EM calorimeter is segmented into three layers in depth that can be used to measure the longitudinal profile of the shower. The first layer uses highly granular “strips” segmented in the η direction, with a typical transverse segmentation of $\Delta\eta \times \Delta\phi = 0.003 \times 0.1$, designed to allow efficient discrimination between single-photon showers and two overlapping showers from the decay of a π^0 meson. The second layer has a typical transverse segmentation of $\Delta\eta \times \Delta\phi = 0.025 \times 0.025$, and collects most of the energy deposited in the calorimeter by EM showers initiated by electrons or photons. Very high energy EM showers can leave significant energy deposits in the third layer, which serves as a “tail catcher” and which can also be used to correct for energy leakage beyond the EM calorimeter.

By precisely measuring the centroids of the EM shower in the first and second EM calorimeter layers, the flight direction of photons can be determined, from which one can calculate the value of z_γ , defined as the z -coordinate of the extrapolation of the line through these centroids in the z - r plane back to the beamline ($x = y = 0$). The angular resolution of the EM calorimeter’s measurement of the flight direction of prompt photons is about $60 \text{ mrad}/\sqrt{E}$, where E is the photon energy in GeV. This angular resolution corresponds to a resolution in z_γ of about 15 mm for prompt photons with energies in the range of 50–100 GeV in the EM barrel calorimeter. Given the geometry, the z_γ resolution is worse for photons reconstructed in the endcap calorimeters.

This analysis uses the measurement of the photon flight direction to search for photons that do not point back to the PV. The pointing variable used in the analysis is $\Delta z_\gamma = z_\gamma - z_{\text{PV}}$, with z_{PV} being the z -coordinate of the PV of the event, selected as described in Section 5.2. Given that z_{PV} is measured with high precision using the tracker, the Δz_γ resolution is essentially equivalent to the resolution in z_γ .

While the geometry of the EM calorimeter is optimized for detecting particles that point back to near the nominal interaction point at the center of the detector (i.e. $x = y = z = 0$), the fine segmentation allows good pointing performance to be achieved over a wide range of photon impact angles. Using a sample of electrons from $Z \rightarrow ee$ events, the calorimeter pointing performance is validated in data by using the finite spread of the pp collision region along the z -axis. The pointing resolution degrades gradually with increasing $|\Delta z_\gamma|$ (see Figure 1 in Ref. [20]). The GEANT4-based simulation of the ATLAS detector shows good agreement with the resolution observed in data over the range of $|\Delta z_\gamma|$ values (up to about 200 mm) that can be accessed in data. This gives confidence in the ability of the MC simulation to estimate the resolution at the larger $|\Delta z_\gamma|$ values characteristic of signal photons. The resolution remains much

smaller than $|\Delta z_\gamma|$ in the full region where the signal is expected. The studies also show similar pointing performance for photons and electrons, as expected given their similar EM shower development.

4.2 Timing measurements

Photons from long-lived NLSP decays would reach the LAr calorimeter with a slight delay compared to prompt photons produced directly in the hard scattering. This delay results mostly from the flight time of the heavy NLSP, which would have a distribution of relativistic speed ($\beta = v/c$) that typically peaks near 0.9 and has a tail to much lower values. In addition, the opening angle in the NLSP decay, which causes the photon to be nonpointing, results in the geometrical path to the calorimeter being longer than that for a prompt photon from the PV.

The EM calorimeter, with its novel “accordion” design, and its readout, which incorporates fast shaping, has excellent time resolution. Test-beam measurements [40] of individual EMB calorimeter modules demonstrated a time resolution of ≈ 100 ps in response to high-energy electrons. In situ calibration tests in the ATLAS cavern show a time resolution of ≈ 70 ps [41], limited not by the calorimeter but by the jitter of the calibration pulse injection system. To avoid that the electronic readout significantly degrades the intrinsic timing performance of the calorimeter, quality-control tests during production of the electronics required the clock jitter on the LAr readout boards to be less than 20 ps, with typical values of 10 ps [42].

During the Run 2 period from 2015 to 2018, the hardware configuration of the readout of the various LAr channels was adjusted such that the channels were synchronized online within a uniformity of order 1 ns. While this level of precision is sufficient for the trigger system to correctly identify the bunch crossing corresponding to a particular event of interest, a dedicated calibration for each channel is applied offline to improve the time resolution significantly for EM clusters. The time calibration is based on a large sample of $W \rightarrow e\nu$ events and is performed with zero defined as the expected value for a prompt electron from the PV of the hard collision. The time calibration includes corrections for the dependence of the time measurement on energy, crosstalk, flight path from the PV, collision conditions, and the behavior of individual channels.

The LAr energy and time for each calorimeter cell are reconstructed by applying the optimal filtering algorithm [43] to the set of four samples of the signal shape read out for each calorimeter channel, with successive samples of the waveform separated by 25 ns. More specifically, the deposited energy per cell and the time of the deposition are calculated using appropriately weighted linear combinations of the set of samples of the waveform:

$$E = \sum_{i=0}^3 a_i S_i \quad \text{and} \quad t = \frac{1}{E} \sum_{i=0}^3 b_i S_i ,$$

where S_i denotes the four samples of the signal waveform. The parameters a_i and b_i are the optimal filter coefficients (OFC), the values of which are calculated, knowing the pulse shape and noise autocorrelation matrix, to deliver the best energy and time resolutions.

For this analysis, the arrival time of an EM object is measured using the second-layer EM calorimeter cell with the largest energy deposit among cells in the associated EM cluster (E_{cell}). For the EM shower of an electron or photon with an energy in the range of interest, this cell typically contains about 20%–50% of the total energy deposited in the EM shower.

To cover the full dynamic range of physics signals of interest, the ATLAS LAr calorimeter readout boards [42] employ three overlapping linear gain scales, dubbed High, Medium and Low, where the relative gain is reduced by a factor of about ten for each successive scale. For a given event, any individual LAr readout channel is digitized using the gain scale that provides optimal energy resolution, given the energy deposited in that calorimeter cell. The calibration of the time is determined separately for High and Medium gain for each channel. The number of electron candidates from the $W \rightarrow e\nu$ sample digitized using Low gain, typically those with energies above about 200 GeV, is insufficient to obtain statistically precise results for the calibration constants. Therefore, the analysis requires that selected photons be digitized using either High or Medium gain, which has a negligible impact on the signal efficiency for this analysis.

An independent sample of $Z \rightarrow ee$ events is used to validate the time calibration and determine the resolution that is obtained by performing Gaussian fits to the time distributions in bins of cell energy. Figure 2 shows the time resolution for High and Medium gain cells with $|\eta| < 0.4$, as a function of E_{cell} , the energy in the second-layer calorimeter cell used to calculate the time for the sample of $Z \rightarrow ee$ events. Similar results are obtained over the full coverage of the EM calorimeter.

The time resolution, $\sigma(t)$, is expected to follow the form $\sigma(t) = p_0/E_{\text{cell}} \oplus p_1$, where E_{cell} is the cell energy, \oplus denotes addition in quadrature, and the fit parameters p_0 and p_1 are the coefficients of the so-called noise term and constant term, respectively. Superimposed on Figure 2 are the results of fits to this expected form of the time resolution function. The fits yield values of p_1 , which gives the time resolution in the limit of large energy deposits, of 208 ps (217 ps) for High (Medium) gain. The slightly poorer resolution for Medium gain is due to limited event yields in the $W \rightarrow e\nu$ sample used to determine the time calibration constants. By examining the timing distributions of the two electrons in $Z \rightarrow ee$ candidate events, the time measurements are observed to include a correlated contribution of ≈ 190 ps, which, for a given PV position, agrees well with the expected distribution of collision times due to the longitudinal spread of the proton bunches along the LHC beamline. Assuming this contribution to the time resolution to be uncorrelated with the LAr contributions implies the LAr contributions are ~ 50 – 150 ps, depending on $|\eta|$, demonstrating that the offline calibration achieves an in situ time resolution comparable to that achieved in the more constrained testbeam measurements [40]. There is only a modest variation in time resolution over the ranges of photon energies considered since, as described in Section 5.3 (see Table 1), selected photons in the analysis are required to have $E_{\text{cell}} > 7$ GeV.

The signal timing templates are constructed using the timing variable of the simulated signal samples. Additional resolution uncertainties are assigned to cover the observed discrepancy between radiative $Z \rightarrow \ell\ell\gamma$ events in data and those from MC simulation. The photon timing resolution uncertainty is implemented in the likelihood function (see Section 7 for details) such that the effects in the timing distribution are correlated between pointing categories. Uncertainties accounting for fluctuations in the statistically limited signal MC samples are also included in the likelihood function.

5 Event selection

The requirements applied in the selection of various physics objects in the event are described below, followed by the selection of events and the optimization of these selections.




Figure 2: Time resolution obtained with the LAr EM calorimeter as a function of E_{cell} , the energy in the second-layer cell with the largest energy deposit. The solid lines show the results of fitting the expected form, namely $\sigma(t) = p_0/E_{\text{cell}} \oplus p_1$, to the data points. The results shown are obtained using $Z \rightarrow ee$ events recorded in 2018, for electrons in the EMB calorimeter with $|\eta| < 0.4$, and for both the High and Medium gain readout scales. Similar results are obtained over the full Run 2 data set and for the full coverage of the EM calorimeter.

5.1 Object selection

The reconstruction and identification of electrons and photons are described in Ref. [44]. Shape variables computed from the lateral and longitudinal energy profiles of the EM showers in the calorimeter are used to identify photons and electrons and to distinguish them from backgrounds.

Photons are required to satisfy $p_T > 10$ GeV and $|\eta| < 2.37$, excluding the region $1.37 < |\eta| < 1.52$, which corresponds to the transition region between the EMB and EMEC calorimeters. In addition, to reduce the probability of jets being misidentified as photons, photons must satisfy both calorimeter-based and track-based isolation requirements. The calorimeter isolation variable is defined as the energy of EM calorimeter-cell clusters in a cone of size $\Delta R = 0.2$ around the photon candidate, excluding a fixed window containing most of the photon shower. Corrections accounting for photon energy leakage from this window into the surrounding cone, for pileup, and for the underlying event are applied [44]. The calorimeter isolation is required to be less than 6.5% of the photon's transverse energy. The track-based isolation variable is defined as the scalar sum of the p_T of all tracks with $p_T > 1$ GeV within $\Delta R = 0.2$ of the photon candidate. The track isolation variable is required to be less than 5% of the photon's transverse energy.

A set of photon selection criteria, designed for high efficiency and modest background rejection, defines the so-called Loose photon identification used in this analysis. The Loose photon identification does not impose requirements on the EM shower shape in the first (strips) layer of the EM calorimeter, and uses only variables that describe the shower shape in the second layer of the EM calorimeter and leakage into the hadronic calorimeter. The Loose photon identification thereby minimizes the bias against identification of nonpointing photons. Figure 3 shows the Loose photon identification efficiency as a function of $|\Delta z_\gamma|$, with the simulated results for the signal photons from this analysis superimposed on data and MC results for SM $Z \rightarrow \ell\ell\gamma$ events. For the $Z \rightarrow \ell\ell\gamma$ events, $|\Delta z_\gamma|$ is measured from the center of the detector ($z = 0$), exploiting the spread of pp collisions along the beamline. The radiative $Z \rightarrow \ell\ell\gamma$ sample is selected by requiring events to have a photon plus two same-flavor opposite-sign leptons (electrons or muons), with $m(\ell\ell\gamma)$ being within 10 GeV of the known Z boson mass, and the dilepton invariant mass

being less than 83 GeV. To reduce the impact of electrons being misidentified as photons, candidate events in the $Z \rightarrow ee\gamma$ sample are vetoed if the invariant mass of either $e\gamma$ pair is consistent with the Z boson mass. The $Z \rightarrow \ell\ell\gamma$ selection results in a very pure sample of photons, from which the efficiency of applying the Loose photon identification requirement is measured after removing the remaining background component using a template fit to the $\ell\ell\gamma$ invariant mass distribution [45]. As seen in Figure 3, the Loose photon identification efficiency is very high and quite constant within the beam spot ($|\Delta z_\gamma|$ less than about 200 mm), and the results for the various samples are in good agreement, providing confidence in the use of MC simulation to estimate the identification efficiency for signal photons at higher $|\Delta z_\gamma|$ values. As shown, the efficiency decreases gradually for photons produced further from the center of the detector. To cover potential mis-modeling of the efficiency drop in the high pointing region, photon identification uncertainty is introduced and discussed in Section 7.2




Figure 3: The Loose photon identification efficiency, shown as a function of $|\Delta z_\gamma|$, for photons with transverse momentum in the range 10–100 GeV and with $E_{\text{cell}} > 7$ GeV. The simulated results for signal photons from long-lived particle decays in this analysis are overlaid with data and MC results for SM $Z \rightarrow \ell\ell\gamma$ events. For the $Z \rightarrow \ell\ell\gamma$ events, $|\Delta z_\gamma|$ is measured from the center of the detector ($z = 0$), exploiting the spread of pp collisions along the beamline.

Some studies in this analysis use the Medium photon working point, which adds a requirement on one shower shape variable in the strips layer in order to increase the photon purity at the cost of some decrease in efficiency. Detailed descriptions of both the Loose and Medium photon identification criteria can be found in Ref. [44].

Electrons are reconstructed by matching tracks in the ID to topological clusters of calorimeter cells formed using the same dynamical, topological cell-clustering algorithm as in the photon reconstruction [44]. Electron candidates are required to have $p_T > 10$ GeV and $|\eta| < 2.47$, and must satisfy a Medium electron identification selection based on a likelihood discriminant using calorimeter shower shapes and track parameters [44]. Isolation criteria using calorimeter- and track-based information are applied to electrons. The reconstructed track matched to the electron candidate must be consistent with the PV position: its longitudinal impact parameter z_0 relative to the PV is required to satisfy $|z_0 \sin \theta| < 0.5$ mm. In addition, the electron track’s transverse impact parameter with respect to the beam axis divided by its uncertainty, $|d_0|/\sigma(d_0)$, must be less than 5.

Muons are reconstructed by matching tracks from the MS and ID subsystems. Muons in the range $2.5 < |\eta| < 2.7$ without an ID track but whose MS track is compatible with the interaction point are also considered. Muon candidates are required to have $p_T > 10$ GeV and $|\eta| < 2.7$, and must satisfy the Medium muon identification requirements [46]. Muons are required to satisfy calorimeter- and track-based isolation requirements [46] that are 95%–97% efficient for muons with $p_T \in [10, 60]$ GeV and 99%

efficient for $p_T > 60$ GeV. Muon tracks must satisfy $|z_0 \sin \theta| < 0.5$ mm and $|d_0|/\sigma(d_0) < 3$. Finally, τ leptons are required to have at least 20 GeV of p_T and to lie within $|\eta| < 1.37$ or $1.52 < |\eta| < 2.5$

Jets are used only indirectly in the analysis, through an overlap removal procedure and corrections to the calculation of E_T^{miss} . Jets are reconstructed by applying a particle-flow algorithm [47] to noise-suppressed positive-energy topological clusters [48] of calorimeter cells from the anti- k_t algorithm [49, 50] with radius parameter $R = 0.4$. Jets must have $p_T > 25$ GeV and $|y| < 4.4$. A jet-vertex-tagger (JVT) multivariate discriminant [51] is applied to jets with $p_T < 60$ GeV and $|\eta| < 2.4$ to suppress jets from pileup.

An overlap removal procedure is performed in order to avoid double-counting of objects. First, electrons overlapping with photons within $\Delta R < 0.4$ are removed. Jets overlapping with photons ($\Delta R < 0.4$) and electrons ($\Delta R < 0.2$) are removed. Electrons overlapping with the remaining jets ($\Delta R < 0.4$) are removed, to match the requirements imposed when measuring isolated electron efficiencies. Finally, muons overlapping with photons or jets ($\Delta R < 0.4$) are removed.

The value of E_T^{miss} is defined as the magnitude of the negative vector sum of the transverse momenta of the selected photons, electrons, muons and jets, as well as the transverse momenta of remaining low- p_T particles, estimated using tracks matched to the PV but not to any of the selected objects [52].

5.2 Event selection

Selected events are required to have a candidate PV for the hard scatter, reconstructed from at least two charged tracks, each with $p_T > 500$ MeV. If multiple vertices are reconstructed, the PV is selected as the one with the largest sum of the p_T^2 values of the associated tracks.

Events are required to pass the lowest unscaled single-lepton (electron or muon) trigger. For data taken in 2015, the electron (muon) trigger required the lepton to satisfy $p_T > 24$ (20) GeV. For 2016–2018, these kinematic requirements on the trigger leptons were both increased to $p_T > 26$ GeV. The offline event selection required at least one electron or muon, with $p_T > 27$ GeV, satisfying Medium identification, and matching the trigger lepton.

Triggered events are subject to a common set of preselection requirements. In addition to the lepton requirement above, selected events are required to have at least one photon candidate with $p_T > 10$ GeV and satisfying Loose photon identification.

To reject events with an electron misreconstructed as a photon, events with an electron are rejected if the invariant mass of the electron–photon pair satisfies $|m_{e\gamma} - m_Z| < 15$ GeV.

To suppress photons from earlier or later bunch crossings, photons are required to have measured arrival times at the LAr calorimeter of $|t_\gamma| < 12$ ns.

5.3 Analysis strategy and optimization

Due to their different signal-to-background ratios, the 1γ and $\geq 2\gamma$ final states are treated separately in the analysis. The $\geq 2\gamma$ final state has lower background, and higher sensitivity for smaller values of the NLSP lifetime, for which there is a significant probability for both NLSPs to decay before reaching the EM calorimeter. The use of the 1γ final state recovers sensitivity for events where one photon is missed, or where one NLSP decays beyond the boundaries of the ID.

For all selected events, the final statistical analysis uses the pointing and timing measurements of only one photon. Since the Δz_γ distribution should be symmetric for both signal and background, the pointing distribution is folded by taking $|\Delta z_\gamma|$ as the variable of interest instead of Δz_γ itself. The inputs to the statistical analysis are therefore the values of $|\Delta z_\gamma|$ and t_γ measured for the photon selected in each event. Given the fact that, due to geometry, the pointing resolution along the z -axis is better for EMB photons than for EMEC photons, the photon selected for the statistical analysis must be detected in the EMB. Thus, 1γ events must have their single photon in the EMB. For $\geq 2\gamma$ events, at least one photon must be in the EMB; for events with more than one EMB photon, the highest- E_T EMB photon is selected for the statistical analysis.

A study was performed in order to optimize the SR definition across the two-dimensional signal grid of NLSP and LSP masses. The kinematic distributions of the signal have a significant dependence on the value of the mass splitting, $\Delta m = m_{\text{NLSP}} - m_{\text{LSP}}$. Higher values of Δm typically lead to production of higher-energy photons and to more modest values of E_T^{miss} . In contrast, lower Δm leads to lower photon energies and higher values of E_T^{miss} . The optimization study revealed that close-to-optimal results can be achieved across the entire signal grid by the definition of two different SR selections: the low- Δm SR selection is applied to signal models with $\Delta m = 10$ GeV

and the high- Δm SR selection is applied to signal models with $\Delta m > 10$ GeV. The definitions of the two SR selections, which include different requirements on E_{cell} and E_T^{miss} , are summarized in Table 1, along with definitions of the corresponding CRs and VRs.

While exploring the optimal SR selections, the optimization procedure also examined how to best choose the number of bins and locations of the corresponding bin edges for both the photon pointing and timing variables. Considerations included maximizing the sensitivity while avoiding any empty bins in the required background templates constructed from CR data. The binning optimization was performed separately for the 1γ and $\geq 2\gamma$ final states. The results led to the choice of a common pointing binning, with a total of five pointing categories. Optimization of the timing binning led to seven (six) bins for the 1γ ($\geq 2\gamma$) final state, the difference being mostly due to the lower CR event yields for the $\geq 2\gamma$ channel. The bin definitions are included in Table 1.

Table 1: Optimized requirements defining the low- Δm and high- Δm SR selections, as well as the corresponding CRs and VRs. Also included are the optimized binnings for photon pointing and timing for both the 1γ and $\geq 2\gamma$ channels.

Parameter	Low- Δm selection ($\Delta m = 10$ GeV)				High- Δm selection ($\Delta m > 10$ GeV)			
	CR	VR(E_T^{miss})	VR(t)	SR	CR	VR(E_T^{miss})	VR(t)	SR
E_{cell} [GeV]	> 7				> 10			
E_T^{miss} [GeV]	< 30	30–50	> 80	> 80	< 30	30–50	> 50	> 50
t_γ [ns]	> 0	> 0	< 0	> 0	> 0	> 0	< 0	> 0
$ \Delta z_\gamma $ bins [mm]	[0, 50, 100, 200, 300, 2000]							
$ t_\gamma $ bins [ns]								
1 γ channel								
$\geq 2\gamma$ channel	[0, 0.2, 0.4, 0.6, 0.8, 1.0, 12.0]							

The signal acceptance is about 22% (10%) for signal models with an NLSP lifetime of 2 ns (10 ns), where the acceptance is defined as the fraction of simulated signal events passing the trigger and having at least one lepton and at least one photon reconstructed in the final state. The lower acceptance for higher

NLSP lifetimes is expected, as more NLSP decays occur outside the ATLAS ID and their decay photons are not captured by the EM calorimeter. The signal efficiency is around 40% for all the signal models, defined as the fraction of simulated signal events within the signal acceptance that pass the SR selection requirements.

6 Background estimation

The background is expected to be completely dominated by pp collision events, with possible backgrounds due to cosmic rays, beam-halo events, or other noncollision processes being negligible. The source of the Loose photons in background events contributing to the selected sample is expected to be either a prompt photon, an electron misidentified as a photon, or a jet misidentified as a photon. In each case, the object providing the Loose photon signature is prompt and originates from the PV.

The pointing and timing distributions expected for the background sources are determined entirely using control samples in data. This avoids a reliance on the precise MC simulation of the pointing and timing performance for the backgrounds, and especially of the tails of their $|\Delta z_\gamma|$ and t_γ distributions. Additionally, using data samples naturally accounts for the influence of pileup, the possibility of selecting the wrong PV, and any instrumental or other effects that might influence the background measurements.

It is known [20] that the measured $|\Delta z_\gamma|$ and t_γ distributions of genuine photons are narrower than those of other physics objects (particularly jets) that are misreconstructed as photons. The $|\Delta z_\gamma|$ distribution is particularly sensitive to the background composition, since it depends on details of the EM shower development. Consequently, the statistical analysis (see Section 8) uses the $|\Delta z_\gamma|$ value only to separate the events into mutually independent pointing categories, and implements the normalization of the background in each pointing category as an independent, unconstrained nuisance parameter. Therefore, the fitting procedure eliminates the need to model the pointing distribution of the background, and reduces the background modeling issue to one of determining the shape of the background timing template.

Variations of the shape of the background t_γ distribution are explored by dividing the CR data into a genuine-photon enriched sample and a fake-photon enriched sample. The actual purities of the individual samples do not need to be known; they just need to be different from each other, so that the total background timing template can then be constructed as a linear combination of the timing templates from these two samples.

The sample of events from the CR is divided into mutually exclusive subsamples according to whether or not the photon passes an identification requirement (typically either the Medium or Tight definitions given in Ref. [44]) that is more stringent than the Loose identification used to define the overall CR. The photons that fail the more stringent identification are used to form the fake-photon enriched sample, while those that pass it are put in the genuine-photon enriched sample. To increase the event yield, the genuine-photon enriched control sample also includes photons from the radiative $Z \rightarrow \ell\ell\gamma$ decay sample.

As discussed earlier, the time resolution depends on E_{cell} , the energy deposited in the second-layer cell of the EM calorimeter that is used to measure the arrival time of the photon. To mitigate any potential discrepancy between the CR and SR timing shapes that arises from kinematic differences, a reweighting procedure is applied to the control samples so that the photon E_{cell} distribution in the CR after reweighting is the same as that in the SR.

Due to imperfections in calibrations, limited event yields, or other effects, the photon timing distributions in the data can have small nonzero mean values, at the level of up to a few tens of picoseconds. Before constructing the final background timing templates, the means are determined by fitting the timing distributions, which are then shifted to eliminate any small residual nonzero mean values. To avoid any bias being introduced by possible signal contributions, the fits are restricted to the core of the timing distributions.

Figure 4 shows the unit-normalized shapes of the pointing and timing distributions for the inclusive genuine-photon enriched and fake-photon enriched samples. Superimposed are the distributions for selected signal models.




Figure 4: Photon pointing (Δz_γ) and timing (t_γ) distributions for the genuine-photon enriched and fake-photon enriched samples. Superimposed are the expected distributions for selected signal models. The signal models are labeled by the values of their NLSP and LSP masses (m_{NLSP} and m_{LSP} in GeV) and NLSP lifetime (τ in ns).

The timing templates are derived separately in each of the pointing categories. In general, the fraction of the genuine-photon enriched template in the linear combination is a free nuisance parameter in the likelihood function and can be determined when fitting to data. In two of the pointing categories, the shapes of the timing distributions for the genuine-photon enriched and fake-photon enriched samples are found to be statistically consistent according to a Kolmogorov–Smirnov test, so the fit cannot obtain a well-determined value for the nuisance parameter. For these two pointing categories, the genuine-photon enriched and fake-photon enriched template fractions are each set to a constant value of 0.5, to exploit the statistical power obtained by combining the two samples.

7 Systematic uncertainties

Systematic uncertainties affecting the search are primarily experimental. Theoretical uncertainties are also relevant, when the search result is interpreted to yield a constraint on the decay of the Higgs boson into long-lived particles.

In the statistical analysis, the background normalization for each $|\Delta z_\gamma|$ category is determined using an independent nuisance parameter. Therefore, it is not necessary to include systematic uncertainties for the background’s normalization or its shape in the variable $|\Delta z_\gamma|$. The various systematic uncertainties relevant for this analysis can be divided into two categories: so-called “flat” uncertainties are not a function

of $|\Delta z_\gamma|$ or t_γ and affect only the overall signal yield, while “shape” uncertainties are those that are related to the shapes of the unit-normalized $|\Delta z_\gamma|$ and t_γ distributions for signal or to the shape of the background t_γ template.

The various systematic uncertainties are outlined below. However, their impact on the limits is very minor, and the results of the analysis are dominated by the statistical uncertainties. Implementing the full set of systematic uncertainties degrades the sensitivity, as measured by the expected 95% CL limits on the branching ratio $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$, by only about 5% compared to the results obtained with only statistical uncertainties considered.

7.1 Signal normalization uncertainties

Theoretical uncertainties of the signal model arise from the fact that the Higgs boson production processes are calculated at LO in QCD, from uncertainties in the value of the strong coupling constant α_s , and from the choice of parton distribution functions. While the cross sections of the Higgs boson production processes are normalized to the best available theoretical calculations [34], the missing higher order QCD calculations in the event generation may lead to a potential mis-modeling of signal efficiency. Such uncertainties are estimated by varying the factorization and renormalization scales used in the event generation separately by factors of 0.5 and 2.0 relative to their nominal values, and the uncertainty is taken as the maximum difference between the yields obtained with the nominal scales and the different variations. In addition, the variation in signal selection efficiency due to the choice of PDF sets in the event generation is also estimated. The total combined theoretical uncertainty in the signal yield reaches about 17%, and is included as a single nuisance parameter in the fit.

Examples of instrumental systematic uncertainties which affect the overall signal yield include uncertainties in photon and lepton reconstruction and identification efficiencies, reconstruction of E_T^{miss} , and the integrated luminosity measurement. The uncertainty in the integrated luminosity is 1.7%, evaluated using the methodology described in Ref. [31]. The photon identification efficiency is studied using a sample of photons from radiative $Z \rightarrow \ell\ell\gamma$ decays, selected as described in Section 6. The efficiency of the Loose identification is around 95% for $p_T(\gamma) \approx 20$ GeV, increasing gradually to about 99% for $p_T(\gamma) > 60$ GeV. The measured efficiency in data is well reproduced in MC simulations.

Summing the instrumental uncertainties in quadrature yields a small total uncertainty in the signal yield, up to a few percent. These uncertainties are incorporated into the likelihood model as a single nuisance parameter scaling the signal yields uniformly across the ten pointing categories, where the magnitude of the uncertainty is calculated separately for the 1γ and $\geq 2\gamma$ channels.

7.2 Signal shape systematic uncertainties

Uncertainties in photon timing and pointing measurements, the identification efficiency for photons with large pointing values, as well as the timing templates, affect the distribution of relative event yields between timing bins in different pointing categories. These uncertainties therefore affect the shapes of the signal distributions, and are incorporated into the likelihood model such that varying their corresponding nuisance parameters introduces correlated shape effects in the timing and pointing distributions. For example, as shown in Figure 3, the Loose photon identification requirements provide very high efficiency for identifying photons, but that efficiency has a modest dependence on $|\Delta z_\gamma|$, dropping by about 15% (5%) for the highest $|\Delta z_\gamma|$ bin for low (high) $p_T(\gamma)$ values. To obtain a conservative estimate of the uncertainty in identifying

nonprompt photons, the ratio of efficiency in each $|\Delta z_\gamma|$ category above 150 mm to the efficiency measured in data for $|\Delta z_\gamma| = 100\text{--}150$ mm is calculated. The deviation of these ratio values from unity provides a binned relative uncertainty in the photon identification efficiency that increases as $|\Delta z_\gamma|$ increases.

7.3 Background shape systematic uncertainties

Several types of systematic uncertainties are considered for the shapes of the background timing distributions. These include the bin-by-bin statistical uncertainties for both the genuine-photon enriched and fake-photon enriched templates to account for fluctuations in data control samples.

In addition, a shape uncertainty correlated between timing bins within the same pointing category is introduced to account for uncertainties arising from the choice of CR samples for determining the genuine-photon enriched and fake-photon enriched timing distributions. The uncertainties are derived by comparing different choices for the division of events into those two subsamples, namely by requiring photons to pass the Medium or the Tight identification requirements in order to be included in the genuine-photon enriched sample.

Finally, a background-only fit of the likelihood function to the $\text{VR}(t)$ data is performed. The $\text{VR}(t)$ data has the same requirements as the SR but with $t_\gamma < 0$. This selection ensures negligible signal contamination, and can therefore be used to test the robustness of the background model. The residual difference between data in the $\text{VR}(t)$ region and the fitted background is considered as a nonclosure uncertainty for the background templates. While the nonclosure uncertainties are zero for most of the time bins, a few have values up to about 40% of the background uncertainty in that bin.

8 Statistical analysis

Binned likelihood fits to data in the SR are performed to test the background-only and signal-plus-background hypotheses. The likelihood function is constructed by simultaneously fitting the ten timing distributions to their pdfs. The systematic uncertainties described in Section 7 are incorporated into the likelihood function as nuisance parameters with Gaussian constraint pdfs. The background normalization and the background template admixture in each pointing category are floating nuisance parameters constrained by data.

A profile likelihood ratio is used to perform frequentist hypothesis tests [53]. The p_0 -value, defined as the probability of statistical fluctuations making the background distributions appear to contain at least as much signal as the data distributions, is calculated for different signal models.

Before applying the statistical analysis to the SR data, the method and background model were validated by fitting to the $\text{VR}(E_T^{\text{miss}})$ data. Since the background estimation method essentially models the photon object property of timing and does not depend on the event selection, the fits to the $\text{VR}(E_T^{\text{miss}})$ photon sample, which is statistically independent from the SR, provide a validation of the method. As shown in Figure 5, the $\text{VR}(E_T^{\text{miss}})$ data are well described by a background-only fit, for both the high- Δm and low- Δm selections. Further validation of the statistical analysis included signal injection tests, in which varying signal models and strengths were injected into the $\text{VR}(E_T^{\text{miss}})$ data; in all cases, the fit correctly extracted the strength of the injected signal.




Figure 5: Timing distributions for $VR(E_T^{\text{miss}})$ data and the estimated background, as determined by a background-only fit. The upper (lower) row shows the results for the high- Δm (low- Δm) selection. The fit for each selection is performed simultaneously across ten timing distributions, namely the five pointing categories for each of the two final states (1γ and $\geq 2\gamma$). For conciseness, the figures show the sum of the data across all five pointing categories, compared with the sum of the background-only fits, with the left (right) figure displaying the results for the 1γ ($\geq 2\gamma$) final state.

9 Results

The post-fit plots comparing the timing distributions of the SR data and the estimated background in each pointing category are shown in Figures 6 and 7 for the high- Δm and low- Δm selections, respectively. Superimposed on the figures are the expected signal distributions for a few example signal models. The data are in good agreement with the fitted background-only hypothesis in all categories for both the high- Δm and low- Δm selections. No significant excesses are observed, with the largest excess for any signal model considered having a significance of about 1.2 standard deviations. Therefore, a modified frequentist CL_s method [54] is used to set 95% CL upper limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$, assuming that $\mathcal{B}(\text{NLSP} \rightarrow \text{LSP} + \gamma)$ is equal to unity.




Figure 6: Timing distributions for SR data and the estimated background, as determined by the background-only fit, for the high- Δm selection. The plots on the left (right) show the time distributions for each of the five pointing categories for the 1γ ($\geq 2\gamma$) final state. For comparison, the expected timing shapes for a few different signal points are shown superimposed, with a signal normalization corresponding to a value of $\mathcal{B}(H \rightarrow \text{NLSP NLSP}) = 20\%$. The signal models are labeled by their values of the NLSP and LSP masses (in GeV) and NLSP lifetime (in ns).




Figure 7: Timing distributions for SR data and the estimated background, as determined by the background-only fit, for the low- Δm selection. The plots on the left (right) show the time distributions for each of the five pointing categories for the 1γ ($\geq 2\gamma$) final state. For comparison, the expected timing shapes for a few different signal points are shown superimposed, with a signal normalization corresponding to a value of $\mathcal{B}(H \rightarrow \text{NLSP NLSP}) = 20\%$. The signal models are labeled by their values of the NLSP and LSP masses (in GeV) and NLSP lifetime (in ns).

For a fixed NLSP lifetime, the limits are directly obtained for the 18 simulated signal models, covering a two-dimensional grid of NLSP masses ranging from 30 GeV to 60 GeV, and LSP masses from 0.5 GeV to $m_{\text{NLSP}} - 10$ GeV. For visualization purposes, a bilinear interpolation between the discrete signal points simulated for each fixed lifetime is performed in order to obtain the 95% CL limits across the full available range of NLSP and LSP masses. In the high- Δm case, the interpolation is performed on a two-dimensional grid of m_{LSP} versus m_{NLSP} . The results for fixed NLSP lifetimes of 2 ns and 10 ns are shown in Figure 8. A selection of contours corresponding to fixed values of the expected and observed 95% CL upper limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ is superimposed on the $(m_{\text{NLSP}}, m_{\text{LSP}})$ plane.




Figure 8: Interpolated 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ in the plane of LSP mass versus NLSP mass for the high- Δm selection. The plot on the left (right) corresponds to the results with the NLSP lifetime equal to 2 ns (10 ns). A smoothing function is used to continuously fill the plane, interpolating between the results for the discrete signal models which were simulated on a grid with 10 GeV spacing, and with a minimum value of $\Delta m = 20$ GeV for the signal models covered by the high- Δm selection. For visualization purposes, contours are superimposed indicating where the expected and observed 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ reach values of 2%, 5%, and 10%.

In the low- Δm case, the interpolation can only be performed in one dimension, providing the 95% CL limit versus the NLSP mass, since the LSP mass is fixed according to the relation $m_{\text{NLSP}} - m_{\text{LSP}} = 10$ GeV. The observed and expected 95% CL $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ upper limit curves for the low- Δm selection are shown in Figure 9 for NLSP lifetimes of 2 ns and 10 ns.




Figure 9: Interpolated 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ as a function of NLSP mass for signal points in the the low- Δm selection. Straight lines are drawn between the results for the discrete signal models considered by the low- Δm selection, which were simulated with $\Delta m = 10$ GeV. The plot on the left (right) corresponds to the results with the NLSP lifetime equal to 2 ns (10 ns).

Examining the results in Figures 8 and 9, there is a clear dependence of the achieved limit on the signal mass splitting, Δm . The most stringent constraints are achieved toward the bottom right corner of Figure 8, where 95% CL upper limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ of order 1% are obtained. In that region of the signal mass grid, the mass splitting between the NLSP and LSP is large, giving rise to higher-energy photons and, therefore, higher photon acceptance and lower backgrounds. Moving from the bottom right to upper left in Figure 8, the limits smoothly become less stringent as the mass splitting decreases, a trend which continues into the low- Δm results in Figure 9. However, it should be noted that the 95% CL upper limit on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ is below 10% over most of the two-dimensional mass plane for the high- Δm case shown in Figure 8.

The observed BSM limits also depend on the NLSP lifetime. Comparing the left and right plots of Figures 8 and 9 shows that, for a given set of NLSP and LSP mass values, the upper limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ for an NLSP lifetime of 2 ns are tighter than those for a 10 ns NLSP lifetime. This reflects the fact that the probability of at least one NLSP decaying before reaching the EM calorimeter is higher for low-lifetime signal points, resulting in higher photon (and therefore signal) acceptance. The lifetime dependence of the results is further explored by appropriately reweighting the simulated MC samples, typically generated with fixed NLSP lifetimes of either 2 ns or 10 ns, in order to produce reweighted samples corresponding to other lifetime values, ranging from 250 ps to 100 ns.

Using this lifetime reweighting method, Figure 10 presents the 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ in the two-dimensional plane of LSP mass versus NLSP lifetime. An interpolation is again used to provide smooth results throughout the plane, connecting the discrete mass values that were simulated. The results are shown separately in four plots, with the NLSP mass fixed within a given plot, and with the four fixed NLSP mass values considered being 30, 40, 50, and 60 GeV.




Figure 10: Interpolated 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ in the plane of LSP mass versus NLSP lifetime. Within each plot, the NLSP mass is held fixed, with values of 60 GeV (top left), 50 GeV (top right), 40 GeV (bottom left), and 30 GeV (bottom right). A smoothing function is used to continuously fill the plane, interpolating between the results for the discrete signal models, which were simulated on a grid with 10 GeV spacing. For visualization purposes, contours are superimposed to indicate where the expected and observed 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ reach values of 1%, 2%, 5%, 10% or 20%, depending on the plot.

The results in Figure 10 demonstrate that the limits are most stringent for NLSP lifetimes of the order of a few ns, as expected given the size of the ID. The limits become weaker for both shorter and longer lifetimes. The sensitivity decreases for longer lifetimes because more NLSP decays occur outside the ID volume and therefore fewer decay photons are reconstructed in the EM calorimeter, with a resultant loss of signal acceptance. For very short lifetimes, the signal pointing and timing distributions become more difficult to separate from the prompt background, reducing the sensitivity of the analysis. These trends can be illustrated more clearly by examining the evolution of the limits as a function of NLSP lifetime for fixed NLSP and LSP masses, as shown in Figure 11.




Figure 11: The 95% CL limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ from the high- Δm selection as a function of NLSP lifetime for fixed values of the NLSP and LSP masses. Within each plot, the NLSP mass is held fixed, with values of 60 GeV (top left), 50 GeV (top right), 40 GeV (bottom left), and 30 GeV (bottom right). Each plot includes multiple curves, each with the LSP mass fixed, as shown in the legend. The 95% CL observed limits are shown as solid lines, while the 95% CL expected limits and their $\pm 1\sigma$ uncertainties are shown as the dotted lines and shaded bands, respectively. The crossings of the observed and expected limits are a result of changing relative importance of the 1γ and $\geq 2\gamma$ channels as a function of signal lifetimes.

In addition to the results reported above for LLPs produced in Higgs boson decays, a more model-independent test is performed to provide a limit on the production of displaced photons with large values of both pointing and timing, using the selection requirements of the high- Δm analysis. The test is performed separately for the 1γ and $\geq 2\gamma$ channels, as well as their combination. The model-independent test region is defined for each channel by the lower bound for the single bin with the highest pointing and timing values. The pointing requirement is thus $|\Delta z_\gamma| > 300$ mm for both channels, while the timing requirement is $t_\gamma > 1.5$ ns (1 ns) for the 1γ ($\geq 2\gamma$) channel. The same likelihood fit procedure described in Section 8 is applied, but eliminating the model-independent test regions from the fit. The background prediction and

uncertainty in the model-independent test regions are then determined by extrapolating the results of this background-only fit to the model-independent region with higher pointing and timing values.

The model-independent limits are summarized in Table 2. For the two channels combined, four events are observed in the data, whereas the background prediction is 4.1 ± 1.7 events. Since the observed numbers of events are consistent with the background expectation in all regions, the results are used to set 95% CL upper limits on the visible cross sections of BSM signals in the model-independent test regions. The reconstruction efficiency for signal events, after taking into account the acceptance of the selection, is typically around 5% for signal samples considered in this analysis.

Table 2: Expected background event yield and observed event yield in the model-independent test regions, as defined for the 1γ and $\geq 2\gamma$ channels by the listed requirements, as well as for the combination of the two channels. Also shown are the values of σ_{vis}^{95} , the corresponding 95% CL limit on the visible cross section of BSM signals.

Channel	Test region requirements	Expected	Observed	σ_{vis}^{95} [fb]
1γ	$1.5 < t_\gamma < 12$ ns, $ \Delta z_\gamma > 300$ mm	3.8 ± 1.6	4	0.042
$\geq 2\gamma$	$1.0 < t_\gamma < 12$ ns, $ \Delta z_\gamma > 300$ mm	0.28 ± 0.04	0	0.022
$\geq 1\gamma$		4.1 ± 1.7	4	0.041

10 Conclusion

A search is performed for delayed and nonpointing photons produced from exotic decays of the 125 GeV Higgs boson into a pair of BSM LLPs, such as the NLSP present in GMSB models. The data set used was recorded by the ATLAS detector at the LHC and corresponds to an integrated luminosity of 139 fb^{-1} of pp collisions at a center-of-mass energy of $\sqrt{s} = 13$ TeV.

Using measurements of the trajectories and arrival times of photons in the ATLAS LAr EM calorimeter to search for possible displaced photons, no excess is observed above the expectation from prompt backgrounds, which are modeled entirely using data control samples. The results are used to set limits on $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ for NLSP lifetimes ranging from 0.25 ns to 100 ns, assuming that $\mathcal{B}(\text{NLSP} \rightarrow \text{LSP} + \gamma) = 100\%$. The limits are determined in a two-dimensional grid of NLSP mass values from 30 GeV to 60 GeV and LSP masses from 0.5 GeV up to $m_{\text{NLSP}} - 10$ GeV. The most stringent constraints limit $\mathcal{B}(H \rightarrow \text{NLSP NLSP})$ to less than about 1% for intermediate NLSP lifetime values and for the largest NLSP mass and mass-splitting between the NLSP and LSP. A model-independent limit is also set on the production of photons with large values of displacement and time delay.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and

MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [55].

References

- [1] Y. Golfand and E. Likhtman, *Extension of the Algebra of Poincare Group Generators and Violation of P Invariance*, JETP Lett. **13** (1971) 323, [Pisma Zh. Eksp. Teor. Fiz. **13** (1971) 452].
- [2] A. Neveu and J. H. Schwarz, *Factorizable dual model of pions*, Nucl. Phys. B **31** (1971) 86.
- [3] A. Neveu and J. H. Schwarz, *Quark model of dual pions*, Phys. Rev. D **4** (1971) 1109.
- [4] P. Ramond, *Dual theory for free fermions*, Phys. Rev. D **3** (1971) 2415.
- [5] D. Volkov and V. Akulov, *Is the neutrino a goldstone particle?* Phys. Lett. B **46** (1973) 109.
- [6] J. Wess and B. Zumino, *A lagrangian model invariant under supergauge Transformations*, Phys. Lett. B **49** (1974) 52.
- [7] J. Wess and B. Zumino, *Supergauge transformations in four dimensions*, Nucl. Phys. B **70** (1974) 39.
- [8] P. Fayet, *Supersymmetry and weak, electromagnetic and strong interactions*, Phys. Lett. B **64** (1976) 159.
- [9] P. Fayet, *Spontaneously broken supersymmetric theories of weak, electromagnetic and strong interactions*, Phys. Lett. B **69** (1977) 489.
- [10] G. R. Farrar and P. Fayet, *Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry*, Phys. Lett. B **76** (1978) 575.
- [11] P. Fayet, *Relations between the masses of the superpartners of leptons and quarks, the goldstino couplings and the neutral currents*, Phys. Lett. B **84** (1979) 416.
- [12] S. Dimopoulos and H. Georgi, *Softly broken supersymmetry and SU(5)*, Nucl. Phys. B **193** (1981) 150.
- [13] M. Dine and W. Fischler, *A phenomenological model of particle physics based on supersymmetry*, Phys. Lett. B **110** (1982) 227.
- [14] L. Alvarez-Gaumé, M. Claudson, and M. B. Wise, *Low-energy supersymmetry*, Nucl. Phys. B **207** (1982) 96.
- [15] C. R. Nappi and B. A. Ovrut, *Supersymmetric extension of the SU(3)×SU(2)×U(1) model*, Phys. Lett. B **113** (1982) 175.
- [16] M. Dine and A. Nelson, *Dynamical supersymmetry breaking at low-energies*, Phys. Rev. D **48** (1993) 1277, eprint: [hep-ph/9303230](#).
- [17] M. Dine, A. Nelson, and Y. Shirman, *Low-energy dynamical supersymmetry breaking simplified*, Phys. Rev. D **51** (1995) 1362, eprint: [hep-ph/9408384](#).
- [18] M. Dine, A. Nelson, Y. Nir, and Y. Shirman, *New tools for low-energy dynamical supersymmetry breaking*, Phys. Rev. D **53** (1996) 2658, eprint: [hep-ph/9507378](#).
- [19] ATLAS Collaboration, *Search for nonpointing photons in the diphoton and E_T^{miss} final state in $\sqrt{s} = 7$ TeV proton–proton collisions using the ATLAS detector*, Phys. Rev. D **88** (2013) 012001, arXiv: [1304.6310 \[hep-ex\]](#).

- [20] ATLAS Collaboration, *Search for nonpointing and delayed photons in the diphoton and missing transverse momentum final state in 8 TeV pp collisions at the LHC using the ATLAS detector*, *Phys. Rev. D* **90** (2014) 112005, arXiv: [1409.5542 \[hep-ex\]](#).
- [21] CMS Collaboration, *Search for long-lived particles using delayed photons in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **100** (2019) 112003, arXiv: [1909.06166 \[hep-ex\]](#).
- [22] *A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery*, *Nature* **607** (2022) 52, arXiv: [2207.00092 \[hep-ex\]](#).
- [23] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [24] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [25] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, *JINST* **13** (2018) T05008, arXiv: [1803.00844 \[physics.ins-det\]](#).
- [26] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: [1611.09661 \[hep-ex\]](#).
- [27] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [28] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, *JINST* **15** (2020) P09015, arXiv: [2004.13447 \[hep-ex\]](#).
- [29] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47, arXiv: [1909.00761 \[hep-ex\]](#).
- [30] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [31] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **76** (2016) 653, arXiv: [1608.03953 \[hep-ex\]](#).
- [32] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.
- [33] J. Alwall, M. Herquet, F. Maltoni, O. Mattelaer, and T. Stelzer, *MadGraph 5 : Going Beyond*, *JHEP* **06** (2011) 128, arXiv: [1106.0522 \[hep-ph\]](#).
- [34] D. de Florian et al., *Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector*, (2016), arXiv: [1610.07922 \[hep-ph\]](#).
- [35] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [36] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [37] R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).

- [38] GEANT4 Collaboration, S. Agostinelli, et al., *GEANT4 – a simulation toolkit*, [Nucl. Instrum. Meth. A **506** \(2003\) 250](#).
- [39] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, [Eur. Phys. J. C **70** \(2010\) 823](#), arXiv: [1005.4568 \[physics.ins-det\]](#).
- [40] M. Aharrouche et al., *Time resolution of the ATLAS barrel liquid argon electromagnetic calorimeter*, [Nucl. Instrum. Meth. A **597** \(2008\) 178](#).
- [41] H. Abreu et al., *Performance of the electronic readout of the ATLAS liquid argon calorimeters*, [JINST **5** \(2010\) P09003](#).
- [42] N. J. Buchanan et al., *Design and implementation of the Front End Board for the readout of the ATLAS liquid argon calorimeters*, [JINST **3** \(2008\) P03004](#).
- [43] W. E. Cleland and E. G. Stern, *Signal processing considerations for liquid ionization calorimeters in a high rate environment*, [Nucl. Instrum. Meth. A **338** \(1994\) 467](#).
- [44] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, [JINST **14** \(2019\) P12006](#), arXiv: [1908.00005 \[hep-ex\]](#).
- [45] ATLAS Collaboration, *Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016*, [Eur. Phys. J. C **79** \(2019\) 205](#), arXiv: [1810.05087 \[hep-ex\]](#).
- [46] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, [Eur. Phys. J. C **81** \(2021\) 578](#), arXiv: [2012.00578 \[hep-ex\]](#).
- [47] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, [Eur. Phys. J. C **77** \(2017\) 466](#), arXiv: [1703.10485 \[hep-ex\]](#).
- [48] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, [Eur. Phys. J. C **77** \(2017\) 490](#), arXiv: [1603.02934 \[hep-ex\]](#).
- [49] M. Cacciari, G. P. Salam, and G. Soyez, *The anti- k_t jet clustering algorithm*, [JHEP **04** \(2008\) 063](#), arXiv: [0802.1189 \[hep-ph\]](#).
- [50] M. Cacciari, G. P. Salam, and G. Soyez, *FastJet user manual*, [Eur. Phys. J. C **72** \(2012\) 1896](#), arXiv: [1111.6097 \[hep-ph\]](#).
- [51] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, [Eur. Phys. J. C **76** \(2016\) 581](#), arXiv: [1510.03823 \[hep-ex\]](#).
- [52] ATLAS Collaboration, *Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13$ TeV*, [Eur. Phys. J. C **78** \(2018\) 903](#), arXiv: [1802.08168 \[hep-ex\]](#).
- [53] G. Cowan, K. Cranmer, E. Gross, and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, [Eur. Phys. J. C **71** \(2011\) 1554](#), [Erratum: [Eur.Phys.J.C **73**, 2501 \(2013\)](#)], arXiv: [1007.1727 \[physics.data-an\]](#).

- [54] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [55] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2021-003, 2021, URL: <https://cds.cern.ch/record/2776662>.

The ATLAS Collaboration

G. Aad ¹⁰¹, B. Abbott ¹¹⁹, D.C. Abbott ¹⁰², K. Abeling ⁵⁵, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵⁰, H. Abreu ¹⁴⁹, Y. Abulaiti ¹¹⁶, A.C. Abusleme Hoffman ^{136a}, B.S. Acharya ^{68a,68b,p}, B. Achkar ⁵⁵, L. Adam ⁹⁹, C. Adam Bourdarios ⁴, L. Adamczyk ^{84a}, L. Adamek ¹⁵⁴, S.V. Addepalli ²⁶, J. Adelman ¹¹⁴, A. Adiguzel ^{21c}, S. Adorni ⁵⁶, T. Adye ¹³³, A.A. Affolder ¹³⁵, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{72a,72b}, A. Aggarwal ⁹⁹, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{129f}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰³, S. Ahuja ⁹⁴, X. Ai ⁴⁸, G. Aielli ^{75a,75b}, I. Aizenberg ¹⁶⁸, M. Akbiyik ⁹⁹, T.P.A. Åkesson ⁹⁷, A.V. Akimov ³⁷, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁴, P. Albicocco ⁵³, M.J. Alconada Verzini ⁸⁹, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, A. Alfonsi ¹¹³, F. Alfonsi ^{23b}, M. Alhroob ¹¹⁹, B. Ali ¹³¹, S. Ali ¹⁴⁷, M. Aliev ³⁷, G. Alimonti ^{70a}, C. Allaire ³⁶, B.M.M. Allbrooke ¹⁴⁵, P.P. Allport ²⁰, E.R. Almazan ¹³⁵, A. Aloisio ^{71a,71b}, F. Alonso ⁸⁹, C. Alpigiani ¹³⁷, E. Alunno Camelia ^{75a,75b}, M. Alvarez Estevez ⁹⁸, M.G. Alviggi ^{71a,71b}, Y. Amaral Coutinho ^{81b}, A. Ambler ¹⁰³, C. Amelung ³⁶, C.G. Ames ¹⁰⁸, D. Amidei ¹⁰⁵, S.P. Amor Dos Santos ^{129a}, S. Amoroso ⁴⁸, K.R. Amos ¹⁶², C.S. Amrouche ⁵⁶, V. Ananiev ¹²⁴, C. Anastopoulos ¹³⁸, N. Andari ¹³⁴, T. Andeen ¹¹, J.K. Anders ¹⁹, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{70a,70b}, S. Angelidakis ⁹, A. Angerami ^{41,ac}, A.V. Anisenkov ³⁷, A. Annovi ^{73a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁸, E. Antipov ¹²⁰, M. Antonelli ⁵³, D.J.A. Antrim ^{17a}, F. Anulli ^{74a}, M. Aoki ⁸², J.A. Aparisi Pozo ¹⁶², M.A. Aparo ¹⁴⁵, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, N. Aranzabal ³⁶, V. Araujo Ferraz ^{81a}, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹¹, J-F. Arguin ¹⁰⁷, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, A.J. Armbruster ³⁶, O. Arnaez ¹⁵⁴, H. Arnold ¹¹³, Z.P. Arrubarrena Tame ¹⁰⁸, G. Artoni ^{74a,74b}, H. Asada ¹¹⁰, K. Asai ¹¹⁷, S. Asai ¹⁵², N.A. Asbah ⁶¹, E.M. Asimakopoulou ¹⁶⁰, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{33a}, M. Atkinson ¹⁶¹, N.B. Atlay ¹⁸, H. Atmani ^{62b}, P.A. Atlasiddha ¹⁰⁵, K. Augsten ¹³¹, S. Auricchio ^{71a,71b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁷⁰, G. Avner ¹⁴⁹, G. Avolio ³⁶, K. Axiotis ⁵⁶, M.K. Ayoub ^{14c}, G. Azuelos ^{107,ah}, D. Babal ^{28a}, H. Bachacou ¹³⁴, K. Bachas ^{151,s}, A. Bachi ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{74a,74b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶², V.R. Bailey ¹⁶¹, J.T. Baines ¹³³, C. Bakalis ¹⁰, O.K. Baker ¹⁷¹, P.J. Bakker ¹¹³, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, S. Balaji ¹⁴⁶, R. Balasubramanian ¹¹³, E.M. Baldin ³⁷, P. Balek ¹³², E. Ballabene ^{70a,70b}, F. Balli ¹³⁴, L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ⁹⁹, E. Banas ⁸⁵, M. Bandieramonte ¹²⁸, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵⁰, E.L. Barberio ¹⁰⁴, D. Barberis ^{57b,57a}, M. Barbero ¹⁰¹, G. Barbour ⁹⁵, K.N. Barends ^{33a}, T. Barillari ¹⁰⁹, M-S. Barisits ³⁶, J. Barkeloo ¹²², T. Barklow ¹⁴², R.M. Barnett ^{17a}, P. Baron ¹²¹, D.A. Baron Moreno ¹⁰⁰, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁵, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁸, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵⁰, M.G. Barros Teixeira ^{129a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴², A.E. Barton ⁹⁰, P. Bartos ^{28a}, A. Basalae ⁴⁸, A. Basan ⁹⁹, M. Baselga ⁴⁹, I. Bashta ^{76a,76b}, A. Bassalat ^{66,b}, M.J. Basso ¹⁵⁴, C.R. Basson ¹⁰⁰, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴⁰, M. Battaglia ¹³⁵, M. Bauge ^{74a,74b}, P. Bauer ²⁴, A. Bayirli ^{21a}, J.B. Beacham ⁵¹, T. Beau ¹²⁶, P.H. Beauchemin ¹⁵⁷, F. Becherer ⁵⁴, P. Bechtel ²⁴, H.P. Beck ^{19,r}, K. Becker ¹⁶⁶, C. Becot ⁴⁸, A.J. Beddall ^{21d}, V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁴, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{81b,81d}, M. Begel ²⁹, A. Behera ¹⁴⁴, J.K. Behr ⁴⁸, C. Beirao Da Cruz E Silva ³⁶, J.F. Beirer ^{55,36}, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁸, G. Bella ¹⁵⁰, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, K. Belotskiy ³⁷, N.L. Belyaev ³⁷, D. Benckekroun ^{35a},

F. Bendebba ^{id35a}, Y. Benhammou ^{id150}, D.P. Benjamin ^{id29}, M. Benoit ^{id29}, J.R. Bensinger ^{id26},
 S. Bentvelsen ^{id113}, L. Beresford ^{id36}, M. Beretta ^{id53}, D. Berge ^{id18}, E. Bergeaas Kuutmann ^{id160},
 N. Berger ^{id4}, B. Bergmann ^{id131}, J. Beringer ^{id17a}, S. Berlendis ^{id7}, G. Bernardi ^{id5}, C. Bernius ^{id142},
 F.U. Bernlochner ^{id24}, T. Berry ^{id94}, P. Berta ^{id132}, A. Berthold ^{id50}, I.A. Bertram ^{id90},
 O. Bessidskaia Bylund ^{id170}, S. Bethke ^{id109}, A. Betti ^{id74a,74b}, A.J. Bevan ^{id93}, M. Bhamjee ^{id33c},
 S. Bhatta ^{id144}, D.S. Bhattacharya ^{id165}, P. Bhattarai ^{id26}, V.S. Bhopatkar ^{id6}, R. Bi ^{id128}, R. Bi ^{id29,ak},
 R.M. Bianchi ^{id128}, O. Biebel ^{id108}, R. Bielski ^{id122}, M. Biglietti ^{id76a}, T.R.V. Billoud ^{id131}, M. Bindi ^{id55},
 A. Bingul ^{id21b}, C. Bini ^{id74a,74b}, S. Biondi ^{id23b,23a}, A. Biondini ^{id91}, C.J. Birch-sykes ^{id100},
 G.A. Bird ^{id20,133}, M. Birman ^{id168}, T. Bisanz ^{id36}, D. Biswas ^{id169,1}, A. Bitadze ^{id100}, K. Bjørke ^{id124},
 I. Bloch ^{id48}, C. Blocker ^{id26}, A. Blue ^{id59}, U. Blumenschein ^{id93}, J. Blumenthal ^{id99}, G.J. Bobbink ^{id113},
 V.S. Bobrovnikov ^{id37}, M. Boehler ^{id54}, D. Bogavac ^{id36}, A.G. Bogdanchikov ^{id37}, C. Bohm ^{id47a},
 V. Boisvert ^{id94}, P. Bokan ^{id48}, T. Bold ^{id84a}, M. Bomben ^{id5}, M. Bona ^{id93}, M. Boonekamp ^{id134},
 C.D. Booth ^{id94}, A.G. Borbély ^{id59}, H.M. Borecka-Bielska ^{id107}, L.S. Borgna ^{id95}, G. Borissov ^{id90},
 D. Bortoletto ^{id125}, D. Boscherini ^{id23b}, M. Bosman ^{id13}, J.D. Bossio Sola ^{id36}, K. Bouaouda ^{id35a},
 J. Boudreau ^{id128}, E.V. Bouhova-Thacker ^{id90}, D. Boumediene ^{id40}, R. Bouquet ^{id5}, A. Boveia ^{id118},
 J. Boyd ^{id36}, D. Boye ^{id29}, I.R. Boyko ^{id38}, J. Bracinik ^{id20}, N. Brahimi ^{id62d,62c}, G. Brandt ^{id170},
 O. Brandt ^{id32}, F. Braren ^{id48}, B. Brau ^{id102}, J.E. Brau ^{id122}, W.D. Breaden Madden ^{id59},
 K. Brendlinger ^{id48}, R. Brenner ^{id168}, L. Brenner ^{id36}, R. Brenner ^{id160}, S. Bressler ^{id168},
 B. Brickwedde ^{id99}, D. Britton ^{id59}, D. Britzger ^{id109}, I. Brock ^{id24}, G. Brooijmans ^{id41}, A.J. Brooks ^{id67},
 W.K. Brooks ^{id136f}, E. Brost ^{id29}, P.A. Bruckman de Renstrom ^{id85}, B. Brüers ^{id48}, D. Bruncko ^{id28b,*},
 A. Bruni ^{id23b}, G. Bruni ^{id23b}, M. Bruschi ^{id23b}, N. Bruscinò ^{id74a,74b}, L. Bryngemark ^{id142},
 T. Buanes ^{id16}, Q. Buat ^{id137}, P. Buchholz ^{id140}, A.G. Buckley ^{id59}, I.A. Budagov ^{id38,*}, M.K. Bugge ^{id124},
 O. Bulekov ^{id37}, B.A. Bullard ^{id61}, S. Burdin ^{id91}, C.D. Burgard ^{id48}, A.M. Burger ^{id40}, B. Burghgrave ^{id8},
 J.T.P. Burr ^{id32}, C.D. Burton ^{id11}, J.C. Burzynski ^{id141}, E.L. Busch ^{id41}, V. Büscher ^{id99}, P.J. Bussey ^{id59},
 J.M. Butler ^{id25}, C.M. Buttar ^{id59}, J.M. Butterworth ^{id95}, W. Buttinger ^{id133}, C.J. Buxo Vazquez ^{id106},
 A.R. Buzykaev ^{id37}, G. Cabras ^{id23b}, S. Cabrera Urbán ^{id162}, D. Caforio ^{id58}, H. Cai ^{id128}, Y. Cai ^{id14a,14d},
 V.M.M. Cairo ^{id36}, O. Cakir ^{id3a}, N. Calace ^{id36}, P. Calafiura ^{id17a}, G. Calderini ^{id126}, P. Calfayan ^{id67},
 G. Callea ^{id59}, L.P. Caloba ^{id81b}, D. Calvet ^{id40}, S. Calvet ^{id40}, T.P. Calvet ^{id101}, M. Calvetti ^{id73a,73b},
 R. Camacho Toro ^{id126}, S. Camarda ^{id36}, D. Camarero Munoz ^{id98}, P. Camarri ^{id75a,75b},
 M.T. Camerlingo ^{id76a,76b}, D. Cameron ^{id124}, C. Camincher ^{id164}, M. Campanelli ^{id95}, A. Camplani ^{id42},
 V. Canale ^{id71a,71b}, A. Canesse ^{id103}, M. Cano Bret ^{id79}, J. Cantero ^{id162}, Y. Cao ^{id161}, F. Capocasa ^{id26},
 M. Capua ^{id43b,43a}, A. Carbone ^{id70a,70b}, R. Cardarelli ^{id75a}, J.C.J. Cardenas ^{id8}, F. Cardillo ^{id162},
 T. Carli ^{id36}, G. Carlino ^{id71a}, B.T. Carlson ^{id128,t}, E.M. Carlson ^{id164,155a}, L. Carminati ^{id70a,70b},
 M. Carnesale ^{id74a,74b}, S. Caron ^{id112}, E. Carquin ^{id136f}, S. Carrá ^{id70a}, G. Carratta ^{id23b,23a},
 F. Carri Argos ^{id33g}, J.W.S. Carter ^{id154}, T.M. Carter ^{id52}, M.P. Casado ^{id13,i}, A.F. Casha ^{id154},
 E.G. Castiglia ^{id171}, F.L. Castillo ^{id63a}, L. Castillo Garcia ^{id13}, V. Castillo Gimenez ^{id162},
 N.F. Castro ^{id129a,129e}, A. Catinaccio ^{id36}, J.R. Catmore ^{id124}, V. Cavaliere ^{id29}, N. Cavalli ^{id23b,23a},
 V. Cavasinni ^{id73a,73b}, E. Celebi ^{id21a}, F. Celli ^{id125}, M.S. Centonze ^{id69a,69b}, K. Cerny ^{id121},
 A.S. Cerqueira ^{id81a}, A. Cerri ^{id145}, L. Cerrito ^{id75a,75b}, F. Cerutti ^{id17a}, A. Cervelli ^{id23b}, S.A. Cetin ^{id21d},
 Z. Chadi ^{id35a}, D. Chakraborty ^{id114}, M. Chala ^{id129f}, J. Chan ^{id169}, W.S. Chan ^{id113}, W.Y. Chan ^{id152},
 J.D. Chapman ^{id32}, B. Chargeishvili ^{id148b}, D.G. Charlton ^{id20}, T.P. Charman ^{id93}, M. Chatterjee ^{id19},
 S. Chekanov ^{id6}, S.V. Chekulaev ^{id155a}, G.A. Chelkov ^{id38,a}, A. Chen ^{id105}, B. Chen ^{id150}, B. Chen ^{id164},
 C. Chen ^{id62a}, H. Chen ^{id14c}, H. Chen ^{id29}, J. Chen ^{id62c}, J. Chen ^{id26}, S. Chen ^{id152}, S.J. Chen ^{id14c},
 X. Chen ^{id62c}, X. Chen ^{id14b,ag}, Y. Chen ^{id62a}, C.L. Cheng ^{id169}, H.C. Cheng ^{id64a}, A. Cheplakov ^{id38},
 E. Cheremushkina ^{id48}, E. Cherepanova ^{id113}, R. Cherkaoui El Moursli ^{id35e}, E. Cheu ^{id7}, K. Cheung ^{id65},
 L. Chevalier ^{id134}, V. Chiarella ^{id53}, G. Chiarelli ^{id73a}, G. Chiodini ^{id69a}, A.S. Chisholm ^{id20},
 A. Chitan ^{id27b}, Y.H. Chiu ^{id164}, M.V. Chizhov ^{id38}, K. Choi ^{id11}, A.R. Chomont ^{id74a,74b}, Y. Chou ^{id102},

E.Y.S. Chow [ID113](#), T. Chowdhury [ID33g](#), L.D. Christopher [ID33g](#), K.L. Chu [ID64a](#), M.C. Chu [ID64a](#),
 X. Chu [ID14a,14d](#), J. Chudoba [ID130](#), J.J. Chwastowski [ID85](#), D. Cieri [ID109](#), K.M. Ciesla [ID84a](#), V. Cindro [ID92](#),
 A. Ciocio [ID17a](#), F. Cirotto [ID71a,71b](#), Z.H. Citron [ID168,m](#), M. Citterio [ID70a](#), D.A. Ciubotaru [ID27b](#),
 B.M. Ciungu [ID154](#), A. Clark [ID56](#), P.J. Clark [ID52](#), J.M. Clavijo Columbie [ID48](#), S.E. Clawson [ID100](#),
 C. Clement [ID47a,47b](#), J. Clercx [ID48](#), L. Clissa [ID23b,23a](#), Y. Coadou [ID101](#), M. Cobal [ID68a,68c](#),
 A. Coccaro [ID57b](#), R.F. Coelho Barrue [ID129a](#), R. Coelho Lopes De Sa [ID102](#), S. Coelli [ID70a](#), H. Cohen [ID150](#),
 A.E.C. Coimbra [ID70a,70b](#), B. Cole [ID41](#), J. Collot [ID60](#), P. Conde Muiño [ID129a,129g](#), M.P. Connell [ID33c](#),
 S.H. Connell [ID33c](#), I.A. Connelly [ID59](#), E.I. Conroy [ID125](#), F. Conventi [ID71a,ai](#), H.G. Cooke [ID20](#),
 A.M. Cooper-Sarkar [ID125](#), F. Cormier [ID163](#), L.D. Corpe [ID36](#), M. Corradi [ID74a,74b](#), E.E. Corrigan [ID97](#),
 F. Corriveau [ID103,y](#), A. Cortes-Gonzalez [ID18](#), M.J. Costa [ID162](#), F. Costanza [ID4](#), D. Costanzo [ID138](#),
 B.M. Cote [ID118](#), G. Cowan [ID94](#), J.W. Cowley [ID32](#), K. Cranmer [ID116](#), S. Crépe-Renaudin [ID60](#),
 F. Crescioli [ID126](#), M. Cristinziani [ID140](#), M. Cristoforetti [ID77a,77b,d](#), V. Croft [ID157](#), G. Crossetti [ID43b,43a](#),
 A. Cueto [ID36](#), T. Cuhadar Donszelmann [ID159](#), H. Cui [ID14a,14d](#), Z. Cui [ID7](#), A.R. Cukierman [ID142](#),
 W.R. Cunningham [ID59](#), F. Curcio [ID43b,43a](#), P. Czodrowski [ID36](#), M.M. Czurylo [ID63b](#),
 M.J. Da Cunha Sargedas De Sousa [ID62a](#), J.V. Da Fonseca Pinto [ID81b](#), C. Da Via [ID100](#), W. Dabrowski [ID84a](#),
 T. Dado [ID49](#), S. Dahbi [ID33g](#), T. Dai [ID105](#), C. Dallapiccola [ID102](#), M. Dam [ID42](#), G. D'amen [ID29](#),
 V. D'Amico [ID76a,76b](#), J. Damp [ID99](#), J.R. Dandoy [ID127](#), M.F. Daneri [ID30](#), M. Danninger [ID141](#), V. Dao [ID36](#),
 G. Darbo [ID57b](#), S. Darmora [ID6](#), S.J. Das [ID29,ak](#), A. Dattagupta [ID122](#), S. D'Auria [ID70a,70b](#), C. David [ID155b](#),
 T. Davidek [ID132](#), D.R. Davis [ID51](#), B. Davis-Purcell [ID34](#), I. Dawson [ID93](#), K. De [ID8](#), R. De Asmundis [ID71a](#),
 M. De Beurs [ID113](#), S. De Castro [ID23b,23a](#), N. De Groot [ID112](#), P. de Jong [ID113](#), H. De la Torre [ID106](#),
 A. De Maria [ID14c](#), A. De Salvo [ID74a](#), U. De Sanctis [ID75a,75b](#), A. De Santo [ID145](#),
 J.B. De Vivie De Regie [ID60](#), D.V. Dedovich [ID38](#), J. Degens [ID113](#), A.M. Deiana [ID44](#), F. Del Corso [ID23b,23a](#),
 J. Del Peso [ID98](#), F. Del Rio [ID63a](#), F. Deliot [ID134](#), C.M. Delitzsch [ID49](#), M. Della Pietra [ID71a,71b](#),
 D. Della Volpe [ID56](#), A. Dell'Acqua [ID36](#), L. Dell'Asta [ID70a,70b](#), M. Delmastro [ID4](#), P.A. Delsart [ID60](#),
 S. Demers [ID171](#), M. Demichev [ID38](#), S.P. Denisov [ID37](#), L. D'Eramo [ID114](#), D. Derendarz [ID85](#),
 F. Derue [ID126](#), P. Dervan [ID91](#), K. Desch [ID24](#), K. Dette [ID154](#), C. Deutsch [ID24](#), P.O. Deviveiros [ID36](#),
 F.A. Di Bello [ID74a,74b](#), A. Di Ciaccio [ID75a,75b](#), L. Di Ciaccio [ID4](#), A. Di Domenico [ID74a,74b](#),
 C. Di Donato [ID71a,71b](#), A. Di Girolamo [ID36](#), G. Di Gregorio [ID73a,73b](#), A. Di Luca [ID77a,77b](#),
 B. Di Micco [ID76a,76b](#), R. Di Nardo [ID76a,76b](#), C. Diaconu [ID101](#), F.A. Dias [ID113](#), T. Dias Do Vale [ID141](#),
 M.A. Diaz [ID136a,136b](#), F.G. Diaz Capriles [ID24](#), M. Didenko [ID162](#), E.B. Diehl [ID105](#), L. Diehl [ID54](#),
 S. Díez Cornell [ID48](#), C. Diez Pardos [ID140](#), C. Dimitriadi [ID24,160](#), A. Dimitrievska [ID17a](#), W. Ding [ID14b](#),
 J. Dingfelder [ID24](#), I-M. Dinu [ID27b](#), S.J. Dittmeier [ID63b](#), F. Dittus [ID36](#), F. Djama [ID101](#), T. Djobava [ID148b](#),
 J.I. Djuvsland [ID16](#), D. Dodsworth [ID26](#), C. Doglioni [ID100,97](#), J. Dolejsi [ID132](#), Z. Dolezal [ID132](#),
 M. Donadelli [ID81c](#), B. Dong [ID62c](#), J. Donini [ID40](#), A. D'Onofrio [ID14c](#), M. D'Onofrio [ID91](#), J. Dopke [ID133](#),
 A. Doria [ID71a](#), M.T. Dova [ID89](#), A.T. Doyle [ID59](#), M.A. Draguet [ID125](#), E. Drechsler [ID141](#), E. Dreyer [ID168](#),
 I. Drivas-koulouris [ID10](#), A.S. Drobac [ID157](#), D. Du [ID62a](#), T.A. du Pree [ID113](#), F. Dubinin [ID37](#),
 M. Dubovsky [ID28a](#), E. Duchovni [ID168](#), G. Duckeck [ID108](#), O.A. Ducu [ID36](#), D. Duda [ID109](#), A. Dudarev [ID36](#),
 M. D'uffizi [ID100](#), L. Duflot [ID66](#), M. Dührssen [ID36](#), C. Dülsen [ID170](#), A.E. Dumitriu [ID27b](#), M. Dunford [ID63a](#),
 S. Dungs [ID49](#), K. Dunne [ID47a,47b](#), A. Duperrin [ID101](#), H. Duran Yildiz [ID3a](#), M. Düren [ID58](#),
 A. Durglishvili [ID148b](#), B.L. Dwyer [ID114](#), G.I. Dyckes [ID17a](#), M. Dyndal [ID84a](#), S. Dysch [ID100](#),
 B.S. Dziedzic [ID85](#), Z.O. Earnshaw [ID145](#), B. Eckerova [ID28a](#), M.G. Eggleston [ID51](#),
 E. Egidio Purcino De Souza [ID81b](#), L.F. Ehrke [ID56](#), G. Eigen [ID16](#), K. Einsweiler [ID17a](#), T. Ekelof [ID160](#),
 P.A. Ekman [ID97](#), Y. El Ghazali [ID35b](#), H. El Jarrari [ID35e,147](#), A. El Moussaouy [ID35a](#), V. Ellajosyula [ID160](#),
 M. Ellert [ID160](#), F. Ellinghaus [ID170](#), A.A. Elliot [ID93](#), N. Ellis [ID36](#), J. Elmsheuser [ID29](#), M. Elsing [ID36](#),
 D. Emelianov [ID133](#), A. Emerman [ID41](#), Y. Enari [ID152](#), I. Ene [ID17a](#), S. Epari [ID13](#), J. Erdmann [ID49](#),
 A. Ereditato [ID19](#), P.A. Erland [ID85](#), M. Errenst [ID170](#), M. Escalier [ID66](#), C. Escobar [ID162](#), E. Etzion [ID150](#),
 G. Evans [ID129a](#), H. Evans [ID67](#), M.O. Evans [ID145](#), A. Ezhilov [ID37](#), S. Ezzarqtouni [ID35a](#), F. Fabbri [ID59](#),

L. Fabbri [ID23b,23a](#), G. Facini [ID95](#), V. Fadeyev [ID135](#), R.M. Fakhruddinov [ID37](#), S. Falciano [ID74a](#),
 P.J. Falke [ID24](#), S. Falke [ID36](#), J. Faltova [ID132](#), Y. Fan [ID14a](#), Y. Fang [ID14a,14d](#), G. Fanourakis [ID46](#),
 M. Fanti [ID70a,70b](#), M. Faraj [ID68a,68b](#), A. Farbin [ID8](#), A. Farilla [ID76a](#), T. Farooque [ID106](#), S.M. Farrington [ID52](#),
 F. Fassi [ID35e](#), D. Fassouliotis [ID9](#), M. Faucci Giannelli [ID75a,75b](#), W.J. Fawcett [ID32](#), L. Fayard [ID66](#),
 O.L. Fedin [ID37,a](#), G. Fedotov [ID37](#), M. Feickert [ID161](#), L. Feligioni [ID101](#), A. Fell [ID138](#), D.E. Fellers [ID122](#),
 C. Feng [ID62b](#), M. Feng [ID14b](#), M.J. Fenton [ID159](#), A.B. Fenyuk [ID37](#), L. Ferencz [ID48](#), S.W. Ferguson [ID45](#),
 J. Ferrando [ID48](#), A. Ferrari [ID160](#), P. Ferrari [ID113](#), R. Ferrari [ID72a](#), D. Ferrere [ID56](#), C. Ferretti [ID105](#),
 F. Fiedler [ID99](#), A. Filipčič [ID92](#), E.K. Filmer [ID1](#), F. Filthaut [ID112](#), M.C.N. Fiolhais [ID129a,129c,c](#),
 L. Fiorini [ID162](#), F. Fischer [ID140](#), W.C. Fisher [ID106](#), T. Fitschen [ID20,66](#), I. Fleck [ID140](#), P. Fleischmann [ID105](#),
 T. Flick [ID170](#), L. Flores [ID127](#), M. Flores [ID33d,ad](#), L.R. Flores Castillo [ID64a](#), F.M. Follega [ID77a,77b](#),
 N. Fomin [ID16](#), J.H. Foo [ID154](#), B.C. Forland [ID67](#), A. Formica [ID134](#), A.C. Forti [ID100](#), E. Fortin [ID101](#),
 A.W. Fortman [ID61](#), M.G. Foti [ID17a](#), L. Fountas [ID9j](#), D. Fournier [ID66](#), H. Fox [ID90](#), P. Francavilla [ID73a,73b](#),
 S. Francescato [ID61](#), M. Franchini [ID23b,23a](#), S. Franchino [ID63a](#), D. Francis [ID36](#), L. Franco [ID112](#),
 L. Franconi [ID19](#), M. Franklin [ID61](#), G. Frattari [ID26](#), A.C. Freegard [ID93](#), P.M. Freeman [ID20](#), W.S. Freund [ID81b](#),
 N. Fritzsche [ID50](#), A. Froch [ID54](#), D. Froidevaux [ID36](#), J.A. Frost [ID125](#), Y. Fu [ID62a](#), M. Fujimoto [ID117](#),
 E. Fullana Torregrosa [ID162,*](#), J. Fuster [ID162](#), A. Gabrielli [ID23b,23a](#), A. Gabrielli [ID36](#), P. Gadow [ID48](#),
 G. Gagliardi [ID57b,57a](#), L.G. Gagnon [ID17a](#), G.E. Gallardo [ID125](#), E.J. Gallas [ID125](#), B.J. Gallop [ID133](#),
 R. Gamboa Goni [ID93](#), K.K. Gan [ID118](#), S. Ganguly [ID152](#), J. Gao [ID62a](#), Y. Gao [ID52](#),
 F.M. Garay Walls [ID136a,136b](#), B. Garcia [ID29](#), C. García [ID162](#), J.E. García Navarro [ID162](#),
 J.A. García Pascual [ID14a](#), M. Garcia-Sciveres [ID17a](#), R.W. Gardner [ID39](#), D. Garg [ID79](#), R.B. Garg [ID142,q](#),
 S. Gargiulo [ID54](#), C.A. Garner [ID154](#), V. Garonne [ID29](#), S.J. Gasiorowski [ID137](#), P. Gaspar [ID81b](#), G. Gaudio [ID72a](#),
 V. Gautam [ID13](#), P. Gauzzi [ID74a,74b](#), I.L. Gavrilenko [ID37](#), A. Gavrilyuk [ID37](#), C. Gay [ID163](#), G. Gaycken [ID48](#),
 E.N. Gazis [ID10](#), A.A. Geanta [ID27b](#), C.M. Gee [ID135](#), J. Geisen [ID97](#), M. Geisen [ID99](#), C. Gemme [ID57b](#),
 M.H. Genest [ID60](#), S. Gentile [ID74a,74b](#), S. George [ID94](#), W.F. George [ID20](#), T. Geralis [ID46](#), L.O. Gerlach [ID55](#),
 P. Gessinger-Befurt [ID36](#), M. Ghasemi Bostanabad [ID164](#), M. Ghneimat [ID140](#), A. Ghosal [ID140](#),
 A. Ghosh [ID159](#), A. Ghosh [ID7](#), B. Giacobbe [ID23b](#), S. Giagu [ID74a,74b](#), N. Giangiacomi [ID154](#),
 P. Giannetti [ID73a](#), A. Giannini [ID62a](#), S.M. Gibson [ID94](#), M. Gignac [ID135](#), D.T. Gil [ID84b](#), A.K. Gilbert [ID84a](#),
 B.J. Gilbert [ID41](#), D. Gillberg [ID34](#), G. Gilles [ID113](#), N.E.K. Gillwald [ID48](#), L. Ginabat [ID126](#),
 D.M. Gingrich [ID2,ah](#), M.P. Giordani [ID68a,68c](#), P.F. Giraud [ID134](#), G. Giugliarelli [ID68a,68c](#), D. Giugni [ID70a](#),
 F. Giuli [ID36](#), I. Gkialas [ID9j](#), L.K. Gladilin [ID37](#), C. Glasman [ID98](#), G.R. Gledhill [ID122](#), M. Glisic [ID122](#),
 I. Gnesi [ID43b,f](#), Y. Go [ID29,ak](#), M. Goblirsch-Kolb [ID26](#), D. Godin [ID107](#), S. Goldfarb [ID104](#), T. Golling [ID56](#),
 M.G.D. Gololo [ID33g](#), D. Golubkov [ID37](#), J.P. Gombas [ID106](#), A. Gomes [ID129a,129b](#), G. Gomes Da Silva [ID140](#),
 A.J. Gomez Delegido [ID162](#), R. Goncalves Gama [ID55](#), R. Gonçalves [ID129a,129c](#), G. Gonella [ID122](#),
 L. Gonella [ID20](#), A. Gongadze [ID38](#), F. Gonnella [ID20](#), J.L. Gonski [ID41](#), R.Y. González Andana [ID52](#),
 S. González de la Hoz [ID162](#), S. Gonzalez Fernandez [ID13](#), R. Gonzalez Lopez [ID91](#),
 C. Gonzalez Renteria [ID17a](#), R. Gonzalez Suarez [ID160](#), S. Gonzalez-Sevilla [ID56](#),
 G.R. Gonzalvo Rodriguez [ID162](#), L. Goossens [ID36](#), N.A. Gorasia [ID20](#), P.A. Gorbounov [ID37](#), B. Gorini [ID36](#),
 E. Gorini [ID69a,69b](#), A. Gorišek [ID92](#), A.T. Goshaw [ID51](#), M.I. Gostkin [ID38](#), C.A. Gottardo [ID36](#),
 M. Goughri [ID35b](#), V. Goumarre [ID48](#), A.G. Goussiou [ID137](#), N. Govender [ID33c](#), C. Goy [ID4](#),
 I. Grabowska-Bold [ID84a](#), K. Graham [ID34](#), E. Gramstad [ID124](#), S. Grancagnolo [ID18](#), M. Grandi [ID145](#),
 V. Gratchev [ID37,*](#), P.M. Gravila [ID27f](#), F.G. Gravili [ID69a,69b](#), H.M. Gray [ID17a](#), M. Greco [ID69a,69b](#),
 C. Grefe [ID24](#), I.M. Gregor [ID48](#), P. Grenier [ID142](#), C. Grieco [ID13](#), A.A. Grillo [ID135](#), K. Grimm [ID31,n](#),
 S. Grinstein [ID13,v](#), J.-F. Grivaz [ID66](#), E. Gross [ID168](#), J. Grosse-Knetter [ID55](#), C. Grud [ID105](#), A. Grummer [ID111](#),
 J.C. Grundy [ID125](#), L. Guan [ID105](#), W. Guan [ID169](#), C. Gubbels [ID163](#), J.G.R. Guerrero Rojas [ID162](#),
 G. Guerrieri [ID68a,68b](#), F. Guescini [ID109](#), R. Gugel [ID99](#), J.A.M. Guhit [ID105](#), A. Guida [ID48](#), T. Guillemain [ID4](#),
 E. Guilloton [ID166,133](#), S. Guindon [ID36](#), F. Guo [ID14a,14d](#), J. Guo [ID62c](#), L. Guo [ID66](#), Y. Guo [ID105](#),
 R. Gupta [ID48](#), S. Gurbuz [ID24](#), S.S. Gurdasani [ID54](#), G. Gustavino [ID36](#), M. Guth [ID56](#), P. Gutierrez [ID119](#),

L.F. Gutierrez Zagazeta ¹²⁷, C. Gutschow ⁹⁵, C. Guyot ¹³⁴, C. Gwenlan ¹²⁵, C.B. Gwilliam ⁹¹, E.S. Haaland ¹²⁴, A. Haas ¹¹⁶, M. Habedank ⁴⁸, C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeif ⁹⁹, S. Hadzic ¹⁰⁹, M. Haleem ¹⁶⁵, J. Haley ¹²⁰, J.J. Hall ¹³⁸, G.D. Hallewell ¹⁰¹, L. Halser ¹⁹, K. Hamano ¹⁶⁴, H. Hamdaoui ^{35e}, M. Hamer ²⁴, G.N. Hamity ⁵², J. Han ^{62b}, K. Han ^{62a}, L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁴, K. Hanagaki ⁸², M. Hance ¹³⁵, D.A. Hangal ^{41.ac}, M.D. Hank ³⁹, R. Hankache ¹⁰⁰, J.B. Hansen ⁴², J.D. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁶, D. Harada ⁵⁶, T. Harenberg ¹⁷⁰, S. Harkusha ³⁷, Y.T. Harris ¹²⁵, N.M. Harrison ¹¹⁸, P.F. Harrison ¹⁶⁶, N.M. Hartman ¹⁴², N.M. Hartmann ¹⁰⁸, Y. Hasegawa ¹³⁹, A. Hasib ⁵², S. Haug ¹⁹, R. Hauser ¹⁰⁶, M. Havranek ¹³¹, C.M. Hawkes ²⁰, R.J. Hawkings ³⁶, S. Hayashida ¹¹⁰, D. Hayden ¹⁰⁶, C. Hayes ¹⁰⁵, R.L. Hayes ¹⁶³, C.P. Hays ¹²⁵, J.M. Hays ⁹³, H.S. Hayward ⁹¹, F. He ^{62a}, Y. He ¹⁵³, Y. He ¹²⁶, M.P. Heath ⁵², V. Hedberg ⁹⁷, A.L. Heggelund ¹²⁴, N.D. Hehir ⁹³, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸⁰, J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁷, J.J. Heinrich ¹²², L. Heinrich ^{109.ae}, J. Hejbal ¹³⁰, L. Helary ⁴⁸, A. Held ¹⁶⁹, S. Hellesund ¹²⁴, C.M. Helling ¹⁶³, S. Hellman ^{47a,47b}, C. Hensens ³⁶, R.C.W. Henderson ⁹⁰, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ¹⁴², Y. Hernández Jiménez ¹⁴⁴, H. Herr ⁹⁹, M.G. Herrmann ¹⁰⁸, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁸, L. Hervas ³⁶, N.P. Hessey ^{155a}, H. Hibi ⁸³, E. Higón-Rodríguez ¹⁶², S.J. Hillier ²⁰, I. Hinchliffe ^{17a}, F. Hinterkeuser ²⁴, M. Hirose ¹²³, S. Hirose ¹⁵⁶, D. Hirschbuehl ¹⁷⁰, T.G. Hitchings ¹⁰⁰, B. Hiti ⁹², J. Hobbs ¹⁴⁴, R. Hobincu ^{27e}, N. Hod ¹⁶⁸, M.C. Hodgkinson ¹³⁸, B.H. Hodgkinson ³², A. Hoecker ³⁶, J. Hofer ⁴⁸, D. Hohn ⁵⁴, T. Holm ²⁴, M. Holzbock ¹⁰⁹, L.B.A.H. Hommels ³², B.P. Honan ¹⁰⁰, J. Hong ^{62c}, T.M. Hong ¹²⁸, Y. Hong ⁵⁵, J.C. Honig ⁵⁴, A. Hönle ¹⁰⁹, B.H. Hooberman ¹⁶¹, W.H. Hopkins ⁶, Y. Horii ¹¹⁰, S. Hou ¹⁴⁷, A.S. Howard ⁹², J. Howarth ⁵⁹, J. Hoya ⁸⁹, M. Hrabovsky ¹²¹, A. Hrynevich ³⁷, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁷, Q. Hu ^{41.ac}, Y.F. Hu ^{14a,14d.aj}, D.P. Huang ⁹⁵, S. Huang ^{64b}, X. Huang ^{14c}, Y. Huang ^{62a}, Y. Huang ^{14a}, Z. Huang ¹⁰⁰, Z. Hubacek ¹³¹, M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁵, M. Huhtinen ³⁶, S.K. Huiberts ¹⁶, R. Hulsken ¹⁰³, N. Huseynov ^{12.a}, J. Huston ¹⁰⁶, J. Huth ⁶¹, R. Hyneman ¹⁴², S. Hyrych ^{28a}, G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴⁰, L. Iconomidou-Fayard ⁶⁶, P. Iengo ^{71a,71b}, R. Iguchi ¹⁵², T. Iizawa ⁵⁶, Y. Ikegami ⁸², A. Ilg ¹⁹, N. Ilic ¹⁵⁴, H. Imam ^{35a}, T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{72a,72b}, M. Iodice ^{76a}, V. Ippolito ^{74a,74b}, M. Ishino ¹⁵², W. Islam ¹⁶⁹, C. Issever ^{18,48}, S. Istin ^{21a.al}, H. Ito ¹⁶⁷, J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{77a,77b}, A. Ivina ¹⁶⁸, J.M. Izen ⁴⁵, V. Izzo ^{71a}, P. Jacka ^{130,131}, P. Jackson ¹, R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴¹, C.S. Jagfeld ¹⁰⁸, G. Jäkel ¹⁷⁰, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁸, J. Jamieson ⁵⁹, K.W. Janas ^{84a}, G. Jarlskog ⁹⁷, A.E. Jaspán ⁹¹, T. Javůrek ³⁶, M. Javurkova ¹⁰², F. Jeanneau ¹³⁴, L. Jeanty ¹²², J. Jejelava ^{148a,aa}, P. Jenni ^{54.g}, C.E. Jessiman ³⁴, S. Jézéquel ⁴, J. Jia ¹⁴⁴, X. Jia ⁶¹, X. Jia ^{14a,14d}, Z. Jia ^{14c}, Y. Jiang ^{62a}, S. Jiggins ⁵², J. Jimenez Pena ¹⁰⁹, S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵³, H. Jivan ^{33g}, P. Johansson ¹³⁸, K.A. Johns ⁷, C.A. Johnson ⁶⁷, D.M. Jones ³², E. Jones ¹⁶⁶, P. Jones ³², R.W.L. Jones ⁹⁰, T.J. Jones ⁹¹, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ³⁶, A. Juste Rozas ^{13.v}, S. Kabana ^{136e}, A. Kaczmarska ⁸⁵, M. Kado ^{74a,74b}, H. Kagan ¹¹⁸, M. Kagan ¹⁴², A. Kahn ⁴¹, A. Kahn ¹²⁷, C. Kahra ⁹⁹, T. Kaji ¹⁶⁷, E. Kajomovitz ¹⁴⁹, N. Kakati ¹⁶⁸, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁴, N.J. Kang ¹³⁵, Y. Kano ¹¹⁰, D. Kar ^{33g}, K. Karava ¹²⁵, M.J. Kareem ^{155b}, E. Karentzos ⁵⁴, I. Karkanias ¹⁵¹, S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹⁰, A.N. Karyukhin ³⁷, E. Kasimi ¹⁵¹, C. Kato ^{62d}, J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹³⁹, K. Kawagoe ⁸⁸, T. Kawaguchi ¹¹⁰, T. Kawamoto ¹³⁴, G. Kawamura ⁵⁵, E.F. Kay ¹⁶⁴, F.I. Kaya ¹⁵⁷, S. Kazakos ¹³, V.F. Kazanin ³⁷, Y. Ke ¹⁴⁴, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁴, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁵, D. Kelsey ¹⁴⁵, J.J. Kempster ²⁰, J. Kendrick ²⁰, K.E. Kennedy ⁴¹, O. Kepka ¹³⁰,

B.P. Kerridge [ID166](#), S. Kersten [ID170](#), B.P. Kerševan [ID92](#), L. Keszeghova [ID28a](#), S. Ketabchi Haghighat [ID154](#),
 M. Khandoga [ID126](#), A. Khanov [ID120](#), A.G. Kharlamov [ID37](#), T. Kharlamova [ID37](#), E.E. Khoda [ID137](#),
 T.J. Khoo [ID18](#), G. Khoriali [ID165](#), J. Khubua [ID148b](#), Y.A.R. Khwaira [ID66](#), M. Kiehn [ID36](#),
 A. Kilgallon [ID122](#), D.W. Kim [ID47a,47b](#), E. Kim [ID153](#), Y.K. Kim [ID39](#), N. Kimura [ID95](#), A. Kirchhoff [ID55](#),
 D. Kirchmeier [ID50](#), C. Kirfel [ID24](#), J. Kirk [ID133](#), A.E. Kiryunin [ID109](#), T. Kishimoto [ID152](#), D.P. Kisliuk [ID154](#),
 C. Kitsaki [ID10](#), O. Kivernyk [ID24](#), M. Klassen [ID63a](#), C. Klein [ID34](#), L. Klein [ID165](#), M.H. Klein [ID105](#),
 M. Klein [ID91](#), U. Klein [ID91](#), P. Klimek [ID36](#), A. Klimentov [ID29](#), F. Klimpel [ID109](#), T. Klingl [ID24](#),
 T. Klioutchnikova [ID36](#), F.F. Klitzner [ID108](#), P. Kluit [ID113](#), S. Kluth [ID109](#), E. Kneringer [ID78](#),
 T.M. Knight [ID154](#), A. Knue [ID54](#), D. Kobayashi⁸⁸, R. Kobayashi [ID86](#), M. Kocian [ID142](#), T. Kodama¹⁵²,
 P. Kodyš [ID132](#), D.M. Koeck [ID145](#), P.T. Koenig [ID24](#), T. Koffas [ID34](#), N.M. Köhler [ID36](#), M. Kolb [ID134](#),
 I. Koletsou [ID4](#), T. Komarek [ID121](#), K. Köneke [ID54](#), A.X.Y. Kong [ID1](#), T. Kono [ID117](#), N. Konstantinidis [ID95](#),
 B. Konya [ID97](#), R. Kopeliansky [ID67](#), S. Koperny [ID84a](#), K. Korcyl [ID85](#), K. Kordas [ID151](#), G. Koren [ID150](#),
 A. Korn [ID95](#), S. Korn [ID55](#), I. Korolkov [ID13](#), N. Korotkova [ID37](#), B. Kortman [ID113](#), O. Kortner [ID109](#),
 S. Kortner [ID109](#), W.H. Kostecka [ID114](#), V.V. Kostyukhin [ID140](#), A. Kotsokechagia [ID66](#), A. Kotwal [ID51](#),
 A. Koulouris [ID36](#), A. Kourkoumeli-Charalampidi [ID72a,72b](#), C. Kourkoumelis [ID9](#), E. Kourlitis [ID6](#),
 O. Kovanda [ID145](#), R. Kowalewski [ID164](#), W. Kozanecki [ID134](#), A.S. Kozhin [ID37](#), V.A. Kramarenko [ID37](#),
 G. Kramberger [ID92](#), P. Kramer [ID99](#), M.W. Krasny [ID126](#), A. Krasznahorkay [ID36](#), J.A. Kremer [ID99](#),
 T. Kresse [ID50](#), J. Kretschmar [ID91](#), K. Kreul [ID18](#), P. Krieger [ID154](#), F. Krieter [ID108](#),
 S. Krishnamurthy [ID102](#), A. Krishnan [ID53b](#), M. Krivos [ID132](#), K. Krizka [ID17a](#), K. Kroeninger [ID49](#),
 H. Kroha [ID109](#), J. Kroll [ID130](#), J. Kroll [ID127](#), K.S. Krowpman [ID106](#), U. Kruchonak [ID38](#), H. Krüger [ID24](#),
 N. Krumnack⁸⁰, M.C. Kruse [ID51](#), J.A. Krzysiak [ID85](#), A. Kubota [ID153](#), O. Kuchinskaia [ID37](#), S. Kuday [ID3a](#),
 D. Kuechler [ID48](#), J.T. Kuechler [ID48](#), S. Kuehn [ID36](#), T. Kuhl [ID48](#), V. Kukhtin [ID38](#), Y. Kulchitsky [ID37,a](#),
 S. Kuleshov [ID136d,136b](#), M. Kumar [ID33g](#), N. Kumari [ID101](#), M. Kuna [ID60](#), A. Kupco [ID130](#), T. Kupfer⁴⁹,
 A. Kupich [ID37](#), O. Kuprash [ID54](#), H. Kurashige [ID83](#), L.L. Kurchaninov [ID155a](#), Y.A. Kurochkin [ID37](#),
 A. Kurova [ID37](#), E.S. Kuwertz [ID36](#), M. Kuze [ID153](#), A.K. Kvam [ID102](#), J. Kvita [ID121](#), T. Kwan [ID103](#),
 K.W. Kwok [ID64a](#), C. Lacasta [ID162](#), F. Lacava [ID74a,74b](#), H. Lacker [ID18](#), D. Lacour [ID126](#), N.N. Lad [ID95](#),
 E. Ladygin [ID38](#), B. Laforge [ID126](#), T. Lagouri [ID136e](#), S. Lai [ID55](#), I.K. Lakomic [ID84a](#), N. Lalloue [ID60](#),
 J.E. Lambert [ID119](#), S. Lammers [ID67](#), W. Lampl [ID7](#), C. Lampoudis [ID151](#), A.N. Lancaster [ID114](#),
 E. Lançon [ID29](#), U. Landgraf [ID54](#), M.P.J. Landon [ID93](#), V.S. Lang [ID54](#), R.J. Langenberg [ID102](#),
 A.J. Lankford [ID159](#), F. Lanni [ID29](#), K. Lantzsch [ID24](#), A. Lanza [ID72a](#), A. Lapertosa [ID57b,57a](#),
 J.F. Laporte [ID134](#), T. Lari [ID70a](#), F. Lasagni Manghi [ID23b](#), M. Lassnig [ID36](#), V. Latonova [ID130](#), T.S. Lau [ID64a](#),
 A. Laudrain [ID99](#), A. Laurier [ID34](#), S.D. Lawlor [ID94](#), Z. Lawrence [ID100](#), M. Lazzaroni [ID70a,70b](#), B. Le¹⁰⁰,
 B. Leban [ID92](#), A. Lebedev [ID80](#), M. LeBlanc [ID36](#), T. LeCompte [ID6](#), F. Ledroit-Guillon [ID60](#), A.C.A. Lee⁹⁵,
 G.R. Lee [ID16](#), L. Lee [ID61](#), S.C. Lee [ID147](#), S. Lee [ID47a,47b](#), L.L. Leeuw [ID33c](#), H.P. Lefebvre [ID94](#),
 M. Lefebvre [ID164](#), C. Leggett [ID17a](#), K. Lehmann [ID141](#), G. Lehmann Miotto [ID36](#), W.A. Leight [ID102](#),
 A. Leisos [ID151,u](#), M.A.L. Leite [ID81c](#), C.E. Leitgeb [ID48](#), R. Leitner [ID132](#), K.J.C. Leney [ID44](#), T. Lenz [ID24](#),
 S. Leone [ID73a](#), C. Leonidopoulos [ID52](#), A. Leopold [ID143](#), C. Leroy [ID107](#), R. Les [ID106](#), C.G. Lester [ID32](#),
 M. Levchenko [ID37](#), J. Levêque [ID4](#), D. Levin [ID105](#), L.J. Levinson [ID168](#), M.P. Lewicki [ID85](#), D.J. Lewis [ID20](#),
 B. Li [ID14b](#), B. Li [ID62b](#), C. Li [ID62a](#), C-Q. Li [ID62c,62d](#), H. Li [ID62a](#), H. Li [ID62b](#), H. Li [ID14c](#), H. Li [ID62b](#),
 J. Li [ID62c](#), K. Li [ID137](#), L. Li [ID62c](#), M. Li [ID14a,14d](#), Q.Y. Li [ID62a](#), S. Li [ID62d,62c,e](#), T. Li [ID62b](#), X. Li [ID103](#),
 Z. Li [ID62b](#), Z. Li [ID125](#), Z. Li [ID103](#), Z. Li [ID91](#), Z. Liang [ID14a](#), M. Liberatore [ID48](#), B. Liberti [ID75a](#),
 K. Lie [ID64c](#), J. Lieber Marin [ID81b](#), K. Lin [ID106](#), R.A. Linck [ID67](#), R.E. Lindley [ID7](#), J.H. Lindon [ID2](#),
 A. Linss [ID48](#), E. Lipeles [ID127](#), A. Lipniacka [ID16](#), T.M. Liss [ID161,af](#), A. Lister [ID163](#), J.D. Little [ID4](#),
 B. Liu [ID14a](#), B.X. Liu [ID141](#), D. Liu [ID62d,62c](#), J.B. Liu [ID62a](#), J.K.K. Liu [ID32](#), K. Liu [ID62d,62c](#), M. Liu [ID62a](#),
 M.Y. Liu [ID62a](#), P. Liu [ID14a](#), Q. Liu [ID62d,137,62c](#), X. Liu [ID62a](#), Y. Liu [ID48](#), Y. Liu [ID14c,14d](#), Y.L. Liu [ID105](#),
 Y.W. Liu [ID62a](#), M. Livan [ID72a,72b](#), J. Llorente Merino [ID141](#), S.L. Lloyd [ID93](#), E.M. Lobodzinska [ID48](#),
 P. Loch [ID7](#), S. Loffredo [ID75a,75b](#), T. Lohse [ID18](#), K. Lohwasser [ID138](#), M. Lokajicek [ID130,*](#), J.D. Long [ID161](#),






















































































































I. Longarini ^{74a,74b}, L. Longo ^{69a,69b}, R. Longo ¹⁶¹, I. Lopez Paz ³⁶, A. Lopez Solis ⁴⁸,
 J. Lorenz ¹⁰⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁸, A. Lösle ⁵⁴, X. Lou ^{47a,47b}, X. Lou ^{14a,14d},
 A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹⁰, J.J. Lozano Bahilo ¹⁶², G. Lu ^{14a,14d}, M. Lu ⁷⁹,
 S. Lu ¹²⁷, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁷, C. Luci ^{74a,74b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰,
 F. Luehring ⁶⁷, I. Luise ¹⁴⁴, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴³, B. Lund-Jensen ¹⁴³,
 N.A. Luongo ¹²², M.S. Lutz ¹⁵⁰, D. Lynn ²⁹, H. Lyons ⁹¹, R. Lysak ¹³⁰, E. Lytken ⁹⁷, F. Lyu ^{14a},
 V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, H. Ma ²⁹, L.L. Ma ^{62b}, Y. Ma ⁹⁵, D.M. Mac Donell ¹⁶⁴,
 G. Maccarrone ⁵³, J.C. MacDonald ¹³⁸, R. Madar ⁴⁰, W.F. Mader ⁵⁰, J. Maeda ⁸³, T. Maeno ²⁹,
 M. Maerker ⁵⁰, V. Magerl ⁵⁴, J. Magro ^{68a,68c}, H. Maguire ¹³⁸, D.J. Mahon ⁴¹,
 C. Maidantchik ^{81b}, A. Maio ^{129a,129b,129d}, K. Maj ^{84a}, O. Majersky ^{28a}, S. Majewski ¹²²,
 N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁶, Pa. Malecki ⁸⁵, V.P. Maleev ³⁷,
 F. Malek ⁶⁰, D. Malito ^{43b,43a}, U. Mallik ⁷⁹, C. Malone ³², S. Maltezos ¹⁰, S. Malyukov ³⁸,
 J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{72a,72b}, J.P. Mandalia ⁹³, I. Mandić ⁹²,
 L. Manhaes de Andrade Filho ^{81a}, I.M. Maniatis ¹⁵¹, M. Manisha ¹³⁴, J. Manjarres Ramos ⁵⁰,
 D.C. Mankad ¹⁶⁸, K.H. Mankinen ⁹⁷, A. Mann ¹⁰⁸, A. Manousos ⁷⁸, B. Mansoulie ¹³⁴,
 S. Manzoni ³⁶, A. Marantis ^{151,u}, G. Marchiori ⁵, M. Marcisovsky ¹³⁰, L. Marcoccia ^{75a,75b},
 C. Marcon ⁹⁷, M. Marinescu ²⁰, M. Marjanovic ¹¹⁹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶²,
 T.A. Martin ¹⁶⁶, V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{74a,74b}, M. Martinez ^{13,v},
 P. Martinez Agullo ¹⁶², V.I. Martinez Outschoorn ¹⁰², P. Martinez Suarez ¹³, S. Martin-Haugh ¹³³,
 V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁵, A. Marzin ³⁶, S.R. Maschek ¹⁰⁹, L. Masetti ⁹⁹,
 T. Mashimo ¹⁵², J. Masik ¹⁰⁰, A.L. Maslennikov ³⁷, L. Massa ^{23b}, P. Massarotti ^{71a,71b},
 P. Mastrandrea ^{73a,73b}, A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵², T. Mathisen ¹⁶⁰,
 A. Matic ¹⁰⁸, N. Matsuzawa ¹⁵², J. Maurer ^{27b}, B. Maček ⁹², D.A. Maximov ³⁷, R. Mazini ¹⁴⁷,
 I. Maznas ¹⁵¹, M. Mazza ¹⁰⁶, S.M. Mazza ¹³⁵, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰³,
 S.P. Mc Kee ¹⁰⁵, T.G. McCarthy ¹⁰⁹, W.P. McCormack ^{17a}, E.F. McDonald ¹⁰⁴,
 A.E. McDougall ¹¹³, J.A. Mcfayden ¹⁴⁵, G. Mchedlidze ^{148b}, R.P. Mckenzie ^{33g},
 T.C. McLachlan ⁴⁸, D.J. McLaughlin ⁹⁵, K.D. McLean ¹⁶⁴, S.J. McMahon ¹³³, P.C. McNamara ¹⁰⁴,
 R.A. McPherson ^{164,y}, J.E. Mdhululi ^{33g}, S. Meehan ³⁶, T. Megy ⁴⁰, S. Mehlhase ¹⁰⁸,
 A. Mehta ⁹¹, B. Meirose ⁴⁵, D. Melini ¹⁴⁹, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵,
 F. Meloni ⁴⁸, E.D. Mendes Gouveia ^{129a}, A.M. Mendes Jacques Da Costa ²⁰, H.Y. Meng ¹⁵⁴,
 L. Meng ⁹⁰, S. Menke ¹⁰⁹, M. Mentink ³⁶, E. Meoni ^{43b,43a}, C. Merlassino ¹²⁵,
 L. Merola ^{71a,71b}, C. Meroni ^{70a,70b}, G. Merz ¹⁰⁵, O. Meshkov ³⁷, J.K.R. Meshreki ¹⁴⁰,
 J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁷, J-P. Meyer ¹³⁴, M. Michetti ¹⁸, R.P. Middleton ¹³³,
 L. Mijović ⁵², G. Mikenberg ¹⁶⁸, M. Mikestikova ¹³⁰, M. Mikuž ⁹², H. Mildner ¹³⁸,
 A. Milic ¹⁵⁴, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁸, D.A. Milstead ^{47a,47b},
 T. Min ^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{148b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁶, B. Mindur ^{84a},
 M. Mineev ³⁸, Y. Minegishi ¹⁵², Y. Mino ⁸⁶, L.M. Mir ¹³, M. Miralles Lopez ¹⁶²,
 M. Mironova ¹²⁵, T. Mitani ¹⁶⁷, A. Mitra ¹⁶⁶, V.A. Mitsou ¹⁶², O. Miu ¹⁵⁴, P.S. Miyagawa ⁹³,
 Y. Miyazaki ⁸⁸, A. Mizukami ⁸², J.U. Mjörnmark ⁹⁷, T. Mkrtychyan ^{63a}, M. Mlynarikova ¹¹⁴,
 T. Moa ^{47a,47b}, S. Mobius ⁵⁵, K. Mochizuki ¹⁰⁷, P. Moder ⁴⁸, P. Mogg ¹⁰⁸,
 A.F. Mohammed ^{14a,14d}, S. Mohapatra ⁴¹, G. Mokgatitwane ^{33g}, B. Mondal ¹⁴⁰, S. Mondal ¹³¹,
 K. Mönig ⁴⁸, E. Monnier ¹⁰¹, L. Monsonis Romero ¹⁶², J. Montejo Berlingen ³⁶, M. Montella ¹¹⁸,
 F. Monticelli ⁸⁹, N. Morange ⁶⁶, A.L. Moreira De Carvalho ^{129a}, M. Moreno Llácer ¹⁶²,
 C. Moreno Martinez ¹³, P. Morettini ^{57b}, S. Morgenstern ¹⁶⁶, M. Morii ⁶¹, M. Morinaga ¹⁵²,
 V. Morisbak ¹²⁴, A.K. Morley ³⁶, F. Morodei ^{74a,74b}, L. Morvaj ³⁶, P. Moschovakos ³⁶,
 B. Moser ³⁶, M. Mosidze ^{148b}, T. Moskalets ⁵⁴, P. Moskvitina ¹¹², J. Moss ^{31,o},
 E.J.W. Moyses ¹⁰², S. Muanza ¹⁰¹, J. Mueller ¹²⁸, D. Muenstermann ⁹⁰, R. Müller ¹⁹,

G.A. Mullier ⁹⁷, J.J. Mullin ¹²⁷, D.P. Mungo ^{70a,70b}, J.L. Munoz Martinez ¹³, D. Munoz Perez ¹⁶², F.J. Munoz Sanchez ¹⁰⁰, M. Murin ¹⁰⁰, W.J. Murray ^{166,133}, A. Murrone ^{70a,70b}, J.M. Muse ¹¹⁹, M. Muškinja ^{17a}, C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸, A.A. Myers ¹²⁸, G. Myers ⁶⁷, M. Myska ¹³¹, B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, A. Nag ⁵⁰, K. Nagai ¹²⁵, K. Nagano ⁸², J.L. Nagle ^{29,ak}, E. Nagy ¹⁰¹, A.M. Nairz ³⁶, Y. Nakahama ⁸², K. Nakamura ⁸², H. Nanjo ¹²³, R. Narayan ⁴⁴, E.A. Narayanan ¹¹¹, I. Naryshkin ³⁷, M. Naseri ³⁴, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶², R. Nayak ¹⁵⁰, P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸, T.J. Neep ²⁰, A. Negri ^{72a,72b}, M. Negrini ^{23b}, C. Nellist ¹¹², C. Nelson ¹⁰³, K. Nelson ¹⁰⁵, S. Nemecek ¹³⁰, M. Nessi ^{36,h}, M.S. Neubauer ¹⁶¹, F. Neuhaus ⁹⁹, J. Neundorf ⁴⁸, R. Newhouse ¹⁶³, P.R. Newman ²⁰, C.W. Ng ¹²⁸, Y.S. Ng ¹⁸, Y.W.Y. Ng ¹⁵⁹, B. Ngair ^{35e}, H.D.N. Nguyen ¹⁰⁷, R.B. Nickerson ¹²⁵, R. Nicolaidou ¹³⁴, J. Nielsen ¹³⁵, M. Niemeyer ⁵⁵, N. Nikiforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁶, K. Nikolopoulos ²⁰, P. Nilsson ²⁹, H.R. Nindhito ⁵⁶, A. Nisati ^{74a}, N. Nishu ², R. Nisius ¹⁰⁹, J-E. Nitschke ⁵⁰, E.K. Nkadameng ^{33g}, S.J. Noacco Rosende ⁸⁹, T. Nobe ¹⁵², D.L. Noel ³², Y. Noguchi ⁸⁶, T. Nommensen ¹⁴⁶, M.A. Nomura ²⁹, M.B. Norfolk ¹³⁸, R.R.B. Norisam ⁹⁵, B.J. Norman ³⁴, J. Novak ⁹², T. Novak ⁴⁸, O. Novgorodova ⁵⁰, L. Novotny ¹³¹, R. Novotny ¹¹¹, L. Nozka ¹²¹, K. Ntekas ¹⁵⁹, E. Nurse ⁹⁵, F.G. Oakham ^{34,ah}, J. Ocariz ¹²⁶, A. Ochi ⁸³, I. Ochoa ^{129a}, S. Oerdek ¹⁶⁰, A. Ogrodnik ^{84a}, A. Oh ¹⁰⁰, C.C. Ohm ¹⁴³, H. Oide ¹⁵³, R. Oishi ¹⁵², M.L. Ojeda ⁴⁸, Y. Okazaki ⁸⁶, M.W. O'Keefe ⁹¹, Y. Okumura ¹⁵², A. Olariu ^{27b}, L.F. Oleiro Seabra ^{129a}, S.A. Olivares Pino ^{136e}, D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{81a}, J.L. Oliver ¹⁵⁹, M.J.R. Olsson ¹⁵⁹, A. Olszewski ⁸⁵, J. Olszowska ^{85,*}, Ö.O. Öncel ⁵⁴, D.C. O'Neil ¹⁴¹, A.P. O'Neill ¹⁹, A. Onofre ^{129a,129e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁸⁹, D. Orestano ^{76a,76b}, N. Orlando ¹³, R.S. Orr ¹⁵⁴, V. O'Shea ⁵⁹, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁸, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ^{29,ak}, F. Ould-Saada ¹²⁴, M. Owen ⁵⁹, R.E. Owen ¹³³, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, N. Ozturk ⁸, S. Ozturk ^{21d}, J. Pacalt ¹²¹, H.A. Pacey ³², A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{74a,74b}, S. Pagan Griso ^{17a}, G. Palacino ⁶⁷, A. Palazzo ^{69a,69b}, S. Palazzo ⁵², S. Palestini ³⁶, M. Palka ^{84b}, J. Pan ¹⁷¹, T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹³, J.G. Panduro Vazquez ⁹⁴, H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{68a,68c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁷, S. Parajuli ⁴⁴, A. Paramonov ⁶, C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, T.H. Park ¹⁵⁴, M.A. Parker ³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁴, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁷, L. Pascual Dominguez ¹⁵⁰, V.R. Pascuzzi ^{17a}, F. Pasquali ¹¹³, E. Pasqualucci ^{74a}, S. Passaggio ^{57b}, F. Pastore ⁹⁴, P. Pasuwan ^{47a,47b}, J.R. Pater ¹⁰⁰, J. Patton ⁹¹, T. Pauly ³⁶, J. Pearkes ¹⁴², M. Pedersen ¹²⁴, R. Pedro ^{129a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, C. Peng ^{64b}, H. Peng ^{62a}, K.E. Pinski ¹⁰⁸, M. Penzin ³⁷, B.S. Peralva ^{81a,81d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b}, D.V. Perepelitsa ^{29,ak}, E. Perez Codina ^{155a}, M. Perganti ¹⁰, L. Perini ^{70a,70b,*}, H. Pernegger ³⁶, A. Perrevoort ¹¹², O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰⁰, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰¹, V. Petousis ¹³¹, C. Petridou ¹⁵¹, A. Petrukhin ¹⁴⁰, M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷, K. Petukhova ¹³², A. Peyaud ¹³⁴, R. Pezoa ^{136f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷¹, T. Pham ¹⁰⁴, P.W. Phillips ¹³³, M.W. Phipps ¹⁶¹, G. Piacquadio ¹⁴⁴, E. Pianori ^{17a}, F. Piazza ^{70a,70b}, R. Piegai ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰⁰, M. Pinamonti ^{68a,68c}, J.L. Pinfold ², B.C. Pinheiro Pereira ^{129a}, C. Pitman Donaldson ⁹⁵, D.A. Pizzi ³⁴, L. Pizzimento ^{75a,75b}, A. Pizzini ¹¹³, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴, V. Pleskot ¹³², E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁷, R. Poggi ⁵⁶, L. Poggioli ¹²⁶, I. Pogrebnyak ¹⁰⁶, D. Pohl ²⁴, I. Pokharel ⁵⁵, S. Polacek ¹³², G. Polesello ^{72a}, A. Poley ^{141,155a}, R. Polifka ¹³¹, A. Polini ^{23b}, C.S. Pollard ¹²⁵, Z.B. Pollock ¹¹⁸, V. Polychronakos ²⁹, D. Ponomarenko ³⁷, L. Pontecorvo ³⁶, S. Popa ^{27a},

G.A. Popeneciu [ID27d](#), D.M. Portillo Quintero [ID155a](#), S. Pospisil [ID131](#), P. Postolache [ID27c](#), K. Potamianos [ID125](#), I.N. Potrap [ID38](#), C.J. Potter [ID32](#), H. Potti [ID1](#), T. Poulsen [ID48](#), J. Poveda [ID162](#), G. Pownall [ID48](#), M.E. Pozo Astigarraga [ID36](#), A. Prades Ibanez [ID162](#), M.M. Prapa [ID46](#), J. Pretel [ID54](#), D. Price [ID100](#), M. Primavera [ID69a](#), M.A. Principe Martin [ID98](#), M.L. Proffitt [ID137](#), N. Proklova [ID37](#), K. Prokofiev [ID64c](#), G. Proto [ID75a,75b](#), S. Protopopescu [ID29](#), J. Proudfoot [ID6](#), M. Przybycien [ID84a](#), J.E. Puddefoot [ID138](#), D. Pudzha [ID37](#), P. Puzo [ID66](#), D. Pyatiizbyantseva [ID37](#), J. Qian [ID105](#), Y. Qin [ID100](#), T. Qiu [ID93](#), A. Quadt [ID55](#), M. Queitsch-Maitland [ID100](#), G. Rabanal Bolanos [ID61](#), D. Rafanoharana [ID54](#), F. Ragusa [ID70a,70b](#), J.L. Rainbolt [ID39](#), J.A. Raine [ID56](#), S. Rajagopalan [ID29](#), E. Ramakoti [ID37](#), K. Ran [ID14a,14d](#), V. Raskina [ID126](#), D.F. Rassloff [ID63a](#), S. Rave [ID99](#), B. Ravina [ID59](#), I. Ravinovich [ID168](#), M. Raymond [ID36](#), A.L. Read [ID124](#), N.P. Readioff [ID138](#), D.M. Rebutzi [ID72a,72b](#), G. Redlinger [ID29](#), K. Reeves [ID45](#), J.A. Reidelsturz [ID170](#), D. Reikher [ID150](#), A. Reiss [ID99](#), A. Rej [ID140](#), C. Rembser [ID36](#), A. Renardi [ID48](#), M. Renda [ID27b](#), M.B. Rendel [ID109](#), A.G. Rennie [ID59](#), S. Resconi [ID70a](#), M. Ressegotti [ID57b,57a](#), E.D. Resseguie [ID17a](#), S. Rettie [ID95](#), B. Reynolds [ID118](#), E. Reynolds [ID17a](#), M. Rezaei Estabragh [ID170](#), O.L. Rezanova [ID37](#), P. Reznicek [ID132](#), E. Ricci [ID77a,77b](#), R. Richter [ID109](#), S. Richter [ID47a,47b](#), E. Richter-Was [ID84b](#), M. Ridel [ID126](#), P. Rieck [ID116](#), P. Riedler [ID36](#), M. Rijssenbeek [ID144](#), A. Rimoldi [ID72a,72b](#), M. Rimoldi [ID48](#), L. Rinaldi [ID23b,23a](#), T.T. Rinn [ID29](#), M.P. Rinnagel [ID108](#), G. Ripellino [ID143](#), I. Riu [ID13](#), P. Rivadeneira [ID48](#), J.C. Rivera Vergara [ID164](#), F. Rizatdinova [ID120](#), E. Rizvi [ID93](#), C. Rizzi [ID56](#), B.A. Roberts [ID166](#), B.R. Roberts [ID17a](#), S.H. Robertson [ID103,y](#), M. Robin [ID48](#), D. Robinson [ID32](#), C.M. Robles Gajardo [ID136f](#), M. Robles Manzano [ID99](#), A. Robson [ID59](#), A. Rocchi [ID75a,75b](#), C. Roda [ID73a,73b](#), S. Rodriguez Bosca [ID63a](#), Y. Rodriguez Garcia [ID22a](#), A. Rodriguez Rodriguez [ID54](#), A.M. Rodríguez Vera [ID155b](#), S. Roe [ID36](#), J.T. Roemer [ID159](#), A.R. Roepe-Gier [ID119](#), J. Roggel [ID170](#), O. Røhne [ID124](#), R.A. Rojas [ID164](#), B. Roland [ID54](#), C.P.A. Roland [ID67](#), J. Roloff [ID29](#), A. Romaniouk [ID37](#), E. Romano [ID72a,72b](#), M. Romano [ID23b](#), A.C. Romero Hernandez [ID161](#), N. Rompotis [ID91](#), L. Roos [ID126](#), S. Rosati [ID74a](#), B.J. Rosser [ID39](#), E. Rossi [ID4](#), E. Rossi [ID71a,71b](#), L.P. Rossi [ID57b](#), L. Rossini [ID48](#), R. Rosten [ID118](#), M. Rotaru [ID27b](#), B. Rottler [ID54](#), D. Rousseau [ID56](#), D. Rousso [ID32](#), G. Rovelli [ID72a,72b](#), A. Roy [ID161](#), A. Rozanov [ID101](#), Y. Rozen [ID149](#), X. Ruan [ID33g](#), A. Rubio Jimenez [ID162](#), A.J. Ruby [ID91](#), T.A. Ruggeri [ID1](#), F. Rühr [ID54](#), A. Ruiz-Martinez [ID162](#), A. Rummler [ID36](#), Z. Rurikova [ID54](#), N.A. Rusakovich [ID38](#), H.L. Russell [ID164](#), J.P. Rutherford [ID7](#), E.M. Rüttinger [ID138](#), K. Rybacki [ID90](#), M. Rybar [ID132](#), E.B. Rye [ID124](#), A. Ryzhov [ID37](#), J.A. Sabater Iglesias [ID56](#), P. Sabatini [ID162](#), L. Sabetta [ID74a,74b](#), H.F-W. Sadrozinski [ID135](#), F. Safai Tehrani [ID74a](#), B. Safarzadeh Samani [ID145](#), M. Safdari [ID142](#), S. Saha [ID103](#), M. Sahinsoy [ID109](#), M. Saimpert [ID134](#), M. Saito [ID152](#), T. Saito [ID152](#), D. Salamani [ID36](#), G. Salamanna [ID76a,76b](#), A. Salnikov [ID142](#), J. Salt [ID162](#), A. Salvador Salas [ID13](#), D. Salvatore [ID43b,43a](#), F. Salvatore [ID145](#), A. Salzburger [ID36](#), D. Sammel [ID54](#), D. Sampsonidis [ID151](#), D. Sampsonidou [ID62d,62c](#), J. Sánchez [ID162](#), A. Sanchez Pineda [ID4](#), V. Sanchez Sebastian [ID162](#), H. Sandaker [ID124](#), C.O. Sander [ID48](#), J.A. Sandesara [ID102](#), M. Sandhoff [ID170](#), C. Sandoval [ID22b](#), D.P.C. Sankey [ID133](#), A. Sansoni [ID53](#), L. Santi [ID74a,74b](#), C. Santoni [ID40](#), H. Santos [ID129a,129b](#), S.N. Santpur [ID17a](#), A. Santra [ID168](#), K.A. Saoucha [ID138](#), J.G. Saraiva [ID129a,129d](#), J. Sardain [ID7](#), O. Sasaki [ID82](#), K. Sato [ID156](#), C. Sauer [ID63b](#), F. Sauerburger [ID54](#), E. Sauvan [ID4](#), P. Savard [ID154,ah](#), R. Sawada [ID152](#), C. Sawyer [ID133](#), L. Sawyer [ID96](#), I. Sayago Galvan [ID162](#), C. Sbarra [ID23b](#), A. Sbrizzi [ID23b,23a](#), T. Scanlon [ID95](#), J. Schaarschmidt [ID137](#), P. Schacht [ID109](#), D. Schaefer [ID39](#), U. Schäfer [ID99](#), A.C. Schaffer [ID66](#), D. Schaile [ID108](#), R.D. Schamberger [ID144](#), E. Schanet [ID108](#), C. Scharf [ID18](#), V.A. Schegelsky [ID37](#), D. Scheirich [ID132](#), F. Schenck [ID18](#), M. Schernau [ID159](#), C. Scheulen [ID55](#), C. Schiavi [ID57b,57a](#), Z.M. Schillaci [ID26](#), E.J. Schioppa [ID69a,69b](#), M. Schioppa [ID43b,43a](#), B. Schlag [ID99](#), K.E. Schleicher [ID54](#), S. Schlenker [ID36](#), K. Schmieden [ID99](#), C. Schmitt [ID99](#), S. Schmitt [ID48](#), L. Schoeffel [ID134](#), A. Schoening [ID63b](#), P.G. Scholer [ID54](#), E. Schopf [ID125](#), M. Schott [ID99](#), J. Schovancova [ID36](#), S. Schramm [ID56](#), F. Schroeder [ID170](#), H-C. Schultz-Coulon [ID63a](#), M. Schumacher [ID54](#), B.A. Schumm [ID135](#), Ph. Schune [ID134](#),

A. Schwartzman ¹⁴², T.A. Schwarz ¹⁰⁵, Ph. Schwemling ¹³⁴, R. Schwienhorst ¹⁰⁶,
 A. Sciandra ¹³⁵, G. Sciolla ²⁶, F. Scuri ^{73a}, F. Scutti ¹⁰⁴, C.D. Sebastiani ⁹¹, K. Sedlaczek ⁴⁹,
 P. Seema ¹⁸, S.C. Seidel ¹¹¹, A. Seiden ¹³⁵, B.D. Seidlitz ⁴¹, T. Seiss ³⁹, C. Seitz ⁴⁸,
 J.M. Seixas ^{81b}, G. Sekhniaidze ^{71a}, S.J. Sekula ⁴⁴, L. Selem ⁴, N. Semprini-Cesari ^{23b,23a},
 S. Sen ⁵¹, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶², L. Serin ⁶⁶, L. Serkin ^{68a,68b}, M. Sessa ^{76a,76b},
 H. Severini ¹¹⁹, S. Sevova ¹⁴², F. Sforza ^{57b,57a}, A. Sfyrta ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴³,
 J.D. Shahinian ¹²⁷, N.W. Shaikh ^{47a,47b}, D. Shaked Renous ¹⁶⁸, L.Y. Shan ^{14a}, M. Shapiro ^{17a},
 A. Sharma ³⁶, A.S. Sharma ¹⁶³, P. Sharma ⁷⁹, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁵,
 S.M. Shaw ¹⁰⁰, Q. Shen ^{62c}, P. Sherwood ⁹⁵, L. Shi ⁹⁵, C.O. Shimmin ¹⁷¹, Y. Shimogama ¹⁶⁷,
 J.D. Shinner ⁹⁴, I.P.J. Shipsey ¹²⁵, S. Shirabe ⁶⁰, M. Shiyakova ^{38,x}, J. Shlomi ¹⁶⁸,
 M.J. Shochet ³⁹, J. Shojaii ¹⁰⁴, D.R. Shope ¹⁴³, S. Shrestha ¹¹⁸, E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁴,
 P. Sicho ¹³⁰, A.M. Sickles ¹⁶¹, E. Sideras Haddad ^{33g}, O. Sidiropoulou ³⁶, A. Sidoti ^{23b},
 F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{84a}, F. Sili ⁸⁹, J.M. Silva ²⁰, M.V. Silva Oliveira ³⁶,
 S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹, N.D. Simpson ⁹⁷,
 S. Simsek ^{21d}, S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁴, V. Sinetckii ³⁷, S. Singh ¹⁴¹, S. Singh ¹⁵⁴,
 S. Sinha ⁴⁸, S. Sinha ^{33g}, M. Sioli ^{23b,23a}, I. Siral ¹²², S. Yu. Sivoklov ^{37,*}, J. Sjölin ^{47a,47b},
 A. Skaf ⁵⁵, E. Skorda ⁹⁷, P. Skubic ¹¹⁹, M. Slawinska ⁸⁵, V. Smakhtin ¹⁶⁸, B.H. Smart ¹³³,
 J. Smiesko ¹³², S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷, L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁷,
 A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁵, J.L. Smith ⁹¹, R. Smith ¹⁴², M. Smizanska ⁹⁰,
 K. Smolek ¹³¹, A. Smykiewicz ⁸⁵, A.A. Snegarev ³⁷, H.L. Snoek ¹¹³, S. Snyder ²⁹,
 R. Sobie ^{164,y}, A. Soffer ¹⁵⁰, C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶²,
 A.A. Solodkov ³⁷, S. Solomon ⁵⁴, A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ³⁷,
 V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{155b}, A. Sopczak ¹³¹, A.L. Sopio ⁹⁵,
 F. Sopkova ^{28b}, V. Sothilingam ^{63a}, S. Sottocornola ^{72a,72b}, R. Soualah ^{115b}, Z. Soumami ^{35e},
 D. South ⁴⁸, S. Spagnolo ^{69a,69b}, M. Spalla ¹⁰⁹, F. Spanò ⁹⁴, D. Sperlich ⁵⁴, G. Spigo ³⁶,
 M. Spina ¹⁴⁵, S. Spinali ⁹⁰, D.P. Spiteri ⁵⁹, M. Spousta ¹³², E.J. Staats ³⁴, A. Stabile ^{70a,70b},
 R. Stamen ^{63a}, M. Stamenkovic ¹¹³, A. Stampekis ²⁰, M. Standke ²⁴, E. Stanecka ⁸⁵,
 B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁵, B. Stapf ⁴⁸, E.A. Starchenko ³⁷,
 G.H. Stark ¹³⁵, J. Stark ^{101,ab}, D.M. Starko ^{155b}, P. Staroba ¹³⁰, P. Starovoitov ^{63a}, S. Stärz ¹⁰³,
 R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶⁰, P. Steinberg ²⁹, A.L. Steinhebel ¹²²,
 B. Stelzer ^{141,155a}, H.J. Stelzer ¹²⁸, O. Stelzer-Chilton ^{155a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁵,
 G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{129a}, S. Stonjek ¹⁰⁹,
 A. Straessner ⁵⁰, J. Strandberg ¹⁴³, S. Strandberg ^{47a,47b}, M. Strauss ¹¹⁹, T. Streblner ¹⁰¹,
 P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁵, D.M. Strom ¹²², L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴,
 A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹¹⁹, N.A. Styles ⁴⁸, D. Su ¹⁴²,
 S. Su ^{62a}, W. Su ^{62d,137,62c}, X. Su ^{62a,66}, K. Sugizaki ¹⁵², V.V. Sulin ³⁷, M.J. Sullivan ⁹¹,
 D.M.S. Sultan ^{77a,77b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁶, S. Sun ¹⁰⁵, S. Sun ¹⁶⁹,
 O. Sunneborn Gudnadottir ¹⁶⁰, M.R. Sutton ¹⁴⁵, M. Svatos ¹³⁰, M. Swiatlowski ^{155a},
 T. Swirski ¹⁶⁵, I. Sykora ^{28a}, M. Sykora ¹³², T. Sykora ¹³², D. Ta ⁹⁹, K. Tackmann ^{48,w},
 A. Taffard ¹⁵⁹, R. Tafirout ^{155a}, J.S. Tafoya Vargas ⁶⁶, R.H.M. Taibah ¹²⁶, R. Takashima ⁸⁷,
 K. Takeda ⁸³, E.P. Takeva ⁵², Y. Takubo ⁸², M. Talby ¹⁰¹, A.A. Talyshv ³⁷, K.C. Tam ^{64b},
 N.M. Tamir ¹⁵⁰, A. Tanaka ¹⁵², J. Tanaka ¹⁵², R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, J. Tang ^{62c},
 Z. Tao ¹⁶³, S. Tapia Araya ⁸⁰, S. Tapprogge ⁹⁹, A. Tarek Abouelfadl Mohamed ¹⁰⁶, S. Tarem ¹⁴⁹,
 K. Tariq ^{62b}, G. Tarna ^{27b}, G.F. Tartarelli ^{70a}, P. Tas ¹³², M. Tasevsky ¹³⁰, E. Tassi ^{43b,43a},
 A.C. Tate ¹⁶¹, G. Tateno ¹⁵², Y. Tayalati ^{35e}, G.N. Taylor ¹⁰⁴, W. Taylor ^{155b}, H. Teagle ⁹¹,
 A.S. Tee ¹⁶⁹, R. Teixeira De Lima ¹⁴², P. Teixeira-Dias ⁹⁴, J.J. Teoh ¹⁵⁴, K. Terashi ¹⁵²,
 J. Terron ⁹⁸, S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{154,y}, A. Thaler ⁷⁸, N. Themistokleous ⁵²,

T. Thevenaux-Pelzer ¹⁸, O. Thielmann ¹⁷⁰, D.W. Thomas ⁹⁴, J.P. Thomas ²⁰, E.A. Thompson ⁴⁸, P.D. Thompson ²⁰, E. Thomson ¹²⁷, E.J. Thorpe ⁹³, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹, P. Tipton ¹⁷¹, S. Tisserant ¹⁰¹, S.H. Tlou ^{33g}, A. Tnourji ⁴⁰, K. Todome ^{23b,23a}, S. Todorova-Nova ¹³², S. Todt ⁵⁰, M. Togawa ⁸², J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², R. Tombs ³², M. Tomoto ^{82,110}, L. Tompkins ^{142,q}, P. Tornambe ¹⁰², E. Torrence ¹²², H. Torres ⁵⁰, E. Torró Pastor ¹⁶², M. Toscani ³⁰, C. Tosciri ³⁹, D.R. Tovey ¹³⁸, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁵, A. Tricoli ²⁹, I.M. Trigger ^{155a}, S. Trincaz-Duvoid ¹²⁶, D.A. Trischuk ¹⁶³, B. Trocmé ⁶⁰, A. Trofymov ⁶⁶, C. Troncon ^{70a}, L. Truong ^{33c}, M. Trzebinski ⁸⁵, A. Trzupek ⁸⁵, F. Tsai ¹⁴⁴, M. Tsai ¹⁰⁵, A. Tsiamis ¹⁵¹, P.V. Tsiarehka ³⁷, S. Tsigaridas ^{155a}, A. Tsirigotis ^{151,u}, V. Tsiskaridze ¹⁴⁴, E.G. Tskhadadze ^{148a}, M. Tsopoulou ¹⁵¹, Y. Tsujikawa ⁸⁶, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸², O. Tsur ¹⁴⁹, D. Tsybychev ¹⁴⁴, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸, I. Turk Cakir ^{3a}, R. Turra ^{70a}, T. Turtuvshin ³⁸, P.M. Tuts ⁴¹, S. Tzamarias ¹⁵¹, P. Tzanis ¹⁰, E. Tzovara ⁹⁹, K. Uchida ¹⁵², F. Ukegawa ¹⁵⁶, P.A. Ulloa Poblete ^{136c}, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁵⁹, K. Uno ¹⁵², J. Urban ^{28b}, P. Urquijo ¹⁰⁴, G. Usai ⁸, R. Ushioda ¹⁵³, M. Usman ¹⁰⁷, Z. Uysal ^{21b}, V. Vacek ¹³¹, B. Vachon ¹⁰³, K.O.H. Vadla ¹²⁴, T. Vafeiadis ³⁶, C. Valderanis ¹⁰⁸, E. Valdes Santurio ^{47a,47b}, M. Valente ^{155a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶², A. Vallier ^{101,ab}, J.A. Valls Ferrer ¹⁶², T.R. Van Daalen ¹³⁷, P. Van Gemmeren ⁶, S. Van Stroud ⁹⁵, I. Van Vulpen ¹¹³, M. Vanadia ^{75a,75b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁴, E.R. Vandewall ¹²⁰, D. Vannicola ¹⁵⁰, L. Vannoli ^{57b,57a}, R. Vari ^{74a}, E.W. Varnes ⁷, C. Varni ^{17a}, T. Varol ¹⁴⁷, D. Varouchas ⁶⁶, L. Varriale ¹⁶², K.E. Varvell ¹⁴⁶, M.E. Vasile ^{27b}, L. Vaslin ⁴⁰, G.A. Vasquez ¹⁶⁴, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰⁰, M.J. Veen ¹¹³, I. Veliscek ¹²⁵, L.M. Veloce ¹⁵⁴, F. Veloso ^{129a,129c}, S. Veneziano ^{74a}, A. Ventura ^{69a,69b}, A. Verbitskiy ¹⁰⁹, M. Verducci ^{73a,73b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{81b}, W. Verkerke ¹¹³, J.C. Vermeulen ¹¹³, C. Vernieri ¹⁴², P.J. Verschuuren ⁹⁴, M. Vessella ¹⁰², M.L. Vesterbacka ¹¹⁶, M.C. Vetterli ^{141,ah}, A. Vgenopoulos ¹⁵¹, N. Viaux Maira ^{136f}, T. Vickey ¹³⁸, O.E. Vickey Boeriu ¹³⁸, G.H.A. Viehhauser ¹²⁵, L. Vignani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶², E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰, A. Vishwakarma ⁵², C. Vittori ^{23b,23a}, I. Vivarelli ¹⁴⁵, V. Vladimirov ¹⁶⁶, E. Voevodina ¹⁰⁹, F. Vogel ¹⁰⁸, P. Vokac ¹³¹, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³², K. Vorobev ³⁷, M. Vos ¹⁶², J.H. Vosseveld ⁹¹, M. Vozak ¹¹³, L. Vozdecky ⁹³, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹³, R. Vuillermet ³⁶, O. Vujanovic ⁹⁹, I. Vukotic ³⁹, S. Wada ¹⁵⁶, C. Wagner ¹⁰², W. Wagner ¹⁷⁰, S. Wahdan ¹⁷⁰, H. Wahlberg ⁸⁹, R. Wakasa ¹⁵⁶, M. Wakida ¹¹⁰, V.M. Walbrecht ¹⁰⁹, J. Walder ¹³³, R. Walker ¹⁰⁸, W. Walkowiak ¹⁴⁰, A.M. Wang ⁶¹, A.Z. Wang ¹⁶⁹, C. Wang ^{62a}, C. Wang ^{62c}, H. Wang ^{17a}, J. Wang ^{64a}, P. Wang ⁴⁴, R.-J. Wang ⁹⁹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁷, S. Wang ^{62b}, T. Wang ^{62a}, W.T. Wang ⁷⁹, W.X. Wang ^{62a}, X. Wang ^{14c}, X. Wang ¹⁶¹, X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁵, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁵, A. Warburton ¹⁰³, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, M.F. Watson ²⁰, G. Watts ¹³⁷, B.M. Waugh ⁹⁵, A.F. Webb ¹¹, C. Weber ²⁹, M.S. Weber ¹⁹, S.A. Weber ³⁴, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁵, A.R. Weidberg ¹²⁵, J. Weingarten ⁴⁹, M. Weirich ⁹⁹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹⁰⁹, N. Wermes ²⁴, M. Wessels ^{63a}, K. Whalen ¹²², A.M. Wharton ⁹⁰, A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁵⁹, L. Wickremasinghe ¹²³, W. Wiedenmann ¹⁶⁹, C. Wiel ⁵⁰, M. Wielers ¹³³, N. Wieseotte ⁹⁹, C. Wiglesworth ⁴², L.A.M. Wiik-Fuchs ⁵⁴, D.J. Wilbern ¹¹⁹, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁷, S. Williams ³², S. Willocq ¹⁰², P.J. Windischhofer ¹²⁵, F. Winklmeier ¹²², B.T. Winter ⁵⁴, M. Wittgen ¹⁴², M. Wobisch ⁹⁶, A. Wolf ⁹⁹, R. Wölker ¹²⁵, J. Wollrath ¹⁵⁹,

M.W. Wolter ⁸⁵, H. Wolters ^{129a,129c}, V.W.S. Wong ¹⁶³, A.F. Wongel ⁴⁸, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁵, K.W. Woźniak ⁸⁵, K. Wraight ⁵⁹, J. Wu ^{14a,14d}, M. Wu ^{64a}, S.L. Wu ¹⁶⁹, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ^{134,62a}, J. Wuerzinger ¹²⁵, T.R. Wyatt ¹⁰⁰, B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, X. Xiao ¹⁰⁵, M. Xie ^{62a}, X. Xie ^{62a}, J. Xiong ^{17a}, I. Xiotidis ¹⁴⁵, D. Xu ^{14a}, H. Xu ^{62a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁷, T. Xu ¹⁰⁵, W. Xu ¹⁰⁵, Y. Xu ^{14b}, Z. Xu ^{62b}, Z. Xu ¹⁴², B. Yabsley ¹⁴⁶, S. Yacoob ^{33a}, N. Yamaguchi ⁸⁸, Y. Yamaguchi ¹⁵³, H. Yamauchi ¹⁵⁶, T. Yamazaki ^{17a}, Y. Yamazaki ⁸³, J. Yan ^{62c}, S. Yan ¹²⁵, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{17a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ^{62a}, X. Yang ^{14a}, Y. Yang ⁴⁴, Z. Yang ^{62a,105}, W-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, J. Ye ⁴⁴, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁵, I. Yeletsikh ³⁸, M.R. Yexley ⁹⁰, P. Yin ⁴¹, K. Yorita ¹⁶⁷, C.J.S. Young ⁵⁴, C. Young ¹⁴², M. Yuan ¹⁰⁵, R. Yuan ^{62b,k}, L. Yue ⁹⁵, X. Yue ^{63a}, M. Zaazoua ^{35e}, B. Zabinski ⁸⁵, E. Zaid ⁵², T. Zakareishvili ^{148b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J. Zang ¹⁵², D. Zanzi ⁵⁴, O. Zaplatilek ¹³¹, S.V. ZeiBner ⁴⁹, C. Zeitnitz ¹⁷⁰, J.C. Zeng ¹⁶¹, D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹³, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, B. Zhang ^{14c}, D.F. Zhang ¹³⁸, G. Zhang ^{14b}, J. Zhang ⁶, K. Zhang ^{14a,14d}, L. Zhang ^{14c}, R. Zhang ¹⁶⁹, S. Zhang ¹⁰⁵, T. Zhang ¹⁵², X. Zhang ^{62c}, X. Zhang ^{62b}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁷, P. Zhao ⁵¹, T. Zhao ^{62b}, Y. Zhao ¹³⁵, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, Z. Zheng ¹⁴², D. Zhong ¹⁶¹, B. Zhou ¹⁰⁵, C. Zhou ¹⁶⁹, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ⁷, C.G. Zhu ^{62b}, C. Zhu ^{14a,14d}, H.L. Zhu ^{62a}, H. Zhu ^{14a}, J. Zhu ¹⁰⁵, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴⁰, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁵⁶, T.G. Zorbas ¹³⁸, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (^b)Physics Department, Tsinghua University, Beijing; (^c)Department of Physics, Nanjing University, Nanjing; (^d)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁷(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (^b)University of California, Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²¹(^a)Department of Physics, Bogazici University, Istanbul;(^b)Department of Physics Engineering, Gaziantep University, Gaziantep;(^c)Department of Physics, Istanbul University, Istanbul;(^d)Istinye University, Sariyer, Istanbul; Türkiye.
- ²²(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;(^b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²³(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;(^b)INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁷(^a)Transilvania University of Brasov, Brasov;(^b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;(^c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;(^d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;(^e)University Politehnica Bucharest, Bucharest;(^f)West University in Timisoara, Timisoara;(^g)Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁸(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;(^b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³³(^a)Department of Physics, University of Cape Town, Cape Town;(^b)iThemba Labs, Western Cape;(^c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;(^d)National Institute of Physics, University of the Philippines Diliman (Philippines);(^e)University of South Africa, Department of Physics, Pretoria;(^f)University of Zululand, KwaDlangezwa;(^g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁵(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;(^b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;(^c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;(^d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;(^e)Faculté des sciences, Université Mohammed V, Rabat;(^f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende;(^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.

- 47^(a) Department of Physics, Stockholm University;^(b) Oskar Klein Centre, Stockholm; Sweden.
- 48 Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- 49 Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- 50 Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- 51 Department of Physics, Duke University, Durham NC; United States of America.
- 52 SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- 53 INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- 54 Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- 55 II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- 56 Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- 57^(a) Dipartimento di Fisica, Università di Genova, Genova;^(b) INFN Sezione di Genova; Italy.
- 58 II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- 59 SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- 60 LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- 61 Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- 62^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao;^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;^(d) Tsung-Dao Lee Institute, Shanghai; China.
- 63^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- 64^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;^(b) Department of Physics, University of Hong Kong, Hong Kong;^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- 65 Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- 66 IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- 67 Department of Physics, Indiana University, Bloomington IN; United States of America.
- 68^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;^(b) ICTP, Trieste;^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- 69^(a) INFN Sezione di Lecce;^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- 70^(a) INFN Sezione di Milano;^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- 71^(a) INFN Sezione di Napoli;^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- 72^(a) INFN Sezione di Pavia;^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- 73^(a) INFN Sezione di Pisa;^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- 74^(a) INFN Sezione di Roma;^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- 75^(a) INFN Sezione di Roma Tor Vergata;^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- 76^(a) INFN Sezione di Roma Tre;^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- 77^(a) INFN-TIFPA;^(b) Università degli Studi di Trento, Trento; Italy.
- 78 Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- 79 University of Iowa, Iowa City IA; United States of America.
- 80 Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- 81^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;^(c) Instituto de Física,

- Universidade de São Paulo, São Paulo;^(d)Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸²KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸³Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁴^(a)AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;^(b)Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁵Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁶Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁷Kyoto University of Education, Kyoto; Japan.
- ⁸⁸Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁸⁹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹⁰Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹¹Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹²Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹³School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁴Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁵Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁶Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁷Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁸Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ⁹⁹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰⁰School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰¹CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰²Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰³Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁴School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁵Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁶Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁷Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁸Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹⁰⁹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹⁰Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹¹Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹²Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹³Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁴Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁵^(a)New York University Abu Dhabi, Abu Dhabi;^(b)University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁶Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁷Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁸Ohio State University, Columbus OH; United States of America.
- ¹¹⁹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United

States of America.

¹²⁰Department of Physics, Oklahoma State University, Stillwater OK; United States of America.

¹²¹Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.

¹²²Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.

¹²³Graduate School of Science, Osaka University, Osaka; Japan.

¹²⁴Department of Physics, University of Oslo, Oslo; Norway.

¹²⁵Department of Physics, Oxford University, Oxford; United Kingdom.

¹²⁶LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.

¹²⁷Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.

¹²⁸Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.

¹²⁹^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;^(c)Departamento de Física, Universidade de Coimbra, Coimbra;^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;^(e)Departamento de Física, Universidade do Minho, Braga;^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.

¹³⁰Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.

¹³¹Czech Technical University in Prague, Prague; Czech Republic.

¹³²Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.

¹³³Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.

¹³⁴IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.

¹³⁵Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.

¹³⁶^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;^(d)Universidad Andres Bello, Department of Physics, Santiago;^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.

¹³⁷Department of Physics, University of Washington, Seattle WA; United States of America.

¹³⁸Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.

¹³⁹Department of Physics, Shinshu University, Nagano; Japan.

¹⁴⁰Department Physik, Universität Siegen, Siegen; Germany.

¹⁴¹Department of Physics, Simon Fraser University, Burnaby BC; Canada.

¹⁴²SLAC National Accelerator Laboratory, Stanford CA; United States of America.

¹⁴³Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

¹⁴⁴Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.

¹⁴⁵Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.

¹⁴⁶School of Physics, University of Sydney, Sydney; Australia.

¹⁴⁷Institute of Physics, Academia Sinica, Taipei; Taiwan.

¹⁴⁸^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.

¹⁴⁹Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.

¹⁵⁰Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.

¹⁵¹Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.

- ¹⁵²International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵³Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁴Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁵(^a) TRIUMF, Vancouver BC; (^b) Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁶Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁷Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁵⁸United Arab Emirates University, Al Ain; United Arab Emirates.
- ¹⁵⁹Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶⁰Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶¹Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶²Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶³Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁴Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁵Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁶Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁷Waseda University, Tokyo; Japan.
- ¹⁶⁸Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁶⁹Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷⁰Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷¹Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Bruno Kessler Foundation, Trento; Italy.
- ^e Also at Center for High Energy Physics, Peking University; China.
- ^f Also at Centro Studi e Ricerche Enrico Fermi, Italy.
- ^g Also at CERN, Geneva; Switzerland.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ^l Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.
- ^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- ⁿ Also at Department of Physics, California State University, East Bay; United States of America.
- ^o Also at Department of Physics, California State University, Sacramento; United States of America.
- ^p Also at Department of Physics, King's College London, London; United Kingdom.
- ^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

- ^s Also at Department of Physics, University of Thessaly; Greece.
- ^t Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^u Also at Hellenic Open University, Patras; Greece.
- ^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^x Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^y Also at Institute of Particle Physics (IPP); Canada.
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{aa} Also at Institute of Theoretical Physics, Iliia State University, Tbilisi; Georgia.
- ^{ab} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ^{ac} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{ae} Also at Technical University of Munich, Munich; Germany.
- ^{af} Also at The City College of New York, New York NY; United States of America.
- ^{ag} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ah} Also at TRIUMF, Vancouver BC; Canada.
- ^{ai} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{aj} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- ^{ak} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{al} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased