



CERN-EP-2022-188
15 September 2022

Measurement of the lifetime and Λ separation energy of ${}^3_{\Lambda}\text{H}$

ALICE Collaboration*

Abstract

The most precise measurements to date of the ${}^3_{\Lambda}\text{H}$ lifetime τ and Λ separation energy B_{Λ} are obtained using the data sample of Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV collected by ALICE at the LHC. The ${}^3_{\Lambda}\text{H}$ is reconstructed via its charged two-body mesonic decay channel (${}^3_{\Lambda}\text{H} \rightarrow {}^3\text{He} + \pi^{-}$ and the charge-conjugate process). The measured values $\tau = [253 \pm 11 \text{ (stat.)} \pm 6 \text{ (syst.)}]$ ps and $B_{\Lambda} = [102 \pm 63 \text{ (stat.)} \pm 67 \text{ (syst.)}]$ keV are compatible with predictions from effective field theories and confirm that the ${}^3_{\Lambda}\text{H}$ structure is consistent with a weakly-bound system.

arXiv:2209.07360v3 [nucl-ex] 6 Oct 2023

Hypernuclei are bound states of nucleons and hyperons that are particularly interesting because they can be used as experimental probes for the study of the hyperon–nucleon (Y–N) interaction. Searching for hypernuclei and exploring the Y–N interaction have been a source of fascination for nuclear physicists since the discovery of the first hypernuclei in 1953 [1]. In recent years, measurements of the hypertriton production and lifetime have stimulated an interesting debate in the high-energy physics community. The knowledge of the Y–N interaction has become more relevant recently due to its connection to the modelling of dense astrophysical objects like neutron stars [2, 3]. Indeed, in the inner core of neutron stars the creation of hyperons is energetically favoured compared to purely nucleonic matter [4]. The presence of hyperons as additional degrees of freedom leads to a considerable modification of the matter equation of state (EOS), prohibiting the formation of high-mass neutron stars. This is incompatible with the observation of neutron stars heavier than two solar masses [2, 4], constituting what is referred to as the "hyperon puzzle". Many attempts were made to solve this puzzle, e.g. by introducing three-body forces leading to an additional repulsion that can counterbalance the large gravitational pressure and allow for larger star masses [5, 6]. To constrain the parameter space of such models, a detailed knowledge of the Y–N interaction and of the three-body Y–N–N interaction is mandatory, including Λ , Σ , and Ξ hyperons. Numerous particle correlation analyses [7, 8] directly contribute to the determination of such interactions. In a complementary approach, the lifetime and the binding energy of a hypernucleus reflect the strength of the Y–N interaction [9, 10]. The current estimate of the separation energy of the Λ in the hypertriton is $B_{\Lambda} = 181 \pm 48$ keV [11], which results in a RMS radius (average distance of the Λ to the deuteron) of the order of 10 fm [12–15]. Lower values (~ 90 keV) of B_{Λ} are favoured when fitting the correlation functions for protons and Λ baryons [16–18], therefore new measurements are required to understand this tension. The latest theoretical calculations predict a different degree of dependence of the ${}^3_{\Lambda}\text{H}$ lifetime on its binding energy. For pionless effective field theory (EFT) [19] based calculations, the ${}^3_{\Lambda}\text{H}$ lifetime is very close to the free Λ lifetime, with very little binding energy dependence for B_{Λ} values spanning from 0 to 0.5 MeV. On the other hand, in the χEFT approach [20], a stronger dependence on the binding energy is predicted for the ${}^3_{\Lambda}\text{H}$ lifetime being $\tau = (163 \pm 18)$ ps for $B_{\Lambda} = 410$ keV and $\tau = (234 \pm 27)$ ps for $B_{\Lambda} = 69$ keV. Previous measurements of the lifetime [21–26] and B_{Λ} [27] of ${}^3_{\Lambda}\text{H}$ in heavy-ion collisions have still quite large uncertainties. In this Letter, new measurements with unprecedented precision of the ${}^3_{\Lambda}\text{H}$ lifetime and binding energy are presented to address the questions about its structure.

The presented results are based on data collected during the 2018 Pb–Pb LHC run at a centre-of-mass energy per nucleon pair of $\sqrt{s_{\text{NN}}} = 5.02$ TeV. The ALICE detector and its performance are described in detail in Refs. [28, 29]. The data acquisition for Pb–Pb events is triggered by the V0A and V0C scintillation detectors [30], positioned at forward ($2.8 < \eta < 5.1$) and backward ($-3.7 < \eta < -1.7$) pseudorapidity, respectively. A coincidence of signals in both V0A and V0C is used as a minimum-bias trigger. In addition, two thresholds on the minimum amount of charge deposited on the V0 detector are employed to trigger on central and semi-central Pb–Pb collisions. A centrality estimator based on the V0 detector arrays [31] is used to select the 90% most central hadronic collisions. Events are further selected by allowing a 10 cm maximum displacement of the primary vertex along the beam axis from the nominal centre of the experiment in order to benefit from the full acceptance of the detector. Finally, events with multiple reconstructed primary vertices are rejected to avoid ambiguous associations of ${}^3_{\Lambda}\text{H}$ candidates to their production vertices. In total, about 300 million events are selected for this analysis.

In Pb–Pb collisions at the LHC, approximately the same number of ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ are expected to be produced. The ${}^3_{\Lambda}\text{H}$ decays are detected via the charged two-body channel ${}^3_{\Lambda}\text{H} \rightarrow {}^3\text{He} + \pi^{-}$ (and the corresponding charge-conjugated particles for ${}^3_{\Lambda}\bar{\text{H}}$). The decay products of the ${}^3_{\Lambda}\text{H}$ are tracked with the Inner Tracking System [32] and the Time Projection Chamber (TPC) [33], which are positioned within a solenoid providing a homogeneous magnetic field of 0.5 T in the direction of the beam axis. Charged particles are tracked over the full azimuth and in the pseudorapidity interval $|\eta| < 0.8$. The specific energy loss of the decay products of ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ is also measured in the TPC, with a dE/dx resolution of

about 5% [33, 34]. The $n(\sigma_i^{\text{TPC}})$ variable represents the particle identification (PID) response in the TPC expressed in terms of the deviation between the measured and the expected dE/dx for a particle species i , in units of the detector resolution σ . The expected dE/dx is computed with a parametrised Bethe–Bloch function [29]. Pion and ${}^3\text{He}$ tracks within $\pm 5\sigma^{\text{TPC}}$ are selected.

The identified ${}^3\text{He}$ and π tracks are then used to reconstruct the ${}^3_{\Lambda}\text{H}$ weak-decay topology with an algorithm similar to the one employed in previous analyses [23, 25, 35]. By combining the information on the decay kinematics and decay vertex, several selection variables are defined. Those used in the analysis are the following: the distance of closest approach both from the primary and the decay vertex and the $n(\sigma_i^{\text{TPC}})$ of each daughter track, the number of clusters of the ${}^3\text{He}$ track in the TPC, the reconstructed p_T of the ${}^3_{\Lambda}\text{H}$, and $\cos(\theta_p)$, where θ_p is the angle between the total momentum vector of the decay daughters and the straight line connecting the primary and secondary vertices. These variables are combined as a gradient-boosted decision tree classifier (BDT) [36, 37] that is trained on a dedicated Monte Carlo (MC) simulated event sample. The MC sample consists of ${}^3_{\Lambda}\text{H}$ (decays) signals injected onto underlying Pb–Pb collisions simulated with the HIJING event generator [38]. The transverse momentum (p_T) distribution of the injected signals is given by the blast-wave [39] function, with parameters taken from simultaneous fits of the p_T distribution of light-flavoured hadrons measured in Pb–Pb collisions [40]. Only candidates with $2 \leq p_T < 9$ GeV/ c are considered. The particle transport through the detector material is done using GEANT4 [41], which simulates the interaction with the material and the weak decay of the ${}^3_{\Lambda}\text{H}$. The BDT is a supervised learning algorithm that determines how to discriminate between two or more classes, in this case signal and background, by examining sets of examples called the training sets. In this analysis, the training sets comprise ${}^3_{\Lambda}\text{H}$ signal candidates extracted from the MC sample and background candidates from paired like-sign ${}^3\text{He}$ and π tracks from data. For each ${}^3_{\Lambda}\text{H}$ candidate, the BDT combines topological and single-track variables to return a score, which is used to discriminate between signal or background. In particular, the most important variable employed by the BDT for the classification is the $\cos(\theta_p)$. Candidates with a BDT score higher than a given threshold are selected as signal. The threshold is defined to maximise the expected signal significance assuming a production yield as predicted by the thermal statistical hadronization model [13] for the ${}^3_{\Lambda}\text{H}$ and the background rate observed when combining like-sign ${}^3\text{He}$ and π pairs.

The ${}^3_{\Lambda}\text{H}$ lifetime is extracted by analysing the proper decay length spectrum shown in Fig. 1. The sample of ${}^3_{\Lambda}\bar{\text{H}}$ and ${}^3_{\Lambda}\text{H}$ candidates is divided into nine $ct = ML/p$ intervals, where c is the speed of light, t is the proper time of the candidate, M is the mass of the candidate, L is the decay distance, and p is the reconstructed momentum. The BDT training and threshold optimisation is repeated for each ct interval. The candidates that pass the BDT selection are used to populate the invariant-mass ($m = \sqrt{(E_{\pi} + E_{3\text{He}})^2 - |\vec{p}_{\pi} + \vec{p}_{3\text{He}}|^2}$) distributions, as shown in Appendix A. An unbinned maximum-likelihood fit is performed on the invariant-mass distribution using a Kernel Density Estimator (KDE) function [42, 43], constructed using the MC sample to describe the signal and a linear function to describe the background. The distributions obtained in the nine ct intervals can be found in Appendix A. The KDE is used to model the non-Gaussian behaviour of the signal shape observed in the simulation by means of a superposition of Gaussian functions. The widths of the Gaussian functions are determined with an adaptive procedure that takes into account the local density of the signal in the MC sample. The yield in each ct interval is obtained from the fit to the invariant-mass spectrum. The fitted signal is corrected for the reconstruction and selection efficiency, and for the acceptance of the ALICE detector. While the interactions of the daughter particles are correctly reproduced by GEANT4 [44] and therefore naturally accounted in the efficiency determination, the interaction of the ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ requires a dedicated treatment. According to Ref. [45], the expected absorption cross section of ${}^3_{\Lambda}\text{H}$ due to the inelastic interactions in the ALICE detector material is about 1.5 times that of ${}^3\bar{\text{He}}$ ($\sigma_{\text{inel}}^{3\bar{\text{He}}}$). This value is used for simulating the passage of ${}^3_{\Lambda}\text{H}$ in the detector and evaluating the effect on the reconstruction efficiency. Different corrections have been applied for ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ according to their expected cross sections. The typical total efficiency (including acceptance, reconstruction, and selection) is around 15% while the ab-




Figure 1: Left: exponential decay spectrum as a function of the proper decay length for ${}^3_{\Lambda}\text{H}$, the blue points represent the measured yield, while the orange line represents the best fit to the measurement. Right: B_{Λ} measurement as a function of the proper decay length. Only statistical uncertainties are shown; see the text for a description of the determination of the systematic uncertainties. The fit probability computed with a Pearson test is reported.

sorption probability of ${}^3_{\Lambda}\text{H}$ due to the inelastic interactions in the ALICE detector material is of the order of a few percent. The obtained spectrum is fitted with an exponential function as shown in the left panel of Fig. 1. The fit is performed by using the integral of the function in each bin to account for the variable widths of the ct intervals.

The major systematic uncertainties come from (1) the ${}^3_{\Lambda}\text{H}$ identification and, (2) the uncertainty on the ${}^3_{\Lambda}\text{H}$ inelastic interactions in the detector. The total uncertainty is obtained as the quadratic sum of the individual contributions. The first, dominant contribution is computed by varying simultaneously the BDT selection efficiency ($\pm 10\%$), the background shape (linear, second order polynomial, and exponential) and the signal (KDE and double sided Crystal Ball [46]) fit functions in each ct interval. The systematic uncertainty is given by the RMS of the distribution of lifetimes obtained from 5×10^4 different combinations and amounts to approximately 2%. The second contribution is evaluated by varying the ${}^3_{\Lambda}\text{H}$ absorption cross section and evaluating the effect on the lifetime. The systematic uncertainty due to the assumption on the ${}^3_{\Lambda}\text{H}$ absorption cross section is evaluated by employing different cross sections for the ${}^3_{\Lambda}\text{H}$ from zero (no interaction) to $2\sigma_{\text{inel}}^{{}^3\text{He}}$. For each variation the lifetime is recalculated, resulting in a systematic uncertainty of 1%.

The Λ separation energy B_{Λ} is obtained in each ct interval using the ${}^3_{\Lambda}\text{H}$ mass ($\mu_{{}^3_{\Lambda}\text{H}}$) extracted from the fit (see Appendix A), the deuteron mass taken from CODATA [47], and the Λ mass taken from the PDG [48]. The reconstructed value of $\mu_{{}^3_{\Lambda}\text{H}}$ is affected by the imperfect correction for the energy loss of the daughter particles in the ALICE material. This effect produces a shift that depends on the radial distance travelled by the ${}^3_{\Lambda}\text{H}$ candidates before decaying, and it is evaluated by analysing the MC simulations (δ_{MC}). The values of δ_{MC} as a function of the ct of the decay particles are shown in Appendix A, and they span between -0.1 MeV and 0.8 MeV. To account for the possible mismatch between data and simulation, an additional data-driven correction is applied based on a dedicated precise measurement of the Λ mass. This represents an ideal test for the full analysis chain and for a potential data–simulation mismatch since the Λ mass is known with a precision of 6 keV [48] and its lifetime is compatible within 1σ with the ${}^3_{\Lambda}\text{H}$ one. Hence, the Λ mass is computed with the same analysis procedure employed for the ${}^3_{\Lambda}\text{H}$, and the positive shift obtained with respect to the PDG value ($\delta_{\Lambda} = 66$ keV) is used as our estimate of data–simulation mismatch and for correcting our value of $\mu_{{}^3_{\Lambda}\text{H}}$. Finally, in each ct interval B_{Λ} is computed as $B_{\Lambda} = m_d + m_{\Lambda} - (\mu_{{}^3_{\Lambda}\text{H}} - \delta_{\text{MC}} - \delta_{\Lambda})$. The final B_{Λ} value and its statistical uncertainty are obtained from the average of the values measured in each ct interval (see Fig. 1, right) weighted on their statistical uncertainties.




Figure 2: The ${}^3_\Lambda\text{H}$ lifetime relative to the free Λ lifetime as a function of the B_Λ for pionless EFT [19] (green), χ EFT [20] (light blue), and the original π exchange calculations [49] (blue). The red point represents the measurement presented in this Letter with the statistical and total uncertainties depicted with lines and an ellipse, respectively.

The systematic uncertainties on B_Λ originate from (1) the ${}^3_\Lambda\text{H}$ selection and the signal extraction, (2) the uncertainty on δ_Λ , and (3) the uncertainty on the ALICE material budget. The first contribution is computed using the same method as for the lifetime analysis and amounts to ± 29 keV. The uncertainty on δ_Λ takes into account a 60 keV shift observed by repeating the mass measurement for Λ and $\bar{\Lambda}$ with different magnetic field polarities. Finally, the systematic contribution due to the uncertainty of the ALICE material budget is computed by varying the material budget in the MC sample by its uncertainty and repeating the analysis. The B_Λ is recomputed for each variation, resulting in a systematic uncertainty of 8 keV. The systematic uncertainty is taken as the sum in quadrature of the three contributions. For the determination of the mean lifetime of the ${}^3_\Lambda\text{H}$ and its B_Λ , the contribution from the knowledge of the magnetic field is considered by performing the analysis separately for positive and negative polarities of the solenoidal magnet. As the analyses with the two polarities returned results statistically compatible with each other, no further systematic uncertainty is added.

For both the lifetime and the B_Λ analyses, other potential sources of systematic uncertainty were tested, such as the input p_T and ct shape of ${}^3_\Lambda\text{H}$ in the Monte Carlo sample, the BDT hyperparameters, the discrepancy between BDT and linear selections, and the ${}^3_\Lambda\text{H}$ reconstruction algorithm, all resulting in a non-significant contribution.

The measurements for the ${}^3_\Lambda\text{H}$ and ${}^3_{\bar{\Lambda}}\text{H}$ lifetime and B_Λ obtained with this analysis are

$$\tau = [253 \pm 11 \text{ (stat.)} \pm 6 \text{ (syst.)}] \text{ ps,}$$

$$B_\Lambda = [102 \pm 63 \text{ (stat.)} \pm 67 \text{ (syst.)}] \text{ keV.}$$

As shown in Fig. 2, the measurements are in agreement with both the predictions from pionless EFT [19] and χ EFT [20], while they severely restrict the phase space available for these theories and strongly confirm the weakly-bound nature of ${}^3_\Lambda\text{H}$. Furthermore, the new measurement of the B_Λ is in agreement within 1σ with the binding energy value describing best the p - Λ correlations measured with the femtoscopy technique [17, 18].

Finally, the relative differences between the ${}^3_\Lambda\text{H}$ and ${}^3_{\bar{\Lambda}}\text{H}$ lifetimes and masses are measured, giving the values




Figure 3: Collection of the ${}^3_\Lambda\text{H}$ lifetime (left) [21–26, 50–55] and B_Λ (right) [27, 54, 56–61] measurements obtained with different experimental techniques. The horizontal lines and boxes are the statistical and systematic uncertainties, respectively. The dashed and dash-dotted lines are the corresponding theoretical predictions [10, 17, 19, 20, 49, 62–64]. Two predictions are reported in [20]: prediction A assumes $B_\Lambda = 130$ keV, while prediction B assumes $B_\Lambda = 69$ keV.

$$\frac{\tau_{\Lambda^3\text{H}} - \tau_{\bar{\Lambda}^3\text{H}}}{\tau_{\Lambda^3\text{H}}} = [3 \pm 7 \text{ (stat.)} \pm 4 \text{ (syst.)}] \times 10^{-2},$$

$$\frac{m_{\Lambda^3\text{H}} - m_{\bar{\Lambda}^3\text{H}}}{m_{\Lambda^3\text{H}}} = [5 \pm 5 \text{ (stat.)} \pm 3 \text{ (syst.)}] \times 10^{-5},$$

which are consistent with zero and, therefore, with the CPT symmetry expectation. Note, in the mass difference measurement, the decay daughter masses are taken to be the same between particles and antiparticles.

In summary, the most precise measurements to date of the ${}^3_\Lambda\text{H}$ lifetime and B_Λ , presented in this Letter, strongly support the loosely-bound nature of ${}^3_\Lambda\text{H}$. The measured value perfectly agrees with the B_Λ that best fits the correlation functions for protons and Λ baryons within the current theoretical approaches [16–18].

Even though some local tensions among a few measurements of lifetime and B_Λ have been reported in the literature as the "hypertriton puzzle", when performing a global average of the historically available measurements (see Fig. 3 and the Mainz hypernuclear data database [11]), the probability of having such a set of measurements, computed with a Pearson test, is 23% for the lifetime and 57% for the B_Λ , hence no global tension is found. A remaining piece to be set for the complete understanding of the ${}^3_\Lambda\text{H}$ structure is the measurement of branching ratios for the various decay channels [19]. The Run 3 of the LHC will make those measurements accessible with unprecedented precision.

Acknowledgements

The ALICE Collaboration would like to thank all its engineers and technicians for their invaluable contributions to the construction of the experiment and the CERN accelerator teams for the outstanding performance of the LHC complex. The ALICE Collaboration gratefully acknowledges the resources and

support provided by all Grid centres and the Worldwide LHC Computing Grid (WLCG) collaboration. The ALICE Collaboration acknowledges the following funding agencies for their support in building and running the ALICE detector: A. I. Alikhanyan National Science Laboratory (Yerevan Physics Institute) Foundation (ANSL), State Committee of Science and World Federation of Scientists (WFS), Armenia; Austrian Academy of Sciences, Austrian Science Fund (FWF): [M 2467-N36] and Nationalstiftung für Forschung, Technologie und Entwicklung, Austria; Ministry of Communications and High Technologies, National Nuclear Research Center, Azerbaijan; Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), Financiadora de Estudos e Projetos (Finep), Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP) and Universidade Federal do Rio Grande do Sul (UFRGS), Brazil; Bulgarian Ministry of Education and Science, within the National Roadmap for Research Infrastructures 2020-2027 (object CERN), Bulgaria; Ministry of Education of China (MOEC), Ministry of Science & Technology of China (MSTC) and National Natural Science Foundation of China (NSFC), China; Ministry of Science and Education and Croatian Science Foundation, Croatia; Centro de Aplicaciones Tecnológicas y Desarrollo Nuclear (CEADEN), Cubaenergía, Cuba; Ministry of Education, Youth and Sports of the Czech Republic, Czech Republic; The Danish Council for Independent Research | Natural Sciences, the VILLUM FONDEN and Danish National Research Foundation (DNRF), Denmark; Helsinki Institute of Physics (HIP), Finland; Commissariat à l’Energie Atomique (CEA) and Institut National de Physique Nucléaire et de Physique des Particules (IN2P3) and Centre National de la Recherche Scientifique (CNRS), France; Bundesministerium für Bildung und Forschung (BMBF) and GSI Helmholtzzentrum für Schwerionenforschung GmbH, Germany; General Secretariat for Research and Technology, Ministry of Education, Research and Religions, Greece; National Research, Development and Innovation Office, Hungary; Department of Atomic Energy Government of India (DAE), Department of Science and Technology, Government of India (DST), University Grants Commission, Government of India (UGC) and Council of Scientific and Industrial Research (CSIR), India; National Research and Innovation Agency - BRIN, Indonesia; Istituto Nazionale di Fisica Nucleare (INFN), Italy; Japanese Ministry of Education, Culture, Sports, Science and Technology (MEXT) and Japan Society for the Promotion of Science (JSPS) KAKENHI, Japan; Consejo Nacional de Ciencia (CONACYT) y Tecnología, through Fondo de Cooperación Internacional en Ciencia y Tecnología (FONCICYT) and Dirección General de Asuntos del Personal Académico (DGAPA), Mexico; Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO), Netherlands; The Research Council of Norway, Norway; Commission on Science and Technology for Sustainable Development in the South (COMSATS), Pakistan; Pontificia Universidad Católica del Perú, Peru; Ministry of Education and Science, National Science Centre and WUT ID-UB, Poland; Korea Institute of Science and Technology Information and National Research Foundation of Korea (NRF), Republic of Korea; Ministry of Education and Scientific Research, Institute of Atomic Physics, Ministry of Research and Innovation and Institute of Atomic Physics and University Politehnica of Bucharest, Romania; Ministry of Education, Science, Research and Sport of the Slovak Republic, Slovakia; National Research Foundation of South Africa, South Africa; Swedish Research Council (VR) and Knut & Alice Wallenberg Foundation (KAW), Sweden; European Organization for Nuclear Research, Switzerland; Suranaree University of Technology (SUT), National Science and Technology Development Agency (NSTDA), Thailand Science Research and Innovation (TSRI) and National Science, Research and Innovation Fund (NSRF), Thailand; Turkish Energy, Nuclear and Mineral Research Agency (TENMAK), Turkey; National Academy of Sciences of Ukraine, Ukraine; Science and Technology Facilities Council (STFC), United Kingdom; National Science Foundation of the United States of America (NSF) and United States Department of Energy, Office of Nuclear Physics (DOE NP), United States of America. In addition, individual groups or members have received support from: Marie Skłodowska Curie, European Research Council, Strong 2020 - Horizon 2020 (grant nos. 950692, 824093, 896850), European Union; Academy of Finland (Center of Excellence in Quark Matter) (grant nos. 346327, 346328), Finland; Programa de Apoyos para la Superación del Personal Académico, UNAM, Mexico.

References

- [1] M. Danysz and J. Pniewski, “Delayed disintegration of a heavy nuclear fragment: I”, *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science* **44** (1953) 348–350.
- [2] J. Schaffner-Bielich, *Neutron Stars*, p. 147–208. Cambridge University Press, 2020.
- [3] J. M. Lattimer and M. Prakash, “The physics of neutron stars”, *Science* **304** (2004) 536–542, arXiv:astro-ph/0405262.
- [4] L. Tolos and L. Fabbietti, “Strangeness in Nuclei and Neutron Stars”, *Prog. Part. Nucl. Phys.* **112** (2020) 103770, arXiv:2002.09223 [nucl-ex].
- [5] D. Lonardonì, A. Lovato, S. Gandolfi, and F. Pederiva, “Hyperon Puzzle: Hints from Quantum Monte Carlo Calculations”, *Phys. Rev. Lett.* **114** (2015) 092301, arXiv:1407.4448 [nucl-th].
- [6] D. Logoteta, I. Vidana, and I. Bombaci, “Impact of chiral hyperonic three-body forces on neutron stars”, *Eur. Phys. J. A* **55** (2019) 207, arXiv:1906.11722 [nucl-th].
- [7] L. Fabbietti, V. Mantovani Sarti, and O. Vazquez Doce, “Study of the Strong Interaction Among Hadrons with Correlations at the LHC”, *Ann. Rev. Nucl. Part. Sci.* **71** (2021) 377–402, arXiv:2012.09806 [nucl-ex].
- [8] ALICE Collaboration, S. Acharya *et al.*, “Unveiling the strong interaction among hadrons at the LHC”, *Nature* **588** (2020) 232–238, arXiv:2005.11495 [nucl-ex]. [Erratum: Nature 590, E13 (2021)].
- [9] R. H. Dalitz and G. Rajasekharan, “The spins and lifetimes of the light hypernuclei”, *Phys. Lett.* **1** (1962) 58–60.
- [10] H. Kamada, J. Golak, K. Miyagawa, H. Witala, and W. Gloeckle, “ π -mesonic decay of the hypertriton”, *Phys. Rev. C* **57** (1998) 1595–1603, arXiv:nucl-th/9709035.
- [11] P. Eckert, P. Achenbach, *et al.*, “Chart of hypernuclides — Hypernuclear structure and decay data”, 2021. <https://hypernuclei.kph.uni-mainz.de>.
- [12] K. Riisager, D. Fedorov, and A. Jensen, “Quantum halos”, *EPL (Europhysics Letters)* **49** (2000) 547.
- [13] P. Braun-Munzinger and B. Dönigus, “Loosely-bound objects produced in nuclear collisions at the LHC”, *Nucl. Phys. A* **987** (2019) 144–201, arXiv:1809.04681 [nucl-ex].
- [14] A. Gal and H. Garcilazo, “Towards resolving the ${}^3_{\Lambda}\text{H}$ lifetime puzzle”, *Phys. Lett. B* **791** (2019) 48–53, arXiv:1811.03842 [nucl-th].
- [15] F. Hildenbrand and H. W. Hammer, “Three-Body Hypernuclei in Pionless Effective Field Theory”, *Phys. Rev. C* **100** (2019) 034002, arXiv:1904.05818 [nucl-th]. [Erratum: Phys.Rev.C 102, 039901 (2020)].
- [16] ALICE Collaboration, S. Acharya *et al.*, “p-p, p- Λ and Λ - Λ correlations studied via femtoscopy in pp reactions at $\sqrt{s} = 7$ TeV”, *Phys. Rev. C* **99** (2019) 024001, arXiv:1805.12455 [nucl-ex].
- [17] J. Haidenbauer, U. G. Meißner, and A. Nogga, “Hyperon–nucleon interaction within chiral effective field theory revisited”, *Eur. Phys. J. A* **56** (2020) 91, arXiv:1906.11681 [nucl-th].

- [18] **ALICE** Collaboration, S. Acharya *et al.*, “Exploring the $\text{N}\Lambda$ - $\text{N}\Sigma$ coupled system with high precision correlation techniques at the LHC”, *Phys. Lett. B* **833** (2022) 137272, arXiv:2104.04427 [nucl-ex].
- [19] F. Hildenbrand and H. W. Hammer, “Lifetime of the hypertriton”, *Phys. Rev. C* **102** (2020) 064002, arXiv:2007.10122 [nucl-th].
- [20] A. Pérez-Obiol, D. Gazda, E. Friedman, and A. Gal, “Revisiting the hypertriton lifetime puzzle”, *Phys. Lett. B* **811** (2020) 135916, arXiv:2006.16718 [nucl-th].
- [21] **STAR** Collaboration, B. I. Abelev *et al.*, “Observation of an Antimatter Hypernucleus”, *Science* **328** (2010) 58–62, arXiv:1003.2030 [nucl-ex].
- [22] C. Rappold *et al.*, “Hypernuclear spectroscopy of products from ${}^6\text{Li}$ projectiles on a carbon target at 2 AGeV”, *Nucl. Phys. A* **913** (2013) 170–184, arXiv:1305.4871 [nucl-ex].
- [23] **ALICE** Collaboration, J. Adam *et al.*, “ ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ production in Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV”, *Phys. Lett. B* **754** (2016) 360–372, arXiv:1506.08453 [nucl-ex].
- [24] **STAR** Collaboration, L. Adamczyk *et al.*, “Measurement of the ${}^3_{\Lambda}\text{H}$ lifetime in Au+Au collisions at the BNL Relativistic Heavy Ion Collider”, *Phys. Rev. C* **97** (2018) 054909, arXiv:1710.00436 [nucl-ex].
- [25] **ALICE** Collaboration, S. Acharya *et al.*, “ ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ lifetime measurement in Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV via two-body decay”, *Phys. Lett. B* **797** (2019) 134905, arXiv:1907.06906 [nucl-ex].
- [26] **STAR** Collaboration, M. Abdallah *et al.*, “Measurements of ${}^3_{\Lambda}\text{H}$ and ${}^4_{\Lambda}\text{H}$ Lifetimes and Yields in Au+Au Collisions in the High Baryon Density Region”, *Phys. Rev. Lett.* **128** (2022) 202301, arXiv:2110.09513 [nucl-ex].
- [27] **STAR** Collaboration, J. Adam *et al.*, “Measurement of the mass difference and the binding energy of the hypertriton and antihypertriton”, *Nature Phys.* **16** (2020) 409–412, arXiv:1904.10520 [hep-ex].
- [28] **ALICE** Collaboration, K. Aamodt *et al.*, “The ALICE experiment at the CERN LHC”, *JINST* **3** (2008) S08002.
- [29] **ALICE** Collaboration, B. Abelev *et al.*, “Performance of the ALICE Experiment at the CERN LHC”, *Int. J. Mod. Phys. A* **29** (2014) 1430044, arXiv:1402.4476 [nucl-ex].
- [30] **ALICE** Collaboration, E. Abbas *et al.*, “Performance of the ALICE VZERO system”, *JINST* **8** (2013) P10016, arXiv:1306.3130 [nucl-ex].
- [31] **ALICE** Collaboration, “Centrality determination in heavy ion collisions”, *ALICE-PUBLIC-2018-011* (2018) . <https://cds.cern.ch/record/2636623>.
- [32] **ALICE** Collaboration, K. Aamodt *et al.*, “Alignment of the ALICE Inner Tracking System with cosmic-ray tracks”, *JINST* **5** (2010) P03003, arXiv:1001.0502 [physics.ins-det].
- [33] J. Alme *et al.*, “The ALICE TPC, a large 3-dimensional tracking device with fast readout for ultra-high multiplicity events”, *Nucl. Instrum. Meth. A* **622** (2010) 316–367, arXiv:1001.1950 [physics.ins-det].
- [34] **ALICE** Collaboration, B. B. Abelev *et al.*, “Production of charged pions, kaons and protons at large transverse momenta in pp and Pb–Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV”, *Phys. Lett. B* **736** (2014) 196–207, arXiv:1401.1250 [nucl-ex].

- [35] **ALICE** Collaboration, S. Acharya *et al.*, “Hypertriton Production in p-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV”, *Phys. Rev. Lett.* **128** (2022) 252003, arXiv:2107.10627 [nucl-ex].
- [36] T. Chen and C. Guestrin, “Xgboost: A scalable tree boosting system”, in *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, KDD ’16, p. 785–794. Association for Computing Machinery, New York, NY, USA, 2016. <https://doi.org/10.1145/2939672.2939785>.
- [37] L. Barioglio, F. Catalano, M. Concas, P. Fecchio, F. Grosa, F. Mazzaschi, and M. Puccio, “hipe4ml/hipe4ml”, Nov., 2021. <https://doi.org/10.5281/zenodo.5734093>.
- [38] X.-N. Wang and M. Gyulassy, “HIJING: A Monte Carlo model for multiple jet production in pp, pA and AA collisions”, *Phys. Rev. D* **44** (1991) 3501–3516.
- [39] E. Schnedermann, J. Sollfrank, and U. W. Heinz, “Thermal phenomenology of hadrons from 200-A/GeV S+S collisions”, *Phys. Rev. C* **48** (1993) 2462–2475, arXiv:nucl-th/9307020.
- [40] **ALICE** Collaboration, S. Acharya *et al.*, “Production of charged pions, kaons, and (anti-)protons in Pb–Pb and inelastic pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV”, *Phys. Rev. C* **101** (2020) 044907, arXiv:1910.07678 [nucl-ex].
- [41] **GEANT4** Collaboration, S. Agostinelli *et al.*, “GEANT4—a simulation toolkit”, *Nucl. Instrum. Meth. A* **506** (2003) 250–303.
- [42] K. S. Cranmer, “Kernel estimation in high-energy physics”, *Comput. Phys. Commun.* **136** (2001) 198–207, arXiv:hep-ex/0011057.
- [43] W. Verkerke and D. P. Kirkby, “The RooFit toolkit for data modeling”, *eConf C0303241* (2003) MOLT007, arXiv:physics/0306116.
- [44] **ALICE** Collaboration, S. Acharya *et al.*, “Measurement of ${}^3\overline{\text{He}}$ nuclei absorption in matter and impact on their propagation in the Galaxy”, *Nature Phys.* **19** (2023) 61–71, arXiv:2202.01549 [nucl-ex].
- [45] M. V. Evlanov, A. M. Sokolov, V. K. Tartakovsky, S. A. Khorozov, and Y. Lukstins, “Interaction of hypertritons with nuclei at high-energies”, *Nucl. Phys. A* **632** (1998) 624–632.
- [46] **ALICE** Collaboration, “Quarkonium signal extraction in ALICE”, *ALICE-PUBLIC-2015-006* (2015). <https://cds.cern.ch/record/2060096>.
- [47] P. J. Mohr, D. B. Newell, and B. N. Taylor, “CODATA Recommended Values of the Fundamental Physical Constants: 2014”, *Rev. Mod. Phys.* **88** (2016) 035009, arXiv:1507.07956 [physics.atom-ph].
- [48] **Particle Data Group** Collaboration, P. Zyla *et al.*, “Review of Particle Physics”, *PTEP* **2020** (2020) 083C01.
- [49] M. Rayet and R. H. Dalitz, “Lifetime of ${}^3\text{H}_\nu$ ”, *Nuovo Cim. A* **46** (1966) 786–794.
- [50] R. J. Prem and P. H. Steinberg, “Lifetimes of hypernuclei, ${}_\Lambda\text{H}^3$, ${}_\Lambda\text{H}^4$, ${}_\Lambda\text{H}^5$ ”, *Phys. Rev.* **136** (Dec, 1964) B1803–B1806. <https://link.aps.org/doi/10.1103/PhysRev.136.B1803>.
- [51] G. Keyes, M. Derrick, T. Fields, L. G. Hyman, J. G. Fetkovich, J. McKenzie, B. Riley, and I. T. Wang, “New Measurement of the ${}_\Lambda\text{H}^3$ Lifetime”, *Phys. Rev. Lett.* **20** (1968) 819–821.
- [52] R. E. Phillips and J. Schneps, “Lifetimes of light hyperfragments. ii”, *Phys. Rev.* **180** (1969) 1307–1318.

- [53] G. Bohm *et al.*, “On the lifetime of the ${}^3_{\Lambda}\text{H}$ hypernucleus”, *Nucl. Phys. B* **16** (1970) 46–52.
[Erratum: *Nucl.Phys.B* 16, 523–523 (1970)].
- [54] G. Keyes, M. Derrick, T. Fields, L. G. Hyman, J. G. Fetkovich, J. Mckenzie, B. Riley, and I. T. Wang, “Properties of ${}_{\Lambda}\text{H}^3$ ”, *Phys. Rev. D* **1** (1970) 66–77.
- [55] G. Keyes, J. Sacton, J. H. Wickens, and M. M. Block, “A measurement of the lifetime of the ${}^3_{\Lambda}\text{H}$ hypernucleus”, *Nucl. Phys. B* **67** (1973) 269–283.
- [56] Y. Prakash, P. H. Steinberg, D. Chandler, and R. J. Prem, “On the binding energies of mesic hypernuclei”, *Il Nuovo Cimento (1955-1965)* **21** (1961) 235–248.
- [57] R. G. Ammar, W. Dunn, and M. Holland, “On the Spin and Binding of ${}^3_{\Lambda}\text{H}$ ”, *Il Nuovo Cimento (1955-1965)* **26** (1962) 840–843.
- [58] C. Mayeur, *et al.*, “A determination of the b_{λ} values of light hypernuclei”, *Il Nuovo Cimento A (1971-1996)* **43** (1966) 180–192.
- [59] W. Gajewski *et al.*, “A compilation of binding energy values of light hypernuclei”, *Nucl. Phys. B* **1** (1967) 105–113.
- [60] G. Bohm *et al.*, “A determination of the binding-energy values of light hypernuclei”, *Nucl. Phys. B* **4** (1968) 511–526.
- [61] M. Juric *et al.*, “A new determination of the binding-energy values of the light hypernuclei ($A \leq 15$)”, *Nucl. Phys. B* **52** (1973) 1–30.
- [62] J. G. Congleton, “A Simple model of the hypertriton”, *J. Phys. G* **18** (1992) 339–357.
- [63] R. H. Dalitz, R. C. Herndon, and Y. C. Tang, “Phenomenological study of s-shell hypernuclei with ΛN and ΛNN potentials”, *Nucl. Phys. B* **47** (1972) 109–137.
- [64] Y. Fujiwara, Y. Suzuki, M. Kohno, and K. Miyagawa, “Addendum: Triton and hypertriton binding energies calculated from SU(6) quark-model baryon-baryon interactions”, *Phys. Rev. C* **77** (2008) 027001, arXiv:0710.0047 [nucl-th].

A Additional Figures




Figure A.1: Distribution of the invariant mass of the ${}^3_{\Lambda}\text{H}$ and ${}^3_{\Lambda}\bar{\text{H}}$ candidates in nine ct intervals from 1 to 35 cm. The statistical uncertainties of the bin counts are represented with vertical lines. The distribution is fitted with a two-component model; the blue line depicts the overall fit, and the orange dashed line displays the background component.




Figure A.2: Reconstruction shift δ_{MC} observed in the MC as a function of the proper decay length. The statistical uncertainties are represented with vertical lines. The value of δ_{MC} increases with the distance travelled by the ${}^3_{\Lambda}\text{H}$ candidates before decaying.

B The ALICE Collaboration

S. Acharya ¹²⁴, D. Adamová ⁸⁶, A. Adler⁶⁹, G. Aglieri Rinella ³², M. Agnello ²⁹, N. Agrawal ⁵⁰, Z. Ahammed ¹³¹, S. Ahmad ¹⁵, S.U. Ahn ⁷⁰, I. Ahuja ³⁷, A. Akindinov ¹³⁹, M. Al-Turany ⁹⁷, D. Aleksandrov ¹³⁹, B. Alessandro ⁵⁵, H.M. Alfanda ⁶, R. Alfaro Molina ⁶⁶, B. Ali ¹⁵, Y. Ali¹³, A. Alici ²⁵, N. Alizadehvandchali ¹¹³, A. Alkin ³², J. Alme ²⁰, G. Alocco ⁵¹, T. Alt ⁶³, I. Altsybeev ¹³⁹, M.N. Anaam ⁶, C. Andrei ⁴⁵, A. Andronic ¹³⁴, V. Angelov ⁹⁴, F. Antinori ⁵³, P. Antonioli ⁵⁰, C. Anuj ¹⁵, N. Apadula ⁷⁴, L. Aphecetche ¹⁰³, H. Appelshäuser ⁶³, C. Arata ⁷³, S. Arcelli ²⁵, M. Aresti ⁵¹, R. Arnaldi ⁵⁵, I.C. Arsene ¹⁹, M. Arslandok ¹³⁶, A. Augustinus ³², R. Averbeck ⁹⁷, M.D. Azmi ¹⁵, A. Badalà ⁵², Y.W. Baek ⁴⁰, X. Bai ¹¹⁷, R. Bailhache ⁶³, Y. Bailung ⁴⁷, R. Bala ⁹¹, A. Balbino ²⁹, A. Baldisseri ¹²⁷, B. Balis ², D. Banerjee ⁴, Z. Banoo ⁹¹, R. Barbera ²⁶, F. Barile ³¹, L. Barioglio ⁹⁵, M. Barlou⁷⁸, G.G. Barnaföldi ¹³⁵, L.S. Barnby ⁸⁵, V. Barret ¹²⁴, L. Barreto ¹⁰⁹, C. Bartels ¹¹⁶, K. Barth ³², E. Bartsch ⁶³, F. Baruffaldi ²⁷, N. Bastid ¹²⁴, S. Basu ⁷⁵, G. Batigne ¹⁰³, D. Battistini ⁹⁵, B. Batyunya ¹⁴⁰, D. Bauri⁴⁶, J.L. Bazo Alba ¹⁰¹, I.G. Bearden ⁸³, C. Beattie ¹³⁶, P. Becht ⁹⁷, D. Behera ⁴⁷, I. Belikov ¹²⁶, A.D.C. Bell Hechavarria ¹³⁴, F. Bellini ²⁵, R. Bellwied ¹¹³, S. Belokurova ¹³⁹, V. Belyaev ¹³⁹, G. Bencedi ¹³⁵, S. Beole ²⁴, A. Bercuci ⁴⁵, Y. Berdnikov ¹³⁹, A. Berdnikova ⁹⁴, L. Bergmann ⁹⁴, M.G. Besoiu ⁶², L. Betev ³², P.P. Bhaduri ¹³¹, A. Bhasin ⁹¹, M.A. Bhat ⁴, B. Bhattacharjee ⁴¹, L. Bianchi ²⁴, N. Bianchi ⁴⁸, J. Bielčák ³⁵, J. Bielčáková ⁸⁶, J. Biernat ¹⁰⁶, A.P. Bigot ¹²⁶, A. Bilandzic ⁹⁵, G. Biro ¹³⁵, S. Biswas ⁴, N. Bize ¹⁰³, J.T. Blair ¹⁰⁷, D. Blau ¹³⁹, M.B. Blidaru ⁹⁷, N. Bluhme³⁸, C. Blume ⁶³, G. Boca ^{21,54}, F. Bock ⁸⁷, T. Bodova ²⁰, A. Bogdanov¹³⁹, S. Boi ²², J. Bok ⁵⁷, L. Boldizsár ¹³⁵, A. Bolozdynya ¹³⁹, M. Bombara ³⁷, P.M. Bond ³², G. Bonomi ^{130,54}, H. Borel ¹²⁷, A. Borissov ¹³⁹, A.G. Borquez Carcamo ⁹⁴, H. Bossi ¹³⁶, E. Botta ²⁴, Y.E.M. Bouziani ⁶³, L. Bratrud ⁶³, P. Braun-Munzinger ⁹⁷, M. Bregant ¹⁰⁹, M. Broz ³⁵, G.E. Bruno ^{96,31}, M.D. Buckland ¹¹⁶, D. Budnikov ¹³⁹, H. Buesching ⁶³, S. Bufalino ²⁹, O. Bugnon ¹⁰³, P. Buhler ¹⁰², Z. Buthelezi ^{67,120}, J.B. Butt¹³, S.A. Bysiak¹⁰⁶, M. Cai ⁶, H. Caines ¹³⁶, A. Caliva ⁹⁷, E. Calvo Villar ¹⁰¹, J.M.M. Camacho ¹⁰⁸, P. Camerini ²³, F.D.M. Canedo ¹⁰⁹, M. Carabas ¹²³, A.A. Carballo ³², F. Carnesecchi ³², R. Caron ¹²⁵, J. Castillo Castellanos ¹²⁷, F. Catalano ^{24,29}, C. Ceballos Sanchez ¹⁴⁰, I. Chakaberia ⁷⁴, P. Chakraborty ⁴⁶, S. Chandra ¹³¹, S. Chapeland ³², M. Chartier ¹¹⁶, S. Chattopadhyay ¹³¹, S. Chattopadhyay ⁹⁹, T.G. Chavez ⁴⁴, T. Cheng ^{97,6}, C. Cheshkov ¹²⁵, B. Cheynis ¹²⁵, V. Chibante Barroso ³², D.D. Chinellato ¹¹⁰, E.S. Chizzali ^{II,95}, J. Cho ⁵⁷, S. Cho ⁵⁷, P. Chochula ³², P. Christakoglou ⁸⁴, C.H. Christensen ⁸³, P. Christiansen ⁷⁵, T. Chujo ¹²², M. Ciacco ²⁹, C. Cicalo ⁵¹, L. Cifarelli ²⁵, F. Cindolo ⁵⁰, M.R. Ciupek⁹⁷, G. Clai^{III,50}, F. Colamaria ⁴⁹, J.S. Colburn¹⁰⁰, D. Colella ^{96,31}, M. Colocci ³², M. Concas ^{IV,55}, G. Conesa Balbastre ⁷³, Z. Conesa del Valle ⁷², G. Contin ²³, J.G. Contreras ³⁵, M.L. Coquet ¹²⁷, T.M. Cormier^{I,87}, P. Cortese ^{129,55}, M.R. Cosentino ¹¹¹, F. Costa ³², S. Costanza ^{21,54}, J. Crkovská ⁹⁴, P. Crochet ¹²⁴, R. Cruz-Torres ⁷⁴, E. Cuautle⁶⁴, P. Cui ⁶, L. Cunqueiro ⁸⁷, A. Dainese ⁵³, M.C. Danisch ⁹⁴, A. Danu ⁶², P. Das ⁸⁰, P. Das ⁴, S. Das ⁴, A.R. Dash ¹³⁴, S. Dash ⁴⁶, A. De Caro ²⁸, G. de Cataldo ⁴⁹, J. de Cuveland³⁸, A. De Falco ²², D. De Gruttola ²⁸, N. De Marco ⁵⁵, C. De Martin ²³, S. De Pasquale ²⁸, S. Deb ⁴⁷, R.J. Debski ², K.R. Deja ¹³², R. Del Grande ⁹⁵, L. Dello Stritto ²⁸, W. Deng ⁶, P. Dhankher ¹⁸, D. Di Bari ³¹, A. Di Mauro ³², R.A. Diaz ^{140,7}, T. Dietel ¹¹², Y. Ding ^{125,6}, R. Divià ³², D.U. Dixit ¹⁸, Ø. Djuvsland²⁰, U. Dmitrieva ¹³⁹, A. Dobrin ⁶², B. Dönigus ⁶³, A.K. Dubey ¹³¹, J.M. Dubinski¹³², A. Dubla ⁹⁷, S. Dudi ⁹⁰, P. Dupieux ¹²⁴, M. Durkac ¹⁰⁵, N. Dzalaiova¹², T.M. Eder ¹³⁴, R.J. Ehlers ⁸⁷, V.N. Eikeland²⁰, F. Eisenhut ⁶³, D. Elia ⁴⁹, B. Erasmus ¹⁰³, F. Ercolessi ²⁵, F. Erhardt ⁸⁹, M.R. Ersdal²⁰, B. Espagnon ⁷², G. Eulisse ³², D. Evans ¹⁰⁰, S. Evdokimov ¹³⁹, L. Fabbietti ⁹⁵, M. Faggin ²⁷, J. Faivre ⁷³, F. Fan ⁶, W. Fan ⁷⁴, A. Fantoni ⁴⁸, M. Fasel ⁸⁷, P. Fedchio²⁹, A. Feliciello ⁵⁵, G. Feofilov ¹³⁹, A. Fernández Téllez ⁴⁴, M.B. Ferrer ³², A. Ferrero ¹²⁷, C. Ferrero ⁵⁵, A. Ferretti ²⁴, V.J.G. Feuillard ⁹⁴, V. Filova³⁵, D. Finogeev ¹³⁹, F.M. Fionda ⁵¹, F. Flor ¹¹³, A.N. Flores ¹⁰⁷, S. Foertsch ⁶⁷, I. Fokin ⁹⁴, S. Fokin ¹³⁹, E. Fragiaco ⁵⁶, E. Frajna ¹³⁵, U. Fuchs ³², N. Funicello ²⁸, C. Furget ⁷³, A. Furs ¹³⁹, T. Fusayasu ⁹⁸, J.J. Gaardhøje ⁸³, M. Gagliardi ²⁴, A.M. Gago ¹⁰¹, C.D. Galvan ¹⁰⁸, D.R. Gangadharan ¹¹³, P. Ganoti ⁷⁸, C. Garabatos ⁹⁷, J.R.A. Garcia ⁴⁴, E. Garcia-Solis ⁹, K. Garg ¹⁰³, C. Gargiulo ³², A. Garibli⁸¹, K. Garner¹³⁴, P. Gasik ⁹⁷, A. Gautam ¹¹⁵, M.B. Gay Ducati ⁶⁵, M. Germain ¹⁰³, C. Ghosh¹³¹, S.K. Ghosh⁴, M. Giacalone ²⁵, P. Giubellino ^{97,55}, P. Giubilato ²⁷, A.M.C. Glaenger ¹²⁷, P. Glässel ⁹⁴, E. Glimos¹¹⁹, D.J.Q. Goh⁷⁶, V. Gonzalez ¹³³, L.H. González-Trueba ⁶⁶, M. Gorgon ², S. Gotovac³³, V. Grabski ⁶⁶, L.K. Graczykowski ¹³², E. Grecka ⁸⁶, A. Grelli ⁵⁸, C. Grigoras ³², V. Grigoriev ¹³⁹, S. Grigoryan ^{140,1}, F. Grosa ³², J.F. Grosse-Oetringhaus ³², R. Grosso ⁹⁷, D. Grund ³⁵, G.G. Guardiano ¹¹⁰, R. Guernane ⁷³,

M. Guilbaud ¹⁰³, K. Gulbrandsen ⁸³, T. Gundem ⁶³, T. Gunji ¹²¹, W. Guo ⁶, A. Gupta ⁹¹, R. Gupta ⁹¹,
 S.P. Guzman ⁴⁴, L. Gyulai ¹³⁵, M.K. Habib ⁹⁷, C. Hadjidakis ⁷², H. Hamagaki ⁷⁶, A. Hamdi ⁷⁴,
 M. Hamid ⁶, Y. Han ¹³⁷, R. Hannigan ¹⁰⁷, M.R. Haque ¹³², J.W. Harris ¹³⁶, A. Harton ⁹, H. Hassan ⁸⁷,
 D. Hatzifotiadou ⁵⁰, P. Hauer ⁴², L.B. Havener ¹³⁶, S.T. Heckel ⁹⁵, E. Hellbär ⁹⁷, H. Helstrup ³⁴,
 M. Hemmer ⁶³, T. Herman ³⁵, G. Herrera Corral ⁸, F. Herrmann ¹³⁴, S. Herrmann ¹²⁵, K.F. Hetland ³⁴,
 B. Heybeck ⁶³, H. Hillemanns ³², C. Hills ¹¹⁶, B. Hippolyte ¹²⁶, B. Hofman ⁵⁸, B. Hohlweger ⁸⁴,
 J. Honermann ¹³⁴, G.H. Hong ¹³⁷, M. Horst ⁹⁵, A. Horzyk ², R. Hosokawa ¹⁴, Y. Hou ⁶, P. Hristov ³²,
 C. Hughes ¹¹⁹, P. Huhn ⁶³, L.M. Huhta ¹¹⁴, C.V. Hulse ⁷², T.J. Humanic ⁸⁸, H. Hushnud ⁹⁹, A. Hutson ¹¹³,
 D. Hutter ³⁸, J.P. Iddon ¹¹⁶, R. Ilkaev ¹³⁹, H. Ilyas ¹³, M. Inaba ¹²², G.M. Innocenti ³², M. Ippolitov ¹³⁹,
 A. Isakov ⁸⁶, T. Isidori ¹¹⁵, M.S. Islam ⁹⁹, M. Ivanov ⁹⁷, M. Ivanov ¹², V. Ivanov ¹³⁹, V. Izucheev ¹³⁹,
 M. Jablonski ², B. Jacak ⁷⁴, N. Jacazio ³², P.M. Jacobs ⁷⁴, S. Jadlovská ¹⁰⁵, J. Jadlovsky ¹⁰⁵, S. Jaelani ⁸²,
 L. Jaffe ³⁸, C. Jahnke ¹¹⁰, M.J. Jakubowska ¹³², M.A. Janik ¹³², T. Janson ⁶⁹, M. Jercic ⁸⁹, A.A.P. Jimenez ⁶⁴,
 F. Jonas ⁸⁷, P.G. Jones ¹⁰⁰, J.M. Jowett ^{32,97}, J. Jung ⁶³, M. Jung ⁶³, A. Junique ³², A. Jusko ¹⁰⁰,
 M.J. Kabus ^{32,132}, J. Kaewjai ¹⁰⁴, P. Kalinak ⁵⁹, A.S. Kalteyer ⁹⁷, A. Kalweit ³², V. Kaplin ¹³⁹, A. Karasu
 Uysal ⁷¹, D. Karatovic ⁸⁹, O. Karavichev ¹³⁹, T. Karavicheva ¹³⁹, P. Karczmarczyk ¹³²,
 E. Karpechev ¹³⁹, V. Kashyap ⁸⁰, U. Kebschull ⁶⁹, R. Keidel ¹³⁸, D.L.D. Keijdener ⁵⁸, M. Keil ³²,
 B. Ketzer ⁴², A.M. Khan ⁶, S. Khan ¹⁵, A. Khanzadeev ¹³⁹, Y. Kharlov ¹³⁹, A. Khatun ¹⁵,
 A. Khuntia ¹⁰⁶, B. Kileng ³⁴, B. Kim ¹⁶, C. Kim ¹⁶, D.J. Kim ¹¹⁴, E.J. Kim ⁶⁸, J. Kim ¹³⁷,
 J.S. Kim ⁴⁰, J. Kim ⁹⁴, J. Kim ⁶⁸, M. Kim ^{18,94}, S. Kim ¹⁷, T. Kim ¹³⁷, K. Kimura ⁹², S. Kirsch ⁶³,
 I. Kisel ³⁸, S. Kiselev ¹³⁹, A. Kisiel ¹³², J.P. Kitowski ², J.L. Klay ⁵, J. Klein ³², S. Klein ⁷⁴,
 C. Klein-Bösing ¹³⁴, M. Kleiner ⁶³, T. Klemenz ⁹⁵, A. Kluge ³², A.G. Knospe ¹¹³, C. Kobdaj ¹⁰⁴,
 T. Kollegger ⁹⁷, A. Kondratyev ¹⁴⁰, E. Kondratyuk ¹³⁹, J. Konig ⁶³, S.A. Konigstorfer ⁹⁵, P.J. Konopka ³²,
 G. Kornakov ¹³², S.D. Koryciak ², A. Kotliarov ⁸⁶, V. Kovalenko ¹³⁹, M. Kowalski ¹⁰⁶,
 V. Kozuharov ³⁶, I. Králik ⁵⁹, A. Kravčáková ³⁷, L. Kreis ⁹⁷, M. Krivda ^{100,59}, F. Krizek ⁸⁶,
 K. Krizkova Gajdosova ³⁵, M. Kroesen ⁹⁴, M. Krüger ⁶³, D.M. Krupova ³⁵, E. Kryshen ¹³⁹,
 V. Kučera ³², C. Kuhn ¹²⁶, P.G. Kuijper ⁸⁴, T. Kumaoka ¹²², D. Kumar ¹³¹, L. Kumar ⁹⁰, N. Kumar ⁹⁰,
 S. Kumar ³¹, S. Kundu ³², P. Kurashvili ⁷⁹, A. Kurepin ¹³⁹, A.B. Kurepin ¹³⁹, S. Kushpil ⁸⁶,
 J. Kvapil ¹⁰⁰, M.J. Kweon ⁵⁷, J.Y. Kwon ⁵⁷, Y. Kwon ¹³⁷, S.L. La Pointe ³⁸, P. La Rocca ²⁶, Y.S. Lai ⁷⁴,
 A. Lakrathok ¹⁰⁴, M. Lamanna ³², R. Langoy ¹¹⁸, P. Larionov ³², E. Laudi ³², L. Lautner ^{32,95},
 R. Lavicka ¹⁰², T. Lazareva ¹³⁹, R. Lea ^{130,54}, G. Legras ¹³⁴, J. Lehrbach ³⁸, R.C. Lemmon ⁸⁵, I. León
 Monzón ¹⁰⁸, M.M. Lesch ⁹⁵, E.D. Lesser ¹⁸, M. Lettrich ⁹⁵, P. Lévai ¹³⁵, X. Li ¹⁰, X.L. Li ⁶, J. Lien ¹¹⁸,
 R. Lietava ¹⁰⁰, B. Lim ^{24,16}, S.H. Lim ¹⁶, V. Lindenstruth ³⁸, A. Lindner ⁴⁵, C. Lippmann ⁹⁷, A. Liu ¹⁸,
 D.H. Liu ⁶, J. Liu ¹¹⁶, I.M. Lofnes ²⁰, C. Loizides ⁸⁷, P. Loncar ³³, J.A. Lopez ⁹⁴, X. Lopez ¹²⁴,
 E. López Torres ⁷, P. Lu ^{97,117}, J.R. Luhder ¹³⁴, M. Lunardon ²⁷, G. Luparello ⁵⁶, Y.G. Ma ³⁹,
 A. Maevskaya ¹³⁹, M. Mager ³², T. Mahmoud ⁴², A. Maire ¹²⁶, M.V. Makariev ³⁶, M. Malaev ¹³⁹,
 G. Malfattore ²⁵, N.M. Malik ⁹¹, Q.W. Malik ¹⁹, S.K. Malik ⁹¹, L. Malinina ^{VII,140}, D. Mal'Kevich ¹³⁹,
 D. Mallick ⁸⁰, N. Mallick ⁴⁷, G. Mandaglio ^{30,52}, V. Manko ¹³⁹, F. Manso ¹²⁴, V. Manzari ⁴⁹,
 Y. Mao ⁶, G.V. Margagliotti ²³, A. Margotti ⁵⁰, A. Marín ⁹⁷, C. Markert ¹⁰⁷, P. Martinengo ³²,
 J.L. Martínez ¹¹³, M.I. Martínez ⁴⁴, G. Martínez García ¹⁰³, S. Masciocchi ⁹⁷, M. Masera ²⁴,
 A. Masoni ⁵¹, L. Massacrier ⁷², A. Mastroserio ^{128,49}, A.M. Mathis ⁹⁵, O. Matonoha ⁷⁵,
 P.F.T. Matuoka ¹⁰⁹, A. Matyja ¹⁰⁶, C. Mayer ¹⁰⁶, A.L. Mazuecos ³², F. Mazzaschi ²⁴, M. Mazzilli ³²,
 J.E. Mdhluli ¹²⁰, A.F. Mechler ⁶³, Y. Melikyan ¹³⁹, A. Menchaca-Rocha ⁶⁶, E. Meninno ^{102,28},
 A.S. Menon ¹¹³, M. Meres ¹², S. Mhlanga ^{112,67}, Y. Miake ¹²², L. Micheletti ⁵⁵, L.C. Migliorin ¹²⁵,
 D.L. Mihaylov ⁹⁵, K. Mikhaylov ^{140,139}, A.N. Mishra ¹³⁵, D. Miśkowiec ⁹⁷, A. Modak ⁴,
 A.P. Mohanty ⁵⁸, B. Mohanty ⁸⁰, M. Mohisin Khan ^{V,15}, M.A. Molander ⁴³, Z. Moravcova ⁸³,
 C. Mordasini ⁹⁵, D.A. Moreira De Godoy ¹³⁴, I. Morozov ¹³⁹, A. Morsch ³², T. Mrnjavac ³²,
 V. Muccifora ⁴⁸, S. Muhuri ¹³¹, J.D. Mulligan ⁷⁴, A. Mulliri ²², M.G. Munhoz ¹⁰⁹, R.H. Munzer ⁶³,
 H. Murakami ¹²¹, S. Murray ¹¹², L. Musa ³², J. Musinsky ⁵⁹, J.W. Myrcha ¹³², B. Naik ¹²⁰,
 A.I. Nambrath ¹⁸, B.K. Nandi ⁴⁶, R. Nania ⁵⁰, E. Nappi ⁴⁹, A.F. Nassirpour ⁷⁵, A. Nath ⁹⁴,
 C. Nattrass ¹¹⁹, M.N. Naydenov ³⁶, A. Neagu ¹⁹, A. Negru ¹²³, L. Nellen ⁶⁴, S.V. Nesbo ³⁴, G. Neskovic ³⁸,
 D. Nesterov ¹³⁹, B.S. Nielsen ⁸³, E.G. Nielsen ⁸³, S. Nikolaev ¹³⁹, S. Nikulin ¹³⁹, V. Nikulin ¹³⁹,
 F. Noferini ⁵⁰, S. Noh ¹¹, P. Nomokonov ¹⁴⁰, J. Norman ¹¹⁶, N. Novitzky ¹²², P. Nowakowski ¹³²,
 A. Nyanin ¹³⁹, J. Nystrand ²⁰, M. Ogino ⁷⁶, A. Ohlson ⁷⁵, V.A. Okorokov ¹³⁹, J. Oleniacz ¹³²,
 A.C. Oliveira Da Silva ¹¹⁹, M.H. Oliver ¹³⁶, A. Onnerstad ¹¹⁴, C. Oppedisano ⁵⁵, A. Ortiz Velasquez ⁶⁴,
 A. Oskarsson ⁷⁵, J. Otwinowski ¹⁰⁶, M. Oya ⁹², K. Oyama ⁷⁶, Y. Pachmayer ⁹⁴, S. Padhan ⁴⁶,
 D. Pagano ^{130,54}, G. Paic ⁶⁴, A. Palasciano ⁴⁹, S. Panebianco ¹²⁷, H. Park ¹²², J. Park ⁵⁷,

J.E. Parkkila ³², R.N. Patra⁹¹, B. Paul ²², H. Pei ⁶, T. Peitzmann ⁵⁸, X. Peng ⁶, M. Pennisi ²⁴, L.G. Pereira ⁶⁵, H. Pereira Da Costa ¹²⁷, D. Peresunko ¹³⁹, G.M. Perez ⁷, S. Perrin ¹²⁷, Y. Pestov¹³⁹, V. Petráček ³⁵, V. Petrov ¹³⁹, M. Petrovici ⁴⁵, R.P. Pezzi ^{103,65}, S. Piano ⁵⁶, M. Pikna ¹², P. Pillot ¹⁰³, O. Pinazza ^{50,32}, L. Pinsky¹¹³, C. Pinto ⁹⁵, S. Pisano ⁴⁸, M. Płoskoń ⁷⁴, M. Planinic⁸⁹, F. Pliquett⁶³, M.G. Poghosyan ⁸⁷, S. Politano ²⁹, N. Poljak ⁸⁹, A. Pop ⁴⁵, S. Porteboeuf-Houssais ¹²⁴, J. Porter ⁷⁴, V. Pozdniakov ¹⁴⁰, K.K. Pradhan ⁴⁷, S.K. Prasad ⁴, S. Prasad ⁴⁷, R. Preghenella ⁵⁰, F. Prino ⁵⁵, C.A. Pruneau ¹³³, I. Pshenichnov ¹³⁹, M. Puccio ³², S. Pucillo ²⁴, Z. Pugelova¹⁰⁵, S. Qiu ⁸⁴, L. Quaglia ²⁴, R.E. Quishpe¹¹³, S. Ragoni ^{14,100}, A. Rakotozafindrabe ¹²⁷, L. Ramello ^{129,55}, F. Rami ¹²⁶, S.A.R. Ramirez ⁴⁴, T.A. Rancien⁷³, M. Rasa ²⁶, S.S. Räsänen ⁴³, R. Rath ^{50,47}, M.P. Rauch ²⁰, I. Ravasenga ⁸⁴, K.F. Read ^{87,119}, C. Reckziegel ¹¹¹, A.R. Redelbach ³⁸, K. Redlich ^{VI,79}, A. Rehman²⁰, F. Reidt ³², H.A. Reme-Ness ³⁴, Z. Rescakova³⁷, K. Reysers ⁹⁴, A. Riabov ¹³⁹, V. Riabov ¹³⁹, R. Ricci ²⁸, T. Richert⁷⁵, M. Richter ¹⁹, A.A. Riedel ⁹⁵, W. Riegler ³², C. Ristea ⁶², M. Rodríguez Cahuantzi ⁴⁴, K. Røed ¹⁹, R. Rogalev ¹³⁹, E. Rogochaya ¹⁴⁰, T.S. Rogoschinski ⁶³, D. Rohr ³², D. Röhrich ²⁰, P.F. Rojas⁴⁴, S. Rojas Torres ³⁵, P.S. Rokita ¹³², G. Romanenko ¹⁴⁰, F. Ronchetti ⁴⁸, A. Rosano ^{30,52}, E.D. Rosas⁶⁴, A. Rossi ⁵³, A. Roy ⁴⁷, P. Roy⁹⁹, S. Roy⁴⁶, N. Rubini ²⁵, O.V. Rueda ^{113,75}, D. Ruggiano ¹³², R. Rui ²³, B. Rumyantsev¹⁴⁰, P.G. Russek ², R. Russo ⁸⁴, A. Rustamov ⁸¹, E. Ryabinkin ¹³⁹, Y. Ryabov ¹³⁹, A. Rybicki ¹⁰⁶, H. Rytkonen ¹¹⁴, W. Rzesza ¹³², O.A.M. Saarimaki ⁴³, R. Sadek ¹⁰³, S. Sadhu ³¹, S. Sadovsky ¹³⁹, J. Saetre ²⁰, K. Šafařík ³⁵, S.K. Saha ⁴, S. Saha ⁸⁰, B. Sahoo ⁴⁶, R. Sahoo ⁴⁷, S. Sahoo⁶⁰, D. Sahu ⁴⁷, P.K. Sahu ⁶⁰, J. Saini ¹³¹, K. Sajdakova³⁷, S. Sakai ¹²², M.P. Salvan ⁹⁷, S. Sambyal ⁹¹, I. Sanna ^{32,95}, T.B. Saramela¹⁰⁹, D. Sarkar ¹³³, N. Sarkar¹³¹, P. Sarma⁴¹, V. Sarritzu ²², V.M. Sarti ⁹⁵, M.H.P. Sas ¹³⁶, J. Schambach ⁸⁷, H.S. Scheid ⁶³, C. Schiaua ⁴⁵, R. Schicker ⁹⁴, A. Schmah⁹⁴, C. Schmidt ⁹⁷, H.R. Schmidt⁹³, M.O. Schmidt ³², M. Schmidt⁹³, N.V. Schmidt ⁸⁷, A.R. Schmier ¹¹⁹, R. Schotter ¹²⁶, A. Schröter ³⁸, J. Schukraft ³², K. Schwarz⁹⁷, K. Schweda ⁹⁷, G. Scioli ²⁵, E. Scomparin ⁵⁵, J.E. Seger ¹⁴, Y. Sekiguchi¹²¹, D. Sekihata ¹²¹, I. Selyuzhenkov ^{97,139}, S. Senyukov ¹²⁶, J.J. Seo ⁵⁷, D. Serebryakov ¹³⁹, L. Šerkšnytė ⁹⁵, A. Sevcenco ⁶², T.J. Shaba ⁶⁷, A. Shabetai ¹⁰³, R. Shahoyan³², A. Shangaraev ¹³⁹, A. Sharma⁹⁰, D. Sharma ⁴⁶, H. Sharma ¹⁰⁶, M. Sharma ⁹¹, N. Sharma⁹⁰, S. Sharma ⁷⁶, S. Sharma ⁹¹, U. Sharma ⁹¹, A. Shatat ⁷², O. Sheibani¹¹³, K. Shigaki ⁹², M. Shimomura⁷⁷, J. Shin¹¹, S. Shirinkin ¹³⁹, Q. Shou ³⁹, Y. Sibiriak ¹³⁹, S. Siddhanta ⁵¹, T. Siemiarzczuk ⁷⁹, T.F. Silva ¹⁰⁹, D. Silvermyr ⁷⁵, T. Simantathammakul¹⁰⁴, R. Simeonov ³⁶, B. Singh⁹¹, B. Singh ⁹⁵, R. Singh ⁸⁰, R. Singh ⁹¹, R. Singh ⁴⁷, S. Singh ¹⁵, V.K. Singh ¹³¹, V. Singhal ¹³¹, T. Sinha ⁹⁹, B. Sitar ¹², M. Sitta ^{129,55}, T.B. Skaali¹⁹, G. Skorodumovs ⁹⁴, M. Slupecki ⁴³, N. Smirnov ¹³⁶, R.J.M. Snellings ⁵⁸, E.H. Solheim ¹⁹, J. Song ¹¹³, A. Songmoolnak¹⁰⁴, F. Soramel ²⁷, R. Spijkers ⁸⁴, I. Sputowska ¹⁰⁶, J. Staa ⁷⁵, J. Stachel ⁹⁴, I. Stan ⁶², P.J. Steffanic ¹¹⁹, S.F. Stiefelmaier ⁹⁴, D. Stocco ¹⁰³, I. Storehaug ¹⁹, P. Stratmann ¹³⁴, S. Strazzi ²⁵, C.P. Stylianidis⁸⁴, A.A.P. Suaide ¹⁰⁹, C. Suire ⁷², M. Sukhanov ¹³⁹, M. Suljic ³², R. Sultanov ¹³⁹, V. Sumberia ⁹¹, S. Sumowidagdo ⁸², S. Swain⁶⁰, I. Szarka ¹², U. Tabassam¹³, S.F. Taghavi ⁹⁵, G. Taillepied ⁹⁷, J. Takahashi ¹¹⁰, G.J. Tambave ²⁰, S. Tang ^{124,6}, Z. Tang ¹¹⁷, J.D. Tapia Takaki ¹¹⁵, N. Tapus¹²³, L.A. Tarasovicova ¹³⁴, M.G. Tarzila ⁴⁵, G.F. Tassielli ³¹, A. Tauro ³², A. Telesca ³², L. Terlizzi ²⁴, C. Terrevoli ¹¹³, G. Tersimonov³, S. Thakur ⁴, D. Thomas ¹⁰⁷, A. Tikhonov ¹³⁹, A.R. Timmins ¹¹³, M. Tkacik¹⁰⁵, T. Tkacik ¹⁰⁵, A. Toia ⁶³, R. Tokumoto⁹², N. Topilskaya ¹³⁹, M. Toppi ⁴⁸, F. Torres-Acosta¹⁸, T. Tork ⁷², A.G. Torres Ramos ³¹, A. Trifiró ^{30,52}, A.S. Triolo ^{30,52}, S. Tripathy ⁵⁰, T. Tripathy ⁴⁶, S. Trogolo ³², V. Trubnikov ³, W.H. Trzaska ¹¹⁴, T.P. Trzcinski ¹³², R. Turrisi ⁵³, T.S. Tveter ¹⁹, K. Ullaland ²⁰, B. Ulukutlu ⁹⁵, A. Uras ¹²⁵, M. Urioni ^{54,130}, G.L. Usai ²², M. Vala³⁷, N. Valle ²¹, L.V.R. van Doremalen⁵⁸, M. van Leeuwen ⁸⁴, C.A. van Veen ⁹⁴, R.J.G. van Weelden ⁸⁴, P. Vande Vyvre ³², D. Varga ¹³⁵, Z. Varga ¹³⁵, M. Varga-Kofarago ¹³⁵, M. Vasileiou ⁷⁸, A. Vasiliev ¹³⁹, O. Vázquez Doce ⁴⁸, V. Vechnin ¹³⁹, E. Vercellin ²⁴, S. Vergara Limón⁴⁴, L. Vermunt ⁹⁷, R. Vértesi ¹³⁵, M. Verweij ⁵⁸, L. Vickovic³³, Z. Vilakazi¹²⁰, O. Villalobos Baillie ¹⁰⁰, G. Vino ⁴⁹, A. Vinogradov ¹³⁹, T. Virgili ²⁸, V. Vislavicius⁸³, A. Vodopyanov ¹⁴⁰, B. Volkel ³², M.A. Völkl ⁹⁴, K. Voloshin¹³⁹, S.A. Voloshin ¹³³, G. Volpe ³¹, B. von Haller ³², I. Vorobyev ⁹⁵, N. Vozniuk ¹³⁹, J. Vrláková ³⁷, B. Wagner²⁰, C. Wang ³⁹, D. Wang³⁹, A. Wegrzynek ³², F.T. Weiglhofer³⁸, S.C. Wenzel ³², J.P. Wessels ¹³⁴, S.L. Weyhmiller ¹³⁶, J. Wiechula ⁶³, J. Wikne ¹⁹, G. Wilk ⁷⁹, J. Wilkinson ⁹⁷, G.A. Willems ¹³⁴, B. Windelband⁹⁴, M. Winn ¹²⁷, J.R. Wright ¹⁰⁷, W. Wu³⁹, Y. Wu ¹¹⁷, R. Xu ⁶, A. Yadav ⁴², A.K. Yadav ¹³¹, S. Yalcin ⁷¹, Y. Yamaguchi⁹², K. Yamakawa⁹², S. Yang²⁰, S. Yano ⁹², Z. Yin ⁶, I.-K. Yoo ¹⁶, J.H. Yoon ⁵⁷, S. Yuan²⁰, A. Yuncu ⁹⁴, V. Zaccolo ²³, C. Zampolli ³², H.J.C. Zanoli⁵⁸, F. Zanone ⁹⁴, N. Zardoshti ^{32,100}, A. Zarochentsev ¹³⁹, P. Závada ⁶¹, N. Zaviyalov¹³⁹,

M. Zhalov¹³⁹, B. Zhang⁶, L. Zhang³⁹, S. Zhang³⁹, X. Zhang⁶, Y. Zhang¹¹⁷, Z. Zhang⁶,
 M. Zhao¹⁰, V. Zhrebchevskii¹³⁹, Y. Zhi¹⁰, N. Zhigareva¹³⁹, D. Zhou⁶, Y. Zhou⁸³, J. Zhu^{97,6},
 Y. Zhu⁶, G. Zinoviev^{1,3}, S.C. Zugravel⁵⁵, N. Zurlo^{130,54}

Affiliation Notes

^I Deceased

^{II} Also at: Max-Planck-Institut für Physik, Munich, Germany

^{III} Also at: Italian National Agency for New Technologies, Energy and Sustainable Economic Development (ENEA), Bologna, Italy

^{IV} Also at: Dipartimento DET del Politecnico di Torino, Turin, Italy

^V Also at: Department of Applied Physics, Aligarh Muslim University, Aligarh, India

^{VI} Also at: Institute of Theoretical Physics, University of Wrocław, Poland

^{VII} Also at: An institution covered by a cooperation agreement with CERN

Collaboration Institutes

¹ A.I. Alikhanyan National Science Laboratory (Yerevan Physics Institute) Foundation, Yerevan, Armenia

² AGH University of Science and Technology, Cracow, Poland

³ Bogolyubov Institute for Theoretical Physics, National Academy of Sciences of Ukraine, Kiev, Ukraine

⁴ Bose Institute, Department of Physics and Centre for Astroparticle Physics and Space Science (CAPSS), Kolkata, India

⁵ California Polytechnic State University, San Luis Obispo, California, United States

⁶ Central China Normal University, Wuhan, China

⁷ Centro de Aplicaciones Tecnológicas y Desarrollo Nuclear (CEADEN), Havana, Cuba

⁸ Centro de Investigación y de Estudios Avanzados (CINVESTAV), Mexico City and Mérida, Mexico

⁹ Chicago State University, Chicago, Illinois, United States

¹⁰ China Institute of Atomic Energy, Beijing, China

¹¹ Chungbuk National University, Cheongju, Republic of Korea

¹² Comenius University Bratislava, Faculty of Mathematics, Physics and Informatics, Bratislava, Slovak Republic

¹³ COMSATS University Islamabad, Islamabad, Pakistan

¹⁴ Creighton University, Omaha, Nebraska, United States

¹⁵ Department of Physics, Aligarh Muslim University, Aligarh, India

¹⁶ Department of Physics, Pusan National University, Pusan, Republic of Korea

¹⁷ Department of Physics, Sejong University, Seoul, Republic of Korea

¹⁸ Department of Physics, University of California, Berkeley, California, United States

¹⁹ Department of Physics, University of Oslo, Oslo, Norway

²⁰ Department of Physics and Technology, University of Bergen, Bergen, Norway

²¹ Dipartimento di Fisica, Università di Pavia, Pavia, Italy

²² Dipartimento di Fisica dell'Università and Sezione INFN, Cagliari, Italy

²³ Dipartimento di Fisica dell'Università and Sezione INFN, Trieste, Italy

²⁴ Dipartimento di Fisica dell'Università and Sezione INFN, Turin, Italy

²⁵ Dipartimento di Fisica e Astronomia dell'Università and Sezione INFN, Bologna, Italy

²⁶ Dipartimento di Fisica e Astronomia dell'Università and Sezione INFN, Catania, Italy

²⁷ Dipartimento di Fisica e Astronomia dell'Università and Sezione INFN, Padova, Italy

²⁸ Dipartimento di Fisica 'E.R. Caianiello' dell'Università and Gruppo Collegato INFN, Salerno, Italy

²⁹ Dipartimento DISAT del Politecnico and Sezione INFN, Turin, Italy

³⁰ Dipartimento di Scienze MIFT, Università di Messina, Messina, Italy

³¹ Dipartimento Interateneo di Fisica 'M. Merlin' and Sezione INFN, Bari, Italy

³² European Organization for Nuclear Research (CERN), Geneva, Switzerland

³³ Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, University of Split, Split, Croatia

³⁴ Faculty of Engineering and Science, Western Norway University of Applied Sciences, Bergen, Norway

³⁵ Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, Prague, Czech Republic

³⁶ Faculty of Physics, Sofia University, Sofia, Bulgaria

- ³⁷ Faculty of Science, P.J. Šafárik University, Košice, Slovak Republic
³⁸ Frankfurt Institute for Advanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
³⁹ Fudan University, Shanghai, China
⁴⁰ Gangneung-Wonju National University, Gangneung, Republic of Korea
⁴¹ Gauhati University, Department of Physics, Guwahati, India
⁴² Helmholtz-Institut für Strahlen- und Kernphysik, Rheinische Friedrich-Wilhelms-Universität Bonn, Bonn, Germany
⁴³ Helsinki Institute of Physics (HIP), Helsinki, Finland
⁴⁴ High Energy Physics Group, Universidad Autónoma de Puebla, Puebla, Mexico
⁴⁵ Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania
⁴⁶ Indian Institute of Technology Bombay (IIT), Mumbai, India
⁴⁷ Indian Institute of Technology Indore, Indore, India
⁴⁸ INFN, Laboratori Nazionali di Frascati, Frascati, Italy
⁴⁹ INFN, Sezione di Bari, Bari, Italy
⁵⁰ INFN, Sezione di Bologna, Bologna, Italy
⁵¹ INFN, Sezione di Cagliari, Cagliari, Italy
⁵² INFN, Sezione di Catania, Catania, Italy
⁵³ INFN, Sezione di Padova, Padova, Italy
⁵⁴ INFN, Sezione di Pavia, Pavia, Italy
⁵⁵ INFN, Sezione di Torino, Turin, Italy
⁵⁶ INFN, Sezione di Trieste, Trieste, Italy
⁵⁷ Inha University, Incheon, Republic of Korea
⁵⁸ Institute for Gravitational and Subatomic Physics (GRASP), Utrecht University/Nikhef, Utrecht, Netherlands
⁵⁹ Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovak Republic
⁶⁰ Institute of Physics, Homi Bhabha National Institute, Bhubaneswar, India
⁶¹ Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic
⁶² Institute of Space Science (ISS), Bucharest, Romania
⁶³ Institut für Kernphysik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁶⁴ Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, Mexico City, Mexico
⁶⁵ Instituto de Física, Universidade Federal do Rio Grande do Sul (UFRGS), Porto Alegre, Brazil
⁶⁶ Instituto de Física, Universidad Nacional Autónoma de México, Mexico City, Mexico
⁶⁷ iThemba LABS, National Research Foundation, Somerset West, South Africa
⁶⁸ Jeonbuk National University, Jeonju, Republic of Korea
⁶⁹ Johann-Wolfgang-Goethe Universität Frankfurt Institut für Informatik, Fachbereich Informatik und Mathematik, Frankfurt, Germany
⁷⁰ Korea Institute of Science and Technology Information, Daejeon, Republic of Korea
⁷¹ KTO Karatay University, Konya, Turkey
⁷² Laboratoire de Physique des 2 Infinis, Irène Joliot-Curie, Orsay, France
⁷³ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS-IN2P3, Grenoble, France
⁷⁴ Lawrence Berkeley National Laboratory, Berkeley, California, United States
⁷⁵ Lund University Department of Physics, Division of Particle Physics, Lund, Sweden
⁷⁶ Nagasaki Institute of Applied Science, Nagasaki, Japan
⁷⁷ Nara Women's University (NWU), Nara, Japan
⁷⁸ National and Kapodistrian University of Athens, School of Science, Department of Physics, Athens, Greece
⁷⁹ National Centre for Nuclear Research, Warsaw, Poland
⁸⁰ National Institute of Science Education and Research, Homi Bhabha National Institute, Jatni, India
⁸¹ National Nuclear Research Center, Baku, Azerbaijan
⁸² National Research and Innovation Agency - BRIN, Jakarta, Indonesia
⁸³ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
⁸⁴ Nikhef, National institute for subatomic physics, Amsterdam, Netherlands
⁸⁵ Nuclear Physics Group, STFC Daresbury Laboratory, Daresbury, United Kingdom
⁸⁶ Nuclear Physics Institute of the Czech Academy of Sciences, Husinec-Řež, Czech Republic
⁸⁷ Oak Ridge National Laboratory, Oak Ridge, Tennessee, United States
⁸⁸ Ohio State University, Columbus, Ohio, United States
⁸⁹ Physics department, Faculty of science, University of Zagreb, Zagreb, Croatia

- ⁹⁰ Physics Department, Panjab University, Chandigarh, India
⁹¹ Physics Department, University of Jammu, Jammu, India
⁹² Physics Program and International Institute for Sustainability with Knotted Chiral Meta Matter (SKCM2), Hiroshima University, Hiroshima, Japan
⁹³ Physikalisches Institut, Eberhard-Karls-Universität Tübingen, Tübingen, Germany
⁹⁴ Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁹⁵ Physik Department, Technische Universität München, Munich, Germany
⁹⁶ Politecnico di Bari and Sezione INFN, Bari, Italy
⁹⁷ Research Division and ExtreMe Matter Institute EMMI, GSI Helmholtzzentrum für Schwerionenforschung GmbH, Darmstadt, Germany
⁹⁸ Saga University, Saga, Japan
⁹⁹ Saha Institute of Nuclear Physics, Homi Bhabha National Institute, Kolkata, India
¹⁰⁰ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
¹⁰¹ Sección Física, Departamento de Ciencias, Pontificia Universidad Católica del Perú, Lima, Peru
¹⁰² Stefan Meyer Institut für Subatomare Physik (SMI), Vienna, Austria
¹⁰³ SUBATECH, IMT Atlantique, Nantes Université, CNRS-IN2P3, Nantes, France
¹⁰⁴ Suranaree University of Technology, Nakhon Ratchasima, Thailand
¹⁰⁵ Technical University of Košice, Košice, Slovak Republic
¹⁰⁶ The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Cracow, Poland
¹⁰⁷ The University of Texas at Austin, Austin, Texas, United States
¹⁰⁸ Universidad Autónoma de Sinaloa, Culiacán, Mexico
¹⁰⁹ Universidade de São Paulo (USP), São Paulo, Brazil
¹¹⁰ Universidade Estadual de Campinas (UNICAMP), Campinas, Brazil
¹¹¹ Universidade Federal do ABC, Santo Andre, Brazil
¹¹² University of Cape Town, Cape Town, South Africa
¹¹³ University of Houston, Houston, Texas, United States
¹¹⁴ University of Jyväskylä, Jyväskylä, Finland
¹¹⁵ University of Kansas, Lawrence, Kansas, United States
¹¹⁶ University of Liverpool, Liverpool, United Kingdom
¹¹⁷ University of Science and Technology of China, Hefei, China
¹¹⁸ University of South-Eastern Norway, Kongsberg, Norway
¹¹⁹ University of Tennessee, Knoxville, Tennessee, United States
¹²⁰ University of the Witwatersrand, Johannesburg, South Africa
¹²¹ University of Tokyo, Tokyo, Japan
¹²² University of Tsukuba, Tsukuba, Japan
¹²³ University Politehnica of Bucharest, Bucharest, Romania
¹²⁴ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France
¹²⁵ Université de Lyon, CNRS/IN2P3, Institut de Physique des 2 Infinis de Lyon, Lyon, France
¹²⁶ Université de Strasbourg, CNRS, IPHC UMR 7178, F-67000 Strasbourg, France, Strasbourg, France
¹²⁷ Université Paris-Saclay Centre d'Etudes de Saclay (CEA), IRFU, Département de Physique Nucléaire (DPhN), Saclay, France
¹²⁸ Università degli Studi di Foggia, Foggia, Italy
¹²⁹ Università del Piemonte Orientale, Vercelli, Italy
¹³⁰ Università di Brescia, Brescia, Italy
¹³¹ Variable Energy Cyclotron Centre, Homi Bhabha National Institute, Kolkata, India
¹³² Warsaw University of Technology, Warsaw, Poland
¹³³ Wayne State University, Detroit, Michigan, United States
¹³⁴ Westfälische Wilhelms-Universität Münster, Institut für Kernphysik, Münster, Germany
¹³⁵ Wigner Research Centre for Physics, Budapest, Hungary
¹³⁶ Yale University, New Haven, Connecticut, United States
¹³⁷ Yonsei University, Seoul, Republic of Korea
¹³⁸ Zentrum für Technologie und Transfer (ZTT), Worms, Germany
¹³⁹ Affiliated with an institute covered by a cooperation agreement with CERN
¹⁴⁰ Affiliated with an international laboratory covered by a cooperation agreement with CERN.