



Search for heavy long-lived multi-charged particles in the full LHC Run 2 pp collision data at $\sqrt{s} = 13$ TeV using the ATLAS detector

The ATLAS Collaboration

A search for heavy long-lived multi-charged particles is performed using the ATLAS detector at the LHC. Data collected in 2015–2018 at $\sqrt{s} = 13$ TeV from pp collisions corresponding to an integrated luminosity of 139 fb^{-1} are examined. Particles producing anomalously high ionization, consistent with long-lived spin- $1/2$ massive particles with electric charges from $|q| = 2e$ to $|q| = 7e$ are searched for. No statistically significant evidence of such particles is observed, and 95% confidence level cross-section upper limits are calculated and interpreted as the lower mass limits for a Drell–Yan plus photon-fusion production mode. The least stringent limit, 1060 GeV, is obtained for $|q| = 2e$ particles, and the most stringent one, 1600 GeV, is for $|q| = 6e$ particles.

1 Introduction

This Letter describes a search for heavy long-lived multi-charged particles (MCPs) in $\sqrt{s} = 13$ TeV proton–proton collision data collected in 2015–2018 by the ATLAS detector at the CERN Large Hadron Collider (LHC) [1]. The search, conducted on a sample of data corresponding to an integrated luminosity of 139 fb^{-1} , is performed in the MCP mass range from 500 to 2000 GeV, for electric charges¹ $|q| = ze$, with integer charge numbers $2 \leq z \leq 7$. The mass range starts from the mass value excluded in the previous iterations of this search [2, 3] and ends with a value driven by the expected sensitivity of the current search. An observation of such particles, possessing an electric charge above the elementary charge e , would be a signature for physics beyond the Standard Model (SM).

Several theoretical models predict multi-charged particles. AC-leptons (anion-like and cation-like exotic ions of unknown matter, respectively) [4], as predicted by the almost-commutative model [5], are pairs of SU(2) electroweak singlets with opposite electromagnetic charges and no other SM gauge charges, which makes them behave as heavy stable charged leptons. Technibaryons, predicted by the walking-technicolor model [6], are Goldstone bosons made of two techniquarks or two anti-techniquarks with an arbitrary value of the electric charge. The lightest technibaryon is expected to be stable in the absence of processes violating the technibaryon number conservation law. Doubly charged Higgs bosons are predicted by the left–right symmetric model [7] in Higgs boson triplets in a model postulating a right-handed version of the weak interaction. Its gauge symmetry would be spontaneously broken at a high mass scale, leading to the observed parity violation in the weak-interaction sector of the SM. Only leptonic decay modes would be characteristic of such particles [8]. The $H^{\pm\pm} \rightarrow W^{\pm}W^{\pm}$ decays are assumed to be suppressed. The supersymmetric left–right model [8] predicts a long-lived light $H^{\pm\pm}$ boson due to the lepton number conservation.

Any observation of the particles predicted by the first two models could have implications for the formation of composite dark matter: the doubly charged particles (or, more generally, particles with an even charge $|q| = 2ne$) could explain some excesses (e.g., positron excess) observed in direct and indirect searches for dark matter [9–11]. So far, no such particles have been observed in cosmic-ray [12] or collider searches, including several recent searches at the Tevatron [13] and the LHC [2, 3, 14, 15].

In this search, the MCPs are assumed to live long enough to traverse the entire ATLAS detector without decaying, and thus the analysis exploits their muon-like signature, making a muon trigger a natural choice (although other triggers are also used). Given their high mass compared to a muon and their high ionization losses, dE/dx , compared to a $z = 1$ particle, they may not be triggered in the correct bunch crossing by a conventional muon trigger, as discussed in Section 5. The addition of a missing-transverse-momentum trigger and of a ‘late-muon’ trigger partially mitigates this issue. The offline analysis searches for high- p_T muon-like tracks with high dE/dx values in several subdetector systems. High dE/dx values arise from both higher electric charges and lower velocities of such particles compared to most of the SM particles produced at the LHC. The background expected from SM processes (largely high- p_T muons from decays of Z and W bosons, τ -leptons, etc.) is estimated by using a data-driven technique. The results are interpreted in terms of upper limits set on the production cross-section as a function of mass for different charge hypotheses, and in terms of lower mass limits as a function of charge. These results supersede those of a previous search using a smaller 13 TeV data sample [3]. Apart from a data sample four times larger, the main changes are related to improvements in the production model (the addition of the photon-fusion

¹ Wherever a charge is quoted for exotic particles, the charge conjugate state is also implied.

production mode and the virtual Z^0 exchange for the Drell–Yan mode [16]) and to the addition of the ‘late-muon’ trigger.

This search complements recent ATLAS searches for heavy $z = 1$ particles identifiable by their high transverse momenta and anomalously large ionization losses in the innermost tracking detector [17, 18].

2 ATLAS detector

The ATLAS detector [19] covers nearly the entire solid angle around the collision point.² The inner tracking detector (ID) consists of a silicon pixel detector (pixel), a silicon microstrip detector (SCT) and a transition radiation tracker (TRT). The pixel detector provides at least four precise space-point measurements per track. At normal incidence, the average charge released by a minimum-ionizing particle (MIP) in a pixel sensor is typically $20\,000\ e^-$ ($16\,000\ e^-$ for the IBL – the insertable B-layer [20, 21], an innermost layer with a different charge measurement) and the charge threshold is set to approximately $3500\ e^-$ ($2500\ e^-$ for the IBL) [22]. Only pixels where a signal exceeds the threshold are considered for further processing. The dynamic range of the electronics measuring the ionization charge is typically limited to $200\,000\ e^-$ ($30\,000\ e^-$ for the IBL). Pixel electronic circuits shape the signals in such a way that the time above the threshold represents the amplitude of the signal, which is proportional to the energy deposition of a charged particle. In the IBL, an overflow bit is set if the time interval with the signal above the threshold exceeds its dynamic range, in contrast to the other three layers of the pixel detector, where such a hit is lost due to limitations of the electronics and no overflow bit is available. However, since the charge released by a particle crossing the pixel detector is rarely contained within just one pixel, the neighbouring pixels preserve the spatial information of this hit. The SCT consists of four double-layer silicon sensors with binary readout architecture, each with a small stereo angle, typically providing eight measurements per track. The TRT, covering the pseudorapidity range $|\eta| < 2.0$, is a straw-tube tracking detector capable of particle identification via transition-radiation and ionization-energy-loss measurements [23]. A particle typically crosses 32 straws. The TRT straw signal processing uses low (LT) and high threshold (HT) discriminators. LT discrimination defines a hit arrival time used for a space-point reconstruction for tracking. The HT is designed to discriminate between energy depositions from transition-radiation photons and the energy loss of MIPs. As dE/dx scales as z^2 , MCPs would produce a large number of HT hits along their trajectories.

The ID is surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, and by a high-granularity lead/liquid-argon (LAr) sampling electromagnetic calorimeter. An iron/scintillator tile calorimeter provides hadronic-energy measurements in the central pseudorapidity region. The endcap and forward regions are instrumented with LAr electromagnetic and hadronic calorimeters. The calorimeter system is surrounded by a muon spectrometer (MS) incorporating three superconducting toroidal magnet assemblies. The MS is instrumented with tracking detectors designed to measure the momenta of muons. Resistive-plate chambers (RPC) in the barrel region ($|\eta| < 1.05$) and thin-gap chambers (TGC) in the endcap regions ($1.05 < |\eta| < 2.4$) provide signals for the trigger. Monitored-drift-tube (MDT) chambers typically provide 20–25 hits per crossing track in the pseudorapidity range $|\eta| < 2.7$, from which a high-precision momentum measurement is derived. Each MDT readout channel, apart from time

² ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

measurement, provides information about charge measured in the first 18.5 ns following the initial threshold crossing [24]. Cathode-strip chambers complement the tracking capabilities of the MDTs in the high-rate forward regions.

The amount of material in the ID varies from one-half to two radiation lengths. The overall amount of material traversed by an MCP up to the last measurement surface, which includes the calorimeters and the MS, may be as high as 75 radiation lengths. Muons typically lose 3 GeV penetrating the calorimeter system. The energy loss for MCPs with charge z would be z^2 times this value, i.e., up to 150 GeV for $z = 7$.

The muon transverse momentum measured by the MS after the energy loss in the calorimeters is denoted by p_T^μ/z , while transverse momentum of charged particles measured by the combination of the ID and MS is denoted by p_T/z . Charged-particle trajectories are reconstructed using standard algorithms [25]. Since these algorithms assume particles with unit electric charge, the momenta of MCPs are underestimated by a factor z , as the track curvature is proportional to p_T/z .

A two-level trigger system is used to select interesting events [26]. The first-level trigger (L1) is implemented in hardware and uses a subset of the detector information to reduce the event rate to a design value of at most 100 kHz. This is followed by the software-based high-level trigger, which further reduces the event rate to about 1 kHz.

An extensive software suite [27] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Samples of simulated events

Benchmark samples of simulated events with MCPs were generated for a range of masses m between 500 and 2000 GeV in steps of 300 GeV, for charges ze with $z = 2, 3, \dots, 7$. Muon-like pairs of spin- $1/2$ MCPs were generated via two leading-order (LO) processes implemented in MADGRAPH5_AMC@NLO 2.6.7 [28]: the Drell–Yan (DY) process with both photon and Z boson exchanges included, assuming the SM coupling of MCPs to the Z boson is proportional to the electric charge squared, and the photon-fusion (PF) process, as shown in Feynman diagrams in Figure 1 [16].




Figure 1: LO Feynman diagrams for MCP-generation processes: (a) DY process and (b) PF process (t -channel diagram).

This implementation of the production processes models the kinematic distributions and determines the cross-sections. Cross-section values for spin- $1/2$ MCP pair production range from a few tenths of a picobarn

($m = 500$ GeV, $z = 7$, PF mode) down to a few tenths of an attobarn ($m = 2000$ GeV, $z = 2$, PF mode). Events were generated using the NNPDF2.3LO [29] and LUXQED [30] parton distribution functions (PDFs), for DY and PF modes, respectively, with the A14 set of tuned parameters [31]. PYTHIA 8.244 [32, 33] was used for hadronisation and underlying-event generation. Samples with events produced via DY and PF modes (with the same mass and charge values) were merged with production cross-section values acting as weights for each generated event. PF-mode cross-sections dominate at high-charge values.

Samples of simulated events with muons from $Z \rightarrow \mu\mu$ decays were generated at the next-to-leading order (NLO) using POWHEG BOX [34, 35] interfaced to the PYTHIA 8.186 parton shower model. The AZNLO tuned parameters [36] were used, with the CTEQ6L1 PDF set [37] for the modelling of non-perturbative effects. The EVTGEN 1.2.0 program [38] was used for the properties of b - and c -hadron decays.

A detailed GEANT4 simulation [39, 40] was used to model the response of the ATLAS detector. Each simulated hard-scattering event was overlaid with simulated minimum-bias events generated with PYTHIA to emulate the data distribution of multiple proton–proton collisions per bunch crossing (pile-up). The simulated events are reconstructed and analyzed in the same way as the experimental data.

4 Event and candidate selections

The MCP identification relies on the ionization energy released by high-charge particles and measured in the pixel, TRT, and MDT subdetector systems. Acceptance is restricted to the pseudorapidity range of the TRT, $|\eta| < 2.0$.

The selection is logically divided into four steps: trigger selection, preselection, tight selection, and final selection. While the first two steps rely on muon and missing-transverse-momentum signals as well as event topology, the tight and final selection steps rely on the ionization estimators not available at the trigger level. These estimators are introduced later in this section. An event is considered to be a candidate event if it has at least one candidate MCP (a reconstructed particle, which satisfies all the selection criteria).

4.1 Trigger selection

Events collected in 2015–2018 with a single-muon trigger with no isolation requirement and a transverse-momentum threshold of $p_T/z = 50$ GeV are considered. This trigger is only sensitive to particles with velocity $\beta = v/c > 0.65$ due to a timing window, within which particles must reach the MS, which limits the trigger efficiency. The efficiency of this trigger, averaged over all signal benchmark samples, is 30%. It varies from 6% to 54% between the samples with $m = 2000$ GeV, $z = 7$ and $m = 500$ GeV, $z = 2$ MCPs, respectively.

To compensate for inefficiencies in the single-muon trigger, an additional calorimeter-based trigger that imposes a threshold on the minimal magnitude of the missing transverse momentum, E_T^{miss} , was employed. The E_T^{miss} threshold was set to 70 GeV in 2015 and was raised twice in 2016, first to 90 GeV and later to 110 GeV. Particles reconstructed in the MS are not accounted for in the trigger E_T^{miss} calculation [41], which only takes into account energy deposited in the calorimeters. Large E_T^{miss} originates from initial-state-radiation jets recoiling against the MCP pair. The signal efficiency of the E_T^{miss} trigger is 18–25%. The combined efficiency of this trigger and of the single-muon trigger, averaged over all signal benchmark

samples, is 39%. It varies from 22% to 61% between the samples with $m = 2000$ GeV, $z = 7$ and $m = 500$ GeV, $z = 2$ MCPs, respectively.

Finally, the third trigger used in the search is the ‘late-muon’ trigger. Its baseline algorithm is implemented within the L1 topological trigger [42]. The traditional single-muon trigger cannot fire in any bunch crossing other than the current one, and the magnitude of the E_T^{miss} may not be high enough to fire the E_T^{miss} -based trigger. The late-muon trigger fires in events with a $p_T > 50$ GeV jet in the current bunch-crossing and a $p_T/z > 10$ GeV muon in the next one, i.e., after the one where the corresponding pp collision occurred. Thus, the inclusion of this trigger increases the signal efficiency in the $0.4 < \beta < 0.8$ range. The signal efficiency of the late-muon trigger is 2–9%. The combined efficiency of all three triggers sums up to 43% on average. It varies from 28% to 62% between the samples with $m = 2000$ GeV, $z = 7$ and $m = 500$ GeV, $z = 2$ MCPs, respectively.

To improve the description of the trigger simulation and to correct the trigger-efficiency values in the simulation, parameterized corrections based on the time interval needed for MCPs to reach the RPC planes were applied to the probability for MCPs to fire the RPC trigger.

The data selected by applying the logical OR of these three triggers are used in the analysis. Only events recorded when all the ATLAS subdetectors were running at nominal conditions are used [43].

4.2 Candidate-track preselection

A selected event is required to have at least one preselected candidate track. Such a candidate track is required to be a ‘combined’ muon, i.e., to be reconstructed by combining track segments in the ID with those in the MS. It also has to satisfy the ‘medium’ criteria [44], to have $p_T^\mu/z > 50$ GeV, $p_T/z > 10$ GeV, and to fall within the acceptance region of the TRT ($|\eta| < 2.0$). For purposes described in Section 4.3, this candidate also has to have a defined dE/dx measurement in the pixel, TRT, and MDT.

To reduce the background of high-ionization signals from two or more particles firing the same TRT straws or MDT tubes, such a candidate is required not to have any tracks with $p_T/z > 0.5$ GeV within $\Delta R = 0.01$ reconstructed by the silicon detectors.

4.3 Ionization estimators and tight/final selections

The average specific energy loss is described by the Bethe–Bloch formula [45]. Since a particle’s energy loss increases quadratically with its charge, an MCP would leave a very characteristic signature of high ionization in the detector. Ionization losses in the sensitive elements are evaluated for the pixel, TRT, and MDT subdetector systems. The pixel dE/dx is calculated from the truncated mean of the dE/dx values of the clusters associated with the track by excluding the largest dE/dx measurement(s): one in case of three or four initial clusters, or two in case of a larger number of initial clusters [22]. IBL clusters with the overflow bit raised are also excluded from this calculation. The truncated-mean approach allows large fluctuations in the dE/dx measurements to be reduced and improves the dE/dx resolution. The TRT dE/dx is the truncated mean of the straw-level dE/dx estimates, derived from the time interval when the signal remains above the low threshold. Each drift tube of the MDT system provides a signal proportional to the charge from ionization collected during 18.5 ns after the first electrons arrive at the wire; a truncated mean of these measurements is treated as the MDT dE/dx estimator. For the TRT and MDT, only one measurement per track is excluded as the final track-level distributions of TRT or MDT dE/dx do not

change significantly when more than one measurement is excluded. Calibrations and corrections of the dE/dx estimators include removal of their dependencies:

- related to various detector effects: dependence on the number of hits, radiation damage leading to run-by-run response differences for the pixel detector [18], occupancy for the pixel detector and TRT, differences between the responses in the different detector sections for the MDT, etc.;
- on geometrical quantities: pseudorapidity, distance between a particle track and an anode wire for the TRT and MDT. The calibration is performed by assessing the difference between the dE/dx estimators in data and simulation in a $Z \rightarrow \mu\mu$ control sample and by reweighting the dE/dx estimators in bins of these geometrical quantities in simulation based on the data distributions.

The significance of the dE/dx variable in each subdetector is defined by comparing the observed signal, dE/dx , with the average value for a highly relativistic muon:

$$S(dE/dx) = \frac{dE/dx - \langle dE/dx \rangle_{\mu}}{\sigma(dE/dx)_{\mu}}.$$

Here $\langle dE/dx \rangle_{\mu}$ and $\sigma(dE/dx)_{\mu}$ represent the mean and the root-mean-square width of the dE/dx distribution, respectively, for such muons in data obtained by fitting the cores of the corresponding distributions with Gaussian functions. To calculate these two parameters, a control sample of muons was obtained from $Z \rightarrow \mu\mu$ events. The muon selection is the same as in the analysis selection discussed in Section 4.2. Additionally, muons are required to belong to an oppositely charged pair with its dimuon mass between 81 GeV and 101 GeV, corresponding to detector resolution and the natural width of the Z boson mass peak.

As seen in Figure 2, $S(\text{pixel } dE/dx)$ is a powerful discriminator for $z = 2$ particles. The signal region of the tight selection for the $z = 2$ category is defined by requiring $S(\text{pixel } dE/dx)$ greater than 13. This tight selection requirement reduces the background contribution (mainly from the high- p_T muons) by four orders of magnitude, while keeping the signal efficiency above 98% relative to the previous selection step. For ionization losses 8 times greater than those for MIPs, the pixel readout saturates and the corresponding hits are not recorded, which is why the same criterion cannot be used for the search for $z > 2$ MCPs.

In the final selection, $S(\text{MDT } dE/dx)$, $S(\text{TRT } dE/dx)$, and the fraction of HT TRT hits (TRT f^{HT} , the number of HT hits divided by the number of LT hits on the track) are used as additional discriminating variables to separate signal from background. Figure 3 shows the distributions of these variables for muons from $Z \rightarrow \mu\mu$ events compared with those expected from signal particles with different charges ($z = 2, 3, 4,$ and 7) and masses (500, 1400, and 2000 GeV). It demonstrates that there is good separation between signal and background, which increases with increasing charge. The $S(\text{MDT } dE/dx)$ distribution broadens noticeably with charge because, relative to typical muons, MCPs produce large number of δ -rays, which give early-time hits. As charge is measured in the first 18.5 ns of the signal, the ionization loss of δ -rays is often measured instead of the MCP's loss. This gives large fluctuations in the total ionization measured along the track.

The detailed detector response to these high-charge particles may not be well simulated due to a possible imperfect modelling of the saturation effects. However, since the TRT and MDT do not lose signal at saturation, their most probable dE/dx values are higher than those of $z = 2$ particles. Because of the conservative selections used at the final selection stage, the analysis is not sensitive to the exact shape (or position) of the dE/dx -significance distributions for high- z signals.




Figure 2: Normalized distributions of the dE/dx significance in the pixel system, $S(\text{pixel } dE/dx)$, for muons from $Z \rightarrow \mu\mu$ events (data and simulation) and for simulated MCPs passing the preselection requirements. Signal distributions are shown for $z = 2$ and masses of 500 and 2000 GeV. The vertical dotted line indicates the threshold of the tight selection criterion. A bin-by-bin ratio of $Z \rightarrow \mu\mu$ distributions in data and simulation is shown on the lower panel. The arrows in the ratio plot are for points that are outside the range.

Two-dimensional distributions of $S(\text{MDT } dE/dx)$ versus $S(\text{TRT } dE/dx)$ and versus TRT f^{HT} are shown for data and simulated signal events in Figure 4 for candidates passing the tight selection for $z = 2$ (Figure 4(a)) and the preselection for $z > 2$ (Figure 4(b)). The two signal regions are defined by $S(\text{TRT } dE/dx) > 2$ and $S(\text{MDT } dE/dx) > 4$ for candidates selected as $z = 2$ and by TRT $f^{\text{HT}} > 0.7$ and $S(\text{MDT } dE/dx) > 7$ for candidates selected as $z > 2$. The choice of these criteria is discussed below. The selection criteria were defined using simulated samples and $Z \rightarrow \mu\mu$ data control samples without examining the signal region in the data.

A summary of the offline-selection requirements (preselection, tight selection and final selection) is presented in Table 1.

Table 1: Summary of the offline-selection requirements.

Search category	Preselection	Tight selection	Final selection
$z = 2$	Combined muon with: ‘medium’ identification criteria, $p_{\text{T}}^{\mu}/z > 50$ GeV, $p_{\text{T}}/z > 10$ GeV, $ \eta < 2.0$, no other particles with $p_{\text{T}}/z > 0.5$ GeV within $\Delta R = 0.01$	Preselected candidate with $S(\text{pixel } dE/dx) > 13$	Tightly selected candidate with: $S(\text{TRT } dE/dx) > 2$, $S(\text{MDT } dE/dx) > 4$
$z > 2$		–	Preselected candidate with: $\text{TRT } f^{\text{HT}} > 0.7$, $S(\text{MDT } dE/dx) > 7$

Among all simulated events triggered by the muon triggers, there are none where a reconstructed muon matches the trigger object but MCP(s) in the signal region in the same event does (do) not.




Figure 3: Normalized distributions of the dE/dx significance in (a) the MDT, $S(\text{MDT } dE/dx)$, (b) the TRT, $S(\text{TRT } dE/dx)$, and (c) of TRT f^{HT} for muons from $Z \rightarrow \mu\mu$ events (data and simulation) and for simulated MCPs passing preselection requirements. Bin-by-bin ratios of $Z \rightarrow \mu\mu$ distributions in data and simulation are shown on the lower panels. The arrow in the ratio plot in (c) is for a point that is outside the range.

5 Signal efficiency

The overall signal efficiency, which includes trigger, reconstruction and selection efficiencies, is estimated from simulation. Its values are shown in Figure 5 for the signal samples used in this analysis. The fractions of simulated signal events satisfying the cumulative selection requirements, as well as expected signal yields, are given in Table 2 for several benchmark points.

Several factors contribute to the efficiency dependencies on mass and charge. For low masses, the $|\eta| < 2.0$ selection requirement and especially the p_T/z one are the main sources of efficiency loss. For instance, the p_T/z selection can be as high as approximately $p_T > 50 \times 7 = 350 \text{ GeV}$ (for $z = 7$) and is the root cause of the efficiency drop at low masses. For high masses, the reconstruction efficiency of muons is the primary reason for the reduction in efficiency. Also, high ionization loss makes particles slow down: they may arrive at the MS too late to be recorded by the trigger or lose all their kinetic energy before reaching the MS. The charge dependence of the efficiency results from higher ionization and the stricter p_T/z requirement,




Figure 4: (a) $S(\text{MDT } dE/dx)$ versus $S(\text{TRT } dE/dx)$ (used for the $z = 2$ search) and (b) $S(\text{MDT } dE/dx)$ versus $\text{TRT } f^{\text{HT}}$ (used for the $z > 2$ search). The distributions of the data and the simulated signal samples (for charges $z = 2, 3$, and 7 , and masses of $500, 800$, and 2000 GeV) are shown. The signal distributions for the lowest MCP mass (a) or charge (b) are partially covered by the other signal distributions. D is the signal region and other regions are used to estimate the background contribution in that region (see text). Regions $0.01 < \text{TRT } f^{\text{HT}} < 0.02$, $0.49 < \text{TRT } f^{\text{HT}} < 0.50$, and $0.98 < \text{TRT } f^{\text{HT}} < 0.99$ in (b) are underpopulated because $\text{TRT } f^{\text{HT}}$ is a ratio of two integers belonging to the range of 0–50.

which are augmented by the factors of z^2 and z , respectively. Finally, large δ -electron yields in the case of the highest-charged MCPs distorts the timing parameters of MDT hits from MCPs leading to a smaller number of reconstructed combined muons. The main reason for the search to be limited to a maximum of $z = 7$ is that MCPs with higher charges will fail to be reconstructed as muons in at least 95% of cases.

6 Expected background estimation

The potential background mainly consists of muons with ionization randomly fluctuating toward larger values due to detector occupancy effects (many particles losing their energy in the same detector elements) and δ -ray yields. Radiation background and sporadic-noise events may also contribute to a large deviation of dE/dx measurements.

The expected background rate is estimated by using an ABCD method [46] in which the plane of two uncorrelated variables is divided into regions A, B, C, and D as shown in Figure 4. Region D is defined as the signal region using the final selection cuts on the $S(\text{TRT } dE/dx)$ and $S(\text{MDT } dE/dx)$ for the $z = 2$ search and on the $\text{TRT } f^{\text{HT}}$ and $S(\text{MDT } dE/dx)$ for the $z > 2$ search, with regions A, B, and C as control regions.

The final selection cuts are set based on the following considerations:

- the number of expected background events in the D region should be kept minimal to provide more stringent exclusion limits if nothing is observed in this region or to increase the excess significance in the alternative case;




Figure 5: The signal efficiencies for spin- $\frac{1}{2}$ MCPs with different charges and masses for the DY+PF production mode versus (a) their mass and (b) their charge. Efficiency values for $z = 2$ in (b) are separated from the rest of the plot to reflect different signal selections used in the two search categories.

Table 2: Fractions of simulated signal events with at least one spin- $\frac{1}{2}$ MCP candidate, which satisfy the given requirements (including all previous selection requirements). The uncertainties quoted are statistical only. The expected signal yields, calculated as a product of theoretical cross-section, overall signal efficiency, and integrated luminosity, are shown in the rightmost column.

Signal benchmark point		Trigger	Candidate-track	Tight	Final	Expected signal yields [events]
z	Mass [GeV]	selection [%]	preselection [%]	selection [%]	selection [%]	
2	500	61.7 ± 0.2	42.7 ± 0.2	42.5 ± 0.2	40.1 ± 0.2	460
	1100	49.9 ± 0.2	30.8 ± 0.2	30.6 ± 0.2	29.1 ± 0.2	5.3
	2000	32.8 ± 0.2	13.7 ± 0.2	13.6 ± 0.2	13.0 ± 0.2	0.026
4	500	55.3 ± 0.2	39.9 ± 0.2	–	39.7 ± 0.2	2700
	1100	50.5 ± 0.2	33.3 ± 0.2	–	33.1 ± 0.2	36
	2000	35.0 ± 0.2	17.5 ± 0.2	–	17.2 ± 0.2	0.22
7	500	33.3 ± 0.2	6.2 ± 0.1	–	6.0 ± 0.1	2300
	1100	36.1 ± 0.2	8.1 ± 0.1	–	7.6 ± 0.1	49
	2000	27.7 ± 0.2	4.7 ± 0.1	–	4.1 ± 0.1	0.31

- the fraction of simulated signal events not satisfying at least one selection requirement should be kept minimal ($\leq 5\%$);
- the numbers of data events in the control regions should remain statistically significant (> 5 events) in order to not introduce a large statistical uncertainty on the number of events expected in the D region from background processes.

If two or more candidates from the same event appear on the ABCD plane, only one is retained and shown on the plane according to a ‘D-C-B-A- p_T ’ ranking to avoid double-counting events. This ranking is first established by choosing an MCP candidate going from the most to the least populated region in signal

simulation: $D \rightarrow C \rightarrow B \rightarrow A$. If there are two or more MCP candidates in the event and in the same region, the highest- p_T one is chosen. The fraction of events in data with two or more candidates on the ABCD plane in the same event is 0.01% and 0.06% for the $z = 2$ and $z > 2$ cases, respectively.

The expected number of background events in the D region, $N_{\text{data}}^{\text{D expected}}$, is estimated from the numbers of observed data events in regions A, B, and C ($N_{\text{data}}^{\text{A, B, C observed}}$):

$$N_{\text{data}}^{\text{D expected}} = \frac{N_{\text{data}}^{\text{B observed}} \times N_{\text{data}}^{\text{C observed}}}{N_{\text{data}}^{\text{A observed}}}. \quad (1)$$

The expected background contributions to the D regions and quantities used for their calculation are shown in Table 3. Systematic uncertainties in these values are estimated according to the method discussed in Section 7.

Table 3: Expected background contributions (in events) to the D regions in data for the $z = 2$ and $z > 2$ selections, as well as quantities used for their calculation. The observed contributions are shown in the rightmost column.

Search category	$N_{\text{data}}^{\text{A observed}}$	$N_{\text{data}}^{\text{B observed}}$	$N_{\text{data}}^{\text{C observed}}$	$N_{\text{data}}^{\text{D expected}}$	$N_{\text{data}}^{\text{D observed}}$
$z = 2$	41 674	5024	13	1.6 ± 0.4 (stat.) ± 0.5 (syst.)	4
$z > 2$	192 036 934	15 004	441	0.034 ± 0.002 (stat.) ± 0.004 (syst.)	0

Since the average signal leak to regions A, B, and C is less than 1% of the entire signal yield, the background contribution was estimated neglecting this contamination.

7 Uncertainties in the background estimation and signal yield

Uncertainties in the background estimate, the signal selection efficiency, and the integrated luminosity affect the sensitivity of the search for MCPs. The contributions of these systematic uncertainties are described below.

7.1 Background estimation uncertainty

To assess a systematic uncertainty in the expected number of background events, ‘masked regions’ are introduced in the ABCD planes, and then the background estimate is recalculated for several masked-region choices using the method described in Section 6 while removing the entries in the masked regions from the calculation of the background estimate. When the two variables on an ABCD plane depend on each other, the fraction of entries removed in the A region is different from the same number for the B (or C) region. This would lead to a different number of events expected in the D region compared to the original estimation. The masked regions used are: $S_{\text{lower}}^{\text{TRT}} < S(\text{TRT } dE/dx) < 2.0$ with $S_{\text{lower}}^{\text{TRT}} = 0.8, 1.0, \dots, 1.8$ and $S_{\text{lower}}^{\text{MDT}} < S(\text{MDT } dE/dx) < 4.0$ with $S_{\text{lower}}^{\text{MDT}} = 0.5, 1.0, \dots, 3.5$ for the $z = 2$ case, and $f_{\text{lower}}^{\text{HT}} < f^{\text{HT}} < 0.7$ with $f_{\text{lower}}^{\text{HT}} = 0.2, 0.3, \dots, 0.6$ and $S_{\text{lower}}^{\text{MDT}} < S(\text{MDT } dE/dx) < 7.0$ with $S_{\text{lower}}^{\text{MDT}} = 1.0, 2.0, \dots, 6.0$ for the $z > 2$ case. Examples of masked regions with $f_{\text{lower}}^{\text{HT}} = 0.3, 0.5$, and $S_{\text{lower}}^{\text{MDT}} = 3.0$ on the $z > 2$ ABCD plane are shown in Figure 6. Assuming there are $N_{\text{data}}^{\text{A observed, masked}}$, $N_{\text{data}}^{\text{B observed, masked}}$, and $N_{\text{data}}^{\text{C observed, masked}}$

events in the masked areas of regions A, B, and C, respectively, the recalculated background estimates are given by

$$\frac{\left(N_{\text{data}}^{\text{B observed}} - N_{\text{data}}^{\text{B observed, masked}}\right) \times N_{\text{data}}^{\text{C observed}}}{N_{\text{data}}^{\text{A observed}} - N_{\text{data}}^{\text{A observed, masked}}}$$

for horizontal masked regions and by

$$\frac{N_{\text{data}}^{\text{B observed}} \times \left(N_{\text{data}}^{\text{C observed}} - N_{\text{data}}^{\text{C observed, masked}}\right)}{N_{\text{data}}^{\text{A observed}} - N_{\text{data}}^{\text{A observed, masked}}}$$

for vertical masked regions.




Figure 6: ABCD plane for the $z > 2$ case used to assess the systematic uncertainty in the expected number of background events. Entries inside the ‘masked regions’ (here with $0.3 < f^{\text{HT}} < 0.7$, $0.5 < f^{\text{HT}} < 0.7$, and $3.0 < S(\text{MDT } dE/dx) < 7.0$, shown by the different hatch styles) do not contribute to the background estimate.

The maximum differences (calculated over all the masked regions examined) between a new background expectation in the D region and the nominal one are 31% (0.5 events) and 12% (4×10^{-3} events) for the $z = 2$ and $z > 2$ cases, respectively, and are treated as systematic uncertainties in the estimation of the expected background yield.

The absence of correlations between ABCD-plane quantities (and quantities used at the earlier selection stages) was discussed in Ref. [3]. An additional check is performed to ensure Eq. (1) is applicable for the data distributions on both ABCD planes. The ‘transfer factor’, $\frac{N_{\text{data}}^{\text{C observed}}}{N_{\text{data}}^{\text{A observed}}}$, is plotted against $S(\text{TRT } dE/dx)$ (for $z = 2$) and $\text{TRT } f^{\text{HT}}$ (for $z > 2$). To eliminate low-statistics effects, the cuts on the $\text{MDT-}dE/dx$ significance on the ABCD planes are iteratively relaxed from 4 to 3, 2, and 1 for the $z = 2$ case and from 7 to 5, 4, and, finally, to 3 for the $z > 2$ case. The resulting plots are shown in Figure 7. There is no statistically significant evidence that the transfer factor increases with $S(\text{TRT } dE/dx)$ or f^{HT} in any of these scenarios,

which suggests there is no additional source of systematic uncertainty. Finally, possible contributions from second-order effects into the overall background distribution are expected to be negligible and hence should not introduce correlations in the ABCD planes. Considering how rare such events are, it is not practical to simulate a statistically significant sample.




Figure 7: Transfer factor versus (a) $S(\text{TRT } dE/dx)$ (for $z = 2$) and (b) $\text{TRT } f^{\text{HT}}$ (for $z > 2$) for several cuts on the MDT- dE/dx significance. The horizontal lines of different styles represent constant fits to the respective distributions.

7.2 Signal efficiency uncertainty

Several sources of systematic uncertainty in the signal efficiency are considered. The most significant uncertainties are those due to some mismodelling of online (trigger) and offline (dE/dx estimators etc.) quantities.

The uncertainty due to the mismodelling of the offline quantities is evaluated by varying the selection requirements. Several considerations motivate these variations. The uncertainty in the amount of material in front of the MS, which is about 1% [47], propagates into an uncertainty in the selection efficiency due to the slowing down of particles. It is estimated by varying the p_T^{μ}/z and p_T/z requirements by $\pm 3\%$.

The areas around the peaks of the dE/dx distributions for the $Z \rightarrow \mu\mu$ process are the most important when determining the signal efficiency uncertainty as the quality of dE/dx modelling in this region is of most relevance for MCPs. Slight disagreements between the shapes of the distributions in $Z \rightarrow \mu\mu$ events in data and simulation are accounted for by the variations of the signal selection criteria. The values of these variations are obtained by averaging the bin-by-bin ratios of $Z \rightarrow \mu\mu$ yields in data to those in simulation (see Figures 2 and 3) in the cores of the corresponding distributions (within ± 3 standard deviations of the mean of each distribution). The selection criteria were varied as follows: $S(\text{pixel } dE/dx)$ by $\pm 14\%$ ($13 \rightarrow 13 \times (1 \pm 0.14)$), f^{HT} by $\pm 12\%$ ($0.7 \rightarrow 0.7 \times (1 \pm 0.12)$), $S(\text{TRT } dE/dx)$ by $\pm 5\%$, and $S(\text{MDT } dE/dx)$ by $\pm 6\%$. The total systematic uncertainties in the efficiency arising from these variations range between 0.3% and 5%, where the largest uncertainty corresponds to lower-mass $z = 3$ signal samples, which are fairly sensitive to the f^{HT} variation. A dedicated analysis of shape of high- z -particle clusters and multiplicity of such clusters in the pixel detector did not reveal any additional source of systematic uncertainty.

The uncertainty in the trigger efficiency also has several sources, including an uncertainty in the muon-trigger efficiency (3% on average), accounting for differences between triggering on the muons in data and simulation, and an uncertainty in the E_T^{miss} trigger efficiency (5% on average). The overall trigger-efficiency uncertainty for a particular simulated signal sample is calculated by accounting for the fractions of events in which each trigger fired.

The uncertainty in the muon-trigger efficiency is a β -dependent uncertainty originating from uncertainties in the modelling of the muon-trigger timing for particles with $\beta < 1$ for the traditional single-muon trigger and the late-muon trigger. To assess the uncertainty, the parameters of the trigger-efficiency corrections were varied. The β value of particles was varied between the ones measured in the ID and in the MS from the hypothesized mass and measured momentum. The time interval needed for a signal particle to reach the RPC trigger planes was varied by the root-mean-square width of the timing distribution for muons measured in the full $Z \rightarrow \mu\mu$ data sample. The uncertainty, assessed as the maximum relative difference between the nominal efficiency values and those obtained after the variations, averages to 1%. For the TGC trigger, no mismatch between the timing distributions in data and simulation was observed; therefore no uncertainty was assigned to the trigger efficiency. An increase in the trigger efficiency due to larger ionization losses of MCPs compared to muons is not taken into account, resulting in a conservative estimate of trigger efficiency for muon triggers.

The uncertainty in the E_T^{miss} trigger efficiency depends on the accuracy of modelling the E_T^{miss} turn-on curve, assessed using the offline E_T^{miss} spectra (in events triggered exclusively by the E_T^{miss} trigger), varied to account for any possible uncertainties in the E_T^{miss} term [48]. In addition, since the efficiencies of both the E_T^{miss} trigger and late-muon trigger depend on an extra jet, which relies on the parton-shower modelling, the QCD scale used in the simulation was varied by doubling and halving the renormalization and factorization scales, and an additional 2% was added to the uncertainty in the efficiency of these two types of triggers.

Contributions from the separate sources of the most significant systematic uncertainties in the signal selection efficiency, as well as the resulting values of overall systematic uncertainties calculated as the sum in quadrature of all the individual contributions, are shown in Table 4 for several benchmark points.

Table 4: The most significant individual contributions (in %) to the overall systematic uncertainties in the signal selection efficiency, as well as the resulting values of the relative uncertainties (rightmost column).

Signal benchmark point		Data–simulation comparison [%]	Trigger efficiency [%]	Tracking [%]	Overall uncertainty in the selection efficiency [%]
z	Mass [GeV]				
2	500	1	1	0.6	2
	1400	1	2	2	3
	2000	1	2	3	4
4	500	1	1	0.4	2
	1400	0.3	2	0.7	2
	2000	0.3	2	1	3
7	500	3	2	0.3	4
	1400	0.9	2	0.5	4
	2000	1	3	0.7	5

Additionally, a 1.7% uncertainty was assigned to the integrated luminosity. This uncertainty is derived, following a methodology similar to that detailed in Ref. [49], from a calibration of the luminosity scale

using x - y beam-separation scans.

8 Results

Only four events with MCP candidates were found in the data in the $z = 2$ MCP search, and none were found in the $z > 2$ search. All four events are very close to the boundaries between the D and C (and D and B) regions. These results are consistent with the expectations of 1.6 ± 0.4 (stat.) ± 0.5 (syst.) and 0.034 ± 0.002 (stat.) ± 0.004 (syst.) background events for the $z = 2$ and $z > 2$ search categories, respectively (a p_0 value of 0.06, corresponding to the Z -significance³ of 1.5, was obtained for the $z = 2$ search category).

Cross-section limits are computed within the RooSTATS framework [50] using the CL_s method [51] to discriminate between the background-only hypothesis and the signal-plus-background hypothesis. Exclusion limits are computed for various MCP scenarios. The signal selection efficiency, luminosity, expected and observed numbers of events and their uncertainties, handled as nuisance parameters, are taken as input for pseudo-experiments, resulting in an observed limit at 95% confidence level (CL).

The measurement excludes the DY+PF mode of muon-like MCP pair production over wide ranges of masses. Figure 8 summarizes the observed 95% CL cross-section limits as a function of mass for all the MCP charges studied and compares them with those predicted by the DY+PF mode.




Figure 8: Observed 95% CL cross-section upper limits and theoretical cross-sections as functions of the muon-like spin- $\frac{1}{2}$ MCP's mass for the DY+PF production mode. Theoretical cross-section values are computed at LO and the uncertainty bands correspond to the PDF uncertainties.

The mass limits are obtained from the intersection of the observed cross-section limits and the theoretical cross-section values not accounting for theoretical uncertainties. For this production mode, the cross-section limits are transformed into mass exclusion regions from 500 GeV up to the values in Table 5. MCPs with

³ The relation between a Z -significance and a p_0 value is given by $Z = \Phi^{-1}(1 - p_0)$, where Φ^{-1} is the inverse of the cumulative distribution for a unit Gaussian function.

mass values $50 \text{ GeV} < m < 500 \text{ GeV}$ were already excluded in the previous search [3]. Observed and expected mass limits are compared in Figure 9.

Table 5: Observed 95% CL lower mass limits of muon-like MCPs for the DY+PF production mode.

z	2	3	4	5	6	7
Lower mass limit [GeV]	1060	1390	1520	1590	1600	1570




Figure 9: Observed and expected 95% CL lower mass limits of MCPs versus charge. The separation of limits between $z = 2$ and $z = 3$ is due to different selections used to identify MCPs with the respective charges.

Recently, an excess of events in a signal region in the ATLAS search for heavy long-lived $z = 1$ particles identifiable by their unusually large pixel dE/dx values [18] was observed. Two of these observed events feature candidates with pixel dE/dx values compatible with those satisfying the $z = 2$ tight-selection requirement in the current analysis, but not ending up in the corresponding signal region. A dedicated check was performed to understand the reason for this. It was demonstrated that neither of the two candidates have high enough ionization loss in TRT or MDT to make it into the signal region – in fact, both of them belong to the A control region (see Figure 4(a)).

9 Conclusion

This Letter reports on a search for long-lived multi-charged particles produced in proton–proton collisions with the ATLAS detector at the LHC. The search uses a data sample with a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ and an integrated luminosity of 139 fb^{-1} . Muon-like particles are searched for with electric charges from $|q| = 2e$ to $|q| = 7e$ penetrating the full ATLAS detector and producing anomalously high ionization signals in multiple detector elements. No statistically significant evidence of such particles is observed. Upper limits are derived on the cross-sections using a Drell–Yan + photon fusion production

mode and exclude muon-like multi-charged particles with masses between 500 GeV and 1060–1600 GeV. This production mode is used in an ATLAS search for multi-charged particles for the first time.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [52].

References

- [1] L. Evans and P. Bryant, *LHC Machine*, [JINST **3** \(2008\) S08001](#).
- [2] ATLAS Collaboration, *Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, [Eur. Phys. J. C **75** \(2015\) 362](#), arXiv: [1504.04188 \[hep-ex\]](#).
- [3] ATLAS Collaboration, *Search for heavy long-lived multicharged particles in proton–proton collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector*, [Phys. Rev. D **99** \(2019\) 052003](#), arXiv: [1812.03673 \[hep-ex\]](#).
- [4] M. Y. Khlopov, C. A. Stephan and D. Fargion, *Dark matter with invisible light from heavy double charged leptons of almost-commutative geometry?*, [Classical and Quantum Gravity **23** \(2006\) 7305](#), arXiv: [astro-ph/0511789](#).
- [5] C. A. Stephan, *Almost-Commutative Geometries Beyond the Standard Model*, [J. Phys. A **39** \(2006\) 9657](#), arXiv: [hep-th/0509213](#).
- [6] F. Sannino and K. Tuominen, *Orientifold theory dynamics and symmetry breaking*, [Phys. Rev. D **71** \(2005\) 051901](#), arXiv: [hep-ph/0405209](#).
- [7] R. N. Mohapatra and J. C. Pati, *Left-Right Gauge Symmetry and an Isoconjugate Model of CP Violation*, [Phys. Rev. D **11** \(1975\) 566](#).
- [8] C. S. Aulakh, K. Benakli and G. Senjanović, *Reconciling High-Scale Left-Right Symmetry with Supersymmetry*, [Phys. Rev. Lett. **79** \(1997\) 2188](#), arXiv: [hep-ph/9703434 \[hep-ph\]](#).
- [9] AMS Collaboration, *First Result from the Alpha Magnetic Spectrometer on the International Space Station: Precision Measurement of the Positron Fraction in Primary Cosmic Rays of 0.5–350 GeV*, [Phys. Rev. Lett. **110** \(14 2013\) 141102](#).
- [10] M. Y. Khlopov, *Physics of Dark Matter in the Light of Dark Atoms*, [Mod. Phys. Lett. A **26** \(2011\) 2823](#), arXiv: [1111.2838 \[astro-ph.CO\]](#).
- [11] K. Belotsky, M. Khlopov, C. Kouvaris and M. Laletin, *High Energy Positrons and Gamma Radiation from Decaying Constituents of a two-component Dark Atom Model*, [Int. J. Mod. Phys. D **24** \(2015\) 1545004](#), arXiv: [1508.02881 \[astro-ph.HE\]](#).
- [12] S. Cecchini et al., *Results of the search for strange quark matter and Q -balls with the SLIM experiment*, [Eur. Phys. J. C **57** \(2008\) 525](#), arXiv: [0805.1797 \[hep-ex\]](#).
- [13] CDF Collaboration, *Search for Long-Lived Doubly Charged Higgs Bosons in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV*, [Phys. Rev. Lett. **95** \(2005\) 071801](#), arXiv: [hep-ex/0503004 \[hep-ex\]](#).
- [14] CMS Collaboration, *Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7$ and 8 TeV*, [JHEP **07** \(2013\) 122](#), arXiv: [1305.0491 \[hep-ex\]](#).
- [15] CMS Collaboration, *Search for long-lived charged particles in proton–proton collisions at $\sqrt{s} = 13$ TeV*, [Phys. Rev. D **94** \(2016\) 112004](#), arXiv: [1609.08382 \[hep-ex\]](#).
- [16] W.-Y. Song and W. Taylor, *Pair production of magnetic monopoles and stable high-electric-charge objects in proton–proton and heavy-ion collisions*, [J. Phys. G: Nucl. Part. Phys. **49** \(2022\) 045002](#), arXiv: [2107.10789 \[hep-ph\]](#).
- [17] ATLAS Collaboration, *Search for heavy charged long-lived particles in proton–proton collisions at $\sqrt{s} = 13$ TeV using an ionisation measurement with the ATLAS detector*, [Phys. Lett. B **788** \(2019\) 96](#), arXiv: [1808.04095 \[hep-ex\]](#).

- [18] ATLAS Collaboration, *Search for heavy, long-lived, charged particles with large ionisation energy loss in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS experiment and the full Run 2 dataset*, (2022), arXiv: [2205.06013 \[hep-ex\]](#).
- [19] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, **JINST** **3** (2008) S08003.
- [20] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, **JINST** **13** (2018) T05008, arXiv: [1803.00844 \[physics.ins-det\]](#).
- [21] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [22] ATLAS Collaboration, *Search for metastable heavy charged particles with large ionization energy loss in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS experiment*, **Phys. Rev. D** **93** (2016) 112015, arXiv: [1604.04520 \[hep-ex\]](#).
- [23] ATLAS Collaboration, *Particle Identification Performance of the ATLAS Transition Radiation Tracker*, ATLAS-CONF-2011-128, 2011, URL: <https://cds.cern.ch/record/1383793>.
- [24] Y. Arai et al., *ATLAS Muon Drift Tube Electronics*, **JINST** **3** (2008) P09001.
- [25] ATLAS Collaboration, *Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2*, **Eur. Phys. J. C** **77** (2017) 673, arXiv: [1704.07983 \[hep-ex\]](#).
- [26] ATLAS Collaboration, *Operation of the ATLAS trigger system in Run 2*, **JINST** **15** (2020) P10004, arXiv: [2007.12539 \[hep-ex\]](#).
- [27] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [28] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, **JHEP** **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [29] S. Carrazza, S. Forte and J. Rojo, ‘Parton Distributions and Event Generators’, *Proceedings, 43rd International Symposium on Multiparticle Dynamics (ISMD 13)*, 2013 89, arXiv: [1311.5887 \[hep-ph\]](#).
- [30] A. V. Manohar, P. Nason, G. P. Salam and G. Zanderighi, *The Photon Content of the Proton*, **JHEP** **12** (2017) 046, arXiv: [1708.01256 \[hep-ph\]](#).
- [31] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [32] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, **Comput. Phys. Commun.** **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [33] T. Sjöstrand, S. Mrenna and P. Z. Skands, *PYTHIA 6.4 physics and manual*, **JHEP** **05** (2006) 026, arXiv: [hep-ph/0603175](#).
- [34] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, **JHEP** **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [35] S. Alioli, P. Nason, C. Oleari and E. Re, *NLO vector-boson production matched with shower in POWHEG*, **JHEP** **07** (2008) 060, arXiv: [0805.4802 \[hep-ph\]](#).

- [36] ATLAS Collaboration, *Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **09** (2014) 145, arXiv: [1406.3660 \[hep-ex\]](#).
- [37] J. Pumplin et al., *New Generation of Parton Distributions with Uncertainties from Global QCD Analysis*, *JHEP* **07** (2002) 012, arXiv: [hep-ph/0201195](#).
- [38] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [39] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [40] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [41] ATLAS Collaboration, *Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking*, *JHEP* **08** (2020) 080, arXiv: [2005.09554 \[hep-ex\]](#).
- [42] ATLAS Collaboration, *Performance of the ATLAS Level-1 topological trigger in Run 2*, *Eur. Phys. J. C* **82** (2022) 7, arXiv: [2105.01416 \[hep-ex\]](#).
- [43] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [44] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: [2012.00578 \[hep-ex\]](#).
- [45] H. Bethe, *Zur Theorie des Durchgangs schneller Korpuskularstrahlen durch Materie*, *Annalen der Physik* **397** (1930) 325.
- [46] ATLAS Collaboration, *Search for long-lived, multi-charged particles in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector*, *Phys. Lett. B* **722** (2013) 305, arXiv: [1301.5272 \[hep-ex\]](#).
- [47] ATLAS Collaboration, *Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data*, *Eur. Phys. J. C* **74** (2014) 3130, arXiv: [1407.3935 \[hep-ex\]](#).
- [48] ATLAS Collaboration, *Search for heavy charged long-lived particles in the ATLAS detector in 36.1fb^{-1} of proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **99** (2019) 092007, arXiv: [1902.01636 \[hep-ex\]](#).
- [49] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, ATLAS-CONF-2019-021, 2019, URL: <https://cds.cern.ch/record/2677054>.
- [50] L. Moneta, K. Cranmer, G. Schott and W. Verkerke, ‘The RooStats project’, *Proceedings of the 13th International Workshop on Advanced Computing and Analysis Techniques in Physics Research. February 22-27, 2010, Jaipur, India*. arXiv: [1009.1003 \[physics.data-an\]](#).
- [51] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [52] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰¹, B. Abbott ¹¹⁹, D.C. Abbott ¹⁰², K. Abeling ⁵⁵, S.H. Abidi ²⁹, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵⁰, H. Abreu ¹⁴⁹, Y. Abulaiti ¹¹⁶, A.C. Abusleme Hoffman ^{136a}, B.S. Acharya ^{68a,68b,p}, B. Achkar ⁵⁵, C. Adam Bourdarios ⁴, L. Adamczyk ^{84a}, L. Adamek ¹⁵⁴, S.V. Addepalli ²⁶, J. Adelman ¹¹⁴, A. Adiguzel ^{21c}, S. Adorni ⁵⁶, T. Adye ¹³³, A.A. Affolder ¹³⁵, Y. Afik ³⁶, M.N. Agaras ¹³, J. Agarwala ^{72a,72b}, A. Aggarwal ⁹⁹, C. Agheorghiesei ^{27c}, J.A. Aguilar-Saavedra ^{129f}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰³, S. Ahuja ⁹⁴, X. Ai ⁴⁸, G. Aielli ^{75a,75b}, I. Aizenberg ¹⁶⁸, M. Akbiyik ⁹⁹, T.P.A. Åkesson ⁹⁷, A.V. Akimov ³⁷, K. Al Khoury ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁴, P. Albicocco ⁵³, M.J. Alconada Verzini ⁸⁹, S. Alderweireldt ⁵², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, A. Alfonsi ¹¹³, F. Alfonsi ^{23b}, M. Alhroob ¹¹⁹, B. Ali ¹³¹, S. Ali ¹⁴⁷, M. Aliev ³⁷, G. Alimonti ^{70a}, W. Alkakhri ⁵⁵, C. Allaire ³⁶, B.M.M. Allbrooke ¹⁴⁵, P.P. Allport ²⁰, A. Aloisio ^{71a,71b}, F. Alonso ⁸⁹, C. Alpigiani ¹³⁷, E. Alunno Camelia ^{75a,75b}, M. Alvarez Estevez ⁹⁸, M.G. Alvigi ^{71a,71b}, Y. Amaral Coutinho ^{81b}, A. Ambler ¹⁰³, C. Amelung ³⁶, C.G. Ames ¹⁰⁸, D. Amidei ¹⁰⁵, S.P. Amor Dos Santos ^{129a}, S. Amoroso ⁴⁸, K.R. Amos ¹⁶², C.S. Amrouche ⁵⁶, V. Ananiev ¹²⁴, C. Anastopoulos ¹³⁸, T. Andeen ¹¹, J.K. Anders ¹⁹, S.Y. Andrean ^{47a,47b}, A. Andreazza ^{70a,70b}, S. Angelidakis ⁹, A. Angerami ^{41,ac}, A.V. Anisenkov ³⁷, A. Annovi ^{73a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁸, E. Antipov ¹²⁰, M. Antonelli ⁵³, D.J.A. Antrim ^{17a}, F. Anulli ^{74a}, M. Aoki ⁸², T. Aoki ¹⁵², J.A. Aparisi Pozo ¹⁶², M.A. Aparo ¹⁴⁵, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, N. Aranzabal ³⁶, V. Araujo Ferraz ^{81a}, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹¹, J-F. Arguin ¹⁰⁷, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, A.J. Armbruster ³⁶, O. Arnaez ¹⁵⁴, H. Arnold ¹¹³, Z.P. Arrubarrena Tame ¹⁰⁸, G. Artoni ^{74a,74b}, H. Asada ¹¹⁰, K. Asai ¹¹⁷, S. Asai ¹⁵², N.A. Asbah ⁶¹, J. Assahsah ^{35d}, K. Assamagan ²⁹, R. Astalos ^{28a}, R.J. Atkin ^{33a}, M. Atkinson ¹⁶¹, N.B. Atlay ¹⁸, H. Atmani ^{62b}, P.A. Atmasiddha ¹⁰⁵, K. Augsten ¹³¹, S. Auricchio ^{71a,71b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁷⁰, G. Avner ¹⁴⁹, G. Avolio ³⁶, K. Axiotis ⁵⁶, M.K. Ayoub ^{14c}, G. Azuelos ^{107,ag}, D. Babal ^{28a}, H. Bachacou ¹³⁴, K. Bachas ^{151,s}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, P. Bagnaia ^{74a,74b}, M. Bahmani ¹⁸, A.J. Bailey ¹⁶², V.R. Bailey ¹⁶¹, J.T. Baines ¹³³, C. Bakalis ¹⁰, O.K. Baker ¹⁷¹, P.J. Bakker ¹¹³, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, S. Balaji ¹⁴⁶, R. Balasubramanian ¹¹³, E.M. Baldin ³⁷, P. Balek ¹³², E. Ballabene ^{70a,70b}, F. Balli ¹³⁴, L.M. Bales ^{63a}, W.K. Balunas ³², J. Balz ⁹⁹, E. Banas ⁸⁵, M. Bandieramonte ¹²⁸, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵⁰, E.L. Barberio ¹⁰⁴, D. Barberis ^{57b,57a}, M. Barbero ¹⁰¹, G. Barbour ⁹⁵, K.N. Barends ^{33a}, T. Barillari ¹⁰⁹, M-S. Barisits ³⁶, T. Barklow ¹⁴², R.M. Barnett ^{17a}, P. Baron ¹²¹, D.A. Baron Moreno ¹⁰⁰, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁵, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁸, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵⁰, M.G. Barros Teixeira ^{129a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴², A.E. Barton ⁹⁰, P. Bartos ^{28a}, A. Basalaeu ⁴⁸, A. Basan ⁹⁹, M. Baselga ⁴⁹, I. Bashta ^{76a,76b}, A. Bassalat ^{66,b}, M.J. Basso ¹⁵⁴, C.R. Basson ¹⁰⁰, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴⁰, M. Battaglia ¹³⁵, D. Battulga ¹⁸, M. Baucé ^{74a,74b}, P. Bauer ²⁴, A. Bayirli ^{21a}, J.B. Beacham ⁵¹, T. Beau ¹²⁶, P.H. Beauchemin ¹⁵⁷, F. Becherer ⁵⁴, P. Bechtel ²⁴, H.P. Beck ^{19,r}, K. Becker ¹⁶⁶, C. Becot ⁴⁸, A.J. Beddall ^{21d}, V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁴, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{81d}, M. Begel ²⁹, A. Behera ¹⁴⁴, J.K. Behr ⁴⁸, C. Beirao Da Cruz E Silva ³⁶, J.F. Beirer ^{55,36}, F. Beisiegel ²⁴, M. Belfkir ¹⁵⁸, G. Bella ¹⁵⁰, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, K. Belotskiy ³⁷, N.L. Belyaev ³⁷, D. Bencheikroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵⁰, D.P. Benjamin ²⁹,

M. Benoit ²⁹, J.R. Bensinger ²⁶, S. Bentvelsen ¹¹³, L. Beresford ³⁶, M. Beretta ⁵³, D. Berge ¹⁸,
E. Bergeaas Kuutmann ¹⁶⁰, N. Berger ⁴, B. Bergmann ¹³¹, J. Beringer ^{17a}, S. Berlendis ⁷,
G. Bernardi ⁵, C. Bernius ¹⁴², F.U. Bernlochner ²⁴, T. Berry ⁹⁴, P. Berta ¹³², A. Berthold ⁵⁰,
I.A. Bertram ⁹⁰, S. Bethke ¹⁰⁹, A. Betti ^{74a,74b}, A.J. Bevan ⁹³, M. Bhamjee ^{33c}, S. Bhatta ¹⁴⁴,
D.S. Bhattacharya ¹⁶⁵, P. Bhattarai ²⁶, V.S. Bhopatkar ¹²⁰, R. Bi ^{29,aj}, R.M. Bianchi ¹²⁸,
O. Biebel ¹⁰⁸, R. Bielski ¹²², M. Biglietti ^{76a}, T.R.V. Billoud ¹³¹, M. Bindi ⁵⁵, A. Bingul ^{21b},
C. Bini ^{74a,74b}, S. Biondi ^{23b,23a}, A. Biondini ⁹¹, C.J. Birch-sykes ¹⁰⁰, G.A. Bird ^{20,133},
M. Birman ¹⁶⁸, T. Bisanz ³⁶, E. Bisceglie ^{43b,43a}, D. Biswas ^{169,1}, A. Bitadze ¹⁰⁰, K. Bjørke ¹²⁴,
I. Bloch ⁴⁸, C. Blocker ²⁶, A. Blue ⁵⁹, U. Blumenschein ⁹³, J. Blumenthal ⁹⁹, G.J. Bobbink ¹¹³,
V.S. Bobrovnikov ³⁷, M. Boehler ⁵⁴, D. Bogavac ³⁶, A.G. Bogdanchikov ³⁷, C. Bohm ^{47a},
V. Boisvert ⁹⁴, P. Bokan ⁴⁸, T. Bold ^{84a}, M. Bomben ⁵, M. Bona ⁹³, M. Boonekamp ¹³⁴,
C.D. Booth ⁹⁴, A.G. Borbély ⁵⁹, H.M. Borecka-Bielska ¹⁰⁷, L.S. Borgna ⁹⁵, G. Borissov ⁹⁰,
D. Bortoletto ¹²⁵, D. Boscherini ^{23b}, M. Bosman ¹³, J.D. Bossio Sola ³⁶, K. Bouaouda ^{35a},
J. Boudreau ¹²⁸, E.V. Bouhova-Thacker ⁹⁰, D. Boumediene ⁴⁰, R. Bouquet ⁵, A. Boveia ¹¹⁸,
J. Boyd ³⁶, D. Boye ²⁹, I.R. Boyko ³⁸, J. Bracinik ²⁰, N. Brahimy ^{62d}, G. Brandt ¹⁷⁰,
O. Brandt ³², F. Braren ⁴⁸, B. Brau ¹⁰², J.E. Brau ¹²², K. Brendlinger ⁴⁸, R. Brenner ¹⁶⁸,
L. Brenner ³⁶, R. Brenner ¹⁶⁰, S. Bressler ¹⁶⁸, B. Brickwedde ⁹⁹, D. Britton ⁵⁹, D. Britzger ¹⁰⁹,
I. Brock ²⁴, G. Brooijmans ⁴¹, W.K. Brooks ^{136f}, E. Brost ²⁹, T.L. Bruckler ¹²⁵,
P.A. Bruckman de Renstrom ⁸⁵, B. Brüers ⁴⁸, D. Bruncko ^{28b,*}, A. Bruni ^{23b}, G. Bruni ^{23b},
M. Bruschi ^{23b}, N. Bruscinò ^{74a,74b}, L. Bryngemark ¹⁴², T. Buanes ¹⁶, Q. Buat ¹³⁷,
P. Buchholz ¹⁴⁰, A.G. Buckley ⁵⁹, I.A. Budagov ^{38,*}, M.K. Bugge ¹²⁴, O. Bulekov ³⁷,
B.A. Bullard ⁶¹, S. Burdin ⁹¹, C.D. Burgard ⁴⁸, A.M. Burger ⁴⁰, B. Burghgrave ⁸, J.T.P. Burr ³²,
C.D. Burton ¹¹, J.C. Burzynski ¹⁴¹, E.L. Busch ⁴¹, V. Büscher ⁹⁹, P.J. Bussey ⁵⁹, J.M. Butler ²⁵,
C.M. Buttar ⁵⁹, J.M. Butterworth ⁹⁵, W. Buttinger ¹³³, C.J. Buxo Vazquez ¹⁰⁶, A.R. Buzykaev ³⁷,
G. Cabras ^{23b}, S. Cabrera Urbán ¹⁶², D. Caforio ⁵⁸, H. Cai ¹²⁸, Y. Cai ^{14a,14d}, V.M.M. Cairo ³⁶,
O. Cakir ^{3a}, N. Calace ³⁶, P. Calafiura ^{17a}, G. Calderini ¹²⁶, P. Calfayan ⁶⁷, G. Callea ⁵⁹,
L.P. Caloba ^{81b}, D. Calvet ⁴⁰, S. Calvet ⁴⁰, T.P. Calvet ¹⁰¹, M. Calvetti ^{73a,73b},
R. Camacho Toro ¹²⁶, S. Camarda ³⁶, D. Camarero Munoz ²⁶, P. Camarri ^{75a,75b},
M.T. Camerlingo ^{76a,76b}, D. Cameron ¹²⁴, C. Camincher ¹⁶⁴, M. Campanelli ⁹⁵, A. Camplani ⁴²,
V. Canale ^{71a,71b}, A. Canesse ¹⁰³, M. Cano Bret ⁷⁹, J. Cantero ¹⁶², Y. Cao ¹⁶¹, F. Capocasa ²⁶,
M. Capua ^{43b,43a}, A. Carbone ^{70a,70b}, R. Cardarelli ^{75a}, J.C.J. Cardenas ⁸, F. Cardillo ¹⁶²,
T. Carli ³⁶, G. Carlino ^{71a}, J.I. Carlotto ¹³, B.T. Carlson ^{128,t}, E.M. Carlson ^{164,155a},
L. Carminati ^{70a,70b}, M. Carnesale ^{74a,74b}, S. Caron ¹¹², E. Carquin ^{136f}, S. Carrá ^{70a,70b},
G. Carratta ^{23b,23a}, F. Carri Argos ^{33g}, J.W.S. Carter ¹⁵⁴, T.M. Carter ⁵², M.P. Casado ^{13,i},
A.F. Casha ¹⁵⁴, E.G. Castiglia ¹⁷¹, F.L. Castillo ^{63a}, L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶²,
N.F. Castro ^{129a,129e}, A. Catinaccio ³⁶, J.R. Catmore ¹²⁴, V. Cavaliere ²⁹, N. Cavalli ^{23b,23a},
V. Cavasinni ^{73a,73b}, E. Celebi ^{21a}, F. Celli ¹²⁵, M.S. Centonze ^{69a,69b}, K. Cerny ¹²¹,
A.S. Cerqueira ^{81a}, A. Cerri ¹⁴⁵, L. Cerrito ^{75a,75b}, F. Cerutti ^{17a}, A. Cervelli ^{23b}, S.A. Cetin ^{21d},
Z. Chadi ^{35a}, D. Chakraborty ¹¹⁴, M. Chala ^{129f}, J. Chan ¹⁶⁹, W.Y. Chan ¹⁵², J.D. Chapman ³²,
B. Chargeishvili ^{148b}, D.G. Charlton ²⁰, T.P. Charman ⁹³, M. Chatterjee ¹⁹, S. Chekanov ⁶,
S.V. Chekulaev ^{155a}, G.A. Chelkov ^{38,a}, A. Chen ¹⁰⁵, B. Chen ¹⁵⁰, B. Chen ¹⁶⁴, C. Chen ^{62a},
H. Chen ^{14c}, H. Chen ²⁹, J. Chen ^{62c}, J. Chen ²⁶, S. Chen ¹⁵², S.J. Chen ^{14c}, X. Chen ^{62c},
X. Chen ^{14b,af}, Y. Chen ^{62a}, C.L. Cheng ¹⁶⁹, H.C. Cheng ^{64a}, A. Cheplakov ³⁸,
E. Cheremushkina ⁴⁸, E. Cherepanova ¹¹³, R. Cherkaoui El Moursli ^{35e}, E. Cheu ⁷, K. Cheung ⁶⁵,
L. Chevalier ¹³⁴, V. Chiarella ⁵³, G. Chiarelli ^{73a}, N. Chiedde ¹⁰¹, G. Chiodini ^{69a},
A.S. Chisholm ²⁰, A. Chitan ^{27b}, M. Chitishvili ¹⁶², Y.H. Chiu ¹⁶⁴, M.V. Chizhov ³⁸, K. Choi ¹¹,
A.R. Chomont ^{74a,74b}, Y. Chou ¹⁰², E.Y.S. Chow ¹¹³, T. Chowdhury ^{33g}, L.D. Christopher ^{33g},

K.L. Chu^{64a}, M.C. Chu^{64a}, X. Chu^{14a,14d}, J. Chudoba¹³⁰, J.J. Chwastowski⁸⁵, D. Cieri¹⁰⁹,
 K.M. Ciesla^{84a}, V. Cindro⁹², A. Ciocio^{17a}, F. Cirotto^{71a,71b}, Z.H. Citron^{168,m}, M. Citterio^{70a},
 D.A. Ciubotaru^{27b}, B.M. Ciungu¹⁵⁴, A. Clark⁵⁶, P.J. Clark⁵², J.M. Clavijo Columbie⁴⁸,
 S.E. Clawson¹⁰⁰, C. Clement^{47a,47b}, J. Clercx⁴⁸, L. Clissa^{23b,23a}, Y. Coadou¹⁰¹,
 M. Cobal^{68a,68c}, A. Coccaro^{57b}, R.F. Coelho Barrue^{129a}, R. Coelho Lopes De Sa¹⁰²,
 S. Coelli^{70a}, H. Cohen¹⁵⁰, A.E.C. Coimbra^{70a,70b}, B. Cole⁴¹, J. Collot⁶⁰,
 P. Conde Muiño^{129a,129g}, M.P. Connell^{33c}, S.H. Connell^{33c}, I.A. Connelly⁵⁹, E.I. Conroy¹²⁵,
 F. Conventi^{71a,ah}, H.G. Cooke²⁰, A.M. Cooper-Sarkar¹²⁵, F. Cormier¹⁶³, L.D. Corpe³⁶,
 M. Corradi^{74a,74b}, E.E. Corrigan⁹⁷, F. Corriveau^{103,y}, A. Cortes-Gonzalez¹⁸, M.J. Costa¹⁶²,
 F. Costanza⁴, D. Costanzo¹³⁸, B.M. Cote¹¹⁸, G. Cowan⁹⁴, J.W. Cowley³², K. Cranmer¹¹⁶,
 S. Crépe-Renaudin⁶⁰, F. Crescioli¹²⁶, M. Cristinziani¹⁴⁰, M. Cristoforetti^{77a,77b,d}, V. Croft¹⁵⁷,
 G. Crosetti^{43b,43a}, A. Cueto³⁶, T. Cuhadar Donszelmann¹⁵⁹, H. Cui^{14a,14d}, Z. Cui⁷,
 A.R. Cukierman¹⁴², W.R. Cunningham⁵⁹, F. Curcio^{43b,43a}, P. Czodrowski³⁶, M.M. Czurylo^{63b},
 M.J. Da Cunha Sargedas De Sousa^{62a}, J.V. Da Fonseca Pinto^{81b}, C. Da Via¹⁰⁰, W. Dabrowski^{84a},
 T. Dado⁴⁹, S. Dahbi^{33g}, T. Dai¹⁰⁵, C. Dallapiccola¹⁰², M. Dam⁴², G. D'amen²⁹,
 V. D'Amico¹⁰⁸, J. Damp⁹⁹, J.R. Dandoy¹²⁷, M.F. Daneri³⁰, M. Danninger¹⁴¹, V. Dao³⁶,
 G. Darbo^{57b}, S. Darmora⁶, S.J. Das^{29,aj}, S. D'Auria^{70a,70b}, C. David^{155b}, T. Davidek¹³²,
 D.R. Davis⁵¹, B. Davis-Purcell³⁴, I. Dawson⁹³, K. De⁸, R. De Asmundis^{71a},
 M. De Beurs¹¹³, N. De Biase⁴⁸, S. De Castro^{23b,23a}, N. De Groot¹¹², P. de Jong¹¹³,
 H. De la Torre¹⁰⁶, A. De Maria^{14c}, A. De Salvo^{74a}, U. De Sanctis^{75a,75b}, A. De Santo¹⁴⁵,
 J.B. De Vivie De Regie⁶⁰, D.V. Dedovich³⁸, J. Degens¹¹³, A.M. Deiana⁴⁴, F. Del Corso^{23b,23a},
 J. Del Peso⁹⁸, F. Del Rio^{63a}, F. Deliot¹³⁴, C.M. Delitzsch⁴⁹, M. Della Pietra^{71a,71b},
 D. Della Volpe⁵⁶, A. Dell'Acqua³⁶, L. Dell'Asta^{70a,70b}, M. Delmastro⁴, P.A. Delsart⁶⁰,
 S. Demers¹⁷¹, M. Demichev³⁸, S.P. Denisov³⁷, L. D'Eramo¹¹⁴, D. Derendarz⁸⁵, F. Derue¹²⁶,
 P. Dervan⁹¹, K. Desch²⁴, K. Dette¹⁵⁴, C. Deutsch²⁴, P.O. Deviveiros³⁶, F.A. Di Bello^{74a,74b},
 A. Di Ciaccio^{75a,75b}, L. Di Ciaccio⁴, A. Di Domenico^{74a,74b}, C. Di Donato^{71a,71b},
 A. Di Girolamo³⁶, G. Di Gregorio^{73a,73b}, A. Di Luca^{77a,77b}, B. Di Micco^{76a,76b},
 R. Di Nardo^{76a,76b}, C. Diaconu¹⁰¹, F.A. Dias¹¹³, T. Dias Do Vale¹⁴¹, M.A. Diaz^{136a,136b},
 F.G. Diaz Capriles²⁴, M. Didenko¹⁶², E.B. Diehl¹⁰⁵, L. Diehl⁵⁴, S. Díez Cornell⁴⁸,
 C. Diez Pardos¹⁴⁰, C. Dimitriadi^{24,160}, A. Dimitrievska^{17a}, W. Ding^{14b}, J. Dingfelder²⁴,
 I-M. Dinu^{27b}, S.J. Dittmeier^{63b}, F. Dittus³⁶, F. Djama¹⁰¹, T. Djobava^{148b}, J.I. Djuvsland¹⁶,
 C. Doglioni^{100,97}, J. Dolejsi¹³², Z. Dolezal¹³², M. Donadelli^{81c}, B. Dong^{62c}, J. Donini⁴⁰,
 A. D'Onofrio^{14c}, M. D'Onofrio⁹¹, J. Dopke¹³³, A. Doria^{71a}, M.T. Dova⁸⁹, A.T. Doyle⁵⁹,
 M.A. Draguet¹²⁵, E. Drechsler¹⁴¹, E. Dreyer¹⁶⁸, I. Drivas-koulouris¹⁰, A.S. Drobac¹⁵⁷,
 M. Drozdova⁵⁶, D. Du^{62a}, T.A. du Pree¹¹³, F. Dubinin³⁷, M. Dubovsky^{28a}, E. Duchovni¹⁶⁸,
 G. Duckeck¹⁰⁸, O.A. Ducu^{27b}, D. Duda¹⁰⁹, A. Dudarev³⁶, M. D'uffizi¹⁰⁰, L. Duflot⁶⁶,
 M. Dührssen³⁶, C. Dülsen¹⁷⁰, A.E. Dumitriu^{27b}, M. Dunford^{63a}, S. Dungs⁴⁹,
 K. Dunne^{47a,47b}, A. Duperrin¹⁰¹, H. Duran Yildiz^{3a}, M. Düren⁵⁸, A. Durglishvili^{148b},
 B.L. Dwyer¹¹⁴, G.I. Dyckes^{17a}, M. Dyndal^{84a}, S. Dysch¹⁰⁰, B.S. Dziedzic⁸⁵,
 Z.O. Earnshaw¹⁴⁵, B. Eckerova^{28a}, M.G. Eggleston⁵¹, E. Egidio Purcino De Souza^{81b},
 L.F. Ehrke⁵⁶, G. Eigen¹⁶, K. Einsweiler^{17a}, T. Ekelof¹⁶⁰, P.A. Ekman⁹⁷, Y. El Ghazali^{35b},
 H. El Jarrari^{35e,147}, A. El Moussaouy^{35a}, V. Ellajosyula¹⁶⁰, M. Ellert¹⁶⁰, F. Ellinghaus¹⁷⁰,
 A.A. Elliot⁹³, N. Ellis³⁶, J. Elmsheuser²⁹, M. Elsing³⁶, D. Emelianov¹³³, A. Emerman⁴¹,
 Y. Enari¹⁵², I. Ene^{17a}, S. Epari¹³, J. Erdmann⁴⁹, A. Ereditato¹⁹, P.A. Erland⁸⁵,
 M. Errenst¹⁷⁰, M. Escalier⁶⁶, C. Escobar¹⁶², E. Etzion¹⁵⁰, G. Evans^{129a}, H. Evans⁶⁷,
 M.O. Evans¹⁴⁵, A. Ezhilov³⁷, S. Ezzarqtouni^{35a}, F. Fabbri⁵⁹, L. Fabbri^{23b,23a}, G. Facini⁹⁵,
 V. Fadeyev¹³⁵, R.M. Fakhrutdinov³⁷, S. Falciano^{74a}, P.J. Falke²⁴, S. Falke³⁶, J. Faltova¹³²,

Y. Fan [id](#)^{14a}, Y. Fang [id](#)^{14a,14d}, G. Fanourakis [id](#)⁴⁶, M. Fanti [id](#)^{70a,70b}, M. Faraj [id](#)^{68a,68b}, A. Farbin [id](#)⁸,
 A. Farilla [id](#)^{76a}, T. Farooque [id](#)¹⁰⁶, S.M. Farrington [id](#)⁵², F. Fassi [id](#)^{35e}, D. Fassouliotis [id](#)⁹,
 M. Faucci Giannelli [id](#)^{75a,75b}, W.J. Fawcett [id](#)³², L. Fayard [id](#)⁶⁶, P. Federicova [id](#)¹³⁰, O.L. Fedin [id](#)^{37,a},
 G. Fedotov [id](#)³⁷, M. Feickert [id](#)¹⁶¹, L. Feligioni [id](#)¹⁰¹, A. Fell [id](#)¹³⁸, D.E. Fellers [id](#)¹²², C. Feng [id](#)^{62b},
 M. Feng [id](#)^{14b}, Z. Feng [id](#)¹¹³, M.J. Fenton [id](#)¹⁵⁹, A.B. Fenyuk [id](#)³⁷, L. Ferencz [id](#)⁴⁸, S.W. Ferguson [id](#)⁴⁵,
 J. Ferrando [id](#)⁴⁸, A. Ferrari [id](#)¹⁶⁰, P. Ferrari [id](#)¹¹³, R. Ferrari [id](#)^{72a}, D. Ferrere [id](#)⁵⁶, C. Ferretti [id](#)¹⁰⁵,
 F. Fiedler [id](#)⁹⁹, A. Filipčič [id](#)⁹², E.K. Filmer [id](#)¹, F. Filthaut [id](#)¹¹², M.C.N. Fiolhais [id](#)^{129a,129c,c},
 L. Fiorini [id](#)¹⁶², F. Fischer [id](#)¹⁴⁰, W.C. Fisher [id](#)¹⁰⁶, T. Fitschen [id](#)²⁰, I. Fleck [id](#)¹⁴⁰, P. Fleischmann [id](#)¹⁰⁵,
 T. Flick [id](#)¹⁷⁰, L. Flores [id](#)¹²⁷, M. Flores [id](#)^{33d,ad}, L.R. Flores Castillo [id](#)^{64a}, F.M. Follega [id](#)^{77a,77b},
 N. Fomin [id](#)¹⁶, J.H. Foo [id](#)¹⁵⁴, B.C. Forland [id](#)⁶⁷, A. Formica [id](#)¹³⁴, A.C. Forti [id](#)¹⁰⁰, E. Fortin [id](#)¹⁰¹,
 A.W. Fortman [id](#)⁶¹, M.G. Foti [id](#)^{17a}, L. Fountas [id](#)^{9,j}, D. Fournier [id](#)⁶⁶, H. Fox [id](#)⁹⁰, P. Francavilla [id](#)^{73a,73b},
 S. Francescato [id](#)⁶¹, M. Franchini [id](#)^{23b,23a}, S. Franchino [id](#)^{63a}, D. Francis [id](#)³⁶, L. Franco [id](#)¹¹²,
 L. Franconi [id](#)¹⁹, M. Franklin [id](#)⁶¹, G. Frattari [id](#)²⁶, A.C. Freegard [id](#)⁹³, P.M. Freeman [id](#)²⁰, W.S. Freund [id](#)^{81b},
 N. Fritzsche [id](#)⁵⁰, A. Froch [id](#)⁵⁴, D. Froidevaux [id](#)³⁶, J.A. Frost [id](#)¹²⁵, Y. Fu [id](#)^{62a}, M. Fujimoto [id](#)¹¹⁷,
 E. Fullana Torregrosa [id](#)^{162,*}, J. Fuster [id](#)¹⁶², A. Gabrielli [id](#)^{23b,23a}, A. Gabrielli [id](#)¹⁵⁴, P. Gadow [id](#)⁴⁸,
 G. Gagliardi [id](#)^{57b,57a}, L.G. Gagnon [id](#)^{17a}, G.E. Gallardo [id](#)¹²⁵, E.J. Gallas [id](#)¹²⁵, B.J. Gallop [id](#)¹³³,
 R. Gamboa Goni [id](#)⁹³, K.K. Gan [id](#)¹¹⁸, S. Ganguly [id](#)¹⁵², J. Gao [id](#)^{62a}, Y. Gao [id](#)⁵²,
 F.M. Garay Walls [id](#)^{136a,136b}, B. Garcia [id](#)^{29,aj}, C. García [id](#)¹⁶², J.E. García Navarro [id](#)¹⁶²,
 J.A. García Pascual [id](#)^{14a}, M. Garcia-Sciveres [id](#)^{17a}, R.W. Gardner [id](#)³⁹, D. Garg [id](#)⁷⁹, R.B. Garg [id](#)^{142,q},
 S. Gargiulo [id](#)⁵⁴, C.A. Garner [id](#)¹⁵⁴, V. Garonne [id](#)²⁹, S.J. Gasiorowski [id](#)¹³⁷, P. Gaspar [id](#)^{81b}, G. Gaudio [id](#)^{72a},
 V. Gautam [id](#)¹³, P. Gauzzi [id](#)^{74a,74b}, I.L. Gavrilenko [id](#)³⁷, A. Gavrilyuk [id](#)³⁷, C. Gay [id](#)¹⁶³, G. Gaycken [id](#)⁴⁸,
 E.N. Gazis [id](#)¹⁰, A.A. Geanta [id](#)^{27b,27e}, C.M. Gee [id](#)¹³⁵, J. Geisen [id](#)⁹⁷, M. Geisen [id](#)⁹⁹, C. Gemme [id](#)^{57b},
 M.H. Genest [id](#)⁶⁰, S. Gentile [id](#)^{74a,74b}, S. George [id](#)⁹⁴, W.F. George [id](#)²⁰, T. Geralis [id](#)⁴⁶, L.O. Gerlach [id](#)⁵⁵,
 P. Gessinger-Befurt [id](#)³⁶, M. Ghasemi Bostanabad [id](#)¹⁶⁴, M. Ghneimat [id](#)¹⁴⁰, A. Ghosal [id](#)¹⁴⁰,
 A. Ghosh [id](#)¹⁵⁹, A. Ghosh [id](#)⁷, B. Giacobbe [id](#)^{23b}, S. Giagu [id](#)^{74a,74b}, N. Giangiacomi [id](#)¹⁵⁴,
 P. Giannetti [id](#)^{73a}, A. Giannini [id](#)^{62a}, S.M. Gibson [id](#)⁹⁴, M. Gignac [id](#)¹³⁵, D.T. Gil [id](#)^{84b}, A.K. Gilbert [id](#)^{84a},
 B.J. Gilbert [id](#)⁴¹, D. Gillberg [id](#)³⁴, G. Gilles [id](#)¹¹³, N.E.K. Gillwald [id](#)⁴⁸, L. Ginabat [id](#)¹²⁶,
 D.M. Gingrich [id](#)^{2,ag}, M.P. Giordani [id](#)^{68a,68c}, P.F. Giraud [id](#)¹³⁴, G. Giugliarelli [id](#)^{68a,68c}, D. Giugni [id](#)^{70a},
 F. Giuli [id](#)³⁶, I. Gkialas [id](#)^{9,j}, L.K. Gladilin [id](#)³⁷, C. Glasman [id](#)⁹⁸, G.R. Gledhill [id](#)¹²², M. Glisic [id](#)¹²²,
 I. Gnesi [id](#)^{43b,f}, Y. Go [id](#)^{29,aj}, M. Goblirsch-Kolb [id](#)²⁶, D. Godin [id](#)¹⁰⁷, S. Goldfarb [id](#)¹⁰⁴, T. Golling [id](#)⁵⁶,
 M.G.D. Gololo [id](#)^{33g}, D. Golubkov [id](#)³⁷, J.P. Gombas [id](#)¹⁰⁶, A. Gomes [id](#)^{129a,129b}, G. Gomes Da Silva [id](#)¹⁴⁰,
 A.J. Gomez Delegido [id](#)¹⁶², R. Goncalves Gama [id](#)⁵⁵, R. Gonçalves [id](#)^{129a,129c}, G. Gonella [id](#)¹²²,
 L. Gonella [id](#)²⁰, A. Gongadze [id](#)³⁸, F. Gonnella [id](#)²⁰, J.L. Gonski [id](#)⁴¹, R.Y. González Andana [id](#)⁵²,
 S. González de la Hoz [id](#)¹⁶², S. Gonzalez Fernandez [id](#)¹³, R. Gonzalez Lopez [id](#)⁹¹,
 C. Gonzalez Renteria [id](#)^{17a}, R. Gonzalez Suarez [id](#)¹⁶⁰, S. Gonzalez-Sevilla [id](#)⁵⁶,
 G.R. Gonzalvo Rodriguez [id](#)¹⁶², L. Goossens [id](#)³⁶, N.A. Gorasia [id](#)²⁰, P.A. Gorbounov [id](#)³⁷, B. Gorini [id](#)³⁶,
 E. Gorini [id](#)^{69a,69b}, A. Gorišek [id](#)⁹², A.T. Goshaw [id](#)⁵¹, M.I. Gostkin [id](#)³⁸, C.A. Gottardo [id](#)³⁶,
 M. Goughri [id](#)^{35b}, V. Goumarre [id](#)⁴⁸, A.G. Goussiou [id](#)¹³⁷, N. Govender [id](#)^{33c}, C. Goy [id](#)⁴,
 I. Grabowska-Bold [id](#)^{84a}, K. Graham [id](#)³⁴, E. Gramstad [id](#)¹²⁴, S. Grancagnolo [id](#)¹⁸, M. Grandi [id](#)¹⁴⁵,
 V. Gratchev [id](#)^{37,*}, P.M. Gravila [id](#)^{27f}, F.G. Gravili [id](#)^{69a,69b}, H.M. Gray [id](#)^{17a}, M. Greco [id](#)^{69a,69b},
 C. Grefe [id](#)²⁴, I.M. Gregor [id](#)⁴⁸, P. Grenier [id](#)¹⁴², C. Grieco [id](#)¹³, A.A. Grillo [id](#)¹³⁵, K. Grimm [id](#)^{31,n},
 S. Grinstein [id](#)^{13,v}, J.-F. Grivaz [id](#)⁶⁶, E. Gross [id](#)¹⁶⁸, J. Grosse-Knetter [id](#)⁵⁵, C. Grud [id](#)¹⁰⁵, A. Grummer [id](#)¹¹¹,
 J.C. Grundy [id](#)¹²⁵, L. Guan [id](#)¹⁰⁵, W. Guan [id](#)¹⁶⁹, C. Gubbels [id](#)¹⁶³, J.G.R. Guerrero Rojas [id](#)¹⁶²,
 G. Guerrieri [id](#)^{68a,68b}, F. Guescini [id](#)¹⁰⁹, R. Gugel [id](#)⁹⁹, J.A.M. Guhit [id](#)¹⁰⁵, A. Guida [id](#)⁴⁸, T. Guillemin [id](#)⁴,
 E. Guilloton [id](#)^{166,133}, S. Guindon [id](#)³⁶, F. Guo [id](#)^{14a,14d}, J. Guo [id](#)^{62c}, L. Guo [id](#)⁶⁶, Y. Guo [id](#)¹⁰⁵,
 R. Gupta [id](#)⁴⁸, S. Gurbuz [id](#)²⁴, S.S. Gurdasani [id](#)⁵⁴, G. Gustavino [id](#)³⁶, M. Guth [id](#)⁵⁶, P. Gutierrez [id](#)¹¹⁹,
 L.F. Gutierrez Zagazeta [id](#)¹²⁷, C. Gutschow [id](#)⁹⁵, C. Guyot [id](#)¹³⁴, C. Gwenlan [id](#)¹²⁵, C.B. Gwilliam [id](#)⁹¹,

E.S. Haaland [ID124](#), A. Haas [ID116](#), M. Habedank [ID48](#), C. Haber [ID17a](#), H.K. Hadavand [ID8](#), A. Hadeif [ID99](#),
 S. Hadzic [ID109](#), M. Haleem [ID165](#), J. Haley [ID120](#), J.J. Hall [ID138](#), G.D. Hallewell [ID101](#), L. Halser [ID19](#),
 K. Hamano [ID164](#), H. Hamdaoui [ID35e](#), M. Hamer [ID24](#), G.N. Hamity [ID52](#), J. Han [ID62b](#), K. Han [ID62a](#),
 L. Han [ID14c](#), L. Han [ID62a](#), S. Han [ID17a](#), Y.F. Han [ID154](#), K. Hanagaki [ID82](#), M. Hance [ID135](#),
 D.A. Hangal [ID41,ac](#), H. Hanif [ID141](#), M.D. Hank [ID39](#), R. Hankache [ID100](#), J.B. Hansen [ID42](#),
 J.D. Hansen [ID42](#), P.H. Hansen [ID42](#), K. Hara [ID156](#), D. Harada [ID56](#), T. Harenberg [ID170](#), S. Harkusha [ID37](#),
 Y.T. Harris [ID125](#), N.M. Harrison [ID118](#), P.F. Harrison [ID166](#), N.M. Hartman [ID142](#), N.M. Hartmann [ID108](#),
 Y. Hasegawa [ID139](#), A. Hasib [ID52](#), S. Haug [ID19](#), R. Hauser [ID106](#), M. Havranek [ID131](#), C.M. Hawkes [ID20](#),
 R.J. Hawkings [ID36](#), S. Hayashida [ID110](#), D. Hayden [ID106](#), C. Hayes [ID105](#), R.L. Hayes [ID163](#), C.P. Hays [ID125](#),
 J.M. Hays [ID93](#), H.S. Hayward [ID91](#), F. He [ID62a](#), Y. He [ID153](#), Y. He [ID126](#), M.P. Heath [ID52](#), V. Hedberg [ID97](#),
 A.L. Heggelund [ID124](#), N.D. Hehir [ID93](#), C. Heidegger [ID54](#), K.K. Heidegger [ID54](#), W.D. Heidorn [ID80](#),
 J. Heilmann [ID34](#), S. Heim [ID48](#), T. Heim [ID17a](#), J.G. Heinlein [ID127](#), J.J. Heinrich [ID122](#), L. Heinrich [ID109,ae](#),
 J. Hejbal [ID130](#), L. Helary [ID48](#), A. Held [ID169](#), S. Hellesund [ID124](#), C.M. Helling [ID163](#), S. Hellman [ID47a,47b](#),
 C. Helsens [ID36](#), R.C.W. Henderson [ID90](#), L. Henkelmann [ID32](#), A.M. Henriques Correia [ID36](#), H. Herde [ID142](#),
 Y. Hernández Jiménez [ID144](#), M.G. Herrmann [ID108](#), T. Herrmann [ID50](#), G. Herten [ID54](#),
 R. Hertenberger [ID108](#), L. Hervas [ID36](#), N.P. Hesse [ID155a](#), H. Hibi [ID83](#), E. Higón-Rodríguez [ID162](#),
 S.J. Hillier [ID20](#), I. Hinchliffe [ID17a](#), F. Hinterkeuser [ID24](#), M. Hirose [ID123](#), S. Hirose [ID156](#),
 D. Hirschbuehl [ID170](#), T.G. Hitchings [ID100](#), B. Hiti [ID92](#), J. Hobbs [ID144](#), R. Hobincu [ID27e](#), N. Hod [ID168](#),
 M.C. Hodgkinson [ID138](#), B.H. Hodgkinson [ID32](#), A. Hoecker [ID36](#), J. Hofer [ID48](#), D. Hohn [ID54](#), T. Holm [ID24](#),
 M. Holzbock [ID109](#), L.B.A.H. Hommels [ID32](#), B.P. Honan [ID100](#), J. Hong [ID62c](#), T.M. Hong [ID128](#),
 Y. Hong [ID55](#), J.C. Honig [ID54](#), A. Hönle [ID109](#), B.H. Hooberman [ID161](#), W.H. Hopkins [ID6](#), Y. Horii [ID110](#),
 S. Hou [ID147](#), A.S. Howard [ID92](#), J. Howarth [ID59](#), J. Hoya [ID6](#), M. Hrabovsky [ID121](#), A. Hrynevich [ID37](#),
 T. Hryn'ova [ID4](#), P.J. Hsu [ID65](#), S.-C. Hsu [ID137](#), Q. Hu [ID41,ac](#), Y.F. Hu [ID14a,14d,ai](#), D.P. Huang [ID95](#),
 S. Huang [ID64b](#), X. Huang [ID14c](#), Y. Huang [ID62a](#), Y. Huang [ID14a](#), Z. Huang [ID100](#), Z. Hubacek [ID131](#),
 M. Huebner [ID24](#), F. Huegging [ID24](#), T.B. Huffman [ID125](#), M. Huhtinen [ID36](#), S.K. Huiberts [ID16](#),
 R. Hulsken [ID103](#), N. Huseynov [ID12,a](#), J. Huston [ID106](#), J. Huth [ID61](#), R. Hyneman [ID142](#), S. Hyrych [ID28a](#),
 G. Iacobucci [ID56](#), G. Iakovidis [ID29](#), I. Ibragimov [ID140](#), L. Iconomidou-Fayard [ID66](#), P. Iengo [ID71a,71b](#),
 R. Iguchi [ID152](#), T. Iizawa [ID56](#), Y. Ikegami [ID82](#), A. Ilg [ID19](#), N. Ilic [ID154](#), H. Imam [ID35a](#),
 T. Ingebretsen Carlson [ID47a,47b](#), G. Introzzi [ID72a,72b](#), M. Iodice [ID76a](#), V. Ippolito [ID74a,74b](#), M. Ishino [ID152](#),
 W. Islam [ID169](#), C. Issever [ID18,48](#), S. Istin [ID21a,al](#), H. Ito [ID167](#), J.M. Iturbe Ponce [ID64a](#), R. Iuppa [ID77a,77b](#),
 A. Ivina [ID168](#), J.M. Izen [ID45](#), V. Izzo [ID71a](#), P. Jacka [ID130,131](#), P. Jackson [ID1](#), R.M. Jacobs [ID48](#),
 B.P. Jaeger [ID141](#), C.S. Jagfeld [ID108](#), G. Jäkel [ID170](#), K. Jakobs [ID54](#), T. Jakoubek [ID168](#), J. Jamieson [ID59](#),
 K.W. Janas [ID84a](#), G. Jarlskog [ID97](#), A.E. Jaspan [ID91](#), M. Javurkova [ID102](#), F. Jeanneau [ID134](#), L. Jeanty [ID122](#),
 J. Jejelava [ID148a,aa](#), P. Jenni [ID54,g](#), C.E. Jessiman [ID34](#), S. Jézéquel [ID4](#), J. Jia [ID144](#), X. Jia [ID61](#),
 X. Jia [ID14a,14d](#), Z. Jia [ID14c](#), Y. Jiang [ID62a](#), S. Jiggins [ID52](#), J. Jimenez Pena [ID109](#), S. Jin [ID14c](#), A. Jinaru [ID27b](#),
 O. Jinnouchi [ID153](#), P. Johansson [ID138](#), K.A. Johns [ID7](#), D.M. Jones [ID32](#), E. Jones [ID166](#), P. Jones [ID32](#),
 R.W.L. Jones [ID90](#), T.J. Jones [ID91](#), R. Joshi [ID118](#), J. Jovicevic [ID15](#), X. Ju [ID17a](#), J.J. Junggeburth [ID36](#),
 A. Juste Rozas [ID13,v](#), S. Kabana [ID136e](#), A. Kaczmarzka [ID85](#), M. Kado [ID74a,74b](#), H. Kagan [ID118](#),
 M. Kagan [ID142](#), A. Kahn [ID41](#), A. Kahn [ID127](#), C. Kahra [ID99](#), T. Kaji [ID167](#), E. Kajomovitz [ID149](#),
 N. Kakati [ID168](#), C.W. Kalderon [ID29](#), A. Kamenshchikov [ID154](#), S. Kanayama [ID153](#), N.J. Kang [ID135](#),
 Y. Kano [ID110](#), D. Kar [ID33g](#), K. Karava [ID125](#), M.J. Kareem [ID155b](#), E. Karentzos [ID54](#), I. Karkanas [ID151](#),
 S.N. Karpov [ID38](#), Z.M. Karpova [ID38](#), V. Kartvelishvili [ID90](#), A.N. Karyukhin [ID37](#), E. Kasimi [ID151](#),
 C. Kato [ID62d](#), J. Katzy [ID48](#), S. Kaur [ID34](#), K. Kawade [ID139](#), K. Kawagoe [ID88](#), T. Kawamoto [ID134](#),
 G. Kawamura [ID55](#), E.F. Kay [ID164](#), F.I. Kaya [ID157](#), S. Kazakos [ID13](#), V.F. Kazanin [ID37](#), Y. Ke [ID144](#),
 J.M. Keaveney [ID33a](#), R. Keeler [ID164](#), G.V. Kehris [ID61](#), J.S. Keller [ID34](#), A.S. Kelly [ID95](#), D. Kelsey [ID145](#),
 J.J. Kempster [ID20](#), K.E. Kennedy [ID41](#), O. Kepka [ID130](#), B.P. Kerridge [ID166](#), S. Kersten [ID170](#),
 B.P. Kerševan [ID92](#), S. Keshri [ID66](#), L. Keszeghova [ID28a](#), S. Ketabchi Haghighat [ID154](#), M. Khandoga [ID126](#),

A. Khanov ¹²⁰, A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁷, T.J. Khoo ¹⁸,
 G. Khorauli ¹⁶⁵, J. Khubua ^{148b}, Y.A.R. Khwaira ⁶⁶, M. Kiehn ³⁶, A. Kilgallon ¹²²,
 D.W. Kim ^{47a,47b}, E. Kim ¹⁵³, Y.K. Kim ³⁹, N. Kimura ⁹⁵, A. Kirchhoff ⁵⁵, D. Kirchmeier ⁵⁰,
 C. Kirfel ²⁴, J. Kirk ¹³³, A.E. Kiryunin ¹⁰⁹, T. Kishimoto ¹⁵², D.P. Kisliuk ¹⁵⁴, C. Kitsaki ¹⁰,
 O. Kivernyk ²⁴, M. Klassen ^{63a}, C. Klein ³⁴, L. Klein ¹⁶⁵, M.H. Klein ¹⁰⁵, M. Klein ⁹¹,
 S.B. Klein ⁵⁶, U. Klein ⁹¹, P. Klimek ³⁶, A. Klimentov ²⁹, F. Klimpel ¹⁰⁹, T. Klingl ²⁴,
 T. Klioutchnikova ³⁶, F.F. Klitzner ¹⁰⁸, P. Kluit ¹¹³, S. Kluth ¹⁰⁹, E. Kneringer ⁷⁸,
 T.M. Knight ¹⁵⁴, A. Knue ⁵⁴, D. Kobayashi⁸⁸, R. Kobayashi ⁸⁶, M. Kocian ¹⁴², P. Kodyš ¹³²,
 D.M. Koeck ¹⁴⁵, P.T. Koenig ²⁴, T. Koffas ³⁴, N.M. Köhler ³⁶, M. Kolb ¹³⁴, I. Koletsou ⁴,
 T. Komarek ¹²¹, K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁷, N. Konstantinidis ⁹⁵, B. Konya ⁹⁷,
 R. Kopeliansky ⁶⁷, S. Koperny ^{84a}, K. Korcyl ⁸⁵, K. Kordas ¹⁵¹, G. Koren ¹⁵⁰, A. Korn ⁹⁵,
 S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹³, O. Kortner ¹⁰⁹, S. Kortner ¹⁰⁹,
 W.H. Kostecka ¹¹⁴, V.V. Kostyukhin ¹⁴⁰, A. Kotsokechagia ¹³⁴, A. Kotwal ⁵¹, A. Koulouris ³⁶,
 A. Kourkoumeli-Charalampidi ^{72a,72b}, C. Kourkoumelis ⁹, E. Kourlitis ⁶, O. Kovanda ¹⁴⁵,
 R. Kowalewski ¹⁶⁴, W. Kozanecki ¹³⁴, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷, G. Kramberger ⁹²,
 P. Kramer ⁹⁹, M.W. Krasny ¹²⁶, A. Krasznahorkay ³⁶, J.A. Kremer ⁹⁹, T. Kresse ⁵⁰,
 J. Kretschmar ⁹¹, K. Kreul ¹⁸, P. Krieger ¹⁵⁴, F. Krieter ¹⁰⁸, S. Krishnamurthy ¹⁰²,
 A. Krishnan ^{63b}, M. Krivos ¹³², K. Krizka ^{17a}, K. Kroeninger ⁴⁹, H. Kroha ¹⁰⁹, J. Kroll ¹³⁰,
 J. Kroll ¹²⁷, K.S. Krowpman ¹⁰⁶, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack⁸⁰, M.C. Kruse ⁵¹,
 J.A. Krzysiak ⁸⁵, A. Kubota ¹⁵³, O. Kuchinskaia ³⁷, S. Kuday ^{3a}, D. Kuechler ⁴⁸,
 J.T. Kuechler ⁴⁸, S. Kuehn ³⁶, T. Kuhl ⁴⁸, V. Kukhtin ³⁸, Y. Kulchitsky ^{37,a},
 S. Kuleshov ^{136d,136b}, M. Kumar ^{33g}, N. Kumari ¹⁰¹, M. Kuna ⁶⁰, A. Kupco ¹³⁰, T. Kupfer⁴⁹,
 A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸³, L.L. Kurchaninov ^{155a}, Y.A. Kurochkin ³⁷,
 A. Kurova ³⁷, E.S. Kuwertz ³⁶, M. Kuze ¹⁵³, A.K. Kvam ¹⁰², J. Kvita ¹²¹, T. Kwan ¹⁰³,
 K.W. Kwok ^{64a}, N.G. Kyriacou ¹⁰⁵, L.A.O. Laatu ¹⁰¹, C. Lacasta ¹⁶², F. Lacava ^{74a,74b},
 H. Lacker ¹⁸, D. Lacour ¹²⁶, N.N. Lad ⁹⁵, E. Ladygin ³⁸, B. Laforge ¹²⁶, T. Lagouri ^{136e},
 S. Lai ⁵⁵, I.K. Lakomic ^{84a}, N. Lalloue ⁶⁰, J.E. Lambert ¹¹⁹, S. Lammers ⁶⁷, W. Lampl ⁷,
 C. Lampoudis ¹⁵¹, A.N. Lancaster ¹¹⁴, E. Lançon ²⁹, U. Landgraf ⁵⁴, M.P.J. Landon ⁹³,
 V.S. Lang ⁵⁴, R.J. Langenberg ¹⁰², A.J. Lankford ¹⁵⁹, F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{72a},
 A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁴, T. Lari ^{70a}, F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶,
 V. Latonova ¹³⁰, T.S. Lau ^{64a}, A. Laudrain ⁹⁹, A. Laurier ³⁴, S.D. Lawlor ⁹⁴, Z. Lawrence ¹⁰⁰,
 M. Lazzaroni ^{70a,70b}, B. Le¹⁰⁰, B. Leban ⁹², A. Lebedev ⁸⁰, M. LeBlanc ³⁶, T. LeCompte ⁶,
 F. Ledroit-Guillon ⁶⁰, A.C.A. Lee⁹⁵, G.R. Lee ¹⁶, L. Lee ⁶¹, S.C. Lee ¹⁴⁷, S. Lee ^{47a,47b},
 T.F. Lee ⁹¹, L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁴, M. Lefebvre ¹⁶⁴, C. Leggett ^{17a}, K. Lehmann ¹⁴¹,
 G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰², A. Leisos ^{151,u}, M.A.L. Leite ^{81c},
 C.E. Leitgeb ⁴⁸, R. Leitner ¹³², K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{73a}, C. Leonidopoulos ⁵²,
 A. Leopold ¹⁴³, C. Leroy ¹⁰⁷, R. Les ¹⁰⁶, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴,
 D. Levin ¹⁰⁵, L.J. Levinson ¹⁶⁸, M.P. Lewicki ⁸⁵, D.J. Lewis ²⁰, B. Li ^{14b}, B. Li ^{62b}, C. Li^{62a},
 C-Q. Li ^{62c}, H. Li ^{62a}, H. Li ^{62b}, H. Li ^{14c}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁷, L. Li ^{62c},
 M. Li ^{14a,14d}, Q.Y. Li ^{62a}, S. Li ^{62d,62c,e}, T. Li ^{62b}, X. Li ¹⁰³, Z. Li ^{62b}, Z. Li ¹²⁵, Z. Li ¹⁰³,
 Z. Li ⁹¹, Z. Li ^{14a,14d}, Z. Liang ^{14a}, M. Liberatore ⁴⁸, B. Liberti ^{75a}, K. Lie ^{64c},
 J. Lieber Marin ^{81b}, K. Lin ¹⁰⁶, R.A. Linck ⁶⁷, R.E. Lindley ⁷, J.H. Lindon ², A. Linss ⁴⁸,
 E. Lipeles ¹²⁷, A. Lipniacka ¹⁶, A. Lister ¹⁶³, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴¹,
 D. Liu ^{62d,62c}, J.B. Liu ^{62a}, J.K.K. Liu ³², K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a},
 Q. Liu ^{62d,137,62c}, X. Liu ^{62a}, Y. Liu ⁴⁸, Y. Liu ^{14c,14d}, Y.L. Liu ¹⁰⁵, Y.W. Liu ^{62a},
 M. Livan ^{72a,72b}, J. Llorente Merino ¹⁴¹, S.L. Lloyd ⁹³, E.M. Lobodzinska ⁴⁸, P. Loch ⁷,
 S. Loffredo ^{75a,75b}, T. Lohse ¹⁸, K. Lohwasser ¹³⁸, M. Lokajicek ^{130,*}, J.D. Long ¹⁶¹,

I. Longarini ^{74a,74b}, L. Longo ^{69a,69b}, R. Longo ¹⁶¹, I. Lopez Paz ³⁶, A. Lopez Solis ⁴⁸,
 J. Lorenz ¹⁰⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁸, A. Lösle ⁵⁴, X. Lou ^{47a,47b}, X. Lou ^{14a,14d},
 A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹⁰, J.J. Lozano Bahilo ¹⁶², G. Lu ^{14a,14d}, M. Lu ⁷⁹,
 S. Lu ¹²⁷, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁷, C. Luci ^{74a,74b}, F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰,
 F. Luehring ⁶⁷, I. Luise ¹⁴⁴, O. Lukianchuk ⁶⁶, O. Lundberg ¹⁴³, B. Lund-Jensen ¹⁴³,
 N.A. Luongo ¹²², M.S. Lutz ¹⁵⁰, D. Lynn ²⁹, H. Lyons⁹¹, R. Lysak ¹³⁰, E. Lytken ⁹⁷, F. Lyu ^{14a},
 V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, H. Ma ²⁹, L.L. Ma ^{62b}, Y. Ma ⁹⁵, D.M. Mac Donell ¹⁶⁴,
 G. Maccarrone ⁵³, J.C. MacDonald ¹³⁸, R. Madar ⁴⁰, W.F. Mader ⁵⁰, J. Maeda ⁸³, T. Maeno ²⁹,
 M. Maerker ⁵⁰, V. Magerl ⁵⁴, J. Magro ^{68a,68c}, H. Maguire ¹³⁸, D.J. Mahon ⁴¹,
 C. Maidantchik ^{81b}, A. Maio ^{129a,129b,129d}, K. Maj ^{84a}, O. Majersky ^{28a}, S. Majewski ¹²²,
 N. Makovec ⁶⁶, V. Maksimovic ¹⁵, B. Malaescu ¹²⁶, Pa. Malecki ⁸⁵, V.P. Maleev ³⁷,
 F. Malek ⁶⁰, D. Malito ^{43b,43a}, U. Mallik ⁷⁹, C. Malone ³², S. Maltezos¹⁰, S. Malyukov³⁸,
 J. Mamuzic ¹³, G. Mancini ⁵³, G. Manco ^{72a,72b}, J.P. Mandalia ⁹³, I. Mandić ⁹²,
 L. Manhaes de Andrade Filho ^{81a}, I.M. Maniatis ¹⁵¹, M. Manisha ¹³⁴, J. Manjarres Ramos ⁵⁰,
 D.C. Mankad ¹⁶⁸, A. Mann ¹⁰⁸, B. Mansoulie ¹³⁴, S. Manzoni ³⁶, A. Marantis ^{151,u},
 G. Marchiori ⁵, M. Marcisovsky ¹³⁰, L. Marcoccia ^{75a,75b}, C. Marcon ^{70a,70b}, M. Marinescu ²⁰,
 M. Marjanovic ¹¹⁹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶², T.A. Martin ¹⁶⁶, V.J. Martin ⁵²,
 B. Martin dit Latour ¹⁶, L. Martinelli ^{74a,74b}, M. Martinez ^{13,v}, P. Martinez Agullo ¹⁶²,
 V.I. Martinez Outschoorn ¹⁰², P. Martinez Suarez ¹³, S. Martin-Haugh ¹³³, V.S. Martoiu ^{27b},
 A.C. Martyniuk ⁹⁵, A. Marzin ³⁶, S.R. Maschek ¹⁰⁹, L. Masetti ⁹⁹, T. Mashimo ¹⁵²,
 J. Masik ¹⁰⁰, A.L. Maslennikov ³⁷, L. Massa ^{23b}, P. Massarotti ^{71a,71b}, P. Mastrandrea ^{73a,73b},
 A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵², T. Mathisen ¹⁶⁰, N. Matsuzawa¹⁵², J. Maurer ^{27b},
 B. Maček ⁹², D.A. Maximov ³⁷, R. Mazini ¹⁴⁷, I. Maznas ¹⁵¹, M. Mazza ¹⁰⁶, S.M. Mazza ¹³⁵,
 C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰³, S.P. Mc Kee ¹⁰⁵, T.G. McCarthy ¹⁰⁹, W.P. McCormack ^{17a},
 E.F. McDonald ¹⁰⁴, A.E. McDougall ¹¹³, J.A. Mcfayden ¹⁴⁵, G. Mchedlidze ^{148b},
 R.P. Mckenzie ^{33g}, T.C. Mclachlan ⁴⁸, D.J. Mclaughlin ⁹⁵, K.D. McLean ¹⁶⁴, S.J. McMahon ¹³³,
 P.C. McNamara ¹⁰⁴, C.M. Mcpartland ⁹¹, R.A. McPherson ^{164,y}, T. Megy ⁴⁰, S. Mehlhase ¹⁰⁸,
 A. Mehta ⁹¹, B. Meirose ⁴⁵, D. Melini ¹⁴⁹, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵,
 F. Meloni ⁴⁸, E.D. Mendes Gouveia ^{129a}, A.M. Mendes Jacques Da Costa ²⁰, H.Y. Meng ¹⁵⁴,
 L. Meng ⁹⁰, S. Menke ¹⁰⁹, M. Mentink ³⁶, E. Meoni ^{43b,43a}, C. Merlassino ¹²⁵,
 L. Merola ^{71a,71b}, C. Meroni ^{70a,70b}, G. Merz¹⁰⁵, O. Meshkov ³⁷, J.K.R. Meshreki ¹⁴⁰,
 J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁷, J-P. Meyer ¹³⁴, M. Michetti ¹⁸, R.P. Middleton ¹³³,
 L. Mijović ⁵², G. Mikenberg ¹⁶⁸, M. Mikestikova ¹³⁰, M. Mikuž ⁹², H. Mildner ¹³⁸,
 A. Milic ¹⁵⁴, C.D. Milke ⁴⁴, D.W. Miller ³⁹, L.S. Miller ³⁴, A. Milov ¹⁶⁸, D.A. Milstead^{47a,47b},
 T. Min^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{148b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁶, B. Mindur ^{84a},
 M. Mineev ³⁸, Y. Mino ⁸⁶, L.M. Mir ¹³, M. Miralles Lopez ¹⁶², M. Mironova ¹²⁵, T. Mitani ¹⁶⁷,
 A. Mitra ¹⁶⁶, V.A. Mitsou ¹⁶², O. Miu ¹⁵⁴, P.S. Miyagawa ⁹³, Y. Miyazaki⁸⁸, A. Mizukami ⁸²,
 J.U. Mjörnmark ⁹⁷, T. Mkrtchyan ^{63a}, T. Mlinarevic ⁹⁵, M. Mlynarikova ³⁶, T. Moa ^{47a,47b},
 S. Mobius ⁵⁵, K. Mochizuki ¹⁰⁷, P. Moder ⁴⁸, P. Mogg ¹⁰⁸, A.F. Mohammed ^{14a,14d},
 S. Mohapatra ⁴¹, G. Mokgatitwane ^{33g}, B. Mondal ¹⁴⁰, S. Mondal ¹³¹, K. Mönig ⁴⁸,
 E. Monnier ¹⁰¹, L. Monsonis Romero¹⁶², J. Montejo Berlingen ³⁶, M. Montella ¹¹⁸,
 F. Monticelli ⁸⁹, N. Morange ⁶⁶, A.L. Moreira De Carvalho ^{129a}, M. Moreno Llácer ¹⁶²,
 C. Moreno Martinez ¹³, P. Morettini ^{57b}, S. Morgenstern ¹⁶⁶, M. Morii ⁶¹, M. Morinaga ¹⁵²,
 V. Morisbak ¹²⁴, A.K. Morley ³⁶, F. Morodei ^{74a,74b}, L. Morvaj ³⁶, P. Moschovakos ³⁶,
 B. Moser ³⁶, M. Mosidze^{148b}, T. Moskalets ⁵⁴, P. Moskvitina ¹¹², J. Moss ^{31,o}, E.J.W. Moyses ¹⁰²,
 S. Muanza ¹⁰¹, J. Mueller ¹²⁸, D. Muenstermann ⁹⁰, R. Müller ¹⁹, G.A. Mullier ⁹⁷, J.J. Mullin¹²⁷,
 D.P. Mungo ^{70a,70b}, J.L. Munoz Martinez ¹³, D. Munoz Perez ¹⁶², F.J. Munoz Sanchez ¹⁰⁰,

M. Murin [id100](#), W.J. Murray [id166,133](#), A. Murrone [id70a,70b](#), J.M. Muse [id119](#), M. Muškinja [id17a](#),
C. Mwewa [id29](#), A.G. Myagkov [id37,a](#), A.J. Myers [id8](#), A.A. Myers [id128](#), G. Myers [id67](#), M. Myska [id131](#),
B.P. Nachman [id17a](#), O. Nackenhorst [id49](#), A. Nag [id50](#), K. Nagai [id125](#), K. Nagano [id82](#), J.L. Nagle [id29,aj](#),
E. Nagy [id101](#), A.M. Nairz [id36](#), Y. Nakahama [id82](#), K. Nakamura [id82](#), H. Nanjo [id123](#), R. Narayan [id44](#),
E.A. Narayanan [id111](#), I. Naryshkin [id37](#), M. Naseri [id34](#), C. Nass [id24](#), G. Navarro [id22a](#),
J. Navarro-Gonzalez [id162](#), R. Nayak [id150](#), A. Nayaz [id18](#), P.Y. Nechaeva [id37](#), F. Nechansky [id48](#),
L. Nedic [id125](#), T.J. Neep [id20](#), A. Negri [id72a,72b](#), M. Negrini [id23b](#), C. Nellist [id112](#), C. Nelson [id103](#),
K. Nelson [id105](#), S. Nemecek [id130](#), M. Nessi [id36,h](#), M.S. Neubauer [id161](#), F. Neuhaus [id99](#),
J. Neundorff [id48](#), R. Newhouse [id163](#), P.R. Newman [id20](#), C.W. Ng [id128](#), Y.S. Ng [id18](#), Y.W.Y. Ng [id159](#),
B. Ngair [id35e](#), H.D.N. Nguyen [id107](#), R.B. Nickerson [id125](#), R. Nicolaidou [id134](#), J. Nielsen [id135](#),
M. Niemeyer [id55](#), N. Nikipforou [id36](#), V. Nikolaenko [id37,a](#), I. Nikolic-Audit [id126](#), K. Nikolopoulos [id20](#),
P. Nilsson [id29](#), H.R. Nindhito [id56](#), A. Nisati [id74a](#), N. Nishu [id2](#), R. Nisius [id109](#), J.-E. Nitschke [id50](#),
E.K. Nkadimeng [id33g](#), S.J. Noacco Rosende [id89](#), T. Nobe [id152](#), D.L. Noel [id32](#), Y. Noguchi [id86](#),
T. Nommensen [id146](#), M.A. Nomura [id29](#), M.B. Norfolk [id138](#), R.R.B. Norisam [id95](#), B.J. Norman [id34](#),
J. Novak [id92](#), T. Novak [id48](#), O. Novgorodova [id50](#), L. Novotny [id131](#), R. Novotny [id111](#), L. Nozka [id121](#),
K. Ntekas [id159](#), E. Nurse [id95](#), F.G. Oakham [id34,ag](#), J. Ocariz [id126](#), A. Ochi [id83](#), I. Ochoa [id129a](#),
S. Oerdek [id160](#), A. Ogrodnik [id84a](#), A. Oh [id100](#), C.C. Ohm [id143](#), H. Oide [id153](#), R. Oishi [id152](#),
M.L. Ojeda [id48](#), Y. Okazaki [id86](#), M.W. O'Keefe [id91](#), Y. Okumura [id152](#), A. Olariu [id27b](#),
L.F. Oleiro Seabra [id129a](#), S.A. Olivares Pino [id136e](#), D. Oliveira Damazio [id29](#), D. Oliveira Goncalves [id81a](#),
J.L. Oliver [id159](#), M.J.R. Olsson [id159](#), A. Olszewski [id85](#), J. Olszowska [id85,*](#), Ö.O. Öncel [id54](#),
D.C. O'Neil [id141](#), A.P. O'Neill [id19](#), A. Onofre [id129a,129e](#), P.U.E. Onyisi [id11](#), M.J. Oreglia [id39](#),
G.E. Orellana [id89](#), D. Orestano [id76a,76b](#), N. Orlando [id13](#), R.S. Orr [id154](#), V. O'Shea [id59](#),
R. Ospanov [id62a](#), G. Otero y Garzon [id30](#), H. Otono [id88](#), P.S. Ott [id63a](#), G.J. Ottino [id17a](#), M. Ouchrif [id35d](#),
J. Ouellette [id29,aj](#), F. Ould-Saada [id124](#), M. Owen [id59](#), R.E. Owen [id133](#), K.Y. Oyulmaz [id21a](#),
V.E. Ozcan [id21a](#), N. Ozturk [id8](#), S. Ozturk [id21d](#), J. Pacalt [id121](#), H.A. Pacey [id32](#), A. Pacheco Pages [id13](#),
C. Padilla Aranda [id13](#), G. Padovano [id74a,74b](#), S. Pagan Griso [id17a](#), G. Palacino [id67](#), A. Palazzo [id69a,69b](#),
S. Palazzo [id52](#), S. Palestini [id36](#), M. Palka [id84b](#), J. Pan [id171](#), T. Pan [id64a](#), D.K. Panchal [id11](#),
C.E. Pandini [id113](#), J.G. Panduro Vazquez [id94](#), H. Pang [id14b](#), P. Pani [id48](#), G. Panizzo [id68a,68c](#),
L. Paolozzi [id56](#), C. Papadatos [id107](#), S. Parajuli [id44](#), A. Paramonov [id6](#), C. Paraskevopoulos [id10](#),
D. Paredes Hernandez [id64b](#), T.H. Park [id154](#), M.A. Parker [id32](#), F. Parodi [id57b,57a](#), E.W. Parrish [id114](#),
V.A. Parrish [id52](#), J.A. Parsons [id41](#), U. Parzefall [id54](#), B. Pascual Dias [id107](#), L. Pascual Dominguez [id150](#),
V.R. Pascuzzi [id17a](#), F. Pasquali [id113](#), E. Pasqualucci [id74a](#), S. Passaggio [id57b](#), F. Pastore [id94](#),
P. Pasuwan [id47a,47b](#), P. Patel [id85](#), J.R. Pater [id100](#), J. Patton [id91](#), T. Pauly [id36](#), J. Parkes [id142](#),
M. Pedersen [id124](#), R. Pedro [id129a](#), S.V. Peleganchuk [id37](#), O. Penc [id36](#), E.A. Pender [id52](#), C. Peng [id64b](#),
H. Peng [id62a](#), K.E. Penski [id108](#), M. Penzin [id37](#), B.S. Peralva [id81d](#), A.P. Pereira Peixoto [id60](#),
L. Pereira Sanchez [id47a,47b](#), D.V. Perepelitsa [id29,aj](#), E. Perez Codina [id155a](#), M. Perganti [id10](#),
L. Perini [id70a,70b,*](#), H. Pernegger [id36](#), A. Perrevoort [id112](#), O. Perrin [id40](#), K. Peters [id48](#),
R.F.Y. Peters [id100](#), B.A. Petersen [id36](#), T.C. Petersen [id42](#), E. Petit [id101](#), V. Petousis [id131](#), C. Petridou [id151](#),
A. Petrukhin [id140](#), M. Pettee [id17a](#), N.E. Pettersson [id36](#), A. Petukhov [id37](#), K. Petukhova [id132](#),
A. Peyaud [id134](#), R. Pezoa [id136f](#), L. Pezzotti [id36](#), G. Pezzullo [id171](#), T.M. Pham [id169](#), T. Pham [id104](#),
P.W. Phillips [id133](#), M.W. Phipps [id161](#), G. Piacquadio [id144](#), E. Pianori [id17a](#), F. Piazza [id70a,70b](#),
R. Piegaia [id30](#), D. Pietreanu [id27b](#), A.D. Pilkington [id100](#), M. Pinamonti [id68a,68c](#), J.L. Pinfeld [id2](#),
B.C. Pinheiro Pereira [id129a](#), C. Pitman Donaldson [id95](#), D.A. Pizzi [id34](#), L. Pizzimento [id75a,75b](#),
A. Pizzini [id113](#), M.-A. Pleier [id29](#), V. Plesanovs [id54](#), V. Pleskot [id132](#), E. Plotnikova [id38](#), G. Poddar [id4](#),
R. Poettgen [id97](#), L. Poggioli [id126](#), I. Pogrebnyak [id106](#), D. Pohl [id24](#), I. Pokharel [id55](#), S. Polacek [id132](#),
G. Polesello [id72a](#), A. Poley [id141,155a](#), R. Polifka [id131](#), A. Polini [id23b](#), C.S. Pollard [id125](#),
Z.B. Pollock [id118](#), V. Polychronakos [id29](#), E. Pompa Pacchi [id74a,74b](#), D. Ponomarenko [id37](#),

L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, D.M. Portillo Quintero ^{155a}, S. Pospisil ¹³¹,
 P. Postolache ^{27c}, K. Potamianos ¹²⁵, I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸,
 J. Poveda ¹⁶², M.E. Pozo Astigarraga ³⁶, A. Prades Ibanez ¹⁶², M.M. Prapa ⁴⁶, J. Pretel ⁵⁴,
 D. Price ¹⁰⁰, M. Primavera ^{69a}, M.A. Principe Martin ⁹⁸, M.L. Proffitt ¹³⁷, N. Proklova ¹²⁷,
 K. Prokofiev ^{64c}, G. Proto ^{75a,75b}, S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{84a},
 J.E. Puddefoot ¹³⁸, D. Pudzha ³⁷, P. Puzo ⁶⁶, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁵, D. Qichen ¹⁰⁰,
 Y. Qin ¹⁰⁰, T. Qiu ⁹³, A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰⁰, G. Quetant ⁵⁶,
 G. Rabanal Bolanos ⁶¹, D. Rafanoharana ⁵⁴, F. Ragusa ^{70a,70b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶,
 S. Rajagopalan ²⁹, E. Ramakoti ³⁷, K. Ran ^{48,14d}, N.P. Rapheeha ^{33g}, V. Raskina ¹²⁶,
 D.F. Rassloff ^{63a}, S. Rave ⁹⁹, B. Ravina ⁵⁵, I. Ravinovich ¹⁶⁸, M. Raymond ³⁶, A.L. Read ¹²⁴,
 N.P. Readioff ¹³⁸, D.M. Rebuzzi ^{72a,72b}, G. Redlinger ²⁹, K. Reeves ⁴⁵, J.A. Reidelsturz ¹⁷⁰,
 D. Reikher ¹⁵⁰, A. Reiss ⁹⁹, A. Rej ¹⁴⁰, C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b},
 M.B. Rendel ¹⁰⁹, A.G. Rennie ⁵⁹, S. Resconi ^{70a}, M. Ressegotti ^{57b,57a}, E.D. Resseguie ^{17a},
 S. Rettie ⁹⁵, B. Reynolds ¹¹⁸, E. Reynolds ^{17a}, M. Rezaei Estabragh ¹⁷⁰, O.L. Rezanova ³⁷,
 P. Reznicek ¹³², E. Ricci ^{77a,77b}, R. Richter ¹⁰⁹, S. Richter ^{47a,47b}, E. Richter-Was ^{84b},
 M. Ridel ¹²⁶, P. Rieck ¹¹⁶, P. Riedler ³⁶, M. Rijssenbeek ¹⁴⁴, A. Rimoldi ^{72a,72b}, M. Rimoldi ⁴⁸,
 L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹, M.P. Rinnagel ¹⁰⁸, G. Ripellino ¹⁴³, I. Riu ¹³, P. Rivadeneira ⁴⁸,
 J.C. Rivera Vergara ¹⁶⁴, F. Rizatdinova ¹²⁰, E. Rizvi ⁹³, C. Rizzi ⁵⁶, B.A. Roberts ¹⁶⁶,
 B.R. Roberts ^{17a}, S.H. Robertson ^{103,y}, M. Robin ⁴⁸, D. Robinson ³², C.M. Robles Gajardo ^{136f},
 M. Robles Manzano ⁹⁹, A. Robson ⁵⁹, A. Rocchi ^{75a,75b}, C. Roda ^{73a,73b}, S. Rodriguez Bosca ^{63a},
 Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ^{155b}, S. Roe ³⁶,
 J.T. Roemer ¹⁵⁹, A.R. Roepe-Gier ¹¹⁹, J. Roggel ¹⁷⁰, O. Røhne ¹²⁴, R.A. Rojas ¹⁶⁴, B. Roland ⁵⁴,
 C.P.A. Roland ⁶⁷, J. Roloff ²⁹, A. Romaniouk ³⁷, E. Romano ^{72a,72b}, M. Romano ^{23b},
 A.C. Romero Hernandez ¹⁶¹, N. Rompotis ⁹¹, L. Roos ¹²⁶, S. Rosati ^{74a}, B.J. Rosser ³⁹,
 E. Rossi ⁴, E. Rossi ^{71a,71b}, L.P. Rossi ^{57b}, L. Rossini ⁴⁸, R. Rosten ¹¹⁸, M. Rotaru ^{27b},
 B. Rottler ⁵⁴, D. Rousseau ⁶⁶, D. Rousso ³², G. Rovelli ^{72a,72b}, A. Roy ¹⁶¹, A. Rozanov ¹⁰¹,
 Y. Rozen ¹⁴⁹, X. Ruan ^{33g}, A. Rubio Jimenez ¹⁶², A.J. Ruby ⁹¹, V.H. Ruelas Rivera ¹⁸,
 T.A. Ruggeri ¹, F. Rühr ⁵⁴, A. Ruiz-Martinez ¹⁶², A. Rummler ³⁶, Z. Rurikova ⁵⁴,
 N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁴, J.P. Rutherford ⁷, K. Rybacki ⁹⁰, M. Rybar ¹³²,
 E.B. Rye ¹²⁴, A. Ryzhov ³⁷, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶², L. Sabetta ^{74a,74b},
 H.F-W. Sadrozinski ¹³⁵, F. Safai Tehrani ^{74a}, B. Safarzadeh Samani ¹⁴⁵, M. Safdari ¹⁴²,
 S. Saha ¹⁰³, M. Sahinsoy ¹⁰⁹, M. Saimpert ¹³⁴, M. Saito ¹⁵², T. Saito ¹⁵², D. Salamani ³⁶,
 G. Salamanna ^{76a,76b}, A. Salnikov ¹⁴², J. Salt ¹⁶², A. Salvador Salas ¹³, D. Salvatore ^{43b,43a},
 F. Salvatore ¹⁴⁵, A. Salzburger ³⁶, D. Sammel ⁵⁴, D. Sampsonidis ¹⁵¹, D. Sampsonidou ^{62d,62c},
 J. Sánchez ¹⁶², A. Sanchez Pineda ⁴, V. Sanchez Sebastian ¹⁶², H. Sandaker ¹²⁴, C.O. Sander ⁴⁸,
 J.A. Sandesara ¹⁰², M. Sandhoff ¹⁷⁰, C. Sandoval ^{22b}, D.P.C. Sankey ¹³³, A. Sansoni ⁵³,
 L. Santi ^{74a,74b}, C. Santoni ⁴⁰, H. Santos ^{129a,129b}, S.N. Santpur ^{17a}, A. Santra ¹⁶⁸,
 K.A. Saoucha ¹³⁸, J.G. Saraiva ^{129a,129d}, J. Sardain ⁷, O. Sasaki ⁸², K. Sato ¹⁵⁶, C. Sauer ^{63b},
 F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{154,ag}, R. Sawada ¹⁵², C. Sawyer ¹³³, L. Sawyer ⁹⁶,
 I. Sayago Galvan ¹⁶², C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁵, J. Schaarschmidt ¹³⁷,
 P. Schacht ¹⁰⁹, D. Schaefer ³⁹, U. Schäfer ⁹⁹, A.C. Schaffer ⁶⁶, D. Schaile ¹⁰⁸,
 R.D. Schamberger ¹⁴⁴, E. Schanet ¹⁰⁸, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷,
 D. Scheirich ¹³², F. Schenck ¹⁸, M. Schernau ¹⁵⁹, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a},
 Z.M. Schillaci ²⁶, E.J. Schioppa ^{69a,69b}, M. Schioppa ^{43b,43a}, B. Schlag ⁹⁹, K.E. Schleicher ⁵⁴,
 S. Schlenker ³⁶, K. Schmieden ⁹⁹, C. Schmitt ⁹⁹, S. Schmitt ⁴⁸, L. Schoeffel ¹³⁴,
 A. Schoening ^{63b}, P.G. Scholer ⁵⁴, E. Schopf ¹²⁵, M. Schott ⁹⁹, J. Schovancova ³⁶,
 S. Schramm ⁵⁶, F. Schroeder ¹⁷⁰, H-C. Schultz-Coulon ^{63a}, M. Schumacher ⁵⁴, B.A. Schumm ¹³⁵,

Ph. Schune ¹³⁴, A. Schwartzman ¹⁴², T.A. Schwarz ¹⁰⁵, Ph. Schwemling ¹³⁴, R. Schwienhorst ¹⁰⁶, A. Sciandra ¹³⁵, G. Sciolla ²⁶, F. Scuri ^{73a}, F. Scutti ¹⁰⁴, C.D. Sebastiani ⁹¹, K. Sedlaczek ⁴⁹, P. Seema ¹⁸, S.C. Seidel ¹¹¹, A. Seiden ¹³⁵, B.D. Seidlitz ⁴¹, T. Seiss ³⁹, C. Seitz ⁴⁸, J.M. Seixas ^{81b}, G. Sekhniaidze ^{71a}, S.J. Sekula ⁴⁴, L. Selem ⁴, N. Semprini-Cesari ^{23b,23a}, S. Sen ⁵¹, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶², L. Serin ⁶⁶, L. Serkin ^{68a,68b}, M. Sessa ^{76a,76b}, H. Severini ¹¹⁹, S. Sevova ¹⁴², F. Sforza ^{57b,57a}, A. Sfyrta ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴³, J.D. Shahinian ¹²⁷, N.W. Shaikh ^{47a,47b}, D. Shaked Renous ¹⁶⁸, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶, A.S. Sharma ¹⁶³, P. Sharma ⁷⁹, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁵, S.M. Shaw ¹⁰⁰, Q. Shen ^{62c,5}, P. Sherwood ⁹⁵, L. Shi ⁹⁵, C.O. Shimmin ¹⁷¹, Y. Shimogama ¹⁶⁷, J.D. Shinner ⁹⁴, I.P.J. Shipsey ¹²⁵, S. Shirabe ⁶⁰, M. Shiyakova ^{38,x}, J. Shlomi ¹⁶⁸, M.J. Shochet ³⁹, J. Shojaii ¹⁰⁴, D.R. Shope ¹²⁴, S. Shrestha ^{118,ak}, E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁴, P. Sicho ¹³⁰, A.M. Sickles ¹⁶¹, E. Sideras Haddad ^{33g}, A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, R. Sikora ^{84a}, F. Sili ⁸⁹, J.M. Silva ²⁰, M.V. Silva Oliveira ³⁶, S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹, N.D. Simpson ⁹⁷, S. Simsek ^{21d}, S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁴, V. Sinetckii ³⁷, S. Singh ¹⁴¹, S. Singh ¹⁵⁴, S. Sinha ⁴⁸, S. Sinha ^{33g}, M. Sioli ^{23b,23a}, I. Siral ¹²², S. Yu. Sivoklov ^{37,*}, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ⁹⁷, P. Skubic ¹¹⁹, M. Slawinska ⁸⁵, V. Smakhtin ¹⁶⁸, B.H. Smart ¹³³, J. Smiesko ³⁶, S. Yu. Smirnov ³⁷, Y. Smirnov ³⁷, L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁷, A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁵, J.L. Smith ⁹¹, R. Smith ¹⁴², M. Smizanska ⁹⁰, K. Smolek ¹³¹, A. Smykiewicz ⁸⁵, A.A. Snesarev ³⁷, H.L. Snoek ¹¹³, S. Snyder ²⁹, R. Sobie ^{164,y}, A. Soffer ¹⁵⁰, C.A. Solans Sanchez ³⁶, E. Yu. Soldatov ³⁷, U. Soldevila ¹⁶², A.A. Solodkov ³⁷, S. Solomon ⁵⁴, A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ³⁷, V. Solovyev ³⁷, P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{155b}, A. Sopczak ¹³¹, A.L. Sopio ⁹⁵, F. Sopkova ^{28b}, V. Sothilingam ^{63a}, S. Sottocornola ^{72a,72b}, R. Soualah ^{115b}, Z. Soumami ^{35e}, D. South ⁴⁸, S. Spagnolo ^{69a,69b}, M. Spalla ¹⁰⁹, F. Spanò ⁹⁴, D. Sperlich ⁵⁴, G. Spigo ³⁶, M. Spina ¹⁴⁵, S. Spinali ⁹⁰, D.P. Spiteri ⁵⁹, M. Spousta ¹³², E.J. Staats ³⁴, A. Stabile ^{70a,70b}, R. Stamen ^{63a}, M. Stamenkovic ¹¹³, A. Stampekis ²⁰, M. Standke ²⁴, E. Stanecka ⁸⁵, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, M. Stankaityte ¹²⁵, B. Stapf ⁴⁸, E.A. Starchenko ³⁷, G.H. Stark ¹³⁵, J. Stark ^{101,ab}, D.M. Starke ^{155b}, P. Staroba ¹³⁰, P. Starovoitov ^{63a}, S. Stärz ¹⁰³, R. Staszewski ⁸⁵, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶⁰, P. Steinberg ²⁹, A.L. Steinhebel ¹²², B. Stelzer ^{141,155a}, H.J. Stelzer ¹²⁸, O. Stelzer-Chilton ^{155a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁵, G.A. Stewart ³⁶, M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{129a}, S. Stonjek ¹⁰⁹, A. Straessner ⁵⁰, J. Strandberg ¹⁴³, S. Strandberg ^{47a,47b}, M. Strauss ¹¹⁹, T. Strebler ¹⁰¹, P. Strizenecek ^{28b}, R. Ströhmer ¹⁶⁵, D.M. Strom ¹²², L.R. Strom ⁴⁸, R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹¹⁹, N.A. Styles ⁴⁸, D. Su ¹⁴², S. Su ^{62a}, W. Su ^{62d,137,62c}, X. Su ^{62a,66}, K. Sugizaki ¹⁵², V.V. Sulim ³⁷, M.J. Sullivan ⁹¹, D.M.S. Sultan ^{77a,77b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁶, S. Sun ¹⁰⁵, S. Sun ¹⁶⁹, O. Sunneborn Gudnadottir ¹⁶⁰, M.R. Sutton ¹⁴⁵, M. Svatos ¹³⁰, M. Swiatlowski ^{155a}, T. Swirski ¹⁶⁵, I. Sykora ^{28a}, M. Sykora ¹³², T. Sykora ¹³², D. Ta ⁹⁹, K. Tackmann ^{48,w}, A. Taffard ¹⁵⁹, R. Tahirout ^{155a}, J.S. Tafuya Vargas ⁶⁶, R.H.M. Taibah ¹²⁶, R. Takashima ⁸⁷, K. Takeda ⁸³, E.P. Takeva ⁵², Y. Takubo ⁸², M. Talby ¹⁰¹, A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵⁰, A. Tanaka ¹⁵², J. Tanaka ¹⁵², R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, J. Tang ^{62c}, Z. Tao ¹⁶³, S. Tapia Araya ⁸⁰, S. Tapprogge ⁹⁹, A. Tarek Abouelfadl Mohamed ¹⁰⁶, S. Tarem ¹⁴⁹, K. Tariq ^{62b}, G. Tarna ^{27b}, G.F. Tartarelli ^{70a}, P. Tas ¹³², M. Tasevsky ¹³⁰, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶¹, G. Tateno ¹⁵², Y. Tayalati ^{35e}, G.N. Taylor ¹⁰⁴, W. Taylor ^{155b}, H. Teagle ⁹¹, A.S. Tee ¹⁶⁹, R. Teixeira De Lima ¹⁴², P. Teixeira-Dias ⁹⁴, J.J. Teoh ¹⁵⁴, K. Terashi ¹⁵², J. Terron ⁹⁸, S. Terzo ¹³, M. Testa ⁵³, R.J. Teuscher ^{154,y}, A. Thaler ⁷⁸,

O. Theiner ⁵⁶, N. Themistokleous ⁵², T. Thevenaux-Pelzer ¹⁸, O. Thielmann ¹⁷⁰, D.W. Thomas ⁹⁴, J.P. Thomas ²⁰, E.A. Thompson ⁴⁸, P.D. Thompson ²⁰, E. Thomson ¹²⁷, E.J. Thorpe ⁹³, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, E.X.L. Ting ¹, P. Tipton ¹⁷¹, S. Tisserant ¹⁰¹, S.H. Tlou ^{33g}, A. Tnourji ⁴⁰, K. Todome ^{23b,23a}, S. Todorova-Nova ¹³², S. Todt ⁵⁰, M. Togawa ⁸², J. Tojo ⁸⁸, S. Tokár ^{28a}, K. Tokushuku ⁸², R. Tombs ³², M. Tomoto ^{82,110}, L. Tompkins ^{142,q}, K.W. Topolnicki ^{84b}, P. Tornambe ¹⁰², E. Torrence ¹²², H. Torres ⁵⁰, E. Torró Pastor ¹⁶², M. Toscani ³⁰, C. Tosciri ³⁹, D.R. Tovey ¹³⁸, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁵, A. Tricoli ²⁹, I.M. Trigger ^{155a}, S. Trincaz-Duvoid ¹²⁶, D.A. Trischuk ²⁶, B. Trocmé ⁶⁰, A. Trofymov ⁶⁶, C. Troncon ^{70a}, L. Truong ^{33c}, M. Trzebinski ⁸⁵, A. Trzupiek ⁸⁵, F. Tsai ¹⁴⁴, M. Tsai ¹⁰⁵, A. Tsiamis ¹⁵¹, P.V. Tsiareshka ³⁷, S. Tsigaridas ^{155a}, A. Tsirigotis ^{151,u}, V. Tsiskaridze ¹⁴⁴, E.G. Tskhadadze ^{148a}, M. Tsopoulou ¹⁵¹, Y. Tsujikawa ⁸⁶, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸², O. Tsur ¹⁴⁹, D. Tsybychev ¹⁴⁴, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ³⁶, S. Turchikhin ³⁸, I. Turk Cakir ^{3a}, R. Turra ^{70a}, T. Turtuvshin ³⁸, P.M. Tuts ⁴¹, S. Tzamarias ¹⁵¹, P. Tzanis ¹⁰, E. Tzovara ⁹⁹, K. Uchida ¹⁵², F. Ukegawa ¹⁵⁶, P.A. Ulloa Poblete ^{136c}, G. Unal ³⁶, M. Unal ¹¹, A. Undrus ²⁹, G. Unel ¹⁵⁹, J. Urban ^{28b}, P. Urquijo ¹⁰⁴, G. Usai ⁸, R. Ushioda ¹⁵³, M. Usman ¹⁰⁷, Z. Uysal ^{21b}, V. Vacek ¹³¹, B. Vachon ¹⁰³, K.O.H. Vadla ¹²⁴, T. Vafeiadis ³⁶, C. Valderanis ¹⁰⁸, E. Valdes Santurio ^{47a,47b}, M. Valente ^{155a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶², A. Vallier ^{101,ab}, J.A. Valls Ferrer ¹⁶², T.R. Van Daalen ¹³⁷, P. Van Gemmeren ⁶, M. Van Rijnbach ^{124,36}, S. Van Stroud ⁹⁵, I. Van Vulpen ¹¹³, M. Vanadia ^{75a,75b}, W. Vandelli ³⁶, M. Vandenbroucke ¹³⁴, E.R. Vandewall ¹²⁰, D. Vannicola ¹⁵⁰, L. Vannoli ^{57b,57a}, R. Vari ^{74a}, E.W. Varnes ⁷, C. Varni ^{17a}, T. Varol ¹⁴⁷, D. Varouchas ⁶⁶, L. Varriale ¹⁶², K.E. Varvell ¹⁴⁶, M.E. Vasile ^{27b}, L. Vaslin ⁴⁰, G.A. Vasquez ¹⁶⁴, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰⁰, M.J. Veen ¹⁰², I. Veliscek ¹²⁵, L.M. Veloce ¹⁵⁴, F. Veloso ^{129a,129c}, S. Veneziano ^{74a}, A. Ventura ^{69a,69b}, A. Verbitskiy ¹⁰⁹, M. Verducci ^{73a,73b}, C. Vergis ²⁴, M. Verissimo De Araujo ^{81b}, W. Verkerke ¹¹³, J.C. Vermeulen ¹¹³, C. Vernieri ¹⁴², P.J. Verschuuren ⁹⁴, M. Vessella ¹⁰², M.C. Vetterli ^{141,ag}, A. Vgenopoulos ¹⁵¹, N. Viaux Maira ^{136f}, T. Vickey ¹³⁸, O.E. Vickey Boeriu ¹³⁸, G.H.A. Viehhauser ¹²⁵, L. Vigani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶², E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, G.S. Virdee ²⁰, A. Vishwakarma ⁵², C. Vittori ^{23b,23a}, I. Vivarelli ¹⁴⁵, V. Vladimirov ¹⁶⁶, E. Voevodina ¹⁰⁹, F. Vogel ¹⁰⁸, P. Vokac ¹³¹, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³², K. Vorobev ³⁷, M. Vos ¹⁶², J.H. Vosseveld ⁹¹, M. Vozak ¹¹³, L. Vozdecky ⁹³, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹³, R. Vuillermet ³⁶, O. Vujanovic ⁹⁹, I. Vukotic ³⁹, S. Wada ¹⁵⁶, C. Wagner ¹⁰², W. Wagner ¹⁷⁰, S. Wahdan ¹⁷⁰, H. Wahlberg ⁸⁹, R. Wakasa ¹⁵⁶, M. Wakida ¹¹⁰, V.M. Walbrecht ¹⁰⁹, J. Walder ¹³³, R. Walker ¹⁰⁸, W. Walkowiak ¹⁴⁰, A.M. Wang ⁶¹, A.Z. Wang ¹⁶⁹, C. Wang ^{62a}, C. Wang ^{62c}, H. Wang ^{17a}, J. Wang ^{64a}, P. Wang ⁴⁴, R.-J. Wang ⁹⁹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁷, S. Wang ^{62b}, T. Wang ^{62a}, W.T. Wang ⁷⁹, W.X. Wang ^{62a}, X. Wang ^{14c}, X. Wang ¹⁶¹, X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁵, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁵, A. Warburton ¹⁰³, R.J. Ward ²⁰, N. Warrack ⁵⁹, A.T. Watson ²⁰, M.F. Watson ²⁰, G. Watts ¹³⁷, B.M. Waugh ⁹⁵, A.F. Webb ¹¹, C. Weber ²⁹, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ¹²⁵, A.R. Weidberg ¹²⁵, J. Weingarten ⁴⁹, M. Weirich ⁹⁹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹⁰⁹, N. Wermes ²⁴, M. Wessels ^{63a}, K. Whalen ¹²², A.M. Wharton ⁹⁰, A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁵⁹, L. Wickremasinghe ¹²³, W. Wiedenmann ¹⁶⁹, C. Wiel ⁵⁰, M. Wielers ¹³³, N. Wieseotte ⁹⁹, C. Wiglesworth ⁴², L.A.M. Wiik-Fuchs ⁵⁴, D.J. Wilbern ¹¹⁹, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams ¹²⁷, S. Williams ³², S. Willocq ¹⁰², P.J. Windischhofer ¹²⁵, F. Winklmeier ¹²², B.T. Winter ⁵⁴,

M. Wittgen¹⁴², M. Wobisch⁹⁶, R. Wölker¹²⁵, J. Wollrath¹⁵⁹, M.W. Wolter⁸⁵, H. Wolters^{129a,129c}, V.W.S. Wong¹⁶³, A.F. Wongel⁴⁸, S.D. Worm⁴⁸, B.K. Wosiek⁸⁵, K.W. Woźniak⁸⁵, K. Wraight⁵⁹, J. Wu^{14a,14d}, M. Wu^{64a}, M. Wu¹¹², S.L. Wu¹⁶⁹, X. Wu⁵⁶, Y. Wu^{62a}, Z. Wu^{134,62a}, J. Wuerzinger¹²⁵, T.R. Wyatt¹⁰⁰, B.M. Wynne⁵², S. Xella⁴², L. Xia^{14c}, M. Xia^{14b}, J. Xiang^{64c}, X. Xiao¹⁰⁵, M. Xie^{62a}, X. Xie^{62a}, J. Xiong^{17a}, I. Xiotidis¹⁴⁵, D. Xu^{14a}, H. Xu^{62a}, H. Xu^{62a}, L. Xu^{62a}, R. Xu¹²⁷, T. Xu¹⁰⁵, W. Xu¹⁰⁵, Y. Xu^{14b}, Z. Xu^{62b}, Z. Xu¹⁴², B. Yabsley¹⁴⁶, S. Yacoob^{33a}, N. Yamaguchi⁸⁸, Y. Yamaguchi¹⁵³, H. Yamauchi¹⁵⁶, T. Yamazaki^{17a}, Y. Yamazaki⁸³, J. Yan^{62c}, S. Yan¹²⁵, Z. Yan²⁵, H.J. Yang^{62c,62d}, H.T. Yang^{17a}, S. Yang^{62a}, T. Yang^{64c}, X. Yang^{62a}, X. Yang^{14a}, Y. Yang⁴⁴, Z. Yang^{62a,105}, W-M. Yao^{17a}, Y.C. Yap⁴⁸, H. Ye^{14c}, J. Ye⁴⁴, S. Ye²⁹, X. Ye^{62a}, Y. Yeh⁹⁵, I. Yeletsikh³⁸, M.R. Yexley⁹⁰, P. Yin⁴¹, K. Yorita¹⁶⁷, C.J.S. Young⁵⁴, C. Young¹⁴², M. Yuan¹⁰⁵, R. Yuan^{62b,k}, L. Yue⁹⁵, X. Yue^{63a}, M. Zaazoua^{35e}, B. Zabinski⁸⁵, E. Zaid⁵², T. Zakareishvili^{148b}, N. Zakharchuk³⁴, S. Zambito⁵⁶, J.A. Zamora Saa^{136d}, J. Zang¹⁵², D. Zanzi⁵⁴, O. Zaplatilek¹³¹, S.V. Zeibner⁴⁹, C. Zeitnitz¹⁷⁰, J.C. Zeng¹⁶¹, D.T. Zenger Jr²⁶, O. Zenin³⁷, T. Ženiš^{28a}, S. Zenz⁹³, S. Zerradi^{35a}, D. Zerwas⁶⁶, B. Zhang^{14c}, D.F. Zhang¹³⁸, G. Zhang^{14b}, J. Zhang^{62b}, J. Zhang⁶, K. Zhang^{14a,14d}, L. Zhang^{14c}, P. Zhang^{14a,14d}, R. Zhang¹⁶⁹, S. Zhang¹⁰⁵, T. Zhang¹⁵², X. Zhang^{62c}, X. Zhang^{62b}, Z. Zhang^{17a}, Z. Zhang⁶⁶, H. Zhao¹³⁷, P. Zhao⁵¹, T. Zhao^{62b}, Y. Zhao¹³⁵, Z. Zhao^{62a}, A. Zhemchugov³⁸, X. Zheng^{62a}, Z. Zheng¹⁴², D. Zhong¹⁶¹, B. Zhou¹⁰⁵, C. Zhou¹⁶⁹, H. Zhou⁷, N. Zhou^{62c}, Y. Zhou⁷, C.G. Zhu^{62b}, C. Zhu^{14a,14d}, H.L. Zhu^{62a}, H. Zhu^{14a}, J. Zhu¹⁰⁵, Y. Zhu^{62c}, Y. Zhu^{62a}, X. Zhuang^{14a}, K. Zhukov³⁷, V. Zhulanov³⁷, N.I. Zimine³⁸, J. Zinsser^{63b}, M. Ziolkowski¹⁴⁰, L. Živković¹⁵, A. Zoccoli^{23b,23a}, K. Zoch⁵⁶, T.G. Zorbas¹³⁸, O. Zormpa⁴⁶, W. Zou⁴¹, L. Zwalinski³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara;(b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing;(b)Physics Department, Tsinghua University, Beijing;(c)Department of Physics, Nanjing University, Nanjing;(d)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁷(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA;(b)University of California, Berkeley CA; United States of America.

¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

- ¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²¹(*a*) Department of Physics, Bogazici University, Istanbul; (*b*) Department of Physics Engineering, Gaziantep University, Gaziantep; (*c*) Department of Physics, Istanbul University, Istanbul; (*d*) Istinye University, Sariyer, Istanbul; Türkiye.
- ²²(*a*) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (*b*) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²³(*a*) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (*b*) INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁷(*a*) Transilvania University of Brasov, Brasov; (*b*) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (*c*) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (*d*) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (*e*) University Politehnica Bucharest, Bucharest; (*f*) West University in Timisoara, Timisoara; (*g*) Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁸(*a*) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (*b*) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³³(*a*) Department of Physics, University of Cape Town, Cape Town; (*b*) iThemba Labs, Western Cape; (*c*) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (*d*) National Institute of Physics, University of the Philippines Diliman (Philippines); (*e*) University of South Africa, Department of Physics, Pretoria; (*f*) University of Zululand, KwaDlangezwa; (*g*) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁵(*a*) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (*b*) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (*c*) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (*d*) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (*e*) Faculté des sciences, Université Mohammed V, Rabat; (*f*) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(*a*) Dipartimento di Fisica, Università della Calabria, Rende; (*b*) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.

- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁷(^a) Department of Physics, Stockholm University; (^b) Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁷(^a) Dipartimento di Fisica, Università di Genova, Genova; (^b) INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶²(^a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d) Tsung-Dao Lee Institute, Shanghai; China.
- ⁶³(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁴(^a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b) Department of Physics, University of Hong Kong, Hong Kong; (^c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁸(^a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b) ICTP, Trieste; (^c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁶⁹(^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷⁰(^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷¹(^a) INFN Sezione di Napoli; (^b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷²(^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷³(^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁴(^a) INFN Sezione di Roma; (^b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁵(^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- ⁷⁶(^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁷(^a) INFN-TIFPA; (^b) Università degli Studi di Trento, Trento; Italy.
- ⁷⁸Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁷⁹University of Iowa, Iowa City IA; United States of America.
- ⁸⁰Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.

- ⁸¹(^a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (^b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (^c) Instituto de Física, Universidade de São Paulo, São Paulo; (^d) Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸²KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸³Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁴(^a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (^b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁵Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁶Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁷Kyoto University of Education, Kyoto; Japan.
- ⁸⁸Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁸⁹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹⁰Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹¹Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹²Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹³School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁴Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁵Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁶Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁷Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁸Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ⁹⁹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰⁰School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰¹CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰²Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰³Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁴School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁵Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁶Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁷Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁸Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹⁰⁹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹⁰Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹¹Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹²Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹³Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁴Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁵(^a) New York University Abu Dhabi, Abu Dhabi; (^b) University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁶Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁷Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.

- ¹¹⁸Ohio State University, Columbus OH; United States of America.
- ¹¹⁹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²⁰Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²¹Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²²Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²³Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁴Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁵Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁶LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁷Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁸Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹²⁹^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c)Departamento de Física, Universidade de Coimbra, Coimbra; ^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e)Departamento de Física, Universidade do Minho, Braga; ^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³⁰Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³¹Czech Technical University in Prague, Prague; Czech Republic.
- ¹³²Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³³Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁴IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁵Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁶^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d)Universidad Andres Bello, Department of Physics, Santiago; ^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁷Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁸Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹³⁹Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴⁰Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴¹Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴²SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴³Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁴Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁵Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁶School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁷Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁴⁸^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c)University of Georgia, Tbilisi; Georgia.
- ¹⁴⁹Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.

- ¹⁵⁰Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵¹Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵²International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵³Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁴Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁵^(a)TRIUMF, Vancouver BC; ^(b)Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁶Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁷Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁵⁸United Arab Emirates University, Al Ain; United Arab Emirates.
- ¹⁵⁹Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶⁰Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶¹Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶²Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶³Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁴Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁵Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁶Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁷Waseda University, Tokyo; Japan.
- ¹⁶⁸Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁶⁹Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷⁰Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷¹Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Bruno Kessler Foundation, Trento; Italy.
- ^e Also at Center for High Energy Physics, Peking University; China.
- ^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^g Also at CERN, Geneva; Switzerland.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ^l Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.
- ^m Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- ⁿ Also at Department of Physics, California State University, East Bay; United States of America.
- ^o Also at Department of Physics, California State University, Sacramento; United States of America.
- ^p Also at Department of Physics, King's College London, London; United Kingdom.

- q* Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- r* Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- s* Also at Department of Physics, University of Thessaly; Greece.
- t* Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- u* Also at Hellenic Open University, Patras; Greece.
- v* Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- w* Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- x* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- y* Also at Institute of Particle Physics (IPP); Canada.
- z* Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- aa* Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ab* Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ac* Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ad* Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ae* Also at Technical University of Munich, Munich; Germany.
- af* Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ag* Also at TRIUMF, Vancouver BC; Canada.
- ah* Also at Università di Napoli Parthenope, Napoli; Italy.
- ai* Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- aj* Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ak* Also at Washington College, Maryland; United States of America.
- al* Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased