



Search for non-resonant Higgs boson pair production in the $2b + 2\ell + E_{\text{T}}^{\text{miss}}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

A search for non-resonant Higgs boson pair (HH) production is presented, in which one of the Higgs bosons decays to a b -quark pair ($b\bar{b}$) and the other decays to WW^* , ZZ^* , or $\tau^+\tau^-$, with in each case a final state with $\ell^+\ell^-$ + neutrinos ($\ell = e, \mu$). The analysis targets separately the gluon-gluon fusion and vector boson fusion production modes. Data recorded by the ATLAS detector in proton-proton collisions at a centre-of-mass energy of 13 TeV at the Large Hadron Collider, corresponding to an integrated luminosity of 140 fb^{-1} , are used in this analysis. Events are selected to have exactly two b -tagged jets and two leptons with opposite electric charge and missing transverse momentum in the final state. These events are classified using multivariate analysis algorithms to separate the HH events from other Standard Model processes. No evidence of the signal is found. The observed (expected) upper limit on the cross-section for non-resonant Higgs boson pair production is determined to be 9.7 (16.2) times the Standard Model prediction at 95% confidence level. The Higgs boson self-interaction coupling parameter κ_λ and the quadrilinear coupling parameter κ_{2V} are each separately constrained by this analysis to be within the ranges $[-6.2, 13.3]$ and $[-0.17, 2.4]$, respectively, at 95% confidence level, when all other parameters are fixed.

Contents

1	Introduction	3
2	ATLAS detector	5
3	Data and Monte Carlo samples	6
4	Object definition and event selection	8
5	Multivariate analyses	11
6	Background estimation	14
7	Systematic uncertainties	15
8	Statistical treatment and results	17
	8.1 Statistical procedure	17
	8.2 Limits on HH production	17
	8.3 Constraints on Higgs coupling parameters	18
9	Conclusion	20

1 Introduction

The Standard Model (SM) of particle physics employs the Higgs mechanism [1–6] to formulate a theoretical model in which the weak gauge bosons (W, Z) and the fermions acquire mass. Following the discovery of the Higgs boson, referred to as H , by the ATLAS and CMS collaborations [7, 8] at the Large Hadron Collider (LHC) in 2012, one of the remaining open questions is about the structure of the Higgs potential which is still largely unconstrained. The rate of the double Higgs production (HH) process is sensitive to the trilinear Higgs self-interaction coupling λ_3 , i.e. the coupling describing a vertex with three Higgs bosons interacting with one another. It is common practice to define a Higgs boson trilinear coupling modifier as the actual trilinear coupling value divided by its SM expectation value: $\kappa_\lambda \equiv \lambda_3/\lambda_3^{SM}$.

The dominant HH production process at the LHC is through gluon-gluon fusion (ggF), which involves either a top-quark box-loop (also referred to as a *box-diagram*) or decay of an off-shell Higgs boson (also referred to as a *triangle-diagram*) at lowest order; the Feynman diagrams are shown in Figures 1(a) and 1(b) respectively. The *box-diagram* and *triangle-diagram* interfere destructively, leading to a small cross-section for the $gg \rightarrow HH$ processes, $\sigma_{ggF} = 31.1^{+6.7\%}_{-23.2\%}$ fb, calculated at the next-to-next-to-leading order (NNLO) and including finite top-quark mass effects for a Higgs boson mass of $m_H = 125$ GeV [9–16].

The vector-boson-fusion (VBF) process is the sub-leading Higgs boson pair production mode, with a cross-section of $\sigma_{VBF} = 1.726 \pm 2.1\%$ fb calculated at next-to-next-to-next-to-leading order (N³LO) QCD for a Higgs boson mass of $m_H = 125$ GeV [17]. The production of HH via fusion of vector bosons (V) is not only sensitive to κ_λ but also depends on the coupling modifier of the Higgs boson to vector bosons (κ_V) and on another coupling modifier related to the quartic vertex involving two vector bosons and two Higgs bosons (κ_{2V}). The corresponding diagrams are shown in Figure 2.

In the presence of physics beyond the Standard Model (BSM), the HH production cross-section can be altered by modifying the value of the self-coupling λ_3 , leading to values for κ_λ different from the SM prediction as discussed in Refs. [18, 19]. Similarly, modifications of the coupling to vector bosons can alter κ_{2V} . Probing the Higgs boson self-coupling can therefore provide additional information about the validity of the SM.

Searches for SM HH production through the decay channels $HH \rightarrow bb\gamma\gamma$ [20], $HH \rightarrow 4b$ [21] and $HH \rightarrow bb\tau\tau$ [22] were performed using the full Run 2 dataset collected by the ATLAS experiment at $\sqrt{s} = 13$ TeV. The results from these three channels have been combined [23] to improve the search sensitivity. The observed (expected in the absence of HH production) combined upper limit on the production rate of SM Higgs boson pairs, at the 95% confidence level (CL), was found to be 2.4 (2.9)




Figure 1: The leading order (LO) Feynman diagrams for the gluon-gluon fusion process of Higgs boson pair production at the LHC, where κ_λ denotes the Higgs boson trilinear coupling modifier $\kappa_\lambda \equiv \lambda_3/\lambda_3^{SM}$ and κ_t the coupling modifier relative to the top-quark-Higgs-boson coupling.




Figure 2: The LO Feynman diagrams for the vector-boson-fusion process of Higgs boson pair production, where κ_λ , κ_V , and κ_{2V} are the coupling modifiers related to the HHH , HVV , and $HHVV$ vertices.

times the SM prediction. The value of κ_λ was constrained to be within the observed (expected) range $[-0.6, 6.6]$ ($[-2.1, 7.8]$) at 95% CL and the value for κ_{2V} was constrained to be within the observed (expected) range $[0.1, 2.0]$ ($[0.0, 2.1]$) at 95% CL [23]. With searches for HH production through the decay channels $HH \rightarrow 4b$ [24, 25], $HH \rightarrow bb\tau\tau$ [26], $HH \rightarrow WW^*/\tau\tau + WW^*/\tau\tau$ [27], $HH \rightarrow bb\gamma\gamma$ [28] and $HH \rightarrow 4\ell + bb$ [29], similar results have also been obtained by the CMS experiment; according to those results, the observed (expected) 95% upper limit on the production rate of SM Higgs boson pairs is 3.4 (2.5) times the SM prediction, κ_λ is constrained to be within the observed range of $[-1.2, 6.5]$ at 95% CL [30] and κ_{2V} is constrained to be within the observed range of $[-0.67, 1.4]$ at 95% CL [30].

This paper focuses on a data analysis using $2b + 2\ell + E_T^{\text{miss}}$ ($\ell = e, \mu$) final states arising from different HH decay channels,

$$HH \rightarrow b\bar{b} + WW^*/ZZ^*/\tau^+\tau^- \rightarrow b\bar{b} + \ell^+\ell^- + \text{neutrinos},$$

with one of the Higgs bosons decaying to a b -quark pair ($b\bar{b}$) and the other decaying to a boson (WW^* , ZZ^*) or a $\tau^+\tau^-$ pair, which further decays to $\ell^+\ell^- + \text{neutrinos}$. The leptons can be of different flavour. The experimental signature is characterised by two b -tagged jets with the invariant mass m_{bb} close to m_H , two leptons with opposite charges, and large missing transverse energy E_T^{miss} due to neutrinos escaping detection. The decay channel with a Higgs boson decaying to two Z bosons and the subsequent final state with two leptons and two quark-initiated jets from the ZZ system, $bbZZ \rightarrow bb2\ell2q$, is also considered. Although this final state does not have E_T^{miss} due to the presence of neutrinos, it can have E_T^{miss} due to detector and reconstruction inefficiencies. Dominant background arises from top-quark processes ($t\bar{t}$, Wt and $t\bar{t}V$ with $V = W, Z$), and production of a Z boson associated with heavy-flavour jets (Z +HF). The search uses the full Run 2 dataset collected with the ATLAS experiment in proton-proton (pp) collisions at 13 TeV, corresponding to a total integrated luminosity of 140 fb^{-1} .

A search for HH production in the $2b + 2\ell + E_T^{\text{miss}}$ final state considering only $HH \rightarrow bbWW^*$ using the full Run 2 dataset has already been performed [31]; the work presented in this paper significantly improves the analysis techniques by optimizing a deep neural network (DNN) to better classify the $2b + 2\ell + E_T^{\text{miss}}$ events into HH signal or background and considers additional decay channels, leading to a factor of two better sensitivity. Furthermore, studies of HH production through the VBF process are included for the first time in the $2b + 2\ell + E_T^{\text{miss}}$ final state. In addition, the compatibility of the data with non-SM values of the κ_λ and κ_{2V} parameters is constrained in this paper.

2 ATLAS detector

The ATLAS detector [32] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer (IBL) installed before Run 2 [33, 34]. It is followed by the silicon microstrip tracker (SCT), which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimised for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, cover the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel and thin-gap chambers in the endcap regions.

Interesting events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [35]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger further reduces in order to record events to disk at about 1 kHz.

An extensive software suite [36] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

Table 1: Summary of nominal SM background processes considered in the analysis along with a description of the event generators used for matrix element (ME) generation, the set of parton distribution functions (PDF), the hadronisation, parton shower (PS) and underlying event (UE) model, and the underlying event tune.

Process	ME Generator	ME PDF	PS/UE model	UE Tune
SM HH (ggF)	POWHEG BOX v2	PDF4LHC15 _{NLO}	PYTHIA 8.244	A14
SM HH (VBF)	MADGRAPH5_AMC@NLO 2.7.3	NNPDF3.0 _{NLO}	PYTHIA 8.244	A14
$t\bar{t}$	POWHEG BOX v2	NNPDF3.0 _{NLO}	PYTHIA 8.230	A14
Single-top	POWHEG BOX v2	NNPDF3.0 _{NLO}	PYTHIA 8.230	A14
$t\bar{t} + W/Z$	MADGRAPH5_AMC@NLO 2.3.3	NNPDF3.0 _{NLO}	PYTHIA 8.210	A14
$W/Z + \text{jets}$	SHERPA 2.2.1	NNPDF3.0 _{NNLO}	SHERPA 2.2.1	SHERPA default
WW, WZ, ZZ	SHERPA 2.2.1/SHERPA 2.2.2	NNPDF3.0 _{NNLO}	SHERPA 2.2.1/SHERPA 2.2.2	SHERPA default
ggF, H	POWHEG BOX v2	NNPDF3.0 _{NLO}	PYTHIA 8.212	AZNLO
VBF, H	POWHEG BOX v2	NNPDF3.0 _{NLO}	PYTHIA 8.230	AZNLO
WH, ZH	POWHEG BOX v2	NNPDF3.0 _{NLO}	PYTHIA 8.230/PYTHIA 8.186	AZNLO
$t\bar{t}H$	POWHEG BOX v2	NNPDF3.0 _{NLO}	PYTHIA 8.230	A14

3 Data and Monte Carlo samples

The analysis is based on the full Run 2 dataset collected in pp collisions at the LHC with a centre-of-mass energy of $\sqrt{s} = 13$ TeV and a 25 ns bunch crossing interval. The data used in this analysis are required to have been recorded while all relevant components of the ATLAS detector were in their nominal operating conditions [37]. The integrated luminosity of the dataset collected over the full Run 2 data-taking period and suitable for physics analysis corresponds to 140 fb^{-1} [38]. The candidate events with oppositely charged leptons are selected based on a combination of single-lepton and di-lepton triggers.² The use of a given trigger depends on the flavour and the transverse momenta (p_T) of the two leptons in the event, and on the data-taking period. Single-lepton triggers have p_T thresholds between 21 GeV and 28 GeV. Di-lepton triggers are only considered if no single-lepton trigger criteria are met and have p_T thresholds as low as 13(9) GeV for the leading (sub-leading) lepton.

Monte Carlo (MC) simulation [39] is generally used to model the HH signal and SM background processes. The generation of the physics processes of interest, including the underlying event and immediate decays, are carried out by dedicated event generators. The generated events are then passed through a simulation of the ATLAS detector based on GEANT4 [40]. Some background MC event samples, including $Z + \text{jets}$ with $10 \text{ GeV} < m_{\ell\ell} < 40 \text{ GeV}$ and the $t\bar{t}$ and Wt alternative samples used for estimating systematic uncertainties, are simulated through the ATLAS fast simulation framework, Atfast-II (AF2) [39] instead. Additionally, the effect of multiple interactions in the same and neighbouring bunch crossings (pile-up) is modelled by overlaying the simulated hard-scattering event with inelastic pp events generated with PYTHIA 8.186 [41] using the NNPDF2.3_{LO} set of parton distribution functions (PDF) [42] and the A3 set of tuned parameters [43]. A summary of the event samples used for the simulation of the signal and background processes is shown in Table 1.

SM HH signal events produced via the ggF production mechanism are generated with POWHEG BOX v2 at next-to-leading order (NLO) interfaced with PYTHIA 8.244 [44] using the PDF4LHC15_{NLO} [45] PDF set and the A14 tune [46]. For parton shower variations, HERWIG 7.1.5 [47] is used instead. Samples for non-SM

² Distinct sets of single-lepton triggers are used for electrons and muons. Di-lepton triggers require either two electrons, two muons, or one electron and one muon.

ggF production, i. e. with $\kappa_\lambda \neq 1$ are obtained from simulated samples at different values of these coupling modifiers and combined using morphing techniques [48] with detailed validation studies of this procedure available in Ref. [49]. The SM VBF HH signal samples are generated with MADGRAPH5_AMC@NLO 2.7.3 [50] using the NNPDF3.0NLO [51] PDF set and the A14 tune [46] interfaced to PYTHIA 8.244 [44] with HERWIG 7.2.1 [47] used for parton shower variations. As is the case in Ref. [23], signal templates with coupling modifiers ($\kappa_\lambda \neq 1, \kappa_{2V} \neq 1$) are obtained by linear combination of six samples with different values for the κ_λ and κ_{2V} parameters [52]. Therefore five more independent samples with (0, 0), (1, 0.5), (1, 3), (2, 1) and (10, 1) are generated as well with MADGRAPH interfaced to PYTHIA8. To vary only κ_{2V} , three independent samples are enough: two more independent samples with $\kappa_{2V} = 1.5$ and $\kappa_{2V} = 2$ are generated in the same manner. The decays of bottom and charm hadrons of all SM HH signal events were performed by EVTGEN 1.6.0 [53].

SM background processes are generally estimated using simulation, although the cross-sections of the dominant background components, $t\bar{t}$, Wt and Z +jets, are constrained using control regions (CRs) to better predict their contribution in the signal regions (SRs). The estimate is therefore said to be *semi-data-driven* with the normalization being constrained from data and the shape being taken from simulation. For processes not constrained from dedicated CRs, both the shape and the overall normalization are taken from simulation. In addition, the fake-lepton background is estimated in a data-driven way.

SM top-quark production ($t\bar{t}$) and the production of top-quarks in association with W bosons (Wt) contribute as a significant background contamination in the $2b + 2\ell + E_T^{\text{miss}}$ final state. At NLO, non-trivial interference arises between these two processes that may be enhanced in phase-space regions with high fractions of Wt events [54]. The two most commonly used schemes to remove the overlap between these two processes are the diagram removal (DR) and diagram subtraction (DS) schemes [55]. The former is used in the present analysis to remove the overlapping events while the latter is used to evaluate the systematic uncertainty in corresponding background event yields.

The decays of bottom and charm hadrons of all SM background events not simulated with SHERPA were performed by EVTGEN 1.6.0 [53].

Production of $t\bar{t}$ events is modelled using the POWHEG BOX v2 [56–59] generator at NLO with the NNPDF3.0NLO [51] PDF set and the h_{damp} parameter³ set to 1.5 times the top-quark mass [60]. The events are interfaced to PYTHIA 8.230 [44] to model the parton shower, hadronisation, and underlying event, with parameters set according to the A14 tune [46] and using the NNPDF2.3LO set of PDFs [42]. In order to reduce mis-modelling, events are reweighted [61] to match the predictions at NNLO QCD and NLO EW based on the true p_T -value of the top-quark (i. e. not the anti-top-quark) provided by the MC event samples.

Production of Wt events is modelled by the POWHEG BOX v2 [57–59, 62] generator at NLO in QCD using the five-flavour scheme and the NNPDF3.0NLO set of PDFs [51]. The events are interfaced to PYTHIA 8.230 [44] using the A14 tune [46] and the NNPDF2.3LO set of PDFs [42].

The V +jets samples ($V = W$ or Z) are simulated with SHERPA 2.2.1 [63] interfaced with NNPDF3.0NLO [42] for both the matrix element (ME) calculation and the parton shower (PS) tuning. The merging of different parton multiplicities is achieved through a matching scheme based on the CKKW-L [64, 65] merging technique using a scale parameter of $Q_{\text{cut}} = 20$ GeV. The modelling of higher jet multiplicities relies on the parton shower algorithm. The parton shower and underlying event models used are the ones provided

³ The h_{damp} parameter is a re-summation damping factor and one of the parameters that controls the matching of POWHEG matrix elements to the parton shower and thus effectively regulates the high- p_T radiation against which the $t\bar{t}$ system recoils.

internally by SHERPA. The SHERPA 2.2.1 generator adopts a full 5-flavour scheme, with massless b - and c -quarks in the matrix elements, while massive quarks can be produced in the parton shower. The V +jets samples are split according to the p_T of the vector boson and the scalar sum of jet transverse momenta, H_T , of the event, introducing a cut at generation level and producing samples for different slices in $\max(H_T, p_T^V)$ where p_T^V is defined as the transverse momentum of the true lepton pair from the decay of the V boson. The samples are also generated by applying different filters to select the flavour composition of the jets produced in association with the V boson.

Di-boson processes with four charged leptons, three charged leptons and one neutrino, or two charged leptons and two neutrinos are simulated with the SHERPA 2.2.2 event generator [63], and di-boson processes with leptons and jets are simulated with SHERPA 2.2.1 [63]. The matrix elements contain all diagrams with four electroweak vertices. They are calculated for up to one parton at NLO and up to three partons at LO using Comix [66] and OpenLoops [67] and merged with the SHERPA parton shower according to the ME+PS@NLO prescription [68]. The NNPDF3.0nnlo PDF set is used in conjunction with dedicated parton shower tuning developed by the SHERPA authors. The event generator cross-sections are used in this case (already at NLO).

Finally, single Higgs boson samples from all the main production modes ggF, VBF, Higgs-strahlung (WH , ZH) and associated production with a pair of top-quarks ($t\bar{t}H$) are considered. For all Higgs boson samples the normalization accounts for the decay branching ratio calculated with HDECAY [69–71] and PROPHECY4F [72–74]. Higgs boson production via gluon–gluon fusion is simulated at NNLO accuracy in QCD using POWHEG Box v2 [57–59, 75, 76]. The simulation achieves NNLO accuracy for arbitrary inclusive $gg \rightarrow H$ observables by reweighting the Higgs boson rapidity spectrum in HJ-MiNLO [77–79] to that of HNNLO [80]. The NNPDF3.0NLO [51] PDF set and the AZNLO tune [81] of PYTHIA 8.212 [44] are used. The gluon–gluon fusion prediction from the MC event samples is normalised to the N³LO cross-section in QCD plus electroweak (EW) corrections at NLO [82–92]. Higgs boson production via vector-boson fusion is simulated with POWHEG Box v2 [57–59, 93] and interfaced with PYTHIA 8.230 [44] for parton shower and non-perturbative effects, with parameters set according to the AZNLO tune [81]. The POWHEG Box prediction is accurate to NLO and uses the NNPDF3.0NLO [51] PDF set. It is normalised to an approximate-NNLO QCD cross-section with NLO EW corrections [94–96]. Higgs boson production in association with a vector boson is simulated using POWHEG Box v2 [57–59, 93] and interfaced with PYTHIA 8.230 [44] for parton shower and non-perturbative effects. The POWHEG Box prediction is accurate to NLO for VH boson plus one-jet production. The loop-induced $gg \rightarrow ZH$ process is generated separately at leading order. The NNPDF3.0NLO [51] PDF set and the AZNLO tune [81] of PYTHIA 8.186 [44] are used. The MC prediction is normalised to cross-sections calculated at NNLO in QCD with NLO EW corrections for $q\bar{q}/qg \rightarrow VH$ and at NLO and next-to-leading-logarithm accuracy in QCD for $gg \rightarrow ZH$ [97–103]. The production of $t\bar{t}H$ events is modelled using the POWHEG Box v2 [56–59, 104] generator at NLO with the NNPDF3.0NLO [51] PDF set. The events are interfaced to PYTHIA 8.230 [44] using the A14 tune [46] and the NNPDF2.3LO [51] PDF set.

4 Object definition and event selection

Proton-proton interaction vertices are reconstructed in events with at least two tracks, each with $p_T > 0.5$ GeV. The primary hard-scatter vertex for each event is defined as the one with the highest value of the sum of squared track transverse momenta [105].

Electron candidates are reconstructed from energy deposits measured in the electromagnetic calorimeter which are matched to ID tracks [106]. They are required to satisfy $|\eta| < 2.47$, excluding the calorimeter transition region $1.37 < |\eta| < 1.52$, and have a transverse momentum $p_T > 10$ GeV. Electron candidates are required to satisfy a ‘medium’ identification criterion based on the use of shower shape, track–cluster matching and TRT parameters in a likelihood-based algorithm [106]. Additionally, a ‘loose’ isolation requirement [106] is applied to electron candidates to ensure that they are well separated from other objects in the event. This requirement is based on the momentum of nearby tracks and calorimeter energy deposits within a cone around the electron candidate.

Muon candidates are reconstructed from high-quality tracks found in the MS [107]. A matching of these tracks to ID tracks is required in the region $|\eta| < 2.5$. Muon candidates are required to have $|\eta| < 2.7$ and $p_T > 9$ GeV, and to satisfy a ‘medium’ identification criterion [108]. Additionally, a ‘loose’ isolation requirement [108] is imposed on muon candidates to ensure that they are well separated from other objects in the event. This requirement is based on investigating the nearby activities within a cone around the muon candidate.

Jets are reconstructed using the anti- k_t algorithm [109, 110] with a radius parameter of $R = 0.4$. It is applied to $|\eta| < 4.5$ noise-suppressed positive-energy topological energy clusters [111, 112] and charged particle tracks processed using a particle-flow algorithm [113]. Pile-up is taken into account in the formation of topological energy clusters [114]. Jet candidates are required to have $p_T > 20$ GeV and those with $|\eta| < 2.5$ are considered to select the candidate jets for the reconstruction of the hadronic decay of the Higgs to b -tagged jets while jets with $|\eta| > 2.5$ are considered ‘forward’ jets. To reject jet candidates originating from pile-up interactions, they must satisfy a tight pile-up suppression requirement based on a multivariate method [115]. The method removes jets that appear to be inconsistent with the primary vertex and have $p_T < 60$ GeV [105]. In the end, a neural network-based b -tagging algorithm [116] is used to identify jets containing b -hadrons (b -tagged jets) at a 77% efficiency working point in simulated $t\bar{t}$ events. The rejection rate for this working point is ~ 6 for jets originating from c -quarks and ~ 200 for jets originating from light quarks [116].

The missing transverse momentum, $\mathbf{p}_T^{\text{miss}}$, the magnitude of which is denoted as E_T^{miss} , quantifies the amount of energy and momentum carried by invisible particles that do not interact with the detector. It is determined as the magnitude of the negative vectorial sum of the transverse momenta of the selected and calibrated physics objects, including jets, electrons, and muons, and inner detector tracks from the hard-scatter collision vertex not associated with any physics object [117].

Different reconstructed objects can share the same detector signature, leading to ambiguities in the identification of these objects. To resolve these ambiguities, as in [22], an overlap removal procedure is performed sequentially, such that only objects that survive the previous step are considered in the following steps. The steps are as follows: if any electrons share a track, only the highest p_T electron is kept. If a hadronically decaying τ -lepton candidate is within⁴ $\Delta R_y = 0.2$ of any electron or muon, it is removed. If an electron and a muon share a track, the muon is kept only if it is associated with a signature in the muon spectrometer. Any jet within $\Delta R_y = 0.2$ of an electron and subsequent any electron within $\Delta R_y = 0.4$ of any jet is removed. Any jet within $\Delta R_y = 0.2$ of a muon, or having an inner detector track ghost-matched [118] to a muon within $\Delta R_y = 0.2$ of the jet, is removed if it has fewer than three associated tracks. Any muon within $\Delta R_y = 0.4$ of a jet is removed as well as any jet within $\Delta R_y = 0.2$ of a hadronically decaying τ -lepton candidate.

⁴ This is the angular distance ΔR considering the rapidity y instead of the pseudorapidity η and is defined as $\Delta R_y \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$

Table 2: Cutflow for event selection using SM $gg/qq \rightarrow HH$ signal samples in various decay channels. For both ggF and VBF signal samples, the SM HH cross-section, σ , and branching ratio, \mathcal{B} , are assumed when computing event yields for a luminosity of $\mathcal{L} = 140 \text{ fb}^{-1}$. Efficiencies are different for $bbZZ(\rightarrow 2\ell 2\nu)$ compared to $bbZZ(\rightarrow 2\ell 2q)$ since the initial number of events considers $Z \rightarrow \tau\tau$ while the former does not.

ggF and VBF event selection cut	$bbWW$		$bb\tau\tau$		$bbZZ(\rightarrow 2\ell 2\nu)$		$bbZZ(\rightarrow 2\ell 2q)$	
	ggF	VBF	ggF	VBF	ggF	VBF	ggF	VBF
Initial number of events ($\mathcal{L} \times \sigma \times \mathcal{B}$)	70	3.9	39	2.2	3.8	0.21	18	1.0
$N_{\text{leptons}} = 2$, opposite sign, pass trigger requirement	22	0.99	8.3	0.35	1.3	0.057	3.6	0.17
$N_{b\text{-jets}} = 2$	9.8	0.39	3.7	0.14	0.57	0.022	1.6	0.067

The analysis selects candidate events that contain exactly two opposite-charge light leptons, either electrons or muons, and exactly two b -tagged jets. While the signal processes contain sources of $E_{\text{T}}^{\text{miss}}$, an explicit selection on $E_{\text{T}}^{\text{miss}}$ is not performed, to ensure high training statistics available for the MVA discriminants. To suppress the contribution of misidentified jets, the analysis excludes events that contain jets satisfying one of the bad jet criteria [115]. The yields of the ggF and VBF signal samples at different preselection steps are summarized in Table 2; about an order of magnitude of reduction in the event yields is observed from this initial selection.

The events that satisfy the preselection criteria are further divided into two categories: the signal region (SR) and dedicated background control regions (CRs) for Z plus heavy flavour jets (Z +HF), $t\bar{t}$ and Wt , as depicted in Figure 3. The greyed out region is not considered since it does not add significantly to the sensitivity. The CRs are used to constrain the background normalization in the SRs. The SR and CRs are separated based on the invariant mass of the two leptons, with a lower threshold set at 15 GeV and an upper threshold set at 75 GeV for same flavour (SF) leptons and 110 GeV for different flavour (DF) leptons, as illustrated in Figure 3(a) and Figure 3(b). The mass of the di-lepton system is required to be $m_{\ell\ell} > 110 \text{ GeV}$ for the CRs enriched in events coming from top-quark processes. This region is further split into dedicated $t\bar{t}$ - and Wt -enriched control regions by requiring⁵ $m_{b\ell}$ [54] to be below or above 250 GeV, respectively. The Z +HF CR is required to have two SF leptons in the events, and to satisfy the di-lepton invariant mass requirement, $75 \text{ GeV} < m_{\ell\ell} < 110 \text{ GeV}$, excluding events where the invariant mass of the two b -tagged jets satisfies $40 \text{ GeV} < m_{bb} < 210 \text{ GeV}$.

A VBF selection is applied to further categorize the events into two orthogonal ggF/VBF enriched regions by reverting (for ggF-like regions) or applying (for VBF-like regions) the VBF selection. The VBF selection requires the presence of at least two forward jets: these jets must have $p_{\text{T}} > 30 \text{ GeV}$, at least one pair of these extra jets must have a minimum pseudorapidity separation larger than 4.0, and at least one pair of these jets must have a mass larger than 600 GeV. The jets pairs considered are not required to be the same for the pseudorapidity separation and mass requirements; in less than $\sim 1\%$ of the MC events, different pairs of jets are chosen. The VBF selection has a relative selection efficiency of $\sim 60\%$ on VBF signal events. Table 3 shows the yields for SM background processes and non-resonant SM ggF and VBF signals in the SRs and CRs with their statistical uncertainty taken either directly from MC or from the statistics of the template, derived as described in Section 6, in case for the fake-lepton background. For two minor backgrounds negative yields are observed due to NLO MC statistical fluctuations; the total is always positive. The SRs are then used to extract the final results, with the backgrounds constrained by the CRs, as

⁵ See Table 4 for its definition.




Figure 3: Definition of signal and control regions for same lepton flavour (a) and different lepton flavour (b) events, where either the electron ($e\mu$) is leading in p_T or the muon (μe). The greyed-out region is excluded as it makes a negligible contribution to the final results. The $m_{b\ell}$ discriminant variable [54] is used to further separate the top CR into separate $t\bar{t}$ and Wt control regions.

described later. To enhance the sensitivity to the signal process and maximize the rejection of the expected SM backgrounds, a multivariate approach is used to select signal events, as described in the next section.

5 Multivariate analyses

Events that pass the selections described in the previous section are then passed through a MVA to separate rare signal events from the large amount of background events. A DNN and a Boosted Decision Tree (BDT) are used to classify events into the ggF and VBF categories, respectively. The outputs of the MVA models are used as discriminants in the statistical analysis discussed in Section 8.

In the ggF category, the Keras library [119] with Tensorflow as the backend [120] is used to design a DNN classifier with a multi-output architecture to optimise the separation between the ggF HH signal, background from $t\bar{t}$ and Wt and all other background processes simultaneously. In a first stage, 50% of the simulated events are used to optimize the set of input variables and the hyperparameters of the DNN in a five-fold cross-validation with a train/test split fraction of 80%/20%. The final set of input variables is selected based on the permutation feature importance [121] to keep only the most important ones; this strategy allows the analysis to not compromise the performance but reduces the complexity of the model and therefore its goodness given the finite training statistics. These input variables are listed in Table 4, with E_T^{miss} significance being ranked as the ninth and E_T^{miss} being ranked as the twelfth most important input variables with respect to the overall sensitivity. The data are well described by MC for these variables. The hyperparameters of the DNN are optimized through an automatic process using the Optuna [122] package, with the figure of merit being the 95% CL upper limit on the signal strength, i. e. the ratio of the measured HH production cross section to its SM prediction, without considering systematic uncertainties, using the CL_s prescription [123]. The final DNN model includes nine fully connected (FC) layers, each with 512 nodes, and is trained at a learning rate of 0.00011, with ReLU activations [124] used for the FC layers and softmax activations used for the output layer. It is trained with a two-fold cross-validation strategy with a train/test split fraction of 50%/50%. A dropout rate of 0.3 is applied to the FC layers to prevent over-fitting; as a result the loss curve reaches a plateau for both training and test datasets at the end of the training. The score of the signal output node is binned so that the statistical uncertainty of the backgrounds is less than 30% and ~ 1 HH signal event from the combined ggF and VBF production

Table 3: Pre-fit yields for SM background processes and non-resonant SM ggF and VBF signals in the SRs and CRs. The event yields in the row ‘Fakes’ come from the data-driven fake-lepton background estimate described in Section 6. The event yields for Z+jets processes are split into ones with heavy-flavour (HF) and light-flavour (LF) jets as defined in Section 6. A dash represents no contribution of the respective MC event sample in the respective region. Uncertainties are from MC statistics and template statistics only.

Process	ggF-SR	VBF-SR	$t\bar{t}$ -CR	Wt -CR	Z+HF-CR
SM background					
$t\bar{t}$	561220 ± 150	52670 ± 50	436840 ± 130	2270 ± 10	34700 ± 40
$t\bar{t} + V$	1121 ± 4	194.7 ± 1.9	1133 ± 5	97.0 ± 1.1	440.1 ± 1.9
Single top (Wt)	16260 ± 50	1165 ± 12	14100 ± 40	2901 ± 20	1237 ± 13
Single top (s/t-channel)	12.7 ± 0.8	2.48 ± 0.35	1.21 ± 0.28	0.35 ± 0.14	0.25 ± 0.11
$Z \rightarrow \ell\ell$ (HF)	16090 ± 180	1178 ± 34	3610 ± 70	525 ± 11	43390 ± 260
$Z \rightarrow \ell\ell$ (LF)	2720 ± 170	260 ± 40	600 ± 90	55 ± 8	5470 ± 190
$Z \rightarrow \tau\tau$ (HF)	2200 ± 40	154 ± 13	3 ± 7	1.9 ± 0.5	4 ± 6
$Z \rightarrow \tau\tau$ (LF)	370 ± 50	24 ± 4	-1.3 ± 1.5	0.11 ± 0.06	0.8 ± 0.5
W+jets	0.7 ± 0.5	0.09 ± 0.08	-0.2 ± 0.4	—	—
Diboson	288 ± 4	32.6 ± 0.8	159.0 ± 2.8	39.0 ± 0.9	226.8 ± 3.3
Single Higgs	601.0 ± 1.1	105.1 ± 0.4	336.5 ± 0.5	22.06 ± 0.12	48.28 ± 0.29
Fakes	18510 ± 170	2390 ± 60	10020 ± 140	529 ± 35	1360 ± 50
Total SM bkg.	619390 ± 350	58170 ± 100	466810 ± 230	6440 ± 40	86890 ± 330
HH signal, ggF					
ggF $HH \rightarrow bbWW$	8.318 ± 0.016	0.857 ± 0.005	0.00113 ± 0.00019	0.00033 ± 0.00010	0.0014 ± 0.0002
ggF $HH \rightarrow bb\tau\tau$	3.138 ± 0.009	0.3284 ± 0.0029	0.00332 ± 0.00029	0.00068 ± 0.00015	0.0047 ± 0.0004
ggF $HH \rightarrow bbZZ$	0.633 ± 0.005	0.0873 ± 0.0018	0.00083 ± 0.00018	0.00020 ± 0.00009	0.0442 ± 0.0013
\sum ggF HH	12.088 ± 0.019	1.272 ± 0.006	0.0053 ± 0.0004	0.00121 ± 0.00020	0.0504 ± 0.0014
HH signal, VBF					
VBF $HH \rightarrow bbWW$	0.1518 ± 0.0014	0.2138 ± 0.0017	0.00013 ± 0.00004	—	0.00009 ± 0.00004
VBF $HH \rightarrow bb\tau\tau$	0.0537 ± 0.0006	0.0769 ± 0.0007	0.000086 ± 0.000022	0.000048 ± 0.000018	0.00024 ± 0.00004
VBF $HH \rightarrow bbZZ$	0.0097 ± 0.0004	0.0184 ± 0.0006	0.000040 ± 0.000024	0.0000029 ± 0.0000016	0.00236 ± 0.00023
\sum VBF HH	0.2152 ± 0.0016	0.3091 ± 0.0019	0.00026 ± 0.00005	0.000051 ± 0.000018	0.00269 ± 0.00024
HH signal, ggF+VBF					
\sum ggF+VBF HH	12.303 ± 0.019	1.582 ± 0.006	0.0055 ± 0.0004	0.00126 ± 0.00020	0.0531 ± 0.0014

Table 4: Input features used for the DNN in the ggF category. Indices 0 and 1 refer to p_T -leading and p_T -sub-leading objects respectively.

Input feature	Description
same flavour	unity if final state leptons are ee or $\mu\mu$, zero otherwise
p_T^ℓ, p_T^b	transverse momenta of the leptons, b -tagged jets
$m_{\ell\ell}, p_T^{\ell\ell}$	invariant mass and the transverse momentum of the di-lepton system
m_{bb}, p_T^{bb}	invariant mass and the transverse momentum of the b -tagged jet pair system
m_{T2}^{bb}	transverse mass of the two b -tagged jets [125, 126]
$\Delta R_{\ell\ell}, \Delta R_{bb}$	ΔR between the two leptons and two b -tagged jets
$m_{b\ell}$	$\min\{\max(m_{b_0\ell_0}, m_{b_1\ell_1}), \max(m_{b_0\ell_1}, m_{b_1\ell_0})\}$ [54]
$\min \Delta R_{b\ell}$	minimum ΔR of all b -tagged jet and lepton combinations
$m_{bb\ell\ell}$	invariant mass of the $bb\ell\ell$ system
$E_T^{\text{miss}}, E_T^{\text{miss}}\text{-sig}$	missing transverse energy and its significance [127]
$m_T(\ell_0, E_T^{\text{miss}})$	transverse mass of the p_T -leading lepton with respect to E_T^{miss}
$\min m_{T,\ell}$	minimum value of $m_T(\ell_0, E_T^{\text{miss}})$ and $m_T(\ell_1, E_T^{\text{miss}})$
H_{T2}^R	measure for boostedness ⁶ of the two Higgs bosons

modes is expected in each bin. The seven bins with the highest DNN output score are further considered for the statistical analysis, leading to a maximum of $O(10^2)$ background events being present in a bin to be considered as part of the final signal region.

In contrast to the ggF event category, due to limited statistics and a tighter phase space in the VBF category, a DNN approach cannot be fully exploited for such events. Therefore, a BDT classifier is trained using the adaptive boosting (AdaBoost) method and the TMVA framework [128] with a cross-validation setup. Input variables are listed in Table 5, with E_T^{miss} significance being ranked as the fourteenth most important input variable with respect to the overall sensitivity. The data are well described by MC for these variables. The training parameters are optimized to have 350 trees with a maximum depth of four and a minimum terminal node size of 2.5%. The signal tree provided to the algorithm consists exclusively of VBF HH events, while the background consists of ggF HH signal events and other SM background events. The ggF HH events are classified as background since maximising the sensitivity to the VBF HH production mode is the goal of this MVA discriminant. A two-fold cross-validation was utilized with a train/test split fraction of 50%/50%. Each BDT was employed for the half of the dataset it had not been trained on, ensuring a reliable evaluation of performance across the entire dataset. After careful examination, it has been decided to train the BDT on a VBF sample with $\kappa_\lambda = 0$, as it showed the best overall performance across a set of SM and BSM scenarios. The BDT output score is binned into ten bins taking into account their signal over background ratio, with the most sensitive bin being required to have a minimum of ~ 2 background events. The five bins with the highest BDT output score are further considered for the statistical analysis, leading to a maximum of $O(10^3)$ background events being present in a bin to be considered as part of the final signal region.

$${}^6 H_{T2}^R = \frac{|E_T^{\text{miss}} + p_T^{\ell_0} + p_T^{\ell_1}| + |p_T^{b_0} + p_T^{b_1}|}{|E_T^{\text{miss}}| + |p_T^{\ell_0}| + |p_T^{\ell_1}| + |p_T^{b_0}| + |p_T^{b_1}|}$$

Table 5: Input features for the BDT algorithm in the VBF category. The usage of j in variable names indicates that only non b -tagged jets being considered. Indices 0 and 1 refer to p_T -leading and p_T -sub-leading objects respectively.

Input feature	Description
$\eta_{\ell_0}, \eta_{\ell_1}, \phi_{\ell_0}, \phi_{\ell_1}, p_T^{\ell_0}, p_T^{\ell_1}$	η, ϕ, p_T of the p_T -(sub)leading lepton
$\eta_{b_0}, \eta_{b_1}, \phi_{b_0}, \phi_{b_1}, p_T^{b_0}, p_T^{b_1}$	η, ϕ, p_T of the p_T -(sub)leading b -tagged jet
$\eta_{j_0}, \eta_{j_1}, \phi_{j_0}, \phi_{j_1}, p_T^{j_0}, p_T^{j_1}$	ϕ, η, p_T of the p_T -(sub)leading non b -tagged jet
$E_T^{\text{miss}}, \phi^{E_T^{\text{miss}}}, E_T^{\text{miss-sig}}$	missing transverse energy, its ϕ and significance [127]
$p_T^{bb}, \Delta R_{bb}, \Delta\phi_{bb}, m_{bb}$	$p_T, \Delta R, \Delta\phi$ and invariant mass of di- b -jet system
$p_T^{\ell\ell}, \Delta R_{\ell\ell}, \Delta\phi_{\ell\ell}, m_{\ell\ell}, \phi_{\text{centrality}}^{\ell\ell}$	$p_T, \Delta R, \Delta\phi, p_T$ and centrality ⁷ of di-leptons system
$p_T^{bb\ell\ell}, m_{bb\ell\ell}$	p_T and invariant mass of the $bb\ell\ell$ system
$p_T^{bb\ell\ell+E_T^{\text{miss}}}, m_{bb\ell\ell+E_T^{\text{miss}}}$	p_T and invariant mass of $bb\ell\ell + E_T^{\text{miss}}$ system
$m_{\ell\ell+E_T^{\text{miss}}}$	invariant mass of di-lepton + E_T^{miss} system
$p_T^{E_T^{\text{miss}}+\ell\ell}, \Delta\phi_{E_T^{\text{miss}}, \ell\ell}$	p_T of and $\Delta\phi$ between E_T^{miss} and di-lepton system
p_T^{tot}	p_T of $bb\ell\ell + E_T^{\text{miss}} + p_T$ -leading and -sub-leading jet
m_{tot}	invariant mass of $bb\ell\ell + E_T^{\text{miss}} + p_T$ -leading and -sub-leading jet
m_t^{KLF}	Kalman fitter top-quark mass [129]
$\min \Delta R_{\ell_0 j}, \min \Delta R_{\ell_1 j}$	minimum ΔR between p_T -(sub)leading ℓ - j couples
$\sum m_{\ell j}$	sum of the invariant masses of all ℓ +jet combinations
$\max p_T^{jj}, \max m_{jj}$	maximum p_T and invariant mass of any two non b -tagged jets
$\max \Delta\eta_{jj}, \max \Delta\phi_{jj}$	maximum $\Delta\eta$ and $\Delta\phi$ between any two non b -tagged jets
$\min \Delta R_{b\ell}$	minimum ΔR of all b -tagged jet and lepton combinations
$N_{\text{forward jets}}, N_j$	number of forward jets, number of non b -tagged jets
m_{T2}^{bb}	transverse mass of the two b -tagged jets [125, 126]
m_{coll}	collinear mass (reconstruction of $m_{\tau\tau}$) [130]
m_{MMC}	value of the MMC algorithm (reconstruction of $m_{\tau\tau}$) [130]

6 Background estimation

The dominant background processes expected to contribute to the signal region are top quark pair production ($t\bar{t}$), single top-quark in association with a W boson (Wt), and Z/γ^* production in association with heavy-flavour jets. The contributions of these background processes are constrained in dedicated CRs as defined in Section 4.

The simulated Z +jets background events are divided into heavy flavour (HF) and light flavour (LF), based on the generator-level information on the true origin of the jets. If at least one of the two p_T -ordered leading jets in the Z +jets sample is matched at generator level with either a b - or c -quark, events are classified as ‘heavy flavour’. All other Z +jets events, i. e. events where at least one of the two p_T -leading jets is a light flavour jet, are classified as light flavour. As the cross-section of Z boson production in association with heavy flavour jets is known to be mis-modelled [131, 132], the MC prediction is constrained with data in control regions enriched in the Z +HF processes.

The contribution from events containing photons or jets that are mis-identified as leptons as well as leptons from the hadronic decays of heavy flavour quarks is collectively referred as ‘fake-lepton’ background. It is estimated using a data-driven method.

Firstly, the corresponding CR is defined to have the same selections as the SR, except reverting the opposite-sign (OS) requirement of the di-lepton system in the SR definition to have only same-sign (SS) lepton pairs. The contribution of fake-lepton events in the SS region is then estimated by subtracting the predicted contribution from prompt leptons of SM backgrounds from the observed number of the SS di-lepton events in the data. Next, transfer factors binned as a function of sub-leading lepton p_T are calculated as the ratio of the number of OS fake-lepton events to the number of SS fake-lepton events,

$$f_{SS \rightarrow OS} = \frac{N_{MC,OS}^{\text{fake}}}{N_{MC,SS}^{\text{fake}}},$$

as estimated from the background MC events; they range from 1.2 to 1.9. In the end, the number of fake-lepton events in the SRs is extrapolated by applying the transfer factors to the number of fake-lepton events estimated in the SS region:

$$N_{OS}^{\text{fake}} = f_{SS \rightarrow OS} \times (N_{\text{data},SS} - N_{MC,SS}^{\text{prompt}}).$$

7 Systematic uncertainties

The results account for several sources of systematic uncertainty on the signal and background processes, which are classified as either experimental (detector- or luminosity-related) or theoretical modelling uncertainties. Statistical uncertainties of the simulated event samples are also taken into account. The total pre-fit event yields, with their uncertainties, and the background composition in the different signal and control regions, are shown in Figure 4.

The uncertainties due to experimental sources are primarily due to the mismeasurement of reconstructed object momentum and to the finite level of precision when determining reconstruction efficiencies. They include uncertainties on the jet energy scale [114] and jet energy resolution [133]. Additional uncertainties for b -tagged jets arise from the precision of the b -tagging efficiency and from the rates at which charm- and light-flavoured jets are selected as b -tagged jets [116]. Lepton-related uncertainties arise on the electron [134] and muon [111] reconstructed energy (momentum) measurements, as well as on the precision of their reconstruction and identification efficiencies. The E_T^{miss} scale and resolution [117] uncertainties, as well as uncertainties from the mis-modelling of pile-up, trigger efficiency and luminosity, are also taken into account. The uncertainty in the combined 2015–2018 integrated luminosity is 0.83% [38], obtained using the LUCID-2 detector [135] for the primary luminosity measurements, complemented by measurements using the inner detector and calorimeters.

The normalization corrections on the dominant background processes, namely $t\bar{t}$, Wt and Z + jets, are determined using data in the control regions during the statistical analysis. The experimental uncertainties and the systematic uncertainties from the modelling of these processes are taken into account and constrained during the fitting process. For the $t\bar{t}$ and Wt processes, the QCD uncertainty is estimated by comparing events with different renormalization scale (μ_R) and factorization scale (μ_F) settings, where the largest

⁷ The centrality $\phi_{\text{centrality}}^{\ell\ell}$ indicates the location of the missing transverse energy with respect to the two final state leptons in the ϕ -plane. It is one when the direction of E_T^{miss} lies directly between the two leptons and $1/\sqrt{2}$ if it is aligned with one of the leptons. It is defined as $\phi_{\text{centrality}}^{\ell\ell} = (1/\sqrt{2})(\phi_A + \phi_B)/(\phi_A^2 + \phi_B^2)^{1/2}$ with $\phi_A = \sin(\phi_{E_T^{\text{miss}}} - \phi_{\ell_0})/\sin(\phi_{\ell_1} - \phi_{\ell_0})$ and $\phi_B = \sin(\phi_{\ell_1} - \phi_{E_T^{\text{miss}}})/\sin(\phi_{\ell_1} - \phi_{\ell_0})$.




Figure 4: Pre-fit yields of the $t\bar{t}$, Z+HF and Wt CRs, both for the ggF and VBF event selection, as well as the highest-score bins, numbered from high (VBF-SR 1 and ggF-SR 1) to low score (VBF-SR 5 and ggF-SR 7), of the BDT and DNN output distribution in the VBF and ggF event categories, respectively, as used in the final result. The shaded bands include both statistical and systematic uncertainties.

deviation is chosen as the systematic uncertainty. The uncertainties arising from the modelling of initial- and final-state radiation in the generators used to simulate the $t\bar{t}$ (Wt) background processes are evaluated using the method described in ref. [136]. The effects of uncertainties due to the choice of PDF and the value of α_S are evaluated by varying the PDF as well as the value for α_S and taking the maximum variation into account as uncertainty. The ME and PS uncertainties are estimated by comparing events from the nominal simulation samples with events from samples using alternative ME generators and PS generators, taking their difference as the respective uncertainty and then symmetrising it. The uncertainty arising from the interference between the NLO predictions for $t\bar{t}$ and Wt processes is estimated by taking the difference between the predicted yields obtained with the DR and DS schemes [136]. The Z + jets modelling uncertainties are estimated using the nominal Sherpa 2.2.1 samples by considering different merging and re-summation scales [137, 138]. The uncertainties due to PDF variations and changes in μ_R and μ_F are calculated using the same procedures as for the $t\bar{t}$ and Wt backgrounds.

Systematic uncertainties in the signal acceptance obtained by varying μ_R and μ_F , as well as PDF-induced uncertainties, are taken into account as recommended [15] and evaluated using the same procedure as for the top-quark background processes. The uncertainty due to the parton shower modelling is computed by comparing HERWIG 7 with PYTHIA 8. The uncertainty in the HH production cross-section, evaluated to be $\pm 3\%$ for PDF+ α_S and $^{+6\%}_{-23\%}$ for the combined scale and top-quark mass scheme for ggF, and $\pm 2.1\%$ for PDF+ α_S and $^{+0.03\%}_{-0.04\%}$ for the scale for VBF, is included as an uncertainty in $\sigma_{gg/qq \rightarrow HH/HHjj}^{SM}$ when computing the upper limits on the signal strength.

8 Statistical treatment and results

8.1 Statistical procedure

The statistical procedure used to interpret the data is described in Ref. [139]. The likelihood function is constructed from the product of Poisson probabilities:

$$L(\text{data}|\mu, \theta) = \prod_{i=1}^N \text{Poisson}(\text{data}_i | \mu \cdot s_i(\theta) + \mu_b b_i(\theta)) \times G(\tilde{\theta}|\theta)$$

where s_i and b_i are the signal and background contributions in the i -th bin of the fitted variable distribution; μ is the signal strength, μ_b is the normalization factor for the respective background, and θ denotes the nuisance parameters, which account for the uncertainties of the measurements; $G(\tilde{\theta}|\theta)$ is the Gaussian scaling function of the nuisance parameters constructed as deviations from the nominal model of the systematic uncertainties, where $\tilde{\theta}$ provides a maximum likelihood estimate for θ . The parameter of interest in the statistical analysis is the global signal strength factor $\mu = \sigma/\sigma^{\text{SM}}$, which acts on the total number of events predicted by the signal model. This factor is defined such that $\mu = 0$ corresponds to the background-only hypothesis and $\mu > 0$ corresponds to a HH signal in addition to the background. Hypothesised values of μ are tested based on the profile likelihood ratio [140], which compares data with background-only (b) and signal+background ($s + b$) models using the following test statistic:

$$q_\mu = \begin{cases} -2 \ln \frac{L(\text{data}|\mu, \hat{\theta}_\mu)}{L(\text{data}|0, \hat{\theta}_0)} & \hat{\mu} < 0 \\ -2 \ln \frac{L(\text{data}|\mu, \hat{\theta}_\mu)}{L(\text{data}|\hat{\mu}, \hat{\theta})} & 0 \leq \hat{\mu} \leq \mu \\ 0 & \hat{\mu} > \mu \end{cases}$$

where $\hat{\mu}$ and $\hat{\theta}$ are the values for μ and θ when maximizing L with all parameters floating (referred to as the unconditional maximum-likelihood (ML) estimators). The $\hat{\theta}_\mu$ is the conditional ML estimator of θ for a fixed value of μ . This test statistic extracts the information on the signal strength from a full likelihood fit to the data. The likelihood function includes all the parameters that describe the systematic uncertainties and their correlations. The constraints on the coupling modifiers are obtained by using the respective modifier (κ_λ or κ_{2V}) in place of the signal strength as the parameter of interest in the profile likelihood ratio.

Exclusion limits at 95% CL are based on the CL_s prescription [123], and they are set on the HH production cross-section times branching fraction divided by the corresponding SM prediction. The statistical analysis uses the distributions of the MVA output score in both the ggF and VBF SRs as final discriminant. The background CRs are used to constrain the overall normalization for the $t\bar{t}$, Wt and Z +HF backgrounds in the SR. Other background normalizations and shapes are fixed with prior uncertainties included in the fit.

8.2 Limits on HH production

All regions used for this search are displayed in Figure 5 after a fit with the signal strength fixed to the upper limit, while pre-fit distributions are shown in Figure 4. A downward fluctuation of the data in the last bin of both the NN and BDT distributions is observed. A negative signal strength has been extracted from the fit: $\mu_{HH} = -8.5^{+7.7}_{-8.4}$. Using the approach described in Section 8.1, the upper limits on the signal strength parameter for Higgs boson pair production with consideration of both the ggF and VBF




Figure 5: Post-fit yields from the signal+background fit of the $t\bar{t}$, Z+HF and Wt CRs, both for the ggF and VBF event selections, as well as the highest-score bins, numbered from high (VBF-SR 1 and ggF-SR 1) to low score (VBF-SR 5 and ggF-SR 7), of the BDT and DNN output distribution in the VBF and ggF event categories respectively as used in the final result. The fit is a conditional fit with the signal strength fixed to the observed upper limit of $\mu_{HH} = 9.7$. The shaded bands include both statistical and systematic uncertainties.

signals are determined. Figure 6 summarizes the ggF, VBF and combined results with the impact of all systematic uncertainties being shown. The observed combined upper limit at 95% CL on the signal strength is $\mu_{HH} = 9.7$. In the CRs, the normalization and modelling of the backgrounds play a prominent role, and they dominate the sources of uncertainty. In the SRs, the systematic uncertainties mostly arise from background modelling, experimental sources and the signal normalization. In the most sensitive bins, i. e. ggF-SR 1 to ggF-SR 3 and VBF-SR 1 and VBF-SR 2, the statistical uncertainty becomes dominant due to the limited number of expected events.

8.3 Constraints on Higgs coupling parameters

This analysis is extended by performing likelihood scans on the κ_λ and κ_{2V} parameters. The single Higgs boson background has a small dependence upon κ_λ through loop effects, which is neglected. Coupling modifiers other than the one tested in the respective scan are set to their SM value. Hence, the κ_t , κ_V and κ_{2V} coupling modifiers are set to $\kappa_t = \kappa_V = \kappa_{2V} = 1$ for the κ_λ -scan. Both the ggF and VBF HH signal regions are used in the analysis, and the result is shown in Figure 7(a). The observed result constrains κ_λ to be within the range $[-6.2, 13.3]$ at 95% CL which is slightly better than the expected range of $[-8.1, 15.5]$ at 95% CL due to the observed downward fluctuation of the data.

A scan over the κ_{2V} parameter is also conducted. Again, all other couplings are set to their respective SM values. Although only the VBF production mode of Higgs boson pairs is sensitive to the κ_{2V} coupling modifier, both the ggF and VBF SRs are included in the scan, allowing the analysis to achieve a slight




Figure 6: Observed and expected upper limits on the ratios of the Higgs boson pair production cross-section to the corresponding Standard Model prediction $\sigma_{HH}/\sigma_{HH}^{SM}$ for the ggF HH signal only (top row), the VBF HH signal only while considering ggF HH as background (second row) and the combined ggF+VBF HH signal considering only the ggF SR (third row) and considering all SRs (bottom row) at a 95% confidence level. The relative ratio between the ggF and VBF production modes is fixed to the SM value.




Figure 7: Likelihood profiles of the (a) κ_λ and (b) κ_{2V} parameters.

enhancement of sensitivity from the presence of VBF HH events within the ggF SR. A likelihood scan is performed to set constraints on the κ_{2V} parameter; this is shown in Figure 7(b). Values for κ_{2V} are constrained to be within the range of $[-0.17, 2.4]$ at 95% CL which is slightly better than the expected range of $[-0.51, 2.7]$ at 95% CL due to the observed downward fluctuation of the data.

9 Conclusion

A search for non-resonant Higgs boson pair production via the ggF and VBF production modes is performed. It probes decay channels with one of the Higgs bosons decaying to $b\bar{b}$ and the other to either WW^* , ZZ^* , or $\tau^+\tau^-$. Selected events contain exactly two b -tagged jets, two light leptons with opposite electric charge and missing transverse energy. The analysis employs 140 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$, recorded by the ATLAS detector at the LHC. The results are consistent with the predictions for the SM background processes. An observed (expected) 95% CL upper limit on the cross-section for the production of Higgs boson pairs is set at 9.7 (16.2) times the SM prediction, which is a significant improvement compared to the previous ATLAS search in this channel. The analysis also establishes separate 95% CL limits on the Higgs coupling parameters κ_λ and κ_{2V} excluding values outside the ranges $[-6.2, 13.3]$ and $[-0.17, 2.4]$, respectively. These ranges are obtained under the assumption that all other couplings, except the individual coupling being tested, are set to their SM values.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [[141](#)].

References

- [1] F. Englert and R. Brout, *Broken Symmetry and the Mass of Gauge Vector Mesons*, [Phys. Rev. Lett. **13** \(1964\) 321](#), ed. by J. C. Taylor.
- [2] P. W. Higgs, *Broken symmetries, massless particles and gauge fields*, [Phys. Lett. **12** \(1964\) 132](#).
- [3] P. W. Higgs, *Broken Symmetries and the Masses of Gauge Bosons*, [Phys. Rev. Lett. **13** \(1964\) 508](#), ed. by J. C. Taylor.
- [4] G. S. Guralnik, C. R. Hagen and T. W. B. Kibble, *Global Conservation Laws and Massless Particles*, [Phys. Rev. Lett. **13** \(1964\) 585](#), ed. by J. C. Taylor.
- [5] P. W. Higgs, *Spontaneous Symmetry Breakdown without Massless Bosons*, [Phys. Rev. **145** \(1966\) 1156](#).
- [6] T. W. B. Kibble, *Symmetry Breaking in Non-Abelian Gauge Theories*, [Phys. Rev. **155** \(1967\) 1554](#), ed. by J. C. Taylor.
- [7] ATLAS Collaboration, *Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC*, [Phys. Lett. B **716** \(2012\) 1](#), arXiv: [1207.7214 \[hep-ex\]](#).
- [8] CMS Collaboration, *Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC*, [Phys. Lett. B **716** \(2012\) 30](#), arXiv: [1207.7235 \[hep-ex\]](#).
- [9] S. Dawson, S. Dittmaier and M. Spira, *Neutral Higgs boson pair production at hadron colliders: QCD corrections*, [Phys. Rev. D **58** \(1998\) 115012](#), arXiv: [hep-ph/9805244](#).
- [10] S. Borowka et al., *Higgs Boson Pair Production in Gluon Fusion at Next-to-Leading Order with Full Top-Quark Mass Dependence*, [Phys. Rev. Lett. **117** \(2016\) 012001](#), [Erratum: [Phys.Rev.Lett. 117, 079901 \(2016\)](#)], arXiv: [1604.06447 \[hep-ph\]](#).
- [11] J. Baglio et al., *Gluon fusion into Higgs pairs at NLO QCD and the top mass scheme*, [Eur. Phys. J. C **79** \(2019\) 459](#), arXiv: [1811.05692 \[hep-ph\]](#).
- [12] D. de Florian and J. Mazzitelli, *Higgs Boson Pair Production at Next-to-Next-to-Leading Order in QCD*, [Phys. Rev. Lett. **111** \(2013\) 201801](#), arXiv: [1309.6594 \[hep-ph\]](#).
- [13] D. Y. Shao, C. S. Li, H. T. Li and J. Wang, *Threshold resummation effects in Higgs boson pair production at the LHC*, [JHEP **07** \(2013\) 169](#), arXiv: [1301.1245 \[hep-ph\]](#).
- [14] D. de Florian and J. Mazzitelli, *Higgs pair production at next-to-next-to-leading logarithmic accuracy at the LHC*, [JHEP **09** \(2015\) 053](#), arXiv: [1505.07122 \[hep-ph\]](#).
- [15] M. Grazzini et al., *Higgs boson pair production at NNLO with top quark mass effects*, [JHEP **05** \(2018\) 059](#), arXiv: [1803.02463 \[hep-ph\]](#).
- [16] J. Baglio et al., *$gg \rightarrow HH$: Combined uncertainties*, [Phys. Rev. D **103** \(2021\) 056002](#), arXiv: [2008.11626 \[hep-ph\]](#).

- [17] F. A. Dreyer and A. Karlberg, *Vector-Boson Fusion Higgs Pair Production at N^3LO* , *Phys. Rev. D* **98** (2018) 114016, arXiv: [1811.07906 \[hep-ph\]](#).
- [18] L. Di Luzio, R. Gröber and M. Spannowsky, *Maxi-sizing the trilinear Higgs self-coupling: how large could it be?*, *Eur. Phys. J. C* **77** (2017) 788, arXiv: [1704.02311 \[hep-ph\]](#).
- [19] G. D. Kribs, A. Maier, H. Rzehak, M. Spannowsky and P. Waite, *Electroweak oblique parameters as a probe of the trilinear Higgs boson self-interaction*, *Phys. Rev. D* **95** (2017) 093004, arXiv: [1702.07678 \[hep-ph\]](#).
- [20] ATLAS Collaboration, *Search for Higgs boson pair production in the two bottom quarks plus two photons final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **106** (2021) 052001, arXiv: [2112.11876 \[hep-ex\]](#).
- [21] ATLAS Collaboration, *Search for resonant pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **105** (2022) 092002, arXiv: [2202.07288 \[hep-ex\]](#).
- [22] ATLAS Collaboration, *Search for resonant and non-resonant Higgs boson pair production in the $b\bar{b}\tau^+\tau^-$ decay channel using 13 TeV pp collision data from the ATLAS detector*, *JHEP* **07** (2022) 040, arXiv: [2209.10910 \[hep-ex\]](#).
- [23] ATLAS Collaboration, *Constraining the Higgs boson self-coupling from single- and double-Higgs production with the ATLAS detector using pp collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **843** (2022) 137745, arXiv: [2211.01216 \[hep-ex\]](#).
- [24] CMS Collaboration, *Search for Higgs Boson Pair Production in the Four b Quark Final State in Proton–Proton Collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **129** (2022) 081802, arXiv: [2202.09617 \[hep-ex\]](#).
- [25] CMS Collaboration, *Search for nonresonant pair production of highly energetic Higgs bosons decaying to bottom quarks*, *Phys. Rev. Lett.* **131** (2023) 041803, arXiv: [2205.06667 \[hep-ex\]](#).
- [26] CMS Collaboration, *Search for nonresonant Higgs boson pair production in final state with two bottom quarks and two tau leptons in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **842** (2022) 137531, arXiv: [2206.09401 \[hep-ex\]](#).
- [27] CMS Collaboration, *Search for Higgs boson pairs decaying to WW^*WW^* , $WW^*\tau\tau$, and $\tau\tau\tau\tau$ in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **07** (2022) 095, arXiv: [2206.10268 \[hep-ex\]](#).
- [28] CMS Collaboration, *Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **03** (2021) 257, arXiv: [2011.12373 \[hep-ex\]](#).
- [29] CMS Collaboration, *Search for nonresonant Higgs boson pair production in the four leptons plus two b jets final state in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **06** (2022) 130, arXiv: [2206.10657 \[hep-ex\]](#).
- [30] CMS Collaboration, *A portrait of the Higgs boson by the CMS experiment ten years after the discovery*, *Nature* **607** (2022) 60, arXiv: [2207.00043 \[hep-ex\]](#).
- [31] ATLAS Collaboration, *Search for non-resonant Higgs boson pair production in the $b\bar{b}\ell\nu\ell\nu$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **801** (2020) 135145, arXiv: [1908.06765 \[hep-ex\]](#).

- [32] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, [JINST 3 \(2008\) S08003](#).
- [33] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [34] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, [JINST 13 \(2018\) T05008](#), arXiv: [1803.00844 \[physics.ins-det\]](#).
- [35] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, [Eur. Phys. J. C 77 \(2017\) 317](#), arXiv: [1611.09661 \[hep-ex\]](#).
- [36] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [37] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, [JINST 15 \(2020\) P04003](#), arXiv: [1911.04632 \[physics.ins-det\]](#).
- [38] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, [Eur. Phys. J. C 83 \(2023\) 982](#), arXiv: [2212.09379 \[hep-ex\]](#).
- [39] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, [Eur. Phys. J. C 70 \(2010\) 823](#), arXiv: [1005.4568 \[physics.ins-det\]](#).
- [40] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, [Nucl. Instrum. Meth. A 506 \(2003\) 250](#).
- [41] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, [Comput. Phys. Commun. 178 \(2008\) 852](#), arXiv: [0710.3820 \[hep-ph\]](#).
- [42] NNPDF Collaboration, R. D. Ball et al., *Parton distributions with LHC data*, [Nucl. Phys. B 867 \(2013\) 244](#), arXiv: [1207.1303 \[hep-ph\]](#).
- [43] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [44] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, [Comput. Phys. Commun. 191 \(2015\) 159](#), arXiv: [1410.3012 \[hep-ph\]](#).
- [45] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, [J. Phys. G 43 \(2016\) 023001](#), arXiv: [1510.03865 \[hep-ph\]](#).
- [46] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [47] J. Bellm et al., *Herwig 7.2 release note*, [Eur. Phys. J. C 80 \(2020\) 452](#), arXiv: [1912.06509 \[hep-ph\]](#).
- [48] ATLAS Collaboration, *Combination of searches for Higgs boson pairs in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, [Phys. Lett. B 800 \(2020\) 135103](#), arXiv: [1906.02025 \[hep-ex\]](#).
- [49] ATLAS Collaboration, *Validation of signal Monte Carlo event generation in searches for Higgs boson pairs with the ATLAS detector*, ATL-PHYS-PUB-2019-007, 2019, URL: <https://cds.cern.ch/record/2665057>.

- [50] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, **JHEP** **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [51] The NNPDF Collaboration, R. D. Ball et al., *Parton distributions for the LHC run II*, **JHEP** **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [52] F. Bishara, R. Contino and J. Rojo, *Higgs pair production in vector-boson fusion at the LHC and beyond*, **Eur. Phys. J. C** **77** (2017) 481, arXiv: [1611.03860 \[hep-ph\]](#).
- [53] D. J. Lange, *The EvtGen particle decay simulation package*, **Nucl. Instrum. Meth. A** **462** (2001) 152.
- [54] ATLAS Collaboration, *Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector*, **Phys. Rev. Lett.** **121** (2018) 152002, arXiv: [1806.04667 \[hep-ex\]](#).
- [55] S. Frixione, E. Laenen, P. Motylinski, C. White and B. R. Webber, *Single-top hadroproduction in association with a W boson*, **JHEP** **07** (2008) 029, arXiv: [0805.3067 \[hep-ph\]](#).
- [56] S. Frixione, G. Ridolfi and P. Nason, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, **JHEP** **09** (2007) 126, arXiv: [0707.3088 \[hep-ph\]](#).
- [57] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, **JHEP** **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [58] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, **JHEP** **11** (2007) 070, arXiv: [0709.2092 \[hep-ph\]](#).
- [59] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, **JHEP** **06** (2010) 043, arXiv: [1002.2581 \[hep-ph\]](#).
- [60] ATLAS Collaboration, *Studies on top-quark Monte Carlo modelling for Top2016*, ATL-PHYS-PUB-2016-020, 2016, URL: <https://cds.cern.ch/record/2216168>.
- [61] L. Serkin, *Treatment of top-quark backgrounds in extreme phase spaces: the “top p_T reweighting” and novel data-driven estimations in ATLAS and CMS*, Proceeding for 13th International Workshop on Top Quark Physics, 2021, arXiv: [2105.03977 \[hep-ex\]](#).
- [62] E. Re, *Single-top Wt -channel production matched with parton showers using the POWHEG method*, **Eur. Phys. J. C** **71** (2011) 1547, arXiv: [1009.2450 \[hep-ph\]](#).
- [63] E. Bothmann et al., *Event generation with Sherpa 2.2*, **SciPost Phys.** **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [64] L. Lönnblad, *Correcting the Colour-Dipole Cascade Model with Fixed Order Matrix Elements*, **JHEP** **05** (2002) 046, arXiv: [hep-ph/0112284](#).
- [65] N. Lavesson and L. Lönnblad, *W +jets matrix elements and the dipole cascade*, **JHEP** **07** (2005) 054, arXiv: [hep-ph/0503293](#).

- [66] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039, arXiv: [0808.3674 \[hep-ph\]](#).
- [67] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering Amplitudes with Open Loops*, *Phys. Rev. Lett.* **108** (2012) 111601, arXiv: [1111.5206 \[hep-ph\]](#).
- [68] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, *JHEP* **04** (2013) 027, arXiv: [1207.5030 \[hep-ph\]](#).
- [69] A. Djouadi, J. Kalinowski and M. Spira, *HDECAY: A program for Higgs boson decays in the Standard Model and its supersymmetric extension*, *Comput. Phys. Commun.* **108** (1998) 56, arXiv: [hep-ph/9704448](#).
- [70] M. Spira, *QCD Effects in Higgs Physics*, *Fortsch. Phys.* **46** (1998) 203, arXiv: [hep-ph/9705337](#).
- [71] A. Djouadi, M. M. Mühlleitner and M. Spira, *Decays of Supersymmetric particles: The Program SUSY-HIT (SUSpect-SdecaY-Hdecay-InTerface)*, *Acta Phys. Polon. B* **38** (2007) 635, arXiv: [hep-ph/0609292](#).
- [72] A. Bredenstein, A. Denner, S. Dittmaier and M. M. Weber, *Radiative corrections to the semileptonic and hadronic Higgs-boson decays $H \rightarrow WW/ZZ \rightarrow 4$ fermions*, *JHEP* **02** (2007) 080, arXiv: [hep-ph/0611234](#).
- [73] A. Bredenstein, A. Denner, S. Dittmaier and M. M. Weber, *Precise predictions for the Higgs-boson decay $H \rightarrow WW/ZZ \rightarrow 4$ leptons*, *Phys. Rev. D* **74** (2006) 013004, arXiv: [hep-ph/0604011 \[hep-ph\]](#).
- [74] A. Bredenstein, A. Denner, S. Dittmaier and M. M. Weber, *Precision calculations for the Higgs decays $H \rightarrow ZZ/WW \rightarrow 4$ leptons*, *Nucl. Phys. Proc. Suppl.* **160** (2006) 131, arXiv: [hep-ph/0607060 \[hep-ph\]](#).
- [75] K. Hamilton, P. Nason, E. Re and G. Zanderighi, *NNLOPS simulation of Higgs boson production*, *JHEP* **10** (2013) 222, arXiv: [1309.0017 \[hep-ph\]](#).
- [76] K. Hamilton, P. Nason and G. Zanderighi, *Finite quark-mass effects in the NNLOPS POWHEG+MiNLO Higgs generator*, *JHEP* **05** (2015) 140, arXiv: [1501.04637 \[hep-ph\]](#).
- [77] K. Hamilton, P. Nason and G. Zanderighi, *MINLO: multi-scale improved NLO*, *JHEP* **10** (2012) 155, arXiv: [1206.3572 \[hep-ph\]](#).
- [78] J. M. Campbell et al., *NLO Higgs boson production plus one and two jets using the POWHEG BOX, MadGraph4 and MCFM*, *JHEP* **07** (2012) 092, arXiv: [1202.5475 \[hep-ph\]](#).
- [79] K. Hamilton, P. Nason, C. Oleari and G. Zanderighi, *Merging $H/W/Z + 0$ and 1 jet at NLO with no merging scale: a path to parton shower + NNLO matching*, *JHEP* **05** (2013) 082, arXiv: [1212.4504 \[hep-ph\]](#).
- [80] S. Catani and M. Grazzini, *Next-to-Next-to-Leading-Order Subtraction Formalism in Hadron Collisions and its Application to Higgs-boson Production at the Large Hadron Collider*, *Phys. Rev. Lett.* **98** (2007) 222002, arXiv: [hep-ph/0703012 \[hep-ph\]](#).
- [81] ATLAS Collaboration, *Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **09** (2014) 145, arXiv: [1406.3660 \[hep-ex\]](#).

- [82] D. de Florian et al.,
Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector,
CERN Yellow Reports **2** (2017), arXiv: [1610.07922 \[hep-ph\]](#).
- [83] C. Anastasiou et al.,
High precision determination of the gluon fusion Higgs boson cross-section at the LHC,
JHEP **05** (2016) 058, arXiv: [1602.00695 \[hep-ph\]](#).
- [84] C. Anastasiou, C. Duhr, F. Dulat, F. Herzog and B. Mistlberger,
Higgs Boson Gluon-Fusion Production in QCD at Three Loops,
Phys. Rev. Lett. **114** (2015) 212001, arXiv: [1503.06056 \[hep-ph\]](#).
- [85] F. Dulat, A. Lazopoulos and B. Mistlberger, *iHixs 2 – Inclusive Higgs cross sections*,
Comput. Phys. Commun. **233** (2018) 243, arXiv: [1802.00827 \[hep-ph\]](#).
- [86] R. V. Harlander and K. J. Ozeren,
Finite top mass effects for hadronic Higgs production at next-to-next-to-leading order,
JHEP **11** (2009) 088, arXiv: [0909.3420 \[hep-ph\]](#).
- [87] R. V. Harlander and K. J. Ozeren,
Top mass effects in Higgs production at next-to-next-to-leading order QCD: Virtual corrections,
Phys. Lett. B **679** (2009) 467, arXiv: [0907.2997 \[hep-ph\]](#).
- [88] R. V. Harlander, H. Mantler, S. Marzani and K. J. Ozeren,
Higgs production in gluon fusion at next-to-next-to-leading order QCD for finite top mass,
Eur. Phys. J. C **66** (2010) 359, arXiv: [0912.2104 \[hep-ph\]](#).
- [89] A. Pak, M. Rogal and M. Steinhauser,
Finite top quark mass effects in NNLO Higgs boson production at LHC, *JHEP* **02** (2010) 025,
arXiv: [0911.4662 \[hep-ph\]](#).
- [90] S. Actis, G. Passarino, C. Sturm and S. Uccirati,
NLO electroweak corrections to Higgs boson production at hadron colliders,
Phys. Lett. B **670** (2008) 12, arXiv: [0809.1301 \[hep-ph\]](#).
- [91] S. Actis, G. Passarino, C. Sturm and S. Uccirati,
NNLO computational techniques: The cases $H \rightarrow \gamma\gamma$ and $H \rightarrow gg$, *Nucl. Phys. B* **811** (2009) 182,
arXiv: [0809.3667 \[hep-ph\]](#).
- [92] M. Bonetti, K. Melnikov and L. Tancredi, *Higher order corrections to mixed QCD-EW contributions to Higgs boson production in gluon fusion*, *Phys. Rev. D* **97** (2018) 056017,
arXiv: [1801.10403 \[hep-ph\]](#), Erratum: *Phys. Rev. D* **97** (2018) 099906(E).
- [93] P. Nason and C. Oleari,
NLO Higgs boson production via vector-boson fusion matched with shower in POWHEG,
JHEP **02** (2010) 037, arXiv: [0911.5299 \[hep-ph\]](#).
- [94] M. Ciccolini, A. Denner and S. Dittmaier, *Strong and Electroweak Corrections to the Production of a Higgs Boson + 2 Jets via Weak Interactions at the Large Hadron Collider*,
Phys. Rev. Lett. **99** (2007) 161803, arXiv: [0707.0381 \[hep-ph\]](#).
- [95] M. Ciccolini, A. Denner and S. Dittmaier,
Electroweak and QCD corrections to Higgs production via vector-boson fusion at the CERN LHC,
Phys. Rev. D **77** (2008) 013002, arXiv: [0710.4749 \[hep-ph\]](#).

- [96] P. Bolzoni, F. Maltoni, S.-O. Moch and M. Zaro, *Higgs Boson Production via Vector-Boson Fusion at Next-to-Next-to-Leading Order in QCD*, *Phys. Rev. Lett.* **105** (2010) 011801, arXiv: [1003.4451 \[hep-ph\]](#).
- [97] M. L. Ciccolini, S. Dittmaier and M. Krämer, *Electroweak radiative corrections to associated WH and ZH production at hadron colliders*, *Phys. Rev. D* **68** (2003) 073003, arXiv: [hep-ph/0306234 \[hep-ph\]](#).
- [98] O. Brein, A. Djouadi and R. Harlander, *NNLO QCD corrections to the Higgs-strahlung processes at hadron colliders*, *Phys. Lett. B* **579** (2004) 149, arXiv: [hep-ph/0307206](#).
- [99] O. Brein, R. V. Harlander, M. Wiesemann and T. Zirke, *Top-quark mediated effects in hadronic Higgs-Strahlung*, *Eur. Phys. J. C* **72** (2012) 1868, arXiv: [1111.0761 \[hep-ph\]](#).
- [100] L. Altenkamp, S. Dittmaier, R. V. Harlander, H. Rzehak and T. J. E. Zirke, *Gluon-induced Higgs-strahlung at next-to-leading order QCD*, *JHEP* **02** (2013) 078, arXiv: [1211.5015 \[hep-ph\]](#).
- [101] A. Denner, S. Dittmaier, S. Kallweit and A. Mück, *HAWK 2.0: A Monte Carlo program for Higgs production in vector-boson fusion and Higgs strahlung at hadron colliders*, *Comput. Phys. Commun.* **195** (2015) 161, arXiv: [1412.5390 \[hep-ph\]](#).
- [102] O. Brein, R. V. Harlander and T. J. E. Zirke, *vh@nnlo – Higgs Strahlung at hadron colliders*, *Comput. Phys. Commun.* **184** (2013) 998, arXiv: [1210.5347 \[hep-ph\]](#).
- [103] R. V. Harlander, A. Kulesza, V. Theeuwes and T. Zirke, *Soft gluon resummation for gluon-induced Higgs Strahlung*, *JHEP* **11** (2014) 082, arXiv: [1410.0217 \[hep-ph\]](#).
- [104] H. B. Hartanto, B. Jäger, L. Reina and D. Wackerroth, *Higgs boson production in association with top quarks in the POWHEG BOX*, *Phys. Rev. D* **91** (2015) 094003, arXiv: [1501.04498 \[hep-ph\]](#).
- [105] ATLAS Collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026, 2015, URL: <https://cds.cern.ch/record/2037717>.
- [106] ATLAS Collaboration, *Electron and photon efficiencies in LHC Run 2 with the ATLAS experiment*, (2023), arXiv: [2308.13362 \[hep-ex\]](#).
- [107] ATLAS Collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292, arXiv: [1603.05598 \[hep-ex\]](#).
- [108] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: [2012.00578 \[hep-ex\]](#).
- [109] M. Cacciari, G. P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [110] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [111] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, *Eur. Phys. J. C* **77** (2017) 490, arXiv: [1603.02934 \[hep-ex\]](#).

- [112] ATLAS Collaboration, *Properties of jets and inputs to jet reconstruction and calibration with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-036, 2015, URL: <https://cds.cern.ch/record/2044564>.
- [113] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485](https://arxiv.org/abs/1703.10485) [hep-ex].
- [114] ATLAS Collaboration, *Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002, arXiv: [1703.09665](https://arxiv.org/abs/1703.09665) [hep-ex].
- [115] ATLAS Collaboration, *Selection of jets produced in 13 TeV proton–proton collisions with the ATLAS detector*, ATLAS-CONF-2015-029, 2015, URL: <https://cds.cern.ch/record/2037702>.
- [116] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, *Eur. Phys. J. C* **83** (2022) 681, arXiv: [2211.16345](https://arxiv.org/abs/2211.16345) [physics.data-an].
- [117] ATLAS Collaboration, *Performance of missing transverse momentum reconstruction with the ATLAS detector using proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **78** (2018) 903, arXiv: [1802.08168](https://arxiv.org/abs/1802.08168) [hep-ex].
- [118] M. Cacciari and G. P. Salam, *Pileup subtraction using jet areas*, *Phys. Lett. B* **659** (2008) 119, arXiv: [0707.1378](https://arxiv.org/abs/0707.1378) [hep-ph].
- [119] F. Chollet et al., *Keras*, 2015, URL: <https://keras.io>.
- [120] M. Abadi et al., *TensorFlow: Large-scale Machine Learning on Heterogeneous Systems*, Software available from [tensorflow.org](https://www.tensorflow.org/), 2015, URL: <https://www.tensorflow.org/>.
- [121] L. Breiman, *Random Forests*, *Machine Learning* **45** (2001) 5.
- [122] T. Akiba, S. Sano, T. Yanase, T. Ohta and M. Koyama, *Optuna: A Next-generation Hyperparameter Optimization Framework*, 2019, arXiv: [1907.10902](https://arxiv.org/abs/1907.10902) [cs.LG].
- [123] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [124] V. Nair and G. E. Hinton, *Rectified Linear Units Improve Restricted Boltzmann Machines*, Proceedings of the 27th International Conference on International Conference on Machine Learning, Madison, WI, USA, 2010.
- [125] C. G. Lester and D. J. Summers, *Measuring masses of semi-invisibly decaying particle pairs produced at hadron colliders*, *Phys. Lett. B* **463** (1999) 99, arXiv: [hep-ph/9906349](https://arxiv.org/abs/hep-ph/9906349).
- [126] C. G. Lester and B. Nachman, *Bisection-based asymmetric M_{T2} computation: a higher precision calculator than existing symmetric methods*, *JHEP* **03** (2015) 100, arXiv: [1411.4312](https://arxiv.org/abs/1411.4312) [hep-ph].
- [127] ATLAS Collaboration, *Object-based missing transverse momentum significance in the ATLAS Detector*, ATLAS-CONF-2018-038, 2018, URL: <https://cds.cern.ch/record/2630948>.
- [128] A. Hoecker et al., *TMVA - Toolkit for Multivariate Data Analysis*, 2007, arXiv: [physics/0703039](https://arxiv.org/abs/physics/0703039) [physics.data-an].

- [129] J. Erdmann et al.,
A likelihood-based reconstruction algorithm for top-quark pairs and the KLfitter framework,
Nucl. Instrum. Meth. A **748** (2014) 18, arXiv: [1312.5595 \[hep-ex\]](#).
- [130] A. Elagin, P. Murat, A. Pranko and A. Safonov,
A new mass reconstruction technique for resonances decaying to $\tau\tau$,
Nucl. Instrum. Meth. A **654** (2011) 481, arXiv: [1012.4686 \[hep-ex\]](#).
- [131] CMS Collaboration, *Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV*, *JHEP* **12** (2013) 039, arXiv: [1310.1349 \[hep-ex\]](#).
- [132] ATLAS Collaboration, *Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton–proton collisions with the ATLAS detector*, *JHEP* **10** (2014) 141, arXiv: [1407.3643 \[hep-ex\]](#).
- [133] ATLAS Collaboration, *Jet Calibration and Systematic Uncertainties for Jets Reconstructed in the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-015, 2015, URL: <https://cds.cern.ch/record/2037613>.
- [134] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [135] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.
- [136] ATLAS Collaboration,
Simulation of top-quark production for the ATLAS experiment at $\sqrt{s} = 13$ TeV,
ATL-PHYS-PUB-2016-004, 2016, URL: <https://cds.cern.ch/record/2120417>.
- [137] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [138] S. Catani, F. Krauss, B. R. Webber and R. Kuhn, *QCD Matrix Elements + Parton Showers*, *JHEP* **11** (2001) 063, arXiv: [hep-ph/0109231](#).
- [139] ATLAS Collaboration, *Combined search for the Standard Model Higgs boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Phys. Rev. D* **86** (2012) 032003, arXiv: [1207.0319 \[hep-ex\]](#).
- [140] G. Cowan, K. Cranmer, E. Gross and O. Vitells,
Asymptotic formulae for likelihood-based tests of new physics, *Eur. Phys. J. C* **71** (2011) 1554,
arXiv: [1007.1727 \[physics.data-an\]](#), Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [141] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰², B. Abbott ¹²⁰, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, A. Abouhorma ^{35e}, H. Abramowicz ¹⁵¹, H. Abreu ¹⁵⁰, Y. Abulaiti ¹¹⁷, B.S. Acharya ^{69a,69b,m}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, S.V. Addepalli ²⁶, M.J. Addison ¹⁰¹, J. Adelman ¹¹⁵, A. Adiguzel ^{21c}, T. Adye ¹³⁴, A.A. Affolder ¹³⁶, Y. Afik ³⁹, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰⁰, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,z}, W.S. Ahmed ¹⁰⁴, S. Ahuja ⁹⁵, X. Ai ^{62e}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶³, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁶⁹, M. Akbiyik ¹⁰⁰, T.P.A. Åkesson ⁹⁸, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁸, N.N. Akolkar ²⁴, S. Aktas ^{21a}, K. Al Houry ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁵, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², Z.L. Alegria ¹²¹, M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹²⁰, B. Ali ¹³², H.M.J. Ali ⁹¹, S. Ali ¹⁴⁸, S.W. Alibocus ⁹², M. Aliev ¹⁴⁵, G. Alimonti ^{71a}, W. Alkakhki ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁶, J.F. Allen ⁵², C.A. Allendes Flores ^{137f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹⁰, C. Alpigiani ¹³⁸, M. Alvarez Estevez ⁹⁹, A. Alvarez Fernandez ¹⁰⁰, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰¹, Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁴, C. Amelung ³⁶, M. Amerl ¹⁰¹, C.G. Ames ¹⁰⁹, D. Amidei ¹⁰⁶, S.P. Amor Dos Santos ^{130a}, K.R. Amos ¹⁶³, V. Ananiev ¹²⁵, C. Anastopoulos ¹³⁹, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andreev ^{47a,47b}, A. Andreatta ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,ac}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹³⁹, E. Antipov ¹⁴⁵, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵³, J.A. Aparisi Pozo ¹⁶³, M.A. Aparo ¹⁴⁶, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, N. Aranzabal ³⁶, S.J. Arbiol Val ⁸⁷, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹², J-F. Arguin ¹⁰⁸, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁴, G. Artoni ^{75a,75b}, H. Asada ¹¹¹, K. Asai ¹¹⁸, S. Asai ¹⁵³, N.A. Asbah ⁶¹, K. Assamagan ²⁹, R. Astalos ^{28a}, S. Atashi ¹⁵⁹, R.J. Atkin ^{33a}, M. Atkinson ¹⁶², H. Atmani ^{35f}, P.A. Atlasiddha ¹²⁸, K. Augsten ¹³², S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰¹, G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{108,ag}, D. Babal ^{28b}, H. Bachacou ¹³⁵, K. Bachas ^{152,q}, A. Bachi ³⁴, F. Backman ^{47a,47b}, A. Badea ⁶¹, T.M. Baer ¹⁰⁶, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, D. Bahner ⁵⁴, A.J. Bailey ¹⁶³, V.R. Bailey ¹⁶², J.T. Baines ¹³⁴, L. Baines ⁹⁴, O.K. Baker ¹⁷², E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²⁰, R. Balasubramanian ¹¹⁴, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁵, L.M. Baltes ^{63a}, W.K. Balunas ³², J. Balz ¹⁰⁰, E. Banas ⁸⁷, M. Bandieramonte ¹²⁹, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵¹, M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁵, D. Barberis ^{57b,57a}, M. Barbero ¹⁰², M.Z. Barel ¹¹⁴, K.N. Barends ^{33a}, T. Barillari ¹¹⁰, M-S. Barisits ³⁶, T. Barklow ¹⁴³, P. Baron ¹²², D.A. Baron Moreno ¹⁰¹, A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁶, J.D. Barr ⁹⁶, L. Barranco Navarro ^{47a,47b}, F. Barreiro ⁹⁹, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵¹, M.G. Barros Teixeira ^{130a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴³, A.E. Barton ⁹¹, P. Bartos ^{28a}, A. Basan ¹⁰⁰, M. Baselga ⁴⁹, A. Bassalat ^{66,b}, M.J. Basso ^{156a}, C.R. Basson ¹⁰¹, R.L. Bates ⁵⁹, S. Batlamous ^{35e}, J.R. Batley ³², B. Batool ¹⁴¹, M. Battaglia ¹³⁶, D. Battulga ¹⁸, M. Baucé ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁷, J.Y. Beauchamp ⁹⁰, P.H. Beauchemin ¹⁵⁸, P. Bechtel ²⁴, H.P. Beck ^{19,p}, K. Becker ¹⁶⁷, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁵, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{83d}, M. Biegel ²⁹, A. Behera ¹⁴⁵, J.K. Behr ⁴⁸, J.F. Beirer ³⁶, F. Beisiegel ²⁴, M. Belfkir ^{116b}, G. Bella ¹⁵¹, L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, D. Benchechroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵¹, M. Benoit ²⁹, J.R. Bensinger ²⁶, S. Bentvelsen ¹¹⁴, L. Beresford ⁴⁸, M. Beretta ⁵³,

E. Bergeaas Kuutmann [id](#)¹⁶¹, N. Berger [id](#)⁴, B. Bergmann [id](#)¹³², J. Beringer [id](#)^{17a}, G. Bernardi [id](#)⁵,
 C. Bernius [id](#)¹⁴³, F.U. Bernlochner [id](#)²⁴, F. Bernon [id](#)^{36,102}, A. Berrocal Guardia [id](#)¹³, T. Berry [id](#)⁹⁵,
 P. Berta [id](#)¹³³, A. Berthold [id](#)⁵⁰, I.A. Bertram [id](#)⁹¹, S. Bethke [id](#)¹¹⁰, A. Betti [id](#)^{75a,75b}, A.J. Bevan [id](#)⁹⁴,
 N.K. Bhalla [id](#)⁵⁴, M. Bhamjee [id](#)^{33c}, S. Bhatta [id](#)¹⁴⁵, D.S. Bhattacharya [id](#)¹⁶⁶, P. Bhattacharai [id](#)¹⁴³,
 V.S. Bhopatkar [id](#)¹²¹, R. Bi^{29,aj}, R.M. Bianchi [id](#)¹²⁹, G. Bianco [id](#)^{23b,23a}, O. Biebel [id](#)¹⁰⁹, R. Bielski [id](#)¹²³,
 M. Biglietti [id](#)^{77a}, M. Bindi [id](#)⁵⁵, A. Bingul [id](#)^{21b}, C. Bini [id](#)^{75a,75b}, A. Biondini [id](#)⁹², C.J. Birch-sykes [id](#)¹⁰¹,
 G.A. Bird [id](#)^{20,134}, M. Birman [id](#)¹⁶⁹, M. Biroš [id](#)¹³³, S. Biryukov [id](#)¹⁴⁶, T. Bisanz [id](#)⁴⁹, E. Bisceglie [id](#)^{43b,43a},
 J.P. Biswal [id](#)¹³⁴, D. Biswas [id](#)¹⁴¹, A. Bitadze [id](#)¹⁰¹, K. Bjørke [id](#)¹²⁵, I. Bloch [id](#)⁴⁸, A. Blue [id](#)⁵⁹,
 U. Blumenschein [id](#)⁹⁴, J. Blumenthal [id](#)¹⁰⁰, G.J. Bobbink [id](#)¹¹⁴, V.S. Bobrovnikov [id](#)³⁷, M. Boehler [id](#)⁵⁴,
 B. Boehm [id](#)¹⁶⁶, D. Bogavac [id](#)³⁶, A.G. Bogdanchikov [id](#)³⁷, C. Bohm [id](#)^{47a}, V. Boisvert [id](#)⁹⁵, P. Bokan [id](#)⁴⁸,
 T. Bold [id](#)^{86a}, M. Bomben [id](#)⁵, M. Bona [id](#)⁹⁴, M. Boonekamp [id](#)¹³⁵, C.D. Booth [id](#)⁹⁵, A.G. Borbély [id](#)⁵⁹,
 I.S. Bordulev [id](#)³⁷, H.M. Borecka-Bielska [id](#)¹⁰⁸, G. Borissov [id](#)⁹¹, D. Bortoletto [id](#)¹²⁶, D. Boscherini [id](#)^{23b},
 M. Bosman [id](#)¹³, J.D. Bossio Sola [id](#)³⁶, K. Bouaouda [id](#)^{35a}, N. Bouchhar [id](#)¹⁶³, J. Boudreau [id](#)¹²⁹,
 E.V. Bouhova-Thacker [id](#)⁹¹, D. Boumediene [id](#)⁴⁰, R. Bouquet [id](#)¹⁶⁵, A. Boveia [id](#)¹¹⁹, J. Boyd [id](#)³⁶,
 D. Boye [id](#)²⁹, I.R. Boyko [id](#)³⁸, J. Bracinić [id](#)²⁰, N. Brahimi [id](#)^{62d}, G. Brandt [id](#)¹⁷¹, O. Brandt [id](#)³²,
 F. Braren [id](#)⁴⁸, B. Brau [id](#)¹⁰³, J.E. Brau [id](#)¹²³, R. Brenner [id](#)¹⁶⁹, L. Brenner [id](#)¹¹⁴, R. Brenner [id](#)¹⁶¹,
 S. Bressler [id](#)¹⁶⁹, D. Britton [id](#)⁵⁹, D. Britzger [id](#)¹¹⁰, I. Brock [id](#)²⁴, G. Brooijmans [id](#)⁴¹, W.K. Brooks [id](#)^{137f},
 E. Brost [id](#)²⁹, L.M. Brown [id](#)¹⁶⁵, L.E. Bruce [id](#)⁶¹, T.L. Bruckler [id](#)¹²⁶, P.A. Bruckman de Renstrom [id](#)⁸⁷,
 B. Brüers [id](#)⁴⁸, A. Bruni [id](#)^{23b}, G. Bruni [id](#)^{23b}, M. Bruschi [id](#)^{23b}, N. Brusino [id](#)^{75a,75b}, T. Buanes [id](#)¹⁶,
 Q. Buat [id](#)¹³⁸, D. Buchin [id](#)¹¹⁰, A.G. Buckley [id](#)⁵⁹, O. Bulekov [id](#)³⁷, B.A. Bullard [id](#)¹⁴³, S. Burdin [id](#)⁹²,
 C.D. Burgard [id](#)⁴⁹, A.M. Burger [id](#)⁴⁰, B. Burghgrave [id](#)⁸, O. Burlayenko [id](#)⁵⁴, J.T.P. Burr [id](#)³²,
 C.D. Burton [id](#)¹¹, J.C. Burzynski [id](#)¹⁴², E.L. Busch [id](#)⁴¹, V. Büscher [id](#)¹⁰⁰, P.J. Bussey [id](#)⁵⁹, J.M. Butler [id](#)²⁵,
 C.M. Buttar [id](#)⁵⁹, J.M. Butterworth [id](#)⁹⁶, W. Buttinger [id](#)¹³⁴, C.J. Buxo Vazquez [id](#)¹⁰⁷, A.R. Buzykaev [id](#)³⁷,
 S. Cabrera Urbán [id](#)¹⁶³, L. Cadamuro [id](#)⁶⁶, D. Caforio [id](#)⁵⁸, H. Cai [id](#)¹²⁹, Y. Cai [id](#)^{14a,14e}, Y. Cai [id](#)^{14c},
 V.M.M. Cairo [id](#)³⁶, O. Cakir [id](#)^{3a}, N. Calace [id](#)³⁶, P. Calafiura [id](#)^{17a}, G. Calderini [id](#)¹²⁷, P. Calfayan [id](#)⁶⁸,
 G. Callea [id](#)⁵⁹, L.P. Caloba^{83b}, D. Calvet [id](#)⁴⁰, S. Calvet [id](#)⁴⁰, M. Calvetti [id](#)^{74a,74b}, R. Camacho Toro [id](#)¹²⁷,
 S. Camarda [id](#)³⁶, D. Camarero Munoz [id](#)²⁶, P. Camarri [id](#)^{76a,76b}, M.T. Camerlingo [id](#)^{72a,72b},
 D. Cameron [id](#)³⁶, C. Camincher [id](#)¹⁶⁵, M. Campanelli [id](#)⁹⁶, A. Camplani [id](#)⁴², V. Canale [id](#)^{72a,72b},
 A. Canesse [id](#)¹⁰⁴, J. Cantero [id](#)¹⁶³, Y. Cao [id](#)¹⁶², F. Capocasa [id](#)²⁶, M. Capua [id](#)^{43b,43a}, A. Carbone [id](#)^{71a,71b},
 R. Cardarelli [id](#)^{76a}, J.C.J. Cardenas [id](#)⁸, F. Cardillo [id](#)¹⁶³, G. Carducci [id](#)^{43b,43a}, T. Carli [id](#)³⁶,
 G. Carlino [id](#)^{72a}, J.I. Carlotto [id](#)¹³, B.T. Carlson [id](#)^{129,r}, E.M. Carlson [id](#)^{165,156a}, L. Carminati [id](#)^{71a,71b},
 A. Carnelli [id](#)¹³⁵, M. Carnesale [id](#)^{75a,75b}, S. Caron [id](#)¹¹³, E. Carquin [id](#)^{137f}, S. Carrá [id](#)^{71a},
 G. Carratta [id](#)^{23b,23a}, F. Carrio Argos [id](#)^{33g}, J.W.S. Carter [id](#)¹⁵⁵, T.M. Carter [id](#)⁵², M.P. Casado [id](#)^{13,i},
 M. Caspar [id](#)⁴⁸, F.L. Castillo [id](#)⁴, L. Castillo Garcia [id](#)¹³, V. Castillo Gimenez [id](#)¹⁶³, N.F. Castro [id](#)^{130a,130e},
 A. Catinaccio [id](#)³⁶, J.R. Catmore [id](#)¹²⁵, V. Cavaliere [id](#)²⁹, N. Cavalli [id](#)^{23b,23a}, V. Cavasinni [id](#)^{74a,74b},
 Y.C. Cekmecelioglu [id](#)⁴⁸, E. Celebi [id](#)^{21a}, F. Celli [id](#)¹²⁶, M.S. Centonze [id](#)^{70a,70b}, V. Cepaitis [id](#)⁵⁶,
 K. Cerny [id](#)¹²², A.S. Cerqueira [id](#)^{83a}, A. Cerri [id](#)¹⁴⁶, L. Cerrito [id](#)^{76a,76b}, F. Cerutti [id](#)^{17a}, B. Cervato [id](#)¹⁴¹,
 A. Cervelli [id](#)^{23b}, G. Cesarini [id](#)⁵³, S.A. Cetin [id](#)⁸², D. Chakraborty [id](#)¹¹⁵, J. Chan [id](#)¹⁷⁰, W.Y. Chan [id](#)¹⁵³,
 J.D. Chapman [id](#)³², E. Chapon [id](#)¹³⁵, B. Chargeishvili [id](#)^{149b}, D.G. Charlton [id](#)²⁰, M. Chatterjee [id](#)¹⁹,
 C. Chauhan [id](#)¹³³, S. Chekanov [id](#)⁶, S.V. Chekulaev [id](#)^{156a}, G.A. Chelkov [id](#)^{38,a}, A. Chen [id](#)¹⁰⁶,
 B. Chen [id](#)¹⁵¹, B. Chen [id](#)¹⁶⁵, H. Chen [id](#)^{14c}, H. Chen [id](#)²⁹, J. Chen [id](#)^{62c}, J. Chen [id](#)¹⁴², M. Chen [id](#)¹²⁶,
 S. Chen [id](#)¹⁵³, S.J. Chen [id](#)^{14c}, X. Chen [id](#)^{62c,135}, X. Chen [id](#)^{14b,af}, Y. Chen [id](#)^{62a}, C.L. Cheng [id](#)¹⁷⁰,
 H.C. Cheng [id](#)^{64a}, S. Cheong [id](#)¹⁴³, A. Cheplakov [id](#)³⁸, E. Cheremushkina [id](#)⁴⁸, E. Cherepanova [id](#)¹¹⁴,
 R. Cherkaoui El Moursli [id](#)^{35e}, E. Cheu [id](#)⁷, K. Cheung [id](#)⁶⁵, L. Chevalier [id](#)¹³⁵, V. Chiarella [id](#)⁵³,
 G. Chiarelli [id](#)^{74a}, N. Chiedde [id](#)¹⁰², G. Chiodini [id](#)^{70a}, A.S. Chisholm [id](#)²⁰, A. Chitan [id](#)^{27b},
 M. Chitishvili [id](#)¹⁶³, M.V. Chizhov [id](#)³⁸, K. Choi [id](#)¹¹, A.R. Chomont [id](#)^{75a,75b}, Y. Chou [id](#)¹⁰³,
 E.Y.S. Chow [id](#)¹¹³, T. Chowdhury [id](#)^{33g}, K.L. Chu [id](#)¹⁶⁹, M.C. Chu [id](#)^{64a}, X. Chu [id](#)^{14a,14e},

J. Chudoba ¹³¹, J.J. Chwastowski ⁸⁷, D. Cieri ¹¹⁰, K.M. Ciesla ^{86a}, V. Cindro ⁹³, A. Ciocio ^{17a},
 F. Cirotto ^{72a,72b}, Z.H. Citron ^{169,k}, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b}, A. Clark ⁵⁶, P.J. Clark ⁵²,
 C. Clarry ¹⁵⁵, J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ⁴⁸, C. Clement ^{47a,47b}, J. Clercx ⁴⁸,
 Y. Coadou ¹⁰², M. Cobal ^{69a,69c}, A. Coccaro ^{57b}, R.F. Coelho Barrue ^{130a},
 R. Coelho Lopes De Sa ¹⁰³, S. Coelli ^{71a}, A.E.C. Coimbra ^{71a,71b}, B. Cole ⁴¹, J. Collot ⁶⁰,
 P. Conde Muiño ^{130a,130g}, M.P. Connell ^{33c}, S.H. Connell ^{33c}, I.A. Connelly ⁵⁹, E.I. Conroy ¹²⁶,
 F. Conventi ^{72a,ah}, H.G. Cooke ²⁰, A.M. Cooper-Sarkar ¹²⁶, A. Cordeiro Oudot Choi ¹²⁷,
 L.D. Corpe ⁴⁰, M. Corradi ^{75a,75b}, F. Corriveau ^{104,x}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶³,
 F. Costanza ⁴, D. Costanzo ¹³⁹, B.M. Cote ¹¹⁹, G. Cowan ⁹⁵, K. Cranmer ¹⁷⁰,
 D. Cremonini ^{23b,23a}, S. Crépe-Renaudin ⁶⁰, F. Crescioli ¹²⁷, M. Cristinziani ¹⁴¹,
 M. Cristoforetti ^{78a,78b}, V. Croft ¹¹⁴, J.E. Crosby ¹²¹, G. Crosetti ^{43b,43a}, A. Cueto ⁹⁹,
 T. Cuhadar Donszelmann ¹⁵⁹, H. Cui ^{14a,14e}, Z. Cui ⁷, W.R. Cunningham ⁵⁹, F. Curcio ^{43b,43a},
 P. Czodrowski ³⁶, M.M. Czurylo ^{63b}, M.J. Da Cunha Sargedas De Sousa ^{57b,57a},
 J.V. Da Fonseca Pinto ^{83b}, C. Da Via ¹⁰¹, W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ^{33g},
 T. Dai ¹⁰⁶, D. Dal Santo ¹⁹, C. Dallapiccola ¹⁰³, M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹⁰⁹,
 J. Damp ¹⁰⁰, J.R. Dandoy ³⁴, M. Danninger ¹⁴², V. Dao ³⁶, G. Darbo ^{57b}, S. Darmora ⁶,
 S.J. Das ^{29,aj}, S. D'Auria ^{71a,71b}, C. David ^{156b}, T. Davidek ¹³³, B. Davis-Purcell ³⁴,
 I. Dawson ⁹⁴, H.A. Day-hall ¹³², K. De ⁸, R. De Asmundis ^{72a}, N. De Biase ⁴⁸,
 S. De Castro ^{23b,23a}, N. De Groot ¹¹³, P. de Jong ¹¹⁴, H. De la Torre ¹¹⁵, A. De Maria ^{14c},
 A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, F. De Santis ^{70a,70b}, A. De Santo ¹⁴⁶,
 J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degen ¹¹⁴, A.M. Deiana ⁴⁴, F. Del Corso ^{23b,23a},
 J. Del Peso ⁹⁹, F. Del Rio ^{63a}, L. Delagrangé ¹²⁷, F. Deliot ¹³⁵, C.M. Delitzsch ⁴⁹,
 M. Della Pietra ^{72a,72b}, D. Della Volpe ⁵⁶, A. Dell'Acqua ³⁶, L. Dell'Asta ^{71a,71b}, M. Delmastro ⁴,
 P.A. Delsart ⁶⁰, S. Demers ¹⁷², M. Demichev ³⁸, S.P. Denisov ³⁷, L. D'Eramo ⁴⁰,
 D. Derendarz ⁸⁷, F. Derue ¹²⁷, P. Dervan ⁹², K. Desch ²⁴, C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a},
 A. Di Ciaccio ^{76a,76b}, L. Di Ciaccio ⁴, A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b},
 A. Di Girolamo ³⁶, G. Di Gregorio ³⁶, A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b},
 C. Diaconu ¹⁰², M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁴, T. Dias Do Vale ¹⁴², M.A. Diaz ^{137a,137b},
 F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶³, E.B. Diehl ¹⁰⁶, L. Diehl ⁵⁴, S. Díez Cornell ⁴⁸,
 C. Diez Pardos ¹⁴¹, C. Dimitriadi ^{161,24}, A. Dimitrievska ^{17a}, J. Dingfelder ²⁴, I-M. Dinu ^{27b},
 S.J. Dittmeier ^{63b}, F. Dittus ³⁶, F. Djama ¹⁰², T. Djobava ^{149b}, C. Doglioni ^{101,98},
 A. Dohnalova ^{28a}, J. Dolejsi ¹³³, Z. Dolezal ¹³³, K.M. Dona ³⁹, M. Donadelli ^{83c}, B. Dong ¹⁰⁷,
 J. Donini ⁴⁰, A. D'Onofrio ^{72a,72b}, M. D'Onofrio ⁹², J. Dopke ¹³⁴, A. Doria ^{72a},
 N. Dos Santos Fernandes ^{130a}, P. Dougan ¹⁰¹, M.T. Dova ⁹⁰, A.T. Doyle ⁵⁹, M.A. Draguet ¹²⁶,
 E. Dreyer ¹⁶⁹, I. Drivas-koulouris ¹⁰, M. Drnevich ¹¹⁷, A.S. Drobac ¹⁵⁸, M. Drozdova ⁵⁶,
 D. Du ^{62a}, T.A. du Pree ¹¹⁴, F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁶⁹, G. Duckeck ¹⁰⁹,
 O.A. Ducu ^{27b}, D. Duda ⁵², A. Dudarev ³⁶, E.R. Duden ²⁶, M. D'uffizi ¹⁰¹, L. Duflot ⁶⁶,
 M. Dührssen ³⁶, A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹, K. Dunne ^{47a,47b},
 A. Duperrin ¹⁰², H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{149b}, B.L. Dwyer ¹¹⁵,
 G.I. Dyckes ^{17a}, M. Dyndal ^{86a}, B.S. Dziedzic ⁸⁷, Z.O. Earnshaw ¹⁴⁶, G.H. Eberwein ¹²⁶,
 B. Eckerova ^{28a}, S. Eggebrecht ⁵⁵, E. Egidio Purcino De Souza ¹²⁷, L.F. Ehrke ⁵⁶, G. Eigen ¹⁶,
 K. Einsweiler ^{17a}, T. Ekelof ¹⁶¹, P.A. Ekman ⁹⁸, S. El Farkh ^{35b}, Y. El Ghazali ^{35b},
 H. El Jarrari ³⁶, A. El Moussaouy ¹⁰⁸, V. Ellajosyula ¹⁶¹, M. Ellert ¹⁶¹, F. Ellinghaus ¹⁷¹,
 N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsing ³⁶, D. Emelianov ¹³⁴, Y. Enari ¹⁵³, I. Ene ^{17a},
 S. Epari ¹³, P.A. Erland ⁸⁷, M. Errenst ¹⁷¹, M. Escalier ⁶⁶, C. Escobar ¹⁶³, E. Etzion ¹⁵¹,
 G. Evans ^{130a}, H. Evans ⁶⁸, L.S. Evans ⁹⁵, M.O. Evans ¹⁴⁶, A. Ezhilov ³⁷, S. Ezzarqtouni ^{35a},
 F. Fabbri ⁵⁹, L. Fabbri ^{23b,23a}, G. Facini ⁹⁶, V. Fadeyev ¹³⁶, R.M. Fakhrutdinov ³⁷,

D. Fakoudis ¹⁰⁰, S. Falciano ^{75a}, L.F. Falda Ulhoa Coelho ³⁶, P.J. Falke ²⁴, J. Faltova ¹³³,
 C. Fan ¹⁶², Y. Fan ^{14a}, Y. Fang ^{14a,14e}, M. Fanti ^{71a,71b}, M. Faraj ^{69a,69b}, Z. Farazpay ⁹⁷,
 A. Farbin ⁸, A. Farilla ^{77a}, T. Farooque ¹⁰⁷, S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹,
 M. Faucci Giannelli ^{76a,76b}, W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federic ¹³³, P. Federicova ¹³¹,
 O.L. Fedin ^{37,a}, G. Fedotov ³⁷, M. Feickert ¹⁷⁰, L. Feligioni ¹⁰², D.E. Fellers ¹²³, C. Feng ^{62b},
 M. Feng ^{14b}, Z. Feng ¹¹⁴, M.J. Fenton ¹⁵⁹, A.B. Fenyuk ³⁷, L. Ferencz ⁴⁸, R.A.M. Ferguson ⁹¹,
 S.I. Fernandez Luengo ^{137f}, P. Fernandez Martinez ¹³, M.J.V. Fernoux ¹⁰², J. Ferrando ⁹¹,
 A. Ferrari ¹⁶¹, P. Ferrari ^{114,113}, R. Ferrari ^{73a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁶, F. Fiedler ¹⁰⁰,
 P. Fiedler ¹³², A. Filipčić ⁹³, E.K. Filmer ¹, F. Filthaut ¹¹³, M.C.N. Fiolhais ^{130a,130c,c},
 L. Fiorini ¹⁶³, W.C. Fisher ¹⁰⁷, T. Fitschen ¹⁰¹, P.M. Fitzhugh ¹³⁵, I. Fleck ¹⁴¹, P. Fleischmann ¹⁰⁶,
 T. Flick ¹⁷¹, M. Flores ^{33d,ad}, L.R. Flores Castillo ^{64a}, L. Flores Sanz De Acedo ³⁶,
 F.M. Follega ^{78a,78b}, N. Fomin ¹⁶, J.H. Foo ¹⁵⁵, A. Formica ¹³⁵, A.C. Forti ¹⁰¹, E. Fortin ³⁶,
 A.W. Fortman ⁶¹, M.G. Foti ^{17a}, L. Fountas ^{9j}, D. Fournier ⁶⁶, H. Fox ⁹¹, P. Francavilla ^{74a,74b},
 S. Francescato ⁶¹, S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a}, S. Franchino ^{63a}, D. Francis ³⁶,
 L. Franco ¹¹³, V. Franco Lima ³⁶, L. Franconi ⁴⁸, M. Franklin ⁶¹, G. Frattari ²⁶,
 A.C. Freegard ⁹⁴, W.S. Freund ^{83b}, Y.Y. Frid ¹⁵¹, J. Friend ⁵⁹, N. Fritzsche ⁵⁰, A. Froch ⁵⁴,
 D. Froidevaux ³⁶, J.A. Frost ¹²⁶, Y. Fu ^{62a}, S. Fuenzalida Garrido ^{137f}, M. Fujimoto ¹⁰²,
 K.Y. Fung ^{64a}, E. Furtado De Simas Filho ^{83b}, M. Furukawa ¹⁵³, J. Fuster ¹⁶³, A. Gabrielli ^{23b,23a},
 A. Gabrielli ¹⁵⁵, P. Gadow ³⁶, G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, E.J. Gallas ¹²⁶,
 B.J. Gallop ¹³⁴, K.K. Gan ¹¹⁹, S. Ganguly ¹⁵³, Y. Gao ⁵², F.M. Garay Walls ^{137a,137b}, B. Garcia ²⁹,
 C. García ¹⁶³, A. Garcia Alonso ¹¹⁴, A.G. Garcia Caffaro ¹⁷², J.E. García Navarro ¹⁶³,
 M. Garcia-Sciveres ^{17a}, G.L. Gardner ¹²⁸, R.W. Gardner ³⁹, N. Garelli ¹⁵⁸, D. Garg ⁸⁰,
 R.B. Garg ^{143,n}, J.M. Gargan ⁵², C.A. Garner ¹⁵⁵, C.M. Garvey ^{33a}, P. Gaspar ^{83b}, V.K. Gassmann ¹⁵⁸,
 G. Gaudio ^{73a}, V. Gautam ¹³, P. Gauzzi ^{75a,75b}, I.L. Gavrilenko ³⁷, A. Gavriyuk ³⁷, C. Gay ¹⁶⁴,
 G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b}, C.M. Gee ¹³⁶, A. Gekow ¹¹⁹, C. Gemme ^{57b},
 M.H. Genest ⁶⁰, S. Gentile ^{75a,75b}, A.D. Gentry ¹¹², S. George ⁹⁵, W.F. George ²⁰, T. Geralis ⁴⁶,
 P. Gessinger-Befurt ³⁶, M.E. Geyik ¹⁷¹, M. Ghani ¹⁶⁷, M. Ghneimat ¹⁴¹, K. Ghorbanian ⁹⁴,
 A. Ghosal ¹⁴¹, A. Ghosh ¹⁵⁹, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{75a,75b}, T. Giani ¹¹⁴,
 P. Giannetti ^{74a}, A. Giannini ^{62a}, S.M. Gibson ⁹⁵, M. Gignac ¹³⁶, D.T. Gil ^{86b}, A.K. Gilbert ^{86a},
 B.J. Gilbert ⁴¹, D. Gillberg ³⁴, G. Gilles ¹¹⁴, N.E.K. Gillwald ⁴⁸, L. Ginabat ¹²⁷,
 D.M. Gingrich ^{2,ag}, M.P. Giordani ^{69a,69c}, P.F. Giraud ¹³⁵, G. Giugliarelli ^{69a,69c}, D. Giugni ^{71a},
 F. Giuli ³⁶, I. Gkialas ^{9j}, L.K. Gladilin ³⁷, C. Glasman ⁹⁹, G.R. Gledhill ¹²³, G. Glemža ⁴⁸,
 M. Glisic ¹²³, I. Gnesi ^{43b,f}, Y. Go ²⁹, M. Goblirsch-Kolb ³⁶, B. Gocke ⁴⁹, D. Godin ¹⁰⁸,
 B. Gokturk ^{21a}, S. Goldfarb ¹⁰⁵, T. Golling ⁵⁶, M.G.D. Gololo ^{33g}, D. Golubkov ³⁷,
 J.P. Gombas ¹⁰⁷, A. Gomes ^{130a,130b}, G. Gomes Da Silva ¹⁴¹, A.J. Gomez Delegido ¹⁶³,
 R. Gonçalves ^{130a,130c}, G. Gonella ¹²³, L. Gonella ²⁰, A. Gongadze ^{149c}, F. Gonnella ²⁰,
 J.L. Gonski ⁴¹, R.Y. González Andana ⁵², S. González de la Hoz ¹⁶³, R. Gonzalez Lopez ⁹²,
 C. Gonzalez Renteria ^{17a}, M.V. Gonzalez Rodrigues ⁴⁸, R. Gonzalez Suarez ¹⁶¹,
 S. Gonzalez-Sevilla ⁵⁶, G.R. Gonzalvo Rodriguez ¹⁶³, L. Goossens ³⁶, B. Gorini ³⁶,
 E. Gorini ^{70a,70b}, A. Gorišek ⁹³, T.C. Gosart ¹²⁸, A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸,
 S. Goswami ¹²¹, C.A. Gottardo ³⁶, S.A. Gotz ¹⁰⁹, M. Gouighri ^{35b}, V. Goumarre ⁴⁸,
 A.G. Goussiou ¹³⁸, N. Govender ^{33c}, I. Grabowska-Bold ^{86a}, K. Graham ³⁴, E. Gramstad ¹²⁵,
 S. Grancagnolo ^{70a,70b}, M. Grandi ¹⁴⁶, C.M. Grant ^{1,135}, P.M. Gravila ^{27f}, F.G. Gravili ^{70a,70b},
 H.M. Gray ^{17a}, M. Greco ^{70a,70b}, C. Grefe ²⁴, I.M. Gregor ⁴⁸, P. Grenier ¹⁴³, S.G. Grewe ¹¹⁰,
 C. Grieco ¹³, A.A. Grillo ¹³⁶, K. Grimm ³¹, S. Grinstein ^{13,t}, J.-F. Grivaz ⁶⁶, E. Gross ¹⁶⁹,
 J. Grosse-Knetter ⁵⁵, C. Grud ¹⁰⁶, J.C. Grundy ¹²⁶, L. Guan ¹⁰⁶, W. Guan ²⁹, C. Gubbels ¹⁶⁴,
 J.G.R. Guerrero Rojas ¹⁶³, G. Guerrieri ^{69a,69c}, F. Guescini ¹¹⁰, R. Gugel ¹⁰⁰, J.A.M. Guhit ¹⁰⁶,

A. Guida ¹⁸, E. Guilloton ^{167,134}, S. Guindon ³⁶, F. Guo ^{14a,14e}, J. Guo ^{62c}, L. Guo ⁴⁸,
 Y. Guo ¹⁰⁶, R. Gupta ⁴⁸, R. Gupta ¹²⁹, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴, G. Gustavino ³⁶,
 M. Guth ⁵⁶, P. Gutierrez ¹²⁰, L.F. Gutierrez Zagazeta ¹²⁸, M. Gutsche ⁵⁰, C. Gutschow ⁹⁶,
 C. Gwenlan ¹²⁶, C.B. Gwilliam ⁹², E.S. Haaland ¹²⁵, A. Haas ¹¹⁷, M. Habedank ⁴⁸,
 C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeef ⁵⁰, S. Hadzic ¹¹⁰, A.I. Hagan ⁹¹, J.J. Hahn ¹⁴¹,
 E.H. Haines ⁹⁶, M. Haleem ¹⁶⁶, J. Haley ¹²¹, J.J. Hall ¹³⁹, G.D. Hallewell ¹⁰², L. Halser ¹⁹,
 K. Hamano ¹⁶⁵, M. Hamer ²⁴, G.N. Hamity ⁵², E.J. Hampshire ⁹⁵, J. Han ^{62b}, K. Han ^{62a},
 L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁵, K. Hanagaki ⁸⁴, M. Hance ¹³⁶,
 D.A. Hangal ⁴¹, H. Hanif ¹⁴², M.D. Hank ¹²⁸, J.B. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁷,
 D. Harada ⁵⁶, T. Harenberg ¹⁷¹, S. Harkusha ³⁷, M.L. Harris ¹⁰³, Y.T. Harris ¹²⁶, J. Harrison ¹³,
 N.M. Harrison ¹¹⁹, P.F. Harrison ¹⁶⁷, N.M. Hartman ¹¹⁰, N.M. Hartmann ¹⁰⁹, Y. Hasegawa ¹⁴⁰,
 R. Hauser ¹⁰⁷, C.M. Hawkes ²⁰, R.J. Hawkings ³⁶, Y. Hayashi ¹⁵³, S. Hayashida ¹¹¹,
 D. Hayden ¹⁰⁷, C. Hayes ¹⁰⁶, R.L. Hayes ¹¹⁴, C.P. Hays ¹²⁶, J.M. Hays ⁹⁴, H.S. Hayward ⁹²,
 F. He ^{62a}, M. He ^{14a,14e}, Y. He ¹⁵⁴, Y. He ⁴⁸, N.B. Heatley ⁹⁴, V. Hedberg ⁹⁸,
 A.L. Heggelund ¹²⁵, N.D. Hehir ^{94,*}, C. Heidegger ⁵⁴, K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸¹,
 J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁸, J.J. Heinrich ¹²³, L. Heinrich ^{110,ae},
 J. Hejbal ¹³¹, L. Helary ⁴⁸, A. Held ¹⁷⁰, S. Hellesund ¹⁶, C.M. Helling ¹⁶⁴, S. Hellman ^{47a,47b},
 R.C.W. Henderson ⁹¹, L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁸,
 Y. Hernández Jiménez ¹⁴⁵, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹⁰⁹,
 L. Hervas ³⁶, M.E. Hesping ¹⁰⁰, N.P. Hessey ^{156a}, H. Hibi ⁸⁵, E. Hill ¹⁵⁵, S.J. Hillier ²⁰,
 J.R. Hinds ¹⁰⁷, F. Hinterkeuser ²⁴, M. Hirose ¹²⁴, S. Hirose ¹⁵⁷, D. Hirschbuehl ¹⁷¹,
 T.G. Hitchings ¹⁰¹, B. Hiti ⁹³, J. Hobbs ¹⁴⁵, R. Hobincu ^{27e}, N. Hod ¹⁶⁹, M.C. Hodgkinson ¹³⁹,
 B.H. Hodgkinson ³², A. Hoecker ³⁶, D.D. Hofer ¹⁰⁶, J. Hofer ⁴⁸, T. Holm ²⁴, M. Holzbock ¹¹⁰,
 L.B.A.H. Hommels ³², B.P. Honan ¹⁰¹, J. Hong ^{62c}, T.M. Hong ¹²⁹, B.H. Hooberman ¹⁶²,
 W.H. Hopkins ⁶, Y. Horii ¹¹¹, S. Hou ¹⁴⁸, A.S. Howard ⁹³, J. Howarth ⁵⁹, J. Hoya ⁶,
 M. Hrabovsky ¹²², A. Hrynevich ⁴⁸, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁸, Q. Hu ^{62a},
 Y.F. Hu ^{14a,14e}, S. Huang ^{64b}, X. Huang ^{14c}, X. Huang ^{14a,14e}, Y. Huang ¹³⁹, Y. Huang ^{14a},
 Z. Huang ¹⁰¹, Z. Hubacek ¹³², M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁶, C.A. Hugli ⁴⁸,
 M. Huhtinen ³⁶, S.K. Huiberts ¹⁶, R. Hulskén ¹⁰⁴, N. Huseynov ¹², J. Huston ¹⁰⁷, J. Huth ⁶¹,
 R. Hyneman ¹⁴³, G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴¹, L. Iconomidou-Fayard ⁶⁶,
 J.P. Iddon ³⁶, P. Iengo ^{72a,72b}, R. Iguchi ¹⁵³, T. Iizawa ¹²⁶, Y. Ikegami ⁸⁴, N. Ilic ¹⁵⁵,
 H. Imam ^{35a}, M. Ince Lezki ⁵⁶, T. Ingebretsen Carlson ^{47a,47b}, G. Introzzi ^{73a,73b}, M. Iodice ^{77a},
 V. Ippolito ^{75a,75b}, R.K. Irwin ⁹², M. Ishino ¹⁵³, W. Islam ¹⁷⁰, C. Issever ^{18,48}, S. Istin ^{21a,al},
 H. Ito ¹⁶⁸, J.M. Iturbe Ponce ^{64a}, R. Iuppa ^{78a,78b}, A. Ivina ¹⁶⁹, J.M. Izen ⁴⁵, V. Izzo ^{72a},
 P. Jacka ^{131,132}, P. Jackson ¹, R.M. Jacobs ⁴⁸, B.P. Jaeger ¹⁴², C.S. Jagfeld ¹⁰⁹, G. Jain ^{156a},
 P. Jain ⁵⁴, K. Jakobs ⁵⁴, T. Jakoubek ¹⁶⁹, J. Jamieson ⁵⁹, K.W. Janas ^{86a}, M. Javurkova ¹⁰³,
 F. Jeanneau ¹³⁵, L. Jeanty ¹²³, J. Jejelava ^{149a,aa}, P. Jenni ^{54,g}, C.E. Jessiman ³⁴, S. Jézéquel ⁴,
 C. Jia ^{62b}, J. Jia ¹⁴⁵, X. Jia ⁶¹, X. Jia ^{14a,14e}, Z. Jia ^{14c}, S. Jiggins ⁴⁸, J. Jimenez Pena ¹³,
 S. Jin ^{14c}, A. Jinaru ^{27b}, O. Jinnouchi ¹⁵⁴, P. Johansson ¹³⁹, K.A. Johns ⁷, J.W. Johnson ¹³⁶,
 D.M. Jones ³², E. Jones ⁴⁸, P. Jones ³², R.W.L. Jones ⁹¹, T.J. Jones ⁹², H.L. Joos ^{55,36},
 R. Joshi ¹¹⁹, J. Jovicevic ¹⁵, X. Ju ^{17a}, J.J. Junggeburth ¹⁰³, T. Junkermann ^{63a},
 A. Juste Rozas ^{13,t}, M.K. Juzek ⁸⁷, S. Kabana ^{137e}, A. Kaczmaraska ⁸⁷, M. Kado ¹¹⁰,
 H. Kagan ¹¹⁹, M. Kagan ¹⁴³, A. Kahn ⁴¹, A. Kahn ¹²⁸, C. Kahra ¹⁰⁰, T. Kaji ¹⁵³,
 E. Kajomovitz ¹⁵⁰, N. Kakati ¹⁶⁹, I. Kalaitzidou ⁵⁴, C.W. Kalderon ²⁹, A. Kamenshchikov ¹⁵⁵,
 N.J. Kang ¹³⁶, D. Kar ^{33g}, K. Karava ¹²⁶, M.J. Kareem ^{156b}, E. Karentzos ⁵⁴, I. Karkaniias ¹⁵²,
 O. Karkout ¹¹⁴, S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹¹, A.N. Karyukhin ³⁷,
 E. Kasimi ¹⁵², J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹⁴⁰, M.P. Kawale ¹²⁰, C. Kawamoto ⁸⁸,

T. Kawamoto [ID](#)^{62a}, E.F. Kay [ID](#)³⁶, F.I. Kaya [ID](#)¹⁵⁸, S. Kazakos [ID](#)¹⁰⁷, V.F. Kazanin [ID](#)³⁷, Y. Ke [ID](#)¹⁴⁵,
 J.M. Keaveney [ID](#)^{33a}, R. Keeler [ID](#)¹⁶⁵, G.V. Kehris [ID](#)⁶¹, J.S. Keller [ID](#)³⁴, A.S. Kelly⁹⁶, J.J. Kempster [ID](#)¹⁴⁶,
 K.E. Kennedy [ID](#)⁴¹, P.D. Kennedy [ID](#)¹⁰⁰, O. Kepka [ID](#)¹³¹, B.P. Kerridge [ID](#)¹⁶⁷, S. Kersten [ID](#)¹⁷¹,
 B.P. Kerševan [ID](#)⁹³, S. Keshri [ID](#)⁶⁶, L. Keszeghova [ID](#)^{28a}, S. Ketabchi Haghghat [ID](#)¹⁵⁵, R.A. Khan [ID](#)¹²⁹,
 A. Khanov [ID](#)¹²¹, A.G. Kharlamov [ID](#)³⁷, T. Kharlamova [ID](#)³⁷, E.E. Khoda [ID](#)¹³⁸, M. Kholodenko [ID](#)³⁷,
 T.J. Khoo [ID](#)¹⁸, G. Khorialuli [ID](#)¹⁶⁶, J. Khubua [ID](#)^{149b}, Y.A.R. Khwaira [ID](#)⁶⁶, A. Kilgallon [ID](#)¹²³,
 D.W. Kim [ID](#)^{47a,47b}, Y.K. Kim [ID](#)³⁹, N. Kimura [ID](#)⁹⁶, M.K. Kingston [ID](#)⁵⁵, A. Kirchhoff [ID](#)⁵⁵, C. Kirfel [ID](#)²⁴,
 F. Kirfel [ID](#)²⁴, J. Kirk [ID](#)¹³⁴, A.E. Kiryunin [ID](#)¹¹⁰, C. Kitsaki [ID](#)¹⁰, O. Kivernyk [ID](#)²⁴, M. Klassen [ID](#)^{63a},
 C. Klein [ID](#)³⁴, L. Klein [ID](#)¹⁶⁶, M.H. Klein [ID](#)⁴⁴, M. Klein [ID](#)⁹², S.B. Klein [ID](#)⁵⁶, U. Klein [ID](#)⁹², P. Klimek [ID](#)³⁶,
 A. Klimentov [ID](#)²⁹, T. Klioutchnikova [ID](#)³⁶, P. Kluit [ID](#)¹¹⁴, S. Kluth [ID](#)¹¹⁰, E. Kneringer [ID](#)⁷⁹,
 T.M. Knight [ID](#)¹⁵⁵, A. Knue [ID](#)⁴⁹, R. Kobayashi [ID](#)⁸⁸, D. Kobylanskii [ID](#)¹⁶⁹, S.F. Koch [ID](#)¹²⁶,
 M. Kocian [ID](#)¹⁴³, P. Kodyš [ID](#)¹³³, D.M. Koeck [ID](#)¹²³, P.T. Koenig [ID](#)²⁴, T. Koffas [ID](#)³⁴, O. Kolay [ID](#)⁵⁰,
 I. Koletsou [ID](#)⁴, T. Komarek [ID](#)¹²², K. Köneke [ID](#)⁵⁴, A.X.Y. Kong [ID](#)¹, T. Kono [ID](#)¹¹⁸, N. Konstantinidis [ID](#)⁹⁶,
 P. Kontaxakis [ID](#)⁵⁶, B. Konya [ID](#)⁹⁸, R. Kopeliansky [ID](#)⁶⁸, S. Koperny [ID](#)^{86a}, K. Korcyl [ID](#)⁸⁷, K. Kordas [ID](#)^{152,e},
 A. Korn [ID](#)⁹⁶, S. Korn [ID](#)⁵⁵, I. Korolkov [ID](#)¹³, N. Korotkova [ID](#)³⁷, B. Kortman [ID](#)¹¹⁴, O. Kortner [ID](#)¹¹⁰,
 S. Kortner [ID](#)¹¹⁰, W.H. Kostecka [ID](#)¹¹⁵, V.V. Kostyukhin [ID](#)¹⁴¹, A. Kotsokechagia [ID](#)¹³⁵, A. Kotwal [ID](#)⁵¹,
 A. Koulouris [ID](#)³⁶, A. Kourkoumeli-Charalampidi [ID](#)^{73a,73b}, C. Kourkoumelis [ID](#)⁹, E. Kourlitis [ID](#)^{110,ae},
 O. Kovanda [ID](#)¹⁴⁶, R. Kowalewski [ID](#)¹⁶⁵, W. Kozanecki [ID](#)¹³⁵, A.S. Kozhin [ID](#)³⁷, V.A. Kramarenko [ID](#)³⁷,
 G. Kramberger [ID](#)⁹³, P. Kramer [ID](#)¹⁰⁰, M.W. Krasny [ID](#)¹²⁷, A. Krasznahorkay [ID](#)³⁶, J.W. Kraus [ID](#)¹⁷¹,
 J.A. Kremer [ID](#)⁴⁸, T. Kresse [ID](#)⁵⁰, J. Kretschmar [ID](#)⁹², K. Kreul [ID](#)¹⁸, P. Krieger [ID](#)¹⁵⁵,
 S. Krishnamurthy [ID](#)¹⁰³, M. Krivos [ID](#)¹³³, K. Krizka [ID](#)²⁰, K. Kroeninger [ID](#)⁴⁹, H. Kroha [ID](#)¹¹⁰, J. Kroll [ID](#)¹³¹,
 J. Kroll [ID](#)¹²⁸, K.S. Krowpman [ID](#)¹⁰⁷, U. Kruchonak [ID](#)³⁸, H. Krüger [ID](#)²⁴, N. Krumnack⁸¹, M.C. Kruse [ID](#)⁵¹,
 O. Kuchinskaia [ID](#)³⁷, S. Kuday [ID](#)^{3a}, S. Kuehn [ID](#)³⁶, R. Kuesters [ID](#)⁵⁴, T. Kuhl [ID](#)⁴⁸, V. Kukhtin [ID](#)³⁸,
 Y. Kulchitsky [ID](#)^{37,a}, S. Kuleshov [ID](#)^{137d,137b}, M. Kumar [ID](#)^{33g}, N. Kumari [ID](#)⁴⁸, P. Kumari [ID](#)^{156b},
 A. Kupco [ID](#)¹³¹, T. Kupfer⁴⁹, A. Kupich [ID](#)³⁷, O. Kuprash [ID](#)⁵⁴, H. Kurashige [ID](#)⁸⁵, L.L. Kurchaninov [ID](#)^{156a},
 O. Kurdysh [ID](#)⁶⁶, Y.A. Kurochkin [ID](#)³⁷, A. Kurova [ID](#)³⁷, M. Kuze [ID](#)¹⁵⁴, A.K. Kvam [ID](#)¹⁰³, J. Kvita [ID](#)¹²²,
 T. Kwan [ID](#)¹⁰⁴, N.G. Kyriacou [ID](#)¹⁰⁶, L.A.O. Laatu [ID](#)¹⁰², C. Lacasta [ID](#)¹⁶³, F. Lacava [ID](#)^{75a,75b},
 H. Lacker [ID](#)¹⁸, D. Lacour [ID](#)¹²⁷, N.N. Lad [ID](#)⁹⁶, E. Ladygin [ID](#)³⁸, B. Laforge [ID](#)¹²⁷, T. Lagouri [ID](#)^{137e},
 F.Z. Lahbabi [ID](#)^{35a}, S. Lai [ID](#)⁵⁵, I.K. Lakomic [ID](#)^{86a}, N. Lalloue [ID](#)⁶⁰, J.E. Lambert [ID](#)¹⁶⁵, S. Lammers [ID](#)⁶⁸,
 W. Lampl [ID](#)⁷, C. Lampoudis [ID](#)^{152,e}, A.N. Lancaster [ID](#)¹¹⁵, E. Lançon [ID](#)²⁹, U. Landgraf [ID](#)⁵⁴,
 M.P.J. Landon [ID](#)⁹⁴, V.S. Lang [ID](#)⁵⁴, R.J. Langenberg [ID](#)¹⁰³, O.K.B. Langrekken [ID](#)¹²⁵, A.J. Lankford [ID](#)¹⁵⁹,
 F. Lanni [ID](#)³⁶, K. Lantzsch [ID](#)²⁴, A. Lanza [ID](#)^{73a}, A. Lapertosa [ID](#)^{57b,57a}, J.F. Laporte [ID](#)¹³⁵, T. Lari [ID](#)^{71a},
 F. Lasagni Manghi [ID](#)^{23b}, M. Lassnig [ID](#)³⁶, V. Latonova [ID](#)¹³¹, A. Laudrain [ID](#)¹⁰⁰, A. Laurier [ID](#)¹⁵⁰,
 S.D. Lawlor [ID](#)¹³⁹, Z. Lawrence [ID](#)¹⁰¹, R. Lazaridou¹⁶⁷, M. Lazzaroni [ID](#)^{71a,71b}, B. Le¹⁰¹,
 E.M. Le Boulicaut [ID](#)⁵¹, B. Leban [ID](#)⁹³, A. Lebedev [ID](#)⁸¹, M. LeBlanc [ID](#)¹⁰¹, F. Ledroit-Guillon [ID](#)⁶⁰,
 A.C.A. Lee⁹⁶, S.C. Lee [ID](#)¹⁴⁸, S. Lee [ID](#)^{47a,47b}, T.F. Lee [ID](#)⁹², L.L. Leeuw [ID](#)^{33c}, H.P. Lefebvre [ID](#)⁹⁵,
 M. Lefebvre [ID](#)¹⁶⁵, C. Leggett [ID](#)^{17a}, G. Lehmann Miotto [ID](#)³⁶, M. Leigh [ID](#)⁵⁶, W.A. Leight [ID](#)¹⁰³,
 W. Leinonen [ID](#)¹¹³, A. Leisos [ID](#)^{152,s}, M.A.L. Leite [ID](#)^{83c}, C.E. Leitgeb [ID](#)¹⁸, R. Leitner [ID](#)¹³³,
 K.J.C. Leney [ID](#)⁴⁴, T. Lenz [ID](#)²⁴, S. Leone [ID](#)^{74a}, C. Leonidopoulos [ID](#)⁵², A. Leopold [ID](#)¹⁴⁴, C. Leroy [ID](#)¹⁰⁸,
 R. Les [ID](#)¹⁰⁷, C.G. Lester [ID](#)³², M. Levchenko [ID](#)³⁷, J. Levêque [ID](#)⁴, D. Levin [ID](#)¹⁰⁶, L.J. Levinson [ID](#)¹⁶⁹,
 M.P. Lewicki [ID](#)⁸⁷, D.J. Lewis [ID](#)⁴, A. Li [ID](#)⁵, B. Li [ID](#)^{62b}, C. Li [ID](#)^{62a}, C-Q. Li [ID](#)¹¹⁰, H. Li [ID](#)^{62a}, H. Li [ID](#)^{62b},
 H. Li [ID](#)^{14c}, H. Li [ID](#)^{14b}, H. Li [ID](#)^{62b}, J. Li [ID](#)^{62c}, K. Li [ID](#)¹³⁸, L. Li [ID](#)^{62c}, M. Li [ID](#)^{14a,14e}, Q.Y. Li [ID](#)^{62a},
 S. Li [ID](#)^{14a,14e}, S. Li [ID](#)^{62d,62c,d}, T. Li [ID](#)⁵, X. Li [ID](#)¹⁰⁴, Z. Li [ID](#)¹²⁶, Z. Li [ID](#)¹⁰⁴, Z. Li [ID](#)^{14a,14e}, S. Liang^{14a,14e},
 Z. Liang [ID](#)^{14a}, M. Liberatore [ID](#)¹³⁵, B. Liberti [ID](#)^{76a}, K. Lie [ID](#)^{64c}, J. Lieber Marin [ID](#)^{83b}, H. Lien [ID](#)⁶⁸,
 K. Lin [ID](#)¹⁰⁷, R.E. Lindley [ID](#)⁷, J.H. Lindon [ID](#)², E. Lipeles [ID](#)¹²⁸, A. Lipniacka [ID](#)¹⁶, A. Lister [ID](#)¹⁶⁴,
 J.D. Little [ID](#)⁴, B. Liu [ID](#)^{14a}, B.X. Liu [ID](#)¹⁴², D. Liu [ID](#)^{62d,62c}, J.B. Liu [ID](#)^{62a}, J.K.K. Liu [ID](#)³², K. Liu [ID](#)^{62d,62c},
 M. Liu [ID](#)^{62a}, M.Y. Liu [ID](#)^{62a}, P. Liu [ID](#)^{14a}, Q. Liu [ID](#)^{62d,138,62c}, X. Liu [ID](#)^{62a}, X. Liu [ID](#)^{62b}, Y. Liu [ID](#)^{14d,14e},







Y.L. Liu ^{62b}, Y.W. Liu ^{62a}, J. Llorente Merino ¹⁴², S.L. Lloyd ⁹⁴, E.M. Lobodzinska ⁴⁸,
 P. Loch ⁷, T. Lohse ¹⁸, K. Lohwasser ¹³⁹, E. Loiacono ⁴⁸, M. Lokajicek ^{131,*}, J.D. Lomas ²⁰,
 J.D. Long ¹⁶², I. Longarini ¹⁵⁹, L. Longo ^{70a,70b}, R. Longo ¹⁶², I. Lopez Paz ⁶⁷,
 A. Lopez Solis ⁴⁸, N. Lorenzo Martinez ⁴, A.M. Lory ¹⁰⁹, G. Löschcke Centeno ¹⁴⁶,
 O. Loseva ³⁷, X. Lou ^{47a,47b}, X. Lou ^{14a,14c}, A. Lounis ⁶⁶, J. Love ⁶, P.A. Love ⁹¹,
 G. Lu ^{14a,14c}, M. Lu ⁸⁰, S. Lu ¹²⁸, Y.J. Lu ⁶⁵, H.J. Lubatti ¹³⁸, C. Luci ^{75a,75b},
 F.L. Lucio Alves ^{14c}, A. Lucotte ⁶⁰, F. Luehring ⁶⁸, I. Luise ¹⁴⁵, O. Lukianchuk ⁶⁶,
 O. Lundberg ¹⁴⁴, B. Lund-Jensen ¹⁴⁴, N.A. Luongo ⁶, M.S. Lutz ¹⁵¹, A.B. Lux ²⁵, D. Lynn ²⁹,
 H. Lyons ⁹², R. Lysak ¹³¹, E. Lytken ⁹⁸, V. Lyubushkin ³⁸, T. Lyubushkina ³⁸, M.M. Lyukova ¹⁴⁵,
 H. Ma ²⁹, K. Ma ^{62a}, L.L. Ma ^{62b}, W. Ma ^{62a}, Y. Ma ¹²¹, D.M. Mac Donell ¹⁶⁵,
 G. Maccarrone ⁵³, J.C. MacDonald ¹⁰⁰, P.C. Machado De Abreu Farias ^{83b}, R. Madar ⁴⁰,
 W.F. Mader ⁵⁰, T. Madula ⁹⁶, J. Maeda ⁸⁵, T. Maeno ²⁹, H. Maguire ¹³⁹, V. Maiboroda ¹³⁵,
 A. Maio ^{130a,130b,130d}, K. Maj ^{86a}, O. Majersky ⁴⁸, S. Majewski ¹²³, N. Makovec ⁶⁶,
 V. Maksimovic ¹⁵, B. Malaescu ¹²⁷, Pa. Malecki ⁸⁷, V.P. Maleev ³⁷, F. Malek ^{60,o}, M. Mali ⁹³,
 D. Malito ⁹⁵, U. Mallik ⁸⁰, S. Maltezos ¹⁰, S. Malyukov ³⁸, J. Mamuzic ¹³, G. Mancini ⁵³,
 M.N. Mancini ²⁶, G. Manco ^{73a,73b}, J.P. Mandalia ⁹⁴, I. Mandić ⁹³,
 L. Manhaes de Andrade Filho ^{83a}, I.M. Maniatis ¹⁶⁹, J. Manjarres Ramos ^{102,ab}, D.C. Mankad ¹⁶⁹,
 A. Mann ¹⁰⁹, B. Mansoulie ¹³⁵, S. Manzoni ³⁶, L. Mao ^{62c}, X. Mapekula ^{33c}, A. Marantis ^{152,s},
 G. Marchiori ⁵, M. Marcisovsky ¹³¹, C. Marcon ^{71a}, M. Marinescu ²⁰, S. Marium ⁴⁸,
 M. Marjanovic ¹²⁰, E.J. Marshall ⁹¹, Z. Marshall ^{17a}, S. Marti-Garcia ¹⁶³, T.A. Martin ¹⁶⁷,
 V.J. Martin ⁵², B. Martin dit Latour ¹⁶, L. Martinelli ^{75a,75b}, M. Martinez ^{13,t},
 P. Martinez Agullo ¹⁶³, V.I. Martinez Outschoorn ¹⁰³, P. Martinez Suarez ¹³, S. Martin-Haugh ¹³⁴,
 V.S. Martoiu ^{27b}, A.C. Martyniuk ⁹⁶, A. Marzin ³⁶, D. Mascione ^{78a,78b}, L. Masetti ¹⁰⁰,
 T. Mashimo ¹⁵³, J. Masik ¹⁰¹, A.L. Maslennikov ³⁷, P. Massarotti ^{72a,72b}, P. Mastrandrea ^{74a,74b},
 A. Mastroberardino ^{43b,43a}, T. Masubuchi ¹⁵³, T. Mathisen ¹⁶¹, J. Matousek ¹³³, N. Matsuzawa ¹⁵³,
 J. Maurer ^{27b}, B. Maček ⁹³, D.A. Maximov ³⁷, R. Mazini ¹⁴⁸, I. Maznas ¹⁵², M. Mazza ¹⁰⁷,
 S.M. Mazza ¹³⁶, E. Mazzeo ^{71a,71b}, C. Mc Ginn ²⁹, J.P. Mc Gowan ¹⁰⁴, S.P. Mc Kee ¹⁰⁶,
 C.C. McCracken ¹⁶⁴, E.F. McDonald ¹⁰⁵, A.E. McDougall ¹¹⁴, J.A. MCFayden ¹⁴⁶,
 R.P. McGovern ¹²⁸, G. Mchedlidze ^{149b}, R.P. Mckenzie ^{33g}, T.C. McLachlan ⁴⁸,
 D.J. McLaughlin ⁹⁶, S.J. McMahon ¹³⁴, C.M. Mcpartland ⁹², R.A. McPherson ^{165,x},
 S. Mehlhase ¹⁰⁹, A. Mehta ⁹², D. Melini ¹⁶³, B.R. Mellado Garcia ^{33g}, A.H. Melo ⁵⁵,
 F. Meloni ⁴⁸, A.M. Mendes Jacques Da Costa ¹⁰¹, H.Y. Meng ¹⁵⁵, L. Meng ⁹¹, S. Menke ¹¹⁰,
 M. Mentink ³⁶, E. Meoni ^{43b,43a}, G. Mercado ¹¹⁵, C. Merlassino ^{69a,69c}, L. Merola ^{72a,72b},
 C. Meroni ^{71a,71b}, J. Metcalfe ⁶, A.S. Mete ⁶, C. Meyer ⁶⁸, J-P. Meyer ¹³⁵, R.P. Middleton ¹³⁴,
 L. Mijović ⁵², G. Mikenberg ¹⁶⁹, M. Mikestikova ¹³¹, M. Mikuž ⁹³, H. Mildner ¹⁰⁰, A. Milic ³⁶,
 C.D. Milke ⁴⁴, D.W. Miller ³⁹, E.H. Miller ¹⁴³, L.S. Miller ³⁴, A. Milov ¹⁶⁹, D.A. Milstead ^{47a,47b},
 T. Min ^{14c}, A.A. Minaenko ³⁷, I.A. Minashvili ^{149b}, L. Mince ⁵⁹, A.I. Mincer ¹¹⁷, B. Mindur ^{86a},
 M. Mineev ³⁸, Y. Mino ⁸⁸, L.M. Mir ¹³, M. Miralles Lopez ¹⁶³, M. Mironova ^{17a}, A. Mishima ¹⁵³,
 M.C. Missio ¹¹³, A. Mitra ¹⁶⁷, V.A. Mitsou ¹⁶³, Y. Mitsumori ¹¹¹, O. Miu ¹⁵⁵,
 P.S. Miyagawa ⁹⁴, T. Mkrtchyan ^{63a}, M. Mlinarevic ⁹⁶, T. Mlinarevic ⁹⁶, M. Mlynarikova ³⁶,
 S. Mobius ¹⁹, P. Moder ⁴⁸, P. Mogg ¹⁰⁹, M.H. Mohamed Farook ¹¹², A.F. Mohammed ^{14a,14c},
 S. Mohapatra ⁴¹, G. Mokgatitwane ^{33g}, L. Moleri ¹⁶⁹, B. Mondal ¹⁴¹, S. Mondal ¹³²,
 K. Mönig ⁴⁸, E. Monnier ¹⁰², L. Monsonis Romero ¹⁶³, J. Montejo Berlingen ¹³, M. Montella ¹¹⁹,
 F. Montekali ^{77a,77b}, F. Monticelli ⁹⁰, S. Monzani ^{69a,69c}, N. Morange ⁶⁶,
 A.L. Moreira De Carvalho ^{130a}, M. Moreno Llácer ¹⁶³, C. Moreno Martinez ⁵⁶, P. Morettini ^{57b},
 S. Morgenstern ³⁶, M. Morii ⁶¹, M. Morinaga ¹⁵³, A.K. Morley ³⁶, F. Morodei ^{75a,75b},
 L. Morvaj ³⁶, P. Moschovakos ³⁶, B. Moser ³⁶, M. Mosidze ^{149b}, T. Moskalets ⁵⁴,

P. Moskvitina ¹¹³, J. Moss ^{31,1}, E.J.W. Moyse ¹⁰³, O. Mtintsilana ^{33g}, S. Muanza ¹⁰²,
 J. Mueller ¹²⁹, D. Muenstermann ⁹¹, R. Müller ¹⁹, G.A. Mullier ¹⁶¹, A.J. Mullin ³², J.J. Mullin ¹²⁸,
 D.P. Mungo ¹⁵⁵, D. Munoz Perez ¹⁶³, F.J. Munoz Sanchez ¹⁰¹, M. Murin ¹⁰¹, W.J. Murray ^{167,134},
 A. Murrone ^{71a,71b}, M. Muškinja ^{17a}, C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸,
 G. Myers ⁶⁸, M. Myska ¹³², B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, A. Nag ⁵⁰, K. Nagai ¹²⁶,
 K. Nagano ⁸⁴, J.L. Nagle ^{29,aj}, E. Nagy ¹⁰², A.M. Nairz ³⁶, Y. Nakahama ⁸⁴, K. Nakamura ⁸⁴,
 K. Nakkalil ⁵, H. Nanjo ¹²⁴, R. Narayan ⁴⁴, E.A. Narayanan ¹¹², I. Naryshkin ³⁷, M. Naseri ³⁴,
 S. Nasri ^{116b}, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶³, R. Nayak ¹⁵¹, A. Nayaz ¹⁸,
 P.Y. Nechaeva ³⁷, F. Nechansky ⁴⁸, L. Nedic ¹²⁶, T.J. Neep ²⁰, A. Negri ^{73a,73b}, M. Negrini ^{23b},
 C. Nellist ¹¹⁴, C. Nelson ¹⁰⁴, K. Nelson ¹⁰⁶, S. Nemecek ¹³¹, M. Nessi ^{36,h}, M.S. Neubauer ¹⁶²,
 F. Neuhaus ¹⁰⁰, J. Neundorf ⁴⁸, R. Newhouse ¹⁶⁴, P.R. Newman ²⁰, C.W. Ng ¹²⁹, Y.W.Y. Ng ⁴⁸,
 B. Ngair ^{116a}, H.D.N. Nguyen ¹⁰⁸, R.B. Nickerson ¹²⁶, R. Nicolaidou ¹³⁵, J. Nielsen ¹³⁶,
 M. Niemeyer ⁵⁵, J. Niermann ^{55,36}, N. Nikiforou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁷,
 K. Nikolopoulos ²⁰, P. Nilsson ²⁹, I. Ninca ⁴⁸, H.R. Nindhito ⁵⁶, G. Ninio ¹⁵¹, A. Nisati ^{75a},
 N. Nishu ², R. Nisius ¹¹⁰, J-E. Nitschke ⁵⁰, E.K. Nkadimeng ^{33g}, T. Nobe ¹⁵³, D.L. Noel ³²,
 T. Nommensen ¹⁴⁷, M.B. Norfolk ¹³⁹, R.R.B. Norisam ⁹⁶, B.J. Norman ³⁴, M. Noury ^{35a},
 J. Novak ⁹³, T. Novak ⁴⁸, L. Novotny ¹³², R. Novotny ¹¹², L. Nozka ¹²², K. Ntekas ¹⁵⁹,
 N.M.J. Nunes De Moura Junior ^{83b}, E. Nurse ⁹⁶, J. Ocariz ¹²⁷, A. Ochi ⁸⁵, I. Ochoa ^{130a},
 S. Oerde ⁴⁸, J.T. Offermann ³⁹, A. Ogrodnik ¹³³, A. Oh ¹⁰¹, C.C. Ohm ¹⁴⁴, H. Oide ⁸⁴,
 R. Oishi ¹⁵³, M.L. Ojeda ⁴⁸, Y. Okumura ¹⁵³, L.F. Oleiro Seabra ^{130a}, S.A. Olivares Pino ^{137d},
 D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{83a}, J.L. Oliver ¹⁵⁹, Ö.O. Öncel ⁵⁴, A.P. O'Neill ¹⁹,
 A. Onofre ^{130a,130e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁹⁰, D. Orestano ^{77a,77b},
 N. Orlando ¹³, R.S. Orr ¹⁵⁵, V. O'Shea ⁵⁹, L.M. Osojnak ¹²⁸, R. Ospanov ^{62a},
 G. Otero y Garzon ³⁰, H. Otono ⁸⁹, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, J. Ouellette ²⁹,
 F. Ould-Saada ¹²⁵, M. Owen ⁵⁹, R.E. Owen ¹³⁴, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, F. Ozturk ⁸⁷,
 N. Ozturk ⁸, S. Ozturk ⁸², H.A. Pacey ¹²⁶, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³,
 G. Padovano ^{75a,75b}, S. Pagan Griso ^{17a}, G. Palacino ⁶⁸, A. Palazzo ^{70a,70b}, J. Pan ¹⁷², T. Pan ^{64a},
 D.K. Panchal ¹¹, C.E. Pandini ¹¹⁴, J.G. Panduro Vazquez ⁹⁵, H.D. Pandya ¹, H. Pang ^{14b},
 P. Pani ⁴⁸, G. Panizzo ^{69a,69c}, L. Paolozzi ⁵⁶, C. Papadatos ¹⁰⁸, S. Parajuli ¹⁶², A. Paramonov ⁶,
 C. Paraskevopoulos ¹⁰, D. Paredes Hernandez ^{64b}, K.R. Park ⁴¹, T.H. Park ¹⁵⁵, M.A. Parker ³²,
 F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁵, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴,
 B. Pascual Dias ¹⁰⁸, L. Pascual Dominguez ¹⁵¹, E. Pasqualucci ^{75a}, S. Passaggio ^{57b}, F. Pastore ⁹⁵,
 P. Pasuwan ^{47a,47b}, P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰¹, T. Pauly ³⁶, J. Pearkes ¹⁴³,
 M. Pedersen ¹²⁵, R. Pedro ^{130a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵²,
 K.E. Penski ¹⁰⁹, M. Penzin ³⁷, B.S. Peralva ^{83d}, A.P. Pereira Peixoto ⁶⁰, L. Pereira Sanchez ^{47a,47b},
 D.V. Perepelitsa ^{29,aj}, E. Perez Codina ^{156a}, M. Perganti ¹⁰, L. Perini ^{71a,71b,*}, H. Pernegger ³⁶,
 O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰¹, B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰²,
 V. Petousis ¹³², C. Petridou ^{152,e}, A. Petrukhin ¹⁴¹, M. Pettee ^{17a}, N.E. Pettersson ³⁶,
 A. Petukhov ³⁷, K. Petukhova ¹³³, R. Pezoa ^{137f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷², T.M. Pham ¹⁷⁰,
 T. Pham ¹⁰⁵, P.W. Phillips ¹³⁴, G. Piacquadio ¹⁴⁵, E. Pianori ^{17a}, F. Piazza ¹²³, R. Piegai ³⁰,
 D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰¹, M. Pinamonti ^{69a,69c}, J.L. Pinfeld ²,
 B.C. Pinheiro Pereira ^{130a}, A.E. Pinto Pinoargote ^{100,135}, L. Pintucci ^{69a,69c}, K.M. Piper ¹⁴⁶,
 A. Pirttikoski ⁵⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{64b}, A. Pizzini ¹¹⁴, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴,
 V. Pleskot ¹³³, E. Plotnikova ³⁸, G. Poddar ⁴, R. Poettgen ⁹⁸, L. Poggioli ¹²⁷, I. Pokharel ⁵⁵,
 S. Polacek ¹³³, G. Polesello ^{73a}, A. Poley ^{142,156a}, R. Polifka ¹³², A. Polini ^{23b}, C.S. Pollard ¹⁶⁷,
 Z.B. Pollock ¹¹⁹, V. Polychronakos ²⁹, E. Pompa Pacchi ^{75a,75b}, D. Ponomarenko ¹¹³,
 L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, A. Poreba ³⁶, D.M. Portillo Quintero ^{156a},

S. Pospisil ¹³², M.A. Postill ¹³⁹, P. Postolache ^{27c}, K. Potamianos ¹⁶⁷, P.A. Potepa ^{86a},
 I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, T. Poulsen ⁴⁸, J. Poveda ¹⁶³, M.E. Pozo Astigarraga ³⁶,
 A. Prades Ibanez ¹⁶³, J. Pretel ⁵⁴, D. Price ¹⁰¹, M. Primavera ^{70a}, M.A. Principe Martin ⁹⁹,
 R. Privara ¹²², T. Procter ⁵⁹, M.L. Proffitt ¹³⁸, N. Proklova ¹²⁸, K. Prokofiev ^{64c}, G. Proto ¹¹⁰,
 S. Protopopescu ²⁹, J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b}, A. Psallidas ⁴⁶,
 J.E. Puddefoot ¹³⁹, D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁶, D. Qichen ¹⁰¹, Y. Qin ¹⁰¹,
 T. Qiu ⁵², A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰¹, G. Quetant ⁵⁶, R.P. Quinn ¹⁶⁴,
 G. Rabanal Bolanos ⁶¹, D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶,
 S. Rajagopalan ²⁹, E. Ramakoti ³⁷, I.A. Ramirez-Berend ³⁴, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g},
 H. Rasheed ^{27b}, V. Raskina ¹²⁷, D.F. Rassloff ^{63a}, A. Rastogi ^{17a}, S. Rave ¹⁰⁰, B. Ravina ⁵⁵,
 I. Ravinovich ¹⁶⁹, M. Raymond ³⁶, A.L. Read ¹²⁵, N.P. Readioff ¹³⁹, D.M. Rebutzi ^{73a,73b},
 G. Redlinger ²⁹, A.S. Reed ¹¹⁰, K. Reeves ²⁶, J.A. Reidelsturz ¹⁷¹, D. Reikher ¹⁵¹, A. Rej ⁴⁹,
 C. Rembser ³⁶, A. Renardi ⁴⁸, M. Renda ^{27b}, M.B. Rendel ¹¹⁰, F. Renner ⁴⁸, A.G. Rennie ¹⁵⁹,
 A.L. Rescia ⁴⁸, S. Resconi ^{71a}, M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁷,
 E. Reynolds ^{17a}, O.L. Rezanova ³⁷, P. Reznicek ¹³³, N. Ribaric ⁹¹, E. Ricci ^{78a,78b},
 R. Richter ¹¹⁰, S. Richter ^{47a,47b}, E. Richter-Was ^{86b}, M. Ridel ¹²⁷, S. Ridouani ^{35d}, P. Rieck ¹¹⁷,
 P. Riedler ³⁶, E.M. Riefel ^{47a,47b}, J.O. Rieger ¹¹⁴, M. Rijssenbeek ¹⁴⁵, A. Rimoldi ^{73a,73b},
 M. Rimoldi ³⁶, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹, M.P. Rinnagel ¹⁰⁹, G. Ripellino ¹⁶¹, I. Riu ¹³,
 P. Rivadeneira ⁴⁸, J.C. Rivera Vergara ¹⁶⁵, F. Rizatdinova ¹²¹, E. Rizvi ⁹⁴, B.A. Roberts ¹⁶⁷,
 B.R. Roberts ^{17a}, S.H. Robertson ^{104,x}, D. Robinson ³², C.M. Robles Gajardo ^{137f},
 M. Robles Manzano ¹⁰⁰, A. Robson ⁵⁹, A. Rocchi ^{76a,76b}, C. Roda ^{74a,74b}, S. Rodriguez Bosca ^{63a},
 Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ^{156b}, S. Roe ³⁶,
 J.T. Roemer ¹⁵⁹, A.R. Roepe-Gier ¹³⁶, J. Roggel ¹⁷¹, O. Røhne ¹²⁵, R.A. Rojas ¹⁰³,
 C.P.A. Roland ¹²⁷, J. Roloff ²⁹, A. Romaniouk ³⁷, E. Romano ^{73a,73b}, M. Romano ^{23b},
 A.C. Romero Hernandez ¹⁶², N. Rompotis ⁹², L. Roos ¹²⁷, S. Rosati ^{75a}, B.J. Rosser ³⁹,
 E. Rossi ¹²⁶, E. Rossi ^{72a,72b}, L.P. Rossi ^{57b}, L. Rossini ⁵⁴, R. Rosten ¹¹⁹, M. Rotaru ^{27b},
 B. Rottler ⁵⁴, C. Rougier ^{102,ab}, D. Rousseau ⁶⁶, D. Rousso ³², A. Roy ¹⁶², S. Roy-Garand ¹⁵⁵,
 A. Rozanov ¹⁰², Z.M.A. Rozario ⁵⁹, Y. Rozen ¹⁵⁰, X. Ruan ^{33g}, A. Rubio Jimenez ¹⁶³,
 A.J. Ruby ⁹², V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, A. Ruggiero ¹²⁶, A. Ruiz-Martinez ¹⁶³,
 A. Rummler ³⁶, Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁵, G. Russo ^{75a,75b},
 J.P. Rutherford ⁷, S. Rutherford Colmenares ³², K. Rybacki ⁹¹, M. Rybar ¹³³, E.B. Rye ¹²⁵,
 A. Ryzhov ⁴⁴, J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶³, H.F-W. Sadrozinski ¹³⁶,
 F. Safai Tehrani ^{75a}, B. Safarzadeh Samani ¹³⁴, M. Safdari ¹⁴³, S. Saha ¹⁶⁵, M. Sahinsoy ¹¹⁰,
 A. Saibel ¹⁶³, M. Saimpert ¹³⁵, M. Saito ¹⁵³, T. Saito ¹⁵³, D. Salamani ³⁶, A. Salnikov ¹⁴³,
 J. Salt ¹⁶³, A. Salvador Salas ¹⁵¹, D. Salvatore ^{43b,43a}, F. Salvatore ¹⁴⁶, A. Salzburger ³⁶,
 D. Sammel ⁵⁴, D. Sampsonidis ^{152,e}, D. Sampsonidou ¹²³, J. Sánchez ¹⁶³, A. Sanchez Pineda ⁴,
 V. Sanchez Sebastian ¹⁶³, H. Sandaker ¹²⁵, C.O. Sander ⁴⁸, J.A. Sandesara ¹⁰³, M. Sandhoff ¹⁷¹,
 C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁴, T. Sano ⁸⁸, A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰,
 H. Santos ^{130a,130b}, A. Santra ¹⁶⁹, K.A. Saoucha ¹⁶⁰, J.G. Saraiva ^{130a,130d}, J. Sardain ⁷,
 O. Sasaki ⁸⁴, K. Sato ¹⁵⁷, C. Sauer ^{63b}, F. Sauerburger ⁵⁴, E. Sauvan ⁴, P. Savard ^{155,ag},
 R. Sawada ¹⁵³, C. Sawyer ¹³⁴, L. Sawyer ⁹⁷, I. Sayago Galvan ¹⁶³, C. Sbarra ^{23b}, A. Sbrizzi ^{23b,23a},
 T. Scanlon ⁹⁶, J. Schaarschmidt ¹³⁸, U. Schäfer ¹⁰⁰, A.C. Schaffer ^{66,44}, D. Schaile ¹⁰⁹,
 R.D. Schamberger ¹⁴⁵, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷, D. Scheirich ¹³³,
 F. Schenck ¹⁸, M. Schernau ¹⁵⁹, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a}, E.J. Schioppa ^{70a,70b},
 M. Schioppa ^{43b,43a}, B. Schlag ^{143,n}, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷¹,
 M.A. Schmidt ¹⁷¹, K. Schmieden ¹⁰⁰, C. Schmitt ¹⁰⁰, N. Schmitt ¹⁰⁰, S. Schmitt ⁴⁸,
 L. Schoeffel ¹³⁵, A. Schoening ^{63b}, P.G. Scholer ⁵⁴, E. Schopf ¹²⁶, M. Schott ¹⁰⁰,

J. Schovancova ³⁶, S. Schramm ⁵⁶, F. Schroeder ¹⁷¹, T. Schroer ⁵⁶, H-C. Schultz-Coulon ^{63a},
 M. Schumacher ⁵⁴, B.A. Schumm ¹³⁶, Ph. Schune ¹³⁵, A.J. Schuy ¹³⁸, H.R. Schwartz ¹³⁶,
 A. Schwartzman ¹⁴³, T.A. Schwarz ¹⁰⁶, Ph. Schwemling ¹³⁵, R. Schwienhorst ¹⁰⁷, A. Sciandra ¹³⁶,
 G. Sciolla ²⁶, F. Scuri ^{74a}, C.D. Sebastiani ⁹², K. Sedlaczek ¹¹⁵, P. Seema ¹⁸, S.C. Seidel ¹¹²,
 A. Seiden ¹³⁶, B.D. Seidlitz ⁴¹, C. Seitz ⁴⁸, J.M. Seixas ^{83b}, G. Sekhniaidze ^{72a}, L. Selem ⁶⁰,
 N. Semprini-Cesari ^{23b,23a}, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶³, L. Serin ⁶⁶, L. Serkin ^{69a,69b},
 M. Sessa ^{76a,76b}, H. Severini ¹²⁰, F. Sforza ^{57b,57a}, A. Sfyrla ⁵⁶, E. Shabalina ⁵⁵, R. Shaheen ¹⁴⁴,
 J.D. Shahinian ¹²⁸, D. Shaked Renous ¹⁶⁹, L.Y. Shan ^{14a}, M. Shapiro ^{17a}, A. Sharma ³⁶,
 A.S. Sharma ¹⁶⁴, P. Sharma ⁸⁰, S. Sharma ⁴⁸, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁶, S.M. Shaw ¹⁰¹,
 A. Shcherbakova ³⁷, Q. Shen ^{62c,5}, D.J. Sheppard ¹⁴², P. Sherwood ⁹⁶, L. Shi ⁹⁶, X. Shi ^{14a},
 C.O. Shimmin ¹⁷², J.D. Shinner ⁹⁵, I.P.J. Shipsey ¹²⁶, S. Shirabe ^{56,h}, M. Shiyakova ^{38,v},
 J. Shlomi ¹⁶⁹, M.J. Shochet ³⁹, J. Shojaii ¹⁰⁵, D.R. Shope ¹²⁵, B. Shrestha ¹²⁰, S. Shrestha ^{119,ak},
 E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁵, P. Sicho ¹³¹, A.M. Sickles ¹⁶², E. Sideras Haddad ^{33g},
 A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, F. Sili ⁹⁰, J.M. Silva ²⁰, M.V. Silva Oliveira ²⁹,
 S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶, E.L. Simpson ⁵⁹, H. Simpson ¹⁴⁶,
 L.R. Simpson ¹⁰⁶, N.D. Simpson ⁹⁸, S. Simsek ⁸², S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁵, S. Singh ¹⁵⁵,
 S. Sinha ⁴⁸, S. Sinha ¹⁰¹, M. Sioli ^{23b,23a}, I. Siral ³⁶, E. Sitnikova ⁴⁸, S.Yu. Sivoklokov ^{37,*},
 J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ²⁰, P. Skubic ¹²⁰, M. Slawinska ⁸⁷, V. Smakhtin ¹⁶⁹,
 B.H. Smart ¹³⁴, S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷, L.N. Smirnova ^{37,a}, O. Smirnova ⁹⁸,
 A.C. Smith ⁴¹, E.A. Smith ³⁹, H.A. Smith ¹²⁶, J.L. Smith ⁹², R. Smith ¹⁴³, M. Smizanska ⁹¹,
 K. Smolek ¹³², A.A. Snesarev ³⁷, S.R. Snider ¹⁵⁵, H.L. Snoek ¹¹⁴, S. Snyder ²⁹, R. Sobie ^{165,x},
 A. Soffer ¹⁵¹, C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ³⁷, U. Soldevila ¹⁶³, A.A. Solodkov ³⁷,
 S. Solomon ²⁶, A. Soloshenko ³⁸, K. Solovieva ⁵⁴, O.V. Solovyanov ⁴⁰, V. Solovyev ³⁷,
 P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{156b}, A. Sopczak ¹³², A.L. Sopio ⁹⁶, F. Sopkova ^{28b},
 J.D. Sorenson ¹¹², I.R. Sotarriva Alvarez ¹⁵⁴, V. Sothilingam ^{63a}, O.J. Soto Sandoval ^{137c,137b},
 S. Sottocornola ⁶⁸, R. Soualah ¹⁶⁰, Z. Soumami ^{35e}, D. South ⁴⁸, N. Soybelman ¹⁶⁹,
 S. Spagnolo ^{70a,70b}, M. Spalla ¹¹⁰, D. Sperlich ⁵⁴, G. Spigo ³⁶, S. Spinali ⁹¹, D.P. Spiteri ⁵⁹,
 M. Spousta ¹³³, E.J. Staats ³⁴, A. Stabile ^{71a,71b}, R. Stamen ^{63a}, A. Stampekis ²⁰, M. Standke ²⁴,
 E. Stanecka ⁸⁷, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸, B. Stapf ⁴⁸,
 E.A. Starchenko ³⁷, G.H. Stark ¹³⁶, J. Stark ^{102,ab}, P. Staroba ¹³¹, P. Starovoitov ^{63a}, S. Stärz ¹⁰⁴,
 R. Staszewski ⁸⁷, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶¹, P. Steinberg ²⁹, B. Stelzer ^{142,156a},
 H.J. Stelzer ¹²⁹, O. Stelzer-Chilton ^{156a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁶, G.A. Stewart ³⁶,
 J.R. Stewart ¹²¹, M.C. Stockton ³⁶, G. Stoica ^{27b}, M. Stolarski ^{130a}, S. Stonjek ¹¹⁰,
 A. Straessner ⁵⁰, J. Strandberg ¹⁴⁴, S. Strandberg ^{47a,47b}, M. Stratmann ¹⁷¹, M. Strauss ¹²⁰,
 T. Strebler ¹⁰², P. Strizenec ^{28b}, R. Ströhmer ¹⁶⁶, D.M. Strom ¹²³, R. Stroynowski ⁴⁴,
 A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹²⁰, N.A. Styles ⁴⁸, D. Su ¹⁴³,
 S. Su ^{62a}, W. Su ^{62d}, X. Su ^{62a,66}, K. Sugizaki ¹⁵³, V.V. Sulim ³⁷, M.J. Sullivan ⁹²,
 D.M.S. Sultan ^{78a,78b}, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁸, S. Sun ¹⁰⁶, S. Sun ¹⁷⁰,
 O. Sunneborn Gudnadottir ¹⁶¹, N. Sur ¹⁰², M.R. Sutton ¹⁴⁶, H. Suzuki ¹⁵⁷, M. Svatos ¹³¹,
 M. Swiatlowski ^{156a}, T. Swirski ¹⁶⁶, I. Sykora ^{28a}, M. Sykora ¹³³, T. Sykora ¹³³, D. Ta ¹⁰⁰,
 K. Tackmann ^{48,u}, A. Taffard ¹⁵⁹, R. Tafirout ^{156a}, J.S. Tafoya Vargas ⁶⁶, E.P. Takeva ⁵²,
 Y. Takubo ⁸⁴, M. Talby ¹⁰², A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵¹, A. Tanaka ¹⁵³,
 J. Tanaka ¹⁵³, R. Tanaka ⁶⁶, M. Tanasini ^{57b,57a}, Z. Tao ¹⁶⁴, S. Tapia Araya ^{137f},
 S. Tapprogge ¹⁰⁰, A. Tarek Abouelfadl Mohamed ¹⁰⁷, S. Tarem ¹⁵⁰, K. Tariq ^{14a}, G. Tarna ^{102,27b},
 G.F. Tartarelli ^{71a}, P. Tas ¹³³, M. Tasevsky ¹³¹, E. Tassi ^{43b,43a}, A.C. Tate ¹⁶², G. Tateno ¹⁵³,
 Y. Tayalati ^{35e,w}, G.N. Taylor ¹⁰⁵, W. Taylor ^{156b}, A.S. Tee ¹⁷⁰, R. Teixeira De Lima ¹⁴³,
 P. Teixeira-Dias ⁹⁵, J.J. Teoh ¹⁵⁵, K. Terashi ¹⁵³, J. Terron ⁹⁹, S. Terzo ¹³, M. Testa ⁵³,

R.J. Teuscher [id^{155,x}](#), A. Thaler [id⁷⁹](#), O. Theiner [id⁵⁶](#), N. Themistokleous [id⁵²](#), T. Thevenaux-Pelzer [id¹⁰²](#),
 O. Thielmann [id¹⁷¹](#), D.W. Thomas [id⁹⁵](#), J.P. Thomas [id²⁰](#), E.A. Thompson [id^{17a}](#), P.D. Thompson [id²⁰](#),
 E. Thomson [id¹²⁸](#), Y. Tian [id⁵⁵](#), V. Tikhomirov [id^{37,a}](#), Yu.A. Tikhonov [id³⁷](#), S. Timoshenko [id³⁷](#),
 D. Timoshyn [id¹³³](#), E.X.L. Ting [id¹](#), P. Tipton [id¹⁷²](#), S.H. Tlou [id^{33g}](#), A. Tnourji [id⁴⁰](#), K. Todome [id¹⁵⁴](#),
 S. Todorova-Nova [id¹³³](#), S. Todt [id⁵⁰](#), M. Togawa [id⁸⁴](#), J. Tojo [id⁸⁹](#), S. Tokár [id^{28a}](#), K. Tokushuku [id⁸⁴](#),
 O. Toldaiev [id⁶⁸](#), R. Tombs [id³²](#), M. Tomoto [id^{84,111}](#), L. Tompkins [id^{143,n}](#), K.W. Topolnicki [id^{86b}](#),
 E. Torrence [id¹²³](#), H. Torres [id^{102,ab}](#), E. Torró Pastor [id¹⁶³](#), M. Toscani [id³⁰](#), C. Tosciri [id³⁹](#), M. Tost [id¹¹](#),
 D.R. Tovey [id¹³⁹](#), A. Traeet [id¹⁶](#), I.S. Trandafir [id^{27b}](#), T. Trefzger [id¹⁶⁶](#), A. Tricoli [id²⁹](#), I.M. Trigger [id^{156a}](#),
 S. Trincaz-Duvoid [id¹²⁷](#), D.A. Trischuk [id²⁶](#), B. Trocmé [id⁶⁰](#), C. Troncon [id^{71a}](#), L. Truong [id^{33c}](#),
 M. Trzebinski [id⁸⁷](#), A. Trzupiek [id⁸⁷](#), F. Tsai [id¹⁴⁵](#), M. Tsai [id¹⁰⁶](#), A. Tsiamis [id^{152,e}](#), P.V. Tsiareshka [id³⁷](#),
 S. Tsigaridas [id^{156a}](#), A. Tsirigotis [id^{152,s}](#), V. Tsiskaridze [id¹⁵⁵](#), E.G. Tskhadadze [id^{149a}](#),
 M. Tsopoulou [id^{152,e}](#), Y. Tsujikawa [id⁸⁸](#), I.I. Tsukerman [id³⁷](#), V. Tsulaia [id^{17a}](#), S. Tsuno [id⁸⁴](#), K. Tsurii [id¹¹⁸](#),
 D. Tsybychev [id¹⁴⁵](#), Y. Tu [id^{64b}](#), A. Tudorache [id^{27b}](#), V. Tudorache [id^{27b}](#), A.N. Tuna [id⁶¹](#),
 S. Turchikhin [id^{57b,57a}](#), I. Turk Cakir [id^{3a}](#), R. Turra [id^{71a}](#), T. Turtuvshin [id^{38,y}](#), P.M. Tuts [id⁴¹](#),
 S. Tzamarias [id^{152,e}](#), P. Tzaniis [id¹⁰](#), E. Tzovara [id¹⁰⁰](#), F. Ukegawa [id¹⁵⁷](#), P.A. Ulloa Poblete [id^{137c,137b}](#),
 E.N. Umaka [id²⁹](#), G. Unal [id³⁶](#), M. Unal [id¹¹](#), A. Undrus [id²⁹](#), G. Unel [id¹⁵⁹](#), J. Urban [id^{28b}](#),
 P. Urquijo [id¹⁰⁵](#), P. Urrejola [id^{137a}](#), G. Usai [id⁸](#), R. Ushioda [id¹⁵⁴](#), M. Usman [id¹⁰⁸](#), Z. Uysal [id⁸²](#),
 V. Vacek [id¹³²](#), B. Vachon [id¹⁰⁴](#), K.O.H. Vadla [id¹²⁵](#), T. Vafeiadis [id³⁶](#), A. Vaitkus [id⁹⁶](#), C. Valderanis [id¹⁰⁹](#),
 E. Valdes Santurio [id^{47a,47b}](#), M. Valente [id^{156a}](#), S. Valentinetti [id^{23b,23a}](#), A. Valero [id¹⁶³](#),
 E. Valiente Moreno [id¹⁶³](#), A. Vallier [id^{102,ab}](#), J.A. Valls Ferrer [id¹⁶³](#), D.R. Van Arneman [id¹¹⁴](#),
 T.R. Van Daalen [id¹³⁸](#), A. Van Der Graaf [id⁴⁹](#), P. Van Gemmeren [id⁶](#), M. Van Rijnbach [id^{125,36}](#),
 S. Van Stroud [id⁹⁶](#), I. Van Vulpen [id¹¹⁴](#), M. Vanadia [id^{76a,76b}](#), W. Vandelli [id³⁶](#), M. Vandenbroucke [id¹³⁵](#),
 E.R. Vandewall [id¹²¹](#), D. Vannicola [id¹⁵¹](#), L. Vannoli [id^{57b,57a}](#), R. Vari [id^{75a}](#), E.W. Varnes [id⁷](#),
 C. Varni [id^{17b}](#), T. Varol [id¹⁴⁸](#), D. Varouchas [id⁶⁶](#), L. Varriale [id¹⁶³](#), K.E. Varvell [id¹⁴⁷](#), M.E. Vasile [id^{27b}](#),
 L. Vaslin [id⁸⁴](#), G.A. Vasquez [id¹⁶⁵](#), A. Vasyukov [id³⁸](#), F. Vazeille [id⁴⁰](#), T. Vazquez Schroeder [id³⁶](#),
 J. Veatch [id³¹](#), V. Vecchio [id¹⁰¹](#), M.J. Veen [id¹⁰³](#), I. Veliscek [id¹²⁶](#), L.M. Veloce [id¹⁵⁵](#), F. Veloso [id^{130a,130c}](#),
 S. Veneziano [id^{75a}](#), A. Ventura [id^{70a,70b}](#), S. Ventura Gonzalez [id¹³⁵](#), A. Verbytskyi [id¹¹⁰](#),
 M. Verducci [id^{74a,74b}](#), C. Vergis [id²⁴](#), M. Verissimo De Araujo [id^{83b}](#), W. Verkerke [id¹¹⁴](#),
 J.C. Vermeulen [id¹¹⁴](#), C. Vernieri [id¹⁴³](#), M. Vessella [id¹⁰³](#), M.C. Vetterli [id^{142,ag}](#), A. Vgenopoulos [id^{152,e}](#),
 N. Viaux Maira [id^{137f}](#), T. Vickey [id¹³⁹](#), O.E. Vickey Boeriu [id¹³⁹](#), G.H.A. Viehhauser [id¹²⁶](#), L. Vignani [id^{63b}](#),
 M. Villa [id^{23b,23a}](#), M. Villaplana Perez [id¹⁶³](#), E.M. Villhauer [id⁵²](#), E. Vilucchi [id⁵³](#), M.G. Vincter [id³⁴](#),
 G.S. Virdee [id²⁰](#), A. Vishwakarma [id⁵²](#), A. Visibile [id¹¹⁴](#), C. Vittori [id³⁶](#), I. Vivarelli [id¹⁴⁶](#),
 E. Voevodina [id¹¹⁰](#), F. Vogel [id¹⁰⁹](#), J.C. Voigt [id⁵⁰](#), P. Vokac [id¹³²](#), Yu. Volkotrub [id^{86a}](#), J. Von Ahnen [id⁴⁸](#),
 E. Von Toerne [id²⁴](#), B. Vormwald [id³⁶](#), V. Vorobel [id¹³³](#), K. Vorobev [id³⁷](#), M. Vos [id¹⁶³](#), K. Voss [id¹⁴¹](#),
 J.H. Vossebeld [id⁹²](#), M. Vozak [id¹¹⁴](#), L. Vozdecky [id⁹⁴](#), N. Vranjes [id¹⁵](#), M. Vranjes Milosavljevic [id¹⁵](#),
 M. Vreeswijk [id¹¹⁴](#), N.K. Vu [id^{62d,62c}](#), R. Vuillermet [id³⁶](#), O. Vujinovic [id¹⁰⁰](#), I. Vukotic [id³⁹](#),
 S. Wada [id¹⁵⁷](#), C. Wagner [id¹⁰³](#), J.M. Wagner [id^{17a}](#), W. Wagner [id¹⁷¹](#), S. Wahdan [id¹⁷¹](#), H. Wahlberg [id⁹⁰](#),
 M. Wakida [id¹¹¹](#), J. Walder [id¹³⁴](#), R. Walker [id¹⁰⁹](#), W. Walkowiak [id¹⁴¹](#), A. Wall [id¹²⁸](#), T. Wamorkar [id⁶](#),
 A.Z. Wang [id¹³⁶](#), C. Wang [id¹⁰⁰](#), C. Wang [id^{62c}](#), H. Wang [id^{17a}](#), J. Wang [id^{64a}](#), R.-J. Wang [id¹⁰⁰](#),
 R. Wang [id⁶¹](#), R. Wang [id⁶](#), S.M. Wang [id¹⁴⁸](#), S. Wang [id^{62b}](#), T. Wang [id^{62a}](#), W.T. Wang [id⁸⁰](#),
 W. Wang [id^{14a}](#), X. Wang [id^{14c}](#), X. Wang [id¹⁶²](#), X. Wang [id^{62c}](#), Y. Wang [id^{62d}](#), Y. Wang [id^{14c}](#), Z. Wang [id¹⁰⁶](#),
 Z. Wang [id^{62d,51,62c}](#), Z. Wang [id¹⁰⁶](#), A. Warburton [id¹⁰⁴](#), R.J. Ward [id²⁰](#), N. Warrack [id⁵⁹](#), A.T. Watson [id²⁰](#),
 H. Watson [id⁵⁹](#), M.F. Watson [id²⁰](#), E. Watton [id^{59,134}](#), G. Watts [id¹³⁸](#), B.M. Waugh [id⁹⁶](#), C. Weber [id²⁹](#),
 H.A. Weber [id¹⁸](#), M.S. Weber [id¹⁹](#), S.M. Weber [id^{63a}](#), C. Wei [id^{62a}](#), Y. Wei [id¹²⁶](#), A.R. Weidberg [id¹²⁶](#),
 E.J. Weik [id¹¹⁷](#), J. Weingarten [id⁴⁹](#), M. Weirich [id¹⁰⁰](#), C. Weiser [id⁵⁴](#), C.J. Wells [id⁴⁸](#), T. Wenaus [id²⁹](#),
 B. Wendland [id⁴⁹](#), T. Wengler [id³⁶](#), N.S. Wenke [id¹¹⁰](#), N. Wermes [id²⁴](#), M. Wessels [id^{63a}](#), A.M. Wharton [id⁹¹](#),
 A.S. White [id⁶¹](#), A. White [id⁸](#), M.J. White [id¹](#), D. Whiteson [id¹⁵⁹](#), L. Wickremasinghe [id¹²⁴](#),

W. Wiedenmann ¹⁷⁰, M. Wielers ¹³⁴, C. Wiglesworth ⁴², D.J. Wilbern¹²⁰, H.G. Wilkens ³⁶, D.M. Williams ⁴¹, H.H. Williams¹²⁸, S. Williams ³², S. Willocq ¹⁰³, B.J. Wilson ¹⁰¹, P.J. Windischhofer ³⁹, F.I. Winkel ³⁰, F. Winklmeier ¹²³, B.T. Winter ⁵⁴, J.K. Winter ¹⁰¹, M. Wittgen¹⁴³, M. Wobisch ⁹⁷, Z. Wolffs ¹¹⁴, J. Wollrath¹⁵⁹, M.W. Wolter ⁸⁷, H. Wolters ^{130a,130c}, A.F. Wongel ⁴⁸, E.L. Woodward ⁴¹, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁷, K.W. Woźniak ⁸⁷, S. Wozniowski ⁵⁵, K. Wraight ⁵⁹, C. Wu ²⁰, J. Wu ^{14a,14e}, M. Wu ^{64a}, M. Wu ¹¹³, S.L. Wu ¹⁷⁰, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ¹³⁵, J. Wuerzinger ^{110,ae}, T.R. Wyatt ¹⁰¹, B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14e}, A. Xiong ¹²³, J. Xiong ^{17a}, D. Xu ^{14a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁸, T. Xu ¹⁰⁶, Y. Xu ^{14b}, Z. Xu ⁵², Z. Xu^{14c}, B. Yabsley ¹⁴⁷, S. Yacoob ^{33a}, Y. Yamaguchi ¹⁵⁴, E. Yamashita ¹⁵³, H. Yamauchi ¹⁵⁷, T. Yamazaki ^{17a}, Y. Yamazaki ⁸⁵, J. Yan^{62c}, S. Yan ¹²⁶, Z. Yan ²⁵, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ³⁶, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang^{62a}, Z. Yang ^{62a}, W-M. Yao ^{17a}, Y.C. Yap ⁴⁸, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ^{14a}, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁶, I. Yeletsikh ³⁸, B.K. Yeo ^{17b}, M.R. Yexley ⁹⁶, P. Yin ⁴¹, K. Yorita ¹⁶⁸, S. Younas ^{27b}, C.J.S. Young ³⁶, C. Young ¹⁴³, C. Yu ^{14a,14e,ai}, Y. Yu ^{62a}, M. Yuan ¹⁰⁶, R. Yuan ^{62b}, L. Yue ⁹⁶, M. Zaazoua ^{62a}, B. Zabinski ⁸⁷, E. Zaid⁵², Z.K. Zak ⁸⁷, T. Zakareishvili ^{149b}, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{137d,137b}, J. Zang ¹⁵³, D. Zanzi ⁵⁴, O. Zaplatilek ¹³², C. Zeitnitz ¹⁷¹, H. Zeng ^{14a}, J.C. Zeng ¹⁶², D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁴, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e}, B. Zhang ^{14c}, D.F. Zhang ¹³⁹, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{14c}, P. Zhang ^{14a,14e}, R. Zhang ¹⁷⁰, S. Zhang ¹⁰⁶, S. Zhang ⁴⁴, T. Zhang ¹⁵³, X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5}, Y. Zhang ⁹⁶, Y. Zhang ^{14c}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁸, T. Zhao ^{62b}, Y. Zhao ¹³⁶, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, J. Zheng ^{14c}, K. Zheng ¹⁶², X. Zheng ^{62a}, Z. Zheng ¹⁴³, D. Zhong ¹⁶², B. Zhou ¹⁰⁶, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ^{14c}, Y. Zhou⁷, C.G. Zhu ^{62b}, J. Zhu ¹⁰⁶, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, V. Zhulanov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴¹, L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁶¹, T.G. Zorbas ¹³⁹, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (^b)Physics Department, Tsinghua University, Beijing; (^c)Department of Physics, Nanjing University, Nanjing; (^d)School of Science, Shenzhen Campus of Sun Yat-sen University; (^e)University of Chinese Academy of Science (UCAS), Beijing; China.

- ¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.
- ¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.
- ¹⁷(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA;(^b)University of California, Berkeley CA; United States of America.
- ¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- ¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²¹(^a)Department of Physics, Bogazici University, Istanbul;(^b)Department of Physics Engineering, Gaziantep University, Gaziantep;(^c)Department of Physics, Istanbul University, Istanbul; Türkiye.
- ²²(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;(^b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²³(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;(^b)INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁷(^a)Transilvania University of Brasov, Brasov;(^b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;(^c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;(^d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;(^e)University Politehnica Bucharest, Bucharest;(^f)West University in Timisoara, Timisoara;(^g)Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁸(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;(^b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³³(^a)Department of Physics, University of Cape Town, Cape Town;(^b)iThemba Labs, Western Cape;(^c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;(^d)National Institute of Physics, University of the Philippines Diliman (Philippines);(^e)University of South Africa, Department of Physics, Pretoria;(^f)University of Zululand, KwaDlangezwa;(^g)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁵(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;(^b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;(^c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;(^d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;(^e)Faculté des sciences, Université Mohammed V, Rabat;(^f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.

- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(^a)Dipartimento di Fisica, Università della Calabria, Rende; (^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁷(^a)Department of Physics, Stockholm University; (^b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁷(^a)Dipartimento di Fisica, Università di Genova, Genova; (^b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶²(^a)Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d)Tsung-Dao Lee Institute, Shanghai; (^e)School of Physics and Microelectronics, Zhengzhou University; China.
- ⁶³(^a)Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁴(^a)Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b)Department of Physics, University of Hong Kong, Hong Kong; (^c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹(^a)INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b)ICTP, Trieste; (^c)Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷⁰(^a)INFN Sezione di Lecce; (^b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷¹(^a)INFN Sezione di Milano; (^b)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷²(^a)INFN Sezione di Napoli; (^b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷³(^a)INFN Sezione di Pavia; (^b)Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁴(^a)INFN Sezione di Pisa; (^b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁵(^a)INFN Sezione di Roma; (^b)Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁶(^a)INFN Sezione di Roma Tor Vergata; (^b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.

- ⁷⁷(*a*) INFN Sezione di Roma Tre; (*b*) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁸(*a*) INFN-TIFPA; (*b*) Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸²Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸³(*a*) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (*b*) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (*c*) Instituto de Física, Universidade de São Paulo, São Paulo; (*d*) Rio de Janeiro State University, Rio de Janeiro; Brazil.
- ⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁶(*a*) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (*b*) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁹⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹¹Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹²Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹³Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁴School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁵Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁶Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁷Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁸Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁹Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰⁰Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰¹School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰²CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰³Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁴Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁵School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁶Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁷Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁸Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹⁰Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹¹Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹²Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹³Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.

- ¹¹⁴Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁵Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁶(^a)New York University Abu Dhabi, Abu Dhabi;(^b)United Arab Emirates University, Al Ain; United Arab Emirates.
- ¹¹⁷Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁸Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁹Ohio State University, Columbus OH; United States of America.
- ¹²⁰Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²¹Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²²Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²³Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁴Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁵Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁶Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁷LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁸Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁹Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³⁰(^a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;(^b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;(^c)Departamento de Física, Universidade de Coimbra, Coimbra;(^d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;(^e)Departamento de Física, Universidade do Minho, Braga;(^f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);(^g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³¹Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³²Czech Technical University in Prague, Prague; Czech Republic.
- ¹³³Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁴Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁵IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁶Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁷(^a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;(^b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;(^c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;(^d)Universidad Andres Bello, Department of Physics, Santiago;(^e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;(^f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁸Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁹Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴⁰Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴¹Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴²Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴³SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴⁴Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

- ¹⁴⁵Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁶Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁷School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁸Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁴⁹^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.
- ¹⁵⁰Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵¹Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵²Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵³International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁴Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁵Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁶^(a)TRIUMF, Vancouver BC;^(b)Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁷Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁸Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁵⁹Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶⁰University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶¹Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶²Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶³Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁴Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁵Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁶Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁷Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁸Waseda University, Tokyo; Japan.
- ¹⁶⁹Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷⁰Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷¹Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷²Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for High Energy Physics, Peking University; China.
- ^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^g Also at CERN, Geneva; Switzerland.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

- ^k Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- ^l Also at Department of Physics, California State University, Sacramento; United States of America.
- ^m Also at Department of Physics, King's College London, London; United Kingdom.
- ⁿ Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^o Also at Department of Physics, Stellenbosch University; South Africa.
- ^p Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^q Also at Department of Physics, University of Thessaly; Greece.
- ^r Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^s Also at Hellenic Open University, Patras; Greece.
- ^t Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^v Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^w Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ^x Also at Institute of Particle Physics (IPP); Canada.
- ^y Also at Institute of Physics and Technology, Ulaanbaatar; Mongolia.
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{aa} Also at Institute of Theoretical Physics, Iliia State University, Tbilisi; Georgia.
- ^{ab} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ^{ac} Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{ae} Also at Technical University of Munich, Munich; Germany.
- ^{af} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ag} Also at TRIUMF, Vancouver BC; Canada.
- ^{ah} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{ai} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- ^{aj} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{ak} Also at Washington College, Chestertown, MD; United States of America.
- ^{al} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased