Simultaneous Unbinned Differential Cross-Section Measurement of Twenty-Four $Z +$ jets Kinematic Observables with the ATLAS Detector

G. Aad *et al.*[*]

(ATLAS Collaboration)

Z boson events at the Large Hadron Collider can be selected with high purity and are sensitive to a diverse range of QCD phenomena. As a result, these events are often used to probe the nature of the strong force, improve Monte Carlo event generators, and search for deviations from standard model predictions. All previous measurements of Z boson production characterize the event properties using a small number of observables and present the results as differential cross sections in predetermined bins. In this analysis, a machine learning method called OMNIFOLD is used to produce a simultaneous measurement of twenty-four $Z +$ jets observables using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13$ TeV collected with the ATLAS detector. Unlike any previous fiducial differential cross-section measurement, this result is presented unbinned as a dataset of particle-level events, allowing for flexible reuse in a variety of contexts and for new observables to be constructed from the twenty-four measured observables.

The production of Z bosons is a standard candle process at the Large Hadron Collider (LHC), used for various purposes, such as precision tests of the standard model, detector calibration, and testing new analysis methods. The large $pp \to Z + X$ cross section, in combination with the easily identifiable $Z \to \ell\ell$ decay (with $\ell \in \{e, \mu\}$), makes it possible to collect event samples with high purity and efficiency. When the Z boson is produced at large transverse momentum, it is usually accompanied by an associated hadronic recoil that is collimated into one or more jets. Measurements of $Z +$ jets production are crucial for many purposes, including powerful tests of perturbative quantum chromodynamics (QCD) [1–5] and improvements of the parameters used in parton shower Monte Carlo calculations [6,7] and tunes of the underlying event [8,9].

Numerous measurements of $Z +$ jets production that probe the kinematic properties of the Z boson and the associated jets were performed at the Tevatron [10,11] and at the LHC [12–20], including several dedicated measurements of the internal structure of the associated jets [21–24]. Each of these measurements takes the form of a binned fiducial differential cross section at the particle level by fully correcting for detector effects using *unfolding* methods [25–27].

The most widely used unfolding methods employ forms of regularized matrix inversion [28–30]. This analysis presents developments that address four features of traditional unfolding techniques that potentially limit the future utility of the published data. First, the target observables must be specified prior to unfolding and cannot be changed after the measurement. Second, the binning of the observables must be fixed at the start of the measurement. Third, due to the binned nature of existing techniques, most measurements are done as a function of a single observable, and only occasionally in bins of two or three observables (e.g., Refs. [31–34]). Finally, existing methods can have large uncertainties associated with biases in the detector response due to mismodeling by the Monte Carlo simulation of observables other than the ones directly measured.

Recently proposed machine learning methods address these challenges directly [35,36]. Such methods use discriminative [35,37–42] or generative [43–51] neural networks (NNs) to readily process dozens of input observables in an unbinned manner. One discriminative approach is OMNIFOLD [39,40], an iterative method that generalizes to unbinned data the widely used Lucy-Richardson deconvolution approach [52,53] (also known as iterative Bayesian unfolding or IBU [28]). This method has recently been applied to perform the first unbinned studies [54] of hadronic final states with data from H1 [55,56], LHCb [57], CMS [58], and STAR [59]. OMNIFOLD learns a correction (assigned as event weights) to an initial set of simulated events instead of the more difficult task of learning to produce new events, as is done in generative approaches. As these methods are multidimensional, they

---

[*]Full author list given at the end of the Letter.

can better account for variable dependency of the detector response that improves the measurement precision.

This Letter presents unbinned differential cross sections for Z + jets events in the dimuon channel $Z/\gamma^* \to \mu\mu$ using the OMNIFOLD method. The result constitutes a precision measurement in its own right, with multiple novel use cases as described below, and also serves as a proof-of-principle application of the OMNIFOLD method to provide an unbinned, high-dimensional measurement with full covariance for public use. The analysis is performed using the full Run 2 proton-proton dataset collected by the ATLAS detector [60] at $\sqrt{s} = 13$ TeV, corresponding to an integrated luminosity of $\mathcal{L} = 139$ fb^{-1}. The measurements are at the particle level, defined by final-state stable particles with mean lifetime satisfying $c\tau > 10$ mm. The fiducial volume requires two muons not originating from the decay of hadrons that each satisfy transverse momenta $p_T > 25$ GeV and $|\eta| < 2.5$ [61]. The final-state muon is "dressed," such that collinear radiation of photons within a cone of $\Delta R = 0.1$ are added to its four momentum. The muons are further required to have opposite charges, dimuon invariant mass $m_{\mu\mu} \in (81, 101)$ GeV, and $p_T^{\mu\mu} > 200$ GeV. The last criterion selects an unbiased sample of high-p_T jets, allowing jet properties to be probed in a previously underexplored kinematic regime, and reduces the size of the dataset, which simplifies the computational challenge for the unfolding method. The jets are reconstructed from charged particles with $p_T > 0.5$ GeV and $|\eta| < 2.5$ using the anti-k_t algorithm [62,63] with $R = 0.4$; charged particles corresponding to prompt leptons, such as muons from $Z \to \mu\mu$, are excluded from the jet finding. Charged particles are used due to the precision with which they can be measured and the availability of full uncertainties. No additional acceptance requirements are placed on the jets, as these are implicitly set by the charged particle selection criteria. The 24 measured event observables are (i) $p_T^{\mu\mu}$ and $y_{\mu\mu}$ of the dimuon system that probe the Z boson production kinematics; (ii) the kinematics of the two muons defined by $p_T^{\mu1}$, $p_T^{\mu2}$, $\eta_{\mu1}$, $\eta_{\mu2}$, $\phi_{\mu1}$, $\phi_{\mu2}$, which probe the Z boson decay kinematics; (iii) the kinematics of the two leading charged particle jets defined by p_T^{j1}, p_T^{j2}, y_{j1}, y_{j2}, ϕ_{j1}, and ϕ_{j2}; and (iv) the masses (m_{j1}, m_{j2}), charged particle multiplicities (n_{ch}^{j1}, n_{ch}^{j2}) and N-subjettiness quantities τ_1^{j1}, τ_1^{j2}, τ_2^{j1}, τ_2^{j2}, τ_3^{j1} and τ_3^{j2} [64,65] that probe the substructure of the two leading charged particle jets.

There is a significant overlap in observables between the OMNIFOLD analysis and the ones used to produce the ATLAS A14 parameter set (tune) [8] of the PYTHIA event generator [66,67]. A natural application of this measurement would hence be to create precise event generator tunes improving the modeling of the parton showers, hadronization and the underlying event. Other uses could include studies of jet substructure and jet flavor; for example,

selecting jets back to back with the Z boson should yield quarklike jets, while wide angle radiation would give more gluonlike jets. Since the measurement is unbinned and probes a wide p_T range of jets, it is straightforward to switch between observables and study various quantities as a function of other quantities (e.g., jet m vs p_T, n_{ch}^{j1} vs y_{j1}, etc.).

The ATLAS detector has forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle. It includes an inner detector (ID) for charged particle tracking covering $|\eta| < 2.5$ surrounded by a thin solenoid providing an axial field of 2 T, electromagnetic and hadron calorimeters, and a muon spectrometer (MS). A two-level trigger system is used to select events [68]. An extensive software suite [69] is used for all aspects of data collection, curation, and analysis.

Data events are collected using single-muon triggers [70]. Muons are reconstructed by matching charged particle tracks in the ID and MS, accounting for energy loss in the calorimeters [71]. They are required to fulfill *medium* identification criteria and *PflowLoose* isolation [71], and must satisfy $|d_0|/\sigma_{d_0} < 3$ and $|z_0 \sin(\theta)| < 0.5$ mm for their transverse and longitudinal distances to the point of closest approach to the beam spot, ensuring that they originate from the interaction vertex, i.e., the primary vertex with the highest sum of associated track p_T^2. Charged particle tracks used for jet building are required to fulfill *loose* quality criteria, a *tight* track-to-vertex matching criterion [72], and must not be used by the selected muons. Identical kinematic requirements are applied to the reconstructed quantities as those used to define the particle-level fiducial volume.

Monte Carlo (MC) simulated samples are used to provide theoretical predictions both at the reconstructed and particle level, and to perform the unfolding. Most Z + jets events that satisfy the selection originate from the Drell-Yan process. Two MC samples are used to model this process: a nominal prediction is provided by MADGRAPH5_AMC@NLO2.6.5 [73–75] interfaced to PYTHIA8.240 (denoted MADGRAPH in the following), and SHERPA2.2.11 [75,76] provides an alternative. Both samples use the NNPDF3.0NNLO parton distribution functions (PDF) set [77]; additional details for these samples are given in Ref. [75]. Contributions from electroweak production of Z + jets are provided using HERWIG7.2 [78,79] interfaced with VBFNLO v3.0.0 [80] using the MMHT2014LO PDF set [81]. Diboson $ZV \to Zjj$ production is modeled at NLO accuracy by SHERPA2.2.1 or 2.2.2 [76] using NNPDF3.0NNLO. Background contributions from top processes ($t\bar{t}$, tV, single top) are modeled by POWHEGv2 [82] interfaced to PYTHIA8.230. The detector response is simulated using a dedicated GEANT4-based model [83] of the ATLAS detector [84]. Simulated inelastic minimum-bias events are overlaid to model additional pp collisions in the same and neighboring bunch crossings

("pileup") [84]. Simulated events are reconstructed using the same procedure as for data.

After the event selection, a pure $Z +$ jets signal sample is obtained with a composition of about 95% Drell-Yan, 3% diboson (primarily $ZV \to \mu\mu jj$), and 2% electroweak Zjj. The fraction of non-Drell-Yan $Z +$ jets increases with $p_T^{\mu\mu}$ and reaches about 10% at $p_T^{\mu\mu} > 500$ GeV. The fraction of diboson events is also sensitive to m_{j1}, and reaches ~8% for $m_{j1} > 45$ GeV. The analysis measures inclusive $Z +$ jets production and makes no attempt to separate these processes. Only the Drell-Yan production is used in the simulation for the unfolding itself, and the full difference between this and the result in which all $Z +$ jets are included is found to be small and taken as a conservative estimate of the process composition uncertainty. Backgrounds of about 0.2% arise due to the top processes (mostly $t\bar{t} \to \mu\mu\nu\nu jj$ and $tW \to \mu\mu\nu jj$). Contributions from events without two muons from the hard scatter are found to be negligible. The top background increases in regions with significant jet activity and is estimated to be ~2% for both $p_T^{j1} > 300$ GeV and $n_{ch}^{j1} > 25$. As the background is small, it is not subtracted in the measurement; an estimate of its contribution is instead assigned as an uncertainty.

The OMNIFOLD-based unfolding produces event weights that are applied to the MADGRAPH Drell-Yan $Z +$ jets sample at particle level (see the Appendix). The number of iterations was fixed to five following a dedicated study that found unfolding performance plateaued around that number. The analysis is performed in a phase space slightly larger ($p_T^{\mu\mu} > 190$ GeV) than the fiducial volume ($p_T^{\mu\mu} > 200$ GeV) in order to reduce migration uncertainties, which also includes the final normalization of the results such that it provides fiducial cross sections, σ_{fid}. During this step, all OMNIFOLD weights are scaled by a constant to fulfill the relation $\mathcal{L}\sigma_{fid}\varepsilon/f_{fid} = n_{data}$, where the overall efficiency ε and fiducial factor f_{fid} is evaluated using the same MC as used for unfolding, and n_{data} is the data count. After normalization, the sum of weights in any subset of the OMNIFOLD dataset can be interpreted as an estimate of its associated cross section. The final output of OMNIFOLD is the original particle-level simulated event sample with additional event weights that can be used to define measurements of the cross section of fiducial subregions (bins) defined by the 24 observables subject to the precision of the measurement. This includes differential cross sections of any of the 24 input variables or any combinations of those observables.

All NNs are constructed in TensorFlow [85,86], with three hidden layers of 200 nodes each with rectified linear unit (ReLU) [87] activation functions and a sigmoid final activation function. Two main challenges were faced regarding obtaining reliable and accurate NN outputs. The first is regarding MC event weights of the input samples, which initially had a large spread and often were

negative that causes issues for the performance. This is addressed by preprocessing the MC sample such that negative weights are removed and the spread of weights is reduced as described in Ref. [88]. The second challenge is intrinsic to the NNs themselves, as the classifier output can vary slightly due to the randomly initialized starting weights. To stabilize the result, an ensemble of 100 NNs are created for each training, and the weight is taken as the median of the 100 NN weights.

Uncertainties on the unfolded result are evaluated using error propagation. Perturbations are introduced to the input samples by an amount commensurate with the uncertainty variation in question, and the full analysis (unfolding and normalization) is repeated, resulting in OMNIFOLD weights that differ from the nominal weights. The measurement central value is obtained with the nominal weight, and a total of 250 variation weights, each used to estimate the uncertainty.

Systematic uncertainties are split into 25 components that are each treated as independent. Experimental sources of uncertainty include systematic bias due to the following: the muon efficiency and calibration [71], track reconstruction [72], pileup modeling, and the luminosity measurement [89]. Theoretical uncertainties are evaluated for variations of PDF and α_s choices [75], QCD scales [75], and the generator tune [9]. Imperfections inherent to the choice of Monte Carlo simulation contribute to two sources of systematic uncertainty: the sensitivity to differences in the underlying truth distribution of the measured observables and the sensitivity to mismodeling of detector effects by the Monte Carlo generator that are not captured by the chosen input variables. The uncertainty ("unfolding prior") for the imperfect particle-level shape of the initial MC sample is assessed by reweighting the nominal MC sample at particle level such that it approximately agrees with data for the 24 observables. This reweighting function is constructed using a sequence of one-dimensional Gaussian-kernel functions, iteratively obtained from the data-to-MC ratio. The obtained data-driven correction is applied to the MC to obtain an "Asimov dataset" used as the input to the measurement, and the difference between the resulting measurement and the corresponding reweighted particle level MC is taken as the uncertainty. An uncertainty in the top-quark background is assessed as the full difference between measurements performed using two Asimov datasets constructed from MC predictions with and without the top-quark contribution. To assess the dependence on the detector response from modeling of features not included in the unfolding ("hidden variable uncertainty"), the measurement is performed with the alternative Drell-Yan MC sample with the particle-level shape of the 24 observables adjusted to match the nominal MC sample (see also [90–92] for similar procedures). Similarly, modeling of the non-Drell-Yan components (EW Zjj and ZV) are assessed as the full difference by performing the measurement with

FIG. 1. Measured differential cross sections compared with particle-level predictions from SHERPA and MADGRAPH for two of the 24 directly measured observables: (a) $p_T^{\mu\mu}$ with its (b) associated uncertainty breakdown, and (c) m_{j1} with its (d) associated uncertainty breakdown. For display purposes, binned (marginal) distributions are shown, though the measurement itself is unbinned and 24 dimensional.

and without these components added. Both of these variations are provided as separate event datasets that provided varied measurements (two-point uncertainties).

Four types of stochastic uncertainties are assessed: statistical uncertainties on the data and the MC training sets are each assessed by bootstrapping [93] (100 and 25 weights, respectively); an uncertainty due to the NN stability is calculated from the standard error on the median of weights of the 100 individual NNs; and an additional uncertainty is assigned for the limited statistics of the nominal event dataset. Overall, the total uncertainty in most bins chosen to illustrate the final measurement is between 3% and 5%, but can grow as large as 15% in tails of distributions. The unfolding uncertainty from the unfolding prior and hidden variables tends to be the dominant contributor for many observables, in particular for the ten jet substructure variables [see Fig. 1(d)].

The measured differential cross sections of $p_T^{\mu\mu}$ and m_{j1}, in comparison with two MC predictions, are shown in Fig. 1 along with breakdowns of the associated measurement uncertainties. Plots of the measured spectra, associated uncertainty breakdown, and correlation matrices for all of the 24 directly measured observables are provided as Supplemental Material [94]. The total fiducial measured

cross section is 1808 ± 42 fb. The differential measurements are significantly more precise than the predictions, in particular with respect to SHERPA. MADGRAPH generally models the data better than SHERPA, except for τ_1^{j2}, τ_2^{j2} and τ_3^{j2}. The measurement is publicly available as event datasets that contain the 24 observables and a series of event weights that define the measurement and systematic uncertainties via Refs. [95,96].

Figure 2 presents additional results constructed from the nominal measurement that highlight its flexibility of use. Figures 2(a)–2(c) show the differential cross sections of "derived" variables that were not directly unfolded, namely $\tau_{21} = \tau_2/\tau_1$ (the most widely used observable for hadronic W/Z boson identification [64,65]) and $\Delta R(\ell\ell, j1)$ (sensitive to higher-order effects). These observables are functions of two and eight of the 24 input variables, respectively. In the inclusive region, τ_{21} is not infrared and collinear (IRC) safe and therefore has no fixed-order perturbative expansion in α_S. It has been shown [97] that τ_{21} becomes IRC safe when applying a requirement on τ_1, and Fig. 2(b) shows an unprecedented measurement of τ_{21} in an IRC-safe fiducial volume defined by $\tau_1^{j1} > 0.1$. Figure 2(d) shows a measurement of the average m_{j1} in bins

FIG. 2. Four measurements of quantities constructed from several of the 24 input observables, along with particle-level predictions from SHERPA and MADGRAPH: the jet substructure observable $\tau_{21}^{j1} = \tau_2^{j1}/\tau_1^{j1}$ in (a) the inclusive region and (b) the reduced region defined by $\tau_1^{j1} > 0.1$; (c) ΔR between the dilepton system and the leading jet; and (d) the average m_{j1} as a function of p_T^{j1}.

of p_T^{j1}, providing an example of a distribution useful for MC tuning. All of the derived observables can be calculated from the OMNIFOLD data event by event and be used to define bins with associated cross sections and uncertainties, just as for any of the 24 input variables.

The analysis was validated using a "pseudodata" sample constructed by reweighting the particle-level quantities in the alternative MC sample to resemble the real reconstruction-level data. Two such samples were generated: a high-statistics sample with weighted events and a datalike sample with unit weights obtained by bootstrapping the former sample. The full analysis was performed on the unit-weight pseudodataset, and the unfolding bias uncertainty was evaluated by assessing the closure between the OMNIFOLD result with the particle-level target. Chi-squared compatibility tests between the obtained measurements and the known underlying particle-level distributions for each of the $24 + 2$ observables all yielded p values > 0.07, except for $p_T^{j_1}$, with a p value of 0.038. A full analysis of the pseudodataset was also performed using IBU, where each observable was measured individually with the same binning and input data. The central values of the IBU measurements agree well within precision with the OMNIFOLD result. The IBU experimental, theoretical, unfolding, and statistical uncertainty components are also similar to those of the OMNIFOLD measurement in magnitude, shape, and resulting covariance. IBU also demonstrates a very similar performance in the closure test against the target. The total uncertainty was found overall to be similar, but tends to be somewhat larger for the OMNIFOLD measurement, primarily due to the NN initialization uncertainty that does not apply to IBU. The average bin uncertainty across all 24 observables was found to be 3.0% for IBU and 3.9% for OMNIFOLD. The uncertainty due to hidden variables does decrease for certain variables, but not generally, which is likely an indication that the detector response is not strongly covariate with the variables used for this measurement.

The OMNIFOLD result was then validated by performing χ^2 tests of differential spectra in dedicated kinematic subregions: high $p_T^{\mu\mu}$ ($p_T^{\mu\mu} > 250$ GeV), electroweak-enhanced ($m_{jj} > 200$ GeV, $\Delta y_{jj} > 2$), and diboson-enhanced ($m_{j1} > 32$ GeV). Chi-squared tests were performed against the pseudodata target within each subregion for all measured and several derived observables. All results yielded p values greater than 0.05, except for one observable (m_{j1}) in the electroweak-enhanced region, which had a p value of 0.02. The result was also validated in two-dimensional kinematic subregions, e.g., for $p_T^{\mu\mu}$ vs $y_{\mu\mu}$, with p values > 0.05. Ablation studies on the input variables were performed to understand the effect of removing one or two variables from the unfolding procedure. These tests indicated that apart from a small number of cases in which critical variables including m_{j1}, m_{j2}, p_T^{j1}, and p_T^{j2} were removed, removing almost any of the other twenty-four input variables still yielded excellent agreement within the quoted unfolding uncertainties. Stress tests were also performed to ensure the result is robust to nontrivial distortions. These included randomly and deterministically shifting and stretching the input spectra. No significant bias in the final result was observed.

The results of the validation tests were used to define a set of recommendations on how to use the provided datasets based on phase space coverage in data and simulation. The OMNIFOLD results are entirely unbinned, so the chosen binning is for presentation purposes only and is configurable. When choosing bins, certain best practices are recommended to help ensure that the number of MC and data events per bin yield sufficient support for the unfolding and stable uncertainties. These recommendations are detailed in the User Guide found in Supplemental Material [94], and examples of use are provided in the interactive PYTHON notebooks associated with the published unbinned datasets [95].

In conclusion, this Letter presents an unbinned unfolded cross-section measurement of $Z +$ jets events using 139 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13$ TeV collected with the ATLAS detector at the LHC. The 24 observables treated in this analysis are simultaneously unfolded using the machine learning method OMNIFOLD. These results demonstrate that collider data can be unfolded in an unbinned manner and that the result can be reanalyzed at the event level, allowing researchers significant increased utility such as adjusting binning and constructing new observables from the 24 provided ones. This flexibility makes it possible to probe kinematic regimes and observables not originally foreseen, which can enable numerous physics use cases including strong tests of QCD and detailed tuning of MC event generators.

---

[1] S. D. Drell and T.-M. Yan, Massive lepton-pair production in hadron-hadron collisions at high energies, Phys. Rev. Lett. **25**, 316 (1970); **25**, 902(E) (1970).

[2] R. Hamberg, W. L. van Neerven, and T. Matsuura, A complete calculation of the order α_s^2 correction to the Drell-Yan K-factor, Nucl. Phys. **B359**, 343 (1991); **B644**, 403(E) (2002).

[3] K. Melnikov and F. Petriello, Electroweak gauge boson production at hadron colliders through $\mathcal{O}(\alpha_s^2)$, Phys. Rev. D **74**, 114017 (2006).

[4] D. J. Gross and F. Wilczek, Asymptotically free gauge theories. I, Phys. Rev. D **8**, 3633 (1973).

[5] H. David Politzer, Asymptotic freedom: An approach to strong interactions, Phys. Rep. **14**, 129 (1974).

[6] A. J. Larkoski, I. Moult, and B. Nachman, Jet substructure at the Large Hadron Collider: A review of recent advances in theory and machine learning, Phys. Rep. **841**, 1 (2020).

[7] R. Kogler *et al.*, Jet substructure at the Large Hadron Collider, Rev. Mod. Phys. **91**, 045003 (2019).

[8] ATLAS Collaboration, ATLAS PYTHIA8 tunes to 7 TeV data, Report No. ATL-PHYS-PUB-2014-021, 2014, https://cds.cern.ch/record/1966419.

[9] ATLAS Collaboration, Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, J. High Energy Phys. 09 (2014) 145.

[10] CDF Collaboration, Measurement of differential production cross sections for Z/γ^* bosons in association with jets in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Rev. D **91**, 012002 (2015).

[11] Dø Collaboration, Measurement of $Z/\gamma^* + $ jet $+ X$ angular distributions in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV, Phys. Lett. B **682**, 370 (2010).

[12] ATLAS Collaboration, Measurement of the production cross section of jets in association with a Z boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, J. High Energy Phys. 07 (2013) 032.

[13] ATLAS Collaboration, Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Eur. Phys. J. C **77**, 361 (2017).

[14] ATLAS Collaboration, Cross-section measurements for the production of a Z boson in association with high-transverse-momentum jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 06 (2023) 080.

[15] ATLAS Collaboration, Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS, Eur. Phys. J. C **81**, 163 (2021).

[16] CMS Collaboration, Measurements of jet multiplicity and differential production cross sections of $Z + $ jets events in proton-proton collisions at $\sqrt{s} = 7$ TeV, Phys. Rev. D **91**, 052008 (2015).

[17] CMS Collaboration, Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 04 (2017) 022.

[18] CMS Collaboration, Measurement of differential cross sections for the production of a Z boson in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. D **108**, 052004 (2023).

[19] CMS Collaboration, Electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **78**, 589 (2018).

[20] CMS Collaboration, Azimuthal correlations in $Z + $ jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **83**, 722 (2023).

[21] ATLAS Collaboration, Measurement of the k_t splitting scales in $Z \to \ell\ell$ events in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector, J. High Energy Phys. 08 (2017) 026.

[22] CMS Collaboration, Studies of jet mass in dijet and $W/Z + $ jet events, J. High Energy Phys. 05 (2013) 090.

[23] CMS Collaboration, Study of quark and gluon jet substructure in $Z + $ jet and dijet events from pp collisions, J. High Energy Phys. 01 (2022) 188.

[24] LHCb Collaboration, Measurement of charged hadron production in Z-tagged jets in proton-proton collisions at $\sqrt{s} = 8$ TeV, Phys. Rev. Lett. **123**, 232001 (2019).

[25] G. Cowan, A survey of unfolding methods for particle physics, Conf. Proc. C **0203181**, 248 (2002), https://inspirehep.net/literature/599644.

[26] V. Blobel, Unfolding, *Data Analysis in High Energy Physics: A Practical Guide to Statistical Methods* (Wiley-VCH, Weinheim, Germany, 2013), p. 187, ISBN: 978-3-527-41058-3, 978-3-527-65344-7, 978-3-527-65343-0.

[27] L. Brenner et al., Comparison of unfolding methods using RooFitUnfold, Int. J. Mod. Phys. A **35**, 2050145 (2020).

[28] G. D'Agostini, A multidimensional unfolding method based on Bayes' theorem, Nucl. Instrum. Methods Phys. Res., Sect. A **362**, 487 (1995).

[29] A. Höcker and V. Kartvelishvili, SVD approach to data unfolding, Nucl. Instrum. Methods Phys. Res., Sect. A **372**, 469 (1996).

[30] S. Schmitt, TUnfold: An algorithm for correcting migration effects in high energy physics, J. Instrum. **7**, T10003 (2012).

[31] ATLAS Collaboration, Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, J. High Energy Phys. 05 (2018) 195.

[32] ATLAS Collaboration, Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 12 (2017) 059.

[33] CMS Collaboration, Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13$ TeV, J. High Energy Phys. 11 (2018) 113.

[34] CMS Collaboration, Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV and constraints on parton distribution functions, Eur. Phys. J. C **77**, 746 (2017).

[35] A. Glazov, Machine learning as an instrument for data unfolding, arXiv:1712.01814.

[36] M. Arratia et al., Publishing unbinned differential cross section results, J. Instrum. **17**, P01024 (2022).

[37] M. Bunse, N. Piatkowski, T. Ruhe, W. Rhode, and K. Morik, Unification of deconvolution algorithms for Cherenkov astronomy, *Proceedings of the 5th International Conference on Data Science and Advanced Analytics (DSAA)* (IEEE, New York, 2018), p. 21.

[38] T. Ruhe et al., Mining for spectra—The Dortmund spectrum estimation algorithm, *Astronomical Data Analysis Software and Systems XXVI*, Vol. 521, Astronomical Society of the Pacific Conference Series (2019), p. 394, http://aspbooks.org/custom/publications/paper/521-0394.html.

[39] A. Andreassen, P. T. Komiske, E. M. Metodiev, B. Nachman, and J. Thaler, OMNIFOLD: A method to simultaneously unfold all observables, Phys. Rev. Lett. **124**, 182001 (2020).

[40] A. Andreassen et al., Scaffolding simulations with deep learning for high-dimensional deconvolution, arXiv:2105.04448.

[41] M. Arratia, D. Britzger, O. Long, and B. Nachman, Optimizing observables with machine learning for better unfolding, J. Instrum. **17**, P07009 (2022).

[42] J. Chan and B. Nachman, Unbinned profiled unfolding, Phys. Rev. D **108**, 016002 (2023).

[43] K. Datta, D. Kar, and D. Roy, Unfolding with generative adversarial networks, arXiv:1806.00433.

[44] M. Bellagente, A. Butter, G. Kasieczka, T. Plehn, and R. Winterhalder, How to GAN away detector effects, SciPost Phys. **8**, 070 (2020).

[45] M. Bellagente *et al.*, Invertible networks or partons to detector and back again, SciPost Phys. **9**, 074 (2020).

[46] M. Vandegar, M. Kagan, A. Wehenkel, and G. Louppe, Neural empirical Bayes: Source distribution estimation and its applications to simulation-based inference, arXiv:2011.05836.

[47] J. N. Howard, S. Mandt, D. Whiteson, and Y. Yang, Learning to simulate high energy particle collisions from unlabeled data, Sci. Rep. **12**, 7567 (2022).

[48] M. Backes, A. Butter, M. Dunford, and B. Malaescu, An unfolding method based on conditional invertible neural networks (cINN) using iterative training, SciPost Phys. Core **7**, 007 (2024).

[49] A. Shmakov *et al.*, End-to-end latent variational diffusion models for inverse problems in high energy physics, arXiv:2305.10399.

[50] T. Alghamdi *et al.*, Toward a generative modeling analysis of CLAS exclusive 2π photoproduction, Phys. Rev. D **108**, 094030 (2023).

[51] S. Diefenbacher, G.-H. Liu, V. Mikuni, B. Nachman, and W. Nie, Improving generative model-based unfolding with Schrödinger bridges, Phys. Rev. D **109**, 076011 (2024).

[52] L. B. Lucy, An iterative technique for the rectification of observed distributions, Astron. J. **79**, 745 (1974).

[53] W. H. Richardson, Bayesian-based iterative method of image restoration, J. Opt. Soc. Am. **62**, 55 (1972).

[54] While the unfolding is unbinned, the resulting cross sections in these studies are all released publicly in a binned format.

[55] H1 Collaboration, Measurement of lepton-jet correlation in deep-inelastic scattering with the H1 detector using machine learning for unfolding, Phys. Rev. Lett. **128**, 132002 (2022).

[56] H1 Collaboration, Unbinned deep learning jet substructure measurement in high Q2ep collisions at HERA, Phys. Lett. B **844**, 138101 (2023).

[57] LHCb Collaboration, Multidifferential study of identified charged hadron distributions in Z-tagged jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. D **108**, L031103 (2023).

[58] P. T. Komiske, S. Kryhin, and J. Thaler, Disentangling quarks and gluons in CMS open data, Phys. Rev. D **106**, 094021 (2022).

[59] Y. Song, Measurement of CollinearDrop jet mass and its correlation with SoftDrop groomed jet substructure observables in $\sqrt{s} = 200$ GeV pp collisions by STAR, arXiv:2307.07718.

[60] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. **3**, S08003 (2008).

[61] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z axis along the beam pipe. The x axis points from the IP to the center of the LHC ring, and the y axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta \equiv -\ln\tan(\theta/2)$ and is equal to the rapidity $y \equiv 0.5\ln\left[(E + p_z)/(E - p_z)\right]$ in the relativistic limit. Angular distance is measured in units of $\Delta R = \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$.

[62] M. Cacciari, G. P. Salam, and G. Soyez, The anti-k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063.

[63] M. Cacciari, G. P. Salam, and G. Soyez, FASTJET user manual, Eur. Phys. J. C **72**, 1896 (2012).

[64] J. Thaler and K. Van Tilburg, Identifying boosted objects with N-subjettiness, J. High Energy Phys. 03 (2011) 015.

[65] J. Thaler and K. Van Tilburg, Maximizing boosted top identification by minimizing N-subjettiness, J. High Energy Phys. 02 (2012) 093.

[66] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA8.1, Comput. Phys. Commun. **178**, 852 (2008).

[67] T. Sjöstrand *et al.*, An introduction to PYTHIA8.2, Comput. Phys. Commun. **191**, 159 (2015).

[68] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C **77**, 317 (2017).

[69] ATLAS Collaboration, Software and computing for Run 3 of the ATLAS experiment at the LHC, arXiv:2404.06335.

[70] ATLAS Collaboration, Performance of the ATLAS muon triggers in Run 2, J. Instrum. **15**, P09015 (2020).

[71] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **81**, 578 (2021).

[72] ATLAS Collaboration, Early inner detector tracking performance in the 2015 data at $\sqrt{s} = 13$ TeV, Report No. ATL-PHYS-PUB-2015-051, 2015, https://cds.cern.ch/record/2110140.

[73] J. Alwall *et al.*, The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079.

[74] R. Frederix and S. Frixione, Merging meets matching in MC@NLO, J. High Energy Phys. 12 (2012) 061.

[75] ATLAS Collaboration, Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment, J. High Energy Phys. 08 (2022) 089.

[76] E. Bothmann *et al.*, Event generation with SHERPA2.2, SciPost Phys. **7**, 034 (2019).

[77] R. D. Ball *et al.* (NNPDF Collaboration), Parton distributions for the LHC Run II, J. High Energy Phys. 04 (2015) 040.

[78] M. Bähr *et al.*, Herwig++ physics and manual, Eur. Phys. J. C **58**, 639 (2008).

[79] J. Bellm *et al.*, Herwig 7.2 release note, Eur. Phys. J. C **80**, 452 (2020).

[80] J. Baglio *et al.*, VBFNLO: A parton level Monte Carlo for processes with electroweak bosons—Manual for Version 2.7.0, arXiv:1107.4038.

[81] L. A. Harland-Lang, A. D. Martin, P. Motylinski, and R. S. Thorne, Parton distributions in the LHC era: MMHT 2014 PDFs, Eur. Phys. J. C **75**, 204 (2015).

[82] S. Alioli, P. Nason, C. Oleari, and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: The POWHEG BOX, J. High Energy Phys. 06 (2010) 043.

[83] S. Agostinelli *et al.*, GEANT4—a simulation toolkit, Nucl. Instrum. Methods Phys. Res., Sect. A **506**, 250 (2003).

[84] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C **70**, 823 (2010).

[85] M. Abadi *et al.*, TensorFlow: A system for large-scale machine learning, arXiv:1605.08695.

[86] M. Abadi *et al.*, TensorFlow: Large-scale machine learning on heterogeneous distributed systems, arXiv:1603.04467.

[87] A. F. Agarap, Deep learning using rectified linear units (ReLU), arXiv:1803.08375.

[88] B. Nachman and J. Thaler, Neural resampler for Monte Carlo reweighting with preserved uncertainties, Phys. Rev. D **102**, 076004 (2020).

[89] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, Report No. ATLAS-CONF-2019-021, 2019, https://cds.cern.ch/record/2677054.

[90] CMS Collaboration, Measurement of event shapes in minimum bias events from pp collisions at 13 TeV, Technical Report No. CMS-PAS-SMP-23-008, CERN, 2024, https://cds.cern.ch/record/2899591.

[91] ATLAS Collaboration, Precise measurements of W and Z transverse momentum spectra with the ATLAS detector at $\sqrt{s} = 5.02$ TeV and 13 TeV, Report No. ATLAS-CONF-2023-028, 2023, https://cds.cern.ch/record/2861057.

[92] ATLAS Collaboration, Measurement of the total and differential cross-sections of $t\bar{t}W$ production in pp collisions at 13 TeV with the ATLAS detector, Report No. AT-LAS-CONF-2023-019, 2023, https://cds.cern.ch/record/2855337.

[93] ATLAS Collaboration, Evaluating statistical uncertainties and correlations using the bootstrap method, Report No. ATL-PHYS-PUB-2021-011, 2021, https://cds.cern.ch/record/2759945.

[94] See Supplemental Material at http://link.aps.org/supplemental/10.1103/PhysRevLett.133.261803 for results of all $24 + 2$ observables and a User Guide for analyses using the public unbinned dataset.

[95] ATLAS Collaboration, $Z +$ jets OMNIFOLD Open Data (2024), https://gitlab.cern.ch/atlas-physics/public/sm-z-jets-omnifold-2024.

[96] ATLAS Collaboration, ATLAS OMNIFOLD 24-dimensional $Z +$ jets open data, Zenodo, 10.5281/zenodo.11507450 (2024).

[97] A. J. Larkoski and J. Thaler, Unsafe but calculable: Ratios of angularities in perturbative QCD, J. High Energy Phys. 09 (2013) 137.

[98] ATLAS Collaboration, ATLAS computing acknowledgements, Report No. ATL-SOFT-PUB-2023-001, 2023, https://cds.cern.ch/record/2869272.

[99] T. Hastie, R. Tibshirani, and J. Friedman, *The Elements of Statistical Learning*, Springer Series in Statistics (Springer New York Inc., New York, New York, USA, 2001).

[100] M. Sugiyama, T. Suzuki, and T. Kanamori, *Density Ratio Estimation in Machine Learning* (Cambridge University Press, Cambridge, England, 2012).

End Matter

Appendix—The OMNIFOLD method [39,40] is illustrated in Fig. 3 and briefly reviewed here. The approach takes two event samples as input: (1) an MC sample containing events with both particle-level ($\vec{x}_p$) and detector-level ($\vec{x}_r$) information, and (2) the reconstructed data, where $\vec{x}$ is a list of the 24 event-level observables: $\vec{x} = (p_T^{\mu\mu}, \ldots, \tau_3^{j2})$. The MC sample encodes information about the detector response such as energy and momentum resolution, particle and selection inefficiencies. The method is based on a multidimensional reweighting: at each step, a smooth weighting function is obtained using the event observables $\vec{x}$. First, it corrects reconstructed-level MC to match data with weights $\omega(\vec{x}_r)$. Next, an improved MC prediction is achieved by propagating $\omega(\vec{x}_r)$ to the particle level $\vec{x}_p$. Then, a new reweighting function $\nu(\vec{x}_p)$ is obtained by reweighting the particle-level prediction to the improved one from the previous step. It should be noted that $\nu(\vec{x}_p)$ itself does not rely on the detector level input, even if this was crucial in the derivation of it. Event weights defined by $\nu(\vec{x}_p)$ is then propagated back through the MC to the detector level, resulting in an improved prediction to the data compared to the initial MC. The method is repeated iteratively; the updated reweighting function becomes a product of the previous one until a predefined number of iterations are performed, when the method stops.

The reweighting functions used in OMNIFOLD are based on the output $f(\vec{x})$ of NNs trained with a weighted binary cross-entropy loss function:

$$\mathcal{L}[f(\vec{x})] = -\sum_{i \in A} w_i \log[f(\vec{x}_i)] - \sum_{i \in B} w_i \log[1 - f(\vec{x}_i)], \quad \text{(A1)}$$

where the w_i are event weights for datasets A and B, with associated (joint) probability densities $p_A(\vec{x})$ and $p_B(\vec{x})$. With this choice of loss function, the produced NN classifier $f(\vec{x})$ can be used to define the quantity $\omega(\vec{x}) \equiv f(\vec{x})/[1 - f(\vec{x})]$, which is known to asymptotically approach the likelihood ratio $p_A(\vec{x})/p_B(\vec{x})$ [99,100], assuming A and B are normalized to unity ($\sum_A w_i = \sum_B w_i = 1$). This quantity is used to perform the 24-dimensional shape reweighting in the first and third step of the OMNIFOLD method. The correction in the second and fourth step is applied to each event i in sample B by updating the event weights by $w_i \mapsto w_i \omega(\vec{x}_i)$.

In the first reweighting step of OMNIFOLD, Sample A is data and Sample B is detector-level MC simulation. Each event weight $w_i = 1$ for data, while for MC simulation, w_i

FIG. 3. Illustration of the OMNIFOLD method. First, MC is corrected to match data at the detector level. Second, particle-level MC is adjusted by propagating the learned correction through the MC using a weighting function $\omega(\vec{x}_r)$. Third, a new correction $\nu(\vec{x}_p)$ is learned based on particle-level quantities only. Finally, $\nu(\vec{x}_p)$ is propagated through the MC back to the detector level achieving an improved agreement to data. The method proceeds iteratively four more times, achieving a combined function $\nu(\vec{x}_p)$ that reweights the MC such that the event yields and kinematics match those observed in the data.

is initialized as the nominal MC sample weights. Both samples are normalized such that $\sum_i w_i = 1$, and the MC event weights are updated for each iteration as described above. In the second reweighting step of OMNIFOLD, Samples A and B both have the same events and kinematics $\vec{x}_p$, but the weights for A are taken as $\omega(\vec{x}_r)$ from the previous step. The reweighting then takes place using only particle-level quantities.

This analysis does not subtract the background as it is small $(< 0.25\%)$. A natural way to subtract backgrounds as

part of the OMNIFOLD procedure with nontrivial backgrounds would be to add negatively weighted MC events to the A dataset, such that in total, A corresponds to data with background subtracted [40]. The differential acceptance and efficiency are accounted for naturally by events satisfying one of the detector-level or particle-level event selections, but not both. Events that do not carry an updated weight from the previous step are assigned the average weight in their region of phase space x using Eq. (A1) [40].

G. Aad [104] E. Aakvaag [17] B. Abbott [123] S. Abdelhameed [119a] K. Abeling [56] N. J. Abicht [50] S. H. Abidi [30] M. Aboelela [45] A. Aboulhorma [36e] H. Abramowicz [155] H. Abreu [154] Y. Abulaiti [120] B. S. Acharya [70a,70b,b] A. Ackermann [64a] C. Adam Bourdarios [4] L. Adamczyk [87a] S. V. Addepalli [27] M. J. Addison [103] J. Adelman [118] A. Adiguzel [22c] T. Adye [137] A. A. Affolder [139] Y. Afik [40] M. N. Agaras [13] J. Agarwala [74a,74b] A. Aggarwal [102] C. Agheorghiesei [28c] F. Ahmadov [39,c] W. S. Ahmed [106] S. Ahuja [97] X. Ai [63e] G. Aielli [77a,77b] A. Aikot [166] M. Ait Tamlihat [36e] B. Aitbenchikh [36a] M. Akbiyik [102] T. P. A. Åkesson [100] A. V. Akimov [38] D. Akiyama [171] N. N. Akolkar [25] S. Aktas [22a] K. Al Khoury [42] G. L. Alberghi [24b] J. Albert [168] P. Albicocco [54] G. L. Albouy [61] S. Alderweireldt [53] Z. L. Alegria [124] M. Aleksa [37] I. N. Aleksandrov [39] C. Alexa [28b] T. Alexopoulos [10] F. Alfonsi [24b] M. Algren [57] M. Alhroob [170] B. Ali [135] H. M. J. Ali [93] S. Ali [32] S. W. Alibocus [94] M. Aliev [34c] G. Alimonti [72a] W. Alkakhi [56] C. Allaire [67] B. M. M. Allbrooke [150] J. F. Allen [53] C. A. Allendes Flores [140f] P. P. Allport [21] A. Aloisio [73a,73b] F. Alonso [92] C. Alpigiani [142] Z. M. K. Alsolami [93] M. Alvarez Estevez [101] A. Alvarez Fernandez [102] M. Alves Cardoso [57] M. G. Alviggi [73a,73b] M. Aly [103] Y. Amaral Coutinho [84b] A. Ambler [106] C. Amelung, [37] M. Amerl [103] C. G. Ames [111] D. Amidei [108] K. J. Amirie [158] S. P. Amor Dos Santos [133a] K. R. Amos [166] S. An, [85] V. Ananiev [128] C. Anastopoulos [143] T. Andeen [11] J. K. Anders [37] A. C. Anderson [60] S. Y. Andrean [48a,48b] A. Andreazza [72a,72b] S. Angelidakis [9] A. Angerami [42] A. V. Anisenkov [38] A. Annovi [75a] C. Antel [57] E. Antipov [149] M. Antonelli [54] F. Anulli [76a] M. Aoki [85] T. Aoki [157] M. A. Aparo [150] L. Aperio Bella [49] C. Appelt [19] A. Apyan [27] S. J. Arbiol Val [88] C. Arcangeletti [54] A. T. H. Arce [52] E. Arena [94] J-F. Arguin [110] S. Argyropoulos [55] J.-H. Arling [49] O. Arnaez [4] H. Arnold [149] G. Artoni [76a,76b] H. Asada [113] K. Asai [121] S. Asai [157] N. A. Asbah [37] R. A. Ashby Pickering [170] K. Assamagan [30] R. Astalos [29a] K. S. V. Astrand [100] S. Atashi [162] R. J. Atkin [34a] M. Atkinson, [165] H. Atmani [36f] P. A. Atmasiddha [131] K. Augsten [135] S. Auricchio [73a,73b] A. D. Auriol [21] V. A. Austrup [103] G. Avolio [37] K. Axiotis [57] G. Azuelos [110,d] D. Babal [29b] H. Bachacou [138] K. Bachas [156,e] A. Bachiu [35] F. Backman [48a,48b] A. Badea [40] T. M. Baer [108] P. Bagnaia [76a,76b] M. Bahmani [19] D. Bahner [55] K. Bai [126] J. T. Baines [137] L. Baines [96] O. K. Baker [175]

E. Bakos[16], D. Bakshi Gupta[8], L. E. Balabram Filho[84b], V. Balakrishnan[123], R. Balasubramanian[117]
E. M. Baldin[38], P. Balek[87a], E. Ballabene[24b,24a], F. Balli[138], L. M. Baltes[64a], W. K. Balunas[33], J. Balz[102]
I. Bamwidhi[119b], E. Banas[88], M. Bandieramonte[132], A. Bandyopadhyay[25], S. Bansal[25], L. Barak[155]
M. Barakat[49], E. L. Barberio[107], D. Barberis[58b,58a], M. Barbero[104], M. Z. Barel[117], K. N. Barends[34a]
T. Barillari[112], M-S. Barisits[37], T. Barklow[147], P. Baron[125], D. A. Baron Moreno[103], A. Baroncelli[63a]
G. Barone[30], A. J. Barr[129], J. D. Barr[98], F. Barreiro[101], J. Barreiro Guimarães da Costa[14], U. Barron[155]
M. G. Barros Teixeira[133a], S. Barsov[38], F. Bartels[64a], R. Bartoldus[147], A. E. Barton[93], P. Bartos[29a], A. Basan[102]
M. Baselga[50], A. Bassalat[67,f], M. J. Basso[159a], S. Bataju[45], R. Bate[167], R. L. Bates[60], S. Batlamous,[101]
B. Batool[145], M. Battaglia[139], D. Battulga[19], M. Bauce[76a,76b], M. Bauer[80], P. Bauer[25], L. T. Bazzano Hurrell[31]
J. B. Beacham[52], T. Beau[130], J. Y. Beaucamp[92], P. H. Beauchemin[161], P. Bechtle[25], H. P. Beck[20,g], K. Becker[170]
A. J. Beddall[83], V. A. Bednyakov[39], C. P. Bee[149], L. J. Beemster[16], T. A. Beermann[37], M. Begalli[84d], M. Begel[30]
A. Behera[149], J. K. Behr[49], J. F. Beirer[37], F. Beisiegel[25], M. Belfkir[119b], G. Bella[155], L. Bellagamba[24b]
A. Bellerive[35], P. Bellos[21], K. Beloborodov[38], D. Benchekroun[36a], F. Bendebba[36a], Y. Benhammou[155]
K. C. Benkendorfer[62], L. Beresford[49], M. Beretta[54], E. Bergeaas Kuutmann[164], N. Berger[4], B. Bergmann[135]
J. Beringer[18a], G. Bernardi[5], C. Bernius[147], F. U. Bernlochner[25], F. Bernon[37,104], A. Berrocal Guardia[13]
T. Berry[97], P. Berta[136], A. Berthold[51], S. Bethke[112], A. Betti[76a,76b], A. J. Bevan[96], N. K. Bhalla[55], S. Bhatta[149]
D. S. Bhattacharya[169], P. Bhattarai[147], K. D. Bhide[55], V. S. Bhopatkar[124], R. M. Bianchi[132], G. Bianco[24b,24a]
O. Biebel[111], R. Bielski[126], M. Biglietti[78a], C. S. Billingsley,[45] M. Bindi[56], A. Bingul[22b], C. Bini[76a,76b]
A. Biondini[94], G. A. Bird[33], M. Birman[172], M. Biros[136], S. Biryukov[150], T. Bisanz[50], E. Bisceglie[44b,44a]
J. P. Biswal[137], D. Biswas[145], I. Bloch[49], A. Blue[60], U. Blumenschein[96], J. Blumenthal[102], V. S. Bobrovnikov[38]
M. Boehler[55], B. Boehm[169], D. Bogavac[37], A. G. Bogdanchikov[38], C. Bohm[48a], V. Boisvert[97], P. Bokan[37]
T. Bold[87a], M. Bomben[5], M. Bona[96], M. Boonekamp[138], C. D. Booth[97], A. G. Borbély[60], I. S. Bordulev[38]
H. M. Borecka-Bielska[110], G. Borissov[93], D. Bortoletto[129], D. Boscherini[24b], M. Bosman[13], J. D. Bossio Sola[37]
K. Bouaouda[36a], N. Bouchhar[166], L. Boudet[4], J. Boudreau[132], E. V. Bouhova-Thacker[93], D. Boumediene[41]
R. Bouquet[58b,58a], A. Boveia[122], J. Boyd[37], D. Boye[30], I. R. Boyko[39], L. Bozianu[57], J. Bracinik[21], N. Brahimi[4]
G. Brandt[174], O. Brandt[33], F. Braren[49], B. Brau[105], J. E. Brau[126], R. Brener[172], L. Brenner[117], R. Brenner[164]
S. Bressler[172], G. Brianti[79a,79b], D. Britton[60], D. Britzger[112], I. Brock[25], R. Brock[109], G. Brooijmans[42]
E. M. Brooks[159b], E. Brost[30], L. M. Brown[168], L. E. Bruce[62], T. L. Bruckler[129], P. A. Bruckman de Renstrom[88]
B. Brüers[49], A. Bruni[24b], G. Bruni[24b], M. Bruschi[24b], N. Bruscino[76a,76b], T. Buanes[17], Q. Buat[142]
D. Buchin[112], A. G. Buckley[60], O. Bulekov[38], B. A. Bullard[147], S. Burdin[94], C. D. Burgard[50], A. M. Burger[37]
B. Burghgrave[8], O. Burlayenko[55], J. Burleson[165], J. T. P. Burr[33], J. C. Burzynski[146], E. L. Busch[42]
V. Büscher[102], P. J. Bussey[60], J. M. Butler[26], C. M. Buttar[60], J. M. Butterworth[98], W. Buttinger[137]
C. J. Buxo Vazquez[109], A. R. Buzykaev[38], S. Cabrera Urbán[166], L. Cadamuro[67], D. Caforio[59], H. Cai[132]
Y. Cai[14,114c], Y. Cai[114a], V. M. M. Cairo[37], O. Cakir[3a], N. Calace[37], P. Calafiura[18a], G. Calderini[130]
P. Calfayan[69], G. Callea[60], L. P. Caloba,[84b] D. Calvet[41], S. Calvet[41], M. Calvetti[75a,75b], R. Camacho Toro[130]
S. Camarda[37], D. Camarero Munoz[27], P. Camarri[77a,77b], M. T. Camerlingo[73a,73b], D. Cameron[37], C. Camincher[168]
M. Campanelli[98], A. Camplani[43], V. Canale[73a,73b], A. C. Canbay[3a], E. Canonero[97], J. Cantero[166], Y. Cao[165]
F. Capocasa[27], M. Capua[44b,44a], A. Carbone[72a,72b], R. Cardarelli[77a], J. C. J. Cardenas[8], G. Carducci[44b,44a]
T. Carli[37], G. Carlino[73a], J. I. Carlotto[13], B. T. Carlson[132,h], E. M. Carlson[168,159a], J. Carmignani[94]
L. Carminati[72a,72b], A. Carnelli[138], M. Carnesale[76a,76b], S. Caron[116], E. Carquin[140f], S. Carrá[72a]
G. Carratta[24b,24a], A. M. Carroll[126], T. M. Carter[53], M. P. Casado[13,i], M. Caspar[49], F. L. Castillo[4]
L. Castillo Garcia[13], V. Castillo Gimenez[166], N. F. Castro[133a,133e], A. Catinaccio[37], J. R. Catmore[128], T. Cavaliere[4]
V. Cavaliere[30], N. Cavalli[24b,24a], L. J. Caviedes Betancourt[23b], Y. C. Cekmecelioglu[49], E. Celebi[83], S. Cella[37]
F. Celli[129], M. S. Centonze[71a,71b], V. Cepaitis[57], K. Cerny[125], A. S. Cerqueira[84a], A. Cerri[150], L. Cerrito[77a,77b]
F. Cerutti[18a], B. Cervato[145], A. Cervelli[24b], G. Cesarini[54], S. A. Cetin[83], D. Chakraborty[118], J. Chan[18a]
W. Y. Chan[157], J. D. Chapman[33], E. Chapon[138], B. Chargeishvili[153b], D. G. Charlton[21], M. Chatterjee[20]
C. Chauhan[136], Y. Che[114a], S. Chekanov[6], S. V. Chekulaev[159a], G. A. Chelkov[39,j], A. Chen[108], B. Chen[155]
B. Chen[168], H. Chen[114a], H. Chen[30], J. Chen[63c], J. Chen[146], M. Chen[129], S. Chen[157], S. J. Chen[114a]
X. Chen[63c,138], X. Chen[15,k], Y. Chen[63a], C. L. Cheng[173], H. C. Cheng[65a], S. Cheong[147], A. Cheplakov[39]

E. Cheremushkina[49] E. Cherepanova[117] R. Cherkaoui El Mourlsi[36e] E. Cheu[7] K. Cheung[66] L. Chevalier[138] V. Chiarella[54] G. Chiarelli[75a] N. Chiedde[104] G. Chiodini[71a] A. S. Chisholm[21] A. Chitan[28b] M. Chitishvili[166] M. V. Chizhov[39,l] K. Choi[11] Y. Chou[142] E. Y. S. Chow[116] K. L. Chu[172] M. C. Chu[65a] X. Chu[14,114c] Z. Chubinidze[54] J. Chudoba[134] J. J. Chwastowski[88] D. Cieri[112] K. M. Ciesla[87a] V. Cindro[95] A. Ciocio[18a] F. Cirotto[73a,73b] Z. H. Citron[172] M. Citterio[72a] D. A. Ciubotaru,[28b] A. Clark[57] P. J. Clark[53] N. Clarke Hall[98] C. Clarry[158] J. M. Clavijo Columbie[49] S. E. Clawson[49] C. Clement[48a,48b] Y. Coadou[104] M. Cobal[70a,70c] A. Coccaro[58b] R. F. Coelho Barrue[133a] R. Coelho Lopes De Sa[105] S. Coelli[72a] B. Cole[42] J. Collot[61] P. Conde Muiño[133a,133g] M. P. Connell[34c] S. H. Connell[34c] E. I. Conroy[129] F. Conventi[73a,m] H. G. Cooke[21] A. M. Cooper-Sarkar[129] F. A. Corchia[24b,24a] A. Cordeiro Oudot Choi[130] L. D. Corpe[41] M. Corradi[76a,76b] F. Corriveau[106,n] A. Cortes-Gonzalez[19] M. J. Costa[166] F. Costanza[4] D. Costanzo[143] B. M. Cote[122] J. Couthures[4] G. Cowan[97] K. Cranmer[173] D. Cremonini[24b,24a] S. Crépé-Renaudin[61] F. Crescioli[130] M. Cristinziani[145] M. Cristoforetti[79a,79b] V. Croft[117] J. E. Crosby[124] G. Crosetti[44b,44a] A. Cueto[101] H. Cui[98] Z. Cui[7] W. R. Cunningham[60] F. Curcio[166] J. R. Curran[53] P. Czodrowski[37] M. M. Czurylo[37] M. J. Da Cunha Sargedas De Sousa[58b,58a] J. V. Da Fonseca Pinto[84b] C. Da Via[103] W. Dabrowski[87a] T. Dado[50] S. Dahbi[152] T. Dai[108] D. Dal Santo[20] C. Dallapiccola[105] M. Dam[43] G. D'amen[30] V. D'Amico[111] J. Damp[102] J. R. Dandoy[35] D. Dannheim[37] M. Danninger[146] V. Dao[149] G. Darbo[58b] S. J. Das[30,o] F. Dattola[49] S. D'Auria[72a,72b] A. D'Avanzo[73a,73b] C. David[34a] T. Davidek[136] I. Dawson[96] H. A. Day-hall[135] K. De[8] R. De Asmundis[73a] N. De Biase[49] S. De Castro[24b,24a] N. De Groot[116] P. de Jong[117] H. De la Torre[118] A. De Maria[114a] A. De Salvo[76a] U. De Sanctis[77a,77b] F. De Santis[71a,71b] A. De Santo[150] J. B. De Vivie De Regie[61] D. V. Dedovich,[39] J. Degens[94] A. M. Deiana[45] F. Del Corso[24b,24a] J. Del Peso[101] F. Del Rio[64a] L. Delagrange[130] F. Deliot[138] C. M. Delitzsch[50] M. Della Pietra[73a,73b] D. Della Volpe[57] A. Dell'Acqua[37] L. Dell'Asta[72a,72b] M. Delmastro[4] P. A. Delsart[61] S. Demers[175] M. Demichev[39] S. P. Denisov[38] L. D'Eramo[41] D. Derendarz[88] F. Derue[130] P. Dervan[94] K. Desch[25] C. Deutsch[25] F. A. Di Bello[58b,58a] A. Di Ciaccio[77a,77b] L. Di Ciaccio[4] A. Di Domenico[76a,76b] C. Di Donato[73a,73b] A. Di Girolamo[37] G. Di Gregorio[37] A. Di Luca[79a,79b] B. Di Micco[78a,78b] R. Di Nardo[78a,78b] K. F. Di Petrillo[40] M. Diamantopoulou[35] F. A. Dias[117] T. Dias Do Vale[146] M. A. Diaz[140a,140b] F. G. Diaz Capriles[25] A. R. Didenko[39] M. Didenko[166] E. B. Diehl[108] S. Díez Cornell[49] C. Diez Pardos[145] C. Dimitriadi[164] A. Dimitrievska[21] J. Dingfelder[25] T. Dingley[129] I-M. Dinu[28b] S. J. Dittmeier[64b] F. Dittus[37] M. Divisek[136] F. Djama[104] T. Djobava[153b] C. Doglioni[103,100] A. Dohnalova[29a] J. Dolejsi[136] Z. Dolezal[136] K. Domijan[87a] K. M. Dona[40] M. Donadelli[84d] B. Dong[109] J. Donini[41] A. D'Onofrio[73a,73b] M. D'Onofrio[94] J. Dopke[137] A. Doria[73a] N. Dos Santos Fernandes[133a] P. Dougan[103] M. T. Dova[92] A. T. Doyle[60] M. A. Draguet[129] E. Dreyer[172] I. Drivas-koulouris[10] M. Drnevich[120] M. Drozdova[57] D. Du[63a] T. A. du Pree[117] F. Dubinin[38] M. Dubovsky[29a] E. Duchovni[172] G. Duckeck[111] O. A. Ducu[28b] D. Duda[53] A. Dudarev[37] E. R. Duden[27] M. D'uffizi[103] L. Duflot[67] M. Dührssen[37] I. Duminica[28g] A. E. Dumitriu[28b] M. Dunford[64a] S. Dungs[50] K. Dunne[48a,48b] A. Duperrin[104] H. Duran Yildiz[3a] M. Düren[59] A. Durglishvili[153b] B. L. Dwyer[118] G. I. Dyckes[18a] M. Dyndal[87a] B. S. Dziedzic[37] Z. O. Earnshaw[150] G. H. Eberwein[129] B. Eckerova[29a] S. Eggebrecht[56] E. Egidio Purcino De Souza[130] L. F. Ehrke[57] G. Eigen[17] K. Einsweiler[18a] T. Ekelof[164] P. A. Ekman[100] S. El Farkh[36b] Y. El Ghazali[36b] H. El Jarrari[37] A. El Moussaouy[36a] V. Ellajosyula[164] M. Ellert[164] F. Ellinghaus[174] N. Ellis[37] J. Elmsheuser[30] M. Elsawy[119a] M. Elsing[37] D. Emeliyanov[137] Y. Enari[157] I. Ene[18a] S. Epari[13] P. A. Erland[88] D. Ernani Martins Neto[88] M. Errenst[174] M. Escalier[67] C. Escobar[166] E. Etzion[155] G. Evans[133a] H. Evans[69] L. S. Evans[97] A. Ezhilov[38] S. Ezzarqtouni[36a] F. Fabbri[24b,24a] L. Fabbri[24b,24a] G. Facini[98] V. Fadeyev[139] R. M. Fakhrutdinov[38] D. Fakoudis[102] S. Falciano[76a] L. F. Falda Ulhoa Coelho[37] F. Fallavollita[112] G. Falsetti[44b,44a] J. Faltova[136] C. Fan[165] Y. Fan[14] Y. Fang[14,114c] M. Fanti[72a,72b] M. Faraj[70a,70b] Z. Farazpay[99] A. Farbin[8] A. Farilla[78a] T. Farooque[109] S. M. Farrington[53] F. Fassi[36e] D. Fassouliotis[9] M. Faucci Giannelli[77a,77b] W. J. Fawcett[33] L. Fayard[67] P. Federic[136] P. Federicova[134] O. L. Fedin[38,j] M. Feickert[173] L. Feligioni[104] D. E. Fellers[126] C. Feng[63b] M. Feng[15] Z. Feng[117] M. J. Fenton[162] L. Ferencz[49] R. A. M. Ferguson[93] S. I. Fernandez Luengo[140f] P. Fernandez Martinez[13] M. J. V. Fernoux[104] J. Ferrando[93] A. Ferrari[164] P. Ferrari[117,116] R. Ferrari[74a] D. Ferrere[57] C. Ferretti[108] D. Fiacco[76a,76b] F. Fiedler[102] P. Fiedler[135] A. Filipčič[95] E. K. Filmer[1]

F. Filthaut[116] M. C. N. Fiolhais[133a,133c,p] L. Fiorini[166] W. C. Fisher[109] T. Fitschen[103] P. M. Fitzhugh,[138] I. Fleck[145] P. Fleischmann[108] T. Flick[174] M. Flores[34d,q] L. R. Flores Castillo[65a] L. Flores Sanz De Acedo,[37] F. M. Follega[79a,79b] N. Fomin[33] J. H. Foo[158] A. Formica[138] A. C. Forti[103] E. Fortin[37] A. W. Fortman[18a] M. G. Foti[18a] L. Fountas[9,r] D. Fournier[67] H. Fox[93] P. Francavilla[75a,75b] S. Francescato[62] S. Franchellucci[57] M. Franchini[24b,24a] S. Franchino[64a] D. Francis,[37] L. Franco[116] V. Franco Lima[37] L. Franconi[49] M. Franklin[62] G. Frattari[27] Y. Y. Frid[155] J. Friend[60] N. Fritzsche[51] A. Froch[55] D. Froidevaux[37] J. A. Frost[129] Y. Fu[63a] S. Fuenzalida Garrido[140f] M. Fujimoto[104] K. Y. Fung[65a] E. Furtado De Simas Filho[84e] M. Furukawa[157] J. Fuster[166] A. Gaa[56] A. Gabrielli[24b,24a] A. Gabrielli[158] P. Gadow[37] G. Gagliardi[58b,58a] L. G. Gagnon[18a] S. Gaid[163] S. Galantzan[155] E. J. Gallas[129] B. J. Gallop[137] K. K. Gan[122] S. Ganguly[157] Y. Gao[53] F. M. Garay Walls[140a,140b] B. Garcia,[30] C. García[166] A. Garcia Alonso[117] A. G. Garcia Caffaro[175] J. E. García Navarro[166] M. Garcia-Sciveres[18a] G. L. Gardner[131] R. W. Gardner[40] N. Garelli[161] D. Garg[81] R. B. Garg[147] J. M. Gargan[53] C. A. Garner[158] C. M. Garvey[34a] V. K. Gassmann[161] G. Gaudio[74a] V. Gautam,[13] P. Gauzzi[76a,76b] J. Gavranovic[95] I. L. Gavrilenko[38] A. Gavrilyuk[38] C. Gay[167] G. Gaycken[126] E. N. Gazis[10] A. A. Geanta[28b] C. M. Gee[139] A. Gekow[122] C. Gemme[58b] M. H. Genest[61] A. D. Gentry[115] S. George[97] W. F. George[21] T. Geralis[47] P. Gessinger-Befurt[37] M. E. Geyik[174] M. Ghani[170] K. Ghorbanian[96] A. Ghosal[145] A. Ghosh[162] A. Ghosh[7] B. Giacobbe[24b] S. Giagu[76a,76b] T. Giani[117] A. Giannini[63a] S. M. Gibson[97] M. Gignac[139] D. T. Gil[87b] A. K. Gilbert[87a] B. J. Gilbert[42] D. Gillberg[35] G. Gilles[117] L. Ginabat[130] D. M. Gingrich[2,d] M. P. Giordani[70a,70c] P. F. Giraud[138] G. Giugliarelli[70a,70c] D. Giugni[72a] F. Giuli[37] I. Gkialas[9,r] L. K. Gladilin[38] C. Glasman[101] G. R. Gledhill[126] G. Glemža[49] M. Glisic,[126] I. Gnesi[44b,s] Y. Go[30] M. Goblirsch-Kolb[37] B. Gocke,[50] D. Godin[110] B. Gokturk[22a] S. Goldfarb[107] T. Golling[57] M. G. D. Gololo[34g] D. Golubkov[38] J. P. Gombas[109] A. Gomes[133a,133b] G. Gomes Da Silva[145] A. J. Gomez Delegido[166] R. Gonçalo[133a] L. Gonella[21] A. Gongadze[153c] F. Gonnella[21] J. L. Gonski[147] R. Y. González Andana[53] S. González de la Hoz[166] R. Gonzalez Lopez[94] C. Gonzalez Renteria[18a] M. V. Gonzalez Rodrigues[49] R. Gonzalez Suarez[164] S. Gonzalez-Sevilla[57] L. Goossens[37] B. Gorini[37] E. Gorini[71a,71b] A. Gorišek[95] T. C. Gosart[131] A. T. Goshaw[52] M. I. Gostkin[39] S. Goswami[124] C. A. Gottardo[37] S. A. Gotz[111] M. Gouighri[36b] V. Goumarre[49] A. G. Goussiou[142] N. Govender[34c] I. Grabowska-Bold[87a] K. Graham[35] E. Gramstad[128] S. Grancagnolo[71a,71b] C. M. Grant,[1,138] P. M. Gravila[28f] F. G. Gravili[71a,71b] H. M. Gray[18a] M. Greco[71a,71b] M. J. Green[1] C. Grefe[25] A. S. Grefsrud[17] I. M. Gregor[49] K. T. Greif[162] P. Grenier[147] S. G. Grewe[112] A. A. Grillo[139] K. Grimm[32] S. Grinstein[13,t] J.-F. Grivaz[67] E. Gross[172] J. Grosse-Knetter[56] J. C. Grundy[129] L. Guan[108] J. G. R. Guerrero Rojas[166] G. Guerrieri[70a,70c] R. Gugel[102] J. A. M. Guhit[108] A. Guida[19] E. Guilloton[170] S. Guindon[37] F. Guo[14,114c] J. Guo[63c] L. Guo[49] Y. Guo[108] R. Gupta[132] S. Gurbuz[25] S. S. Gurdasani[55] G. Gustavino[76a,76b] P. Gutierrez[123] L. F. Gutierrez Zagazeta[131] M. Gutsche[51] C. Gutschow[98] C. Gwenlan[129] C. B. Gwilliam[94] E. S. Haaland[128] A. Haas[120] M. Habedank[49] C. Haber[18a] H. K. Hadavand[8] A. Hadef[51] S. Hadzic[112] A. I. Hagan[93] J. J. Hahn[145] E. H. Haines[98] M. Haleem[169] J. Haley[124] J. J. Hall[143] G. D. Hallewell[104] L. Halser[20] K. Hamano[168] M. Hamer[25] G. N. Hamity[53] E. J. Hampshire[97] J. Han[63b] K. Han[63a] L. Han[114a] L. Han[63a] S. Han[18a] Y. F. Han[158] K. Hanagaki[85] M. Hance[139] D. A. Hangal[42] H. Hanif[146] M. D. Hank[131] J. B. Hansen[43] P. H. Hansen[43] K. Hara[160] D. Harada[57] T. Harenberg[174] S. Harkusha[38] M. L. Harris[105] Y. T. Harris[129] J. Harrison[13] N. M. Harrison[122] P. F. Harrison,[170] N. M. Hartman[112] N. M. Hartmann[111] R. Z. Hasan[97,137] Y. Hasegawa[144] S. Hassan[17] R. Hauser[109] C. M. Hawkes[21] R. J. Hawkings[37] Y. Hayashi[157] S. Hayashida[113] D. Hayden[109] C. Hayes[108] R. L. Hayes[117] C. P. Hays[129] J. M. Hays[96] H. S. Hayward[94] F. He[63a] M. He[14,114c] Y. He[141] Y. He[49] Y. He[98] N. B. Heatley[96] V. Hedberg[100] A. L. Heggelund[128] N. D. Hehir[96,a] C. Heidegger[55] K. K. Heidegger[55] J. Heilman[35] S. Heim[49] T. Heim[18a] J. G. Heinlein[131] J. J. Heinrich[126] L. Heinrich[112,u] J. Hejbal[134] A. Held[173] S. Hellesund[17] C. M. Helling[167] S. Hellman[48a,48b] R. C. W. Henderson,[93] L. Henkelmann[33] A. M. Henriques Correia,[37] H. Herde[100] Y. Hernández Jiménez[149] L. M. Herrmann[25] T. Herrmann[51] G. Herten[55] R. Hertenberger[111] L. Hervas[37] M. E. Hesping[102] N. P. Hessey[159a] M. Hidaoui[36b] N. Hidic[136] E. Hill[158] S. J. Hillier[21] J. R. Hinds[109] F. Hinterkeuser[25] M. Hirose[127] S. Hirose[160] D. Hirschbuehl[174] T. G. Hitchings[103] B. Hiti[95] J. Hobbs[149] R. Hobincu[28e] N. Hod[172] M. C. Hodgkinson[143] B. H. Hodkinson[129] A. Hoecker[37] D. D. Hofer[108] J. Hofer[49] T. Holm[25]

M. Holzbock[112] L. B. A. H. Hommels,[33] B. P. Honan,[103] J. J. Hong,[69] J. Hong,[63c] T. M. Hong,[132] B. H. Hooberman,[165] W. H. Hopkins,[6] M. C. Hoppesch,[165] Y. Horii,[113] S. Hou,[152] A. S. Howard,[95] J. Howarth,[60] J. Hoya,[6] M. Hrabovsky,[125] A. Hrynevich,[49] T. Hryn'ova,[4] P. J. Hsu,[66] S.-C. Hsu,[142] T. Hsu,[67] M. Hu,[18a] Q. Hu,[63a] S. Huang,[65b] X. Huang,[14,114c] Y. Huang,[143] Y. Huang,[102] Y. Huang,[14] Z. Huang,[103] Z. Hubacek,[135] M. Huebner,[25] F. Huegging,[25] T. B. Huffman,[129] C. A. Hugli,[49] M. Huhtinen,[37] S. K. Huiberts,[17] R. Hulsken,[106] N. Huseynov,[12] J. Huston,[109] J. Huth,[62] R. Hyneman,[147] G. Iacobucci,[57] G. Iakovidis,[30] L. Iconomidou-Fayard,[67] J. P. Iddon,[37] P. Iengo,[73a,73b] R. Iguchi,[157] Y. Iiyama,[157] T. Iizawa,[129] Y. Ikegami,[85] N. Ilic,[158] H. Imam,[36a] M. Ince Lezki,[57] T. Ingebretsen Carlson,[48a,48b] J. M. Inglis,[96] G. Introzzi,[74a,74b] M. Iodice,[78a] V. Ippolito,[76a,76b] R. K. Irwin,[94] M. Ishino,[157] W. Islam,[173] C. Issever,[19,49] S. Istin,[22a,v] H. Ito,[171] R. Iuppa,[79a,79b] A. Ivina,[172] J. M. Izen,[46] V. Izzo,[73a] P. Jacka,[134] P. Jackson,[1] C. S. Jagfeld,[111] G. Jain,[159a] P. Jain,[49] K. Jakobs,[55] T. Jakoubek,[172] J. Jamieson,[60] W. Jang,[157] M. Javurkova,[105] P. Jawahar,[103] L. Jeanty,[126] J. Jejelava,[153a,w] P. Jenni,[55,x] C. E. Jessiman,[35] C. Jia,[63b] J. Jia,[149] X. Jia,[62] X. Jia,[14,114c] Z. Jia,[114a] C. Jiang,[53] S. Jiggins,[49] J. Jimenez Pena,[13] S. Jin,[114a] A. Jinaru,[28b] O. Jinnouchi,[141] P. Johansson,[143] K. A. Johns,[7] J. W. Johnson,[139] D. M. Jones,[150] E. Jones,[49] P. Jones,[33] R. W. L. Jones,[93] T. J. Jones,[94] H. L. Joos,[56,37] R. Joshi,[122] J. Jovicevic,[16] X. Ju,[18a] J. J. Junggeburth,[105] T. Junkermann,[64a] A. Juste Rozas,[13,t] M. K. Juzek,[88] S. Kabana,[140e] A. Kaczmarska,[88] M. Kado,[112] H. Kagan,[122] M. Kagan,[147] A. Kahn,[131] C. Kahra,[102] T. Kaji,[157] E. Kajomovitz,[154] N. Kakati,[172] I. Kalaitzidou,[55] C. W. Kalderon,[30] N. J. Kang,[139] D. Kar,[34g] K. Karava,[129] M. J. Kareem,[159b] E. Karentzos,[55] O. Karkout,[117] S. N. Karpov,[39] Z. M. Karpova,[39] V. Kartvelishvili,[93] A. N. Karyukhin,[38] E. Kasimi,[156] J. Katzy,[49] S. Kaur,[35] K. Kawade,[144] M. P. Kawale,[123] C. Kawamoto,[89] T. Kawamoto,[63a] E. F. Kay,[37] F. I. Kaya,[161] S. Kazakos,[109] V. F. Kazanin,[38] Y. Ke,[149] J. M. Keaveney,[34a] R. Keeler,[168] G. V. Kehris,[62] J. S. Keller,[35] A. S. Kelly,[98] J. J. Kempster,[150] P. D. Kennedy,[102] O. Kepka,[134] B. P. Kerridge,[137] S. Kersten,[174] B. P. Kerševan,[95] L. Keszeghova,[29a] S. Ketabchi Haghighat,[158] R. A. Khan,[132] A. Khanov,[124] A. G. Kharlamov,[38] T. Kharlamova,[38] E. E. Khoda,[142] M. Kholodenko,[38] T. J. Khoo,[19] G. Khoriauli,[169] J. Khubua,[153b,a] Y. A. R. Khwaira,[130] B. Kibirige,[34g] D. Kim,[6] D. W. Kim,[48a,48b] Y. K. Kim,[40] N. Kimura,[98] M. K. Kingston,[56] A. Kirchhoff,[56] C. Kirfel,[25] F. Kirfel,[25] J. Kirk,[137] A. E. Kiryunin,[112] C. Kitsaki,[10] O. Kivernyk,[25] M. Klassen,[161] C. Klein,[35] L. Klein,[169] M. H. Klein,[45] S. B. Klein,[57] U. Klein,[94] P. Klimek,[37] A. Klimentov,[30] T. Klioutchnikova,[37] P. Kluit,[117] S. Kluth,[112] E. Kneringer,[80] T. M. Knight,[158] A. Knue,[50] R. Kobayashi,[89] D. Kobylianskii,[172] S. F. Koch,[129] M. Kocian,[147] P. Kodyš,[136] D. M. Koeck,[126] P. T. Koenig,[25] T. Koffas,[35] O. Kolay,[51] I. Koletsou,[4] T. Komarek,[88] K. Köneke,[55] A. X. Y. Kong,[1] T. Kono,[121] N. Konstantinidis,[98] P. Kontaxakis,[57] B. Konya,[100] R. Kopeliansky,[42] S. Koperny,[87a] K. Korcyl,[88] K. Kordas,[156,y] A. Korn,[98] S. Korn,[56] I. Korolkov,[13] N. Korotkova,[38] B. Kortman,[117] O. Kortner,[112] S. Kortner,[112] W. H. Kostecka,[118] V. V. Kostyukhin,[145] A. Kotsokechagia,[138] A. Kotwal,[52] A. Koulouris,[37] A. Kourkoumeli-Charalampidi,[74a,74b] C. Kourkoumelis,[9] E. Kourlitis,[112,u] O. Kovanda,[126] R. Kowalewski,[168] W. Kozanecki,[138] A. S. Kozhin,[38] V. A. Kramarenko,[38] G. Kramberger,[95] P. Kramer,[102] M. W. Krasny,[130] A. Krasznahorkay,[37] A. C. Kraus,[118] J. W. Kraus,[174] J. A. Kremer,[49] T. Kresse,[51] L. Kretschmann,[174] J. Kretzschmar,[94] K. Kreul,[19] P. Krieger,[158] S. Krishnamurthy,[105] M. Krivos,[136] K. Krizka,[21] K. Kroeninger,[50] H. Kroha,[112] J. Kroll,[134] J. Kroll,[131] K. S. Krowpman,[109] U. Kruchonak,[39] H. Krüger,[25] N. Krumnack,[82] M. C. Kruse,[52] O. Kuchinskaia,[38] S. Kuday,[3a] S. Kuehn,[37] R. Kuesters,[55] T. Kuhl,[49] V. Kukhtin,[39] Y. Kulchitsky,[38,j] S. Kuleshov,[140d,140b] M. Kumar,[34g] N. Kumari,[49] P. Kumari,[159b] A. Kupco,[134] T. Kupfer,[50] A. Kupich,[38] O. Kuprash,[55] H. Kurashige,[86] L. L. Kurchaninov,[159a] O. Kurdysh,[67] Y. A. Kurochkin,[38] A. Kurova,[38] M. Kuze,[141] A. K. Kvam,[105] J. Kvita,[125] T. Kwan,[106] N. G. Kyriacou,[108] L. A. O. Laatu,[104] C. Lacasta,[166] F. Lacava,[76a,76b] H. Lacker,[19] D. Lacour,[130] N. N. Lad,[98] E. Ladygin,[39] A. Lafarge,[41] B. Laforge,[130] T. Lagouri,[175] F. Z. Lahbabi,[36a] S. Lai,[56] J. E. Lambert,[168] S. Lammers,[69] W. Lampl,[7] C. Lampoudis,[156,y] G. Lamprinoudis,[102] A. N. Lancaster,[118] E. Lançon,[30] U. Landgraf,[55] M. P. J. Landon,[96] V. S. Lang,[55] O. K. B. Langrekken,[128] A. J. Lankford,[162] F. Lanni,[37] K. Lantzsch,[25] A. Lanza,[74a] J. F. Laporte,[138] T. Lari,[72a] F. Lasagni Manghi,[24b] M. Lassnig,[37] V. Latonova,[134] A. Laurier,[154] S. D. Lawlor,[143] Z. Lawrence,[103] R. Lazaridou,[170] M. Lazzaroni,[72a,72b] B. Le,[103] E. M. Le Boulicaut,[52] L. T. Le Pottier,[18a] B. Leban,[24b,24a] A. Lebedev,[82] M. LeBlanc,[103] F. Ledroit-Guillon,[61] S. C. Lee,[152] S. Lee,[48a,48b] T. F. Lee,[94] L. L. Leeuw,[34c] H. P. Lefebvre,[97] M. Lefebvre,[168] C. Leggett,[18a] G. Lehmann Miotto,[37] M. Leigh,[57] W. A. Leight,[105]

W. Leinonen[116] A. Leisos,[156,z] M. A. L. Leite,[84c] C. E. Leitgeb,[19] R. Leitner,[136] K. J. C. Leney,[45] T. Lenz,[25] S. Leone,[75a] C. Leonidopoulos,[53] A. Leopold,[148] R. Les,[109] C. G. Lester,[33] M. Levchenko,[38] J. Levêque,[4] L. J. Levinson,[172] G. Levrini,[24b,24a] M. P. Lewicki,[88] C. Lewis,[142] D. J. Lewis,[4] A. Li,[5] B. Li,[63b] C. Li,[63a] C-Q. Li,[112] H. Li,[63a] H. Li,[63b] H. Li,[114a] H. Li,[15] H. Li,[63b] J. Li,[63c] K. Li,[142] L. Li,[63c] M. Li,[14,114c] S. Li,[14,114c] S. Li,[63d,63c] T. Li,[5] X. Li,[106] Z. Li,[129] Z. Li,[157] Z. Li,[14,114c] S. Liang,[14,114c] Z. Liang,[14] M. Liberatore,[138] B. Liberti,[77a] K. Lie,[65c] J. Lieber Marin,[84e] H. Lien,[69] H. Lin,[108] K. Lin,[109] R. E. Lindley,[7] J. H. Lindon,[2] J. Ling,[62] E. Lipeles,[131] A. Lipniacka,[17] A. Lister,[167] J. D. Little,[69] B. Liu,[14] B. X. Liu,[114b] D. Liu,[63d,63c] E. H. L. Liu,[21] J. B. Liu,[63a] J. K. K. Liu,[33] K. Liu,[63d] K. Liu,[63d,63c] M. Liu,[63a] M. Y. Liu,[63a] P. Liu,[14] Q. Liu,[63d,142,63c] X. Liu,[63a] X. Liu,[63b] Y. Liu,[114b,114c] Y. L. Liu,[63b] Y. W. Liu,[63a] J. Llorente Merino,[146] S. L. Lloyd,[96] E. M. Lobodzinska,[49] P. Loch,[7] T. Lohse,[19] K. Lohwasser,[143] E. Loiacono,[49] M. Lokajicek,[134,a] J. D. Lomas,[21] J. D. Long,[165] I. Longarini,[162] R. Longo,[165] I. Lopez Paz,[68] A. Lopez Solis,[49] N. Lorenzo Martinez,[4] A. M. Lory,[111] M. Losada,[119a] G. Löschcke Centeno,[150] O. Loseva,[38] X. Lou,[48a,48b] X. Lou,[14,114c] A. Lounis,[67] P. A. Love,[93] G. Lu,[14,114c] M. Lu,[67] S. Lu,[131] Y. J. Lu,[66] H. J. Lubatti,[142] C. Luci,[76a,76b] F. L. Lucio Alves,[114a] F. Luehring,[69] I. Luise,[149] O. Lukianchuk,[67] O. Lundberg,[148] B. Lund-Jensen,[148,a] N. A. Luongo,[6] M. S. Lutz,[37] A. B. Lux,[26] D. Lynn,[30] R. Lysak,[134] E. Lytken,[100] V. Lyubushkin,[39] T. Lyubushkina,[39] M. M. Lyukova,[149] M. Firdaus M. Soberi,[53] H. Ma,[30] K. Ma,[63a] L. L. Ma,[63b] W. Ma,[63a] Y. Ma,[124] J. C. MacDonald,[102] P. C. Machado De Abreu Farias,[84e] R. Madar,[41] T. Madula,[98] J. Maeda,[86] T. Maeno,[30] H. Maguire,[143] V. Maiboroda,[138] A. Maio,[133a,133b,133d] K. Maj,[87a] O. Majersky,[49] S. Majewski,[126] N. Makovec,[67] V. Maksimovic,[16] B. Malaescu,[130] Pa. Malecki,[88] V. P. Maleev,[38] F. Malek,[61,aa] M. Mali,[95] D. Malito,[97] U. Mallik,[81,a] S. Maltezos,[10] S. Malyukov,[39] J. Mamuzic,[13] G. Mancini,[54] M. N. Mancini,[27] G. Manco,[74a,74b] J. P. Mandalia,[96] S. S. Mandarry,[150] I. Mandić,[95] L. Manhaes de Andrade Filho,[84a] I. M. Maniatis,[172] J. Manjarres Ramos,[91] D. C. Mankad,[172] A. Mann,[111] S. Manzoni,[37] L. Mao,[63c] X. Mapekula,[34c] A. Marantis,[156,z] G. Marchiori,[5] M. Marcisovsky,[134] C. Marcon,[72a] M. Marinescu,[21] S. Marium,[49] M. Marjanovic,[123] A. Markhoos,[55] M. Markovitch,[67] E. J. Marshall,[93] Z. Marshall,[18a] S. Marti-Garcia,[166] J. Martin,[98] T. A. Martin,[137] V. J. Martin,[53] B. Martin dit Latour,[17] L. Martinelli,[76a,76b] M. Martinez,[13,t] P. Martinez Agullo,[166] V. I. Martinez Outschoorn,[105] P. Martinez Suarez,[13] S. Martin-Haugh,[137] G. Martinovicova,[136] V. S. Martoiu,[28b] A. C. Martyniuk,[98] A. Marzin,[37] D. Mascione,[79a,79b] L. Masetti,[102] T. Mashimo,[157] J. Masik,[103] A. L. Maslennikov,[38] P. Massarotti,[73a,73b] P. Mastrandrea,[75a,75b] A. Mastroberardino,[44b,44a] T. Masubuchi,[157] T. Mathisen,[164] J. Matousek,[136] N. Matsuzawa,[157] J. Maurer,[28b] A. J. Maury,[67] B. Maček,[95] D. A. Maximov,[38] A. E. May,[103] R. Mazini,[152] I. Maznas,[118] M. Mazza,[109] S. M. Mazza,[139] E. Mazzeo,[72a,72b] C. Mc Ginn,[30] J. P. Mc Gowan,[168] S. P. Mc Kee,[108] C. C. McCracken,[167] E. F. McDonald,[107] A. E. McDougall,[117] J. A. Mcfayden,[150] R. P. McGovern,[131] R. P. Mckenzie,[34g] T. C. Mclachlan,[49] D. J. Mclaughlin,[98] S. J. McMahon,[137] C. M. Mcpartland,[94] R. A. McPherson,[168,n] S. Mehlhase,[111] A. Mehta,[94] D. Melini,[166] B. R. Mellado Garcia,[34g] A. H. Melo,[56] F. Meloni,[49] A. M. Mendes Jacques Da Costa,[103] H. Y. Meng,[158] L. Meng,[93] S. Menke,[112] M. Mentink,[37] E. Meoni,[44b,44a] G. Mercado,[118] S. Merianos,[156] C. Merlassino,[70a,70c] L. Merola,[73a,73b] C. Meroni,[72a,72b] J. Metcalfe,[6] A. S. Mete,[6] E. Meuser,[102] C. Meyer,[69] J-P. Meyer,[138] R. P. Middleton,[137] L. Mijović,[53] G. Mikenberg,[172] M. Mikestikova,[134] M. Mikuž,[95] H. Mildner,[102] A. Milic,[37] D. W. Miller,[40] E. H. Miller,[147] L. S. Miller,[35] A. Milov,[172] D. A. Milstead,[48a,48b] T. Min,[114a] A. A. Minaenko,[38] I. A. Minashvili,[153b] L. Mince,[60] A. I. Mincer,[120] B. Mindur,[87a] M. Mineev,[39] Y. Mino,[89] L. M. Mir,[13] M. Miralles Lopez,[60] M. Mironova,[18a] A. Mishima,[157] M. C. Missio,[116] A. Mitra,[170] V. A. Mitsou,[166] Y. Mitsumori,[113] O. Miu,[158] P. S. Miyagawa,[96] T. Mkrtchyan,[64a] M. Mlinarevic,[98] T. Mlinarevic,[98] M. Mlynarikova,[37] S. Mobius,[20] P. Mogg,[111] M. H. Mohamed Farook,[115] A. F. Mohammed,[14,114c] S. Mohapatra,[42] G. Mokgatitswane,[34g] L. Moleri,[172] B. Mondal,[145] S. Mondal,[135] K. Mönig,[49] E. Monnier,[104] L. Monsonis Romero,[166] J. Montejo Berlingen,[13] M. Montella,[122] F. Montereali,[78a,78b] F. Monticelli,[92] S. Monzani,[70a,70c] N. Morange,[67] A. L. Moreira De Carvalho,[49] M. Moreno Llácer,[166] C. Moreno Martinez,[57] P. Morettini,[58b] S. Morgenstern,[37] M. Morii,[62] M. Morinaga,[157] F. Morodei,[76a,76b] L. Morvaj,[37] P. Moschovakos,[37] B. Moser,[37] M. Mosidze,[153b] T. Moskalets,[45] P. Moskvitina,[116] J. Moss,[32,bb] P. Moszkowicz,[87a] A. Moussa,[36d] E. J. W. Moyse,[105] O. Mtintsilana,[34g] S. Muanza,[104] J. Mueller,[132] D. Muenstermann,[93] R. Müller,[37] G. A. Mullier,[164] A. J. Mullin,[33] J. J. Mullin,[131] D. P. Mungo,[158]

D. Munoz Perez,[166] F. J. Munoz Sanchez,[103] M. Murin,[103] W. J. Murray,[170,137] M. Muškinja,[95] C. Mwewa,[30]
A. G. Myagkov,[38,j] A. J. Myers,[8] G. Myers,[108] M. Myska,[135] B. P. Nachman,[18a] O. Nackenhorst,[50] K. Nagai,[129]
K. Nagano,[85] J. L. Nagle,[30,o] E. Nagy,[104] A. M. Nairz,[37] Y. Nakahama,[85] K. Nakamura,[85] K. Nakkalil,[5]
H. Nanjo,[127] E. A. Narayanan,[115] I. Naryshkin,[38] L. Nasella,[72a,72b] M. Naseri,[35] S. Nasri,[119b] C. Nass,[25]
G. Navarro,[23a] J. Navarro-Gonzalez,[166] R. Nayak,[155] A. Nayaz,[19] P. Y. Nechaeva,[38] S. Nechaeva,[24b,24a]
F. Nechansky,[49] L. Nedic,[129] T. J. Neep,[21] A. Negri,[74a,74b] M. Negrini,[24b] C. Nellist,[117] C. Nelson,[106]
K. Nelson,[108] S. Nemecek,[134] M. Nessi,[37,cc] M. S. Neubauer,[165] F. Neuhaus,[102] J. Neundorf,[49] P. R. Newman,[21]
C. W. Ng,[132] Y. W. Y. Ng,[49] B. Ngair,[119a] H. D. N. Nguyen,[110] R. B. Nickerson,[129] R. Nicolaidou,[138]
J. Nielsen,[139] M. Niemeyer,[56] J. Niermann,[56] N. Nikiforou,[37] V. Nikolaenko,[38,j] I. Nikolic-Audit,[130]
K. Nikolopoulos,[21] P. Nilsson,[30] I. Ninca,[49] G. Ninio,[155] A. Nisati,[76a] N. Nishu,[2] R. Nisius,[112] J-E. Nitschke,[51]
E. K. Nkadimeng,[34g] T. Nobe,[157] T. Nommensen,[151] M. B. Norfolk,[143] B. J. Norman,[35] M. Noury,[36a]
J. Novak,[95] T. Novak,[95] L. Novotny,[135] R. Novotny,[115] L. Nozka,[125] K. Ntekas,[162]
N. M. J. Nunes De Moura Junior,[84b] J. Ocariz,[130] A. Ochi,[86] I. Ochoa,[133a] S. Oerdek,[49,dd] J. T. Offermann,[40]
A. Ogrodnik,[136] A. Oh,[103] C. C. Ohm,[148] H. Oide,[85] R. Oishi,[157] M. L. Ojeda,[49] Y. Okumura,[157]
L. F. Oleiro Seabra,[133a] I. Oleksiyuk,[57] S. A. Olivares Pino,[140d] G. Oliveira Correa,[13] D. Oliveira Damazio,[30]
D. Oliveira Goncalves,[84a] J. L. Oliver,[162] Ö. O. Öncel,[55] A. P. O'Neill,[20] A. Onofre,[133a,133e] P. U. E. Onyisi,[11]
M. J. Oreglia,[40] G. E. Orellana,[92] D. Orestano,[78a,78b] N. Orlando,[13] R. S. Orr,[158] L. M. Osojnak,[131]
R. Ospanov,[63a] G. Otero y Garzon,[31] H. Otono,[90] P. S. Ott,[64a] G. J. Ottino,[18a] M. Ouchrif,[36d] F. Ould-Saada,[128]
T. Ovsiannikova,[142] M. Owen,[60] R. E. Owen,[137] V. E. Ozcan,[22a] F. Ozturk,[88] N. Ozturk,[8] S. Ozturk,[83]
H. A. Pacey,[129] A. Pacheco Pages,[13] C. Padilla Aranda,[13] G. Padovano,[76a,76b] S. Pagan Griso,[18a] G. Palacino,[69]
A. Palazzo,[71a,71b] J. Pampel,[25] J. Pan,[175] T. Pan,[65a] D. K. Panchal,[11] C. E. Pandini,[117] J. G. Panduro Vazquez,[137]
H. D. Pandya,[1] H. Pang,[15] P. Pani,[49] G. Panizzo,[70a,70c] L. Panwar,[130] L. Paolozzi,[57] S. Parajuli,[165]
A. Paramonov,[6] C. Paraskevopoulos,[54] D. Paredes Hernandez,[65b] A. Pareti,[74a,74b] K. R. Park,[42] T. H. Park,[158]
M. A. Parker,[33] F. Parodi,[58b,58a] E. W. Parrish,[118] V. A. Parrish,[53] J. A. Parsons,[42] U. Parzefall,[55]
B. Pascual Dias,[110] L. Pascual Dominguez,[101] E. Pasqualucci,[76a] S. Passaggio,[58b] F. Pastore,[97] P. Patel,[88]
U. M. Patel,[52] J. R. Pater,[103] T. Pauly,[37] C. I. Pazos,[161] J. Pearkes,[147] M. Pedersen,[128] R. Pedro,[133a]
S. V. Peleganchuk,[38] O. Penc,[37] E. A. Pender,[53] G. D. Penn,[175] K. E. Penski,[111] M. Penzin,[38] B. S. Peralva,[84d]
A. P. Pereira Peixoto,[142] L. Pereira Sanchez,[147] D. V. Perepelitsa,[30,o] G. Perera,[105] E. Perez Codina,[159a]
M. Perganti,[10] H. Pernegger,[37] S. Perrella,[76a,76b] O. Perrin,[41] K. Peters,[49] R. F. Y. Peters,[103] B. A. Petersen,[37]
T. C. Petersen,[43] E. Petit,[104] V. Petousis,[135] C. Petridou,[156,y] T. Petru,[136] A. Petrukhin,[145] M. Pettee,[18a]
A. Petukhov,[38] K. Petukhova,[37] R. Pezoa,[140f] L. Pezzotti,[37] G. Pezzullo,[175] T. M. Pham,[173] T. Pham,[107]
P. W. Phillips,[137] G. Piacquadio,[149] E. Pianori,[18a] F. Piazza,[126] R. Piegaia,[31] D. Pietreanu,[28b] A. D. Pilkington,[103]
M. Pinamonti,[70a,70c] J. L. Pinfold,[2] B. C. Pinheiro Pereira,[133a] A. E. Pinto Pinoargote,[138] L. Pintucci,[70a,70c]
K. M. Piper,[150] A. Pirttikoski,[57] D. A. Pizzi,[35] L. Pizzimento,[65b] A. Pizzini,[117] M.-A. Pleier,[30] V. Pleskot,[136]
E. Plotnikova,[39] G. Poddar,[96] R. Poettgen,[100] L. Poggioli,[130] I. Pokharel,[56] S. Polacek,[136] G. Polesello,[74a]
A. Poley,[146,159a] A. Polini,[24b] C. S. Pollard,[170] Z. B. Pollock,[122] E. Pompa Pacchi,[76a,76b] N. I. Pond,[98]
D. Ponomarenko,[116] L. Pontecorvo,[37] S. Popa,[28a] G. A. Popeneciu,[28d] A. Poreba,[37] D. M. Portillo Quintero,[159a]
S. Pospisil,[135] M. A. Postill,[143] P. Postolache,[28c] K. Potamianos,[170] P. A. Potepa,[87a] I. N. Potrap,[39] C. J. Potter,[33]
H. Potti,[151] J. Poveda,[166] M. E. Pozo Astigarraga,[37] A. Prades Ibanez,[166] J. Pretel,[55] D. Price,[103]
M. Primavera,[71a] M. A. Principe Martin,[101] R. Privara,[125] T. Procter,[60] M. L. Proffitt,[142] N. Proklova,[131]
K. Prokofiev,[65c] G. Proto,[112] J. Proudfoot,[6] M. Przybycien,[87a] W. W. Przygoda,[87b] A. Psallidas,[47]
J. E. Puddefoot,[143] D. Pudzha,[55] D. Pyatiizbyantseva,[38] J. Qian,[108] D. Qichen,[103] Y. Qin,[13] T. Qiu,[53]
A. Quadt,[56] M. Queitsch-Maitland,[103] G. Quetant,[57] R. P. Quinn,[167] G. Rabanal Bolanos,[62] D. Rafanoharana,[55]
F. Raffaeli,[77a,77b] F. Ragusa,[72a,72b] J. L. Rainbolt,[40] J. A. Raine,[57] S. Rajagopalan,[30] E. Ramakoti,[38]
I. A. Ramirez-Berend,[35] K. Ran,[49,114c] N. P. Rapheeha,[34g] H. Rasheed,[28b] V. Raskina,[130] D. F. Rassloff,[64a]
A. Rastogi,[18a] S. Rave,[102] S. Ravera,[58b,58a] B. Ravina,[56] I. Ravinovich,[172] M. Raymond,[37] A. L. Read,[128]
N. P. Readioff,[143] D. M. Rebuzzi,[74a,74b] G. Redlinger,[30] A. S. Reed,[112] K. Reeves,[27] J. A. Reidelsturz,[174]
D. Reikher,[155] A. Rej,[50] C. Rembser,[37] M. Renda,[28b] F. Renner,[49] A. G. Rennie,[162] A. L. Rescia,[49]
S. Resconi,[72a] M. Ressegotti,[58b,58a] S. Rettie,[37] J. G. Reyes Rivera,[109] E. Reynolds,[18a] O. L. Rezanova,[38]

P. Reznicek[136] H. Riani[36d] N. Ribaric[93] E. Ricci[79a,79b] R. Richter[112] S. Richter[48a,48b] E. Richter-Was[87b] M. Ridel[130] S. Ridouani[36d] P. Rieck[120] P. Riedler[37] E. M. Riefel[48a,48b] J. O. Rieger[117] M. Rijssenbeek[149] M. Rimoldi[37] L. Rinaldi[24b,24a] P. Rincke[56,164] T. T. Rinn[30] M. P. Rinnagel[111] G. Ripellino[164] I. Riu[13] J. C. Rivera Vergara[168] F. Rizatdinova[124] E. Rizvi[96] B. R. Roberts[18a] S. H. Robertson[106,n] D. Robinson[33] C. M. Robles Gajardo[140f] M. Robles Manzano[102] A. Robson[60] A. Rocchi[77a,77b] C. Roda[75a,75b] S. Rodriguez Bosca[37] Y. Rodriguez Garcia[23a] A. Rodriguez Rodriguez[55] A. M. Rodríguez Vera[118] S. Roe[37] J. T. Roemer[37] A. R. Roepe-Gier[139] O. Røhne[128] R. A. Rojas[105] C. P. A. Roland[130] J. Roloff[30] A. Romaniouk[38] E. Romano[74a,74b] M. Romano[24b] A. C. Romero Hernandez[165] N. Rompotis[94] L. Roos[130] S. Rosati[76a] B. J. Rosser[40] E. Rossi[129] E. Rossi[73a,73b] L. P. Rossi[62] L. Rossini[55] R. Rosten[122] M. Rotaru[28b] B. Rottler[55] C. Rougier[91] D. Rousseau[67] D. Rousso[49] A. Roy[165] S. Roy-Garand[158] A. Rozanov[104] Z. M. A. Rozario[60] Y. Rozen[154] A. Rubio Jimenez[166] A. J. Ruby[94] V. H. Ruelas Rivera[19] T. A. Ruggeri[1] A. Ruggiero[129] A. Ruiz-Martinez[166] A. Rummler[37] Z. Rurikova[55] N. A. Rusakovich[39] H. L. Russell[168] G. Russo[76a,76b] J. P. Rutherfoord[7] S. Rutherford Colmenares[33] M. Rybar[136] E. B. Rye[128] A. Ryzhov[45] J. A. Sabater Iglesias[57] P. Sabatini[166] H. F-W. Sadrozinski[139] F. Safai Tehrani[76a] B. Safarzadeh Samani[137] S. Saha[1] M. Sahinsoy[112] A. Saibel[166] M. Saimpert[138] M. Saito[157] T. Saito[157] A. Sala[72a,72b] D. Salamani[37] A. Salnikov[147] J. Salt[166] A. Salvador Salas[155] D. Salvatore[44b,44a] F. Salvatore[150] A. Salzburger[37] D. Sammel[55] E. Sampson[93] D. Sampsonidis[156,y] D. Sampsonidou[126] J. Sánchez[166] V. Sanchez Sebastian[166] H. Sandaker[128] C. O. Sander[49] J. A. Sandesara[105] M. Sandhoff[174] C. Sandoval[23b] L. Sanfilippo[64a] D. P. C. Sankey[137] T. Sano[89] A. Sansoni[54] L. Santi[37,76b] C. Santoni[41] H. Santos[133a,133b] A. Santra[172] E. Sanzani[24b,24a] K. A. Saoucha[163] J. G. Saraiva[133a,133d] J. Sardain[7] O. Sasaki[85] K. Sato[160] C. Sauer[64b] E. Sauvan[4] P. Savard[158,d] R. Sawada[157] C. Sawyer[137] L. Sawyer[99] C. Sbarra[24b] A. Sbrizzi[24b,24a] T. Scanlon[98] J. Schaarschmidt[142] U. Schäfer[102] A. C. Schaffer[67,45] D. Schaile[111] R. D. Schamberger[149] C. Scharf[19] M. M. Schefer[20] V. A. Schegelsky[38] D. Scheirich[136] M. Schernau[162] C. Scheulen[56] C. Schiavi[58b,58a] M. Schioppa[44b,44a] B. Schlag[147] K. E. Schleicher[55] S. Schlenker[37] J. Schmeing[174] M. A. Schmidt[174] K. Schmieden[102] C. Schmitt[102] N. Schmitt[102] S. Schmitt[49] L. Schoeffel[138] A. Schoening[64b] P. G. Scholer[35] E. Schopf[129] M. Schott[25] J. Schovancova[37] S. Schramm[57] T. Schroer[57] H-C. Schultz-Coulon[64a] M. Schumacher[55] B. A. Schumm[139] Ph. Schune[138] A. J. Schuy[142] H. R. Schwartz[139] A. Schwartzman[147] T. A. Schwarz[108] Ph. Schwemling[138] R. Schwienhorst[109] F. G. Sciacca[20] A. Sciandra[30] G. Sciolla[27] F. Scuri[75a] C. D. Sebastiani[94] K. Sedlaczek[118] S. C. Seidel[115] A. Seiden[139] B. D. Seidlitz[42] C. Seitz[49] J. M. Seixas[84b] G. Sekhniaidze[73a] L. Selem[61] N. Semprini-Cesari[24b,24a] D. Sengupta[57] V. Senthilkumar[166] L. Serin[67] M. Sessa[77a,77b] H. Severini[123] F. Sforza[58b,58a] A. Sfyrla[57] Q. Sha[14] E. Shabalina[56] A. H. Shah[33] R. Shaheen[148] J. D. Shahinian[131] D. Shaked Renous[172] L. Y. Shan[14] M. Shapiro[18a] A. Sharma[37] A. S. Sharma[167] P. Sharma[81] P. B. Shatalov[38] K. Shaw[150] S. M. Shaw[103] Q. Shen[63c] D. J. Sheppard[146] P. Sherwood[98] L. Shi[98] X. Shi[14] C. O. Shimmin[175] J. D. Shinner[97] I. P. J. Shipsey[129,a] S. Shirabe[90] M. Shiyakova[39,ee] M. J. Shochet[40] J. Shojaii[107] D. R. Shope[128] B. Shrestha[123] S. Shrestha[122,ff] M. J. Shroff[168] P. Sicho[134] A. M. Sickles[165] E. Sideras Haddad[34g] A. C. Sidley[117] A. Sidoti[24b] F. Siegert[51] Dj. Sijacki[16] F. Sili[92] J. M. Silva[53] I. Silva Ferreira[84b] M. V. Silva Oliveira[30] S. B. Silverstein[48a] S. Simion[67] R. Simoniello[37] E. L. Simpson[103] H. Simpson[150] L. R. Simpson[108] N. D. Simpson[100] S. Simsek[83] S. Sindhu[56] P. Sinervo[158] S. Singh[158] S. Sinha[49] S. Sinha[103] M. Sioli[24b,24a] I. Siral[37] E. Sitnikova[49] J. Sjölin[48a,48b] A. Skaf[56] E. Skorda[21] P. Skubic[123] M. Slawinska[88] V. Smakhtin[172] B. H. Smart[137] S. Yu. Smirnov[38] Y. Smirnov[38] L. N. Smirnova[38,j] O. Smirnova[100] A. C. Smith[42] D. R. Smith[162] E. A. Smith[40] H. A. Smith[129] J. L. Smith[103] R. Smith[147] M. Smizanska[93] K. Smolek[135] A. A. Snesarev[38] S. R. Snider[158] H. L. Snoek[117] S. Snyder[30] R. Sobie[168,n] A. Soffer[155] C. A. Solans Sanchez[37] E. Yu. Soldatov[38] U. Soldevila[166] A. A. Solodkov[38] S. Solomon[27] A. Soloshenko[39] K. Solovieva[55] O. V. Solovyanov[41] P. Sommer[37] A. Sonay[13] W. Y. Song[159b] A. Sopczak[135] A. L. Sopio[98] F. Sopkova[29b] J. D. Sorenson[115] I. R. Sotarriva Alvarez[141] V. Sothilingam[64a] O. J. Soto Sandoval[140c,140b] S. Sottocornola[69] R. Soualah[163] Z. Soumaimi[36e] D. South[49] N. Soybelman[172] S. Spagnolo[71a,71b] M. Spalla[112] D. Sperlich[55] G. Spigo[37] S. Spinali[93] B. Spisso[73a,73b] D. P. Spiteri[60] M. Spousta[136] E. J. Staats[35] R. Stamen[64a] A. Stampekis[21] M. Standke[25] E. Stanecka[88]

W. Stanek-Maslouska[49] M. V. Stange[51] B. Stanislaus,[18a] M. M. Stanitzki[49] B. Stapf[49] E. A. Starchenko[38] G. H. Stark[139] J. Stark[91] P. Staroba[134] P. Starovoitov,[64a] S. Stärz[106] R. Staszewski[88] G. Stavropoulos[47] A. Stefl[37] P. Steinberg[30] B. Stelzer,[146,159a] H. J. Stelzer[132] O. Stelzer-Chilton[159a] H. Stenzel[59] T. J. Stevenson[150] G. A. Stewart[37] J. R. Stewart[124] M. C. Stockton[37] G. Stoicea,[28b] M. Stolarski[133a] S. Stonjek[112] A. Straessner[51] J. Strandberg[148] S. Strandberg,[48a,48b] M. Stratmann[174] M. Strauss[123] T. Strebler[104] P. Strizenec,[29b] R. Ströhmer[169] D. M. Strom[126] R. Stroynowski[45] A. Strubig,[48a,48b] S. A. Stucci[30] B. Stugu[17] J. Stupak[123] N. A. Styles[49] D. Su[147] S. Su,[63a] W. Su,[63d] X. Su,[63a] D. Suchy,[29a] K. Sugizaki[157] V. V. Sulin[38] M. J. Sullivan[94] D. M. S. Sultan[129] L. Sultanaliyeva[38] S. Sultansoy,[3b] T. Sumida[89] S. Sun[173] O. Sunneborn Gudnadottir[164] N. Sur[104] A. P. Suresh,[18a] M. R. Sutton[150] H. Suzuki[160] M. Svatos[134] M. Swiatlowski,[159a] T. Swirski[169] I. Sykora,[29a] M. Sykora[136] T. Sykora[136] D. Ta[102] K. Tackmann,[49,dd] A. Taffard[162] R. Tafirout[159a] J. S. Tafoya Vargas[67] Y. Takubo[85] M. Talby[104] A. A. Talyshev[38] K. C. Tam,[65b] N. M. Tamir,[155] A. Tanaka[157] J. Tanaka[157] R. Tanaka[67] M. Tanasini[149] Z. Tao[167] S. Tapia Araya,[140f] S. Tapprogge[102] A. Tarek Abouelfadl Mohamed[109] S. Tarem[154] K. Tariq[14] G. Tarna,[28b] G. F. Tartarelli,[72a] M. J. Tartarin[91] P. Tas[136] M. Tasevsky[134] E. Tassi,[44b,44a] A. C. Tate[165] G. Tateno[157] Y. Tayalati,[36e,gg] G. N. Taylor[107] W. Taylor[159b] R. Teixeira De Lima[147] P. Teixeira-Dias[97] J. J. Teoh[158] K. Terashi[157] J. Terron[101] S. Terzo[13] M. Testa[54] R. J. Teuscher,[158,n] A. Thaler[80] O. Theiner[57] N. Themistokleous[53] T. Theveneaux-Pelzer[104] O. Thielmann[174] D. W. Thomas,[97] J. P. Thomas[21] E. A. Thompson,[18a] P. D. Thompson[21] E. Thomson[131] R. E. Thornberry[45] C. Tian,[63a] Y. Tian[56] V. Tikhomirov,[38,j] Yu. A. Tikhonov[38] S. Timoshenko,[38] D. Timoshyn[136] E. X. L. Ting[1] P. Tipton[175] A. Tishelman-Charny[30] S. H. Tlou,[34g] K. Todome[141] S. Todorova-Nova[136] S. Todt,[51] L. Toffolin,[70a,70c] M. Togawa[85] J. Tojo[90] S. Tokár,[29a] K. Tokushuku[85] O. Toldaiev[69] R. Tombs[33] M. Tomoto,[85,113] L. Tompkins,[147,hh] K. W. Topolnicki,[87b] E. Torrence[126] H. Torres[91] E. Torró Pastor[166] M. Toscani[31] C. Tosciri[40] M. Tost[11] D. R. Tovey[143] I. S. Trandafir,[28b] T. Trefzger[169] A. Tricoli[30] I. M. Trigger[159a] S. Trincaz-Duvoid[130] D. A. Trischuk[27] B. Trocmé[61] A. Tropina,[39] L. Truong,[34c] M. Trzebinski[88] A. Trzupek[88] F. Tsai[149] M. Tsai[108] A. Tsiamis,[156,y] P. V. Tsiareshka,[38] S. Tsigaridas,[159a] A. Tsirigotis,[156,z] V. Tsiskaridze[158] E. G. Tskhadadze,[153a] M. Tsopoulou,[156] Y. Tsujikawa[89] I. I. Tsukerman,[38] V. Tsulaia,[18a] S. Tsuno[85] K. Tsuri[121] D. Tsybychev[149] Y. Tu,[65b] A. Tudorache,[28b] V. Tudorache,[28b] A. N. Tuna[62] S. Turchikhin,[58b,58a] I. Turk Cakir,[3a] R. Turra,[72a] T. Turtuvshin,[39,ii] P. M. Tuts[42] S. Tzamarias,[156,y] E. Tzovara[102] F. Ukegawa[160] P. A. Ulloa Poblete,[140c,140b] E. N. Umaka[30] G. Unal[37] A. Undrus[30] G. Unel[162] J. Urban,[29b] P. Urrejola[140a] G. Usai[8] R. Ushioda[141] M. Usman[110] Z. Uysal[83] V. Vacek[135] B. Vachon[106] T. Vafeiadis[37] A. Vaitkus[98] C. Valderanis[111] E. Valdes Santurio,[48a,48b] M. Valente[159a] S. Valentinetti,[24b,24a] A. Valero[166] E. Valiente Moreno[166] A. Vallier[91] J. A. Valls Ferrer[166] D. R. Van Arneman[117] T. R. Van Daalen[142] A. Van Der Graaf[50] P. Van Gemmeren[6] M. Van Rijnbach[37] S. Van Stroud[98] I. Van Vulpen[117] P. Vana[136] M. Vanadia,[77a,77b] W. Vandelli[37] E. R. Vandewall[124] D. Vannicola[155] L. Vannoli[54] R. Vari,[76a] E. W. Varnes[7] C. Varni,[18b] T. Varol[152] D. Varouchas[67] L. Varriale[166] K. E. Varvell[151] M. E. Vasile[28b] L. Vaslin,[85] G. A. Vasquez[168] A. Vasyukov,[39] L. M. Vaughan[124] R. Vavricka,[102] T. Vazquez Schroeder[37] J. Veatch[32] V. Vecchio[103] M. J. Veen[105] I. Veliscek[30] L. M. Veloce[158] F. Veloso,[133a,133c] S. Veneziano,[76a] A. Ventura,[71a,71b] S. Ventura Gonzalez[138] A. Verbytskyi[112] M. Verducci,[75a,75b] C. Vergis[96] M. Verissimo De Araujo[84b] W. Verkerke[117] J. C. Vermeulen[117] C. Vernieri[147] M. Vessella[105] M. C. Vetterli,[146,d] A. Vgenopoulos[102] N. Viaux Maira,[140f] T. Vickey[143] O. E. Vickey Boeriu[143] G. H. A. Viehhauser[129] L. Vigani,[64b] M. Villa,[24b,24a] M. Villaplana Perez[166] E. M. Villhauer,[53] E. Vilucchi[54] M. G. Vincter[35] A. Visibile,[117] C. Vittori[37] I. Vivarelli,[24b,24a] E. Voevodina[112] F. Vogel[111] J. C. Voigt[51] P. Vokac[135] Yu. Volkotrub,[87b] J. Von Ahnen[49] E. Von Toerne[25] B. Vormwald[37] V. Vorobel[136] K. Vorobev[38] M. Vos[166] K. Voss[145] M. Vozak[117] L. Vozdecky[123] N. Vranjes[16] M. Vranjes Milosavljevic[16] M. Vreeswijk[117] N. K. Vu,[63d,63c] R. Vuillermet[37] O. Vujinovic[102] I. Vukotic[40] S. Wada[160] C. Wagner,[105] J. M. Wagner,[18a] W. Wagner[174] S. Wahdan[174] H. Wahlberg[92] M. Wakida[113] J. Walder[137] R. Walker[111] W. Walkowiak[145] A. Wall[131] E. J. Wallin[100] T. Wamorkar,[6] A. Z. Wang[139] C. Wang[102] C. Wang[11] H. Wang,[18a] J. Wang,[65c] P. Wang[98] R. Wang[62] R. Wang,[6] S. M. Wang[152] S. Wang,[63b] S. Wang,[14] T. Wang,[63a] W. T. Wang[81] W. Wang,[14] X. Wang[114a] X. Wang[165] X. Wang,[63c] Y. Wang,[63d] Y. Wang,[114a] Y. Wang,[63a] Z. Wang[108] Z. Wang,[63d,52,63c] Z. Wang[108]

A. Warburton,[106] R. J. Ward,[21] N. Warrack,[60] S. Waterhouse,[97] A. T. Watson,[21] H. Watson,[60] M. F. Watson,[21] E. Watton,[60,137] G. Watts,[142] B. M. Waugh,[98] J. M. Webb,[55] C. Weber,[30] H. A. Weber,[19] M. S. Weber,[20] S. M. Weber,[64a] C. Wei,[63a] Y. Wei,[55] A. R. Weidberg,[129] E. J. Weik,[120] J. Weingarten,[50] C. Weiser,[55] C. J. Wells,[49] T. Wenaus,[30] B. Wendland,[50] T. Wengler,[37] N. S. Wenke,[112] N. Wermes,[25] M. Wessels,[64a] A. M. Wharton,[93] A. S. White,[62] A. White,[8] M. J. White,[1] D. Whiteson,[162] L. Wickremasinghe,[127] W. Wiedenmann,[173] M. Wielers,[137] C. Wiglesworth,[43] D. J. Wilbern,[123] H. G. Wilkens,[37] J. J. H. Wilkinson,[33] D. M. Williams,[42] H. H. Williams,[131] S. Williams,[33] S. Willocq,[105] B. J. Wilson,[103] P. J. Windischhofer,[40] F. I. Winkel,[31] F. Winklmeier,[126] B. T. Winter,[55] J. K. Winter,[103] M. Wittgen,[147] M. Wobisch,[99] T. Wojtkowski,[61] Z. Wolffs,[117] J. Wollrath,[162] M. W. Wolter,[88] H. Wolters,[133a,133c] M. C. Wong,[139] E. L. Woodward,[42] S. D. Worm,[49] B. K. Wosiek,[88] K. W. Woźniak,[88] S. Wozniewski,[56] K. Wraight,[60] C. Wu,[21] M. Wu,[114b] M. Wu,[116] S. L. Wu,[173] X. Wu,[57] Y. Wu,[63a] Z. Wu,[4] J. Wuerzinger,[112,u] T. R. Wyatt,[103] B. M. Wynne,[53] S. Xella,[43] L. Xia,[114a] M. Xia,[15] M. Xie,[63a] S. Xin,[14,114c] A. Xiong,[126] J. Xiong,[18a] D. Xu,[14] H. Xu,[63a] L. Xu,[63a] R. Xu,[131] T. Xu,[108] Y. Xu,[15] Z. Xu,[53] Z. Xu,[114a] B. Yabsley,[151] S. Yacoob,[34a] Y. Yamaguchi,[141] E. Yamashita,[157] H. Yamauchi,[160] T. Yamazaki,[18a] Y. Yamazaki,[86] J. Yan,[63c] S. Yan,[60] Z. Yan,[105] H. J. Yang,[63c,63d] H. T. Yang,[63a] S. Yang,[63a] T. Yang,[65c] X. Yang,[37] X. Yang,[14] Y. Yang,[45] Y. Yang,[63a] Z. Yang,[63a] W-M. Yao,[18a] H. Ye,[114a] H. Ye,[56] J. Ye,[14] S. Ye,[30] X. Ye,[63a] Y. Yeh,[98] I. Yeletskikh,[39] B. Yeo,[18b] M. R. Yexley,[98] T. P. Yildirim,[129] P. Yin,[42] K. Yorita,[171] S. Younas,[28b] C. J. S. Young,[37] C. Young,[147] C. Yu,[14,114c] Y. Yu,[63a] J. Yuan,[14,114c] M. Yuan,[108] R. Yuan,[63d,63c] L. Yue,[98] M. Zaazoua,[63a] B. Zabinski,[88] E. Zaid,[53] Z. K. Zak,[88] T. Zakareishvili,[166] S. Zambito,[57] J. A. Zamora Saa,[140d,140b] J. Zang,[157] D. Zanzi,[55] O. Zaplatilek,[135] C. Zeitnitz,[174] H. Zeng,[14] J. C. Zeng,[165] D. T. Zenger Jr.,[27] O. Zenin,[38] T. Ženiš,[29a] S. Zenz,[96] S. Zerradi,[36a] D. Zerwas,[67] M. Zhai,[14,114c] D. F. Zhang,[143] J. Zhang,[63b] J. Zhang,[6] K. Zhang,[14,114c] L. Zhang,[63a] L. Zhang,[114a] P. Zhang,[14,114c] R. Zhang,[173] S. Zhang,[108] S. Zhang,[91] T. Zhang,[157] X. Zhang,[63c] X. Zhang,[63b] Y. Zhang,[63c] Y. Zhang,[98] Y. Zhang,[114a] Z. Zhang,[18a] Z. Zhang,[63b] Z. Zhang,[67] H. Zhao,[142] T. Zhao,[63b] Y. Zhao,[139] Z. Zhao,[63a] Z. Zhao,[63a] A. Zhemchugov,[39] J. Zheng,[114a] K. Zheng,[165] X. Zheng,[63a] Z. Zheng,[147] D. Zhong,[165] B. Zhou,[108] H. Zhou,[7] N. Zhou,[63c] Y. Zhou,[15] Y. Zhou,[114a] Y. Zhou,[7] C. G. Zhu,[63b] J. Zhu,[108] X. Zhu,[63d] Y. Zhu,[63c] Y. Zhu,[63a] X. Zhuang,[14] K. Zhukov,[38] N. I. Zimine,[39] J. Zinsser,[64b] M. Ziolkowski,[145] L. Živković,[16] A. Zoccoli,[24b,24a] K. Zoch,[62] T. G. Zorbas,[143] O. Zormpa,[47] W. Zou,[42] and L. Zwalinski[37]

(ATLAS Collaboration)

[1]Department of Physics, University of Adelaide, Adelaide, Australia
[2]Department of Physics, University of Alberta, Edmonton, Alberta, Canada
[3a]Department of Physics, Ankara University, Ankara, Türkiye
[3b]Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye
[4]LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France
[5]APC, Université Paris Cité, CNRS/IN2P3, Paris, France
[6]High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA
[7]Department of Physics, University of Arizona, Tucson, Arizona, USA
[8]Department of Physics, University of Texas at Arlington, Arlington, Texas, USA
[9]Physics Department, National and Kapodistrian University of Athens, Athens, Greece
[10]Physics Department, National Technical University of Athens, Zografou, Greece
[11]Department of Physics, University of Texas at Austin, Austin, Texas, USA
[12]Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
[13]Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain
[14]Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China
[15]Physics Department, Tsinghua University, Beijing, China
[16]Institute of Physics, University of Belgrade, Belgrade, Serbia
[17]Department for Physics and Technology, University of Bergen, Bergen, Norway
[18a]Physics Division, Lawrence Berkeley National Laboratory, Berkeley, California, USA
[18b]University of California, Berkeley, California, USA
[19]Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany
[20]Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

[21]School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
[22a]Department of Physics, Bogazici University, Istanbul, Türkiye
[22b]Department of Physics Engineering, Gaziantep University, Gaziantep, Türkiye
[22c]Department of Physics, Istanbul University, Istanbul, Türkiye
[23a]Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá, Colombia
[23b]Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia
[24a]Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy
[24b]INFN Sezione di Bologna, Italy
[25]Physikalisches Institut, Universität Bonn, Bonn, Germany
[26]Department of Physics, Boston University, Boston, Massachusetts, USA
[27]Department of Physics, Brandeis University, Waltham, Massachusetts, USA
[28a]Transilvania University of Brasov, Brasov, Romania
[28b]Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania
[28c]Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania
[28d]National Institute for Research and Development of Isotopic and Molecular Technologies,
Physics Department, Cluj-Napoca, Romania
[28e]National University of Science and Technology Politechnica, Bucharest, Romania
[28f]West University in Timisoara, Timisoara, Romania
[28g]Faculty of Physics, University of Bucharest, Bucharest, Romania
[29a]Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic
[29b]Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences,
Kosice, Slovak Republic
[30]Physics Department, Brookhaven National Laboratory, Upton, New York, USA
[31]Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET,
Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina
[32]California State University, Long Beach, California, USA
[33]Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom
[34a]Department of Physics, University of Cape Town, Cape Town, South Africa
[34b]iThemba Labs, Western Cape, South Africa
[34c]Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa
[34d]National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines
[34e]University of South Africa, Department of Physics, Pretoria, South Africa
[34f]University of Zululand, KwaDlangezwa, South Africa
[34g]School of Physics, University of the Witwatersrand, Johannesburg, South Africa
[35]Department of Physics, Carleton University, Ottawa, Ontario, Canada
[36a]Faculté des Sciences Ain Chock, Université Hassan II de Casablanca, Morocco
[36b]Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco
[36c]Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco
[36d]LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco
[36e]Faculté des sciences, Université Mohammed V, Rabat, Morocco
[36f]Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco
[37]CERN, Geneva, Switzerland
[38]Affiliated with an institute covered by a cooperation agreement with CERN
[39]Affiliated with an international laboratory covered by a cooperation agreement with CERN
[40]Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA
[41]LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France
[42]Nevis Laboratory, Columbia University, Irvington, New York, USA
[43]Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
[44a]Dipartimento di Fisica, Università della Calabria, Rende, Italy
[44b]INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy
[45]Physics Department, Southern Methodist University, Dallas, Texas, USA
[46]Physics Department, University of Texas at Dallas, Richardson, Texas, USA
[47]National Centre for Scientific Research "Demokritos", Agia Paraskevi, Greece
[48a]Department of Physics, Stockholm University, Sweden
[48b]Oskar Klein Centre, Stockholm, Sweden
[49]Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany
[50]Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany
[51]Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
[52]Department of Physics, Duke University, Durham, North Carolina, USA
[53]SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

[54]INFN e Laboratori Nazionali di Frascati, Frascati, Italy

[55]Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany

[56]II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany

[57]Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland

[58a]Dipartimento di Fisica, Università di Genova, Genova, Italy

[58b]INFN Sezione di Genova, Italy

[59]II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

[60]SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

[61]LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France

[62]Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA

[63a]Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics,
University of Science and Technology of China, Hefei, China

[63b]Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE),
Shandong University, Qingdao, China

[63c]School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE),
SKLPPC, Shanghai, China

[63d]Tsung-Dao Lee Institute, Shanghai, China

[63e]School of Physics, Zhengzhou University, China

[64a]Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[64b]Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[65a]Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China

[65b]Department of Physics, University of Hong Kong, Hong Kong, China

[65c]Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay,
Kowloon, Hong Kong, China

[66]Department of Physics, National Tsing Hua University, Hsinchu, Taiwan

[67]IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France

[68]Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain

[69]Department of Physics, Indiana University, Bloomington, Indiana, USA

[70a]INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy

[70b]ICTP, Trieste, Italy

[70c]Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy

[71a]INFN Sezione di Lecce, Italy

[71b]Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

[72a]INFN Sezione di Milano, Italy

[72b]Dipartimento di Fisica, Università di Milano, Milano, Italy

[73a]INFN Sezione di Napoli, Italy

[73b]Dipartimento di Fisica, Università di Napoli, Napoli, Italy

[74a]INFN Sezione di Pavia, Italy

[74b]Dipartimento di Fisica, Università di Pavia, Pavia, Italy

[75a]INFN Sezione di Pisa, Italy

[75b]Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

[76a]INFN Sezione di Roma, Italy

[76b]Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy

[77a]INFN Sezione di Roma Tor Vergata, Italy

[77b]Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

[78a]INFN Sezione di Roma Tre, Italy

[78b]Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

[79a]INFN-TIFPA, Italy

[79b]Università degli Studi di Trento, Trento, Italy

[80]Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria

[81]University of Iowa, Iowa City, Iowa, USA

[82]Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA

[83]Istinye University, Sariyer, Istanbul, Türkiye

[84a]Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil

[84b]Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil

[84c]Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

[84d]Rio de Janeiro State University, Rio de Janeiro, Brazil

[84e]Federal University of Bahia, Bahia, Brazil

[85]KEK, High Energy Accelerator Research Organization, Tsukuba, Japan

[86]Graduate School of Science, Kobe University, Kobe, Japan

[87a]*AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland*

[87b]*Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*

[88]*Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*

[89]*Faculty of Science, Kyoto University, Kyoto, Japan*

[90]*Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*

[91]*L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France*

[92]*Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*

[93]*Physics Department, Lancaster University, Lancaster, United Kingdom*

[94]*Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*

[95]*Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*

[96]*School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*

[97]*Department of Physics, Royal Holloway University of London, Egham, United Kingdom*

[98]*Department of Physics and Astronomy, University College London, London, United Kingdom*

[99]*Louisiana Tech University, Ruston, Los Angeles, USA*

[100]*Fysiska institutionen, Lunds universitet, Lund, Sweden*

[101]*Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*

[102]*Institut für Physik, Universität Mainz, Mainz, Germany*

[103]*School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*

[104]*CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*

[105]*Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA*

[106]*Department of Physics, McGill University, Montreal, Quebec, Canada*

[107]*School of Physics, University of Melbourne, Victoria, Australia*

[108]*Department of Physics, University of Michigan, Ann Arbor, Michigan, USA*

[109]*Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA*

[110]*Group of Particle Physics, University of Montreal, Montreal, Quebec, Canada*

[111]*Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*

[112]*Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*

[113]*Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*

[114a]*Department of Physics, Nanjing University, Nanjing, China*

[114b]*School of Science, Shenzhen Campus of Sun Yat-sen University, China*

[114c]*University of Chinese Academy of Science (UCAS), Beijing, China*

[115]*Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA*

[116]*Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands*

[117]*Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands*

[118]*Department of Physics, Northern Illinois University, DeKalb, Illinois, USA*

[119a]*New York University Abu Dhabi, Abu Dhabi, United Arab Emirates*

[119b]*United Arab Emirates University, Al Ain, United Arab Emirates*

[120]*Department of Physics, New York University, New York, New York, USA*

[121]*Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan*

[122]*Ohio State University, Columbus, Ohio, USA*

[123]*Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Oklahoma, USA*

[124]*Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA*

[125]*Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic*

[126]*Institute for Fundamental Science, University of Oregon, Eugene, Oregon, USA*

[127]*Graduate School of Science, Osaka University, Osaka, Japan*

[128]*Department of Physics, University of Oslo, Oslo, Norway*

[129]*Department of Physics, Oxford University, Oxford, United Kingdom*

[130]*LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France*

[131]*Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA*

[132]*Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA*

[133a]*Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal*

[133b]*Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal*

[133c]*Departamento de Física, Universidade de Coimbra, Coimbra, Portugal*

[133d]*Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal*

[133e]*Departamento de Física, Universidade do Minho, Braga, Portugal*

[133f]*Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain*

[133g]*Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal*

[134]*Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic*

[135]*Czech Technical University in Prague, Prague, Czech Republic*

[136]*Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic*
[137]*Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*
[138]*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
[139]*Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA*
[140a]*Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*
[140b]*Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile*
[140c]*Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile*
[140d]*Universidad Andres Bello, Department of Physics, Santiago, Chile*
[140e]*Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile*
[140f]*Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
[141]*Department of Physics, Institute of Science, Tokyo, Japan*
[142]*Department of Physics, University of Washington, Seattle, Washington, USA*
[143]*Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*
[144]*Department of Physics, Shinshu University, Nagano, Japan*
[145]*Department Physik, Universität Siegen, Siegen, Germany*
[146]*Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada*
[147]*SLAC National Accelerator Laboratory, Stanford, California, USA*
[148]*Department of Physics, Royal Institute of Technology, Stockholm, Sweden*
[149]*Departments of Physics and Astronomy, Stony Brook University, Stony Brook, New York, USA*
[150]*Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
[151]*School of Physics, University of Sydney, Sydney, Australia*
[152]*Institute of Physics, Academia Sinica, Taipei, Taiwan*
[153a]*E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia*
[153b]*High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia*
[153c]*University of Georgia, Tbilisi, Georgia*
[154]*Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*
[155]*Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
[156]*Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
[157]*International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*
[158]*Department of Physics, University of Toronto, Toronto, Ontario, Canada*
[159a]*TRIUMF, Vancouver, British Columbia, Canada*
[159b]*Department of Physics and Astronomy, York University, Toronto, Ontario, Canada*
[160]*Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*
[161]*Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA*
[162]*Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA*
[163]*University of Sharjah, Sharjah, United Arab Emirates*
[164]*Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
[165]*Department of Physics, University of Illinois, Urbana, Illinois, USA*
[166]*Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain*
[167]*Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada*
[168]*Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada*
[169]*Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
[170]*Department of Physics, University of Warwick, Coventry, United Kingdom*
[171]*Waseda University, Tokyo, Japan*
[172]*Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*
[173]*Department of Physics, University of Wisconsin, Madison, Wisconsin, USA*
[174]*Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
[175]*Department of Physics, Yale University, New Haven, Connecticut, USA*

[a]Deceased.
[b]Also at Department of Physics, King's College London, London, United Kingdom.
[c]Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
[d]Also at TRIUMF, Vancouver, British Columbia, Canada.
[e]Also at Department of Physics, University of Thessaly, Lamia, Greece.
[f]Also at An-Najah National University, Nablus, Palestine.
[g]Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.
[h]Also at Department of Physics, Westmont College, Santa Barbara, USA.
[i]Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain.
[j]Also at Affiliated with an institute covered by a cooperation agreement with CERN.

[k]Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

[l]Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia, Bulgaria.

[m]Also at Università di Napoli Parthenope, Napoli, Italy.

[n]Also at Institute of Particle Physics (IPP), Victoria, Canada.

[o]Also at University of Colorado Boulder, Department of Physics, Colorado, USA.

[p]Also at Borough of Manhattan Community College, City University of New York, New York, New York, USA.

[q]Also at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines.

[r]Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

[s]Also at Centro Studi e Ricerche Enrico Fermi, Italy.

[t]Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

[u]Also at Technical University of Munich, Munich, Germany.

[v]Also at Yeditepe University, Physics Department, Istanbul, Türkiye.

[w]Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

[x]Also at CERN, Geneva, Switzerland.

[y]Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece.

[z]Also at Hellenic Open University, Patras, Greece.

[aa]Also at Department of Physics, Stellenbosch University, Stellenbosch, South Africa.

[bb]Also at Department of Physics, California State University, Sacramento, USA.

[cc]Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.

[dd]Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

[ee]Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.

[ff]Also at Washington College, Chestertown, Maryland, USA.

[gg]Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco.

[hh]Also at Department of Physics, Stanford University, Stanford, California, USA.

[ii]Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia.