



Measurements of jet cross-section ratios in 13 TeV proton–proton collisions with ATLAS

The ATLAS Collaboration

Measurements of jet cross-section ratios between inclusive bins of jet multiplicity are performed in 140 fb^{-1} of proton–proton collisions with $\sqrt{s} = 13 \text{ TeV}$ center-of-mass energy, recorded with the ATLAS detector at CERN’s Large Hadron Collider. These ratios are constructed from double-differential cross-section measurements that are made in bins of jet multiplicity and other observables that are sensitive to the energy-scale and angular distribution of radiation due to the strong interaction in the final state. Additionally, the scalar sum of the two leading jets’ transverse momenta is measured triple-differentially, in bins of the third jet’s transverse momentum and of jet multiplicity. These measurements are unfolded to account for acceptance and detector-related effects. The measured distributions are used to construct ratios of the inclusive jet-multiplicity bins, which have been shown to be sensitive to the strong coupling α_S while being less sensitive than other observables to systematic uncertainties and parton distribution functions. The measured distributions are compared with state-of-the-art QCD calculations, including next-to-next-to-leading-order predictions for two- and three-jet events. These predictions are generally found to model the data well, and perform best in bins with a modest requirement on the third jet’s transverse momentum. Significant differences between data and Monte Carlo predictions are observed in events with large rapidity gaps and invariant masses of the leading jet pair. Studies leading to reduced jet energy scale uncertainties significantly improve the precision of this work, and are documented herein.

Contents

1	Introduction	3
2	The ATLAS detector, Run 2 dataset and simulation	4
2.1	The ATLAS detector	4
2.2	Data	5
2.3	Simulation	5
3	Methodology	6
3.1	Object and event selection	6
3.2	Measured observables	7
3.3	Unfolding	7
4	Systematic uncertainties	8
4.1	Jet energy scale	8
4.1.1	Updated jet flavor response uncertainty	8
4.1.2	Updated single-particle deconvolution uncertainty	12
4.1.3	Summary of Run 2 jet energy scale uncertainty	12
4.2	Choice of MC models	13
4.3	Unfolding methodology: statistical uncertainties and nonclosure	14
4.4	Other experimental uncertainties	14
4.5	Summary of experimental uncertainties	15
5	Fixed-order QCD predictions	16
5.1	NLO prediction	16
5.2	NNLO prediction	16
5.3	Nonperturbative corrections for fixed-order predictions	17
5.4	HEJ Prediction	17
6	Results	17
6.1	Measured cross-sections	17
6.2	Cross-section ratios	18
6.3	Comparisons with fixed-order and resummed calculations	19
7	Concluding remarks	33

1 Introduction

Quantum chromodynamics (QCD) is the theory of the strong interaction, which describes the interactions of quarks and gluons. It is therefore fundamental to understanding both initial-state and final-state physics at hadron colliders such as CERN’s Large Hadron Collider (LHC). Recent theoretical advances have led to fixed-order predictions of three-jet cross-sections in proton–proton (pp) collisions at next-to-next-to-leading order (NNLO) [1]. Comparisons between experimental results and these state-of-the-art predictions provide powerful tests of perturbative QCD. Discrepant models of QCD processes impact the accuracy of physics simulations and Monte Carlo event generators, which in turn often limits experimental precision. Better understanding of the modeling of QCD processes is therefore needed to achieve the highest possible levels of precision in physics analysis, both at the LHC and at future experimental facilities [2, 3].

In this analysis, multiple facets of QCD are studied by measuring differential cross-sections of multijet events, and their ratios, in $\sqrt{s} = 13$ TeV pp collisions at the LHC. One set of measured observables is sensitive to the energy scale of the hard-scattering process in the event, and can be used to test the accuracy of fixed-order matrix element predictions. A complementary set of observables is sensitive to the angular distributions of hadronic energy flow in the final state, and hence can probe other aspects of QCD modeling. The differential cross-sections for each observable are used to construct cross-section ratios between different inclusive jet-multiplicity bins, reducing the sensitivity of the measurements to systematic uncertainties and parton distribution functions.

This procedure was used previously by the ATLAS [4] and CMS [5, 6] collaborations at the LHC to measure the three-jet to two-jet cross-section ratio, R_{32} , in pp collisions at $\sqrt{s} = 7$ TeV. Prior to those results, this quantity was measured at other hadron colliders by the UA1 [7], UA2 [8], CDF [9] and D0 [10, 11] collaborations. Here, R_{32} is presented for the first time in $\sqrt{s} = 13$ TeV pp collisions, and is compared with fixed-order QCD predictions at NNLO accuracy. Although such high-precision predictions do not yet exist for events with larger jet multiplicities, the higher multiplicity ratios R_{43} , R_{42} and R_{54} are experimentally accessible with the complete Run 2 dataset. These ratios were also measured in this analysis, to serve as a reference for future theoretical developments.

The structure of this paper is as follows. A description of the ATLAS detector, the Run 2 dataset and the multijet simulations used in this analysis are given in Section 2. In Section 3, an overview of the event selection and observables used in this analysis is provided, along with a description of the unfolding procedure used to correct the measured distributions for effects related to detector resolution. The estimated systematic uncertainties from various sources are described in Section 4, and modeling improvements leading to smaller jet energy scale uncertainties are highlighted. Fixed-order QCD calculations that are compared with the measured data are then described in Section 5. The main results of the analysis are presented in Section 6 and compared with fixed-order QCD predictions and Monte Carlo simulated event samples. Concluding remarks follow, in Section 7.

2 The ATLAS detector, Run 2 dataset and simulation

2.1 The ATLAS detector

The ATLAS detector [12] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer installed before Run 2 [13, 14]. It is followed by the silicon microstrip tracker, which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (out of a typical total of 30) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by a steel/scintillator-tile calorimeter (‘tile calorimeter’), segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is extended by forward copper/LAr and tungsten/LAr calorimeter modules optimized for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, cover the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Interesting events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [15]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger reduces in order to record events to disk at about 1 kHz.

An extensive software suite [16] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the center of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$, where $y = (1/2) \ln[(E + p_z)/(E - p_z)]$ is the object’s rapidity defined by its energy and longitudinal momentum.

2.2 Data

This analysis is performed using data from LHC pp collisions with a center-of-mass energy of $\sqrt{s} = 13$ TeV, collected during 2015–2018 with the ATLAS detector. The total integrated luminosity of this dataset is 140 fb^{-1} . The uncertainty in the combined 2015–2018 integrated luminosity is 0.83% [17], obtained using the LUCID-2 detector [18] for the primary luminosity measurements, complemented by measurements using the inner detector and calorimeters. Due to the high instantaneous luminosity and the large total inelastic pp cross-section, there are, on average, 33.7 simultaneous (“pileup”) collisions in each bunch crossing. Data events must satisfy quality requirements to be included in the analysis [19].

2.3 Simulation

Samples of Monte Carlo (MC) simulated multijet events are used in this analysis for comparison with the data, to unfold the detector-level measurement to particle-level, and to achieve the reductions in jet energy scale uncertainties described in Section 4. Since the jet production cross-section is much larger than the cross-sections for other processes, these multijet samples are sufficient to describe data in the fiducial region of the measurement.

PYTHIA 8.230 [20] is used as the nominal MC generator in this analysis, and is also referred to here as the “nominal” simulation. Samples of $2 \rightarrow 2$ dijet events were generated using the A14 set of tuned parameters (“tune”) [21], the Lund string hadronization model [22] and the NNPDF2.3LO leading-order (LO) parton distribution function (PDF) set [23]. The PYTHIA parton shower (PS) algorithm uses a transverse-momentum-ordered evolution [24], and its renormalization and factorization scales were set to the geometric mean of the squared transverse masses of the outgoing particles. EVTGEN [25] was used to model decays of heavy-flavor hadrons.

Three sets of SHERPA 2.2.5 [26] multijet events were used with the default AHADIC cluster hadronization model [27] or with the SHERPA interface to the Lund string hadronization model as implemented in PYTHIA 6.4, and its decay tables. These samples include LO matrix element calculations for $2 \rightarrow 2$ processes, and use the SHERPA parton shower algorithm based on Catani–Seymour dipole subtraction [28]. The CT14_{NNLO} next-to-next-to-leading-order (NNLO) PDF set [29] was used for matrix element calculations and the CT10 PDF set [30] was used for multiparton interactions (MPI). One additional SHERPA sample was generated with SHERPA 2.2.11, using the same settings as the sample with cluster-based hadronization described above, except that the parameters of the hadronization model were retuned to achieve better agreement with LEP data [31]. This retuning changes the description of the baryon production rate inside jets, and was found to make the description of the ATLAS detector’s jet energy response more consistent between SHERPA and PYTHIA jets. Further details can be found in Ref. [32].

Another set of multijet events was generated using HERWIG 7.1.6 [33–35] with the default cluster hadronization model and either the default angle-ordered PS or the alternative dipole PS [27]. In these samples the $2 \rightarrow 2$ matrix elements are modeled with LO accuracy and interfaced with the NNPDF2.3LO PDF set. The angle-ordered sample is compared with measurements from this analysis, and both samples are used in the studies of jet energy scale systematic uncertainties presented in Section 4.

Two additional samples of multijet events with next-to-leading-order (NLO) matrix element accuracy were produced with POWHEG v2 [36–38] using the multijet process implemented in POWHEG Box v2 [39], matched to either the PYTHIA 8 or angle-ordered HERWIG 7 parton shower configured as for the corresponding samples described above. The renormalization and factorization scales in these samples were set to the

transverse momentum (p_T) of the underlying Born-level configuration. For the PYTHIA PS, the default Lund string hadronization model was used with the NNPDF3.0_{NLO} PDF set [40] and A14 tune. The NNPDF3.0_{NLO} PDF set was also used for the HERWIG sample, but with the default HERWIG cluster-based hadronization model. These samples are referred to as the “POWHEG+PYTHIA” and “POWHEG+HERWIG” samples.

All generated events were passed through a full detector simulation [41] based on GEANT4 [42] and overlaid with simulated minimum-bias interactions generated using PYTHIA 8 with the A3 tune [43] and NNPDF2.3_{LO} PDF set to represent pileup interactions. The distribution of the average number of pileup interactions in simulation is reweighted during data analysis to match that observed in Run 2 data.

Additional details of the MC samples used in this measurement may be found in Ref. [44].

3 Methodology

3.1 Object and event selection

All jets in this analysis are reconstructed using the anti- k_t algorithm [45] as implemented in FASTJET [46], with a jet radius parameter $R = 0.4$.

“Particle-level” jets are reconstructed in simulated events without detector simulation. All detector-stable particles, with a lifetime τ in the laboratory frame such that $c\tau > 10$ mm, are used, except those that are expected to deposit little or no energy in the calorimeters (*i.e.*, muons and neutrinos). Particle-level jets are required to have $p_T > 60$ GeV and absolute rapidity $|y| < 4.5$ to enter this analysis.

Detector-level jets are reconstructed from particle flow (PFlow) objects [47], which combine measurements from the ATLAS inner detector and calorimeters [48] to improve the jet energy resolution and increase the jet reconstruction efficiency, especially at low jet p_T . Jets are calibrated such that the average detector-level jet energy scale (JES) matches that of the corresponding particle-level jets, using a combination of simulation-based and *in situ* techniques [49]. Signals originating from detector noise, cosmic rays and beam-induced backgrounds can be reconstructed as spurious jets, but these are efficiently rejected by following the methodology described in Ref. [50], updated for particle flow jets but utilizing the same observables. For this study, detector-level jets are required to have $p_T > 60$ GeV and absolute rapidity $|y| < 4.5$. After applying these kinematic selections, the likelihood that a particle flow jet originates from a pileup interaction is sufficiently low that no additional pileup-jet rejection is applied [51, 52].

To be included in the analysis, both the particle-level and detector-level events are required to have at least two selected jets ($N_{\text{jets}} \geq 2$), and the scalar p_T sum of the leading jet pair (ordered in p_T), $H_{T2} = p_{T,1} + p_{T,2}$, must satisfy $H_{T2} \geq 250$ GeV.

All detector-level events are required to have at least one vertex reconstructed from two or more inner-detector tracks with $p_T > 500$ MeV, and to pass the data quality requirements described in Ref. [19]. The data were collected using a set of single-jet triggers [53], whose thresholds depended on the data-taking year during Run 2. By design, the minimum H_{T2} requirement ensures that the measurement is performed in a region where the single-jet triggers are fully efficient for the analysis selection. It also ensures that the measurement’s fiducial region does not include phase-space regions that are divergent at fixed order [54, 55].

Combinations of central and forward single-jet triggers are used to select events in ranges of H_{T2} where the combination is fully efficient. For triggers that were prescaled during data-taking, events in data are reweighted by the appropriate prescale factor to recover a smoothly falling jet- p_T spectrum. The prescale factors applied to central-jet and forward-jet triggers differ, so they are logically combined using the “inclusion method” described in Ref. [56].

3.2 Measured observables

The two observables chosen for their sensitivity to fixed-order effects are H_{T2} and $p_T^{N_{\text{incl}}}$. As introduced in Section 3.1, H_{T2} is the scalar sum of the transverse momenta of the leading two jets in the event: $H_{T2} = p_{T,1} + p_{T,2}$. It is a proxy for the energy scale of the hard-scattering interaction. For events with more than two jets, the p_T of the third-leading jet, $p_{T,3}$, determines the sensitivity to resummation effects, and varying the $p_{T,3}$ threshold leads to better understanding of these effects. The cross-section is measured triple-differentially, as a function of H_{T2} and in bins of jet multiplicity N_{jets} and bins of $p_{T,3}$.

The $p_T^{N_{\text{incl}}}$ distribution is the inclusive jet p_T spectrum, measured in bins of inclusive jet multiplicity. For example, the $p_T^{2_{\text{incl}}}$ distribution is the p_T spectrum of the two leading jets in any selected event, and $p_T^{3_{\text{incl}}}$ would include the leading and subleading jet contributions in addition to the third jet, if one passes the selection.

Configurations with large logarithmic corrections can be preferentially selected by measuring jet cross-section ratios as a function of either the absolute value of the leading jet pair’s rapidity difference, or the absolute value of the maximum rapidity difference between selected jets in the event (Δy_{jj} and $\Delta y_{jj,\text{max}}$, respectively). Similarly, the invariant mass of the two leading jets and the maximum dijet invariant mass found among all selected jets in the event (forming the m_{jj} and $m_{jj,\text{max}}$ distributions, respectively) also contain a region at large invariant mass where the cross-section receives large logarithmic contributions. These four observables are measured to probe the resummation in different ways: for example, logarithmic corrections will be larger for $m_{jj,\text{max}}$ than for m_{jj} . Large invariant masses for m_{jj} tend to be dominated by the contributions from large p_T , which are well-described by fixed-order predictions. Conversely, $m_{jj,\text{max}}$ includes greater contributions from the large angular separations that directly probe these effects. This set of measurements provides a novel way to indirectly test analytic descriptions of vector-boson scattering/fusion (VBS/VBF) interactions and MC calculations. Observables such as m_{jj} and Δy_{jj} are also sensitive to PDFs, and were used in prior PDF fitting studies by the CMS Collaboration [57]. The analysis selection imposes a single-jet p_T requirement on all jets, which allows the logarithmic structure of VBS/VBF events to be probed without introducing additional complications from hierarchies in the jet selection.

3.3 Unfolding

All data presented in Section 6 are unfolded using an iterative D’Agostini unfolding procedure [58] to account for effects arising from the limited efficiency, acceptance and resolution of the ATLAS detector. For each observable, the binning used in this measurement is varied in accord with the detector’s resolution. The unfolding algorithm was implemented using the RooUNFOLD toolkit [59]. Four iterations of the unfolding procedure are used, because this ensures the unfolding converges well and either minimizes or minimally affects the total uncertainty from all sources for all observables. For most observables the unfolding is performed double-differentially, in bins of the observable and in exclusive bins of jet

multiplicity N_{jets} , to allow the unfolding procedure to account for migrations between relevant bins. The H_{T2} measurement is unfolded triple-differentially in bins of H_{T2} , N_{jets} and $p_{T,3}$. For the double-differential measurements and triple-differential measurement, the purity of the response matrices (*i.e.*, the size of the diagonal elements) is typically above 50% or 30% respectively.

These exclusive bins of N_{jets} are used to construct inclusive bins of N_{jets} . The unfolded absolute differential cross-sections are presented in Section 6.1. These unfolded cross-sections are used to construct the cross-section ratios R_{32} , R_{42} , R_{43} and R_{54} , which are presented in Section 6.2.

4 Systematic uncertainties

4.1 Jet energy scale

Systematic uncertainties in the $R = 0.4$ jet energy scale (JES) and resolution (JER) are evaluated using a series of simulation-based techniques and *in situ* measurements, documented in Ref. [49]. These uncertainties are propagated by building a response matrix from each variation representing a systematic uncertainty component, then unfolding the nominal prior distribution using the varied response matrix. The difference between the unfolded nominal and systematically varied cross-sections is taken as the systematic uncertainty. They are the dominant sources of experimental uncertainty in the analysis.

The impact of certain components of the JES uncertainty has been reduced by updating the prescriptions given in Ref. [49]. Uncertainties can also arise because the relative jet energy response for simulated quark- and gluon-initiated jets varies between different MC generators; they are called “jet-flavor response / composition” uncertainties in Ref. [49]. These uncertainties were significantly reduced relative to their prior treatment, and the improvements are explained below in Section 4.1.1. Following this updated treatment, the component of the JES uncertainty due to the jet flavor is reduced from a leading source of uncertainty in the measurement to a completely subdominant effect.

Improvements were also made to the component of the jet energy scale uncertainty related to the extrapolation of single-hadron response measurements [60–62] to jets, discussed below in Section 4.1.2. This component of the JES uncertainty is reduced by roughly a factor of three compared to that reported in Ref. [49].

The JES/JER uncertainties can result in asymmetric variations, and they are left unsymmetrized in the presentation of the measured cross-sections and their ratios.

4.1.1 Updated jet flavor response uncertainty

The internal dynamics of a jet are determined in part by the flavor of the parton that initiated it.² The response of the ATLAS detector to jets depends on the underlying particle spectra, which can vary significantly between different MC generator setups. An uncertainty related to our limited knowledge

² The notion of a “quark-initiated” or “gluon-initiated” jet is not well-defined beyond leading order in QCD [63, 64]: quark-initiated jets are narrower and have fewer constituents and a harder particle spectrum, on average, than gluon-initiated jets with the same p_T . For simplicity, these studies use labels based on the identity of the highest-energy ghost-associated [65] parton that the MC generator’s “truth” record matches to the reconstructed jet. While this definition can be MC-generator-dependent, this label nevertheless reflects the expected differences between quark- and gluon-initiated jet fragmentation in experimental settings [66, 67], and is therefore well suited to characterize differences in how these jets interact with the detector material.




Figure 1: The ratio of the average jet energy response for (a) gluon-initiated and (b) quark-initiated jets in various MC simulation samples to the jet energy response of the nominal PYTHIA sample, as a function of the true jet p_T for jets within the pseudorapidity range $|\eta| < 0.7$.

of the actual spectra in data and its relationship with the JES is therefore necessary: this component of the ATLAS JES uncertainties is referred to as the “flavor response uncertainty”. Historically, it has been defined by the difference between the responses to gluon-initiated jets from different MC generator setups multiplied by the fraction of gluon-initiated jets in the measured phase space (e.g. in Ref. [49], as the difference between PYTHIA 8 and HERWIG++).

The jet energy response is defined as the ratio of the jet transverse momentum at detector-level (p_T^{reco}) to that at particle-level (p_T^{true}). The ratio of the average jet response, $\mu(p_T^{\text{reco}}/p_T^{\text{true}})$, between several MC generator setups and the nominal PYTHIA sample is shown in Figures 1(a) and 1(b) for $R = 0.4$ particle flow jets that are initiated by either gluons or quarks and antiquarks, respectively. For gluon-initiated jets, differences between PYTHIA and alternative models are as large as 2.5% at $p_T = 60$ GeV. For quark-initiated jets, the differences are smaller, with a spread below $\sim 1\%$ above $p_T = 60$ GeV.

Several fragmentation- and hadronization-related effects can change the jet response. The calorimeter energy response to hadrons rises with energy [61, 62], so the momentum spectrum of the particles associated with the jet is expected to play an important role in jet response modeling. The particle composition also plays a role because the calorimeter response to neutral pions, which decay via $\pi^0 \rightarrow \gamma\gamma$, is significantly higher than for hadronic showers, and for charged hadrons the particle flow algorithm is able to use track measurements. Additionally, the ATLAS detector’s response to hadrons has also been found to vary slightly depending on the species of particle [61], which is consistent with analysis of test-beam data for pions, protons and charged kaons [68, 69]. While the particle composition is partly determined by isospin symmetries, the production of baryons and kaons occurs via different mechanisms in hadronization models that are parameterized and tuned to experimental data [70–72].

Since both the particle spectra from jet fragmentation and the particle content of a jet can affect the detector response, their modeling must be tuned to experimental measurements. Many measurements of jet fragmentation functions and other pertinent substructure observables have been performed at the SPS [73–75], LEP [76–87], the LHC [67, 88–95], and other colliders [96–110], typically without explicit particle identification. However, the ALICE experiment has performed some measurements [111–113] that




Figure 2: The average fraction of the gluon-initiated jet’s energy carried by baryons as a function of the jet p_T for jets within $|\eta| < 0.7$. The nominal PYTHIA sample is compared with (a) several HERWIG samples with different parton shower models, and (b) several SHERPA samples with different hadronization models and sets of tuned parameters. The dashed line provides a comparison with quark-initiated jets in the nominal PYTHIA sample.

do probe the particle content.

Figure 2 shows the mean baryon energy fractions for central ($|\eta| < 0.7$), particle-level, gluon-initiated jets in MC samples generated by PYTHIA and either HERWIG 7.1.6 with the angle-ordered or dipole PS algorithms (Figure 2(a)) or SHERPA 2.2.5 with cluster-based or string-based hadronization models and SHERPA 2.2.11 with a cluster hadronization model that was retuned to LEP data [31] (Figure 2(b)). The mean baryon energy fraction for quark-initiated jets in the PYTHIA MC sample is also shown, to indicate the size of possible differences arising due to the jet flavor. Significant differences between the different MC generator setups are observed. The mean baryon energy fraction varies between 12% and 20% for the different generators, and slowly decreases as the jet p_T increases. Variation of the PS model in HERWIG samples does not change the distribution much. In both HERWIG samples and the SHERPA 2.2.5 sample with cluster-based hadronization the fraction of energy carried by baryons is lower than for the nominal PYTHIA sample, while for the SHERPA 2.2.5 sample with string-based hadronization it is higher. The SHERPA 2.2.11 sample with the retuned cluster-based hadronization is in better agreement with the PYTHIA sample.

To further investigate the dependence of the jet response on the particle content of the jet, Figure 3 shows the PFlow jet response of gluon- and quark-initiated jets as a function of the fraction of the true jet energy carried by baryons. It is seen that larger baryon fractions lead to lower jet energy responses for both gluon- and quark-initiated jets. This is expected, as the majority of these baryons will be protons or neutrons, or their antiparticles. The average response of these particles is typically lower than that of a mixture of charged and neutral pions, as neutral pions decay mainly into two photons and the calorimeter is calibrated for electromagnetic showers. Additionally, while protons, antiprotons and charged pions will have reconstructed tracks during particle flow reconstruction, neutrons and antineutrons will rely solely on calorimeter measurements and thus have a lower response (due to signal leakage, dead material, *etc.*). Together, these lead to the observed trend that when a larger fraction of the jet’s energy is carried by baryons, the jet energy response is lower.

A similar, but smaller, dependence of the jet response on the kaon energy fraction is also observed, and can be explained similarly.




Figure 3: The jet energy response for (a) gluon- and (b) quark-initiated jets as a function of the baryon energy fraction, for various true jet p_T bins in the nominal PYTHIA sample.

Based on these observations, the treatment of the ATLAS JES flavor response uncertainty was revisited in order to consider differences between the underlying simulated particle spectra more carefully and to use updated MC generator setups. Instead of the previous two-point comparison of the gluon-initiated jet response between PYTHIA 8 and HERWIG++, three separate uncertainty components are defined by directly comparing MC generator setups that factorize different physical effects:

1. **Flavor generator/shower: PYTHIA 8 vs. SHERPA 2.2.5 w/ Lund string hadronization.** This comparison varies the UE/MPI model and aspects of the PS model (p_T -ordered vs. dipole).
2. **Flavor hadronization: SHERPA 2.2.11 w/ AHADIC cluster-based hadronization vs. SHERPA 2.2.5 w/ Lund string hadronization.** This comparison varies the nonperturbative hadronization model, between the updated SHERPA AHADIC cluster-based model and the Lund string model as implemented in PYTHIA 6.
3. **Flavor shower: HERWIG 7.1 w/ angle-ordered PS vs. HERWIG 7.1 w/ dipole PS.** This comparison between the angle-ordered and dipole PS models implemented in HERWIG ensures that all three major PS schemes used in ATLAS MC generators are considered.

These comparisons ensure that three plausible PS models (p_T -ordered, angle-ordered and dipole) are compared, and that the comparison of nonperturbative models of hadronization physics (AHADIC cluster-based hadronization and Lund string hadronization) does not include model parameterizations that are disfavored by data. Different PDF sets and color reconnection models are also used for various setups: for complete details of the MC setups used, see Section 2.3 or Ref. [44].

These uncertainties are derived separately for five different jet flavors (u or d , and s , c , b and g) and applied according to a per-jet label in simulated event samples. This per-jet treatment eliminates the need for

the earlier “jet flavor composition” uncertainty based on the aggregate flavor composition of an analysis’ selection relative to the compositions used for *in situ* JES calibrations.

Since the Z +jet topology is used directly for the *in situ* JES calibration, the flavor response uncertainty should not vary the response in such events. In order to maintain a fixed energy scale in the Z +jet topology while providing an uncertainty for extrapolation to other flavor compositions, the flavor response uncertainty scales the JES of gluon-initiated jets as $+f_q\Delta(q - g)$ and that of quark-initiated jets as $-(1 - f_q)\Delta(q - g)$, where f_q is the p_T -dependent fraction of quark-initiated jets in the Z +jet sample, and $\Delta(q - g)$ is the difference in the jet response between generators:

$$\Delta(q - g) = \left(R_q^{\text{MC1}} - R_g^{\text{MC1}}\right) - \left(R_q^{\text{MC2}} - R_g^{\text{MC2}}\right) = \left(R_q^{\text{MC1}} - R_q^{\text{MC2}}\right) - \left(R_g^{\text{MC1}} - R_g^{\text{MC2}}\right).$$

This procedure is applied to each of the three MC sample comparisons listed above, resulting in three independent uncertainty components for the JES. These three components have no effect on samples with the same flavor composition as the Z +jet events used in the *in situ* calibration. The uncertainties in the fractions of quark- and gluon- initiated jets in the simulated samples are evaluated by unfolding data with different MC models as described in Section 4.2.

4.1.2 Updated single-particle deconvolution uncertainty

At high jet p_T , the component of the jet energy scale uncertainty determined by the extrapolation of single-particle response measurements to jets via the “deconvolution” procedure, described in Ref. [61, 114], has been reduced by updating several inputs. In particular, the response to electromagnetic showers has been updated [115], and the response to high- p_T pions has been measured *in situ* up to $p_T = 250$ GeV using $W \rightarrow \tau(\rightarrow \pi\nu)\nu$ events [62], replacing previous test-beam measurements. The extrapolation of these measurements to other types of hadrons and higher energies is assessed by using updated alternative GEANT4 physics lists [42] and variations of the detector geometry. Together, these changes result in a reduction of this uncertainty by roughly a factor of three compared to the uncertainty reported in Ref. [49].

4.1.3 Summary of Run 2 jet energy scale uncertainty

The final Run 2 JES uncertainty as a function of the jet p_T for central jets is shown separately for gluon- and quark-initiated jets in Figures 4(a) and 4(b). The components due to the flavor generator/shower, shower and hadronization uncertainties are shown, and the overall size of the uncertainty is compared between this updated flavor prescription and the previous one. Anticorrelations between these uncertainties for gluon- and quark-initiated jets can reduce the aggregate uncertainty for topologies with mixed flavor compositions, such as the dijet flavor composition shown in Figure 4(c). For both gluon- and quark-initiated jets, the flavor hadronization component is largest for low- p_T jets, up to $\sim 0.8\%$ below $p_T = 100$ GeV. The flavor shower component increases for high- p_T jets, up to $\sim 0.5\%$ for jets above $p_T = 400$ GeV. The flavor shower/generator component is small (below 0.5%) everywhere, but largest for low- p_T jets (below $p_T \sim 100$ GeV). The updated flavor uncertainty reduces the overall size of the JES uncertainty by up to a factor of two around $p_T \sim 100$ GeV, and renders the component of the JES uncertainty that was previously dominant for $p_T = 30\text{--}400$ GeV subdominant everywhere. The updated single-particle deconvolution uncertainty results in a reduction of this component of the JES at high p_T by roughly a factor of three compared to the uncertainty reported in Ref. [49].




Figure 4: The jet energy scale uncertainty for (a) gluon- and (b) quark-initiated jets produced at central pseudorapidities ($|\eta| = 0$). In (c), the overall uncertainty for a dijet flavor composition is shown. The difference between the total uncertainty obtained from the previous prescriptions documented in Ref. [49] and that obtained from the updated uncertainties is indicated by a filled green region, while the new total uncertainty is indicated by the filled blue region. Subcomponents of the uncertainty originating from the flavor generator/shower, shower and hadronization comparisons are indicated by different lines.

4.2 Choice of MC models

When unfolding a measurement using iterative Bayesian unfolding, one must select a nominal MC simulation to construct the response matrix that is applied to data. Different results can be obtained if a different MC model is used to define the unfolding procedure, as the alternative underlying particle spectrum can change the prior, response matrix, fake and efficiency factors. To account for the uncertainty related to the choice of nominal MC model, the unfolding procedure is repeated with the nominal PYTHIA

prior but a response matrix, fake factors, and efficiency factors constructed using an alternative MC simulation.

The alternative sample used to define this uncertainty is the SHERPA 2.2.5 sample with cluster-based hadronization, which varies many aspects of the simulation with respect to the nominal PYTHIA sample (Section 2.3), including the PS algorithm and PDF set. Despite the differences between these setups, both provide good descriptions of the measured data. In order to factorize modeling effects due to the JES and reduce double-counting, the average JES of the alternative SHERPA samples was recalibrated to match that of the PYTHIA sample when evaluating this uncertainty. This MC-to-MC correction procedure significantly reduces the size of the MC modeling systematic uncertainty, from a few percent to less than 1% for most of the measurement.

When changing the MC model, the effects on the analysis efficiencies, acceptance and unfolding response matrix are considered individually. The three components of this uncertainty are summed in quadrature to obtain the total modeling uncertainty.

4.3 Unfolding methodology: statistical uncertainties and nonclosure

Statistical uncertainties arise from the finite MC and data sample sizes in the measurement, and are estimated during the unfolding procedure with Poissonian pseudo-experiments, as described in Ref. [116]. For the MC simulation, pseudo-experiments are used to vary the response matrix used for the unfolding procedure. The input MC prior is unfolded with each varied response matrix. The efficiencies and acceptances are allowed to vary during this process. For the data statistical uncertainty, pseudo-experiments are generated to vary the input data spectrum (“prior”) for the unfolding procedure, and are then unfolded using the nominal PYTHIA response matrix. One hundred pseudo-experiments are generated in both cases; using larger numbers of pseudo-experiments did not alter the results significantly. The 68% interquartile range of the output distributions generated as a result of these variations is taken as the corresponding statistical uncertainty.

The nonclosure uncertainty in the unfolding procedure is evaluated using a data-driven reweighting procedure [117]. The detector-level PYTHIA spectrum is reweighted to match the observed data spectrum, and then unfolded with the nominal PYTHIA response matrix. The difference between this unfolded result and the nominal PYTHIA particle-level spectrum is taken as a systematic uncertainty.

4.4 Other experimental uncertainties

Other uncertainties related to experimental effects are accounted for in this analysis. They are typically small, but can occasionally be significant in certain measurement bins.

The uncertainty in the absolute luminosity measurement is applied as a 0.83% variation of the normalization of the data [17]. This uncertainty is negligible for the measurement of cross-section ratios.

Uncertainties due to the mismodeling of pileup events are included by reweighting the distribution of the average number of pileup interactions and are found to be negligible throughout the measurement.

During certain Run 2 data-taking periods, specific modules of the tile calorimeter were disabled due to technical problems. Some of these modules are also disabled in the simulated events corresponding to a given data-taking period, while other modules that were temporarily disabled during data-taking were not




Figure 5: The breakdown of the experimental uncertainties for the (a, b) inclusive two-jet cross-section measurement and (c, d) R_{32} measurement, differential in (a, c) H_{T2} with $p_{T,3} > 60$ GeV, and (b, d) $\Delta y_{jj,max}$.

disabled in the simulation. No additional correction is applied to the p_T of jets which may have deposited energy in disabled tile modules. The impact of the disabled tile modules on the unfolded distributions is evaluated by repeating the measurement and vetoing events with jets directed at disabled modules in either data or the nominal P_{ΥTHIA} sample. Differences between these results with vetoed events and the nominal set are taken as a source of systematic uncertainty.

4.5 Summary of experimental uncertainties

A breakdown of the experimental uncertainties for two representative distributions, H_{T2} with $p_{T,3} > 60$ GeV and $\Delta y_{jj,max}$, for the cross-sections and their ratios is shown in Figure 5. For H_{T2} , the JES uncertainties dominate everywhere, highlighting the importance of the JES uncertainty reductions. The MC-to-MC correction improves the consistency of the jet p_T modeling between MC generators, rendering this a subleading source of uncertainty for H_{T2} . For $\Delta y_{jj,max}$, the JES uncertainties dominate everywhere except the smallest rapidity differences, where the modeling uncertainty dominates.

5 Fixed-order QCD predictions

5.1 NLO prediction

The theoretical predictions for three-jet and two-jet cross-sections are calculated at NLO in perturbative QCD using the NLOJET++ program [118, 119]. The partonic cross-section is convolved with NNLO PDFs obtained from the LHAPDF interfaces [120] to CT18 [121], NNPDF4.0 [122], MSHT20 [123] and ATLASpdf21 [124]. The PDFs are based on the $N_F = 5$ scheme, where N_F is the number of parton flavors. The value of $\alpha_s(m_Z)$ is set consistently between the partonic matrix-element calculation and the PDF; the central value is taken to be $\alpha_s(m_Z) = 0.118$. The partonic events are clustered with the anti- k_t algorithm ($R = 0.4$) before the phase-space requirements of this measurement are applied. The renormalization and factorization scales (μ_r and μ_f , respectively) are set to the scalar sum of the p_T of all partons in the final state, as recommended in Ref. [125]:

$$\mu_r = \mu_f = \hat{H}_T = \sum_i p_{T,i}, \quad (1)$$

where i is the parton index.

The uncertainty of the CT18 PDF set is smaller than 2% throughout the fiducial volume of the measurement. It covers the differences between the studied PDF sets, with the exception of NNPDF4.0, which differs by around 2σ (1σ) at low (high) H_{T2} .

Renormalisation and factorisation scale uncertainties are estimated by varying μ_r and μ_f up and down by a factor of two, avoiding configurations in which the scales are varied in different directions. The envelope of results from this seven-point scale variation is taken as the uncertainty, which tends to be 5% or smaller throughout the measurement. For comparisons with ratios of jet cross-section measurements, the NLO prediction is defined as the ratio of the NLO prediction for three-jet production to the NLO prediction for two-jet production.

5.2 NNLO prediction

Fixed-order predictions for the (differential) R_{32} ratios are obtained at NNLO in perturbative QCD using the computational framework in Refs. [1, 126–128]. The evaluation of scattering amplitudes makes use of AVHLIB [129], OPENLOOPS2 [130], FIVEPOINTAMPLITUDES [131] and PENTAGONFUNCTIONS++ [132]. The partonic cross-sections are convolved with PDFs provided by the LHAPDF package, using the NNLO MSHT20 PDF set as the nominal one. The perturbative QCD calculations are performed with $N_F = 5$ massless quark flavors, *i.e.* without top-quark contributions to scattering amplitudes. The contribution from top-quark pair production is estimated to be below 0.3% in the relevant phase space. The value of $\alpha_s(m_Z)$ used in the partonic matrix-element calculation and PDFs is chosen to be 0.118. The partonic events are clustered with the anti- k_t algorithm ($R = 0.4$) before the phase-space requirements of this measurement are applied. The renormalization and the factorization scale for each event are chosen to be the scalar sum of the p_T of all partons in the final state (Eq. (1)), and varied with the same seven-point scheme used for the NLO prediction. For comparisons with ratios of jet cross-section measurements, the NNLO prediction is defined as the ratio of the NNLO prediction for three-jet production to the NNLO prediction for two-jet production.

5.3 Nonperturbative corrections for fixed-order predictions

In order to compare the theoretical predictions with the measured data (Section 6), nonperturbative QCD effects from hadronization and the underlying event (UE) must be included. To determine the size of these corrections, MC predictions are obtained at hadron-level including the UE, and compared with parton-level distributions where the UE contribution is disabled in the MC generator. The ratio of these two predictions is applied as a bin-by-bin correction to the theoretical prediction. The nonperturbative corrections are typically found to deviate from unity by about 2% for the two- and three-jet selections separately, and generally by about 0.5% for the R_{32} ratio itself.

The uncertainty in this correction is estimated by changing the set of tuned parameters used for the PYTHIA MC generator. While the nominal correction makes use of the A14-NNPDF3.1NLO ATLAS tune [21], an alternative correction factor is calculated using the MONASH tune [133], which uses a larger value of α_s for final-state radiation (0.1365 vs. 0.1270). The difference between the two correction factors defines the systematic uncertainty of the nonperturbative corrections, and is generally smaller than 0.5%.

5.4 HEJ Prediction

The High Energy Jets (HEJ) framework [134–136] calculates the tower of leading logarithmic QCD corrections in \hat{s}/p_T^2 (where \hat{s} is the parton center-of-mass energy) to all orders in the strong coupling α_s for all relevant Standard Model processes. These corrections are relevant in regions of phase space where jets span a large range of rapidity or where pairs of jets have a large invariant mass. The predictions from HEJ contain both the resummation of logarithmic corrections and the matching of these to fixed-order accuracy. This includes matching of all processes of $pp \rightarrow 2j, 3j, 4j, 5j,$ and $6j$ to tree-level accuracy point-by-point in phase space. All the predictions are obtained using a renormalization and factorization scale of $\hat{H}_T/2$, with an independent seven-point variation of the scales by factors of two. The PDF set is NNPDF3.1NLO ($\alpha_s = 0.118$), and $R = 0.4$ and $p_{T,\min} = 60$ GeV are used throughout the anti- k_t algorithm.

6 Results

6.1 Measured cross-sections

The unfolded cross-section measurements for the different observables studied in this analysis are shown in Figures 6–9.

The differential cross-section as a function of H_{T2} is compared to several MC generator predictions in Figure 6, for various requirements on the inclusive jet multiplicity and the transverse momentum of the third jet ($p_{T,3}$). No single MC prediction is able to describe the data across all H_{T2} and multiplicity bins. The PYTHIA prediction has an approximately constant offset relative to the data, with the offset decreasing at larger values of $p_{T,3}$. The two SHERPA models have nearly identical behavior, since the H_{T2} cross-section is not significantly impacted by the hadronization model. The HERWIG model underestimates the two-jet cross-section, but provides a good description of higher multiplicities, except for the highest $p_{T,3}$ bin, where no models provide a good description.

The differential cross-section as a function of $p_T^{N_{\text{incl}}}$ is shown in Figure 7, differentially in bins of the inclusive number of jets. Because of the event selection requirement that $H_{T2} > 250$ GeV combined with

the minimum p_T cut of 60 GeV, each event has at least two jets with p_T around 125 GeV, resulting in a sharp downturn in $p_T^{N_{\text{incl}}}$ around half of the value of the H_{T2} cut. The MC predictions have an offset in the cross-section, which is generally constant as a function of p_T , except for $p_T < 100$ GeV where there is also a shape difference in the predictions. The exception to this is the SHERPA predictions, which do not show this shape difference at low p_T .

The differential cross-section as a function of Δy_{jj} and m_{jj} is presented in Figure 8, in bins of inclusive jet multiplicity. For both observables, SHERPA provides the best description of the data. HERWIG models the data well for small rapidity differences and small dijet masses, but its performance quickly deteriorates at larger rapidity differences and masses. PYTHIA and POWHEG+PYTHIA overestimate the data everywhere, while POWHEG+HERWIG provides a reasonable description of the data for low jet multiplicities and small values of Δy_{jj} and m_{jj} , with a poor description of the data elsewhere.

Finally, the differential cross-section as a function of $\Delta y_{jj,\text{max}}$ and $m_{jj,\text{max}}$ is presented in Figure 9, in bins of inclusive jet multiplicity. Overall, SHERPA provides the best description of the data, but it underestimates the cross-section at low $\Delta y_{jj,\text{max}}$ and $m_{jj,\text{max}}$. POWHEG+HERWIG describes the data well at low multiplicities, but significantly overestimates the cross-section at high multiplicities, particularly for large $\Delta y_{jj,\text{max}}$ and $m_{jj,\text{max}}$. For $m_{jj,\text{max}}$, PYTHIA and POWHEG+PYTHIA overestimate the cross-section everywhere, with agreement worsening at high $m_{jj,\text{max}}$. Similar behavior is observed for $\Delta y_{jj,\text{max}}$, except in the low $\Delta y_{jj,\text{max}}$ region, where there is fair agreement. The HERWIG prediction differs from the data in overall shape for both observables and does not provide a good description of the data for any multiplicity.

6.2 Cross-section ratios

Ratios of the measured observables between different bins of inclusive jet multiplicity are presented in this section. When compared with the cross-section measurements, the uncertainties are generally reduced because correlated systematic variations in the numerator and denominator partially cancel out.

The ratios of the measured H_{T2} distributions are shown in Figure 10. The shape of the R_{32} distribution changes as the $p_{T,3}$ threshold is varied, because the $p_{T,3}$ requirement depends on the event's H_{T2} value. When the $p_{T,3}$ cut does not depend on H_{T2} (Figure 10(a)), the R_{32} ratio increases smoothly until dropping slightly at the highest H_{T2} values, as the probability to emit a third hard parton increases with the energy scale of the event. At the highest values of H_{T2} , events with a soft third jet are often in a back-to-back configuration: the third jet can be merged with one of the leading two, causing the ratio to decrease slightly [137, 138]. When the $p_{T,3}$ cut is made to depend on H_{T2} , a feature related to this dependence appears at a value of H_{T2} corresponding to the ratio of the third jet's p_T threshold (60 GeV in this case) to the fraction of H_{T2} that $p_{T,3}$ must satisfy in that bin: for example, in Figure 10(b) where $p_{T,3}/H_{T2} > 0.10$, the distribution turns over at a value of $60 \text{ GeV}/0.10 = 600 \text{ GeV}$. This turn-over point shifts to lower values as the fractional H_{T2} requirement is increased in higher $p_{T,3}$ bins. The R_{32} value decreases after this point because of the steeply falling p_T spectrum of the third jet.

In general, agreement between the data and predictions worsens as the third jet's p_T cut is increased, and the R_{43} and R_{54} ratios tend to be better modeled than the R_{32} and R_{42} ratios. PYTHIA tends to predict slightly higher values of R_{32} and R_{42} than seen in data, with better agreement at larger $p_{T,3}$, and agrees fairly well with the data for R_{43} and R_{54} . POWHEG+PYTHIA overestimates the value of all four ratios, particularly at low H_{T2} . Both SHERPA predictions describe the data well for small values of $p_{T,3}$, but tend to underestimate the values of R_{32} and R_{42} for large values of $p_{T,3}$, particularly at high H_{T2} . For R_{32} and R_{42} , HERWIG predicts significantly fewer two-jet events than are seen in data, particularly for large values of $p_{T,3}$, while

POWHEG+HERWIG gives a better description of the data, particularly for large values of H_{T2} . Both HERWIG and POWHEG+HERWIG provide poorer descriptions of the data than PYTHIA and SHERPA for R_{32} and R_{42} . For R_{43} and R_{54} , HERWIG provides a relatively good description of the data, while POWHEG+HERWIG tends to overestimate both of these ratios.

The ratios of the measured $p_T^{N_{\text{incl}}}$ distributions are shown in Figure 11. The ratios tend towards one at high p_T , since very few events have more than two jets with p_T above a few hundred GeV. While the uncertainties cancel out significantly for the entire p_T distribution, the differences between data and the MC predictions are generally covered by the uncertainties.

The ratios of the measured Δy_{jj} and m_{jj} distributions are shown in Figures 12 and 13, respectively. For both observables, the HERWIG, POWHEG+HERWIG, and POWHEG+PYTHIA predictions significantly overestimate all four ratios for all rapidity differences. The PYTHIA and SHERPA predictions provide a good description of the data for all four ratios for rapidity differences $\Delta y_{jj} < 6$ and dijet masses above 2 TeV, while at larger rapidity differences and larger dijet masses, they underestimate the ratios, with the exception of R_{54} , which is modeled well across all bins.

The ratios of the measured $\Delta y_{jj,\text{max}}$ and $m_{jj,\text{max}}$ distributions are shown in Figures 14 and 15, respectively. For the $\Delta y_{jj,\text{max}}$ ratios, the PYTHIA and SHERPA predictions model the data well, except in the low and high rapidity-difference regions. Similar features are seen for $m_{jj,\text{max}}$, although the mismodeling at low dijet masses is only seen in the lowest $m_{jj,\text{max}}$ bin. POWHEG+HERWIG and POWHEG+PYTHIA do not model any of the ratios well, with the smallest disagreement seen for R_{32} . HERWIG does not describe R_{32} or R_{42} well for either observable, but provides a reasonable description for R_{43} and R_{54} , except for the low rapidity-difference region, where it underestimates the ratio.

6.3 Comparisons with fixed-order and resummed calculations

The ratios R_{32} of the measured H_{T2} distributions are shown in Figure 16, compared with the NLO and NNLO predictions. The NNLO prediction provides an accurate description of the value and shape of R_{32} for all the different $p_{T,3}$ bins of the measurement, while the NLO prediction tends to overestimate R_{32} . This highlights the importance of the higher-order predictions in describing multijet production. For low cuts on $p_{T,3}$ and at larger values of H_{T2} , the NNLO prediction slightly overestimates the data. This is the region where effects from resummation play a more important role, and higher cuts on $p_{T,3}$ reduce these differences. Some statistical fluctuations in the NNLO prediction are observed, due to the significant computational requirements of these predictions. The statistical error of the theory predictions is treated independently between bins.

For each $p_{T,3}$ cut, the value of χ^2 per degree of freedom (“*d.o.f.*”) is shown in Table 1. The individual experimental and theoretical uncertainties are considered to be uncorrelated with each other, and fully correlated across the H_{T2} bins. For all $p_{T,3}$ cuts, the highest H_{T2} bin is excluded from the χ^2 calculation, due to the large statistical fluctuation in the NNLO prediction in this bin: this results in 19 degrees of freedom (bins). The $\chi^2/d.o.f.$ values for the NLO and NNLO predictions agree well with the data in all bins except the highest $p_{T,3}$ bin, which has poor agreement due to a fluctuation in the second-highest H_{T2} bin. The $\chi^2/d.o.f.$ values are often less than 1 for the smallest $p_{T,3}$ cuts (the two lowest cuts for the NLO comparison, the four lowest for the NNLO comparison). For the NLO prediction, this is primarily due to the large theory scale uncertainties. Despite their smaller uncertainty due to scale variations, the NNLO predictions have smaller $\chi^2/d.o.f.$ values than the NLO predictions and are more often less than 1: this is

Table 1: Summary of the $\chi^2/d.o.f.$ values from the comparison of the measurement of R_{32} and the NLO and NNLO predictions.

	$\chi^2/d.o.f.$	
	NLO	NNLO
$p_{T,3} > 60 \text{ GeV}$	0.48	0.36
$p_{T,3} > 0.05 \times H_{T2}$	0.55	0.32
$p_{T,3} > 0.10 \times H_{T2}$	1.05	0.24
$p_{T,3} > 0.20 \times H_{T2}$	1.11	0.30
$p_{T,3} > 0.30 \times H_{T2}$	9.24	5.49

partially due to both an overall improved description of the measured data's shape, and the presence of a non-negligible statistical uncertainty on the prediction.

The ratios of three-jet to two-jet cross-sections measured as a function of Δy_{jj} , $\Delta y_{jj,\max}$, m_{jj} and $m_{jj,\max}$ are compared with HEJ predictions in Figure 17. The HEJ predictions underestimate the multiplicity at low values of Δy_{jj} for R_{32} , while providing a better prediction of the region with large rapidity differences. For $\Delta y_{jj,\max}$, the HEJ predictions significantly overestimate the multiplicity distribution for intermediate rapidity differences while providing a good description of the largest-rapidity-difference region. The HEJ predictions provide good modeling of the R_{32} distribution for m_{jj} and $m_{jj,\max}$, where the results agree with the data within uncertainties.




Figure 6: (a, c, e) The differential cross-section as a function of H_{T2} , in inclusive bins of N_{jets} , and (b, d, f) the ratios of MC predictions to the measured data distribution vs. (a, b) $p_{T,3} > 60$ GeV, (c, d) $p_{T,3} > 0.10 \times H_{T2}$, and (e, f) $p_{T,3} > 0.30 \times H_{T2}$. The data error bands show the statistical and systematic components summed in quadrature. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 7: (a) The differential cross-section is shown as a function of $p_T^{N_{\text{incl}}}$, in inclusive bins of N_{jets} , and (b) the ratios of MC predictions to the measured data distribution. The data error bands show the statistical and systematic components summed in quadrature. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 8: The differential cross-section as a function of (a) Δy_{jj} and (c) m_{jj} , in inclusive bins of N_{jets} , and the ratios of MC predictions to the measured data distribution in bins of N_{jets} vs. (b) Δy_{jj} and (d) m_{jj} . The data error bands show the statistical and systematic components summed in quadrature. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 9: The differential cross-section as a function of (a) $\Delta y_{jj,\max}$ and (c) $m_{jj,\max}$, in inclusive bins of N_{jets} , and the ratios of MC predictions to the measured data distribution in bins of N_{jets} vs. (b) $\Delta y_{jj,\max}$ and (d) $m_{jj,\max}$. The data error bands show the statistical and systematic components summed in quadrature. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 10: (a, b, c) R_{32} vs. H_{T2} , (d, e, f) R_{42} vs. H_{T2} , (g, h, i) R_{43} vs. H_{T2} , and (j, k, l) R_{54} vs. H_{T2} , with (a, d, g, j) $p_{T,3} > 60$ GeV, (b, e, h, k) $p_{T,3} > 0.10 \times H_{T2}$ and (c, f, i, l) $p_{T,3} > 0.30 \times H_{T2}$. The data error bands show the statistical and systematic components summed in quadrature. The lower figure panels provide ratios of the MC predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 11: (a) R_{32} vs. $p_T^{N_{\text{incl}}}$, (b) R_{42} vs. $p_T^{N_{\text{incl}}}$, and (c) R_{43} vs. $p_T^{N_{\text{incl}}}$. The data error bands show the statistical and systematic components summed in quadrature. The lower figure panels provide ratios of the MC predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 12: (a) R_{32} , (b) R_{42} , (c) R_{43} , and (d) R_{54} vs. Δy_{jj} with $p_{T,3} > 60$ GeV. The data error bands show the statistical and systematic components summed in quadrature. The lower figure panels provide ratios of the MC predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.







Figure 13: (a) R_{32} , (b) R_{42} , (c) R_{43} , and (d) R_{54} vs. m_{jj} with $p_{T,3} > 60$ GeV. The data error bands show the statistical and systematic components summed in quadrature. The lower figure panels provide ratios of the MC predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




(a)



(b)



(c)



(d)

Figure 14: (a) R_{32} , (b) R_{42} , (c) R_{43} , and (d) R_{54} vs. $\Delta y_{jj,\max}$ with $p_{T,3} > 60$ GeV. The data error bands show the statistical and systematic components summed in quadrature. The lower figure panels provide ratios of the MC predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 15: (a) R_{32} , (b) R_{42} , (c) R_{43} , and (d) R_{54} vs. $m_{j,j,\text{max}}$ with $p_{T,3} > 60$ GeV. The data error bands show the statistical and systematic components summed in quadrature. The lower figure panels provide ratios of the MC predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 16: R_{32} vs. H_{T2} with (a) $p_{T,3} > 60 \text{ GeV}$, (b) $p_{T,3} > 0.10 \times H_{T2}$, and (c) $p_{T,3} > 0.30 \times H_{T2}$. The data error bands show the statistical and systematic components summed in quadrature. The theory error bands include contributions from the statistical, PDF, and scale variations, where the scale variations are determined from a seven-point variation of the renormalization and factorization scales used in the prediction. The statistical uncertainty on the theory predictions is illustrated with a vertical line. The lower figure panels provide ratios of the predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.




Figure 17: R_{32} vs. (a) Δy_{jj} , (b) $\Delta y_{jj,\text{max}}$, (c) m_{jj} and (d) $m_{jj,\text{max}}$ with $p_{T,3} > 60$ GeV. The data error bands show the statistical and systematic components summed in quadrature. The theory error bands are determined from a seven-point variation of the renormalization and factorization scales used in the prediction. The statistical uncertainty on the theory predictions is illustrated with a vertical line. The lower figure panels provide ratios of the predictions to the unfolded data. Arrows are used to indicated cases where the ratio falls outside of the plotted ratio range.

7 Concluding remarks

This paper reports a measurement of jet cross-section ratios between inclusive bins of jet multiplicity, performed in 140 fb^{-1} of proton–proton collisions with $\sqrt{s} = 13 \text{ TeV}$ center-of-mass energy that were recorded with the ATLAS detector at CERN’s Large Hadron Collider. Observables that are sensitive to either the energy-scale (H_{T2} , $p_T^{N_{\text{incl}}}$) or angular distribution (m_{jj} , $m_{jj,\text{max}}$, Δy_{jj} , $\Delta y_{jj,\text{max}}$) of hadronic energy flow in the final state are measured double-differentially, in bins of inclusive jet multiplicity, and the scalar sum of the two leading jets’ transverse momenta is measured triple-differentially, in bins of the third jet’s transverse momentum as well as bins of jet multiplicity. Several improvements to the modeling of jet energy scale uncertainties are described, and these result in a significant reduction of the overall ATLAS jet energy scale uncertainty. In particular, improvements in the Monte Carlo models used to define the “jet flavor response” uncertainty have reduced that source of uncertainty by up to a factor of two for jets with $p_T = 100 \text{ GeV}$. An updated procedure for the jet energy scale uncertainties derived from a single-particle deconvolution method at high jet p_T has reduced that source of uncertainty by roughly a factor of three for jets with $p_T = 2 \text{ TeV}$, leading to increased precision of the differential cross-sections reported in this work.

The measured distributions are used to construct ratios of the inclusive three-jet to two-jet, four-jet to three-jet, four-jet to two-jet and five-jet to four-jet multiplicity bins, reducing sensitivity to systematic uncertainties and parton distribution functions. Because uncertainties partially cancel out in the ratios, good precision is achieved for all observables, with the remaining uncertainties typically being less than a few percent for the measurements of the ratios of H_{T2} cross-sections, and less than 10% for the dijet mass and Δy observables. The H_{T2} distribution is compared with NNLO fixed-order QCD predictions, which are found to model the behavior well across most $p_{T,3}$ bins. For the dijet mass and Δy observables, significant differences between data and Monte Carlo predictions are observed at large values. A prediction with additional resummation for logarithmic contributions that arise in topologies characteristic of VBS/VBF events, where high-energy jets are present in the forward region, provides a good description of the measured ratios in regions where the logarithmic terms make significant contributions.

A RIVET routine is available for this measurement [139], and the measured data points have been made publicly available [140] for use in future Monte Carlo tuning campaigns and other studies of QCD at the electroweak scale.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [141].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech

Republic; D NRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozzi Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from CERN: European Organization for Nuclear Research (CERN P JAS); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1190886, FONDECYT 1210400, FONDECYT 1230812, FONDECYT 1230987); China: National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: PRIMUS Research Programme (PRIMUS/21/SCI/017); European Union: European Research Council (ERC - 948254, ERC 101089007), Horizon 2020 Framework Programme (MUCCA - CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022), Investissements d'Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP21H05085, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: BBVA Foundation (LEO22-1-603), Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEAGENT/2019/023, CIDEAGENT/2019/027); Sweden: Swedish Research Council (VR 2018-00482, VR 2022-03845, VR 2022-04683, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2017.0100, KAW 2018.0157, KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

- [1] M. Czakon, A. Mitov, and R. Poncelet, *Next-to-Next-to-Leading Order Study of Three-Jet Production at the LHC*, *Phys. Rev. Lett.* **127** (2021) 152001, arXiv: 2106.05331 [hep-ph].
- [2] M. Begel et al., *Precision QCD, Hadronic Structure & Forward QCD, Heavy Ions: Report of Energy Frontier Topical Groups 5, 6, 7 submitted to Snowmass 2021*, (2022), arXiv: 2209.14872 [hep-ph].
- [3] J. Bonilla et al., *Jets and Jet Substructure at Future Colliders*, *Front. in Phys.* **10** (2022) 897719, arXiv: 2203.07462 [hep-ph].
- [4] ATLAS Collaboration, *Measurement of multi-jet cross sections in proton–proton collisions at a 7 TeV center-of-mass energy*, *Eur. Phys. J. C* **71** (2011) 1763, arXiv: 1107.2092 [hep-ex].
- [5] CMS Collaboration, *Measurement of the Ratio of the 3-jet to 2-jet Cross Sections in pp Collisions at $\sqrt{s} = 7$ TeV*, *Phys. Lett. B* **702** (2011) 336, arXiv: 1106.0647 [hep-ex].
- [6] CMS Collaboration, *Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7$ TeV and first determination of the strong coupling constant in the TeV range*, *Eur. Phys. J. C* **73** (2013) 2604, arXiv: 1304.7498 [hep-ex].
- [7] UA1 Collaboration, *Comparison of three-jet and two-jet cross-sections in $p\bar{p}$ collisions at the CERN SPS $p\bar{p}$ collider*, *Phys. Lett. B* **158** (1985) 494.
- [8] UA2 Collaboration, *A Study of three-jet events at the CERN $\bar{p}p$ collider*, *Z. Phys. C* **30** (1986) 341.
- [9] CDF Collaboration, *Properties of High-Mass Multijet Events at the Fermilab Proton-Antiproton Collider*, *Phys. Rev. Lett.* **75** (1995) 608.
- [10] D0 Collaboration, *Studies of topological distributions of inclusive three- and four-jet events in $\bar{p}p$ collisions at $\sqrt{s} = 1800$ GeV with the D0 detector*, *Phys. Rev. D* **53** (1996) 6000, arXiv: hep-ex/9509005.
- [11] D0 Collaboration, *Ratios of Multijet Cross Sections in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV*, *Phys. Rev. Lett.* **86** (2001) 1955, arXiv: hep-ex/0009012.
- [12] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [13] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.
- [14] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, *JINST* **13** (2018) T05008, arXiv: 1803.00844 [physics.ins-det].
- [15] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: 1611.09661 [hep-ex].
- [16] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.

- [17] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982, arXiv: 2212.09379 [hep-ex].
- [18] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.
- [19] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: 1911.04632 [physics.ins-det].
- [20] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: 1410.3012 [hep-ph].
- [21] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [22] B. Andersson, G. Gustafson, G. Ingelman, and T. Sjöstrand, *Parton fragmentation and string dynamics*, *Phys. Rept.* **97** (1983) 31.
- [23] NNPDF Collaboration, R. D. Ball, et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: 1207.1303 [hep-ph].
- [24] T. Sjöstrand and P. Z. Skands, *Transverse-momentum-ordered showers and interleaved multiple interactions*, *Eur. Phys. J. C* **39** (2005) 129, arXiv: hep-ph/0408302.
- [25] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [26] E. Bothmann et al., *Event Generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: 1905.09127 [hep-ph].
- [27] B. R. Webber, *A QCD model for jet fragmentation including soft gluon interference*, *Nucl. Phys. B* **238** (1984) 492.
- [28] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, *JHEP* **03** (2008) 038, arXiv: 0709.1027 [hep-ph].
- [29] S. Dulat et al., *New parton distribution functions from a global analysis of quantum chromodynamics*, *Phys. Rev. D* **93** (2016) 033006, arXiv: 1506.07443 [hep-ph].
- [30] H.-L. Lai et al., *New parton distributions for collider physics*, *Phys. Rev. D* **82** (2010) 074024, arXiv: 1007.2241 [hep-ph].
- [31] G. S. Chahal and F. Krauss, *Cluster Hadronisation in Sherpa*, *SciPost Phys.* **13** (2022) 019, arXiv: 2203.11385 [hep-ph].
- [32] ATLAS Collaboration, *Dependence of the Jet Energy Scale on the Particle Content of Hadronic Jets in the ATLAS Detector Simulation*, ATL-PHYS-PUB-2022-021, 2022, URL: <https://cds.cern.ch/record/2808016>.
- [33] M. Bähr et al., *Herwig++ physics and manual*, *Eur. Phys. J. C* **58** (2008) 639, arXiv: 0803.0883 [hep-ph].
- [34] J. Bellm et al., *Herwig 7.0/Herwig++ 3.0 release note*, *Eur. Phys. J. C* **76** (2016) 196, arXiv: 1512.01178 [hep-ph].

- [35] J. Bellm et al., *Herwig 7.1 Release Note*, (2017), arXiv: [1705.06919 \[hep-ph\]](#).
- [36] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [37] S. Frixione, P. Nason, and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070, arXiv: [0709.2092 \[hep-ph\]](#).
- [38] S. Alioli, K. Hamilton, P. Nason, C. Oleari, and E. Re, *Jet pair production in POWHEG*, *JHEP* **04** (2011) 081, arXiv: [1012.3380 \[hep-ph\]](#).
- [39] S. Alioli, P. Nason, C. Oleari, and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043, arXiv: [1002.2581 \[hep-ph\]](#).
- [40] NNPDF Collaboration, R. D. Ball, et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [41] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [42] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [43] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [44] ATLAS Collaboration, *Multijet simulation for 13 TeV ATLAS Analyses*, ATL-PHYS-PUB-2019-017, 2019, URL: <https://cds.cern.ch/record/2672252>.
- [45] M. Cacciari, G. P. Salam, and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [46] M. Cacciari, G. P. Salam, and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [47] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [48] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, *Eur. Phys. J. C* **77** (2017) 490, arXiv: [1603.02934 \[hep-ex\]](#).
- [49] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689, arXiv: [2007.02645 \[hep-ex\]](#).
- [50] ATLAS Collaboration, *Selection of jets produced in 13 TeV proton–proton collisions with the ATLAS detector*, ATL-CONF-2015-029, 2015, URL: <https://cds.cern.ch/record/2037702>.
- [51] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581, arXiv: [1510.03823 \[hep-ex\]](#).

- [52] ATLAS Collaboration, *Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 580, arXiv: [1705.02211 \[hep-ex\]](#),
Erratum: *Eur. Phys. J. C* **77** (2017) 712.
- [53] ATLAS Collaboration, *The performance of the jet trigger for the ATLAS detector during 2011 data taking*, *Eur. Phys. J. C* **76** (2016) 526, arXiv: [1606.07759 \[hep-ex\]](#).
- [54] G. P. Salam and E. Slade, *Cuts for two-body decays at colliders*, *JHEP* **11** (2021) 220, arXiv: [2106.08329 \[hep-ph\]](#).
- [55] S. Frixione and G. Ridolfi, *Jet photoproduction at HERA*, *Nucl. Phys. B* **507** (1997) 315, arXiv: [hep-ph/9707345](#).
- [56] V. Lendermann et al., *Combining Triggers in HEP Data Analysis*, *Nucl. Instrum. Meth. A* **604** (2009) 707, arXiv: [0901.4118 \[hep-ex\]](#).
- [57] CMS Collaboration, *Measurement of the triple-differential dijet cross section in proton–proton collisions at $\sqrt{s} = 8$ TeV and constraints on parton distribution functions*, *Eur. Phys. J. C* **77** (2017) 746, arXiv: [1705.02628 \[hep-ex\]](#).
- [58] G. D’Agostini, *A multidimensional unfolding method based on Bayes’ theorem*, *Nucl. Instrum. Meth. A* **362** (1995) 487.
- [59] T. Adye, “Unfolding algorithms and tests using RooUnfold,” *Proceedings, 2011 Workshop on Statistical Issues Related to Discovery Claims in Search Experiments and Unfolding (PHYSTAT 2011)* (CERN, Geneva, Switzerland, Jan. 17–20, 2011) 313, arXiv: [1105.1160 \[physics.data-an\]](#).
- [60] ATLAS Collaboration, *Jet energy measurement and its systematic uncertainty in proton–proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **75** (2015) 17, arXiv: [1406.0076 \[hep-ex\]](#).
- [61] ATLAS Collaboration, *A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 26, arXiv: [1607.08842 \[hep-ex\]](#).
- [62] ATLAS Collaboration, *Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^\pm \rightarrow \tau^\pm(\rightarrow \pi^\pm \nu_\tau) \nu_\tau$ events in Run 2 data*, *Eur. Phys. J. C* **82** (2022) 223, arXiv: [2108.09043 \[hep-ex\]](#).
- [63] P. Gras et al., *Systematics of quark/gluon tagging*, *JHEP* **07** (2017) 091, arXiv: [1704.03878 \[hep-ph\]](#).
- [64] P. T. Komiske, E. M. Metodiev, and J. Thaler, *An operational definition of quark and gluon jets*, *JHEP* **11** (2018) 059, arXiv: [1809.01140 \[hep-ph\]](#).
- [65] M. Cacciari and G. P. Salam, *Pileup subtraction using jet areas*, *Phys. Lett. B* **659** (2008) 119, arXiv: [0707.1378 \[hep-ph\]](#).
- [66] ATLAS Collaboration, *Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **74** (2014) 3023, arXiv: [1405.6583 \[hep-ex\]](#).

- [67] ATLAS Collaboration, *Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **100** (2019) 052011, arXiv: [1906.09254 \[hep-ex\]](#).
- [68] P. Adragna et al., *Measurement of pion and proton response and longitudinal shower profiles up to 20 nuclear interaction lengths with the ATLAS tile calorimeter*, *Nucl. Instrum. Meth. A* **615** (2010) 158.
- [69] J. Abdallah et al., *Study of energy response and resolution of the ATLAS Tile Calorimeter to hadrons of energies from 16 to 30 GeV*, *Eur. Phys. J. C* **81** (2021) 549, arXiv: [2102.04088 \[physics.ins-det\]](#).
- [70] J. R. Christiansen and P. Z. Skands, *String Formation Beyond Leading Colour*, *JHEP* **08** (2015) 003, arXiv: [1505.01681 \[hep-ph\]](#).
- [71] S. Gieseke, P. Kirchgaerber, and S. Plätzer, *Baryon production from cluster hadronisation*, *Eur. Phys. J. C* **78** (2018) 99, arXiv: [1710.10906 \[hep-ph\]](#).
- [72] S. Gieseke, P. Kirchgaerber, S. Plätzer, and A. Siodmok, *Colour Reconnection from Soft Gluon Evolution*, *JHEP* **11** (2018) 149, arXiv: [1808.06770 \[hep-ph\]](#).
- [73] UA1 Collaboration, *Analysis of the fragmentation properties of quark and gluon jets at the CERN SPS $p\bar{p}$ collider*, *Nucl. Phys. B* **276** (1986) 253.
- [74] UA2 Collaboration, *Measurement of jet fragmentation properties at the CERN $p\bar{p}$ Collider*, *Phys. Lett. B* **144** (1984) 291.
- [75] UA2 Collaboration, *Measurement of production and properties of jets at the CERN $\bar{p}p$ collider*, *Z. Phys. C* **20** (1983) 117.
- [76] OPAL Collaboration, *A direct observation of quark-gluon jet differences at LEP*, *Phys. Lett. B* **265** (1991) 462.
- [77] OPAL Collaboration, *A study of differences between quark and gluon jets using vertex tagging of quark jets*, *Z. Phys. C* **58** (1993) 387.
- [78] OPAL Collaboration, *A model independent measurement of quark and gluon jet properties and differences*, *Z. Phys. C* **68** (1995) 179.
- [79] ALEPH Collaboration, *Study of the subjet structure of quark and gluon jets*, *Phys. Lett. B* **346** (1995) 389.
- [80] OPAL Collaboration, *Test of QCD analytic predictions for the multiplicity ratio between gluon and quark jets*, *Phys. Lett. B* **388** (1996) 659.
- [81] ALEPH Collaboration, *Quark and gluon jet properties in symmetric three-jet events*, *Phys. Lett. B* **384** (1996) 353.
- [82] DELPHI Collaboration, *Energy dependence of the differences between the quark and gluon jet fragmentation*, *Z. Phys. C* **70** (1996) 179.

- [83] OPAL Collaboration, *Multiplicity distributions of gluon and quark jets and tests of QCD analytic predictions*, *Eur. Phys. J. C* **1** (1998) 479, arXiv: [hep-ex/9708029](#).
- [84] DELPHI Collaboration, *The scale dependence of the hadron multiplicity in quark and gluon jets and a precise determination of C_A/C_F* , *Phys. Lett. B* **449** (1999) 383, arXiv: [hep-ex/9903073](#).
- [85] OPAL Collaboration, *Experimental properties of gluon and quark jets from a point source*, *Eur. Phys. J. C* **11** (1999) 217, arXiv: [hep-ex/9903027](#).
- [86] OPAL Collaboration, *A study of coherence of soft gluons in hadron jets*, *Phys. Lett. B* **247** (1990) 617.
- [87] OPAL Collaboration, *Scaling violations of quark and gluon jet fragmentation functions in e^+e^- annihilations at $\sqrt{s} = 91.2$ and $183 - 209$ GeV*, *Eur. Phys. J. C* **37** (2004) 25, arXiv: [hep-ex/0404026](#).
- [88] ATLAS Collaboration, *Study of jet shapes in inclusive jet production in pp collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector*, *Phys. Rev. D* **83** (2011) 052003, arXiv: [1101.0070 \[hep-ex\]](#).
- [89] ATLAS Collaboration, *ATLAS measurements of the properties of jets for boosted particle searches*, *Phys. Rev. D* **86** (2012) 072006, arXiv: [1206.5369 \[hep-ex\]](#).
- [90] ATLAS Collaboration, *Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. Lett.* **121** (2018) 092001, arXiv: [1711.08341 \[hep-ex\]](#).
- [91] ATLAS Collaboration, *Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector*, *Phys. Rev. Lett.* **124** (2020) 222002, arXiv: [2004.03540 \[hep-ex\]](#).
- [92] ATLAS Collaboration, *Measurements of Lund subjet multiplicities in 13 TeV proton-proton collisions with the ATLAS detector*, (2024), arXiv: [2402.13052 \[hep-ex\]](#).
- [93] CMS Collaboration, *Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **11** (2018) 113, arXiv: [1807.05974 \[hep-ex\]](#).
- [94] CMS Collaboration, *Study of quark and gluon jet substructure in Z +jet and dijet events from pp collisions*, *JHEP* **01** (2022) 188, arXiv: [2109.03340 \[hep-ex\]](#).
- [95] CMS Collaboration, *Measurement of the primary Lund jet plane density in proton-proton collisions at $\sqrt{s} = 13$ TeV*, (2023), arXiv: [2312.16343 \[hep-ex\]](#).
- [96] CDF Collaboration, *Charged-Particle Multiplicity in $p\bar{p}$ Collisions at $\sqrt{s} = 1.8$ TeV*, *Phys. Rev. Lett.* **87** (2001) 211804.
- [97] CDF Collaboration, *Momentum distribution of charged particles in jets in dijet events in $p\bar{p}$ collisions at $\sqrt{s} = 1.8$ TeV and comparisons to perturbative QCD predictions*, *Phys. Rev. D* **68** (2003) 012003.
- [98] CDF Collaboration, *Two-particle momentum correlations in jets produced in $p\bar{p}$ collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. D* **77** (2008) 092001, arXiv: [0802.3182 \[hep-ex\]](#).

- [99] CDF Collaboration, *Measurement of the k_T Distribution of Particles in Jets Produced in $p\bar{p}$ Collisions at $\sqrt{s} = 1.96$ TeV*, *Phys. Rev. Lett.* **102** (2009) 232002, arXiv: [0811.2820 \[hep-ex\]](#).
- [100] JADE Collaboration.,
Experimental evidence for differences in $\langle p_{\perp} \rangle$ between quark jets and gluon jets,
Phys. Lett. B **123** (1983) 460.
- [101] TASSO Collaboration,
Charged multiplicity distributions and correlations in e^+e^- annihilation at PETRA energies,
Z. Phys. C **45** (1989) 193.
- [102] HRS Collaboration, *Comparison of charged particle multiplicities in quark and gluon jets produced in e^+e^- annihilation at 29 GeV*, *Phys. Lett. B* **165** (1985) 449.
- [103] MARK II Collaboration, *Inclusive Charged-Particle Distribution in Nearly Threefold-Symmetric Three-Jet Events at $E_{c.m.} = 29$ GeV*, *Phys. Rev. Lett.* **55** (1985) 1954.
- [104] SLD Collaboration, *Measurement of the charged multiplicity of $Z^0 \rightarrow b\bar{b}$ events*,
Phys. Rev. Lett. **72** (1994) 3145, arXiv: [hep-ex/9405004](#).
- [105] SLD Collaboration,
Measurement of the charged multiplicities in b, c and light quark events from Z^0 decays,
Phys. Lett. B **386** (1996) 475, arXiv: [hep-ex/9608008](#).
- [106] AMY Collaboration,
Comparison of Quark and Gluon Jets Produced in High-Energy e^+e^- Annihilations,
Phys. Rev. Lett. **63** (1989) 1772.
- [107] CLEO Collaboration,
Study of gluon versus quark fragmentation in $\Upsilon \rightarrow g\bar{g}\gamma$ and $e^+e^- \rightarrow q\bar{q}\gamma$ events at $\sqrt{s}=10$ GeV,
Phys. Rev. D **56** (1997) 17, arXiv: [hep-ex/9701006](#).
- [108] H1 Collaboration, *A Study of the fragmentation of quarks in e^-p collisions at HERA*,
Nucl. Phys. B **445** (1995) 3, arXiv: [hep-ex/9505003](#).
- [109] ZEUS Collaboration, *Measurement of multiplicity and momentum spectra in the current fragmentation region of the Breit frame at HERA*, *Z. Phys. C* **67** (1995) 93,
arXiv: [hep-ex/9501012](#).
- [110] H1 Collaboration,
Unbinned deep learning jet substructure measurement in high Q^2 ep collisions at HERA,
Phys. Lett. B **844** (2023) 138101, arXiv: [2303.13620 \[hep-ex\]](#).
- [111] ALICE Collaboration,
Measurement of the production of charm jets tagged with D^0 mesons in pp collisions at $\sqrt{s} = 7$ TeV,
JHEP **08** (2019) 133, arXiv: [1905.02510 \[nucl-ex\]](#).
- [112] ALICE Collaboration, *Direct observation of the dead-cone effect in quantum chromodynamics*,
Nature **605** (2022) 440, arXiv: [2106.05713 \[nucl-ex\]](#), Erratum: *Nature* **607** (2017) E22.
- [113] ALICE Collaboration, *Measurements of Groomed-Jet Substructure of Charm Jets Tagged by D^0 Mesons in Proton-Proton Collisions at $s=13$ TeV*, *Phys. Rev. Lett.* **131** (2023) 192301,
arXiv: [2208.04857 \[nucl-ex\]](#).
- [114] ATLAS Collaboration, *Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC*, *Eur. Phys. J. C* **73** (2013) 2305,
arXiv: [1203.1302 \[hep-ex\]](#).

- [115] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [116] ATLAS Collaboration, *Evaluating statistical uncertainties and correlations using the bootstrap method*, ATL-PHYS-PUB-2021-011, 2021, URL: <https://cds.cern.ch/record/2759945>.
- [117] B. Malaescu, *An Iterative, dynamically stabilized method of data unfolding*, (2009), arXiv: [0907.3791 \[physics.data-an\]](#).
- [118] Z. Nagy, *Three-Jet Cross Sections in Hadron-Hadron Collisions at Next-To-Leading-Order*, *Phys. Rev. Lett.* **88** (2002) 122003, arXiv: [hep-ph/0110315 \[hep-ph\]](#).
- [119] Z. Nagy, *Next-to-leading order calculation of three-jet observables in hadron-hadron collisions*, *Phys. Rev. D* **68** (2003) 094002, arXiv: [hep-ph/0307268 \[hep-ph\]](#).
- [120] A. Buckley et al., *LHAPDF6: parton density access in the LHC precision era*, *Eur. Phys. J. C* **75** (2015) 132, arXiv: [1412.7420 \[hep-ph\]](#).
- [121] T.-J. Hou et al., *New CTEQ global analysis of quantum chromodynamics with high-precision data from the LHC*, *Phys. Rev. D* **103** (2021) 014013, arXiv: [1912.10053 \[hep-ph\]](#).
- [122] NNPDF Collaboration, R.D. Ball et al., *The path to proton structure at 1% accuracy*, *Eur. Phys. J. C* **82** (2022) 428, arXiv: [2109.02653 \[hep-ph\]](#).
- [123] S. Bailey, T. Cridge, L. A. Harland-Lang, A. D. Martin, and R. S. Thorne, *Parton distributions from LHC, HERA, Tevatron and fixed target data: MSHT20 PDFs*, *Eur. Phys. J. C* **81** (2021) 341, arXiv: [2012.04684 \[hep-ph\]](#).
- [124] ATLAS Collaboration, *Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and 13 TeV*, *Eur. Phys. J. C* **82** (2022) 438, arXiv: [2112.11266 \[hep-ex\]](#).
- [125] J. Currie et al., *Infrared sensitivity of single jet inclusive production at hadron colliders*, *JHEP* **10** (2018) 155, arXiv: [1807.03692 \[hep-ph\]](#).
- [126] M. Czakon and D. Heymes, *Four-dimensional formulation of the sector-improved residue subtraction scheme*, *Nucl. Phys. B* **890** (2014) 152, arXiv: [1408.2500 \[hep-ph\]](#).
- [127] M. Czakon, A. van Hameren, A. Mitov, and R. Poncelet, *Single-jet inclusive rates with exact color at $O(\alpha_s^4)$* , *JHEP* **10** (2019) 262, arXiv: [1907.12911 \[hep-ph\]](#).
- [128] M. Alvarez et al., *NNLO QCD corrections to event shapes at the LHC*, *JHEP* **03** (2023) 129, arXiv: [2301.01086 \[hep-ph\]](#).
- [129] M. Bury and A. van Hameren, *Numerical evaluation of multi-gluon amplitudes for High Energy Factorization*, *Comput. Phys. Commun.* **196** (2015) 592, arXiv: [1503.08612 \[hep-ph\]](#).
- [130] F. Buccioni et al., *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866, arXiv: [1907.13071 \[hep-ph\]](#).
- [131] S. Abreu, F. Febres Cordero, H. Ita, B. Page, and V. Sotnikov, *Leading-color two-loop QCD corrections for three-jet production at hadron colliders*, *JHEP* **07** (2021) 095, arXiv: [2102.13609 \[hep-ph\]](#).

- [132] D. Chicherin and V. Sotnikov, *Pentagon Functions for Scattering of Five Massless Particles*, *JHEP* **20** (2020) 167, arXiv: [2009.07803 \[hep-ph\]](#).
- [133] P. Skands, S. Carrazza, and J. Rojo, *Tuning PYTHIA 8.1: the Monash 2013 Tune*, *Eur. Phys. J. C* **74** (2014) 3024, arXiv: [1404.5630 \[hep-ph\]](#).
- [134] J. R. Andersen and J. M. Smillie, *Constructing All-Order Corrections to Multi-Jet Rates*, *JHEP* **01** (2010) 039, arXiv: [0908.2786 \[hep-ph\]](#).
- [135] J. R. Andersen and J. M. Smillie, *Multiple Jets at the LHC with High Energy Jets*, *JHEP* **06** (2011) 010, arXiv: [1101.5394 \[hep-ph\]](#).
- [136] J. R. Andersen et al., *Combined subleading high-energy logarithms and NLO accuracy for W production in association with multiple jets*, *JHEP* **04** (2021) 105, arXiv: [2012.10310 \[hep-ph\]](#).
- [137] ATLAS Collaboration, *Measurement of hadronic event shapes in high- p_T multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **01** (2021) 188, arXiv: [2007.12600 \[hep-ex\]](#), Erratum: *JHEP* **12** (2021) 053.
- [138] ATLAS Collaboration, *Measurements of multijet event isotropies using optimal transport with the ATLAS detector*, *JHEP* **10** (2023) 060, arXiv: [2305.16930 \[hep-ex\]](#).
- [139] A. Buckley et al., *Rivet user manual*, *Comput. Phys. Commun.* **184** (2013) 2803, arXiv: [1003.0694 \[hep-ph\]](#).
- [140] ATLAS Collaboration, *Measurements of jet cross-section ratios in 13 TeV proton–proton collisions with ATLAS*, HEPData (collection), <https://doi.org/10.17182/hepdata.105630>, 2024.
- [141] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰³, E. Aakvaag ¹⁶, B. Abbott ¹²¹, K. Abeling ⁵⁵, N.J. Abicht ⁴⁹, S.H. Abidi ²⁹, M. Aboeela ⁴⁴, A. Aboulhorma ^{35e}, H. Abramowicz ¹⁵², H. Abreu ¹⁵¹, Y. Abulaiti ¹¹⁸, B.S. Acharya ^{69a,69b,1}, A. Ackermann ^{63a}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a}, S.V. Addepalli ²⁶, M.J. Addison ¹⁰², J. Adelman ¹¹⁶, A. Adiguzel ^{21c}, T. Aducci ¹³⁵, A.A. Affolder ¹³⁷, Y. Afik ³⁹, M.N. Agaras ¹³, J. Agarwala ^{73a,73b}, A. Aggarwal ¹⁰¹, C. Agheorghiesei ^{27c}, A. Ahmad ³⁶, F. Ahmadov ^{38,y}, W.S. Ahmed ¹⁰⁵, S. Ahuja ⁹⁶, X. Ai ^{62e}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶⁴, M. Ait Tamlihat ^{35e}, B. Aitbenchikh ^{35a}, I. Aizenberg ¹⁷⁰, M. Akbiyik ¹⁰¹, T.P.A. Åkesson ⁹⁹, A.V. Akimov ³⁷, D. Akiyama ¹⁶⁹, N.N. Akolkar ²⁴, S. Aktas ^{21a}, K. Al Houry ⁴¹, G.L. Alberghi ^{23b}, J. Albert ¹⁶⁶, P. Albicocco ⁵³, G.L. Albouy ⁶⁰, S. Alderweireldt ⁵², Z.L. Alegria ¹²², M. Aleksa ³⁶, I.N. Aleksandrov ³⁸, C. Alexa ^{27b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{23b}, M. Algren ⁵⁶, M. Alhroob ¹⁴², B. Ali ¹³³, H.M.J. Ali ⁹², S. Ali ¹⁴⁹, S.W. Alibocus ⁹³, M. Aliev ^{33c}, G. Alimonti ^{71a}, W. Alkakhri ⁵⁵, C. Allaire ⁶⁶, B.M.M. Allbrooke ¹⁴⁷, J.F. Allen ⁵², C.A. Allendes Flores ^{138f}, P.P. Allport ²⁰, A. Aloisio ^{72a,72b}, F. Alonso ⁹¹, C. Alpigiani ¹³⁹, M. Alvarez Estevez ¹⁰⁰, A. Alvarez Fernandez ¹⁰¹, M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰², Y. Amaral Coutinho ^{83b}, A. Ambler ¹⁰⁵, C. Amelung ³⁶, M. Amerl ¹⁰², C.G. Ames ¹¹⁰, D. Amidei ¹⁰⁷, K.J. Amirie ¹⁵⁶, S.P. Amor Dos Santos ^{131a}, K.R. Amos ¹⁶⁴, S. An ⁸⁴, V. Ananiev ¹²⁶, C. Anastopoulos ¹⁴⁰, T. Andeen ¹¹, J.K. Anders ³⁶, S.Y. Andreev ^{47a,47b}, A. Andreazza ^{71a,71b}, S. Angelidakis ⁹, A. Angerami ^{41,aa}, A.V. Anisenkov ³⁷, A. Annovi ^{74a}, C. Antel ⁵⁶, M.T. Anthony ¹⁴⁰, E. Antipov ¹⁴⁶, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸⁴, T. Aoki ¹⁵⁴, J.A. Aparisi Pozo ¹⁶⁴, M.A. Aparo ¹⁴⁷, L. Aperio Bella ⁴⁸, C. Appelt ¹⁸, A. Apyan ²⁶, S.J. Arbiol Val ⁸⁷, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, E. Arena ⁹³, J-F. Arguin ¹⁰⁹, S. Argyropoulos ⁵⁴, J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹¹⁵, G. Artoni ^{75a,75b}, H. Asada ¹¹², K. Asai ¹¹⁹, S. Asai ¹⁵⁴, N.A. Asbah ³⁶, K. Assamagan ²⁹, R. Astalos ^{28a}, K.S.V. Astrand ⁹⁹, S. Atashi ¹⁶⁰, R.J. Atkin ^{33a}, M. Atkinson ¹⁶³, H. Atmani ^{35f}, P.A. Atlasiddha ¹²⁹, K. Augsten ¹³³, S. Auricchio ^{72a,72b}, A.D. Auriol ²⁰, V.A. Austrup ¹⁰², G. Avolio ³⁶, K. Axiotis ⁵⁶, G. Azuelos ^{109,ae}, D. Babal ^{28b}, H. Bachacou ¹³⁶, K. Bachas ^{153,p}, A. Bachiu ³⁴, F. Backman ^{47a,47b}, A. Badea ³⁹, T.M. Baer ¹⁰⁷, P. Bagnaia ^{75a,75b}, M. Bahmani ¹⁸, D. Bahner ⁵⁴, K. Bai ¹²⁴, J.T. Baines ¹³⁵, L. Baines ⁹⁵, O.K. Baker ¹⁷³, E. Bakos ¹⁵, D. Bakshi Gupta ⁸, V. Balakrishnan ¹²¹, R. Balasubramanian ¹¹⁵, E.M. Baldin ³⁷, P. Balek ^{86a}, E. Ballabene ^{23b,23a}, F. Balli ¹³⁶, L.M. Baltos ^{63a}, W.K. Balunas ³², J. Balz ¹⁰¹, E. Banas ⁸⁷, M. Bandieramonte ¹³⁰, A. Bandyopadhyay ²⁴, S. Bansal ²⁴, L. Barak ¹⁵², M. Barakat ⁴⁸, E.L. Barberio ¹⁰⁶, D. Barberis ^{57b,57a}, M. Barbero ¹⁰³, M.Z. Barel ¹¹⁵, K.N. Barends ^{33a}, T. Barillari ¹¹¹, M-S. Barisits ³⁶, T. Barklow ¹⁴⁴, P. Baron ¹²³, D.A. Baron Moreno ¹⁰², A. Baroncelli ^{62a}, G. Barone ²⁹, A.J. Barr ¹²⁷, J.D. Barr ⁹⁷, F. Barreiro ¹⁰⁰, J. Barreiro Guimarães da Costa ^{14a}, U. Barron ¹⁵², M.G. Barros Teixeira ^{131a}, S. Barsov ³⁷, F. Bartels ^{63a}, R. Bartoldus ¹⁴⁴, A.E. Barton ⁹², P. Bartos ^{28a}, A. Basan ¹⁰¹, M. Baselga ⁴⁹, A. Bassalat ^{66,b}, M.J. Basso ^{157a}, R. Bate ¹⁶⁵, R.L. Bates ⁵⁹, S. Batlamous ¹⁰⁰, B. Batool ¹⁴², M. Battaglia ¹³⁷, D. Battulga ¹⁸, M. Baucé ^{75a,75b}, M. Bauer ³⁶, P. Bauer ²⁴, L.T. Bazzano Hurrell ³⁰, J.B. Beacham ⁵¹, T. Beau ¹²⁸, J.Y. Beaucamp ⁹¹, P.H. Beauchemin ¹⁵⁹, P. Bechtel ²⁴, H.P. Beck ^{19,o}, K. Becker ¹⁶⁸, A.J. Beddall ⁸², V.A. Bednyakov ³⁸, C.P. Bee ¹⁴⁶, L.J. Beemster ¹⁵, T.A. Beermann ³⁶, M. Begalli ^{83d}, M. Beger ²⁹, A. Behera ¹⁴⁶, J.K. Behr ⁴⁸, J.F. Beirer ³⁶, F. Beisiegel ²⁴, M. Belfkir ^{117b}, G. Bella ¹⁵², L. Bellagamba ^{23b}, A. Bellerive ³⁴, P. Bellos ²⁰, K. Beloborodov ³⁷, D. Bencheikroun ^{35a}, F. Bendebba ^{35a}, Y. Benhammou ¹⁵²,

K.C. Benkendorfer [ID⁶¹](#), L. Beresford [ID⁴⁸](#), M. Beretta [ID⁵³](#), E. Bergeaas Kuutmann [ID¹⁶²](#), N. Berger [ID⁴](#),
 B. Bergmann [ID¹³³](#), J. Beringer [ID^{17a}](#), G. Bernardi [ID⁵](#), C. Bernius [ID¹⁴⁴](#), F.U. Bernlochner [ID²⁴](#),
 F. Bernon [ID^{36,103}](#), A. Berrocal Guardia [ID¹³](#), T. Berry [ID⁹⁶](#), P. Berta [ID¹³⁴](#), A. Berthold [ID⁵⁰](#), S. Bethke [ID¹¹¹](#),
 A. Betti [ID^{75a,75b}](#), A.J. Bevan [ID⁹⁵](#), N.K. Bhalla [ID⁵⁴](#), M. Bhamjee [ID^{33c}](#), S. Bhatta [ID¹⁴⁶](#),
 D.S. Bhattacharya [ID¹⁶⁷](#), P. Bhattarai [ID¹⁴⁴](#), K.D. Bhide [ID⁵⁴](#), V.S. Bhopatkar [ID¹²²](#), R.M. Bianchi [ID¹³⁰](#),
 G. Bianco [ID^{23b,23a}](#), O. Biebel [ID¹¹⁰](#), R. Bielski [ID¹²⁴](#), M. Biglietti [ID^{77a}](#), C.S. Billingsley [ID⁴⁴](#), M. Bindi [ID⁵⁵](#),
 A. Bingul [ID^{21b}](#), C. Bini [ID^{75a,75b}](#), A. Biondini [ID⁹³](#), C.J. Birch-sykes [ID¹⁰²](#), G.A. Bird [ID³²](#), M. Birman [ID¹⁷⁰](#),
 M. Biros [ID¹³⁴](#), S. Biryukov [ID¹⁴⁷](#), T. Bisanz [ID⁴⁹](#), E. Bisceglie [ID^{43b,43a}](#), J.P. Biswal [ID¹³⁵](#), D. Biswas [ID¹⁴²](#),
 I. Bloch [ID⁴⁸](#), A. Blue [ID⁵⁹](#), U. Blumenschein [ID⁹⁵](#), J. Blumenthal [ID¹⁰¹](#), V.S. Bobrovnikov [ID³⁷](#),
 M. Boehler [ID⁵⁴](#), B. Boehm [ID¹⁶⁷](#), D. Bogavac [ID³⁶](#), A.G. Bogdanchikov [ID³⁷](#), C. Bohm [ID^{47a}](#),
 V. Boisvert [ID⁹⁶](#), P. Bokan [ID³⁶](#), T. Bold [ID^{86a}](#), M. Bomben [ID⁵](#), M. Bona [ID⁹⁵](#), M. Boonekamp [ID¹³⁶](#),
 C.D. Booth [ID⁹⁶](#), A.G. Borbély [ID⁵⁹](#), I.S. Bordulev [ID³⁷](#), H.M. Borecka-Bielska [ID¹⁰⁹](#), G. Borissov [ID⁹²](#),
 D. Bortoletto [ID¹²⁷](#), D. Boscherini [ID^{23b}](#), M. Bosman [ID¹³](#), J.D. Bossio Sola [ID³⁶](#), K. Bouaouda [ID^{35a}](#),
 N. Bouchhar [ID¹⁶⁴](#), J. Boudreau [ID¹³⁰](#), E.V. Bouhova-Thacker [ID⁹²](#), D. Boumediene [ID⁴⁰](#),
 R. Bouquet [ID^{57b,57a}](#), A. Boveia [ID¹²⁰](#), J. Boyd [ID³⁶](#), D. Boye [ID²⁹](#), I.R. Boyko [ID³⁸](#), J. Bracinik [ID²⁰](#),
 N. Brahimy [ID⁴](#), G. Brandt [ID¹⁷²](#), O. Brandt [ID³²](#), F. Braren [ID⁴⁸](#), B. Brau [ID¹⁰⁴](#), J.E. Brau [ID¹²⁴](#),
 R. Brenner [ID¹⁷⁰](#), L. Brenner [ID¹¹⁵](#), R. Brenner [ID¹⁶²](#), S. Bressler [ID¹⁷⁰](#), D. Britton [ID⁵⁹](#), D. Britzger [ID¹¹¹](#),
 I. Brock [ID²⁴](#), G. Brooijmans [ID⁴¹](#), E. Brost [ID²⁹](#), L.M. Brown [ID¹⁶⁶](#), L.E. Bruce [ID⁶¹](#), T.L. Bruckler [ID¹²⁷](#),
 P.A. Bruckman de Renstrom [ID⁸⁷](#), B. Brüers [ID⁴⁸](#), A. Bruni [ID^{23b}](#), G. Bruni [ID^{23b}](#), M. Bruschi [ID^{23b}](#),
 N. Brusino [ID^{75a,75b}](#), T. Buanes [ID¹⁶](#), Q. Buat [ID¹³⁹](#), D. Buchin [ID¹¹¹](#), A.G. Buckley [ID⁵⁹](#), O. Bulekov [ID³⁷](#),
 B.A. Bullard [ID¹⁴⁴](#), S. Burdin [ID⁹³](#), C.D. Burgard [ID⁴⁹](#), A.M. Burger [ID³⁶](#), B. Burghgrave [ID⁸](#),
 O. Burlayenko [ID⁵⁴](#), J.T.P. Burr [ID³²](#), C.D. Burton [ID¹¹](#), J.C. Burzynski [ID¹⁴³](#), E.L. Busch [ID⁴¹](#),
 V. Büscher [ID¹⁰¹](#), P.J. Bussey [ID⁵⁹](#), J.M. Butler [ID²⁵](#), C.M. Buttar [ID⁵⁹](#), J.M. Butterworth [ID⁹⁷](#),
 W. Buttinger [ID¹³⁵](#), C.J. Buxo Vazquez [ID¹⁰⁸](#), A.R. Buzykaev [ID³⁷](#), S. Cabrera Urbán [ID¹⁶⁴](#),
 L. Cadamuro [ID⁶⁶](#), D. Caforio [ID⁵⁸](#), H. Cai [ID¹³⁰](#), Y. Cai [ID^{14a,14e}](#), Y. Cai [ID^{14c}](#), V.M.M. Cairo [ID³⁶](#),
 O. Cakir [ID^{3a}](#), N. Calace [ID³⁶](#), P. Calafiura [ID^{17a}](#), G. Calderini [ID¹²⁸](#), P. Calfayan [ID⁶⁸](#), G. Callea [ID⁵⁹](#),
 L.P. Caloba [ID^{83b}](#), D. Calvet [ID⁴⁰](#), S. Calvet [ID⁴⁰](#), M. Calvetti [ID^{74a,74b}](#), R. Camacho Toro [ID¹²⁸](#),
 S. Camarda [ID³⁶](#), D. Camarero Munoz [ID²⁶](#), P. Camarri [ID^{76a,76b}](#), M.T. Camerlingo [ID^{72a,72b}](#),
 D. Cameron [ID³⁶](#), C. Camincher [ID¹⁶⁶](#), M. Campanelli [ID⁹⁷](#), A. Camplani [ID⁴²](#), V. Canale [ID^{72a,72b}](#),
 A.C. Canbay [ID^{3a}](#), E. Canonero [ID⁹⁶](#), J. Cantero [ID¹⁶⁴](#), Y. Cao [ID¹⁶³](#), F. Capocasa [ID²⁶](#), M. Capua [ID^{43b,43a}](#),
 A. Carbone [ID^{71a,71b}](#), R. Cardarelli [ID^{76a}](#), J.C.J. Cardenas [ID⁸](#), F. Cardillo [ID¹⁶⁴](#), G. Carducci [ID^{43b,43a}](#),
 T. Carli [ID³⁶](#), G. Carlino [ID^{72a}](#), J.I. Carlotto [ID¹³](#), B.T. Carlson [ID^{130,q}](#), E.M. Carlson [ID^{166,157a}](#),
 J. Carmignani [ID⁹³](#), L. Carminati [ID^{71a,71b}](#), A. Carnelli [ID¹³⁶](#), M. Carnesale [ID^{75a,75b}](#), S. Caron [ID¹¹⁴](#),
 E. Carquin [ID^{138f}](#), S. Carrá [ID^{71a}](#), G. Carratta [ID^{23b,23a}](#), A.M. Carroll [ID¹²⁴](#), T.M. Carter [ID⁵²](#),
 M.P. Casado [ID^{13,i}](#), M. Caspar [ID⁴⁸](#), F.L. Castillo [ID⁴](#), L. Castillo Garcia [ID¹³](#), V. Castillo Gimenez [ID¹⁶⁴](#),
 N.F. Castro [ID^{131a,131e}](#), A. Catinaccio [ID³⁶](#), J.R. Catmore [ID¹²⁶](#), T. Cavaliere [ID⁴](#), V. Cavaliere [ID²⁹](#),
 N. Cavalli [ID^{23b,23a}](#), Y.C. Cekmecelioglu [ID⁴⁸](#), E. Celebi [ID^{21a}](#), S. Cella [ID³⁶](#), F. Celli [ID¹²⁷](#),
 M.S. Centonze [ID^{70a,70b}](#), V. Cepaitis [ID⁵⁶](#), K. Cerny [ID¹²³](#), A.S. Cerqueira [ID^{83a}](#), A. Cerri [ID¹⁴⁷](#),
 L. Cerrito [ID^{76a,76b}](#), F. Cerutti [ID^{17a}](#), B. Cervato [ID¹⁴²](#), A. Cervelli [ID^{23b}](#), G. Cesarini [ID⁵³](#), S.A. Cetin [ID⁸²](#),
 D. Chakraborty [ID¹¹⁶](#), J. Chan [ID^{17a}](#), W.Y. Chan [ID¹⁵⁴](#), J.D. Chapman [ID³²](#), E. Chapon [ID¹³⁶](#),
 B. Chargeishvili [ID^{150b}](#), D.G. Charlton [ID²⁰](#), M. Chatterjee [ID¹⁹](#), C. Chauhan [ID¹³⁴](#), Y. Che [ID^{14c}](#),
 S. Chekanov [ID⁶](#), S.V. Chekulaev [ID^{157a}](#), G.A. Chelkov [ID^{38,a}](#), A. Chen [ID¹⁰⁷](#), B. Chen [ID¹⁵²](#), B. Chen [ID¹⁶⁶](#),
 H. Chen [ID^{14c}](#), H. Chen [ID²⁹](#), J. Chen [ID^{62c}](#), J. Chen [ID¹⁴³](#), M. Chen [ID¹²⁷](#), S. Chen [ID¹⁵⁴](#), S.J. Chen [ID^{14c}](#),
 X. Chen [ID^{62c,136}](#), X. Chen [ID^{14b,ad}](#), Y. Chen [ID^{62a}](#), C.L. Cheng [ID¹⁷¹](#), H.C. Cheng [ID^{64a}](#), S. Cheong [ID¹⁴⁴](#),
 A. Cheplakov [ID³⁸](#), E. Cheremushkina [ID⁴⁸](#), E. Cherepanova [ID¹¹⁵](#), R. Cherkaoui El Moursli [ID^{35e}](#),
 E. Cheu [ID⁷](#), K. Cheung [ID⁶⁵](#), L. Chevalier [ID¹³⁶](#), V. Chiarella [ID⁵³](#), G. Chiarelli [ID^{74a}](#), N. Chiedde [ID¹⁰³](#),
 G. Chiodini [ID^{70a}](#), A.S. Chisholm [ID²⁰](#), A. Chitan [ID^{27b}](#), M. Chitishvili [ID¹⁶⁴](#), M.V. Chizhov [ID³⁸](#),

K. Choi ¹¹, Y. Chou ¹³⁹, E.Y.S. Chow ¹¹⁴, K.L. Chu ¹⁷⁰, M.C. Chu ^{64a}, X. Chu ^{14a,14e},
 J. Chudoba ¹³², J.J. Chwastowski ⁸⁷, D. Cieri ¹¹¹, K.M. Ciesla ^{86a}, V. Cindro ⁹⁴, A. Ciocio ^{17a},
 F. Cirotto ^{72a,72b}, Z.H. Citron ¹⁷⁰, M. Citterio ^{71a}, D.A. Ciubotaru ^{27b}, A. Clark ⁵⁶, P.J. Clark ⁵²,
 C. Clarry ¹⁵⁶, J.M. Clavijo Columbie ⁴⁸, S.E. Clawson ⁴⁸, C. Clement ^{47a,47b}, J. Clercx ⁴⁸,
 Y. Coadou ¹⁰³, M. Cobal ^{69a,69c}, A. Coccaro ^{57b}, R.F. Coelho Barrue ^{131a},
 R. Coelho Lopes De Sa ¹⁰⁴, S. Coelli ^{71a}, B. Cole ⁴¹, J. Collot ⁶⁰, P. Conde Muiño ^{131a,131g},
 M.P. Connell ^{33c}, S.H. Connell ^{33c}, E.I. Conroy ¹²⁷, F. Conventi ^{72a,af}, H.G. Cooke ²⁰,
 A.M. Cooper-Sarkar ¹²⁷, F.A. Corchia ^{23b,23a}, A. Cordeiro Oudot Choi ¹²⁸, L.D. Corpe ⁴⁰,
 M. Corradi ^{75a,75b}, F. Corriveau ^{105,w}, A. Cortes-Gonzalez ¹⁸, M.J. Costa ¹⁶⁴, F. Costanza ⁴,
 D. Costanzo ¹⁴⁰, B.M. Cote ¹²⁰, G. Cowan ⁹⁶, K. Cranmer ¹⁷¹, D. Cremonini ^{23b,23a},
 S. Crépe-Renaudin ⁶⁰, F. Crescioli ¹²⁸, M. Cristinziani ¹⁴², M. Cristoforetti ^{78a,78b}, V. Croft ¹¹⁵,
 J.E. Crosby ¹²², G. Crosetti ^{43b,43a}, A. Cueto ¹⁰⁰, H. Cui ^{14a,14e}, Z. Cui ⁷, W.R. Cunningham ⁵⁹,
 F. Curcio ¹⁶⁴, J.R. Curran ⁵², P. Czodrowski ³⁶, M.M. Czurylo ³⁶,
 M.J. Da Cunha Sargedas De Sousa ^{57b,57a}, J.V. Da Fonseca Pinto ^{83b}, C. Da Via ¹⁰²,
 W. Dabrowski ^{86a}, T. Dado ⁴⁹, S. Dahbi ¹⁴⁹, T. Dai ¹⁰⁷, D. Dal Santo ¹⁹, C. Dallapiccola ¹⁰⁴,
 M. Dam ⁴², G. D'amen ²⁹, V. D'Amico ¹¹⁰, J. Damp ¹⁰¹, J.R. Dandoy ³⁴, M. Danninger ¹⁴³,
 V. Dao ³⁶, G. Darbo ^{57b}, S.J. Das ^{29,ag}, F. Dattola ⁴⁸, S. D'Auria ^{71a,71b}, A. D'Avanzo ^{72a,72b},
 C. David ^{33a}, T. Davidek ¹³⁴, B. Davis-Purcell ³⁴, I. Dawson ⁹⁵, H.A. Day-hall ¹³³, K. De ⁸,
 R. De Asmundis ^{72a}, N. De Biase ⁴⁸, S. De Castro ^{23b,23a}, N. De Groot ¹¹⁴, P. de Jong ¹¹⁵,
 H. De la Torre ¹¹⁶, A. De Maria ^{14c}, A. De Salvo ^{75a}, U. De Sanctis ^{76a,76b}, F. De Santis ^{70a,70b},
 A. De Santo ¹⁴⁷, J.B. De Vivie De Regie ⁶⁰, D.V. Dedovich ³⁸, J. Degens ⁹³, A.M. Deiana ⁴⁴,
 F. Del Corso ^{23b,23a}, J. Del Peso ¹⁰⁰, F. Del Rio ^{63a}, L. Delagrangé ¹²⁸, F. Deliot ¹³⁶,
 C.M. Delitzsch ⁴⁹, M. Della Pietra ^{72a,72b}, D. Della Volpe ⁵⁶, A. Dell'Acqua ³⁶,
 L. Dell'Asta ^{71a,71b}, M. Delmastro ⁴, P.A. Delsart ⁶⁰, S. Demers ¹⁷³, M. Demichev ³⁸,
 S.P. Denisov ³⁷, L. D'Eramo ⁴⁰, D. Derendarz ⁸⁷, F. Derue ¹²⁸, P. Dervan ⁹³, K. Desch ²⁴,
 C. Deutsch ²⁴, F.A. Di Bello ^{57b,57a}, A. Di Ciaccio ^{76a,76b}, L. Di Ciaccio ⁴,
 A. Di Domenico ^{75a,75b}, C. Di Donato ^{72a,72b}, A. Di Girolamo ³⁶, G. Di Gregorio ³⁶,
 A. Di Luca ^{78a,78b}, B. Di Micco ^{77a,77b}, R. Di Nardo ^{77a,77b}, M. Diamantopoulou ³⁴, F.A. Dias ¹¹⁵,
 T. Dias Do Vale ¹⁴³, M.A. Diaz ^{138a,138b}, F.G. Diaz Capriles ²⁴, M. Didenko ¹⁶⁴, E.B. Diehl ¹⁰⁷,
 S. Díez Cornell ⁴⁸, C. Díez Pardos ¹⁴², C. Dimitriadi ^{162,24}, A. Dimitrievska ²⁰, J. Dingfelder ²⁴,
 I-M. Dinu ^{27b}, S.J. Dittmeier ^{63b}, F. Dittus ³⁶, M. Divisek ¹³⁴, F. Djama ¹⁰³, T. Djobava ^{150b},
 C. Doglioni ^{102,99}, A. Dohnalova ^{28a}, J. Dolejsi ¹³⁴, Z. Dolezal ¹³⁴, K.M. Dona ³⁹,
 M. Donadelli ^{83c}, B. Dong ¹⁰⁸, J. Donini ⁴⁰, A. D'Onofrio ^{72a,72b}, M. D'Onofrio ⁹³,
 J. Dopke ¹³⁵, A. Doria ^{72a}, N. Dos Santos Fernandes ^{131a}, P. Dougan ¹⁰², M.T. Dova ⁹¹,
 A.T. Doyle ⁵⁹, M.A. Dragnet ¹²⁷, E. Dreyer ¹⁷⁰, I. Drivas-koulouris ¹⁰, M. Drnevich ¹¹⁸,
 M. Drozdova ⁵⁶, D. Du ^{62a}, T.A. du Pree ¹¹⁵, F. Dubinin ³⁷, M. Dubovsky ^{28a}, E. Duchovni ¹⁷⁰,
 G. Duckeck ¹¹⁰, O.A. Ducu ^{27b}, D. Duda ⁵², A. Dudarev ³⁶, E.R. Duden ²⁶, M. D'uffizi ¹⁰²,
 L. Duflost ⁶⁶, M. Dührssen ³⁶, I. Duminica ^{27g}, A.E. Dumitriu ^{27b}, M. Dunford ^{63a}, S. Dungs ⁴⁹,
 K. Dunne ^{47a,47b}, A. Duperrin ¹⁰³, H. Duran Yildiz ^{3a}, M. Düren ⁵⁸, A. Durglishvili ^{150b},
 B.L. Dwyer ¹¹⁶, G.I. Dyckes ^{17a}, M. Dyndal ^{86a}, B.S. Dziedzic ⁸⁷, Z.O. Earnshaw ¹⁴⁷,
 G.H. Eberwein ¹²⁷, B. Eckerova ^{28a}, S. Eggebrecht ⁵⁵, E. Egidio Purcino De Souza ¹²⁸,
 L.F. Ehrke ⁵⁶, G. Eigen ¹⁶, K. Einsweiler ^{17a}, T. Ekelof ¹⁶², P.A. Ekman ⁹⁹, S. El Farkh ^{35b},
 Y. El Ghazali ^{35b}, H. El Jarrari ³⁶, A. El Moussaouy ¹⁰⁹, V. Ellajosyula ¹⁶², M. Ellert ¹⁶²,
 F. Ellinghaus ¹⁷², N. Ellis ³⁶, J. Elmsheuser ²⁹, M. Elsayy ^{117a}, M. Elsing ³⁶,
 D. Emelianov ¹³⁵, Y. Enari ¹⁵⁴, I. Ene ^{17a}, S. Epari ¹³, P.A. Erland ⁸⁷, M. Errenst ¹⁷²,
 M. Escalier ⁶⁶, C. Escobar ¹⁶⁴, E. Etzion ¹⁵², G. Evans ^{131a}, H. Evans ⁶⁸, L.S. Evans ⁹⁶,
 A. Ezhilov ³⁷, S. Ezzarqtouni ^{35a}, F. Fabbri ^{23b,23a}, L. Fabbri ^{23b,23a}, G. Facini ⁹⁷,

V. Fadeyev ¹³⁷, R.M. Fakhruddinov ³⁷, D. Fakoudis ¹⁰¹, S. Falciano ^{75a},
L.F. Falda Ulhoa Coelho ³⁶, P.J. Falke ²⁴, F. Fallavollita ¹¹¹, J. Faltova ¹³⁴, C. Fan ¹⁶³,
Y. Fan ^{14a}, Y. Fang ^{14a,14e}, M. Fanti ^{71a,71b}, M. Faraj ^{69a,69b}, Z. Farazpay ⁹⁸, A. Farbin ⁸,
A. Farilla ^{77a}, T. Farooque ¹⁰⁸, S.M. Farrington ⁵², F. Fassi ^{35e}, D. Fassouliotis ⁹,
M. Faucci Giannelli ^{76a,76b}, W.J. Fawcett ³², L. Fayard ⁶⁶, P. Federic ¹³⁴, P. Federicova ¹³²,
O.L. Fedin ^{37,a}, M. Feickert ¹⁷¹, L. Feligioni ¹⁰³, D.E. Fellers ¹²⁴, C. Feng ^{62b}, M. Feng ^{14b},
Z. Feng ¹¹⁵, M.J. Fenton ¹⁶⁰, L. Ferencz ⁴⁸, R.A.M. Ferguson ⁹², S.I. Fernandez Luengo ^{138f},
P. Fernandez Martinez ¹³, M.J.V. Fernoux ¹⁰³, J. Ferrando ⁹², A. Ferrari ¹⁶², P. Ferrari ^{115,114},
R. Ferrari ^{73a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁷, F. Fiedler ¹⁰¹, P. Fiedler ¹³³, A. Filipčič ⁹⁴,
E.K. Filmer ¹, F. Filthaut ¹¹⁴, M.C.N. Fiolhais ^{131a,131c,c}, L. Fiorini ¹⁶⁴, W.C. Fisher ¹⁰⁸,
T. Fitschen ¹⁰², P.M. Fitzhugh ¹³⁶, I. Fleck ¹⁴², P. Fleischmann ¹⁰⁷, T. Flick ¹⁷², M. Flores ^{33d,ab},
L.R. Flores Castillo ^{64a}, L. Flores Sanz De Acedo ³⁶, F.M. Follega ^{78a,78b}, N. Fomin ¹⁶,
J.H. Foo ¹⁵⁶, A. Formica ¹³⁶, A.C. Forti ¹⁰², E. Fortin ³⁶, A.W. Fortman ^{17a}, M.G. Foti ^{17a},
L. Fountas ^{9j}, D. Fournier ⁶⁶, H. Fox ⁹², P. Francavilla ^{74a,74b}, S. Francescato ⁶¹,
S. Franchellucci ⁵⁶, M. Franchini ^{23b,23a}, S. Franchino ^{63a}, D. Francis ³⁶, L. Franco ¹¹⁴,
V. Franco Lima ³⁶, L. Franconi ⁴⁸, M. Franklin ⁶¹, G. Frattari ²⁶, W.S. Freund ^{83b}, Y.Y. Frid ¹⁵²,
J. Friend ⁵⁹, N. Fritzsche ⁵⁰, A. Froch ⁵⁴, D. Froidevaux ³⁶, J.A. Frost ¹²⁷, Y. Fu ^{62a},
S. Fuenzalida Garrido ^{138f}, M. Fujimoto ¹⁰³, K.Y. Fung ^{64a}, E. Furtado De Simas Filho ^{83e},
M. Furukawa ¹⁵⁴, J. Fuster ¹⁶⁴, A. Gabrielli ^{23b,23a}, A. Gabrielli ¹⁵⁶, P. Gadow ³⁶,
G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{17a}, S. Gaid ¹⁶¹, S. Galantzan ¹⁵², E.J. Gallas ¹²⁷,
B.J. Gallop ¹³⁵, K.K. Gan ¹²⁰, S. Ganguly ¹⁵⁴, Y. Gao ⁵², F.M. Garay Walls ^{138a,138b}, B. Garcia ²⁹,
C. García ¹⁶⁴, A. Garcia Alonso ¹¹⁵, A.G. Garcia Caffaro ¹⁷³, J.E. García Navarro ¹⁶⁴,
M. Garcia-Sciveres ^{17a}, G.L. Gardner ¹²⁹, R.W. Gardner ³⁹, N. Garelli ¹⁵⁹, D. Garg ⁸⁰,
R.B. Garg ^{144,m}, J.M. Gargan ⁵², C.A. Garner ¹⁵⁶, C.M. Garvey ^{33a}, P. Gaspar ^{83b}, V.K. Gassmann ¹⁵⁹,
G. Gaudio ^{73a}, V. Gautam ¹³, P. Gauzzi ^{75a,75b}, I.L. Gavrilenko ³⁷, A. Gavrilyuk ³⁷, C. Gay ¹⁶⁵,
G. Gaycken ⁴⁸, E.N. Gazis ¹⁰, A.A. Geanta ^{27b}, C.M. Gee ¹³⁷, A. Gekow ¹²⁰, C. Gemme ^{57b},
M.H. Genest ⁶⁰, A.D. Gentry ¹¹³, S. George ⁹⁶, W.F. George ²⁰, T. Geralis ⁴⁶,
P. Gessinger-Befurt ³⁶, M.E. Geyik ¹⁷², M. Ghani ¹⁶⁸, K. Ghorbanian ⁹⁵, A. Ghosal ¹⁴²,
A. Ghosh ¹⁶⁰, A. Ghosh ⁷, B. Giacobbe ^{23b}, S. Giagu ^{75a,75b}, T. Giani ¹¹⁵, P. Giannetti ^{74a},
A. Giannini ^{62a}, S.M. Gibson ⁹⁶, M. Gignac ¹³⁷, D.T. Gil ^{86b}, A.K. Gilbert ^{86a}, B.J. Gilbert ⁴¹,
D. Gillberg ³⁴, G. Gilles ¹¹⁵, L. Ginabat ¹²⁸, D.M. Gingrich ^{2,ae}, M.P. Giordani ^{69a,69c},
P.F. Giraud ¹³⁶, G. Giugliarelli ^{69a,69c}, D. Giugni ^{71a}, F. Giuli ³⁶, I. Gkialas ^{9j}, L.K. Gladilin ³⁷,
C. Glasman ¹⁰⁰, G.R. Gledhill ¹²⁴, G. Glemža ⁴⁸, M. Glisic ¹²⁴, I. Gnesi ^{43b,f}, Y. Go ²⁹,
M. Goblirsch-Kolb ³⁶, B. Gocke ⁴⁹, D. Godin ¹⁰⁹, B. Gokturk ^{21a}, S. Goldfarb ¹⁰⁶, T. Golling ⁵⁶,
M.G.D. Gololo ^{33g}, D. Golubkov ³⁷, J.P. Gombas ¹⁰⁸, A. Gomes ^{131a,131b}, G. Gomes Da Silva ¹⁴²,
A.J. Gomez Delegido ¹⁶⁴, R. Gonçalo ^{131a,131c}, L. Gonella ²⁰, A. Gongadze ^{150c}, F. Gonnella ²⁰,
J.L. Gonski ¹⁴⁴, R.Y. González Andana ⁵², S. González de la Hoz ¹⁶⁴, R. Gonzalez Lopez ⁹³,
C. Gonzalez Renteria ^{17a}, M.V. Gonzalez Rodrigues ⁴⁸, R. Gonzalez Suarez ¹⁶²,
S. Gonzalez-Sevilla ⁵⁶, L. Goossens ³⁶, B. Gorini ³⁶, E. Gorini ^{70a,70b}, A. Gorišek ⁹⁴,
T.C. Gosart ¹²⁹, A.T. Goshaw ⁵¹, M.I. Gostkin ³⁸, S. Goswami ¹²², C.A. Gottardo ³⁶,
S.A. Gotz ¹¹⁰, M. Gouighri ^{35b}, V. Goumarre ⁴⁸, A.G. Goussiou ¹³⁹, N. Govender ^{33c},
I. Grabowska-Bold ^{86a}, K. Graham ³⁴, E. Gramstad ¹²⁶, S. Grancagnolo ^{70a,70b}, C.M. Grant ^{1,136},
P.M. Gravila ^{27f}, F.G. Gravili ^{70a,70b}, H.M. Gray ^{17a}, M. Greco ^{70a,70b}, C. Grefe ²⁴,
I.M. Gregor ⁴⁸, K.T. Greif ¹⁶⁰, P. Grenier ¹⁴⁴, S.G. Grewe ¹¹¹, A.A. Grillo ¹³⁷, K. Grimm ³¹,
S. Grinstein ^{13,s}, J.-F. Grivaz ⁶⁶, E. Gross ¹⁷⁰, J. Grosse-Knetter ⁵⁵, J.C. Grundy ¹²⁷,
L. Guan ¹⁰⁷, C. Gubbels ¹⁶⁵, J.G.R. Guerrero Rojas ¹⁶⁴, G. Guerrieri ^{69a,69c}, F. Guescini ¹¹¹,
R. Gugel ¹⁰¹, J.A.M. Guhit ¹⁰⁷, A. Guida ¹⁸, E. Guilloton ¹⁶⁸, S. Guindon ³⁶, F. Guo ^{14a,14e},

J. Guo ^{62c}, L. Guo ⁴⁸, Y. Guo ¹⁰⁷, R. Gupta ⁴⁸, R. Gupta ¹³⁰, S. Gurbuz ²⁴, S.S. Gurdasani ⁵⁴,
 G. Gustavino ³⁶, M. Guth ⁵⁶, P. Gutierrez ¹²¹, L.F. Gutierrez Zagazeta ¹²⁹, M. Gutsche ⁵⁰,
 C. Gutschow ⁹⁷, C. Gwenlan ¹²⁷, C.B. Gwilliam ⁹³, E.S. Haaland ¹²⁶, A. Haas ¹¹⁸,
 M. Habedank ⁴⁸, C. Haber ^{17a}, H.K. Hadavand ⁸, A. Hadeef ⁵⁰, S. Hadzic ¹¹¹, A.I. Hagan ⁹²,
 J.J. Hahn ¹⁴², E.H. Haines ⁹⁷, M. Haleem ¹⁶⁷, J. Haley ¹²², J.J. Hall ¹⁴⁰, G.D. Hallewell ¹⁰³,
 L. Halser ¹⁹, K. Hamano ¹⁶⁶, M. Hamer ²⁴, G.N. Hamity ⁵², E.J. Hampshire ⁹⁶, J. Han ^{62b},
 K. Han ^{62a}, L. Han ^{14c}, L. Han ^{62a}, S. Han ^{17a}, Y.F. Han ¹⁵⁶, K. Hanagaki ⁸⁴, M. Hance ¹³⁷,
 D.A. Hangal ⁴¹, H. Hanif ¹⁴³, M.D. Hank ¹²⁹, J.B. Hansen ⁴², P.H. Hansen ⁴², K. Hara ¹⁵⁸,
 D. Harada ⁵⁶, T. Harenberg ¹⁷², S. Harkusha ³⁷, M.L. Harris ¹⁰⁴, Y.T. Harris ¹²⁷, J. Harrison ¹³,
 N.M. Harrison ¹²⁰, P.F. Harrison ¹⁶⁸, N.M. Hartman ¹¹¹, N.M. Hartmann ¹¹⁰, R.Z. Hasan ^{96,135},
 Y. Hasegawa ¹⁴¹, S. Hassan ¹⁶, R. Hauser ¹⁰⁸, C.M. Hawkes ²⁰, R.J. Hawkings ³⁶,
 Y. Hayashi ¹⁵⁴, S. Hayashida ¹¹², D. Hayden ¹⁰⁸, C. Hayes ¹⁰⁷, R.L. Hayes ¹¹⁵, C.P. Hays ¹²⁷,
 J.M. Hays ⁹⁵, H.S. Hayward ⁹³, F. He ^{62a}, M. He ^{14a,14e}, Y. He ¹⁵⁵, Y. He ⁴⁸, Y. He ⁹⁷,
 N.B. Heatley ⁹⁵, V. Hedberg ⁹⁹, A.L. Heggelund ¹²⁶, N.D. Hehir ^{95,*}, C. Heidegger ⁵⁴,
 K.K. Heidegger ⁵⁴, W.D. Heidorn ⁸¹, J. Heilman ³⁴, S. Heim ⁴⁸, T. Heim ^{17a}, J.G. Heinlein ¹²⁹,
 J.J. Heinrich ¹²⁴, L. Heinrich ^{111,ac}, J. Hejbal ¹³², A. Held ¹⁷¹, S. Hellesund ¹⁶, C.M. Helling ¹⁶⁵,
 S. Hellman ^{47a,47b}, R.C.W. Henderson ⁹², L. Henkelmann ³², A.M. Henriques Correia ³⁶, H. Herde ⁹⁹,
 Y. Hernández Jiménez ¹⁴⁶, L.M. Herrmann ²⁴, T. Herrmann ⁵⁰, G. Herten ⁵⁴, R. Hertenberger ¹¹⁰,
 L. Hervas ³⁶, M.E. Hesping ¹⁰¹, N.P. Hessey ^{157a}, M. Hidaoui ^{35b}, E. Hill ¹⁵⁶, S.J. Hillier ²⁰,
 J.R. Hinds ¹⁰⁸, F. Hinterkeuser ²⁴, M. Hirose ¹²⁵, S. Hirose ¹⁵⁸, D. Hirschbuehl ¹⁷²,
 T.G. Hitchings ¹⁰², B. Hiti ⁹⁴, J. Hobbs ¹⁴⁶, R. Hobincu ^{27e}, N. Hod ¹⁷⁰, M.C. Hodgkinson ¹⁴⁰,
 B.H. Hodgkinson ¹²⁷, A. Hoecker ³⁶, D.D. Hofer ¹⁰⁷, J. Hofer ⁴⁸, T. Holm ²⁴, M. Holzbock ¹¹¹,
 L.B.A.H. Hommels ³², B.P. Honan ¹⁰², J. Hong ^{62c}, T.M. Hong ¹³⁰, B.H. Hooberman ¹⁶³,
 W.H. Hopkins ⁶, Y. Horii ¹¹², S. Hou ¹⁴⁹, A.S. Howard ⁹⁴, J. Howarth ⁵⁹, J. Hoya ⁶,
 M. Hrabovsky ¹²³, A. Hrynevich ⁴⁸, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹³⁹, T. Hsu ⁶⁶,
 M. Hu ^{17a}, Q. Hu ^{62a}, S. Huang ^{64b}, X. Huang ^{14a,14e}, Y. Huang ¹⁴⁰, Y. Huang ¹⁰¹,
 Y. Huang ^{14a}, Z. Huang ¹⁰², Z. Hubacek ¹³³, M. Huebner ²⁴, F. Huegging ²⁴, T.B. Huffman ¹²⁷,
 C.A. Hugli ⁴⁸, M. Huhtinen ³⁶, S.K. Huijberts ¹⁶, R. Hulsken ¹⁰⁵, N. Huseynov ¹², J. Huston ¹⁰⁸,
 J. Huth ⁶¹, R. Hyneman ¹⁴⁴, G. Iacobucci ⁵⁶, G. Iakovidis ²⁹, I. Ibragimov ¹⁴²,
 L. Iconomidou-Fayard ⁶⁶, J.P. Iddon ³⁶, P. Iengo ^{72a,72b}, R. Iguchi ¹⁵⁴, T. Iizawa ¹²⁷,
 Y. Ikegami ⁸⁴, N. Ilic ¹⁵⁶, H. Imam ^{35a}, M. Ince Lezki ⁵⁶, T. Ingebretsen Carlson ^{47a,47b},
 G. Introzzi ^{73a,73b}, M. Iodice ^{77a}, V. Ippolito ^{75a,75b}, R.K. Irwin ⁹³, M. Ishino ¹⁵⁴, W. Islam ¹⁷¹,
 C. Issever ^{18,48}, S. Istin ^{21a,ai}, H. Ito ¹⁶⁹, R. Iuppa ^{78a,78b}, A. Ivina ¹⁷⁰, J.M. Izen ⁴⁵,
 V. Izzo ^{72a}, P. Jacka ^{132,133}, P. Jackson ¹, B.P. Jaeger ¹⁴³, C.S. Jagfeld ¹¹⁰, G. Jain ^{157a},
 P. Jain ⁵⁴, K. Jakobs ⁵⁴, T. Jakoubek ¹⁷⁰, J. Jamieson ⁵⁹, K.W. Janas ^{86a}, M. Javurkova ¹⁰⁴,
 L. Jeanty ¹²⁴, J. Jejelava ^{150a,z}, P. Jenni ^{54,g}, C.E. Jessiman ³⁴, C. Jia ^{62b}, J. Jia ¹⁴⁶, X. Jia ⁶¹,
 X. Jia ^{14a,14e}, Z. Jia ^{14c}, C. Jiang ⁵², S. Jiggins ⁴⁸, J. Jimenez Pena ¹³, S. Jin ^{14c}, A. Jinaru ^{27b},
 O. Jinnouchi ¹⁵⁵, P. Johansson ¹⁴⁰, K.A. Johns ⁷, J.W. Johnson ¹³⁷, D.M. Jones ¹⁴⁷, E. Jones ⁴⁸,
 P. Jones ³², R.W.L. Jones ⁹², T.J. Jones ⁹³, H.L. Joos ^{55,36}, R. Joshi ¹²⁰, J. Jovicevic ¹⁵,
 X. Ju ^{17a}, J.J. Junggeburth ¹⁰⁴, T. Junkermann ^{63a}, A. Juste Rozas ^{13,s}, M.K. Juzek ⁸⁷,
 S. Kabana ^{138e}, A. Kaczmarzka ⁸⁷, M. Kado ¹¹¹, H. Kagan ¹²⁰, M. Kagan ¹⁴⁴, A. Kahn ⁴¹,
 A. Kahn ¹²⁹, C. Kahra ¹⁰¹, T. Kaji ¹⁵⁴, E. Kajomovitz ¹⁵¹, N. Kakati ¹⁷⁰, I. Kalaitzidou ⁵⁴,
 C.W. Kalderon ²⁹, N.J. Kang ¹³⁷, D. Kar ^{33g}, K. Karava ¹²⁷, M.J. Kareem ^{157b}, E. Karentzos ⁵⁴,
 I. Karkanas ¹⁵³, O. Karkout ¹¹⁵, S.N. Karpov ³⁸, Z.M. Karpova ³⁸, V. Kartvelishvili ⁹²,
 A.N. Karyukhin ³⁷, E. Kasimi ¹⁵³, J. Katzy ⁴⁸, S. Kaur ³⁴, K. Kawade ¹⁴¹, M.P. Kawale ¹²¹,
 C. Kawamoto ⁸⁸, T. Kawamoto ^{62a}, E.F. Kay ³⁶, F.I. Kaya ¹⁵⁹, S. Kazakos ¹⁰⁸, V.F. Kazanin ³⁷,
 Y. Ke ¹⁴⁶, J.M. Keaveney ^{33a}, R. Keeler ¹⁶⁶, G.V. Kehris ⁶¹, J.S. Keller ³⁴, A.S. Kelly ⁹⁷,

J.J. Kempster ¹⁴⁷, P.D. Kennedy ¹⁰¹, O. Kepka ¹³², B.P. Kerridge ¹³⁵, S. Kersten ¹⁷²,
B.P. Kerševan ⁹⁴, L. Keszeghova ^{28a}, S. Ketabchi Haghighat ¹⁵⁶, R.A. Khan ¹³⁰, A. Khanov ¹²²,
A.G. Kharlamov ³⁷, T. Kharlamova ³⁷, E.E. Khoda ¹³⁹, M. Kholodenko ³⁷, T.J. Khoo ¹⁸,
G. Khoriauli ¹⁶⁷, J. Khubua ^{150b}, Y.A.R. Khwaira ⁶⁶, B. Kibirige ^{33g}, A. Kilgallon ¹²⁴,
D.W. Kim ^{47a,47b}, Y.K. Kim ³⁹, N. Kimura ⁹⁷, M.K. Kingston ⁵⁵, A. Kirchhoff ⁵⁵, C. Kirfel ²⁴,
F. Kirfel ²⁴, J. Kirk ¹³⁵, A.E. Kiryunin ¹¹¹, C. Kitsaki ¹⁰, O. Kivernyk ²⁴, M. Klassen ¹⁵⁹,
C. Klein ³⁴, L. Klein ¹⁶⁷, M.H. Klein ⁴⁴, S.B. Klein ⁵⁶, U. Klein ⁹³, P. Klimek ³⁶,
A. Klimentov ²⁹, T. Klioutchnikova ³⁶, P. Kluit ¹¹⁵, S. Kluth ¹¹¹, E. Kneringer ⁷⁹,
T.M. Knight ¹⁵⁶, A. Knue ⁴⁹, R. Kobayashi ⁸⁸, D. Kobylanski ¹⁷⁰, S.F. Koch ¹²⁷,
M. Kocian ¹⁴⁴, P. Kodyš ¹³⁴, D.M. Koeck ¹²⁴, P.T. Koenig ²⁴, T. Koffas ³⁴, O. Kolay ⁵⁰,
I. Koletsou ⁴, T. Komarek ¹²³, K. Köneke ⁵⁴, A.X.Y. Kong ¹, T. Kono ¹¹⁹, N. Konstantinidis ⁹⁷,
P. Kontaxakis ⁵⁶, B. Konya ⁹⁹, R. Kopeliansky ⁴¹, S. Koperny ^{86a}, K. Korcyl ⁸⁷, K. Kordas ^{153,e},
A. Korn ⁹⁷, S. Korn ⁵⁵, I. Korolkov ¹³, N. Korotkova ³⁷, B. Kortman ¹¹⁵, O. Kortner ¹¹¹,
S. Kortner ¹¹¹, W.H. Kostecka ¹¹⁶, V.V. Kostyukhin ¹⁴², A. Kotsokechagia ¹³⁶, A. Kotwal ⁵¹,
A. Koulouris ³⁶, A. Kourkoumeli-Charalampidi ^{73a,73b}, C. Kourkoumelis ⁹, E. Kourlitis ^{111,ac},
O. Kovanda ¹²⁴, R. Kowalewski ¹⁶⁶, W. Kozanecki ¹³⁶, A.S. Kozhin ³⁷, V.A. Kramarenko ³⁷,
G. Kramberger ⁹⁴, P. Kramer ¹⁰¹, M.W. Krasny ¹²⁸, A. Krasznahorkay ³⁶, J.W. Kraus ¹⁷²,
J.A. Kremer ⁴⁸, T. Kresse ⁵⁰, J. Kretschmar ⁹³, K. Kreul ¹⁸, P. Krieger ¹⁵⁶,
S. Krishnamurthy ¹⁰⁴, M. Krivos ¹³⁴, K. Krizka ²⁰, K. Kroeninger ⁴⁹, H. Kroha ¹¹¹, J. Kroll ¹³²,
J. Kroll ¹²⁹, K.S. Krowpman ¹⁰⁸, U. Kruchonak ³⁸, H. Krüger ²⁴, N. Krumnack ⁸¹, M.C. Kruse ⁵¹,
O. Kuchinskaia ³⁷, S. Kудay ^{3a}, S. Kuehn ³⁶, R. Kuesters ⁵⁴, T. Kuhl ⁴⁸, V. Kukhtin ³⁸,
Y. Kulchitsky ^{37,a}, S. Kuleshov ^{138d,138b}, M. Kumar ^{33g}, N. Kumari ⁴⁸, P. Kumari ^{157b},
A. Kupco ¹³², T. Kupfer ⁴⁹, A. Kupich ³⁷, O. Kuprash ⁵⁴, H. Kurashige ⁸⁵, L.L. Kurchaninov ^{157a},
O. Kurdysh ⁶⁶, Y.A. Kurochkin ³⁷, A. Kurova ³⁷, M. Kuze ¹⁵⁵, A.K. Kvam ¹⁰⁴, J. Kvita ¹²³,
T. Kwan ¹⁰⁵, N.G. Kyriacou ¹⁰⁷, L.A.O. Laatu ¹⁰³, C. Lacasta ¹⁶⁴, F. Lacava ^{75a,75b},
H. Lacker ¹⁸, D. Lacour ¹²⁸, N.N. Lad ⁹⁷, E. Ladygin ³⁸, A. Lafarge ⁴⁰, B. Laforge ¹²⁸,
T. Lagouri ¹⁷³, F.Z. Lahbabi ^{35a}, S. Lai ⁵⁵, I.K. Lakomiec ^{86a}, J.E. Lambert ¹⁶⁶, S. Lammers ⁶⁸,
W. Lampl ⁷, C. Lampoudis ^{153,e}, G. Lamprinoudis ¹⁰¹, A.N. Lancaster ¹¹⁶, E. Lançon ²⁹,
U. Landgraf ⁵⁴, M.P.J. Landon ⁹⁵, V.S. Lang ⁵⁴, O.K.B. Langrekken ¹²⁶, A.J. Lankford ¹⁶⁰,
F. Lanni ³⁶, K. Lantzsch ²⁴, A. Lanza ^{73a}, A. Lapertosa ^{57b,57a}, J.F. Laporte ¹³⁶, T. Lari ^{71a},
F. Lasagni Manghi ^{23b}, M. Lassnig ³⁶, V. Latonova ¹³², A. Laudrain ¹⁰¹, A. Laurier ¹⁵¹,
S.D. Lawlor ¹⁴⁰, Z. Lawrence ¹⁰², R. Lazaridou ¹⁶⁸, M. Lazzaroni ^{71a,71b}, B. Le ¹⁰²,
E.M. Le Boulicaut ⁵¹, L.T. Le Pottier ^{17a}, B. Leban ^{23b,23a}, A. Lebedev ⁸¹, M. LeBlanc ¹⁰²,
F. Ledroit-Guillon ⁶⁰, S.C. Lee ¹⁴⁹, S. Lee ^{47a,47b}, T.F. Lee ⁹³, L.L. Leeuw ^{33c}, H.P. Lefebvre ⁹⁶,
M. Lefebvre ¹⁶⁶, C. Leggett ^{17a}, G. Lehmann Miotto ³⁶, M. Leigh ⁵⁶, W.A. Leight ¹⁰⁴,
W. Leinonen ¹¹⁴, A. Leisos ^{153,r}, M.A.L. Leite ^{83c}, C.E. Leitgeb ¹⁸, R. Leitner ¹³⁴,
K.J.C. Leney ⁴⁴, T. Lenz ²⁴, S. Leone ^{74a}, C. Leonidopoulos ⁵², A. Leopold ¹⁴⁵, C. Leroy ¹⁰⁹,
R. Les ¹⁰⁸, C.G. Lester ³², M. Levchenko ³⁷, J. Levêque ⁴, L.J. Levinson ¹⁷⁰, G. Levrini ^{23b,23a},
M.P. Lewicki ⁸⁷, C. Lewis ¹³⁹, D.J. Lewis ⁴, A. Li ⁵, B. Li ^{62b}, C. Li ^{62a}, C-Q. Li ¹¹¹, H. Li ^{62a},
H. Li ^{62b}, H. Li ^{14c}, H. Li ^{14b}, H. Li ^{62b}, J. Li ^{62c}, K. Li ¹³⁹, L. Li ^{62c}, M. Li ^{14a,14e},
Q.Y. Li ^{62a}, S. Li ^{14a,14e}, S. Li ^{62d,62c,d}, T. Li ⁵, X. Li ¹⁰⁵, Z. Li ¹²⁷, Z. Li ¹⁵⁴, Z. Li ^{14a,14e},
S. Liang ^{14a,14e}, Z. Liang ^{14a}, M. Liberatore ¹³⁶, B. Liberti ^{76a}, K. Lie ^{64c}, J. Lieber Marin ^{83e},
H. Lien ⁶⁸, K. Lin ¹⁰⁸, R.E. Lindley ⁷, J.H. Lindon ², E. Lipeles ¹²⁹, A. Lipniacka ¹⁶,
A. Lister ¹⁶⁵, J.D. Little ⁴, B. Liu ^{14a}, B.X. Liu ¹⁴³, D. Liu ^{62d,62c}, E.H.L. Liu ²⁰, J.B. Liu ^{62a},
J.K.K. Liu ³², K. Liu ^{62d}, K. Liu ^{62d,62c}, M. Liu ^{62a}, M.Y. Liu ^{62a}, P. Liu ^{14a}, Q. Liu ^{62d,139,62c},
X. Liu ^{62a}, X. Liu ^{62b}, Y. Liu ^{14d,14e}, Y.L. Liu ^{62b}, Y.W. Liu ^{62a}, J. Llorente Merino ¹⁴³,
S.L. Lloyd ⁹⁵, E.M. Lobodzinska ⁴⁸, P. Loch ⁷, T. Lohse ¹⁸, K. Lohwasser ¹⁴⁰, E. Loiacono ⁴⁸,















































































































































M. Lokajicek [id](#)^{132,*}, J.D. Lomas [id](#)²⁰, J.D. Long [id](#)¹⁶³, I. Longarini [id](#)¹⁶⁰, L. Longo [id](#)^{70a,70b},
R. Longo [id](#)¹⁶³, I. Lopez Paz [id](#)⁶⁷, A. Lopez Solis [id](#)⁴⁸, N. Lorenzo Martinez [id](#)⁴, A.M. Lory [id](#)¹¹⁰,
G. Löschcke Centeno [id](#)¹⁴⁷, O. Loseva [id](#)³⁷, X. Lou [id](#)^{47a,47b}, X. Lou [id](#)^{14a,14e}, A. Lounis [id](#)⁶⁶,
P.A. Love [id](#)⁹², G. Lu [id](#)^{14a,14e}, M. Lu [id](#)⁶⁶, S. Lu [id](#)¹²⁹, Y.J. Lu [id](#)⁶⁵, H.J. Lubatti [id](#)¹³⁹, C. Luci [id](#)^{75a,75b},
F.L. Lucio Alves [id](#)^{14c}, F. Luehring [id](#)⁶⁸, I. Luise [id](#)¹⁴⁶, O. Lukianchuk [id](#)⁶⁶, O. Lundberg [id](#)¹⁴⁵,
B. Lund-Jensen [id](#)^{145,*}, N.A. Luongo [id](#)⁶, M.S. Lutz [id](#)³⁶, A.B. Lux [id](#)²⁵, D. Lynn [id](#)²⁹, R. Lysak [id](#)¹³²,
E. Lytken [id](#)⁹⁹, V. Lyubushkin [id](#)³⁸, T. Lyubushkina [id](#)³⁸, M.M. Lyukova [id](#)¹⁴⁶, M.Firdaus M. Soberi [id](#)⁵²,
H. Ma [id](#)²⁹, K. Ma [id](#)^{62a}, L.L. Ma [id](#)^{62b}, W. Ma [id](#)^{62a}, Y. Ma [id](#)¹²², D.M. Mac Donell [id](#)¹⁶⁶,
G. Maccarrone [id](#)⁵³, J.C. MacDonald [id](#)¹⁰¹, P.C. Machado De Abreu Farias [id](#)^{83e}, R. Madar [id](#)⁴⁰,
T. Madula [id](#)⁹⁷, J. Maeda [id](#)⁸⁵, T. Maeno [id](#)²⁹, H. Maguire [id](#)¹⁴⁰, V. Maiboroda [id](#)¹³⁶,
A. Maio [id](#)^{131a,131b,131d}, K. Maj [id](#)^{86a}, O. Majersky [id](#)⁴⁸, S. Majewski [id](#)¹²⁴, N. Makovec [id](#)⁶⁶,
V. Maksimovic [id](#)¹⁵, B. Malaescu [id](#)¹²⁸, Pa. Malecki [id](#)⁸⁷, V.P. Maleev [id](#)³⁷, F. Malek [id](#)^{60,n}, M. Mali [id](#)⁹⁴,
D. Malito [id](#)⁹⁶, U. Mallik [id](#)⁸⁰, S. Maltezos¹⁰, S. Malyukov³⁸, J. Mamuzic [id](#)¹³, G. Mancini [id](#)⁵³,
M.N. Mancini [id](#)²⁶, G. Manco [id](#)^{73a,73b}, J.P. Mandalia [id](#)⁹⁵, I. Mandić [id](#)⁹⁴,
L. Manhaes de Andrade Filho [id](#)^{83a}, I.M. Maniatis [id](#)¹⁷⁰, J. Manjarres Ramos [id](#)⁹⁰, D.C. Mankad [id](#)¹⁷⁰,
A. Mann [id](#)¹¹⁰, S. Manzoni [id](#)³⁶, L. Mao [id](#)^{62c}, X. Mapekula [id](#)^{33c}, A. Marantis [id](#)^{153,r}, G. Marchiori [id](#)⁵,
M. Marcisovsky [id](#)¹³², C. Marcon [id](#)^{71a}, M. Marinescu [id](#)²⁰, S. Marium [id](#)⁴⁸, M. Marjanovic [id](#)¹²¹,
A. Markhoos [id](#)⁵⁴, M. Markovitch [id](#)⁶⁶, E.J. Marshall [id](#)⁹², Z. Marshall [id](#)^{17a}, S. Marti-Garcia [id](#)¹⁶⁴,
T.A. Martin [id](#)¹⁶⁸, V.J. Martin [id](#)⁵², B. Martin dit Latour [id](#)¹⁶, L. Martinelli [id](#)^{75a,75b}, M. Martinez [id](#)^{13,s},
P. Martinez Agullo [id](#)¹⁶⁴, V.I. Martinez Outschoorn [id](#)¹⁰⁴, P. Martinez Suarez [id](#)¹³, S. Martin-Haugh [id](#)¹³⁵,
G. Martinovicova [id](#)¹³⁴, V.S. Martoiu [id](#)^{27b}, A.C. Martyniuk [id](#)⁹⁷, A. Marzin [id](#)³⁶, D. Mascione [id](#)^{78a,78b},
L. Masetti [id](#)¹⁰¹, T. Mashimo [id](#)¹⁵⁴, J. Masik [id](#)¹⁰², A.L. Maslennikov [id](#)³⁷, P. Massarotti [id](#)^{72a,72b},
P. Mastrandrea [id](#)^{74a,74b}, A. Mastroberardino [id](#)^{43b,43a}, T. Masubuchi [id](#)¹⁵⁴, T. Mathisen [id](#)¹⁶²,
J. Matousek [id](#)¹³⁴, N. Matsuzawa¹⁵⁴, J. Maurer [id](#)^{27b}, A.J. Maury [id](#)⁶⁶, B. Maček [id](#)⁹⁴, D.A. Maximov [id](#)³⁷,
A.E. May [id](#)¹⁰², R. Mazini [id](#)¹⁴⁹, I. Maznas [id](#)¹¹⁶, M. Mazza [id](#)¹⁰⁸, S.M. Mazza [id](#)¹³⁷, E. Mazzeo [id](#)^{71a,71b},
C. Mc Ginn [id](#)²⁹, J.P. Mc Gowan [id](#)¹⁶⁶, S.P. Mc Kee [id](#)¹⁰⁷, C.C. McCracken [id](#)¹⁶⁵, E.F. McDonald [id](#)¹⁰⁶,
A.E. McDougall [id](#)¹¹⁵, J.A. Mcfayden [id](#)¹⁴⁷, R.P. McGovern [id](#)¹²⁹, G. Mchedlidze [id](#)^{150b},
R.P. Mckenzie [id](#)^{33g}, T.C. Mclachlan [id](#)⁴⁸, D.J. Mclaughlin [id](#)⁹⁷, S.J. McMahon [id](#)¹³⁵,
C.M. Mcpartland [id](#)⁹³, R.A. McPherson [id](#)^{166,w}, S. Mehlhase [id](#)¹¹⁰, A. Mehta [id](#)⁹³, D. Melini [id](#)¹⁶⁴,
B.R. Mellado Garcia [id](#)^{33g}, A.H. Melo [id](#)⁵⁵, F. Meloni [id](#)⁴⁸, A.M. Mendes Jacques Da Costa [id](#)¹⁰²,
H.Y. Meng [id](#)¹⁵⁶, L. Meng [id](#)⁹², S. Menke [id](#)¹¹¹, M. Mentink [id](#)³⁶, E. Meoni [id](#)^{43b,43a}, G. Mercado [id](#)¹¹⁶,
C. Merlassino [id](#)^{69a,69c}, L. Merola [id](#)^{72a,72b}, C. Meroni [id](#)^{71a,71b}, J. Metcalfe [id](#)⁶, A.S. Mete [id](#)⁶,
C. Meyer [id](#)⁶⁸, J-P. Meyer [id](#)¹³⁶, R.P. Middleton [id](#)¹³⁵, L. Mijović [id](#)⁵², G. Mikenberg [id](#)¹⁷⁰,
M. Mikestikova [id](#)¹³², M. Mikuž [id](#)⁹⁴, H. Mildner [id](#)¹⁰¹, A. Milic [id](#)³⁶, D.W. Miller [id](#)³⁹, E.H. Miller [id](#)¹⁴⁴,
L.S. Miller [id](#)³⁴, A. Milov [id](#)¹⁷⁰, D.A. Milstead^{47a,47b}, T. Min^{14c}, A.A. Minaenko [id](#)³⁷,
I.A. Minashvili [id](#)^{150b}, L. Mince [id](#)⁵⁹, A.I. Mincer [id](#)¹¹⁸, B. Mindur [id](#)^{86a}, M. Mineev [id](#)³⁸, Y. Mino [id](#)⁸⁸,
L.M. Mir [id](#)¹³, M. Miralles Lopez [id](#)⁵⁹, M. Mironova [id](#)^{17a}, A. Mishima¹⁵⁴, M.C. Missio [id](#)¹¹⁴,
A. Mitra [id](#)¹⁶⁸, V.A. Mitsou [id](#)¹⁶⁴, Y. Mitsumori [id](#)¹¹², O. Miu [id](#)¹⁵⁶, P.S. Miyagawa [id](#)⁹⁵,
T. Mkrtychyan [id](#)^{63a}, M. Mlinarevic [id](#)⁹⁷, T. Mlinarevic [id](#)⁹⁷, M. Mlynarikova [id](#)³⁶, S. Mobius [id](#)¹⁹,
P. Mogg [id](#)¹¹⁰, M.H. Mohamed Farook [id](#)¹¹³, A.F. Mohammed [id](#)^{14a,14e}, S. Mohapatra [id](#)⁴¹,
G. Mokgatitswane [id](#)^{33g}, L. Moleri [id](#)¹⁷⁰, B. Mondal [id](#)¹⁴², S. Mondal [id](#)¹³³, K. Mönig [id](#)⁴⁸,
E. Monnier [id](#)¹⁰³, L. Monsonis Romero¹⁶⁴, J. Montejo Berlingen [id](#)¹³, M. Montella [id](#)¹²⁰,
F. Montekali [id](#)^{77a,77b}, F. Monticelli [id](#)⁹¹, S. Monzani [id](#)^{69a,69c}, N. Morange [id](#)⁶⁶,
A.L. Moreira De Carvalho [id](#)⁴⁸, M. Moreno Llácer [id](#)¹⁶⁴, C. Moreno Martinez [id](#)⁵⁶, P. Morettini [id](#)^{57b},
S. Morgenstern [id](#)³⁶, M. Morii [id](#)⁶¹, M. Morinaga [id](#)¹⁵⁴, F. Morodei [id](#)^{75a,75b}, L. Morvaj [id](#)³⁶,
P. Moschovakos [id](#)³⁶, B. Moser [id](#)³⁶, M. Mosidze [id](#)^{150b}, T. Moskalets [id](#)⁵⁴, P. Moskvitina [id](#)¹¹⁴,
J. Moss [id](#)^{31,k}, P. Moszkowicz [id](#)^{86a}, A. Moussa [id](#)^{35d}, E.J.W. Moyse [id](#)¹⁰⁴, O. Mtintsilana [id](#)^{33g},

S. Muanza ¹⁰³, J. Mueller ¹³⁰, D. Muenstermann ⁹², R. Müller ¹⁹, G.A. Mullier ¹⁶², A.J. Mullin ³², J.J. Mullin ¹²⁹, D.P. Mungo ¹⁵⁶, D. Munoz Perez ¹⁶⁴, F.J. Munoz Sanchez ¹⁰², M. Murin ¹⁰², W.J. Murray ^{168,135}, M. Muškinja ⁹⁴, C. Mwewa ²⁹, A.G. Myagkov ^{37,a}, A.J. Myers ⁸, G. Myers ¹⁰⁷, M. Myska ¹³³, B.P. Nachman ^{17a}, O. Nackenhorst ⁴⁹, K. Nagai ¹²⁷, K. Nagano ⁸⁴, J.L. Nagle ^{29,ag}, E. Nagy ¹⁰³, A.M. Nairz ³⁶, Y. Nakahama ⁸⁴, K. Nakamura ⁸⁴, K. Nakkalil ⁵, H. Nanjo ¹²⁵, R. Narayan ⁴⁴, E.A. Narayanan ¹¹³, I. Naryshkin ³⁷, M. Naseri ³⁴, S. Nasri ^{117b}, C. Nass ²⁴, G. Navarro ^{22a}, J. Navarro-Gonzalez ¹⁶⁴, R. Nayak ¹⁵², A. Nayaz ¹⁸, P.Y. Nechaeva ³⁷, S. Nechaeva ^{23b,23a}, F. Nechansky ⁴⁸, L. Nedic ¹²⁷, T.J. Neep ²⁰, A. Negri ^{73a,73b}, M. Negrini ^{23b}, C. Nellist ¹¹⁵, C. Nelson ¹⁰⁵, K. Nelson ¹⁰⁷, S. Nemecek ¹³², M. Nessi ^{36,h}, M.S. Neubauer ¹⁶³, F. Neuhaus ¹⁰¹, J. Neundorf ⁴⁸, R. Newhouse ¹⁶⁵, P.R. Newman ²⁰, C.W. Ng ¹³⁰, Y.W.Y. Ng ⁴⁸, B. Ngair ^{117a}, H.D.N. Nguyen ¹⁰⁹, R.B. Nickerson ¹²⁷, R. Nicolaidou ¹³⁶, J. Nielsen ¹³⁷, M. Niemeyer ⁵⁵, J. Niermann ⁵⁵, N. Nikiporou ³⁶, V. Nikolaenko ^{37,a}, I. Nikolic-Audit ¹²⁸, K. Nikolopoulos ²⁰, P. Nilsson ²⁹, I. Ninca ⁴⁸, H.R. Nindhito ⁵⁶, G. Ninio ¹⁵², A. Nisati ^{75a}, N. Nishu ², R. Nisius ¹¹¹, J-E. Nitschke ⁵⁰, E.K. Nkadimeng ^{33g}, T. Nobe ¹⁵⁴, D.L. Noel ³², T. Nommensen ¹⁴⁸, M.B. Norfolk ¹⁴⁰, R.R.B. Norisam ⁹⁷, B.J. Norman ³⁴, M. Noury ^{35a}, J. Novak ⁹⁴, T. Novak ⁴⁸, L. Novotny ¹³³, R. Novotny ¹¹³, L. Nozka ¹²³, K. Ntekas ¹⁶⁰, N.M.J. Nunes De Moura Junior ^{83b}, J. Ocariz ¹²⁸, A. Ochi ⁸⁵, I. Ochoa ^{131a}, S. Oerdek ^{48,t}, J.T. Offermann ³⁹, A. Ogrodnik ¹³⁴, A. Oh ¹⁰², C.C. Ohm ¹⁴⁵, H. Oide ⁸⁴, R. Oishi ¹⁵⁴, M.L. Ojeda ⁴⁸, Y. Okumura ¹⁵⁴, L.F. Oleiro Seabra ^{131a}, S.A. Olivares Pino ^{138d}, G. Oliveira Correa ¹³, D. Oliveira Damazio ²⁹, D. Oliveira Goncalves ^{83a}, J.L. Oliver ¹⁶⁰, Ö.O. Öncel ⁵⁴, A.P. O'Neill ¹⁹, A. Onofre ^{131a,131c}, P.U.E. Onyisi ¹¹, M.J. Oreglia ³⁹, G.E. Orellana ⁹¹, D. Orestano ^{77a,77b}, N. Orlando ¹³, R.S. Orr ¹⁵⁶, V. O'Shea ⁵⁹, L.M. Osojnak ¹²⁹, R. Ospanov ^{62a}, G. Otero y Garzon ³⁰, H. Otono ⁸⁹, P.S. Ott ^{63a}, G.J. Ottino ^{17a}, M. Ouchrif ^{35d}, F. Ould-Saada ¹²⁶, T. Ovsiannikova ¹³⁹, M. Owen ⁵⁹, R.E. Owen ¹³⁵, K.Y. Oyulmaz ^{21a}, V.E. Ozcan ^{21a}, F. Ozturk ⁸⁷, N. Ozturk ⁸, S. Ozturk ⁸², H.A. Pacey ¹²⁷, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{75a,75b}, S. Pagan Griso ^{17a}, G. Palacino ⁶⁸, A. Palazzo ^{70a,70b}, J. Pampel ²⁴, J. Pan ¹⁷³, T. Pan ^{64a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹⁵, J.G. Panduro Vazquez ⁹⁶, H.D. Pandya ¹, H. Pang ^{14b}, P. Pani ⁴⁸, G. Panizzo ^{69a,69c}, L. Panwar ¹²⁸, L. Paolozzi ⁵⁶, S. Parajuli ¹⁶³, A. Paramonov ⁵, C. Paraskevopoulos ⁵³, D. Paredes Hernandez ^{64b}, A. Pareti ^{73a,73b}, K.R. Park ⁴¹, T.H. Park ¹⁵⁶, M.A. Parker ³², F. Parodi ^{57b,57a}, E.W. Parrish ¹¹⁶, V.A. Parrish ⁵², J.A. Parsons ⁴¹, U. Parzefall ⁵⁴, B. Pascual Dias ¹⁰⁹, L. Pascual Dominguez ¹⁵², E. Pasqualucci ^{75a}, S. Passaggio ^{57b}, F. Pastore ⁹⁶, P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰², T. Pauly ³⁶, C.I. Pazos ¹⁵⁹, J. Pearkes ¹⁴⁴, M. Pedersen ¹²⁶, R. Pedro ^{131a}, S.V. Peleganchuk ³⁷, O. Penc ³⁶, E.A. Pender ⁵², G.D. Penn ¹⁷³, K.E. Penski ¹¹⁰, M. Penzin ³⁷, B.S. Peralva ^{83d}, A.P. Pereira Peixoto ¹³⁹, L. Pereira Sanchez ¹⁴⁴, D.V. Perepelitsa ^{29,ag}, E. Perez Codina ^{157a}, M. Perganti ¹⁰, H. Pernegger ³⁶, O. Perrin ⁴⁰, K. Peters ⁴⁸, R.F.Y. Peters ¹⁰², B.A. Petersen ³⁶, T.C. Petersen ⁴², E. Petit ¹⁰³, V. Petousis ¹³³, C. Petridou ^{153,e}, T. Petru ¹³⁴, A. Petrukhin ¹⁴², M. Pettee ^{17a}, N.E. Pettersson ³⁶, A. Petukhov ³⁷, K. Petukhova ¹³⁴, R. Pezoa ^{138f}, L. Pezzotti ³⁶, G. Pezzullo ¹⁷³, T.M. Pham ¹⁷¹, T. Pham ¹⁰⁶, P.W. Phillips ¹³⁵, G. Piacquadio ¹⁴⁶, E. Pianori ^{17a}, F. Piazza ¹²⁴, R. Piegai ³⁰, D. Pietreanu ^{27b}, A.D. Pilkington ¹⁰², M. Pinamonti ^{69a,69c}, J.L. Pinfeld ², B.C. Pinheiro Pereira ^{131a}, A.E. Pinto Pinoargote ^{101,136}, L. Pintucci ^{69a,69c}, K.M. Piper ¹⁴⁷, A. Pirttikoski ⁵⁶, D.A. Pizzi ³⁴, L. Pizzimento ^{64b}, A. Pizzini ¹¹⁵, M.-A. Pleier ²⁹, V. Plesanovs ⁵⁴, V. Pleskot ¹³⁴, E. Plotnikova ³⁸, G. Poddar ⁹⁵, R. Poettgen ⁹⁹, L. Poggioli ¹²⁸, I. Pokharel ⁵⁵, S. Polacek ¹³⁴, G. Polesello ^{73a}, A. Poley ^{143,157a}, A. Polini ^{23b}, C.S. Pollard ¹⁶⁸, Z.B. Pollock ¹²⁰, E. Pompa Pacchi ^{75a,75b}, D. Ponomarenko ¹¹⁴, L. Pontecorvo ³⁶, S. Popa ^{27a}, G.A. Popeneciu ^{27d}, A. Poreba ³⁶, D.M. Portillo Quintero ^{157a},

S. Pospisil ¹³³, M.A. Postill ¹⁴⁰, P. Postolache ^{27c}, K. Potamianos ¹⁶⁸, P.A. Potepa ^{86a},
 I.N. Potrap ³⁸, C.J. Potter ³², H. Potti ¹, J. Poveda ¹⁶⁴, M.E. Pozo Astigarraga ³⁶,
 A. Prades Ibanez ¹⁶⁴, J. Pretel ⁵⁴, D. Price ¹⁰², M. Primavera ^{70a}, M.A. Principe Martin ¹⁰⁰,
 R. Privara ¹²³, T. Procter ⁵⁹, M.L. Proffitt ¹³⁹, N. Proklova ¹²⁹, K. Prokofiev ^{64c}, G. Proto ¹¹¹,
 J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b}, A. Psallidas ⁴⁶, J.E. Puddefoot ¹⁴⁰,
 D. Pudzha ³⁷, D. Pyatiizbyantseva ³⁷, J. Qian ¹⁰⁷, D. Qichen ¹⁰², Y. Qin ¹³, T. Qiu ⁵²,
 A. Quadt ⁵⁵, M. Queitsch-Maitland ¹⁰², G. Quetant ⁵⁶, R.P. Quinn ¹⁶⁵, G. Rabanal Bolanos ⁶¹,
 D. Rafanoharana ⁵⁴, F. Ragusa ^{71a,71b}, J.L. Rainbolt ³⁹, J.A. Raine ⁵⁶, S. Rajagopalan ²⁹,
 E. Ramakoti ³⁷, I.A. Ramirez-Berend ³⁴, K. Ran ^{48,14e}, N.P. Rapheeha ^{33g}, H. Rasheed ^{27b},
 V. Raskina ¹²⁸, D.F. Rassloff ^{63a}, A. Rastogi ^{17a}, S. Rave ¹⁰¹, B. Ravina ⁵⁵, I. Ravinovich ¹⁷⁰,
 M. Raymond ³⁶, A.L. Read ¹²⁶, N.P. Readioff ¹⁴⁰, D.M. Rebutzi ^{73a,73b}, G. Redlinger ²⁹,
 A.S. Reed ¹¹¹, K. Reeves ²⁶, J.A. Reidelsturz ¹⁷², D. Reikher ¹⁵², A. Rej ⁴⁹, C. Rembser ³⁶,
 M. Renda ^{27b}, M.B. Rendel ¹¹¹, F. Renner ⁴⁸, A.G. Rennie ¹⁶⁰, A.L. Rescia ⁴⁸, S. Resconi ^{71a},
 M. Ressegotti ^{57b,57a}, S. Rettie ³⁶, J.G. Reyes Rivera ¹⁰⁸, E. Reynolds ^{17a}, O.L. Rezanova ³⁷,
 P. Reznicek ¹³⁴, H. Riani ^{35d}, N. Ribaric ⁹², E. Ricci ^{78a,78b}, R. Richter ¹¹¹, S. Richter ^{47a,47b},
 E. Richter-Was ^{86b}, M. Ridel ¹²⁸, S. Ridouani ^{35d}, P. Rieck ¹¹⁸, P. Riedler ³⁶, E.M. Riefel ^{47a,47b},
 J.O. Rieger ¹¹⁵, M. Rijssenbeek ¹⁴⁶, M. Rimoldi ³⁶, L. Rinaldi ^{23b,23a}, T.T. Rinn ²⁹,
 M.P. Rinnagel ¹¹⁰, G. Ripellino ¹⁶², I. Riu ¹³, J.C. Rivera Vergara ¹⁶⁶, F. Rizatdinova ¹²²,
 E. Rizvi ⁹⁵, B.R. Roberts ^{17a}, S.H. Robertson ^{105,w}, D. Robinson ³², C.M. Robles Gajardo ^{138f},
 M. Robles Manzano ¹⁰¹, A. Robson ⁵⁹, A. Rocchi ^{76a,76b}, C. Roda ^{74a,74b}, S. Rodriguez Bosca ³⁶,
 Y. Rodriguez Garcia ^{22a}, A. Rodriguez Rodriguez ⁵⁴, A.M. Rodríguez Vera ¹¹⁶, S. Roe ³⁶,
 J.T. Roemer ¹⁶⁰, A.R. Roepe-Gier ¹³⁷, J. Roggel ¹⁷², O. Røhne ¹²⁶, R.A. Rojas ¹⁰⁴,
 C.P.A. Roland ¹²⁸, J. Roloff ²⁹, A. Romaniouk ³⁷, E. Romano ^{73a,73b}, M. Romano ^{23b},
 A.C. Romero Hernandez ¹⁶³, N. Rompotis ⁹³, L. Roos ¹²⁸, S. Rosati ^{75a}, B.J. Rosser ³⁹,
 E. Rossi ¹²⁷, E. Rossi ^{72a,72b}, L.P. Rossi ⁶¹, L. Rossini ⁵⁴, R. Rosten ¹²⁰, M. Rotaru ^{27b},
 B. Rottler ⁵⁴, C. Rougier ⁹⁰, D. Rousseau ⁶⁶, D. Rouso ⁴⁸, A. Roy ¹⁶³, S. Roy-Garand ¹⁵⁶,
 A. Rozanov ¹⁰³, Z.M.A. Rozario ⁵⁹, Y. Rozen ¹⁵¹, A. Rubio Jimenez ¹⁶⁴, A.J. Ruby ⁹³,
 V.H. Ruelas Rivera ¹⁸, T.A. Ruggeri ¹, A. Ruggiero ¹²⁷, A. Ruiz-Martinez ¹⁶⁴, A. Rummler ³⁶,
 Z. Rurikova ⁵⁴, N.A. Rusakovich ³⁸, H.L. Russell ¹⁶⁶, G. Russo ^{75a,75b}, J.P. Rutherford ⁷,
 S. Rutherford Colmenares ³², K. Rybacki ⁹², M. Rybar ¹³⁴, E.B. Rye ¹²⁶, A. Ryzhov ⁴⁴,
 J.A. Sabater Iglesias ⁵⁶, P. Sabatini ¹⁶⁴, H.F.W. Sadrozinski ¹³⁷, F. Safai Tehrani ^{75a},
 B. Safarzadeh Samani ¹³⁵, S. Saha ¹, M. Sahinsoy ¹¹¹, A. Saibel ¹⁶⁴, M. Saimpert ¹³⁶,
 M. Saito ¹⁵⁴, T. Saito ¹⁵⁴, A. Sala ^{71a,71b}, D. Salamani ³⁶, A. Salnikov ¹⁴⁴, J. Salt ¹⁶⁴,
 A. Salvador Salas ¹⁵², D. Salvatore ^{43b,43a}, F. Salvatore ¹⁴⁷, A. Salzburger ³⁶, D. Sammel ⁵⁴,
 E. Sampson ⁹², D. Sampsonidis ^{153,e}, D. Sampsonidou ¹²⁴, J. Sánchez ¹⁶⁴,
 V. Sanchez Sebastian ¹⁶⁴, H. Sandaker ¹²⁶, C.O. Sander ⁴⁸, J.A. Sandesara ¹⁰⁴, M. Sandhoff ¹⁷²,
 C. Sandoval ^{22b}, D.P.C. Sankey ¹³⁵, T. Sano ⁸⁸, A. Sansoni ⁵³, L. Santi ^{75a,75b}, C. Santoni ⁴⁰,
 H. Santos ^{131a,131b}, A. Santra ¹⁷⁰, E. Sanzani ^{23b,23a}, K.A. Saoucha ¹⁶¹, J.G. Saraiva ^{131a,131d},
 J. Sardain ⁷, O. Sasaki ⁸⁴, K. Sato ¹⁵⁸, C. Sauer ^{63b}, F. Sauerburger ⁵⁴, E. Sauvan ⁴,
 P. Savard ^{156,ae}, R. Sawada ¹⁵⁴, C. Sawyer ¹³⁵, L. Sawyer ⁹⁸, I. Sayago Galvan ¹⁶⁴, C. Sbarra ^{23b},
 A. Sbrizzi ^{23b,23a}, T. Scanlon ⁹⁷, J. Schaarschmidt ¹³⁹, U. Schäfer ¹⁰¹, A.C. Schaffer ^{66,44},
 D. Schaile ¹¹⁰, R.D. Schamberger ¹⁴⁶, C. Scharf ¹⁸, M.M. Schefer ¹⁹, V.A. Schegelsky ³⁷,
 D. Scheirich ¹³⁴, F. Schenck ¹⁸, M. Schernau ¹⁶⁰, C. Scheulen ⁵⁵, C. Schiavi ^{57b,57a},
 M. Schioppa ^{43b,43a}, B. Schlag ^{144,m}, K.E. Schleicher ⁵⁴, S. Schlenker ³⁶, J. Schmeing ¹⁷²,
 M.A. Schmidt ¹⁷², K. Schmieden ¹⁰¹, C. Schmitt ¹⁰¹, N. Schmitt ¹⁰¹, S. Schmitt ⁴⁸,
 L. Schoeffel ¹³⁶, A. Schoening ^{63b}, P.G. Scholer ³⁴, E. Schopf ¹²⁷, M. Schott ¹⁰¹,
 J. Schovancova ³⁶, S. Schramm ⁵⁶, T. Schroer ⁵⁶, H-C. Schultz-Coulon ^{63a}, M. Schumacher ⁵⁴,

B.A. Schumm ¹³⁷, Ph. Schune ¹³⁶, A.J. Schuy ¹³⁹, H.R. Schwartz ¹³⁷, A. Schwartzman ¹⁴⁴,
 T.A. Schwarz ¹⁰⁷, Ph. Schwemling ¹³⁶, R. Schwienhorst ¹⁰⁸, A. Sciandra ²⁹, G. Sciolla ²⁶,
 F. Scuri ^{74a}, C.D. Sebastiani ⁹³, K. Sedlaczek ¹¹⁶, P. Seema ¹⁸, S.C. Seidel ¹¹³, A. Seiden ¹³⁷,
 B.D. Seidlitz ⁴¹, C. Seitz ⁴⁸, J.M. Seixas ^{83b}, G. Sekhniaidze ^{72a}, L. Selem ⁶⁰,
 N. Semprini-Cesari ^{23b,23a}, D. Sengupta ⁵⁶, V. Senthilkumar ¹⁶⁴, L. Serin ⁶⁶, L. Serkin ^{69a,69b},
 M. Sessa ^{76a,76b}, H. Severini ¹²¹, F. Sforza ^{57b,57a}, A. Sfyrla ⁵⁶, Q. Sha ^{14a}, E. Shabalina ⁵⁵,
 A.H. Shah ³², R. Shaheen ¹⁴⁵, J.D. Shahinian ¹²⁹, D. Shaked Renous ¹⁷⁰, L.Y. Shan ^{14a},
 M. Shapiro ^{17a}, A. Sharma ³⁶, A.S. Sharma ¹⁶⁵, P. Sharma ⁸⁰, P.B. Shatalov ³⁷, K. Shaw ¹⁴⁷,
 S.M. Shaw ¹⁰², A. Shcherbakova ³⁷, Q. Shen ^{62c,5}, D.J. Sheppard ¹⁴³, P. Sherwood ⁹⁷, L. Shi ⁹⁷,
 X. Shi ^{14a}, C.O. Shimmin ¹⁷³, J.D. Shinner ⁹⁶, I.P.J. Shipsey ¹²⁷, S. Shirabe ⁸⁹,
 M. Shiyakova ^{38,u}, J. Shlomi ¹⁷⁰, M.J. Shochet ³⁹, J. Shojaii ¹⁰⁶, D.R. Shope ¹²⁶,
 B. Shrestha ¹²¹, S. Shrestha ^{120,ah}, E.M. Shrif ^{33g}, M.J. Shroff ¹⁶⁶, P. Sicho ¹³², A.M. Sickles ¹⁶³,
 E. Sideras Haddad ^{33g}, A.C. Sidley ¹¹⁵, A. Sidoti ^{23b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁵, F. Sili ⁹¹,
 J.M. Silva ⁵², M.V. Silva Oliveira ²⁹, S.B. Silverstein ^{47a}, S. Simion ⁶⁶, R. Simoniello ³⁶,
 E.L. Simpson ¹⁰², H. Simpson ¹⁴⁷, L.R. Simpson ¹⁰⁷, N.D. Simpson ⁹⁹, S. Simsek ⁸²,
 S. Sindhu ⁵⁵, P. Sinervo ¹⁵⁶, S. Singh ¹⁵⁶, S. Sinha ⁴⁸, S. Sinha ¹⁰², M. Sioli ^{23b,23a}, I. Siral ³⁶,
 E. Sitnikova ⁴⁸, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ²⁰, P. Skubic ¹²¹, M. Slawinska ⁸⁷,
 V. Smakhtin ¹⁷⁰, B.H. Smart ¹³⁵, S.Yu. Smirnov ³⁷, Y. Smirnov ³⁷, L.N. Smirnova ^{37,a},
 O. Smirnova ⁹⁹, A.C. Smith ⁴¹, D.R. Smith ¹⁶⁰, E.A. Smith ³⁹, H.A. Smith ¹²⁷, J.L. Smith ¹⁰²,
 R. Smith ¹⁴⁴, M. Smizanska ⁹², K. Smolek ¹³³, A.A. Snesarev ³⁷, S.R. Snider ¹⁵⁶, H.L. Snoek ¹¹⁵,
 S. Snyder ²⁹, R. Sobie ^{166,w}, A. Soffer ¹⁵², C.A. Solans Sanchez ³⁶, E.Yu. Soldatov ³⁷,
 U. Soldevila ¹⁶⁴, A.A. Solodkov ³⁷, S. Solomon ²⁶, A. Soloshenko ³⁸, K. Solovieva ⁵⁴,
 O.V. Solovyanov ⁴⁰, P. Sommer ³⁶, A. Sonay ¹³, W.Y. Song ^{157b}, A. Sopczak ¹³³, A.L. Soppio ⁹⁷,
 F. Sopkova ^{28b}, J.D. Sorenson ¹¹³, I.R. Sotarriva Alvarez ¹⁵⁵, V. Sothilingam ^{63a},
 O.J. Soto Sandoval ^{138c,138b}, S. Sottocornola ⁶⁸, R. Soualah ¹⁶¹, Z. Soumami ^{35e}, D. South ⁴⁸,
 N. Soybelman ¹⁷⁰, S. Spagnolo ^{70a,70b}, M. Spalla ¹¹¹, D. Sperlich ⁵⁴, G. Spigo ³⁶, S. Spinali ⁹²,
 D.P. Spiteri ⁵⁹, M. Spousta ¹³⁴, E.J. Staats ³⁴, R. Stamen ^{63a}, A. Stampekis ²⁰, M. Standke ²⁴,
 E. Stanecka ⁸⁷, W. Stanek-Maslouska ⁴⁸, M.V. Stange ⁵⁰, B. Stanislaus ^{17a}, M.M. Stanitzki ⁴⁸,
 B. Stapf ⁴⁸, E.A. Starchenko ³⁷, G.H. Stark ¹³⁷, J. Stark ⁹⁰, P. Staroba ¹³², P. Starovoitov ^{63a},
 S. Stärz ¹⁰⁵, R. Staszewski ⁸⁷, G. Stavropoulos ⁴⁶, J. Steentoft ¹⁶², P. Steinberg ²⁹,
 B. Stelzer ^{143,157a}, H.J. Stelzer ¹³⁰, O. Stelzer-Chilton ^{157a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁴⁷,
 G.A. Stewart ³⁶, J.R. Stewart ¹²², M.C. Stockton ³⁶, G. Stoicea ^{27b}, M. Stolarski ^{131a},
 S. Stonjek ¹¹¹, A. Straessner ⁵⁰, J. Strandberg ¹⁴⁵, S. Strandberg ^{47a,47b}, M. Stratmann ¹⁷²,
 M. Strauss ¹²¹, T. Strebler ¹⁰³, P. Strizenc ^{28b}, R. Ströhmer ¹⁶⁷, D.M. Strom ¹²⁴,
 R. Stroynowski ⁴⁴, A. Strubig ^{47a,47b}, S.A. Stucci ²⁹, B. Stugu ¹⁶, J. Stupak ¹²¹, N.A. Styles ⁴⁸,
 D. Su ¹⁴⁴, S. Su ^{62a}, W. Su ^{62d}, X. Su ^{62a}, D. Suchy ^{28a}, K. Sugizaki ¹⁵⁴, V.V. Sulin ³⁷,
 M.J. Sullivan ⁹³, D.M.S. Sultan ¹²⁷, L. Sultanaliyeva ³⁷, S. Sultansoy ^{3b}, T. Sumida ⁸⁸,
 S. Sun ¹⁰⁷, S. Sun ¹⁷¹, O. Sunneborn Gudnadottir ¹⁶², N. Sur ¹⁰³, M.R. Sutton ¹⁴⁷,
 H. Suzuki ¹⁵⁸, M. Svatos ¹³², M. Swiatlowski ^{157a}, T. Swirski ¹⁶⁷, I. Sykora ^{28a}, M. Sykora ¹³⁴,
 T. Sykora ¹³⁴, D. Ta ¹⁰¹, K. Tackmann ^{48,t}, A. Taffard ¹⁶⁰, R. Tafirout ^{157a}, J.S. Tafoya Vargas ⁶⁶,
 Y. Takubo ⁸⁴, M. Talby ¹⁰³, A.A. Talyshev ³⁷, K.C. Tam ^{64b}, N.M. Tamir ¹⁵², A. Tanaka ¹⁵⁴,
 J. Tanaka ¹⁵⁴, R. Tanaka ⁶⁶, M. Tanasini ¹⁴⁶, Z. Tao ¹⁶⁵, S. Tapia Araya ^{138f}, S. Tapprogge ¹⁰¹,
 A. Tarek Abouelfadl Mohamed ¹⁰⁸, S. Tarem ¹⁵¹, K. Tariq ^{14a}, G. Tarna ^{27b}, G.F. Tartarelli ^{71a},
 M.J. Tartarin ⁹⁰, P. Tas ¹³⁴, M. Tasevsky ¹³², E. Tassi ^{43b,43a}, A.C. Tate ¹⁶³, G. Tateno ¹⁵⁴,
 Y. Tayalati ^{35e,v}, G.N. Taylor ¹⁰⁶, W. Taylor ^{157b}, A.S. Tee ¹⁷¹, R. Teixeira De Lima ¹⁴⁴,
 P. Teixeira-Dias ⁹⁶, J.J. Teoh ¹⁵⁶, K. Terashi ¹⁵⁴, J. Terron ¹⁰⁰, S. Terzo ¹³, M. Testa ⁵³,
 R.J. Teuscher ^{156,w}, A. Thaler ⁷⁹, O. Theiner ⁵⁶, N. Themistokleous ⁵², T. Theveneaux-Pelzer ¹⁰³,

O. Thielmann ¹⁷², D.W. Thomas ⁹⁶, J.P. Thomas ²⁰, E.A. Thompson ^{17a}, P.D. Thompson ²⁰, E. Thomson ¹²⁹, R.E. Thornberry ⁴⁴, Y. Tian ⁵⁵, V. Tikhomirov ^{37,a}, Yu.A. Tikhonov ³⁷, S. Timoshenko ³⁷, D. Timoshyn ¹³⁴, E.X.L. Ting ¹, P. Tipton ¹⁷³, S.H. Tlou ^{33g}, K. Todome ¹⁵⁵, S. Todorova-Nova ¹³⁴, S. Todt ⁵⁰, L. Toffolin ^{69a,69c}, M. Togawa ⁸⁴, J. Tojo ⁸⁹, S. Tokár ^{28a}, K. Tokushuku ⁸⁴, O. Toldaiev ⁶⁸, R. Tombs ³², M. Tomoto ^{84,112}, L. Tompkins ^{144,m}, K.W. Topolnicki ^{86b}, E. Torrence ¹²⁴, H. Torres ⁹⁰, E. Torró Pastor ¹⁶⁴, M. Toscani ³⁰, C. Toscirci ³⁹, M. Tost ¹¹, D.R. Tovey ¹⁴⁰, A. Traeet ¹⁶, I.S. Trandafir ^{27b}, T. Trefzger ¹⁶⁷, A. Tricoli ²⁹, I.M. Trigger ^{157a}, S. Trincaz-Duvoid ¹²⁸, D.A. Trischuk ²⁶, B. Trocmé ⁶⁰, L. Truong ^{33c}, M. Trzebinski ⁸⁷, A. Trzupiek ⁸⁷, F. Tsai ¹⁴⁶, M. Tsai ¹⁰⁷, A. Tsiamis ^{153,e}, P.V. Tsiarehka ³⁷, S. Tsigaridas ^{157a}, A. Tsirigotis ^{153,r}, V. Tsiskaridze ¹⁵⁶, E.G. Tskhadadze ^{150a}, M. Tsopoulou ¹⁵³, Y. Tsujikawa ⁸⁸, I.I. Tsukerman ³⁷, V. Tsulaia ^{17a}, S. Tsuno ⁸⁴, K. Tsuru ¹¹⁹, D. Tsybychev ¹⁴⁶, Y. Tu ^{64b}, A. Tudorache ^{27b}, V. Tudorache ^{27b}, A.N. Tuna ⁶¹, S. Turchikhin ^{57b,57a}, I. Turk Cakir ^{3a}, R. Turra ^{71a}, T. Turtuvshin ^{38,x}, P.M. Tuts ⁴¹, S. Tzamarias ^{153,e}, E. Tzovara ¹⁰¹, F. Ukegawa ¹⁵⁸, P.A. Ulloa Poblete ^{138c,138b}, E.N. Umaka ²⁹, G. Unal ³⁶, A. Undrus ²⁹, G. Unel ¹⁶⁰, J. Urban ^{28b}, P. Urquijo ¹⁰⁶, P. Urrejola ^{138a}, G. Usai ⁸, R. Ushioda ¹⁵⁵, M. Usman ¹⁰⁹, Z. Uysal ⁸², V. Vacek ¹³³, B. Vachon ¹⁰⁵, T. Vafeiadis ³⁶, A. Vaitkus ⁹⁷, C. Valderanis ¹¹⁰, E. Valdes Santurio ^{47a,47b}, M. Valente ^{157a}, S. Valentinetti ^{23b,23a}, A. Valero ¹⁶⁴, E. Valiente Moreno ¹⁶⁴, A. Vallier ⁹⁰, J.A. Valls Ferrer ¹⁶⁴, D.R. Van Arneman ¹¹⁵, T.R. Van Daalen ¹³⁹, A. Van Der Graaf ⁴⁹, P. Van Gemmeren ⁶, M. Van Rijnbach ¹²⁶, S. Van Stroud ⁹⁷, I. Van Vulpen ¹¹⁵, P. Vana ¹³⁴, M. Vanadia ^{76a,76b}, W. Vandelli ³⁶, E.R. Vandewall ¹²², D. Vannicola ¹⁵², L. Vannoli ⁵³, R. Vari ^{75a}, E.W. Varnes ⁷, C. Varni ^{17b}, T. Varol ¹⁴⁹, D. Varouchas ⁶⁶, L. Varriale ¹⁶⁴, K.E. Varvell ¹⁴⁸, M.E. Vasile ^{27b}, L. Vaslin ⁸⁴, G.A. Vasquez ¹⁶⁶, A. Vasyukov ³⁸, R. Vavricka ¹⁰¹, F. Vazeille ⁴⁰, T. Vazquez Schroeder ³⁶, J. Veatch ³¹, V. Vecchio ¹⁰², M.J. Veen ¹⁰⁴, I. Veliscek ²⁹, L.M. Veloce ¹⁵⁶, F. Veloso ^{131a,131c}, S. Veneziano ^{75a}, A. Ventura ^{70a,70b}, S. Ventura Gonzalez ¹³⁶, A. Verbytskyi ¹¹¹, M. Verducci ^{74a,74b}, C. Vergis ⁹⁵, M. Verissimo De Araujo ^{83b}, W. Verkerke ¹¹⁵, J.C. Vermeulen ¹¹⁵, C. Vernieri ¹⁴⁴, M. Vessella ¹⁰⁴, M.C. Vetterli ^{143,ae}, A. Vgenopoulos ^{153,e}, N. Viaux Maira ^{138f}, T. Vickey ¹⁴⁰, O.E. Vickey Boeriu ¹⁴⁰, G.H.A. Viehhauser ¹²⁷, L. Vigani ^{63b}, M. Villa ^{23b,23a}, M. Villaplana Perez ¹⁶⁴, E.M. Villhauer ⁵², E. Vilucchi ⁵³, M.G. Vincter ³⁴, A. Visibile ¹¹⁵, C. Vittori ³⁶, I. Vivarelli ^{23b,23a}, E. Voevodina ¹¹¹, F. Vogel ¹¹⁰, J.C. Voigt ⁵⁰, P. Vokac ¹³³, Yu. Volkotrub ^{86b}, J. Von Ahnen ⁴⁸, E. Von Toerne ²⁴, B. Vormwald ³⁶, V. Vorobel ¹³⁴, K. Vorobev ³⁷, M. Vos ¹⁶⁴, K. Voss ¹⁴², M. Vozak ¹¹⁵, L. Vozdecky ¹²¹, N. Vranjes ¹⁵, M. Vranjes Milosavljevic ¹⁵, M. Vreeswijk ¹¹⁵, N.K. Vu ^{62d,62c}, R. Vuillermet ³⁶, O. Vujinovic ¹⁰¹, I. Vukotic ³⁹, S. Wada ¹⁵⁸, C. Wagner ¹⁰⁴, J.M. Wagner ^{17a}, W. Wagner ¹⁷², S. Wahdan ¹⁷², H. Wahlberg ⁹¹, M. Wakida ¹¹², J. Walder ¹³⁵, R. Walker ¹¹⁰, W. Walkowiak ¹⁴², A. Wall ¹²⁹, E.J. Wallin ⁹⁹, T. Wamorkar ⁶, A.Z. Wang ¹³⁷, C. Wang ¹⁰¹, C. Wang ¹¹, H. Wang ^{17a}, J. Wang ^{64c}, R.-J. Wang ¹⁰¹, R. Wang ⁶¹, R. Wang ⁶, S.M. Wang ¹⁴⁹, S. Wang ^{62b}, S. Wang ^{14a}, T. Wang ^{62a}, W.T. Wang ⁸⁰, W. Wang ^{14a}, X. Wang ^{14c}, X. Wang ¹⁶³, X. Wang ^{62c}, Y. Wang ^{62d}, Y. Wang ^{14c}, Z. Wang ¹⁰⁷, Z. Wang ^{62d,51,62c}, Z. Wang ¹⁰⁷, A. Warburton ¹⁰⁵, R.J. Ward ²⁰, N. Warrack ⁵⁹, S. Waterhouse ⁹⁶, A.T. Watson ²⁰, H. Watson ⁵⁹, M.F. Watson ²⁰, E. Watton ^{59,135}, G. Watts ¹³⁹, B.M. Waugh ⁹⁷, J.M. Webb ⁵⁴, C. Weber ²⁹, H.A. Weber ¹⁸, M.S. Weber ¹⁹, S.M. Weber ^{63a}, C. Wei ^{62a}, Y. Wei ⁵⁴, A.R. Weidberg ¹²⁷, E.J. Weik ¹¹⁸, J. Weingarten ⁴⁹, M. Weirich ¹⁰¹, C. Weiser ⁵⁴, C.J. Wells ⁴⁸, T. Wenaus ²⁹, B. Wendland ⁴⁹, T. Wengler ³⁶, N.S. Wenke ¹¹¹, N. Wermes ²⁴, M. Wessels ^{63a}, A.M. Wharton ⁹², A.S. White ⁶¹, A. White ⁸, M.J. White ¹, D. Whiteson ¹⁶⁰, L. Wickremasinghe ¹²⁵, W. Wiedenmann ¹⁷¹, M. Wielers ¹³⁵, C. Wiglesworth ⁴², D.J. Wilbern ¹²¹, H.G. Wilkens ³⁶, J.J.H. Wilkinson ³², D.M. Williams ⁴¹, H.H. Williams ¹²⁹, S. Williams ³²,

S. Willocq ¹⁰⁴, B.J. Wilson ¹⁰², P.J. Windischhofer ³⁹, F.I. Winkel ³⁰, F. Winklmeier ¹²⁴, B.T. Winter ⁵⁴, J.K. Winter ¹⁰², M. Wittgen¹⁴⁴, M. Wobisch ⁹⁸, T. Wojtkowski⁶⁰, Z. Wolffs ¹¹⁵, J. Wollrath¹⁶⁰, M.W. Wolter ⁸⁷, H. Wolters ^{131a,131c}, M.C. Wong¹³⁷, E.L. Woodward ⁴¹, S.D. Worm ⁴⁸, B.K. Wosiek ⁸⁷, K.W. Woźniak ⁸⁷, S. Wozniowski ⁵⁵, K. Wraight ⁵⁹, C. Wu ²⁰, M. Wu ^{14d}, M. Wu ¹¹⁴, S.L. Wu ¹⁷¹, X. Wu ⁵⁶, Y. Wu ^{62a}, Z. Wu ⁴, J. Wuerzinger ^{111,ac}, T.R. Wyatt ¹⁰², B.M. Wynne ⁵², S. Xella ⁴², L. Xia ^{14c}, M. Xia ^{14b}, J. Xiang ^{64c}, M. Xie ^{62a}, X. Xie ^{62a}, S. Xin ^{14a,14e}, A. Xiong ¹²⁴, J. Xiong ^{17a}, D. Xu ^{14a}, H. Xu ^{62a}, L. Xu ^{62a}, R. Xu ¹²⁹, T. Xu ¹⁰⁷, Y. Xu ^{14b}, Z. Xu ⁵², Z. Xu^{14c}, B. Yabsley ¹⁴⁸, S. Yacoob ^{33a}, Y. Yamaguchi ¹⁵⁵, E. Yamashita ¹⁵⁴, H. Yamauchi ¹⁵⁸, T. Yamazaki ^{17a}, Y. Yamazaki ⁸⁵, J. Yan^{62c}, S. Yan ⁵⁹, Z. Yan ¹⁰⁴, H.J. Yang ^{62c,62d}, H.T. Yang ^{62a}, S. Yang ^{62a}, T. Yang ^{64c}, X. Yang ³⁶, X. Yang ^{14a}, Y. Yang ⁴⁴, Y. Yang^{62a}, Z. Yang ^{62a}, W-M. Yao ^{17a}, H. Ye ^{14c}, H. Ye ⁵⁵, J. Ye ^{14a}, S. Ye ²⁹, X. Ye ^{62a}, Y. Yeh ⁹⁷, I. Yeletsikh ³⁸, B.K. Yeo ^{17b}, M.R. Yexley ⁹⁷, T.P. Yildirim ¹²⁷, P. Yin ⁴¹, K. Yorita ¹⁶⁹, S. Younas ^{27b}, C.J.S. Young ³⁶, C. Young ¹⁴⁴, C. Yu ^{14a,14e}, Y. Yu ^{62a}, M. Yuan ¹⁰⁷, R. Yuan ^{62d,62c}, L. Yue ⁹⁷, M. Zaazoua ^{62a}, B. Zabinski ⁸⁷, E. Zaid⁵², Z.K. Zak ⁸⁷, T. Zakareishvili ¹⁶⁴, N. Zakharchuk ³⁴, S. Zambito ⁵⁶, J.A. Zamora Saa ^{138d,138b}, J. Zang ¹⁵⁴, D. Zanzi ⁵⁴, O. Zaplatilek ¹³³, C. Zeitnitz ¹⁷², H. Zeng ^{14a}, J.C. Zeng ¹⁶³, D.T. Zenger Jr ²⁶, O. Zenin ³⁷, T. Ženiš ^{28a}, S. Zenz ⁹⁵, S. Zerradi ^{35a}, D. Zerwas ⁶⁶, M. Zhai ^{14a,14e}, D.F. Zhang ¹⁴⁰, J. Zhang ^{62b}, J. Zhang ⁶, K. Zhang ^{14a,14e}, L. Zhang ^{62a}, L. Zhang ^{14c}, P. Zhang ^{14a,14e}, R. Zhang ¹⁷¹, S. Zhang ¹⁰⁷, S. Zhang ⁴⁴, T. Zhang ¹⁵⁴, X. Zhang ^{62c}, X. Zhang ^{62b}, Y. Zhang ^{62c,5}, Y. Zhang ⁹⁷, Y. Zhang ^{14c}, Z. Zhang ^{17a}, Z. Zhang ⁶⁶, H. Zhao ¹³⁹, T. Zhao ^{62b}, Y. Zhao ¹³⁷, Z. Zhao ^{62a}, Z. Zhao ^{62a}, A. Zhemchugov ³⁸, J. Zheng ^{14c}, K. Zheng ¹⁶³, X. Zheng ^{62a}, Z. Zheng ¹⁴⁴, D. Zhong ¹⁶³, B. Zhou ¹⁰⁷, H. Zhou ⁷, N. Zhou ^{62c}, Y. Zhou ^{14c}, Y. Zhou⁷, C.G. Zhu ^{62b}, J. Zhu ¹⁰⁷, X. Zhu ^{62d}, Y. Zhu ^{62c}, Y. Zhu ^{62a}, X. Zhuang ^{14a}, K. Zhukov ³⁷, N.I. Zimine ³⁸, J. Zinsser ^{63b}, M. Ziolkowski ¹⁴², L. Živković ¹⁵, A. Zoccoli ^{23b,23a}, K. Zoch ⁶¹, T.G. Zorbas ¹⁴⁰, O. Zormpa ⁴⁶, W. Zou ⁴¹, L. Zwalinski ³⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (^b)Physics Department, Tsinghua University, Beijing; (^c)Department of Physics, Nanjing University, Nanjing; (^d)School of Science, Shenzhen Campus of Sun Yat-sen University; (^e)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁵Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁶Department for Physics and Technology, University of Bergen, Bergen; Norway.

- ¹⁷(*a*) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (*b*) University of California, Berkeley CA; United States of America.
- ¹⁸Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- ¹⁹Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²⁰School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²¹(*a*) Department of Physics, Bogazici University, Istanbul; (*b*) Department of Physics Engineering, Gaziantep University, Gaziantep; (*c*) Department of Physics, Istanbul University, Istanbul; Türkiye.
- ²²(*a*) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (*b*) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²³(*a*) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (*b*) INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁷(*a*) Transilvania University of Brasov, Brasov; (*b*) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (*c*) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (*d*) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (*e*) National University of Science and Technology Politehnica, Bucharest; (*f*) West University in Timisoara, Timisoara; (*g*) Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁸(*a*) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (*b*) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³³(*a*) Department of Physics, University of Cape Town, Cape Town; (*b*) iThemba Labs, Western Cape; (*c*) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (*d*) National Institute of Physics, University of the Philippines Diliman (Philippines); (*e*) University of South Africa, Department of Physics, Pretoria; (*f*) University of Zululand, KwaDlangezwa; (*g*) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁵(*a*) Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca; (*b*) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (*c*) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (*d*) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (*e*) Faculté des sciences, Université Mohammed V, Rabat; (*f*) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴³(*a*) Dipartimento di Fisica, Università della Calabria, Rende; (*b*) INFN Gruppo Collegato di Cosenza,

Laboratori Nazionali di Frascati; Italy.

⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.

⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.

⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.

⁴⁷(^a) Department of Physics, Stockholm University; (^b) Oskar Klein Centre, Stockholm; Sweden.

⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.

⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.

⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.

⁵¹Department of Physics, Duke University, Durham NC; United States of America.

⁵²SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.

⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.

⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.

⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.

⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

⁵⁷(^a) Dipartimento di Fisica, Università di Genova, Genova; (^b) INFN Sezione di Genova; Italy.

⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.

⁵⁹SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.

⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.

⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.

⁶²(^a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d) Tsung-Dao Lee Institute, Shanghai; (^e) School of Physics and Microelectronics, Zhengzhou University; China.

⁶³(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.

⁶⁴(^a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b) Department of Physics, University of Hong Kong, Hong Kong; (^c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.

⁶⁵Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.

⁶⁶IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.

⁶⁷Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.

⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.

⁶⁹(^a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b) ICTP, Trieste; (^c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.

⁷⁰(^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.

⁷¹(^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano; Italy.

⁷²(^a) INFN Sezione di Napoli; (^b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.

⁷³(^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.

⁷⁴(^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.

⁷⁵(^a) INFN Sezione di Roma; (^b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.

⁷⁶(^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.

⁷⁷(^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.

- ⁷⁸(*a*) INFN-TIFPA; (*b*) Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸²Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸³(*a*) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (*b*) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (*c*) Instituto de Física, Universidade de São Paulo, São Paulo; (*d*) Rio de Janeiro State University, Rio de Janeiro; (*e*) Federal University of Bahia, Bahia; Brazil.
- ⁸⁴KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁵Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁶(*a*) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (*b*) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁷Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁸Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁹⁰L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ⁹¹Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹²Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹³Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹⁴Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁵School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁶Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁷Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁸Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁹Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ¹⁰⁰Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰¹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰²School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰³CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰⁴Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁵Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁶School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁷Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁸Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁹Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹¹⁰Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹¹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹²Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹³Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹⁴Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹⁵Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam;

Netherlands.

¹¹⁶Department of Physics, Northern Illinois University, DeKalb IL; United States of America.

¹¹⁷^(a)New York University Abu Dhabi, Abu Dhabi;^(b)United Arab Emirates University, Al Ain; United Arab Emirates.

¹¹⁸Department of Physics, New York University, New York NY; United States of America.

¹¹⁹Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.

¹²⁰Ohio State University, Columbus OH; United States of America.

¹²¹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.

¹²²Department of Physics, Oklahoma State University, Stillwater OK; United States of America.

¹²³Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.

¹²⁴Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.

¹²⁵Graduate School of Science, Osaka University, Osaka; Japan.

¹²⁶Department of Physics, University of Oslo, Oslo; Norway.

¹²⁷Department of Physics, Oxford University, Oxford; United Kingdom.

¹²⁸LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.

¹²⁹Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.

¹³⁰Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.

¹³¹^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;^(c)Departamento de Física, Universidade de Coimbra, Coimbra;^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;^(e)Departamento de Física, Universidade do Minho, Braga;^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.

¹³²Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.

¹³³Czech Technical University in Prague, Prague; Czech Republic.

¹³⁴Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.

¹³⁵Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.

¹³⁶IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.

¹³⁷Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.

¹³⁸^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;^(d)Universidad Andres Bello, Department of Physics, Santiago;^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.

¹³⁹Department of Physics, University of Washington, Seattle WA; United States of America.

¹⁴⁰Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.

¹⁴¹Department of Physics, Shinshu University, Nagano; Japan.

¹⁴²Department Physik, Universität Siegen, Siegen; Germany.

¹⁴³Department of Physics, Simon Fraser University, Burnaby BC; Canada.

¹⁴⁴SLAC National Accelerator Laboratory, Stanford CA; United States of America.

¹⁴⁵Department of Physics, Royal Institute of Technology, Stockholm; Sweden.

¹⁴⁶Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.

- ¹⁴⁷Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁸School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁹Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁵⁰^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi; ^(c)University of Georgia, Tbilisi; Georgia.
- ¹⁵¹Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵²Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵³Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁴International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁵Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁶Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁷^(a)TRIUMF, Vancouver BC; ^(b)Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁸Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁵⁹Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁶⁰Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶¹University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶²Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶³Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶⁴Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁵Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁶Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁷Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁸Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁹Waseda University, Tokyo; Japan.
- ¹⁷⁰Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷¹Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷²Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷³Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for High Energy Physics, Peking University; China.
- ^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^f Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^g Also at CERN, Geneva; Switzerland.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Physics, California State University, Sacramento; United States of America.
- ^l Also at Department of Physics, King's College London, London; United Kingdom.

- m* Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- n* Also at Department of Physics, Stellenbosch University; South Africa.
- o* Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- p* Also at Department of Physics, University of Thessaly; Greece.
- q* Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- r* Also at Hellenic Open University, Patras; Greece.
- s* Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- t* Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- u* Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- v* Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- w* Also at Institute of Particle Physics (IPP); Canada.
- x* Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar; Mongolia.
- y* Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- z* Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- aa* Also at Lawrence Livermore National Laboratory, Livermore; United States of America.
- ab* Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ac* Also at Technical University of Munich, Munich; Germany.
- ad* Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ae* Also at TRIUMF, Vancouver BC; Canada.
- af* Also at Università di Napoli Parthenope, Napoli; Italy.
- ag* Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ah* Also at Washington College, Chestertown, MD; United States of America.
- ai* Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased