

Chi-Huey Wong (Ed.)

Carbohydrate-based Drug Discovery

Volume 1



WILEY-VCH GmbH & Co. KGaA

Contents

Volume 1

Preface XXV

List of Contributors XXVII

| | | |
|----------|---|-----------|
| 1 | Synthetic Methodologies | 1 |
| | <i>Chikako Saotome and Osamu Kanie</i> | |
| 1.1 | Introduction | 1 |
| 1.2 | Tactical Analysis for Overall Synthetic Efficiency | 1 |
| 1.3 | Methodological Improvements | 2 |
| 1.3.1 | Chemistry | 3 |
| 1.3.2 | Protecting Group Manipulations | 4 |
| 1.3.3 | Modulation of the Reactivity of Glycosyl Donors | 6 |
| 1.3.4 | Block Synthesis | 8 |
| 1.4 | Accessibility | 11 |
| 1.4.1 | Solution-based Chemistry | 11 |
| 1.4.2 | One-Pot Glycosylation | 13 |
| 1.4.3 | Solid-Phase Chemistry | 16 |
| 1.4.3.1 | Fundamentals of Solid-Phase Oligosaccharide Synthesis | 16 |
| 1.4.3.2 | The Support | 16 |
| 1.4.3.3 | Linkers to the Support | 20 |
| 1.4.3.4 | Protecting Groups used in Solid-Phase Oligosaccharide Synthesis | 20 |
| 1.4.3.5 | Solid-Phase Oligosaccharide Synthesis | 20 |
| 1.4.3.6 | Monitoring of Reaction Progress | 26 |
| 1.4.4 | Automation | 29 |
| 1.5 | Concluding Remarks | 32 |
| 1.6 | References | 33 |
| 2 | Complex Carbohydrate Synthesis | 37 |
| | <i>Makoto Kiso, Hideharu Ishida, and Hiromune Ando</i> | |
| 2.1 | Introduction | 37 |
| 2.2 | Synthetic Gangliosides | 38 |
| 2.2.1 | Gangliosides GM4 and GM3, and their Analogues and Derivatives | 38 |

| | | |
|----------|--|------------|
| 2.2.2 | Sialylparagloboside (SPG) Analogues and Derivatives | 40 |
| 2.2.3 | Selectin Ligands | 43 |
| 2.2.3.1 | Sialyl Lewis x | 44 |
| 2.2.3.2 | Novel 6-Sulfo sLe ^x Variants | 45 |
| 2.2.4 | Siglec ligands | 46 |
| 2.2.4.1 | Chol-1 (<i>a</i> -Series) Gangliosides | 47 |
| 2.2.4.2 | Novel Sulfated Gangliosides | 50 |
| 2.3 | Toxin Receptor | 50 |
| 2.4 | Summary and Perspectives | 52 |
| 2.5 | References | 52 |
| 3 | The Chemistry of Sialic Acid | 55 |
| | <i>Geert-Jan Boons and Alexei V. Demchenko</i> | |
| 3.1 | Introduction | 55 |
| 3.2 | Chemical and Enzymatic Synthesis of Sialic Acids | 56 |
| 3.3 | Chemical Glycosidation of Sialic Acids | 59 |
| 3.3.1 | Direct Chemical Sialylations | 60 |
| 3.3.1.1 | 2-Chloro Derivatives as Glycosyl Donors | 61 |
| 3.3.1.2 | 2-Thio Derivatives as Glycosyl Donors | 62 |
| 3.3.1.3 | 2-Xanthates as Glycosyl Donors | 69 |
| 3.3.1.3 | 2-Phosphites as Glycosyl Donors | 71 |
| 3.3.1.4 | Miscellaneous Direct Chemical Methods | 71 |
| 3.3.2 | Indirect Chemical Methods with the Use of a Participating Auxiliary at C-3 | 73 |
| 3.3.2.1 | 3-Bromo- and other 3-O-Auxiliaries | 73 |
| 3.3.2.2 | 3-Thio and 3-Seleno Auxiliaries | 74 |
| 3.3.3 | Synthesis of (2→8)-Linked Sialosides | 77 |
| 3.4 | Enzymatic Glycosidations of Sialic Acids | 83 |
| 3.4.1 | Sialyltransferases | 84 |
| 3.4.1.1 | Metabolic Engineering of the Sialic Acid Biosynthetic Pathway | 90 |
| 3.4.2 | Sialidases | 90 |
| 3.5 | Synthesis of C- and S-Glycosides of Sialic Acid | 91 |
| 3.6 | Modifications at N-5 | 94 |
| 3.7 | References | 95 |
| 4 | Solid-Phase Oligosaccharide Synthesis | 103 |
| | <i>Peter H. Seeberger</i> | |
| 4.1 | Introduction | 103 |
| 4.2 | Pioneering Efforts in Solid-Phase Oligosaccharide Synthesis | 104 |
| 4.3 | Synthetic Strategies | 105 |
| 4.3.1 | Immobilization of the Glycosyl Acceptor | 106 |
| 4.3.2 | Immobilization of the Glycosyl Donor | 106 |
| 4.3.3 | Bi-directional Strategy | 107 |
| 4.4 | Support Materials | 107 |
| 4.4.1 | Insoluble Supports | 107 |

| | | |
|---------|---|-----|
| 4.4.2 | Soluble Supports | 108 |
| 4.5 | Linkers | 108 |
| 4.5.1 | Silyl Ethers | 108 |
| 4.5.2 | Acid- and Base-Labile Linkers | 109 |
| 4.5.3 | Thioglycoside Linkers | 110 |
| 4.5.4 | Linkers Cleaved by Oxidation | 110 |
| 4.5.5 | Photocleavable Linkers | 111 |
| 4.5.6 | Linkers Cleaved by Olefin Metathesis | 111 |
| 4.6 | Synthesis of Oligosaccharides on Solid Support by Use of Different Glycosylating Agents | 112 |
| 4.6.1 | 1,2-Anhydrosugars – The Glycal Assembly Approach | 112 |
| 4.6.2 | Glycosyl Sulfoxides | 113 |
| 4.6.3 | Glycosyl Trichloroacetimidates | 114 |
| 4.6.4 | Thioglycosides | 115 |
| 4.6.5 | Glycosyl Fluorides | 118 |
| 4.6.6 | n-Pentenyl Glycosides | 118 |
| 4.6.7 | Glycosyl Phosphates | 118 |
| 4.7 | Automated Solid-Phase Oligosaccharide Synthesis | 118 |
| 4.7.1 | Fundamental Considerations | 119 |
| 4.7.2 | Automated Synthesis with Glycosyl Trichloroacetimidates | 121 |
| 4.7.3 | Automated Synthesis with Glycosyl Phosphates | 121 |
| 4.7.4 | Automated Oligosaccharide Synthesis by Use of Different Glycosylating Agents | 121 |
| 4.7.5 | “Cap-Tags” to Suppress Deletion Sequences | 123 |
| 4.7.6 | Current State of the Art of Automated Synthesis | 123 |
| 4.8 | Conclusion and Outlook | 124 |
| 4.9 | References | 125 |
| 5 | Solution and Polymer-Supported Synthesis of Carbohydrates | 129 |
| | <i>Shin-Ichiro Nishimura</i> | |
| 5.1 | Introduction | 129 |
| 5.2 | Mimicking Glycoprotein Biosynthetic Systems | 130 |
| 5.3 | References | 136 |
| 6 | Enzymatic Synthesis of Oligosaccharides | |
| | <i>Jianbo Zhang, Jun Shao, Prezemek Kowal, and Peng George Wang</i> | |
| 6.1 | Introduction | 137 |
| 6.2 | Sugar Nucleotide Biosynthetic Pathways | 140 |
| 6.2.1 | Basic Principle | 140 |
| 6.2.2 | Regeneration Systems for nine Common Sugar Nucleotides | 142 |
| 6.2.2.1 | Regeneration Systems for UDP-Gal, UDP-Glc, UDP-GlcA and UDP-Xyl | 142 |
| 6.2.2.2 | Regeneration Systems for UDP-GlcNAc and UDP-GalNAc | 144 |
| 6.2.2.3 | Regeneration Systems for GDP-Man and GDP-Fuc | 147 |
| 6.2.2.4 | CMP-Neu5Ac Regeneration | 149 |

| | | |
|----------|---|------------|
| 6.2.3 | Novel Energy Source in Sugar Nucleotide Regeneration | 150 |
| 6.3 | Enzymatic Oligosaccharide Synthesis Processes | 151 |
| 6.3.1 | Cell-Free Oligosaccharide Synthesis | 151 |
| 6.3.1.1 | Immobilized Glycosyltransferases and Water-Soluble Glycopolymer | 152 |
| 6.3.1.2 | "Superbeads" | 154 |
| 6.3.2 | Large-Scale Syntheses of Oligosaccharides with Whole Cells | 156 |
| 6.3.2.1 | Kyowa Hakko's Technology | 157 |
| 6.3.2.2 | Wang's "Superbug" | 157 |
| 6.3.2.3 | Other Whole Cell-Based Technologies | 161 |
| 6.4 | Future Directions | 162 |
| 6.5 | References | 162 |
| 7 | Glycopeptides and Glycoproteins: Synthetic Chemistry and Biology | 169 |
| | <i>Oliver Seitz</i> | |
| 7.1 | Introduction | 169 |
| 7.2 | The Glycosidic Linkage | 169 |
| 7.3 | The Challenges of Glycopeptide Synthesis | 171 |
| 7.4 | Synthesis of Preformed Glycosyl Amino Acids | 173 |
| 7.4.1 | <i>N</i> -Glycosides | 173 |
| 7.4.2 | <i>O</i> -Glycosides | 176 |
| 7.4.2.1 | <i>O</i> -Glycosyl Amino Acids bearing Mono- or Disaccharides | 176 |
| 7.4.2.2 | <i>O</i> -Glycosyl Amino Acids bearing Complex Carbohydrates | 179 |
| 7.5 | Synthesis of Glycopeptides | 181 |
| 7.5.1 | <i>N</i> -Glycopeptide Synthesis in Solution | 181 |
| 7.5.2 | <i>O</i> -Glycopeptide Synthesis in Solution | 185 |
| 7.5.3 | Solid-Phase Synthesis of <i>N</i> -Glycopeptides | 188 |
| 7.5.4 | Solid-Phase Synthesis of <i>O</i> -Glycopeptides | 192 |
| 7.6 | Biological and Biophysical Studies | 200 |
| 7.6.1 | Conformations of Glycopeptides | 200 |
| 7.6.2 | Glycopeptides as Substrates of Enzymes and Receptors | 203 |
| 7.6.3 | Glycopeptides and Cancer Immunotherapy | 204 |
| 7.6.4 | Glycopeptides and T Cell Recognition | 206 |
| 7.7 | Summary and Outlook | 208 |
| 7.8 | References | 209 |
| 8 | Synthesis of Complex Carbohydrates: Everninomicin 13,384-1 | 215 |
| | <i>K. C. Nicolaou, Helen J. Mitchell, and Scott A. Snyder</i> | |
| 8.1 | Introduction | 215 |
| 8.2 | Retrosynthetic Analysis and Strategy | 218 |
| 8.2.1 | Overview of Synthetic Strategies and Methodologies | 218 |
| 8.2.2 | Retrosynthetic Analysis: Overall Approach | 222 |
| 8.3 | Total Synthesis of Everninomicin 13,384-1 (1) | 223 |
| 8.3.1 | Approaches Towards the A ₁ B(A)C Fragment | 223 |
| 8.3.1.1 | Initial Model Studies | 223 |
| 8.3.1.2 | Construction of the Building Blocks | 225 |

| | | |
|---------|---|-----|
| 8.3.1.3 | Assembly and Completion of the A ₁ B(A)C Fragment | 229 |
| 8.3.2 | Construction of the FGHA ₂ Fragment | 231 |
| 8.3.2.1 | First Generation Approach to the FGHA ₂ Fragment | 231 |
| 8.3.2.2 | Second Generation Strategy Towards the FGHA ₂ Fragment | 232 |
| 8.3.2.3 | Assembly of the FGHA ₂ Fragment | 235 |
| 8.3.3 | Construction of the DE Disaccharide | 241 |
| 8.3.3.1 | Retrosynthetic Analysis and Construction of Building Blocks for the DE Fragment | 241 |
| 8.3.3.2 | Assembly of the DE Fragment | 243 |
| 8.3.3.3 | Test of Strategies | 244 |
| 8.3.4 | Assembly of the DEFGHA ₂ Fragment | 245 |
| 8.3.5 | Completion of the Total Synthesis of Everninomicin 13,384-1 | 247 |
| 8.4 | Conclusion | 249 |
| 8.5 | References | 250 |

9 Chemical Synthesis of Asparagine-Linked Glycoprotein Oligosaccharides: Recent Examples 253

Yukishige Ito and Ichiro Matsuo

| | | |
|-------|---|-----|
| 9.1 | Introduction | 253 |
| 9.2 | Synthesis of Asn-Linked Oligosaccharides: Basic Principles | 257 |
| 9.3 | Chemical Synthesis of Complex Oligosaccharides | 261 |
| 9.3.1 | Classical Examples | 261 |
| 9.3.2 | Trichloroacetimidate Approach to Complex-Type Glycan Chains | 265 |
| 9.3.3 | n-Pentenyl Glycosides as Glycosyl Donors | 265 |
| 9.3.4 | Glycal Approach to Complex Oligosaccharides | 267 |
| 9.3.5 | Intramolecular Aglycon Delivery Approach | 269 |
| 9.3.6 | New Protecting Group Strategy | 273 |
| 9.3.7 | Linear Synthesis of Branched Oligosaccharide | 274 |
| 9.3.8 | Chemoenzymatic Approach to Complex-type Glycans | 275 |
| 9.4 | References | 278 |

10 Chemistry and Biochemistry of Asparagine-Linked Protein Glycosylation 281

Barbara Imperiali and Vincent W.-F. Tai

| | | |
|----------|--|-----|
| 10.1 | Protein Glycosylation | 281 |
| 10.1.1 | Introduction | 281 |
| 10.1.2 | Asparagine-Linked Glycosylation and Oligosaccharyl Transferase | 281 |
| 10.2 | Small-Molecule Probes of the Biochemistry of Oligosaccharyl Transferase | 283 |
| 10.2.1 | Photoaffinity and Affinity Labeling of Oligosaccharyl Transferase | 284 |
| 10.2.2 | Investigation of Peptide-Based Substrate Analogues as Inhibitors of Oligosaccharyl Transferase | 287 |
| 10.2.2.1 | Inhibitors of N-Linked Glycosylation and Glycoprotein Processing | 287 |
| 10.2.2.2 | Peptide-Based Analogues and Inhibitors | 288 |
| 10.2.2.3 | Interim Summary | 292 |

| | | |
|-----------|--|--|
| 10.2.3 | Investigation of Carbohydrate-Based Substrate Analogues as Probes of Oligosaccharyl Transferase Function | 292 |
| 10.2.3.1 | Possible Mechanisms for Glycosyl Transfer | 294 |
| 10.2.3.2 | Probing of the Mechanism of Oligosaccharyl Transferase with Potential Inhibitors | 296 |
| 10.2.3.3 | Interim Summary | 300 |
| 10.3 | Conclusions | 301 |
| 10.4 | References | 301 |
| 11 | Conformational Analysis of C-Glycosides and Related Compounds: Programming Conformational Profiles of C- and O-Glycosides | <i>Peter G. Goekjian, Alexander Wei, and Yoshito Kishi</i> 305 |
| 11.1 | Introduction | 305 |
| 11.2 | Stereoelectronic Effects and the <i>exo</i> -Anomeric Conformation | 306 |
| 11.3 | Conformational Analysis of C-Glycosides: C-Monoglycosides | 309 |
| 11.4 | 1,4-Linked C-Disaccharides: the Importance of <i>syn</i> -Pentane Interactions | 314 |
| 11.5 | Prediction of Conformational Preference and Experimental Validation | 318 |
| 11.6 | Programming Oligosaccharide Conformation | 322 |
| 11.7 | Conformational Design of C-Trisaccharides based on a Human Blood Group Antigen | 323 |
| 11.8 | Conformational Design: Relationship to Biological Activity | 330 |
| 11.8.1 | C-Lactose vs. O-Lactose | 331 |
| 11.8.2 | Human Blood Group Trisaccharides | 334 |
| 11.9 | Concluding Remarks | 336 |
| 11.10 | Acknowledgements | 337 |
| 11.11 | References | 337 |
| 12 | Synthetic Lipid A Antagonists for Sepsis Treatment | <i>William J. Christ, Lynn D. Hawkins, Michael D. Lewis, and Yoshito Kishi</i> 341 |
| 12.1 | Background | 341 |
| 12.2 | Hypothesis and Approach | 342 |
| 12.2.1 | Monosaccharide Antagonists: Lipid X Analogue | 343 |
| 12.2.2 | Disaccharide Antagonist of Lipid A: First Generation | 344 |
| 12.2.3 | Disaccharide Antagonist of Lipid A: Second Generation | 348 |
| 12.3 | Conclusion | 351 |
| 12.4 | Acknowledgement | 353 |
| 12.5 | References | 353 |
| 13 | Polysialic Acid Vaccines | <i>Harold J. Jennings</i> 357 |
| 13.1 | Introduction | 357 |
| 13.2 | Group C Meningococcal Vaccines | 358 |

| | | |
|--------|--|-----|
| 13.2.1 | Structure and Immunology of GCMP | 358 |
| 13.2.2 | Group C Conjugate Vaccines | 360 |
| 13.3 | Group B Meningococcal Vaccines | 362 |
| 13.3.1 | Structure of GBMP | 362 |
| 13.3.2 | Immunology of GBMP | 362 |
| 13.3.3 | B Polysaccharide-Protein Conjugates | 363 |
| 13.3.4 | Extended Helical Epitope of PSA | 364 |
| 13.4 | Chemically Modified Group B Meningococcal Vaccines | 366 |
| 13.4.1 | N-Propionylated PSA Conjugate Vaccine | 366 |
| 13.4.2 | Immunology of NPr PSA | 368 |
| 13.4.3 | Protective Epitope mimicked by NPr PSA | 370 |
| 13.4.4 | Safety Concerns | 370 |
| 13.5 | Cancer Vaccines | 371 |
| 13.5.1 | PSA on Human Cells | 371 |
| 13.5.2 | Potential of NPr PSA as a Cancer Vaccine | 373 |
| 13.6 | Acknowledgements | 375 |
| 13.7 | References | 375 |

14 Synthetic Carbohydrate-Based Vaccines 381

Stacy J. Keding and Samuel J. Danishefsky

| | | |
|--------|--|-----|
| 14.1 | Introduction | 381 |
| 14.2 | Cancer Vaccines | 382 |
| 14.2.1 | Carrier Proteins | 384 |
| 14.2.2 | Lipid Carriers | 392 |
| 14.2.3 | T-Cell Epitopes | 394 |
| 14.2.4 | Dendrimers | 396 |
| 14.3 | Bacterial Polysaccharide Vaccines | 397 |
| 14.4 | Synthetic Parasitic Polysaccharide Conjugate Vaccine | 402 |
| 14.5 | Conclusions | 403 |
| 14.6 | References | 403 |

15 Chemistry, Biochemistry, and Pharmaceutical Potentials of Glycosaminoglycans and Related Saccharides 407

Tasneem Islam and Robert J. Linhardt

| | | |
|----------|---|-----|
| 15.1 | Introduction | 407 |
| 15.1.1 | Biological Activities | 408 |
| 15.1.2 | Heparin and Heparan Sulfate | 409 |
| 15.1.2.1 | Structure and Properties | 409 |
| 15.1.2.2 | Biosynthesis and Biological Functions | 410 |
| 15.1.2.3 | Applications of Heparin and Heparan Sulfate | 411 |
| 15.2 | Dermatan and Chondroitin Sulfates | 417 |
| 15.2.1 | Structure and Biological Role | 417 |
| 15.2.2 | Therapeutic Applications | 418 |
| 15.2.2.1 | Dermatan Sulfate | 418 |

| | | |
|-----------|---|------------|
| 15.2.2.2 | Chondroitin Sulfates | 419 |
| 15.3 | Hyaluronan | 419 |
| 15.3.1 | Structure and Properties | 419 |
| 15.3.2 | Tissue Distribution and Biosynthesis | 420 |
| 15.3.3 | Functions and Applications | 421 |
| 15.3.3.1 | Medical Applications | 422 |
| 15.3.3.2 | Hyaluronic Acid Biomaterials | 423 |
| 15.4 | Keratan Sulfate | 423 |
| 15.4.1 | Structure and Distribution | 423 |
| 15.4.2 | Chemistry and Biosynthesis of Linkage Regions | 424 |
| 15.4.2.1 | Keratan Sulfate on Cartilage Proteoglycans | 424 |
| 15.4.2.2 | Keratan Sulfate on Corneal Proteoglycans | 424 |
| 15.4.3 | Biological Roles of Keratan Sulfate | 425 |
| 15.4.3.1 | Role of KS in Macular Corneal Dystrophy | 425 |
| 15.5 | Other Acidic Polysaccharides | 425 |
| 15.5.1 | Acharan Sulfate | 425 |
| 15.5.2 | Fucoidins | 426 |
| 15.5.3 | Carrageenans | 427 |
| 15.5.4 | Sulfated Chitins | 427 |
| 15.5.5 | Dextran Sulfate | 427 |
| 15.5.6 | Alginates | 428 |
| 15.5.7 | Fully Synthetic Sulfated Molecules | 428 |
| 15.5.7.1 | Polymers | 428 |
| 15.5.7.2 | Small Sulfonated Molecules | 428 |
| 15.6 | Pharmaceutical Potential and Challenges | 430 |
| 15.6.1 | GAG-Based Agents Are Heterogenous | 431 |
| 15.6.2 | GAG-Based Agents and Sulfonated Analogues Have Low Bioavailability | 431 |
| 15.6.3 | GAGs Have a Myriad of Biological Activities | 432 |
| 15.6.4 | Carbohydrate-Based Drugs Are Expensive and Difficult to Prepare | 432 |
| 15.7 | Conclusion | 432 |
| 15.8 | References | 433 |
| 16 | A New Generation of Antithrombotics Based on Synthetic Oligosaccharides | 441 |
| | <i>Maurice Petitou and Jean-Marc Herbert</i> | |
| 16.1 | Introduction | 441 |
| 16.2 | Heparin and Its Mechanism of Action as an Antithrombotic Agent | 442 |
| 16.2.1 | Heparin, a Complex Polysaccharide with Blood Anticoagulant Properties | 442 |
| 16.2.2 | Which Coagulation Factor must be Inhibited? | 442 |
| 16.2.3 | The Structure of Heparin in Relation to Antithrombin Activation | 444 |
| 16.2.4 | The Limitations of Heparin | 445 |
| 16.3 | Synthetic Pentasaccharides, Selective Factor Xa Inhibitors, are Antithrombotic Agents | 446 |

| | | |
|--------|---|-----|
| 16.3.1 | New Synthetic Oligosaccharides Required in Order to Validate A Pharmacological Hypothesis | 446 |
| 16.3.2 | A Strategy for the Synthesis of an Active Pentasaccharide | 446 |
| 16.3.3 | A Strategy for the Synthesis of the First Pentasaccharide | 448 |
| 16.3.4 | Activation of Antithrombin: Structure/Activity Relationship | 449 |
| 16.3.5 | Clinical Trials Results | 449 |
| 16.3.6 | The Second Generation of Antithrombotic Pentasaccharides | 451 |
| 16.4 | Synthetic Thrombin-Inhibiting Oligosaccharides: The Next Generation? | 452 |
| 16.4.1 | First Approach: Oligomerization of a Disaccharide | 452 |
| 16.4.2 | Second Approach: Molecules Containing Two Identified Domains | 453 |
| 16.4.3 | Introduction of a Neutral Domain | 454 |
| 16.5 | The Mechanism of Antithrombin Activation by Synthetic Oligosaccharides | 456 |
| 16.6 | Conclusion and Perspectives | 456 |
| 16.7 | References | 457 |

Volume 2

| | | |
|--------|---|-----|
| 17 | Sequencing of Oligosaccharides and Glycoproteins | 461 |
| | <i>Stuart M. Haslam, Kay-Hooi Khoo, and Anne Dell</i> | |
| 17.1 | Mass Spectrometry | 462 |
| 17.1.1 | EI-, FAB-, and MALDI-MS | 462 |
| 17.1.2 | ES, NanoES, and LC-MS | 464 |
| 17.1.3 | MS/MS and Mass Analyzers | 465 |
| 17.2 | MS-Based Sequencing Strategies | 466 |
| 17.2.1 | Chemical Derivatization | 467 |
| 17.2.2 | MS/MS Fragmentation Patterns | 467 |
| 17.2.3 | Permetylation and Sequence Assignment from Fragment Ions | 468 |
| 17.3 | Glycan Sequencing and Structural Determination – A Case Study | 470 |
| 17.3.1 | GC-MS Sugar Analysis | 471 |
| 17.3.2 | Glycan Derivatization | 471 |
| 17.3.3 | FAB-MS of the Deuteroreduced Permethylated HSP Sample | 473 |
| 17.3.4 | ES-MS/MS | 473 |
| 17.3.5 | Linkage Analysis | 474 |
| 17.3.6 | Chemical Hydrolysis | 474 |
| 17.3.7 | Exo-Glycosidase Digestion | 474 |
| 17.4 | Mammalian Glycomics | 475 |
| 17.5 | Some Special Case Strategies | 477 |
| 17.6 | References | 481 |