#### **HYPERTENSION**

| Case Definition Type: Healt! | n Service Contact Prevalence 🗆 | 🛚 Incidence Rate 🗵 Lifetime Pi | revalence 🗵 |
|------------------------------|--------------------------------|--------------------------------|-------------|
|------------------------------|--------------------------------|--------------------------------|-------------|

#### Case Definition:

One or more hospitalizations with a hypertension diagnostic code, OR

Two or more physician visits with a hypertension diagnostic code within two years.

### Update to CDR V2022/23:

As of 2022, Canadian Institute for Health Information now requires hypertension to be recorded whenever documented by a physician or primary care provider, regardless of significance. This has led to a notable increase in hospital-based hypertension records in fiscal year 2022/23 which at least partially explains the rise in hypertension incidence rates in the 2022/23 dashboard data. This coding change may lead to future revisions to the algorithm used to identify cases.

Signed-off BC Case Definition: Yes ⊠ - V2022 No □

Notes: Cases of suspected gestational hypertension in women aged 10-54 are not included by excluding hospitalizations and practitioner claims within the time period 120 days preceding or 180 days after hospital records containing birth-related diagnostic codes (see gestational hypertension exclusion codes below).

Age Restriction: 20+ years

## Data Source(s):

| Data Source     | ICD Code/Procedure             | ICD Code/Procedure Code | Diagnosis Type                       | Hospital Care Level |
|-----------------|--------------------------------|-------------------------|--------------------------------------|---------------------|
|                 | Code/Rx                        | Position                |                                      |                     |
| Hospital ICD-10 | l10                            | First Position Only □   | M-Most Responsible Diagnosis ⊠       | Acute Care ⊠        |
|                 | 111<br>  112<br>  113<br>  115 | All positions ⊠         | 1-Pre-Admit Comorbidity ⊠            | Rehabilitation ⊠    |
|                 |                                | Others □                | 2-Post-Admit Comorbidity ⊠           | Day Surgery ⊠       |
|                 |                                | N/A □                   | 3-Secondary Diagnosis ⊠              |                     |
|                 |                                |                         | 4-Morphology Code ⊠                  |                     |
|                 |                                |                         | 5-Admitting Diagnosis ⊠              |                     |
|                 |                                |                         | 6-Proxy Most Responsible Diagnosis ⊠ |                     |

| Hospital ICD-9                | 401<br>402<br>403<br>404<br>405         | First Position Only □ All positions 図 Others □ N/A □ | 9-External Cause of Injury Code ⊠ 0-Newborn ⊠ W,X,Y- Service Transfer Diagnosis ⊠ M-Most Responsible Diagnosis ⊠ 1-Pre-Admit Comorbidity ⊠ 2-Post-Admit Comorbidity ⊠ 3-Secondary Diagnosis ⊠ 4-Morphology Code ⊠ 5-Admitting Diagnosis ⊠ 6-Proxy Most Responsible Diagnosis ⊠ 9-External Cause of Injury Code ⊠ 0-Newborn ⊠ | Acute Care ⊠ Rehabilitation ⊠ Day Surgery ⊠ |
|-------------------------------|---|--|--|---|
| Practitioner Claims<br>ICD-9  | 401<br>402<br>403<br>404<br>405         | First Position Only □ All positions 図 Others □ N/A □ | W,X,Y- Service Transfer Diagnosis ⊠ N/A  | N/A   |
| Practitioner Claims<br>ICD-10 | 110<br>  111<br>  112<br>  113<br>  115 | First Position Only □ All positions 図 Others □ N/A □ | N/A  | N/A   |
| PharmaNet Drug<br>History     | N/A                                     | N/A  | N/A  | N/A   |

# Diagnostic Code:

| ICD-9/10 | Description                      |
|----------|----------------------------------|
| I10      | Essential (primary) hypertension |
| l11      | Hypertensive heart disease       |
| I12      | Hypertensive renal disease       |

| I13                                      | Hypertensive heart and renal disease                             |  |
|--|--|--|
| I15                                      | Secondary hypertension   |  |
| 401                                      | Essential hypertension   |  |
| 402                                      | Hypertensive heart disease                                       |  |
| 403                                      | Hypertensive renal disease                                       |  |
| 404                                      | Hypertensive heart and renal disease                             |  |
| 405                                      | Secondary hypertension   |  |
| Gestational Hypertension Exclusion Codes |  |  |
| 641                                      | Antepartum haemorrhage, abruptio placentae, and placenta praevia |  |

Procedure Code: N/A

Drug List: N/A