



British Columbia Chronic Disease Registries (BCCDR) Case Definitions
(Last Update: April 2024)

Population Health Surveillance and Epidemiology Branch

Office of the Provincial Health Officer

British Columbia (BC) Ministry of Health

(Contact: hlth.cdrwg@gov.bc.ca)

JUVENILE IDIOPATHIC ARTHRITIS

Case Definition Type: Health Service Contact Prevalence Incidence Rate Lifetime Prevalence

Case Definition:

One or more hospitalizations with a juvenile idiopathic arthritis diagnostic code, OR

Two or more physician visits with a juvenile idiopathic arthritis diagnostic code at least 8 weeks (56 days) apart within two years.

Signed-off BC Case Definition: Yes - V2022 No

Notes: BC CDR algorithm uses all practitioner claims diagnostic fields, while CCDSS uses only the first physician claim field.

Age Restriction: 0-15 years

Data Source(s):

Data Source	ICD Code/Procedure Code/Rx	ICD Code/Procedure Code Position	Diagnosis Type	Hospital Care Level
Hospital ICD-10	M05 M06 M07.0-M07.3 M08 M45	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	M-Most Responsible Diagnosis <input checked="" type="checkbox"/> 1-Pre-Admit Comorbidity <input checked="" type="checkbox"/> 2-Post-Admit Comorbidity <input checked="" type="checkbox"/> 3-Secondary Diagnosis <input checked="" type="checkbox"/> 4-Morphology Code <input checked="" type="checkbox"/> 5-Admitting Diagnosis <input checked="" type="checkbox"/> 6-Proxy Most Responsible Diagnosis <input checked="" type="checkbox"/> 9-External Cause of Injury Code <input checked="" type="checkbox"/> 0-Newborn <input checked="" type="checkbox"/> W,X,Y- Service Transfer Diagnosis <input checked="" type="checkbox"/>	Acute Care <input checked="" type="checkbox"/> Rehabilitation <input checked="" type="checkbox"/> Day Surgery <input checked="" type="checkbox"/>
Hospital ICD-9	714.x 720.x	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	M-Most Responsible Diagnosis <input checked="" type="checkbox"/> 1-Pre-Admit Comorbidity <input checked="" type="checkbox"/> 2-Post-Admit Comorbidity <input checked="" type="checkbox"/> 3-Secondary Diagnosis <input checked="" type="checkbox"/> 4-Morphology Code <input checked="" type="checkbox"/> 5-Admitting Diagnosis <input checked="" type="checkbox"/> 6-Proxy Most Responsible Diagnosis <input checked="" type="checkbox"/>	Acute Care <input checked="" type="checkbox"/> Rehabilitation <input checked="" type="checkbox"/> Day Surgery <input checked="" type="checkbox"/>

			9-External Cause of Injury Code <input checked="" type="checkbox"/> 0-Newborn <input checked="" type="checkbox"/> W,X,Y- Service Transfer Diagnosis <input checked="" type="checkbox"/>	
Practitioner Claims ICD-9	714.x 720.x	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	N/A	N/A
Practitioner Claims ICD-10	M05 M06 M07.0-M07.3 M08 M45	First Position Only <input type="checkbox"/> All positions <input checked="" type="checkbox"/> Others <input type="checkbox"/> N/A <input type="checkbox"/>	N/A	N/A
PharmaNet Drug History	N/A	N/A	N/A	N/A

Diagnostic Code:

ICD-9/10	Description
M05	Seropositive rheumatoid arthritis
M06	Other rheumatoid arthritis
M07.0	Distal interphalangeal psoriatic arthropathy
M07.1	Arthritis mutilans
M07.2	Psoriatic spondylitis
M07.3	Other psoriatic arthropathies
M08	Juvenile arthritis
M45	Ankylosing spondylitis
714.x	Rheumatoid arthritis and other polyarthropathies
720.x	Ankylosing spondylitis and other inflammatory spondylopathies

Procedure Code: N/A

Drug List: N/A