

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
0	871.1184	0.0020	0.0092	9
1	871.3548	0.0050	0.0058	5
2	871.5990	0.0014	0.0103	10
3	871.8444	0.0053	0.0159	9
4	872.0645	0.0034	-0.0038	9
5	872.3069	0.0027	-0.0011	10
6	872.5343	0.0028	-0.0134	10
7	872.7864	0.0034	-0.0011	9
8	873.0195	0.0021	-0.0078	9
9	873.2671	0.0023	0.0001	10
10	873.5080	0.0025	0.0012	9
11	873.7484	0.0014	0.0019	9
12	873.9883	0.0021	0.0020	9
13	874.2226	0.0026	-0.0034	8
14	874.4651	0.0016	-0.0007	9
15	874.7057	0.0021	0.0002	9
16	874.9542	0.0032	0.0089	10
17	875.1845	0.0021	-0.0005	10
18	875.4270	0.0029	0.0023	9
19	875.6627	0.0033	-0.0018	9
20	875.9013	0.0028	-0.0029	10
21	876.1391	0.0017	-0.0049	10
22	876.3747	0.0019	-0.0091	9
23	876.6173	0.0028	-0.0062	9
24	876.8632	0.0016	-0.0001	10
25	877.1043	0.0022	0.0013	9
26	877.3453	0.0016	0.0025	9
27	877.5823	0.0017	-0.0002	9
28	877.8222	0.0023	-0.0000	10
29	878.0644	0.0017	0.0024	9
30	878.2989	0.0014	-0.0029	9
31	878.5420	0.0021	0.0005	10
32	878.7778	0.0025	-0.0034	10
33	879.0249	0.0027	0.0039	9
34	879.2680	0.0040	0.0072	9
35	879.4979	0.0041	-0.0026	10
36	879.7385	0.0040	-0.0018	10
37	879.9753	0.0043	-0.0047	9
38	880.2152	0.0040	-0.0045	8
39	880.4448	0.0021	-0.0147	10
40	880.6826	0.0024	-0.0167	9
41	880.9289	0.0040	-0.0101	9
42	881.1741	0.0027	-0.0047	9
43	881.4097	0.0014	-0.0088	10
44	881.6562	0.0022	-0.0020	9
45	881.8862	0.0025	-0.0118	9
46	882.1381	0.0032	0.0004	10
47	882.3718	0.0031	-0.0057	10
48	882.6166	0.0037	-0.0007	9
49	882.8527	0.0022	-0.0043	9
50	883.0911	0.0019	-0.0057	10
51	883.3344	0.0030	-0.0021	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
52	883.5654	0.0035	-0.0109	9
53	883.7925	0.0047	-0.0235	9
54	884.0395	0.0043	-0.0162	10
55	884.2788	0.0038	-0.0167	9
56	884.5123	0.0032	-0.0229	9
57	884.7548	0.0012	-0.0202	9
58	884.9963	0.0022	-0.0185	10
59	885.2382	0.0038	-0.0163	9
60	885.4775	0.0022	-0.0168	9
61	885.7157	0.0021	-0.0183	9
62	885.9628	0.0021	-0.0109	10
63	886.2139	0.0030	0.0004	8
64	886.4430	0.0040	-0.0102	9
65	886.6846	0.0037	-0.0084	10
66	886.9038	0.0059	-0.0289	10
67	887.1544	0.0066	-0.0181	9
68	887.3860	0.0034	-0.0262	9
69	887.6189	0.0081	-0.0331	10
70	887.8467	0.0050	-0.0451	9
71	888.0988	0.0078	-0.0327	9
72	888.3338	0.0043	-0.0374	9
73	888.5702	0.0035	-0.0408	10
74	888.8159	0.0027	-0.0348	9
75	889.0592	0.0085	-0.0313	7
76	889.2954	0.0041	-0.0349	9
77	889.5445	0.0039	-0.0255	10
78	889.8002	0.0018	-0.0095	9
80	890.2777	0.0050	-0.0115	10
82	890.7439	0.0041	-0.0248	9
83	890.9890	0.0130	-0.0195	9
84	891.2276	0.0046	-0.0207	10
85	891.4731	0.0136	-0.0149	9
86	891.7038	0.0091	-0.0239	9
87	891.9826	0.0056	0.0151	9
88	892.1882	0.0107	-0.0190	9
89	892.4281	0.0098	-0.0189	9
91	892.9110	0.0061	-0.0155	9
94	893.6342	0.0079	-0.0116	9
95	893.8527	0.0086	-0.0328	10
98	894.5690	0.0039	-0.0357	9
99	894.8258	0.0052	-0.0187	10
101	895.3133	0.0010	-0.0107	9
102	895.5578	0.0031	-0.0060	9
103	895.8126	0.0035	0.0091	10
104	896.0551	0.0032	0.0118	9
112	897.9326	0.0080	-0.0286	9
113	898.1861	0.0053	-0.0149	9
114	898.4302	0.0036	-0.0105	10
115	898.6731	0.0028	-0.0074	10
116	898.9059	0.0063	-0.0143	9
117	899.1423	0.0021	-0.0177	8
118	899.3930	0.0017	-0.0068	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
119	899.6435	0.0018	0.0040	9
120	899.8791	0.0024	-0.0001	9
121	900.1236	0.0011	0.0046	9
122	900.3687	0.0026	0.0099	10
123	900.6005	0.0025	0.0020	9
124	900.8450	0.0015	0.0067	9
125	901.0762	0.0044	-0.0018	10
126	901.3172	0.0018	-0.0006	10
127	901.5673	0.0040	0.0098	9
128	901.7985	0.0028	0.0012	9
129	902.0456	0.0015	0.0086	10
130	902.2894	0.0011	0.0126	9
131	902.5311	0.0014	0.0146	9
132	902.7656	0.0024	0.0094	9
133	903.0110	0.0012	0.0150	5
144	905.6523	0.0029	0.0190	8
145	905.8805	0.0021	0.0075	10
146	906.1209	0.0027	0.0082	9
147	906.3564	0.0017	0.0039	9
148	906.6016	0.0019	0.0093	10
149	906.8428	0.0040	0.0108	9
150	907.0783	0.0040	0.0066	9
151	907.3223	0.0014	0.0108	9
152	907.5595	0.0018	0.0082	10
153	907.7990	0.0017	0.0080	9
154	908.0417	0.0018	0.0110	9
155	908.2845	0.0020	0.0140	10
156	908.5277	0.0012	0.0174	10
157	908.7674	0.0008	0.0174	8
158	909.0117	0.0023	0.0219	5
159	909.2434	0.0011	0.0139	10
160	909.4785	0.0017	0.0092	10
161	909.7189	0.0022	0.0099	9
162	909.9607	0.0024	0.0119	9
163	910.2061	0.0017	0.0176	10
164	910.4386	0.0017	0.0104	9
165	910.6769	0.0020	0.0089	9
166	910.9187	0.0020	0.0109	9
167	911.1492	0.0033	0.0017	10
168	911.3883	0.0040	0.0011	9
169	911.6302	0.0041	0.0032	8
170	911.8671	0.0032	0.0003	10
171	912.1154	0.0017	0.0089	10
172	912.3558	0.0016	0.0095	9
173	912.5976	0.0013	0.0116	9
174	912.8458	0.0018	0.0201	10
175	913.0798	0.0046	0.0143	10
176	913.3263	0.0017	0.0210	9
177	913.5694	0.0022	0.0244	9
178	913.7993	0.0026	0.0145	10
179	914.0421	0.0024	0.0176	9
180	914.2771	0.0019	0.0128	9

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
181	914.5145	0.0018	0.0105	9
182	914.7606	0.0014	0.0168	9
183	914.9957	0.0029	0.0122	9
184	915.2269	0.0023	0.0036	9
185	915.4684	0.0045	0.0054	10
186	915.7134	0.0019	0.0106	10
187	915.9429	0.0027	0.0004	8
188	916.1876	0.0016	0.0053	9
189	916.4371	0.0014	0.0151	10
190	916.6748	0.0026	0.0130	10
191	916.9134	0.0024	0.0119	9
192	917.1569	0.0018	0.0156	9
193	917.3964	0.0019	0.0154	10
194	917.6343	0.0029	0.0136	8
195	917.8661	0.0017	0.0056	9
196	918.1058	0.0021	0.0056	9
197	918.3503	0.0025	0.0103	10
200	919.0534	0.0045	-0.0058	10
201	919.2937	0.0016	-0.0053	10
202	919.5327	0.0015	-0.0061	9
203	919.7704	0.0006	-0.0081	9
204	920.0201	0.0022	0.0018	10
205	920.2485	0.0006	-0.0095	10
206	920.4945	0.0011	-0.0032	9
207	920.7346	0.0027	-0.0029	9
208	920.9832	0.0018	0.0060	10
209	921.2230	0.0017	0.0060	9
210	921.4581	0.0017	0.0013	9
211	921.7057	0.0018	0.0092	9
212	921.9325	0.0024	-0.0038	10
213	922.1800	0.0009	0.0040	9
214	922.4119	0.0028	-0.0039	8
215	922.6532	0.0031	-0.0023	10
216	922.8772	0.0032	-0.0180	10
217	923.1288	0.0024	-0.0062	9
218	923.3657	0.0031	-0.0090	9
219	923.6077	0.0029	-0.0068	9
220	923.8465	0.0035	-0.0078	10
221	924.0805	0.0056	-0.0135	9
222	924.3262	0.0048	-0.0075	9
223	924.5662	0.0039	-0.0073	10
224	924.8022	0.0068	-0.0110	9
225	925.0394	0.0057	-0.0136	9
226	925.2950	0.0051	0.0022	9
227	925.5310	0.0042	-0.0015	10
228	925.7644	0.0027	-0.0078	9
229	926.0265	0.0038	0.0145	9
230	926.2377	0.0047	-0.0140	10
231	926.4903	0.0032	-0.0012	10
232	926.7451	0.0039	0.0139	8
233	926.9772	0.0092	0.0062	9
234	927.1998	0.0062	-0.0110	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
235	927.4265	0.0057	-0.0240	10
236	927.6790	0.0040	-0.0112	9
237	927.9115	0.0054	-0.0185	9
238	928.1438	0.0047	-0.0260	10
239	928.3915	0.0014	-0.0180	9
240	928.6547	0.0067	0.0055	9
241	928.8808	0.0034	-0.0082	9
242	929.1405	0.0033	0.0118	10
243	929.3768	0.0043	0.0083	7
244	929.6296	0.0053	0.0213	7
245	929.8240	0.0084	-0.0240	8
258	932.9150	0.0103	-0.0498	9
259	933.1712	0.0108	-0.0333	9
260	933.4171	0.0089	-0.0272	10
261	933.6439	0.0055	-0.0401	10
262	933.8923	0.0120	-0.0315	9
263	934.1277	0.0084	-0.0358	9
264	934.3968	0.0035	-0.0064	9
265	934.6293	0.0060	-0.0137	10
266	934.8755	0.0063	-0.0072	9
267	935.1097	0.0065	-0.0128	9
268	935.3530	0.0066	-0.0092	10
269	935.6005	0.0120	-0.0015	9
270	935.8609	0.0142	0.0192	9
271	936.0666	0.0075	-0.0149	9
272	936.3276	0.0040	0.0064	10
273	936.5739	0.0052	0.0129	9
274	936.8165	0.0029	0.0158	9
275	937.0406	0.0079	0.0001	10
276	937.2908	0.0013	0.0105	8
277	937.5283	0.0030	0.0083	9
278	937.7754	0.0034	0.0157	9
279	938.0207	0.0044	0.0212	10
280	938.2541	0.0029	0.0149	10
281	938.4968	0.0033	0.0179	9
282	938.7341	0.0035	0.0154	9
283	938.9803	0.0024	0.0218	10
284	939.2186	0.0027	0.0203	9
285	939.4609	0.0031	0.0229	9
286	939.7013	0.0022	0.0235	9
287	939.9396	0.0018	0.0221	10
288	940.1854	0.0014	0.0282	9
289	940.4234	0.0025	0.0264	8
290	940.6655	0.0028	0.0288	10
291	940.9032	0.0060	0.0267	10
292	941.1392	0.0052	0.0230	9
293	941.3679	0.0046	0.0119	9
294	941.5953	0.0087	-0.0005	10
295	941.8401	0.0032	0.0046	10
296	942.0820	0.0043	0.0068	8
297	942.3152	0.0038	0.0002	9
298	942.5576	0.0068	0.0029	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
299	942.7997	0.0047	0.0052	9
300	943.0573	0.0073	0.0231	9
301	943.2807	0.0076	0.0067	6
302	943.5276	0.0034	0.0138	10
303	943.7666	0.0056	0.0131	9
304	944.0224	0.0109	0.0292	9
305	944.2450	0.0074	0.0120	10
306	944.4866	0.0061	0.0138	10
307	944.7257	0.0062	0.0132	9
308	944.9801	0.0020	0.0279	9
309	945.2065	0.0022	0.0145	10
310	945.4516	0.0053	0.0198	10
311	945.6757	0.0042	0.0042	9
312	945.9187	0.0021	0.0075	9
313	946.1747	0.0030	0.0237	9
314	946.4036	0.0066	0.0128	9
315	946.6474	0.0035	0.0169	9
316	946.8842	0.0050	0.0139	9
317	947.1237	0.0020	0.0137	10
318	947.3617	0.0044	0.0119	9
319	947.5993	0.0045	0.0098	9
320	947.8372	0.0028	0.0080	10
321	948.0869	0.0025	0.0179	10
322	948.3229	0.0021	0.0142	9
323	948.5767	0.0040	0.0282	9
324	948.7965	0.0045	0.0083	10
326	949.2689	0.0108	0.0011	8
327	949.5070	0.0104	-0.0005	9
337	951.9097	0.0041	0.0047	8
338	952.1423	0.0039	-0.0024	9
339	952.3910	0.0034	0.0065	10
340	952.6251	0.0035	0.0008	10
341	952.8693	0.0040	0.0053	9
342	953.0947	0.0051	-0.0090	9
343	953.3433	0.0059	-0.0002	10
344	953.5842	0.0083	0.0010	9
345	953.8065	0.0078	-0.0165	9
346	954.0533	0.0062	-0.0094	9
351	955.2633	0.0124	0.0018	6
352	955.4919	0.0024	-0.0094	9
353	955.7282	0.0017	-0.0128	9
354	955.9697	0.0030	-0.0111	10
355	956.2152	0.0023	-0.0053	10
356	956.4566	0.0045	-0.0036	8
357	956.6894	0.0047	-0.0106	9
358	956.9362	0.0093	-0.0036	10
359	957.1518	0.0072	-0.0277	9
360	957.4027	0.0122	-0.0166	9
361	957.6225	0.0033	-0.0365	9
362	957.8716	0.0060	-0.0271	10
363	958.1072	0.0132	-0.0313	8
364	958.3381	0.0067	-0.0401	9

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
365	958.5840	0.0036	-0.0340	10
366	958.8326	0.0087	-0.0251	7
370	959.7902	0.0031	-0.0266	10
371	960.0364	0.0046	-0.0201	9
372	960.2836	0.0035	-0.0126	9
373	960.5217	0.0050	-0.0143	10
374	960.7671	0.0072	-0.0086	9
375	961.0196	0.0058	0.0041	9
376	961.2540	0.0073	-0.0012	9
377	961.4855	0.0067	-0.0095	10
378	961.6957	0.0135	-0.0390	9
379	961.9533	0.0173	-0.0212	8
380	962.1614	0.0064	-0.0528	10
381	962.4145	0.0024	-0.0395	10
382	962.6536	0.0036	-0.0401	9
383	962.8984	0.0087	-0.0351	9
384	963.1338	0.0033	-0.0394	9
385	963.3811	0.0050	-0.0319	10
386	963.6429	0.0027	-0.0098	9
387	963.8593	0.0058	-0.0332	9
388	964.1222	0.0058	-0.0101	10
389	964.3410	0.0122	-0.0310	9
390	964.6332	0.0062	0.0215	9
398	966.5502	0.0036	0.0204	9
399	966.7503	0.0138	-0.0192	10
415	970.5541	0.0098	-0.0514	10
416	970.8231	0.0095	-0.0222	8
418	971.2876	0.0083	-0.0372	10
419	971.5194	0.0025	-0.0451	9
420	971.7810	0.0048	-0.0233	9
421	972.0231	0.0061	-0.0209	9
422	972.2787	0.0096	-0.0051	10
423	972.5195	0.0034	-0.0040	9
424	972.7532	0.0075	-0.0100	9
425	973.0026	0.0114	-0.0004	10
426	973.2405	0.0026	-0.0022	10
427	973.4808	0.0139	-0.0017	9
429	973.9263	0.0102	-0.0357	10
431	974.4047	0.0056	-0.0368	9
432	974.6581	0.0098	-0.0232	9
433	974.9075	0.0045	-0.0135	10
434	975.1454	0.0051	-0.0154	9
435	975.3994	0.0037	-0.0011	9
436	975.6511	0.0041	0.0108	9
437	975.8775	0.0045	-0.0025	10
438	976.1255	0.0039	0.0058	9
439	976.3648	0.0039	0.0053	9
440	976.6056	0.0014	0.0064	10
441	976.8533	0.0028	0.0143	9
442	977.0998	0.0040	0.0210	9
443	977.3356	0.0026	0.0171	9
444	977.5762	0.0028	0.0179	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
445	977.8164	0.0016	0.0184	10
446	978.0492	0.0023	0.0115	9
447	978.2844	0.0022	0.0069	9
448	978.5272	0.0021	0.0099	10
449	978.7548	0.0019	-0.0022	9
450	978.9965	0.0020	-0.0003	9
451	979.2375	0.0025	0.0010	9
452	979.4807	0.0022	0.0044	10
453	979.7198	0.0025	0.0038	9
454	979.9507	0.0051	-0.0051	7
455	980.2005	0.0022	0.0050	10
456	980.4336	0.0021	-0.0017	10
457	980.6696	0.0031	-0.0054	9
458	980.9091	0.0015	-0.0057	9
459	981.1601	0.0010	0.0056	10
460	981.3995	0.0040	0.0052	10
461	981.6404	0.0053	0.0064	9
462	981.8650	0.0049	-0.0087	9
463	982.1116	0.0047	-0.0019	10
464	982.3550	0.0092	0.0018	9
465	982.5828	0.0062	-0.0102	9
466	982.8257	0.0085	-0.0070	8
467	983.0703	0.0096	-0.0022	10
468	983.2869	0.0072	-0.0253	9
469	983.5511	0.0028	-0.0009	9
470	983.7812	0.0035	-0.0105	10
471	984.0234	0.0033	-0.0081	10
472	984.2695	0.0019	-0.0018	9
473	984.5125	0.0022	0.0015	9
474	984.7558	0.0030	0.0051	10
475	985.0061	0.0046	0.0156	10
476	985.2476	0.0021	0.0173	9
477	985.4870	0.0034	0.0170	9
478	985.7305	0.0056	0.0207	9
479	985.9652	0.0050	0.0157	9
480	986.2049	0.0038	0.0156	9
481	986.4460	0.0039	0.0170	9
482	986.6814	0.0047	0.0126	10
483	986.8894	0.0066	-0.0191	9
488	988.1027	0.0029	-0.0045	9
489	988.3319	0.0033	-0.0151	10
490	988.5780	0.0024	-0.0088	10
491	988.8213	0.0018	-0.0052	9
492	989.0615	0.0114	-0.0047	9
493	989.2996	0.0042	-0.0064	10
494	989.5280	0.0155	-0.0178	9
495	989.7768	0.0024	-0.0087	9
496	990.0170	0.0042	-0.0082	8
497	990.2717	0.0085	0.0067	10
498	990.4819	0.0137	-0.0229	9
499	990.7115	0.0113	-0.0330	9
500	990.9554	0.0119	-0.0289	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
501	991.2003	0.0124	-0.0237	10
502	991.4395	0.0172	-0.0242	9
503	991.6780	0.0102	-0.0255	9
504	991.9264	0.0060	-0.0169	10
505	992.1570	0.0045	-0.0260	10
506	992.4099	0.0020	-0.0129	9
507	992.6490	0.0029	-0.0135	9
508	992.8934	0.0031	-0.0089	9
510	993.3905	0.0097	0.0088	9
537	999.8145	0.0029	-0.0405	9
538	1000.0513	0.0021	-0.0434	10
539	1000.2835	0.0038	-0.0510	9
540	1000.5337	0.0039	-0.0405	9
541	1000.7751	0.0048	-0.0389	9
542	1001.0207	0.0056	-0.0330	10
543	1001.2740	0.0034	-0.0195	9
544	1001.5295	0.0027	-0.0037	9
545	1001.7846	0.0029	0.0116	10
546	1002.0300	0.0042	0.0173	9
547	1002.2827	0.0071	0.0302	9
548	1002.5023	0.0094	0.0100	9
549	1002.7230	0.0082	-0.0090	10
550	1003.0126	0.0175	0.0408	9
551	1003.2258	0.0114	0.0143	9
552	1003.4629	0.0065	0.0116	9
553	1003.6819	0.0076	-0.0091	10
554	1003.9574	0.0167	0.0267	9
555	1004.1760	0.0086	0.0055	9
556	1004.4318	0.0076	0.0215	9
557	1004.6483	0.0165	-0.0017	10
561	1005.5819	0.0092	-0.0271	10
563	1006.0358	0.0136	-0.0527	9
564	1006.2843	0.0081	-0.0439	10
565	1006.5340	0.0059	-0.0340	9
566	1006.7856	0.0141	-0.0222	9
567	1007.0355	0.0042	-0.0120	9
568	1007.2956	0.0030	0.0084	10
569	1007.5348	0.0047	0.0078	9
570	1007.7744	0.0054	0.0077	9
571	1008.0256	0.0036	0.0191	9
572	1008.2592	0.0164	0.0130	10
573	1008.5057	0.0061	0.0197	9
574	1008.7187	0.0118	-0.0071	9
575	1008.9814	0.0062	0.0158	10
576	1009.2222	0.0097	0.0169	10
577	1009.4397	0.0058	-0.0053	9
578	1009.6735	0.0052	-0.0113	9
580	1010.1685	0.0037	0.0042	9
581	1010.3945	0.0059	-0.0095	8
582	1010.6429	0.0040	-0.0009	9
583	1010.9065	0.0045	0.0230	9
584	1011.1044	0.0056	-0.0188	9

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
585	1011.3628	0.0031	-0.0002	9
586	1011.6250	0.0089	0.0222	10
587	1011.8229	0.0065	-0.0196	9
588	1012.1112	0.0076	0.0290	9
589	1012.3307	0.0104	0.0087	9
590	1012.5802	0.0091	0.0184	10
591	1012.8072	0.0032	0.0057	10
592	1013.0440	0.0143	0.0028	6
593	1013.2991	0.0054	0.0181	9
594	1013.5276	0.0037	0.0068	10
595	1013.7610	0.0033	0.0005	9
596	1014.0080	0.0046	0.0078	9
597	1014.2488	0.0053	0.0088	9
598	1014.4741	0.0103	-0.0056	10
599	1014.7084	0.0076	-0.0111	9
600	1014.9624	0.0039	0.0032	8
604	1015.9399	0.0025	0.0217	9
605	1016.1756	0.0026	0.0176	10
606	1016.4040	0.0037	0.0063	10
607	1016.6425	0.0062	0.0050	9
608	1016.8778	0.0029	0.0006	9
609	1017.1338	0.0055	0.0168	10
610	1017.3767	0.0087	0.0200	9
611	1017.6095	0.0050	0.0130	9
612	1017.8445	0.0018	0.0082	9
613	1018.0976	0.0089	0.0216	9
614	1018.2919	0.0045	-0.0238	8
615	1018.5648	0.0055	0.0093	9
616	1018.8087	0.0032	0.0134	10
617	1019.0347	0.0050	-0.0003	10
618	1019.3023	0.0040	0.0275	9
619	1019.5233	0.0014	0.0088	9
620	1019.7647	0.0037	0.0105	10
621	1020.0113	0.0041	0.0173	10
622	1020.2560	0.0042	0.0222	9
623	1020.4970	0.0059	0.0235	9
624	1020.7257	0.0053	0.0124	10
625	1020.9832	0.0073	0.0302	7
626	1021.2044	0.0032	0.0117	9
627	1021.4437	0.0032	0.0112	9
628	1021.6726	0.0037	0.0004	10
629	1021.9301	0.0031	0.0181	9
630	1022.1544	0.0051	0.0026	9
631	1022.4035	0.0040	0.0120	10
632	1022.6368	0.0034	0.0055	10
633	1022.8807	0.0035	0.0097	9
634	1023.1125	0.0027	0.0017	9
635	1023.3597	0.0037	0.0092	10
636	1023.5896	0.0018	-0.0006	10
637	1023.8379	0.0020	0.0079	9
638	1024.0728	0.0037	0.0031	8
639	1024.3184	0.0032	0.0089	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
640	1024.5582	0.0021	0.0089	9
641	1024.7934	0.0025	0.0044	9
642	1025.0268	0.0044	-0.0019	9
643	1025.2807	0.0077	0.0122	10
644	1025.4891	0.0082	-0.0192	8
645	1025.7444	0.0031	-0.0036	9
646	1025.9834	0.0036	-0.0044	10
647	1026.2231	0.0031	-0.0044	10
648	1026.4495	0.0022	-0.0177	9
649	1026.7006	0.0036	-0.0064	9
650	1026.9509	0.0061	0.0042	8
651	1027.1763	0.0037	-0.0102	10
652	1027.4221	0.0018	-0.0042	9
653	1027.6634	0.0022	-0.0026	9
654	1027.8962	0.0024	-0.0096	10
655	1028.1448	0.0034	-0.0007	9
656	1028.3827	0.0031	-0.0026	9
657	1028.6348	0.0054	0.0098	9
658	1028.8566	0.0036	-0.0082	10
659	1029.0979	0.0048	-0.0066	9
660	1029.3512	0.0045	0.0070	9
661	1029.5794	0.0025	-0.0046	10
662	1029.8236	0.0027	-0.0001	10
663	1030.0557	0.0070	-0.0078	6
664	1030.2944	0.0059	-0.0089	9
665	1030.5215	0.0027	-0.0215	10
666	1030.7594	0.0046	-0.0233	10
667	1031.0037	0.0020	-0.0188	9
668	1031.2507	0.0041	-0.0116	9
669	1031.4915	0.0029	-0.0105	10
670	1031.7316	0.0024	-0.0102	9
671	1031.9845	0.0022	0.0030	9
672	1032.2208	0.0051	-0.0004	9
673	1032.4572	0.0070	-0.0038	10
674	1032.6778	0.0036	-0.0229	9
675	1032.9375	0.0022	-0.0030	7
676	1033.1816	0.0027	0.0013	9
677	1033.4054	0.0072	-0.0146	10
678	1033.6506	0.0060	-0.0092	9
679	1033.8797	0.0071	-0.0198	8
680	1034.1264	0.0086	-0.0128	10
681	1034.3658	0.0056	-0.0132	9
682	1034.5907	0.0030	-0.0280	9
683	1034.8456	0.0038	-0.0129	9
684	1035.0589	0.0065	-0.0394	9
685	1035.3116	0.0034	-0.0264	9
686	1035.5588	0.0077	-0.0189	9
687	1035.7776	0.0071	-0.0399	9
688	1036.0356	0.0050	-0.0216	10
689	1036.2823	0.0026	-0.0147	9
690	1036.5206	0.0064	-0.0162	9
691	1036.7623	0.0062	-0.0142	10

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
692	1037.0014	0.0051	-0.0149	10
693	1037.2427	0.0035	-0.0133	9
694	1037.4764	0.0041	-0.0193	9
695	1037.7334	0.0059	-0.0021	10
696	1037.9681	0.0044	-0.0072	9
697	1038.1993	0.0047	-0.0157	9
698	1038.4099	0.0034	-0.0448	9
699	1038.6682	0.0050	-0.0263	10
701	1039.1485	0.0036	-0.0255	9
702	1039.3830	0.0087	-0.0307	10
703	1039.6083	0.0037	-0.0452	10
704	1039.8543	0.0065	-0.0390	9
705	1040.1079	0.0077	-0.0251	9
706	1040.3449	0.0035	-0.0279	10
707	1040.6051	0.0031	-0.0074	10
708	1040.8465	0.0057	-0.0057	8
709	1041.0881	0.0038	-0.0039	9
710	1041.3186	0.0084	-0.0132	10
711	1041.5909	0.0097	0.0194	9
720	1043.7069	0.0123	-0.0223	9
721	1043.9383	0.0083	-0.0307	10
722	1044.1893	0.0091	-0.0195	10
726	1045.1153	0.0175	-0.0524	9
728	1045.5976	0.0086	-0.0496	9
729	1045.8547	0.0060	-0.0323	10
730	1046.0766	0.0063	-0.0501	9
731	1046.3337	0.0104	-0.0328	9
732	1046.6037	0.0090	-0.0025	10
733	1046.8528	0.0076	0.0068	10
734	1047.0951	0.0025	0.0093	9
736	1047.5905	0.0044	0.0253	10
741	1048.7894	0.0057	0.0254	7
746	1049.9430	0.0042	-0.0197	9
747	1050.1965	0.0082	-0.0060	10
748	1050.4301	0.0051	-0.0121	10
749	1050.6563	0.0039	-0.0257	8
750	1050.8999	0.0093	-0.0219	9
751	1051.1545	0.0060	-0.0070	9
752	1051.3841	0.0056	-0.0172	10
753	1051.6440	0.0038	0.0030	9
754	1051.8737	0.0037	-0.0070	9
755	1052.1420	0.0051	0.0215	10
756	1052.3585	0.0030	-0.0017	9
757	1052.6047	0.0035	0.0047	9
758	1052.8651	0.0118	0.0253	9
759	1053.0907	0.0053	0.0112	10
760	1053.3380	0.0038	0.0187	9
761	1053.5539	0.0032	-0.0051	6
762	1053.8182	0.0018	0.0194	8
763	1054.0420	0.0022	0.0035	10
764	1054.2877	0.0030	0.0095	9
765	1054.5324	0.0038	0.0144	9

**Table E4.** Times of negative-superhump maxima in KIC 9406652 during time interval 4 (BJD 2455871–2456058) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^‡$	$N^§$
766	1054.7740	0.0032	0.0162	10
767	1055.0082	0.0034	0.0107	10
768	1055.2569	0.0034	0.0196	9
769	1055.4929	0.0023	0.0159	9
770	1055.7343	0.0033	0.0175	10
771	1055.9859	0.0028	0.0294	9
772	1056.2217	0.0026	0.0254	9
773	1056.4558	0.0024	0.0198	9
774	1056.6922	0.0049	0.0164	9
775	1056.9369	0.0040	0.0214	9
776	1057.1755	0.0045	0.0202	9
777	1057.4297	0.0075	0.0347	10
778	1057.6779	0.0067	0.0431	10
779	1057.8944	0.0080	0.0199	9

\*Cycle counts.

<sup>†</sup>BJD–2455000.0.

<sup>‡</sup> $C = 2455871.1184 + 0.23975 E$ .

<sup>§</sup>Number of points used for determining the maximum.

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
0	1058.1206	0.0060	-0.0261	10
1	1058.3743	0.0039	-0.0120	9
2	1058.6142	0.0047	-0.0117	9
3	1058.8540	0.0057	-0.0115	10
4	1059.1069	0.0029	0.0019	10
5	1059.3387	0.0029	-0.0059	9
6	1059.5791	0.0029	-0.0050	8
7	1059.8190	0.0050	-0.0047	9
8	1060.0574	0.0056	-0.0059	9
9	1060.2995	0.0037	-0.0033	9
10	1060.5380	0.0051	-0.0044	10
11	1060.7825	0.0034	0.0005	10
12	1061.0016	0.0161	-0.0199	9
13	1061.2422	0.0042	-0.0188	9
14	1061.4820	0.0037	-0.0186	10
15	1061.7330	0.0044	-0.0071	9
16	1061.9670	0.0020	-0.0127	7
17	1062.2048	0.0057	-0.0145	9
18	1062.4419	0.0044	-0.0169	10
19	1062.6981	0.0049	-0.0003	8
20	1062.9279	0.0026	-0.0101	9
21	1063.1725	0.0043	-0.0051	10
22	1063.4029	0.0024	-0.0142	10
23	1063.6412	0.0040	-0.0154	9
24	1063.8859	0.0023	-0.0103	9
25	1064.1267	0.0019	-0.0091	10
26	1064.3787	0.0029	0.0034	9
28	1064.8711	0.0089	0.0166	10
29	1065.0878	0.0031	-0.0062	10
30	1065.3333	0.0051	-0.0002	9
31	1065.5700	0.0049	-0.0031	9
32	1065.8118	0.0047	-0.0009	9
33	1066.0294	0.0047	-0.0228	9
34	1066.2875	0.0034	-0.0043	9
35	1066.5239	0.0024	-0.0074	9
36	1066.7569	0.0023	-0.0140	10
37	1066.9990	0.0030	-0.0115	9
38	1067.2287	0.0033	-0.0213	9
39	1067.4772	0.0021	-0.0124	10
40	1067.7186	0.0019	-0.0105	10
41	1067.9684	0.0028	-0.0003	8
42	1068.2077	0.0033	-0.0006	7
43	1068.4414	0.0024	-0.0064	10
44	1068.6929	0.0019	0.0055	8
45	1068.9214	0.0022	-0.0055	9
46	1069.1682	0.0030	0.0017	9
47	1069.4093	0.0044	0.0032	10
48	1069.6415	0.0022	-0.0041	9
49	1069.8795	0.0025	-0.0057	9
50	1070.1099	0.0037	-0.0149	10
51	1070.3481	0.0025	-0.0162	10
52	1070.5879	0.0025	-0.0160	9

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
53	1070.8221	0.0043	-0.0213	9
54	1071.0640	0.0023	-0.0190	10
55	1071.3033	0.0017	-0.0193	9
56	1071.5467	0.0016	-0.0154	9
57	1071.7903	0.0014	-0.0114	10
58	1072.0315	0.0016	-0.0097	10
59	1072.2788	0.0019	-0.0020	9
60	1072.5233	0.0024	0.0030	9
62	1073.0009	0.0011	0.0014	9
63	1073.2344	0.0018	-0.0047	9
64	1073.4692	0.0056	-0.0094	9
65	1073.7106	0.0021	-0.0075	10
66	1073.9596	0.0037	0.0018	9
67	1074.1826	0.0040	-0.0146	9
68	1074.4182	0.0022	-0.0187	8
69	1074.6628	0.0022	-0.0136	9
70	1074.9002	0.0019	-0.0157	9
71	1075.1456	0.0024	-0.0100	9
72	1075.3845	0.0016	-0.0106	10
73	1075.6224	0.0013	-0.0123	9
74	1075.8682	0.0026	-0.0060	9
75	1076.1052	0.0017	-0.0086	10
76	1076.3458	0.0018	-0.0076	10
77	1076.5818	0.0015	-0.0111	9
78	1076.8305	0.0027	-0.0019	9
79	1077.0554	0.0030	-0.0166	10
80	1077.2999	0.0034	-0.0116	9
81	1077.5392	0.0040	-0.0120	9
82	1077.7828	0.0052	-0.0079	9
87	1078.9641	0.0022	-0.0244	10
88	1079.2006	0.0020	-0.0274	8
89	1079.4450	0.0023	-0.0226	9
90	1079.6868	0.0023	-0.0204	10
91	1079.9329	0.0029	-0.0138	9
92	1080.1627	0.0019	-0.0236	9
93	1080.4112	0.0026	-0.0147	9
94	1080.6529	0.0026	-0.0125	9
95	1080.8877	0.0035	-0.0172	9
96	1081.1307	0.0026	-0.0138	9
97	1081.3697	0.0038	-0.0144	10
98	1081.6127	0.0024	-0.0110	10
99	1081.8492	0.0053	-0.0140	9
100	1082.0812	0.0042	-0.0216	9
101	1082.3197	0.0066	-0.0226	10
102	1082.5504	0.0049	-0.0315	9
103	1082.7927	0.0022	-0.0288	9
104	1083.0397	0.0032	-0.0213	10
105	1083.2725	0.0010	-0.0281	10
106	1083.5111	0.0015	-0.0290	8
107	1083.7509	0.0029	-0.0288	9
108	1083.9944	0.0017	-0.0248	10
109	1084.2369	0.0031	-0.0219	9



**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
110	1084.4747	0.0025	-0.0237	9
111	1084.7221	0.0022	-0.0158	9
112	1084.9707	0.0039	-0.0068	10
113	1085.2050	0.0037	-0.0120	9
114	1085.4327	0.0028	-0.0239	9
115	1085.6795	0.0034	-0.0166	10
116	1085.9143	0.0088	-0.0214	10
117	1086.1501	0.0036	-0.0252	9
118	1086.3885	0.0102	-0.0263	9
119	1086.6254	0.0022	-0.0290	8
120	1086.8738	0.0038	-0.0202	9
121	1087.1055	0.0051	-0.0280	9
122	1087.3477	0.0026	-0.0254	10
123	1087.5920	0.0034	-0.0206	10
124	1087.8347	0.0030	-0.0175	9
125	1088.0724	0.0046	-0.0194	9
126	1088.3083	0.0034	-0.0230	10
127	1088.5375	0.0078	-0.0333	9
128	1088.7791	0.0059	-0.0313	9
129	1089.0249	0.0070	-0.0251	9
130	1089.2585	0.0062	-0.0311	10
131	1089.4896	0.0051	-0.0395	8
132	1089.7340	0.0043	-0.0347	9
133	1089.9752	0.0045	-0.0331	10
134	1090.2144	0.0059	-0.0334	10
135	1090.4455	0.0038	-0.0419	9
136	1090.6858	0.0035	-0.0411	9
137	1090.9312	0.0022	-0.0353	10
138	1091.1749	0.0036	-0.0311	9
139	1091.4114	0.0046	-0.0342	9
140	1091.6526	0.0027	-0.0326	9
141	1091.8868	0.0031	-0.0379	10
142	1092.1332	0.0036	-0.0311	9
143	1092.3610	0.0047	-0.0428	9
144	1092.6068	0.0038	-0.0366	9
145	1092.8472	0.0084	-0.0358	10
146	1093.0834	0.0069	-0.0391	9
147	1093.3209	0.0044	-0.0412	9
148	1093.5534	0.0051	-0.0482	10
150	1094.0402	0.0061	-0.0406	9
151	1094.2758	0.0030	-0.0446	10
152	1094.5180	0.0029	-0.0419	10
153	1094.7470	0.0073	-0.0525	9
154	1094.9936	0.0065	-0.0454	9
155	1095.2318	0.0029	-0.0467	10
156	1095.4753	0.0016	-0.0428	8
157	1095.7114	0.0041	-0.0462	9
158	1095.9745	0.0083	-0.0227	9
159	1096.2040	0.0023	-0.0328	10
160	1096.4534	0.0021	-0.0229	9
161	1096.6908	0.0042	-0.0251	9
162	1096.9279	0.0078	-0.0276	10

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
163	1097.1749	0.0053	-0.0201	10
165	1097.6396	0.0017	-0.0345	9
166	1097.9026	0.0122	-0.0111	10
167	1098.1465	0.0037	-0.0067	9
168	1098.3550	0.0078	-0.0378	9
169	1098.6110	0.0076	-0.0214	10
170	1098.8608	0.0095	-0.0111	10
171	1099.0931	0.0045	-0.0184	9
172	1099.3585	0.0048	0.0074	9
173	1099.5865	0.0098	-0.0042	10
174	1099.8218	0.0051	-0.0084	9
175	1100.0409	0.0090	-0.0288	9
176	1100.2922	0.0090	-0.0171	7
177	1100.5296	0.0050	-0.0192	10
178	1100.7843	0.0074	-0.0042	9
179	1101.0063	0.0086	-0.0217	9
180	1101.2477	0.0063	-0.0198	10
181	1101.5100	0.0024	0.0029	9
186	1102.7082	0.0099	0.0033	9
187	1102.9370	0.0064	-0.0075	9
189	1103.3898	0.0051	-0.0338	9
190	1103.6575	0.0060	-0.0057	8
191	1103.8928	0.0028	-0.0099	10
192	1104.1137	0.0100	-0.0285	10
193	1104.3629	0.0035	-0.0189	8
194	1104.6038	0.0047	-0.0176	9
195	1104.8575	0.0026	-0.0035	10
196	1105.1030	0.0073	0.0025	9
197	1105.3267	0.0051	-0.0134	9
198	1105.5630	0.0061	-0.0166	10
199	1105.8113	0.0054	-0.0079	10
200	1106.0074	0.0076	-0.0513	5
205	1107.2522	0.0034	-0.0043	9
206	1107.4912	0.0025	-0.0049	10
207	1107.7247	0.0025	-0.0110	9
208	1107.9892	0.0029	0.0140	9
209	1108.2122	0.0032	-0.0026	10
210	1108.4547	0.0018	0.0003	10
211	1108.6984	0.0027	0.0045	9
212	1108.9433	0.0033	0.0098	9
213	1109.1856	0.0021	0.0125	9
214	1109.4297	0.0029	0.0171	9
215	1109.6662	0.0029	0.0141	9
216	1109.9116	0.0035	0.0198	10
217	1110.1510	0.0041	0.0197	10
218	1110.3968	0.0048	0.0259	9
219	1110.6351	0.0040	0.0247	9
220	1110.8696	0.0025	0.0196	10
221	1111.1102	0.0027	0.0207	9
222	1111.3442	0.0031	0.0151	9
223	1111.6143	0.0049	0.0456	9
224	1111.8401	0.0037	0.0319	7

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
225	1112.0858	0.0057	0.0380	8
226	1112.3230	0.0035	0.0356	9
227	1112.5637	0.0024	0.0368	10
228	1112.8148	0.0022	0.0483	10
229	1113.0507	0.0025	0.0447	5
230	1113.2803	0.0038	0.0347	9
231	1113.5247	0.0026	0.0396	10
232	1113.7531	0.0034	0.0284	9
233	1113.9970	0.0024	0.0328	9
234	1114.2342	0.0013	0.0304	8
235	1114.4763	0.0018	0.0329	10
236	1114.7193	0.0018	0.0364	9
237	1114.9565	0.0024	0.0340	9
238	1115.2002	0.0025	0.0382	10
239	1115.4430	0.0030	0.0414	9
240	1115.6831	0.0016	0.0419	9
241	1115.9254	0.0024	0.0447	9
242	1116.1598	0.0020	0.0395	10
243	1116.3991	0.0019	0.0393	8
244	1116.6399	0.0026	0.0405	9
245	1116.8833	0.0020	0.0444	10
246	1117.1203	0.0017	0.0418	10
247	1117.3582	0.0036	0.0401	9
248	1117.6026	0.0028	0.0450	9
249	1117.8464	0.0043	0.0492	9
250	1118.0782	0.0044	0.0414	8
251	1118.3166	0.0036	0.0403	9
252	1118.5582	0.0021	0.0423	9
253	1118.7967	0.0029	0.0413	10
254	1119.0323	0.0014	0.0373	9
255	1119.2729	0.0027	0.0383	9
256	1119.5172	0.0015	0.0431	10
257	1119.7558	0.0029	0.0421	10
258	1119.9947	0.0021	0.0415	9
259	1120.2337	0.0022	0.0409	9
260	1120.4720	0.0018	0.0396	10
261	1120.7173	0.0045	0.0453	9
262	1120.9510	0.0031	0.0395	9
263	1121.1955	0.0022	0.0444	10
264	1121.4372	0.0023	0.0466	10
265	1121.6766	0.0040	0.0464	9
266	1121.9153	0.0032	0.0455	9
267	1122.1525	0.0033	0.0432	10
268	1122.3853	0.0035	0.0364	9
298	1129.5802	0.0026	0.0445	9
299	1129.8207	0.0019	0.0455	9
300	1130.0571	0.0034	0.0424	10
301	1130.2991	0.0022	0.0448	9
302	1130.5337	0.0024	0.0398	9
303	1130.7694	0.0010	0.0359	10
304	1131.0164	0.0020	0.0434	10
305	1131.2530	0.0012	0.0404	8

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
306	1131.4949	0.0020	0.0428	9
307	1131.7302	0.0012	0.0385	10
308	1131.9757	0.0027	0.0445	9
309	1132.2112	0.0021	0.0404	9
310	1132.4524	0.0016	0.0420	9
311	1132.6908	0.0012	0.0409	10
312	1132.9254	0.0037	0.0359	9
313	1133.1657	0.0023	0.0367	9
314	1133.4117	0.0020	0.0431	10
315	1133.6529	0.0018	0.0447	10
316	1133.8832	0.0024	0.0355	9
317	1134.1245	0.0035	0.0372	9
318	1134.3621	0.0022	0.0352	9
319	1134.6043	0.0041	0.0379	9
320	1134.8389	0.0043	0.0329	9
321	1135.0804	0.0028	0.0349	10
322	1135.3271	0.0034	0.0420	10
323	1135.5678	0.0049	0.0432	9
324	1135.8018	0.0032	0.0376	9
325	1136.0452	0.0047	0.0415	10
326	1136.2904	0.0029	0.0471	9
327	1136.5248	0.0014	0.0419	9
328	1136.7686	0.0019	0.0462	9
329	1137.0008	0.0016	0.0388	10
330	1137.2399	0.0025	0.0383	8
331	1137.4841	0.0022	0.0429	9
332	1137.7207	0.0024	0.0400	10
333	1137.9489	0.0041	0.0286	9
339	1139.3880	0.0036	0.0304	10
340	1139.6294	0.0015	0.0323	10
341	1139.8756	0.0023	0.0389	9
342	1140.1148	0.0031	0.0385	9
343	1140.3545	0.0022	0.0386	10
344	1140.5920	0.0021	0.0366	9
345	1140.8274	0.0014	0.0324	9
346	1141.0694	0.0014	0.0349	8
347	1141.3091	0.0023	0.0350	10
348	1141.5468	0.0025	0.0331	9
349	1141.7816	0.0022	0.0284	9
350	1142.0174	0.0026	0.0246	10
351	1142.2672	0.0011	0.0349	10
352	1142.4931	0.0017	0.0212	9
353	1142.7370	0.0020	0.0255	9
354	1142.9725	0.0021	0.0215	10
355	1143.2163	0.0033	0.0257	9
356	1143.4613	0.0022	0.0311	9
357	1143.6947	0.0023	0.0251	9
358	1143.9351	0.0026	0.0259	9
359	1144.1791	0.0022	0.0303	9
360	1144.4159	0.0028	0.0276	9
361	1144.6605	0.0034	0.0325	10
362	1144.8968	0.0015	0.0293	10

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
363	1145.1298	0.0019	0.0228	9
364	1145.3702	0.0023	0.0236	9
365	1145.6113	0.0026	0.0252	10
366	1145.8526	0.0034	0.0268	9
367	1146.0834	0.0021	0.0182	9
368	1146.3264	0.0030	0.0216	10
369	1146.5590	0.0024	0.0146	10
370	1146.8040	0.0024	0.0201	9
371	1147.0397	0.0017	0.0162	8
372	1147.2806	0.0008	0.0176	10
373	1147.5175	0.0015	0.0149	9
374	1147.7559	0.0020	0.0137	9
375	1147.9930	0.0020	0.0112	9
376	1148.2449	0.0015	0.0236	10
377	1148.4810	0.0012	0.0201	9
378	1148.7183	0.0030	0.0178	9
379	1148.9593	0.0029	0.0193	10
380	1149.2019	0.0021	0.0223	10
381	1149.4318	0.0029	0.0127	9
382	1149.6739	0.0030	0.0152	9
383	1149.9077	0.0017	0.0094	9
384	1150.1439	0.0026	0.0061	9
385	1150.3893	0.0015	0.0120	9
386	1150.6255	0.0021	0.0086	9
387	1150.8612	0.0019	0.0047	10
388	1151.1034	0.0027	0.0074	9
389	1151.3474	0.0017	0.0118	9
390	1151.5875	0.0015	0.0123	10
391	1151.8309	0.0025	0.0162	10
392	1152.0686	0.0062	0.0143	9
393	1152.3072	0.0020	0.0133	9
394	1152.5517	0.0019	0.0183	10
395	1152.7846	0.0020	0.0117	9
396	1153.0214	0.0029	0.0089	8
397	1153.2556	0.0026	0.0035	10
398	1153.5006	0.0024	0.0089	10
399	1153.7373	0.0022	0.0061	9
400	1153.9842	0.0045	0.0135	9
401	1154.2046	0.0039	-0.0057	10
402	1154.4505	0.0013	0.0006	9
403	1154.6853	0.0015	-0.0041	9
404	1154.9246	0.0010	-0.0044	9
405	1155.1637	0.0011	-0.0048	10
406	1155.4105	0.0024	0.0024	9
407	1155.6586	0.0018	0.0110	9
408	1155.8942	0.0024	0.0070	9
409	1156.1312	0.0013	0.0044	8
410	1156.3706	0.0024	0.0042	9
411	1156.6100	0.0011	0.0040	9
412	1156.8474	0.0022	0.0019	10
413	1157.0845	0.0023	-0.0006	9
414	1157.3325	0.0026	0.0079	9

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
415	1157.5669	0.0015	0.0028	10
416	1157.8039	0.0024	0.0002	10
417	1158.0364	0.0024	-0.0069	9
418	1158.2763	0.0017	-0.0065	9
419	1158.5167	0.0024	-0.0057	10
420	1158.7483	0.0023	-0.0137	9
421	1158.9903	0.0015	-0.0112	8
422	1159.2367	0.0020	-0.0043	9
423	1159.4763	0.0036	-0.0043	10
424	1159.7190	0.0014	-0.0012	9
425	1159.9607	0.0030	0.0009	9
426	1160.1931	0.0030	-0.0062	10
427	1160.4314	0.0024	-0.0074	10
428	1160.6683	0.0024	-0.0101	9
429	1160.9223	0.0024	0.0043	9
430	1161.1463	0.0040	-0.0113	10
431	1161.3892	0.0027	-0.0079	9
432	1161.6210	0.0030	-0.0157	9
433	1161.8582	0.0026	-0.0181	8
434	1162.0974	0.0025	-0.0184	10
435	1162.3371	0.0029	-0.0183	9
436	1162.5791	0.0039	-0.0158	9
437	1162.8142	0.0020	-0.0203	10
438	1163.0597	0.0021	-0.0144	10
439	1163.2981	0.0015	-0.0155	9
440	1163.5443	0.0016	-0.0089	9
441	1163.7785	0.0018	-0.0143	10
442	1164.0135	0.0033	-0.0188	9
443	1164.2632	0.0029	-0.0086	9
444	1164.4974	0.0022	-0.0140	10
445	1164.7339	0.0025	-0.0171	10
446	1164.9798	0.0035	-0.0107	9
447	1165.2125	0.0036	-0.0176	9
448	1165.4442	0.0036	-0.0254	10
449	1165.6781	0.0039	-0.0311	9
450	1165.9178	0.0093	-0.0309	9
451	1166.1444	0.0022	-0.0439	9
452	1166.4033	0.0041	-0.0245	10
453	1166.6300	0.0040	-0.0375	9
454	1166.8801	0.0023	-0.0269	9
455	1167.1160	0.0040	-0.0306	10
456	1167.3604	0.0028	-0.0258	10
457	1167.6077	0.0033	-0.0179	9
458	1167.8491	0.0018	-0.0162	8
459	1168.0878	0.0039	-0.0170	10
460	1168.3258	0.0024	-0.0186	9
461	1168.5572	0.0022	-0.0267	9
462	1168.7941	0.0037	-0.0294	9
463	1169.0289	0.0019	-0.0342	10
464	1169.2693	0.0118	-0.0333	5
468	1170.2236	0.0081	-0.0373	8
469	1170.4500	0.0067	-0.0504	8

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
470	1170.7002	0.0029	-0.0397	10
471	1170.9494	0.0034	-0.0302	9
472	1171.1833	0.0087	-0.0358	9
473	1171.4204	0.0027	-0.0383	10
474	1171.6680	0.0043	-0.0302	10
475	1171.8948	0.0071	-0.0430	9
476	1172.1428	0.0047	-0.0345	9
477	1172.3772	0.0036	-0.0397	9
478	1172.6219	0.0043	-0.0346	9
479	1172.8448	0.0053	-0.0512	9
480	1173.0956	0.0050	-0.0399	9
481	1173.3203	0.0046	-0.0548	10
482	1173.5663	0.0066	-0.0484	9
483	1173.8029	0.0085	-0.0514	9
484	1174.0437	0.0045	-0.0501	10
485	1174.2828	0.0027	-0.0506	10
486	1174.5295	0.0035	-0.0434	9
487	1174.7688	0.0055	-0.0436	9
488	1175.0113	0.0025	-0.0408	10
489	1175.2496	0.0050	-0.0420	8
490	1175.4900	0.0021	-0.0412	9
491	1175.7410	0.0025	-0.0297	9
492	1175.9773	0.0030	-0.0330	10
493	1176.2061	0.0031	-0.0437	8
495	1176.6782	0.0019	-0.0507	10
496	1176.9250	0.0033	-0.0435	10
497	1177.1558	0.0040	-0.0522	9
499	1177.6325	0.0072	-0.0547	10
500	1177.8751	0.0034	-0.0516	9
501	1178.1050	0.0052	-0.0613	9
502	1178.3530	0.0044	-0.0529	10
503	1178.6026	0.0054	-0.0428	10
504	1178.8420	0.0030	-0.0430	9
505	1179.0620	0.0039	-0.0625	8
506	1179.3195	0.0061	-0.0446	10
507	1179.5501	0.0028	-0.0535	9
508	1179.8018	0.0079	-0.0415	9
509	1180.0345	0.0065	-0.0483	9
510	1180.2647	0.0058	-0.0577	10
512	1180.7534	0.0051	-0.0481	9
515	1181.4630	0.0082	-0.0572	9
518	1182.1902	0.0028	-0.0487	9
519	1182.4201	0.0051	-0.0583	9
524	1183.6275	0.0107	-0.0487	10
527	1184.3420	0.0055	-0.0529	9
528	1184.5836	0.0068	-0.0509	10
538	1186.9988	0.0058	-0.0312	8
540	1187.4555	0.0065	-0.0537	9
543	1188.1954	0.0064	-0.0325	10
548	1189.3991	0.0088	-0.0265	9
549	1189.6117	0.0067	-0.0535	10
550	1189.8493	0.0029	-0.0554	10

**Table E5.** Times of negative-superhump maxima in KIC 9406652 during time interval 5 (BJD 2456058–2456200) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
552	1190.3468	0.0113	-0.0370	9
553	1190.6077	0.0137	-0.0157	10
554	1190.8316	0.0054	-0.0314	9
557	1191.5768	0.0090	-0.0049	10
564	1193.2208	0.0044	-0.0378	9
565	1193.4537	0.0019	-0.0445	9
566	1193.6936	0.0040	-0.0441	9
567	1193.9497	0.0046	-0.0275	9
568	1194.1761	0.0039	-0.0407	10
569	1194.4333	0.0041	-0.0231	9
570	1194.6560	0.0034	-0.0400	9
571	1194.9049	0.0025	-0.0306	10
572	1195.1423	0.0024	-0.0328	10
573	1195.3925	0.0034	-0.0222	9
574	1195.6371	0.0026	-0.0171	9
575	1195.8715	0.0028	-0.0223	10
576	1196.1181	0.0036	-0.0152	8
577	1196.3603	0.0029	-0.0125	9
578	1196.6060	0.0032	-0.0064	10
579	1196.8554	0.0059	0.0034	10
580	1197.0972	0.0016	0.0057	9
581	1197.3243	0.0039	-0.0068	9
582	1197.5688	0.0033	-0.0019	10
583	1197.8236	0.0064	0.0134	9
584	1198.0578	0.0044	0.0080	9
585	1198.2988	0.0038	0.0094	9
586	1198.5473	0.0055	0.0183	10
587	1198.7821	0.0030	0.0136	9
588	1198.9980	0.0048	-0.0100	9
589	1199.2636	0.0059	0.0160	9
590	1199.5116	0.0068	0.0244	10
591	1199.7406	0.0045	0.0138	9
592	1199.9734	0.0049	0.0071	6

\*Cycle counts.

<sup>†</sup>BJD–2455000.0.

<sup>‡</sup> $C = 2456058.1206 + 0.23956 E$ .

<sup>§</sup>Number of points used for determining the maximum.

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
0	1200.2252	0.0054	0.0034	10
1	1200.4708	0.0047	0.0092	9
2	1200.7103	0.0044	0.0089	9
3	1200.9612	0.0037	0.0199	10
4	1201.2055	0.0026	0.0245	9
5	1201.4452	0.0055	0.0244	9
6	1201.6770	0.0111	0.0164	9
7	1201.9134	0.0075	0.0130	10
8	1202.1483	0.0069	0.0081	8
9	1202.4058	0.0119	0.0258	9
10	1202.5955	0.0091	-0.0243	10
11	1202.8645	0.0080	0.0049	10
12	1203.0933	0.0029	-0.0061	9
13	1203.3406	0.0028	0.0014	8
14	1203.5798	0.0064	0.0008	10
15	1203.8273	0.0060	0.0085	10
17	1204.2696	0.0044	-0.0288	6
27	1206.6986	0.0075	0.0022	9
28	1206.9371	0.0052	0.0009	9
29	1207.1805	0.0039	0.0045	10
30	1207.4198	0.0035	0.0040	9
31	1207.6613	0.0045	0.0057	9
32	1207.8966	0.0106	0.0012	9
33	1208.1359	0.0061	0.0007	10
34	1208.3774	0.0053	0.0024	10
35	1208.6167	0.0049	0.0019	9
36	1208.8647	0.0055	0.0101	9
37	1209.1103	0.0045	0.0159	10
38	1209.3416	0.0039	0.0074	9
39	1209.5818	0.0031	0.0078	9
40	1209.8337	0.0038	0.0199	9
41	1210.0737	0.0093	0.0201	10
42	1210.3017	0.0050	0.0083	8
43	1210.5320	0.0051	-0.0012	9
44	1210.7678	0.0068	-0.0052	9
45	1211.0057	0.0053	-0.0071	10
46	1211.2471	0.0027	-0.0055	9
47	1211.4915	0.0032	-0.0009	9
48	1211.7269	0.0047	-0.0053	10
49	1211.9809	0.0047	0.0089	10
50	1212.2141	0.0052	0.0023	9
51	1212.4512	0.0017	-0.0004	9
52	1212.6990	0.0042	0.0076	10
53	1212.9455	0.0041	0.0143	10
54	1213.1804	0.0043	0.0094	9
55	1213.4269	0.0038	0.0161	9
56	1213.6644	0.0041	0.0138	10
57	1213.9014	0.0030	0.0110	9
58	1214.1395	0.0026	0.0093	9
59	1214.3710	0.0030	0.0010	9
60	1214.5970	0.0046	-0.0128	10
61	1214.8405	0.0047	-0.0091	9

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
62	1215.0752	0.0063	-0.0142	9
63	1215.3171	0.0044	-0.0121	10
64	1215.5620	0.0047	-0.0070	10
65	1215.8074	0.0032	-0.0014	9
66	1216.0409	0.0061	-0.0077	9
67	1216.2856	0.0041	-0.0028	9
68	1216.5296	0.0053	0.0014	10
69	1216.7697	0.0031	0.0017	9
70	1217.0104	0.0035	0.0026	9
71	1217.2634	0.0059	0.0158	10
72	1217.5001	0.0047	0.0127	9
73	1217.7395	0.0035	0.0123	9
74	1217.9800	0.0047	0.0130	9
75	1218.2082	0.0046	0.0014	10
76	1218.4489	0.0036	0.0023	9
77	1218.6751	0.0070	-0.0113	9
78	1218.9166	0.0048	-0.0096	9
79	1219.1499	0.0061	-0.0161	10
80	1219.4007	0.0056	-0.0051	9
81	1219.6383	0.0024	-0.0073	9
82	1219.8828	0.0041	-0.0026	10
83	1220.1348	0.0060	0.0096	8
84	1220.3608	0.0054	-0.0042	9
85	1220.6003	0.0039	-0.0044	9
86	1220.8422	0.0049	-0.0024	10
87	1221.0835	0.0067	-0.0009	10
88	1221.3334	0.0073	0.0092	9
89	1221.5588	0.0051	-0.0052	9
90	1221.8104	0.0051	0.0066	10
91	1222.0359	0.0043	-0.0077	9
92	1222.2912	0.0027	0.0078	8
93	1222.5237	0.0034	0.0005	9
94	1222.7536	0.0052	-0.0094	10
95	1222.9844	0.0043	-0.0184	9
96	1223.2181	0.0081	-0.0245	9
97	1223.4667	0.0053	-0.0157	9
98	1223.7064	0.0030	-0.0158	10
99	1223.9542	0.0040	-0.0078	9
100	1224.1955	0.0030	-0.0063	9
101	1224.4319	0.0061	-0.0097	9
102	1224.6750	0.0034	-0.0064	10
103	1224.9204	0.0047	-0.0008	9
104	1225.1524	0.0065	-0.0086	8
105	1225.4016	0.0055	0.0008	10
106	1225.6521	0.0084	0.0115	10
107	1225.8721	0.0043	-0.0083	9
108	1226.1181	0.0040	-0.0021	9
109	1226.3529	0.0027	-0.0071	9
110	1226.5873	0.0110	-0.0125	9
111	1226.8047	0.0090	-0.0349	9
112	1227.0477	0.0066	-0.0317	9
113	1227.2927	0.0052	-0.0265	10

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
114	1227.5441	0.0049	-0.0149	9
115	1227.7845	0.0034	-0.0143	9
116	1228.0165	0.0027	-0.0221	10
117	1228.2688	0.0053	-0.0096	9
118	1228.4996	0.0033	-0.0186	9
119	1228.7420	0.0047	-0.0160	9
120	1228.9797	0.0053	-0.0181	9
121	1229.2176	0.0071	-0.0200	9
122	1229.4616	0.0098	-0.0158	9
123	1229.6913	0.0063	-0.0259	9
124	1229.9426	0.0053	-0.0144	10
125	1230.1754	0.0041	-0.0214	9
126	1230.4110	0.0031	-0.0256	9
127	1230.6456	0.0047	-0.0308	9
128	1230.8831	0.0047	-0.0331	10
129	1231.1190	0.0092	-0.0370	8
130	1231.3500	0.0081	-0.0458	9
131	1231.6008	0.0087	-0.0348	9
132	1231.8515	0.0045	-0.0239	10
133	1232.0920	0.0023	-0.0232	9
134	1232.3277	0.0019	-0.0273	9
135	1232.5696	0.0037	-0.0252	10
136	1232.8085	0.0050	-0.0261	10
137	1233.0470	0.0070	-0.0274	9
138	1233.2850	0.0065	-0.0292	9
139	1233.5345	0.0073	-0.0195	10
140	1233.7751	0.0049	-0.0187	10
141	1234.0043	0.0046	-0.0293	9
142	1234.2593	0.0057	-0.0141	8
143	1234.4963	0.0043	-0.0169	10
144	1234.7001	0.0079	-0.0529	9
145	1234.9329	0.0063	-0.0599	9
146	1235.1853	0.0066	-0.0473	9
147	1235.4262	0.0063	-0.0462	10
148	1235.6580	0.0062	-0.0542	9
149	1235.9075	0.0074	-0.0445	9
150	1236.1518	0.0046	-0.0400	9
151	1236.4009	0.0044	-0.0307	10
152	1236.6375	0.0053	-0.0339	9
153	1236.8819	0.0067	-0.0293	9
154	1237.1231	0.0081	-0.0279	9
160	1238.5766	0.0062	-0.0132	9
161	1238.8263	0.0169	-0.0033	9
162	1239.0527	0.0141	-0.0167	10
167	1240.2148	0.0028	-0.0536	9
169	1240.7061	0.0026	-0.0419	9
170	1240.9427	0.0045	-0.0451	10
171	1241.1982	0.0034	-0.0294	9
172	1241.4413	0.0031	-0.0261	9
173	1241.6885	0.0013	-0.0187	10
174	1241.9513	0.0048	0.0043	10
175	1242.1883	0.0044	0.0015	8

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^\ddagger$	$N^\S$
176	1242.4392	0.0035	0.0126	9
177	1242.6911	0.0046	0.0247	9
178	1242.9511	0.0035	0.0449	9
185	1244.5217	0.0056	-0.0631	10
186	1244.7841	0.0037	-0.0405	9
187	1245.0253	0.0039	-0.0391	9
188	1245.2708	0.0060	-0.0334	10
189	1245.5135	0.0078	-0.0305	8
190	1245.7598	0.0070	-0.0240	6
215	1251.7650	0.0089	-0.0138	10
216	1252.0195	0.0033	0.0009	9
217	1252.2542	0.0055	-0.0042	8
218	1252.4932	0.0077	-0.0050	9
219	1252.7627	0.0072	0.0247	10
220	1253.0096	0.0017	0.0318	9
221	1253.2099	0.0087	-0.0077	9
223	1253.7169	0.0066	0.0197	10
224	1253.9600	0.0104	0.0230	9
225	1254.1974	0.0069	0.0206	9
226	1254.4370	0.0057	0.0204	10
227	1254.6807	0.0046	0.0243	10
228	1254.9343	0.0038	0.0381	9
229	1255.1627	0.0068	0.0267	8
230	1255.4256	0.0038	0.0498	10
231	1255.6599	0.0057	0.0443	10
232	1255.9345	0.0094	0.0791	9
235	1256.5428	0.0099	-0.0320	9
236	1256.8003	0.0090	-0.0143	9
237	1257.0329	0.0049	-0.0215	9
238	1257.2811	0.0053	-0.0131	10
239	1257.5225	0.0070	-0.0115	9
240	1257.7657	0.0047	-0.0081	9
241	1258.0192	0.0101	0.0056	10
242	1258.2676	0.0101	0.0142	9
243	1258.5071	0.0090	0.0139	9
244	1258.7423	0.0103	0.0093	9
245	1258.9992	0.0047	0.0264	10
246	1259.2577	0.0083	0.0451	10
247	1259.4836	0.0055	0.0312	9
248	1259.7263	0.0054	0.0341	9
249	1259.9766	0.0074	0.0446	10
250	1260.2108	0.0099	0.0390	10
251	1260.4096	0.0091	-0.0020	9
252	1260.6396	0.0101	-0.0118	9
253	1260.9272	0.0074	0.0360	10
254	1261.1404	0.0024	0.0094	8
255	1261.3826	0.0049	0.0118	9
256	1261.6311	0.0058	0.0205	9
257	1261.8580	0.0128	0.0076	10
258	1262.1193	0.0076	0.0291	9
259	1262.3571	0.0078	0.0271	9
260	1262.5972	0.0103	0.0274	10

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
261	1262.8451	0.0068	0.0355	10
262	1263.0853	0.0055	0.0359	9
263	1263.3273	0.0042	0.0381	9
264	1263.5649	0.0043	0.0359	10
265	1263.8157	0.0057	0.0469	10
268	1264.5439	0.0102	0.0557	10
270	1264.9841	0.0121	0.0163	9
271	1265.1998	0.0059	-0.0078	9
272	1265.4500	0.0040	0.0026	10
273	1265.6967	0.0050	0.0095	9
274	1265.9571	0.0067	0.0301	9
275	1266.1912	0.0132	0.0244	9
276	1266.4241	0.0074	0.0175	10
277	1266.6730	0.0026	0.0266	9
278	1266.9106	0.0037	0.0244	9
279	1267.1521	0.0042	0.0261	9
280	1267.3927	0.0042	0.0268	10
281	1267.6288	0.0050	0.0232	9
282	1267.8722	0.0045	0.0268	9
283	1268.1099	0.0068	0.0247	10
288	1269.2886	0.0107	0.0044	6
289	1269.5321	0.0031	0.0081	9
290	1269.7762	0.0029	0.0124	9
291	1270.0138	0.0066	0.0102	10
292	1270.2650	0.0068	0.0216	9
293	1270.5035	0.0037	0.0203	9
294	1270.7549	0.0060	0.0319	9
295	1270.9914	0.0049	0.0286	10
296	1271.2229	0.0059	0.0203	9
297	1271.4719	0.0044	0.0295	9
298	1271.7111	0.0030	0.0289	10
299	1271.9597	0.0037	0.0377	10
300	1272.1982	0.0050	0.0364	9
301	1272.4486	0.0103	0.0470	9
302	1272.6887	0.0131	0.0473	10
303	1272.9114	0.0036	0.0302	10
304	1273.1460	0.0125	0.0250	9
305	1273.3722	0.0049	0.0114	9
306	1273.6113	0.0056	0.0107	10
307	1273.8547	0.0040	0.0143	8
308	1274.0958	0.0065	0.0156	9
309	1274.3402	0.0086	0.0202	9
310	1274.5820	0.0088	0.0222	10
311	1274.8318	0.0047	0.0322	9
312	1275.0746	0.0047	0.0352	9
313	1275.3064	0.0070	0.0272	10
314	1275.5532	0.0043	0.0342	10
315	1275.7865	0.0033	0.0277	9
316	1276.0144	0.0035	0.0158	9
317	1276.2751	0.0059	0.0367	10
318	1276.5033	0.0059	0.0251	10
319	1276.7347	0.0094	0.0167	9

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
320	1276.9715	0.0035	0.0137	9
321	1277.1841	0.0063	-0.0135	10
322	1277.4394	0.0057	0.0020	10
323	1277.6743	0.0031	-0.0029	9
324	1277.9237	0.0032	0.0067	9
325	1278.1623	0.0051	0.0055	10
326	1278.4044	0.0063	0.0078	9
327	1278.6387	0.0068	0.0023	9
328	1278.8811	0.0033	0.0049	9
329	1279.1430	0.0047	0.0270	10
330	1279.3761	0.0058	0.0203	9
331	1279.6141	0.0067	0.0185	9
332	1279.8501	0.0068	0.0147	9
333	1280.0961	0.0052	0.0209	10
334	1280.3335	0.0024	0.0185	9
335	1280.5810	0.0064	0.0262	9
336	1280.7878	0.0068	-0.0068	10
337	1281.0237	0.0058	-0.0107	10
338	1281.2629	0.0088	-0.0113	9
339	1281.4975	0.0066	-0.0165	9
340	1281.7482	0.0046	-0.0056	10
341	1281.9919	0.0050	-0.0017	9
342	1282.2332	0.0035	-0.0002	9
343	1282.4761	0.0054	0.0029	9
344	1282.7277	0.0085	0.0147	9
345	1282.9523	0.0073	-0.0005	9
346	1283.2007	0.0080	0.0081	9
347	1283.4492	0.0068	0.0168	8
348	1283.6905	0.0046	0.0183	10
349	1283.9244	0.0027	0.0124	9
350	1284.1633	0.0032	0.0115	9
351	1284.4205	0.0105	0.0289	10
352	1284.6455	0.0048	0.0141	10
353	1284.8972	0.0079	0.0260	9
354	1285.0960	0.0094	-0.0150	9
355	1285.3571	0.0065	0.0063	10
356	1285.5650	0.0115	-0.0256	10
357	1285.8150	0.0070	-0.0154	8
358	1286.0523	0.0025	-0.0179	9
359	1286.3119	0.0051	0.0019	10
360	1286.5419	0.0047	-0.0079	9
361	1286.7898	0.0089	0.0002	9
362	1287.0279	0.0059	-0.0015	9
363	1287.2680	0.0046	-0.0012	10
364	1287.5087	0.0065	-0.0003	9
365	1287.7598	0.0054	0.0110	9
366	1287.9930	0.0071	0.0044	9
367	1288.2418	0.0034	0.0134	10
368	1288.4776	0.0061	0.0094	9
370	1288.9856	0.0166	0.0378	10
372	1289.3784	0.0187	-0.0490	9
374	1289.8749	0.0050	-0.0321	10

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
375	1290.1229	0.0055	-0.0239	10
376	1290.3727	0.0031	-0.0139	9
377	1290.6165	0.0017	-0.0099	9
378	1290.8573	0.0075	-0.0089	10
379	1291.0862	0.0130	-0.0198	9
380	1291.3425	0.0070	-0.0033	9
381	1291.5868	0.0065	0.0012	9
382	1291.8480	0.0083	0.0226	9
383	1292.0637	0.0078	-0.0015	9
384	1292.3174	0.0067	0.0124	9
385	1292.5529	0.0036	0.0081	10
386	1292.8060	0.0123	0.0214	10
391	1293.9519	0.0170	-0.0317	9
392	1294.1898	0.0046	-0.0336	9
393	1294.4432	0.0049	-0.0200	10
394	1294.6733	0.0100	-0.0297	8
395	1294.9367	0.0058	-0.0061	9
396	1295.1457	0.0131	-0.0369	9
397	1295.4108	0.0100	-0.0116	10
398	1295.6615	0.0127	-0.0007	9
399	1295.8812	0.0086	-0.0208	9
400	1296.1500	0.0102	0.0082	9
401	1296.3925	0.0127	0.0109	10
402	1296.6360	0.0061	0.0146	9
403	1296.8658	0.0061	0.0046	9
404	1297.1309	0.0170	0.0299	10
409	1298.2441	0.0128	-0.0559	10
410	1298.5046	0.0040	-0.0352	9
411	1298.7533	0.0043	-0.0263	9
412	1298.9999	0.0075	-0.0195	10
413	1299.2318	0.0079	-0.0274	9
414	1299.4665	0.0110	-0.0325	9
415	1299.6961	0.0130	-0.0427	9
416	1299.9689	0.0079	-0.0097	10
417	1300.2323	0.0073	0.0139	9
418	1300.4503	0.0124	-0.0079	9
419	1300.6939	0.0089	-0.0041	8
420	1300.9542	0.0199	0.0164	10
425	1302.0573	0.0100	-0.0795	9
426	1302.3156	0.0089	-0.0610	9
427	1302.5699	0.0054	-0.0465	10
428	1302.8174	0.0064	-0.0388	10
429	1303.0627	0.0092	-0.0333	9
430	1303.3074	0.0068	-0.0284	9

**Table E6.** Times of negative-superhump maxima in KIC 9406652 during time interval 6 (BJD 2456200–2456312) (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
431	1303.5506	0.0143	-0.0250	9
444	1306.6458	0.0087	-0.0472	8
445	1306.8956	0.0069	-0.0372	9
446	1307.1213	0.0095	-0.0513	10
447	1307.3711	0.0059	-0.0413	10
455	1309.2427	0.0132	-0.0881	9
459	1310.2207	0.0173	-0.0693	6

\*Cycle counts.

†BJD–2455000.0.

‡  $C = 2456200.2252 + 0.2398 E$ .

§Number of points used for determining the maximum.



**Table E7.** Times of maxima of super-orbital modulations in KIC 9406652 during BJD 2455296–2456312.

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
0	111.2111	0.0649	0.5510	160
1	114.8191	0.0744	0.0309	161
2	118.6719	0.0537	-0.2446	160
3	122.8481	0.0285	-0.1966	160
4	127.5496	0.0477	0.3766	160
5	131.3386	0.0354	0.0375	161
6	136.7092	0.0840	1.2799	126
10	153.1571	0.0512	1.2149	159
11	156.8011	0.0519	0.7307	160
12	160.3680	0.0478	0.1693	160
13	165.1691	0.0665	0.8422	159
14	168.9000	0.0511	0.4449	161
15	173.2239	0.0585	0.6406	122
16	177.3479	0.0325	0.6364	161
17	181.2534	0.0261	0.4137	158
18	185.2329	0.0250	0.2650	160
19	189.3859	0.0212	0.2898	160
20	193.1056	0.0184	-0.1187	161
21	196.5439	0.0355	-0.8087	160
26	217.8049	0.0914	-0.1888	161
27	221.7506	0.0760	-0.3713	158
28	225.6344	0.0434	-0.6156	160
29	230.3823	0.0558	0.0040	113
32	242.0010	0.0521	-0.7619	160
33	246.4117	0.0356	-0.4795	161
34	250.3745	0.0544	-0.6449	159
36	258.6454	0.0594	-0.6304	161
38	266.8897	0.0374	-0.6425	161
39	270.6515	0.0826	-1.0089	161
40	274.3019	0.0498	-1.4868	161
41	279.0799	0.0550	-0.8370	160
42	283.1797	0.0601	-0.8654	161
43	287.2059	0.1183	-0.9674	160
48	308.7004	0.0383	-0.1140	160
50	317.0621	0.0421	-0.0087	161
53	329.0555	0.0209	-0.4000	161
54	332.3752	0.0756	-1.2084	161
55	336.9099	0.0335	-0.8020	160
56	341.6020	0.0390	-0.2381	159
57	345.8326	0.0758	-0.1357	156
63	370.7341	0.0570	-0.0035	161
64	374.8410	0.0865	-0.0248	160
67	388.3625	0.0330	1.1120	160
68	392.0250	0.0494	0.6463	159
70	400.5309	0.0464	0.8958	161
72	408.8604	0.0272	0.9688	160
73	412.7953	0.0185	0.7755	159
74	417.0991	0.0265	0.9512	160
75	420.9504	0.0555	0.6742	158
76	424.8580	0.0677	0.4536	157
77	429.6580	0.1227	1.1253	161
80	443.4263	0.0529	2.5090	160

**Table E7.** Times of maxima of super-orbital modulations in KIC 9406652 during BJD 2455296–2456312 (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
81	447.5069	0.0323	2.4615	160
82	450.9693	0.0294	1.7956	157
83	455.0399	0.0317	1.7380	160
84	458.7953	0.0331	1.3652	160
85	463.0295	0.0288	1.4712	158
86	466.8901	0.0714	1.2036	161
91	487.9718	0.0595	1.6442	161
93	496.1696	0.0605	1.5856	161
101	526.0904	0.1044	-1.5194	160
102	530.9681	0.0460	-0.7699	161
103	534.7121	0.0175	-1.1541	160
104	539.0250	0.1012	-0.9694	116
105	543.4223	0.1705	-0.7003	159
108	556.5749	0.1544	0.0676	160
109	558.2739	0.4324	-2.3616	161
111	568.6020	0.0960	-0.2900	129
112	572.8341	0.0523	-0.1860	160
114	580.4566	0.0178	-0.8200	161
115	584.3340	0.0587	-1.0708	161
120	605.7358	0.0317	-0.3101	159
121	609.7151	0.0357	-0.4590	160
122	613.4503	0.0328	-0.8520	161
123	617.7719	0.0411	-0.6586	160
124	621.1387	0.0655	-1.4201	161
126	629.8687	0.2195	-0.9464	160
128	638.5355	0.0972	-0.5361	158
129	643.3265	0.0814	0.1267	157
130	646.8133	0.0368	-0.5148	158
131	650.9864	0.0422	-0.4698	159
132	655.7686	0.0476	0.1841	158
133	658.7354	0.0618	-0.9773	158
134	663.3220	0.0687	-0.5189	157
137	674.6903	0.1743	-1.5352	159
138	679.7192	0.0535	-0.6346	161
139	684.6476	0.0234	0.1657	160
145	710.4795	0.0204	1.2283	161
147	717.5499	0.0183	0.0422	159
148	722.2685	0.0180	0.6327	158
149	725.6601	0.0257	-0.1040	158
150	729.1576	0.0552	-0.7347	152
157	758.6000	0.0384	-0.1899	124
158	762.8501	0.0566	-0.0679	159
162	779.6379	0.0363	0.2070	160
163	782.2866	0.0861	-1.2725	161
164	788.2415	0.0794	0.5542	117
171	815.5111	0.0943	-1.0737	125
172	820.9808	0.0321	0.2678	159
173	824.8609	0.0435	0.0197	160
174	829.4060	0.0264	0.4365	157
175	833.3556	0.0249	0.2579	156
176	837.3334	0.0313	0.1075	159
181	858.3365	0.0426	0.4695	158

**Table E7.** Times of maxima of super-orbital modulations in KIC 9406652 during BJD 2455296–2456312 (continued).

$E^*$	Max <sup>†</sup>	Error	$O - C^{\ddagger}$	$N^{\S}$
182	862.6130	0.0152	0.6178	156
183	866.6476	0.0204	0.5242	158
184	870.6212	0.0167	0.3695	161
185	875.1957	0.0218	0.8159	158
186	879.2613	0.0314	0.7532	114
187	882.8930	0.0270	0.2568	161
188	886.9308	0.0279	0.1663	159
189	891.1798	0.0326	0.2871	158
190	894.8272	0.0304	-0.1937	161
191	898.9136	0.0530	-0.2356	159
192	903.4744	0.1187	0.1971	139
196	920.7449	0.0275	0.9547	161
199	933.2093	0.0423	1.0344	161
200	936.7988	0.0520	0.4957	139
201	941.4188	0.0418	0.9876	161
202	944.7597	0.0305	0.2002	160
203	949.0009	0.0206	0.3132	161
204	952.7005	0.0291	-0.1154	161
206	960.6502	0.0116	-0.4222	161
207	964.5549	0.0186	-0.6456	160
208	968.3082	0.0274	-1.0206	127
209	972.2822	0.0237	-1.1748	160
210	976.1168	0.0631	-1.4684	160
211	980.3630	0.0583	-1.3504	159
214	992.5808	0.1667	-1.5172	161
215	996.4274	0.0979	-1.7989	161
218	1009.2902	0.1101	-1.3208	160
219	1014.2534	0.0191	-0.4858	160
220	1017.5596	0.0388	-1.3077	161
221	1022.4393	0.0245	-0.5563	161
222	1026.1133	0.0515	-1.0105	160
223	1030.3415	0.0456	-0.9105	157
224	1034.5395	0.0737	-0.8407	161
234	1076.1810	0.0482	-0.4814	158
235	1080.5010	0.0980	-0.2896	160
236	1084.3010	0.0413	-0.6178	159
237	1089.0255	0.0204	-0.0216	161
238	1093.1552	0.0242	-0.0200	160
240	1101.4316	0.0787	-0.0001	161

\* Cycle counts.

<sup>†</sup> BJD–2455000.0.

<sup>‡</sup>  $C = 2455111.2111 + 4.128215 E$ .

<sup>§</sup> Number of points used for determining the maximum.

**Table E8.** Results of the regression for the model of form,  $a \cos(2\pi(\varphi - b)) + 1$  during BJD 2455318–2456312 in subsection 3.4.2 in the main texts. The  $p$  value is less than  $2.0 \times 10^{-16}$ .

Start	End	$a$	Error of $a^*$	$b$	Error of $b^*$
296.7610	346.7610	0.0210	0.0011	0.6678	0.0081
346.7610	396.7610	0.0535	0.0010	0.0620	0.0030
396.7610	446.7610	0.0248	0.0011	0.3773	0.0073
446.7610	496.7610	0.0207	0.0009	0.3952	0.0066
496.7610	552.4667	0.0417	0.0012	0.1258	0.0047
568.5679	608.5679	0.0256	0.0011	0.5406	0.0067
608.5679	642.9667	0.0320	0.0018	0.3494	0.0089
643.2119	688.2119	0.0155	0.0007	0.2776	0.0077
688.2119	733.2119	0.0062	0.0005	0.1809	0.0121
733.2119	778.2119	0.0242	0.0011	0.6461	0.0070
778.2119	823.2119	0.0299	0.0014	0.6034	0.0077
823.2119	852.9864	0.0226	0.0009	0.1600	0.0064
875.0130	920.0130	0.0228	0.0018	0.0898	0.0122
920.0130	965.0130	0.0097	0.0007	-0.1629	0.0122
965.0130	1010.0130	0.0062	0.0008	0.5853	0.0208
1010.0130	1057.8930	0.0236	0.0005	0.4130	0.0032
1058.1380	1108.1380	0.0518	0.0006	0.5606	0.0019
1108.1380	1158.1380	0.0450	0.0014	0.1785	0.0049
1158.1380	1184.9920	0.0387	0.0009	0.4744	0.0038
1200.2360	1260.2360	0.0208	0.0008	0.4180	0.0060
1260.2360	1310.2050	0.0141	0.0005	0.3982	0.0060

\*The standard errors.