

Supplemental Material for “Simultaneous γ -ray and electron spectroscopy of 182,184,186Hg isotopes”

M. Stryjczyk,^{1,2,*} B. Andel,^{1,3,†} J. G. Cubiss,^{4,5,†} K. Rezynkina,^{1,6,†} T. R. Rodríguez,^{7,8} J. E. García-Ramos,^{9,10}
A. N. Andreyev,^{5,11} J. Pakarinen,^{2,12} P. Van Duppen,¹ S. Antalic,³ T. Berry,¹³ M. J. G. Borge,^{14,4} C. Clisu,¹⁵
D. M. Cox,¹⁶ H. De Witte,¹ L. M. Fraile,⁸ H. O. U. Fynbo,¹⁷ L. P. Gaffney,^{4,18} L. J. Harkness-Brennan,¹⁸ M. Huyse,¹
A. Illana,^{19,2,8} D. S. Judson,¹⁸ J. Konki,⁴ J. Kurcewicz,⁴ I. Lazarus,²⁰ R. Lica,^{15,4} M. Madurga,⁴ N. Marginean,¹⁵
R. Marginean,¹⁵ C. Mihai,¹⁵ P. Mosat,³ E. Nacher,²¹ A. Negret,¹⁵ J. Ojala,^{2,12} J. D. Ovejas,¹⁴ R. D. Page,¹⁸
P. Papadakis,^{18,20} S. Pascu,¹⁵ A. Perea,¹⁴ Zs. Podolyák,¹³ L. Próchniak,²² V. Pucknell,²⁰ E. Rapisarda,⁴
F. Rotaru,¹⁵ C. Sotty,¹⁵ O. Tengblad,¹⁴ V. Vedia,⁸ S. Viñals,¹⁴ R. Wadsworth,⁵ N. Warr,²³ and K. Wrzosek-Lipska²²
(IDS Collaboration)

¹*KU Leuven, Instituut voor Kern- en Stralingsfysica, Celestijnenlaan 200D, 3001 Leuven, Belgium*

²*University of Jyväskylä, Department of Physics, Accelerator laboratory,
P.O. Box 35, FI-40014 University of Jyväskylä, Finland*

³*Department of Nuclear Physics and Biophysics,
Comenius University in Bratislava, 84248 Bratislava, Slovakia*

⁴*ISOLDE, CERN, CH-1211 Geneva 23, Switzerland*

⁵*School of Physics, Engineering and Technology,
University of York, York, YO10 5DD, United Kingdom*

⁶*INFN Sezione di Padova, I-35131 Padova, Italy*

⁷*Departamento de Física Teórica and Centro de Investigación Avanzada en Física Fundamental,
Universidad Autónoma de Madrid, E-28049 Madrid, Spain*

⁸*Grupo de Física Nuclear, Universidad Complutense de Madrid, 28040, Madrid, Spain*

⁹*Departamento de Ciencias Integradas y Centro de Estudios Avanzados en Física,
Matemática y Computación, Universidad de Huelva, 21071 Huelva, Spain*

¹⁰*Instituto Carlos I de Física Teórica y Computacional,
Universidad de Granada, Fuentenueva s/n, 18071 Granada, Spain*

¹¹*Advanced Science Research Center, Japan Atomic Energy Agency, Tokai-mura, Japan*

¹²*Helsinki Institute of Physics, University of Helsinki, P.O. Box 64, FI-00014, Helsinki, Finland*

¹³*Department of Physics, University of Surrey, Guildford GU2 7XH, United Kingdom*

¹⁴*Instituto de Estructura de la Materia, CSIC, Serrano 113 bis, E-28006 Madrid, Spain*

¹⁵*“Horia Hulubei” National Institute for Physics and Nuclear Engineering, RO-077125 Bucharest, Romania*

¹⁶*Department of Physics, Lund University, Lund S-22100, Sweden*

¹⁷*Department of Physics and Astronomy, Aarhus University, DK-8000 Aarhus C, Denmark*

¹⁸*Department of Physics, Oliver Lodge Laboratory,
University of Liverpool, Liverpool L69 7ZE, United Kingdom*

¹⁹*Istituto Nazionale di Fisica Nucleare, Laboratori Nazionali di Legnaro, Legnaro 35020, Italy*

²⁰*STFC Daresbury Laboratory, Daresbury, Warrington WA4 4AD, United Kingdom*

²¹*Instituto de Física Corpuscular, CSIC - Universidad de Valencia, E-46980, Valencia, Spain*

²²*Heavy Ion Laboratory, University of Warsaw, PL-02-093, Warsaw, Poland*

²³*Institut für Kernphysik, Universität zu Köln, 50937 Köln, Germany*

(Dated: May 25, 2023)

The γ -ray intensities were extracted from the γ -ray singles energy spectra, unless it was not possible due to the overlap with lines from daughter nuclei, low γ -ray intensity or a complex peak structure. These transitions are labeled with an asterisk (*) in the following tables.

The branching ratios Br_γ in Tables I, III and V are calculated using the formula:

$$Br_\gamma = 100 \times \frac{N_\gamma}{N_\gamma^s}, \quad (1)$$

where N_γ and N_γ^s are the efficiency-corrected numbers

of counts of the γ -ray of interest and the strongest γ ray de-exciting a given state, respectively. In case of the transition intensities I_γ in Tables II, IV and VI, they are calculated as follows:

$$I_\gamma = 100 \times \frac{N_\gamma}{N_\gamma(2_1^+ \rightarrow 0_1^+)}, \quad (2)$$

where where N_γ and $N_\gamma(2_1^+ \rightarrow 0_1^+)$ are the efficiency-corrected numbers of counts of the γ -ray of interest and the $2_1^+ \rightarrow 0_1^+$ γ ray in a given nucleus, respectively. The uncertainties were calculated using a standard propagation method.

Decay schemes have the same color code as in the manuscript: levels and transitions known from the previous β -decay studies are plotted in black, shifted in the

* marek.m.stryjczyk@jyu.fi, he/him

† These authors contributed equally

decay scheme in blue, known from other studies in green and newly identified in red. Please note that the lower and upper part of each page is on a different scale for visualization purposes.

TABLE I: Transition properties obtained in the present work for ^{182}Hg . Level energies, spins and parities of the initial (E_i , J_i^π) and final (E_f , J_f^π) states, transition energies (E_t) and γ -branching ratios (Br_γ) have been listed. Pure $E0$ transitions are written in italics. The spins and parities of the states are taken from this work and Ref. [1].

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_t (keV)	Br_γ
335.0(1)	0 ⁺	0.0	0 ⁺	<i>335.0(1)</i>	<i>100</i>
351.1(1)	2 ⁺	0.0	0 ⁺	351.1(1)	100(5)
547.6(1)	2 ⁺	335.0(1)	0 ⁺	16.1(2)	$5.8(8) \times 10^{-5}$ ¹
		0.0	0 ⁺	547.6(1)	100(5)
		335.0(1)	0 ⁺	212.6(1)	4.8(6)*
		351.1(1)	2 ⁺	196.5(1)	6.7(8)*
612.0(1)	4 ⁺	351.1(1)	2 ⁺	260.9(1)	100
944.4(1)	6 ⁺	612.0(1)	4 ⁺	332.4(1)	100
972.6(1)	2 ⁺	0.0	0 ⁺	972.6(1)	< 4.0 ²
		335.0(1)	0 ⁺	637.7(1)	97(10)*
		351.1(1)	2 ⁺	621.5(1)	100(5)
1073.8(1)		351.1(1)	2 ⁺	722.7(1)	100(5)
		547.6(1)	2 ⁺	526.2(1)	68(5)*
		612.0(1)	4 ⁺	462.0(2)	30(7)*
1123.9(1)	4 ⁺	351.1(1)	2 ⁺	772.8(1)	51(4)*
		547.6(1)	2 ⁺	576.4(1)	100(5)*
		612.0(1)	4 ⁺	511.9(1)	9.9(59) ³
1295.0(1)		351.1(1)	2 ⁺	943.9(1)	< 0.7 ²
		547.6(1)	2 ⁺	747.5(1)	100(5)
		612.0(1)	4 ⁺	683.1(1)	30(2)
		972.6(1)	2 ⁺	322.4(1)	5.7(4)
1357.5(1)	8 ⁺	944.4(1)	6 ⁺	413.1(1)	100
1382.3(1)		612.0(1)	4 ⁺	770.2(1)	100(5)*
		944.4(1)	6 ⁺	438.0(1)	15.7(15)*
		1073.8(1)		308.5(1)	23.8(18)
1507.4(1)	3 ⁻ , 4 ⁺	351.1(1)	2 ⁺	1156.4(1)	100(6)*
		547.6(1)	2 ⁺	959.8(1)	58(6)*
		972.6(1)	2 ⁺	534.8(1)	16.0(15)
1530.6(1)	(6) ⁺	612.0(1)	4 ⁺	918.5(1)	22.0(17)
		944.4(1)	6 ⁺	586.3(1)	100(5)
		1123.9(1)	4 ⁺	406.7(1)	63(5)
1547.4(1)	4 ⁺	351.1(1)	2 ⁺	1196.3(1)	100(5)
		612.0(1)	4 ⁺	935.4(2)	54(9)*
		944.4(1)	6 ⁺	603.0(2)	27(3)*
1673.8(1)		972.6(1)	2 ⁺	701.3(1)	100(77)*
		1073.8(1)		600.0(1)	45(35)*
1718.5(1)	3 ⁻ , 4 ⁺	351.1(1)	2 ⁺	1367.2(5)	12.5(45)*
		547.6(1)	2 ⁺	1171.0(1)	100(5)
		1073.8(1)		644.7(2)	28(6)*
		1295.0(1)		423.2(2)	26(5)*
		1507.4(1)	3 ⁻ , 4 ⁺	211.0(2)	< 12 ⁴
1760.6(1)		944.4(1)	6 ⁺	816.0(1)	100(5)
		1357.5(1)	8 ⁺	403.1(2)	3.9(13)
		1382.3(1)		378.3(1)	68(7)*
1766.1(1)	(5) ⁻	612.0(1)	4 ⁺	1154.2(1)	33(4)*
		1123.9(1)	4 ⁺	642.2(2)	23(4)*
		1295.0(1)		471.0(1)	100(5)
		1507.4(1)	3 ⁻ , 4 ⁺	258.4(2)	17(6)*
		1547.4(1)	4 ⁺	218.6(2)	10(2)*
1787.2(1)		1073.8(1)		713.5(1)	100(9)*

Continued Table I

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_t (keV)	Br_γ
		1123.9(1)	4 ⁺	663.1(3)	10(3)*
1794.3(1)		612.0(1)	4 ⁺	1182.3(2)	100(15)*
		944.4(1)	6 ⁺	849.9(1)	40(7)
1816.3(1)		547.6(1)	2 ⁺	1268.7(1)	100
1820.7(1)		612.0(1)	4 ⁺	1208.7(1)	98(7)
		944.4(1)	6 ⁺	876.6(3)	41(9)*
		1123.9(1)	4 ⁺	696.7(1)	100(5)
		1295.0(1)		525.7(1)	72(10)*
1843.8(2)	10 ⁺	1357.5(1)	8 ⁺	486.3(1)	100
1849.9(2)		1123.9(1)	4 ⁺	726.1(1)	75.6(58)
		1295.0(1)		554.6(1)	100.0(54)
		1382.3(1)		467.8(1)	99.5(76)
1932.6(1)		1073.8(1)		858.7(1)	100
1942.4(2)	(8) ⁺	1530.6(1)	(6) ⁺	411.8(2)	100
1962.9(1)		1073.8(1)		889.2(1)	100(11)*
		1507.4(1)	3 ⁻ , 4 ⁺	455.3(2)	22(6)*
1963.5(1)		1123.9(1)	4 ⁺	839.6(1)	100(5)
		1295.0(1)		668.4(2)	24(5)*
1964.0(2)		612.0(1)	4 ⁺	1352.0(1)	54(16)
		944.4(1)	6 ⁺	1019.4(1)	46(13)
		1382.3(1)		582.0(4)	95(39)*
		1547.4(1)	4 ⁺	416.9(4)	100(27)*
1984.9(1)	(5) ⁻	612.0(1)	4 ⁺	1372.8(1)	29(2)
		944.4(1)	6 ⁺	1040.7(3)	3.6(18)*
		1123.9(1)	4 ⁺	861.0(1)	100(5)
		1295.0(1)		689.7(1)	47(3)
		1507.4(1)	3 ⁻ , 4 ⁺	477.4(1)	14.4(11)
		1673.8(1)		311.2(1)	5.1(5)
		1766.1(1)	(5) ⁻	219.1(2)	12(2)*
2004.9(1)	(7) ⁻	944.4(1)	6 ⁺	1060.6(3)	16(5)*
		1766.1(1)	(5) ⁻	238.8(1)	100(6)
2009.0(2)		1718.5(1)	3 ⁻ , 4 ⁺	290.5(1)	100
2009.7(2)		1073.8(1)		936.0(2)	26(4)*
		1123.9(1)	4 ⁺	886.0(1)	37(4)*
		1382.3(1)		627.2(1)	100(5)
		1787.2(1)		222.2(3)	7(2)*
2025.4(1)		612.0(1)	4 ⁺	1413.4(1)	100(5)
		1073.8(1)		951.5(1)	58(6)
2036.5(2)	(5) ⁻	612.0(1)	4 ⁺	1424.9(2)	32(8)*
		944.4(1)	6 ⁺	1092.2(1)	12.2(12)
		1123.9(1)	4 ⁺	912.5(1)	100(8)*
		1295.0(1)		741.5(2)	48(9)*
		1673.8(1)		362.7(3)	10(3)*
2052.8(2)		612.0(1)	4 ⁺	1440.7(1)	71(6)
		1073.8(1)		979.3(2)	81(13)*
		1123.9(1)	4 ⁺	928.7(1)	100(6)
2059.4(1)		1295.0(1)		764.2(2)	100(15)*
		1382.3(1)		677.2(2)	56(14)*
2097.3(1)		547.6(1)	2 ⁺	1549.8(1)	100
2099.0(2)		612.0(1)	4 ⁺	1487.0(1)	100
2108.2(1)		1295.0(1)		813.1(1)	100(9)*
		1547.4(1)	4 ⁺	560.8(2)	10(3)*
2121.4(1)		612.0(1)	4 ⁺	1509.4(1)	100
2138.8(1)		1295.0(1)		843.7(1)	100
2139.6(2)		1382.3(1)		757.3(2)	100
2151.5(4)		1507.4(1)	3 ⁻ , 4 ⁺	644.0(4)	100
2152.2(1)		1123.9(1)	4 ⁺	1028.3(1)	100
2161.9(1)		1295.0(1)		866.9(1)	100
2173.7(2)		1295.0(1)		878.3(5)	78(53)*
		1382.3(1)		791.4(2)	100(28)*
2186.7(2)		1530.6(1)	(6) ⁺	656.1(2)	100

Continued Table I

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_t (keV)	Br_γ
2187.7(1)		612.0(1)	4^+	1575.7(1)	100
2192.1(2)		1530.6(1)	$(6)^+$	661.4(2)	100
2207.1(1)		1760.6(1)		446.5(1)	100
2235.3(2)		944.4(1)	6^+	1291.1(4)	6.2(19)
		1382.3(1)		853.1(1)	100(5)
		1530.6(1)	$(6)^+$	704.2(2)	6.5(12)
2237.2(2)		1507.4(1)	$3^-, 4^+$	729.7(2)	100
2241.2(2)		944.4(1)	6^+	1296.8(1)	100
2242.6(3)		1530.6(1)	$(6)^+$	711.9(3)	100
2276.5(2)		1530.6(1)	$(6)^+$	745.9(2)	100
2283.7(2)		1530.6(1)	$(6)^+$	753.1(2)	100
2285.5(1)		612.0(1)	4^+	1673.4(1)	100(5)
		944.4(1)	6^+	1341.0(1)	86(7)
		1766.1(1)	(5^-)	519.5(2)	51(16)*
		1787.2(1)		498.9(5)	18(6)*
2304.9(1)		944.4(1)	6^+	1360.5(1)	100
2307.7(3)		944.4(1)	6^+	1363.3(2)	100
2310.4(1)		1760.6(1)		549.9(1)	100(5)
		2009.7(2)		300.8(1)	45(4)
2341.9(2)	(5^-)	944.4(1)	6^+	1397.4(1)	86(8)
		1123.9(1)	4^+	1217.9(1)	100(7)*
		1295.0(1)		1046.7(1)	45(4)
		1382.3(1)		959.9(3)	7(2)*
		1507.4(1)	$3^-, 4^+$	834.2(2)	15(3)*
		1766.1(1)	(5^-)	576.0(2)	27(5)*
		1984.9(1)	(5^-)	357.1(2)	15(3)*
2354.1(4)		1295.0(1)		1059.1(3)	100
2357.5(1)		612.0(1)	4^+	1745.5(1)	76(7)
		1530.6(1)	$(6)^+$	826.9(1)	100(6)
2360.3(5)		1382.3(1)		978.0(5)	100
2369.6(2)		612.0(1)	4^+	1757.7(1)	100(6)
		944.4(1)	6^+	1425.2(3)	59(13)*
		1123.9(1)	4^+	1245.2(4)	42(14)*
2378.5(1)		944.4(1)	6^+	1434.1(1)	100
2381.1(4)		1123.9(1)	4^+	1257.2(4)	100
2391.7(1)		612.0(1)	4^+	1779.8(1)	100(8)
		944.4(1)	6^+	1447.2(1)	89(9)
2418.2(2)	(5^-)	612.0(1)	4^+	1806.2(1)	100(5)
		944.4(1)	6^+	1473.9(1)	90(7)
		1123.9(1)	4^+	1294.0(1)	49(4)
		1295.0(1)		1123.0(2)	19(3)*
		1382.3(1)		1036.0(1)	30(2)
		1507.4(1)	$3^-, 4^+$	910.9(1)	28(4)*
		1673.8(1)		744.7(2)	31(8)*
		1787.2(1)		630.8(1)	12.0(16)*
		1984.9(1)	(5^-)	433.3(2)	27(6)*
		2036.5(2)	(5^-)	381.8(3)	22(5)*
2447.9(2)	(5^-)	612.0(1)	4^+	1835.9(1)	100(5)
		944.4(1)	6^+	1504.7(8)	2.3(12)*
		1123.9(1)	4^+	1324.2(2)	9.1(16)*
		1382.3(1)		1066.1(4)	3.3(13)*
		1507.4(1)	$3^-, 4^+$	940.4(1)	13.1(18)*
		1673.8(1)		774.3(2)	11(3)*
		1718.5(1)	$3^-, 4^+$	729.8(2)	7(2)*
		1766.1(1)	(5^-)	681.7(1)	23(2)
		1787.2(1)		660.4(2)	5.0(8)*
		1984.9(1)	(5^-)	463.2(1)	21(3)*
		2009.7(2)		437.9(2)	11(3)*
		2052.8(2)		395.0(5)	4.0(18)*
2464.2(3)		1357.5(1)	8^+	1106.7(3)	100
2480.3(1)		944.4(1)	6^+	1535.8(1)	100(10)

Continued Table I

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_t (keV)	Br_γ
		1673.8(1)		806.5(1)	95(11)
2501.4(1)		612.0(1)	4^+	1889.4(1)	100(7)
		944.4(1)	6^+	1557.0(1)	79(7)
2548.8(2)		944.4(1)	6^+	1604.3(1)	100
2564.0(1)		612.0(1)	4^+	1952.0(1)	100
2565.0(2)		944.4(1)	6^+	1620.5(1)	100
2574.2(1)		944.4(1)	6^+	1629.7(1)	100
2586.1(1)		612.0(1)	4^+	1974.2(1)	100(6)
		1123.9(1)	4^+	1462.5(5)	28(12)*
		1766.1(1)	(5^-)	819.8(2)	44(10)*
2616.5(2)		1547.4(1)	4^+	1069.1(2)	100
2633.4(1)		612.0(1)	4^+	2021.4(1)	100
2645.9(2)		1507.4(1)	$3^-, 4^+$	1138.4(2)	100
2686.4(2)		944.4(1)	6^+	1742.2(1)	100(6)
		1123.9(1)	4^+	1562.4(1)	76(6)
		1295.0(1)		1391.6(6)	17(8)*
		1673.8(1)		1012.3(1)	72(6)
2711.2(1)		612.0(1)	4^+	2099.2(1)	100
2712.0(2)		944.4(1)	6^+	1767.5(1)	100
2722.6(5)		944.4(1)	6^+	1778.1(5)	100
2744.0(2)		612.0(1)	4^+	2132.0(2)	100
2768.1(2)		944.4(1)	6^+	1823.7(1)	100
2990.1(1)		1507.4(1)	$3^-, 4^+$	1482.7(1)	100

¹ γ ray not observed, transition intensity obtained from γ -electron coincidence data, see text for details.

² γ ray not observed, upper limit, given within 95% credible interval, obtained from the γ - γ coincidence data.

³ Branching ratio obtained by comparing the intensity of the 1218-keV transition in different gates and by subtracting the contribution from conversion electrons, see text for details.

⁴ Observed only as conversion electrons, γ -ray intensity limits given with 95% credible interval.

TABLE II: The relative γ -ray intensities in ^{182}Hg , normalized to the strongest $2_1^+ \rightarrow 0_1^+$ 351-keV transition. The intensities of transitions marked with * were determined from coincidences. The relative intensity of the 335-keV $E0$ transition was not determined as the K-conversion electrons overlaps with the K-conversion electrons of the yrast 332-keV transition and the L- and M+-conversion electrons of the yrast 261-keV transition.

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
16.1(2) ¹	$5.8(8) \times 10^{-5}$	351.1(1)	335.0(1)
196.5(1)	1.35(15)*	547.6(1)	351.1(1)
211.0(2)	$< 0.121^2$	1718.5(1)	1507.4(1)
212.6(1)	0.97(12)*	547.6(1)	335.0(1)
218.6(2)	0.40(8)*	1766.1(1)	1547.4(1)
219.1(2)	0.59(11)*	1984.9(1)	1766.1(1)
222.2(3)	0.16(5)*	2009.7(2)	1787.2(1)
238.8(1)	1.17(9)	2004.9(1)	1766.1(1)
258.4(2)	0.7(2)*	1766.1(1)	1507.4(1)
260.9(1)	65(5)	612.0(1)	351.1(1)
290.5(1)	0.17(2)	2009.0(2)	1718.5(1)
300.8(1)	0.35(3)	2310.4(1)	2009.7(2)
308.5(1)	1.58(12)	1382.3(1)	1073.8(1)
311.2(1)	0.26(3)	1984.9(1)	1673.8(1)
322.4(1)	0.57(4)	1295.0(1)	972.6(1)
332.4(1)	28(2)	944.4(1)	612.0(1)
351.1(1)	100	351.1(1)	0.0
357.1(2)	0.37(8)*	2341.9(1)	1984.9(1)

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)	E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
362.7(3)	0.17(6)*	2036.5(2)	1673.8(1)	744.7(2)	0.58(14)*	2418.2(2)	1673.8(1)
378.3(1)	1.16(11)*	1760.6(1)	1382.3(1)	745.9(2)	0.28(8)*	2276.5(2)	1530.6(1)
381.8(3)	0.41(10)*	2418.2(2)	2036.5(2)	747.5(1)	10.1(7)	1295.0(1)	547.6(1)
395.0(5)	0.17(8)*	2447.9(2)	2052.8(2)	753.1(2)	0.26(7)*	2283.7(2)	1530.6(1)
403.1(2)	0.07(2)	1760.6(1)	1357.5(1)	757.3(2)	0.22(5)*	2139.6(2)	1382.3(1)
406.7(1)	2.00(14)	1530.6(1)	1123.9(1)	764.2(2)	0.37(6)*	2059.4(1)	1295.0(1)
411.8(2)	1.1(3)*	1942.4(2)	1530.6(1)	770.2(1)	6.6(5)*	1382.3(1)	612.0(1)
413.1(1)	4.3(3)*	1357.5(1)	944.4(1)	772.8(1)	6.1(4)*	1123.9(1)	351.1(1)
416.9(4)	0.21(6)*	1964.0(2)	1547.4(1)	774.3(2)	0.47(13)*	2447.9(2)	1673.8(1)
423.2(2)	0.27(5)*	1718.5(1)	1295.0(1)	791.4(2)	0.11(3)*	2173.7(2)	1382.3(1)
433.3(2)	0.51(10)*	2418.2(2)	1984.9(1)	806.5(1)	0.28(2)	2480.3(1)	1673.8(1)
437.9(2)	0.47(13)*	2447.9(2)	2009.7(2)	813.1(1)	0.96(10)*	2108.2(1)	1295.0(1)
438.0(1)	1.04(10)*	1382.3(1)	944.4(1)	816.0(1)	1.71(12)	1760.6(1)	944.4(1)
446.5(1)	0.27(2)	2207.1(1)	1760.6(1)	819.8(2)	0.21(5)*	2586.1(2)	1766.1(1)
455.3(2)	0.21(5)*	1962.9(1)	1507.4(1)	826.9(1)	0.29(2)	2357.5(1)	1530.6(1)
462.0(2)	1.5(4)*	1073.8(1)	612.0(1)	834.2(2)	0.38(7)*	2341.9(1)	1507.4(1)
463.2(1)	0.89(11)*	2447.9(2)	1984.9(1)	839.6(1)	0.93(7)	1963.5(1)	1123.9(1)
467.8(1)	0.49(4)	1849.9(2)	1382.3(1)	843.7(1)	0.97(7)	2138.8(1)	1295.0(1)
471.0(1)	3.9(3)	1766.1(1)	1295.0(1)	849.9(1)	0.197(18)	1794.3(1)	944.4(1)
477.4(1)	0.73(5)	1984.9(1)	1507.4(1)	853.1(1)	0.78(6)	2235.3(2)	1382.3(1)
486.3(1)	0.34(3)	1843.8(2)	1357.5(1)	858.7(1)	0.53(4)	1932.6(1)	1073.8(1)
498.9(5)	0.12(4)*	2285.5(1)	1787.2(1)	861.0(1)	5.1(4)	1984.9(1)	1123.9(1)
511.9(1) ¹	1.18(70)*	1123.9(1)	612.0(1)	866.9(1)	0.30(2)	2161.9(1)	1295.0(1)
519.5(2)	0.34(11)*	2285.5(1)	1766.1(1)	876.6(3)	0.31(7)*	1820.7(1)	944.4(1)
525.7(1)	0.54(7)*	1820.7(1)	1295.0(1)	878.3(5)	0.09(5)*	2173.7(2)	1295.0(1)
526.2(1)	3.5(3)*	1073.8(1)	547.6(1)	886.0(1)	0.81(9)*	2009.7(2)	1123.9(1)
534.8(1)	0.39(3)	1507.4(1)	972.6(1)	889.2(1)	0.96(12)*	1962.9(1)	1073.8(1)
547.6(1)	20.1(14)	547.6(1)	0.0	910.9(1)	0.53(8)*	2418.2(2)	1507.4(1)
549.9(1)	0.76(6)	2310.4(1)	1760.6(1)	912.5(1)	1.65(15)*	2036.5(2)	1123.9(1)
554.6(1)	0.49(4)	1849.9(2)	1295.0(1)	918.5(1)	0.70(5)	1530.6(1)	612.0(1)
560.8(2)	0.09(3)*	2108.2(1)	1547.4	928.7(1)	0.62(5)	2052.8(2)	1123.9(1)
576.0(2)	0.68(11)*	2341.9(1)	1766.1(1)	935.4(2)	0.74(12)*	1547.4(1)	612.0(1)
576.4(1)	11.9(9)*	1123.9(1)	547.6(1)	936.0(2)	0.58(8)*	2009.7(2)	1073.8(1)
582.0(4)	0.20(6)*	1964.0(2)	1382.3(1)	940.4(1)	0.57(8)*	2447.9(2)	1507.4(1)
586.3(1)	3.2(2)	1530.6(1)	944.4(1)	943.9(1)	< 0.074 ²	1295.0(1)	351.1(1)
600.0(1)	0.89(11)*	1673.8(1)	1073.8(1)	951.5(1)	0.29(3)	2025.4(1)	1073.8(1)
603.0(2)	0.37(4)*	1547.4(1)	944.4(1)	959.8(1)	1.40(14)*	1507.4(1)	547.6(1)
621.5(1)	2.03(15)	972.6(1)	351.1(1)	959.9(3)	0.17(5)*	2341.9(1)	1382.3(1)
627.2(1)	2.20(16)	2009.7(2)	1382.3(1)	972.6(1)	< 0.080 ²	972.6(1)	0.0
630.8(1)	0.23(3)*	2418.2(2)	1787.2(1)	978.0(5)	0.13(6)*	2360.3(5)	1382.3(1)
637.7(1)	2.0(2)*	972.6(1)	335.0(1)	979.3(2)	0.50(8)*	2052.8(2)	1073.8(1)
642.2(2)	0.91(17)*	1766.1(1)	1123.9(1)	1012.3(1)	0.25(2)	2686.4(2)	1673.8(1)
644.0(4)	0.16(6)*	2151.5(4)	1507.4(1)	1019.4(1)	0.096(10)	1964.0(2)	944.4(1)
644.7(2)	0.29(6)*	1718.5(1)	1073.8(1)	1028.3(1)	0.82(6)	2152.2(1)	1123.9(1)
656.1(2)	0.17(6)*	2186.7(2)	1530.6(1)	1036.0(1)	0.57(4)	2418.2(2)	1382.3(1)
660.4(2)	0.21(3)*	2447.9(2)	1787.2(1)	1040.7(3)	0.18(9)*	1984.9(1)	944.4(1)
661.4(2)	0.24(8)*	2192.1(2)	1530.6(1)	1046.7(1)	1.13(8)	2341.9(1)	1295.0(1)
663.1(3)	0.31(8)*	1787.2(1)	1123.9(1)	1059.1(3)	0.13(5)*	2354.1(4)	1295.0(1)
668.4(2)	0.23(5)*	1963.5(1)	1295.0(1)	1060.6(3)	0.19(6)*	2004.9(1)	944.4(1)
677.2(2)	0.21(4)*	2059.4(1)	1382.3(1)	1066.1(4)	0.14(6)*	2447.9(2)	1382.3(1)
681.7(1)	1.01(9)	2447.9(2)	1766.1(1)	1069.1(2)	0.13(3)*	2616.5(2)	1547.4(1)
683.1(1)	3.0(2)	1295.0(1)	612.0(1)	1092.2(1)	0.200(17)	2036.5(2)	944.4(1)
689.7(1)	2.40(17)	1984.9(1)	1295.0(1)	1106.7(3)	0.20(8)*	2464.2(3)	1357.5(1)
696.7(1)	0.76(6)	1820.7(1)	1123.9(1)	1123.0(2)	0.35(5)*	2418.2(2)	1295.0(1)
701.3(1)	2.0(15)*	1673.8(1)	972.6(1)	1138.4(2)	0.082(11)	2645.9(2)	1507.4(1)
704.2(2)	0.051(9)	2235.3(2)	1530.6(1)	1154.2(1)	1.30(14)*	1766.1(1)	612.0(1)
711.9(3)	0.27(10)*	2242.6(3)	1530.6(1)	1156.4(1)	2.4(2)*	1507.4(1)	351.1(1)
713.5(1)	3.1(3)*	1787.2(1)	1073.8(1)	1171.0(1)	1.04(8)	1718.5(1)	547.6(1)
722.7(1)	5.2(4)	1073.8(1)	351.1(1)	1182.3(2)	0.49(8)*	1794.3(1)	612.0(1)
726.1(1)	0.37(3)	1849.9(2)	1123.9(1)	1196.3(1)	1.38(10)	1547.4(1)	351.1(1)
729.7(2)	0.27(5)*	2237.2(2)	1507.4(1)	1208.7(1)	0.74(5)	1820.7(1)	612.0(1)
729.8(2)	0.31(10)*	2447.9(2)	1718.5(1)	1217.9(1)	2.5(2)*	2341.9(1)	1123.9(1)
741.5(2)	0.78(13)*	2036.5(2)	1295.0(1)	1245.2(4)	0.11(4)*	2369.6(2)	1123.9(1)

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
1257.2(4)	0.09(4)*	2381.1(4)	1123.9(1)
1268.7(1)	0.24(3)	1816.3(1)	547.6(1)
1291.1(4)	0.049(15)	2235.3(2)	944.4(1)
1294.0(1)	0.93(7)	2418.2(2)	1123.9(1)
1296.8(1)	0.32(3)	2241.2(2)	944.4(1)
1324.2(2)	0.39(7)*	2447.9(2)	1123.9(1)
1341.0(1)	0.57(4)	2285.5(1)	944.4(1)
1352.0(1)	0.114(12)	1964.0(2)	612.0(1)
1360.5(1)	0.38(3)	2304.9(1)	944.4(1)
1363.3(2)	0.058(10)	2307.7(3)	944.4(1)
1367.2(5)	0.13(5)*	1718.5(1)	351.1(1)
1372.8(1)	1.45(10)	1984.9(1)	612.0(1)
1391.6(6)	0.06(3)*	2686.4(2)	1295.0(1)
1397.4(1)	2.16(15)	2341.9(1)	944.4(1)
1413.4(1)	0.50(4)	2025.4(1)	612.0(1)
1424.9(2)	0.52(12)*	2036.5(2)	612.0(1)
1425.2(3)	0.15(3)*	2369.6(2)	944.4(1)
1434.1(1)	0.36(3)	2378.5(1)	944.4(1)
1440.7(1)	0.44(3)	2052.8(2)	612.0(1)
1447.2(1)	0.64(5)	2391.7(1)	944.4(1)
1462.5(5)	0.13(6)*	2586.1(2)	1123.9(1)
1473.9(1)	1.70(12)	2418.2(2)	944.4(1)
1482.7(1)	0.176(14)	2990.1(1)	1507.4(1)
1487.0(1)	0.093(9)	2099.0(2)	612.0(1)
1504.7(8)	0.10(5)*	2447.9(2)	944.4(1)
1509.4(1)	0.66(5)	2121.4(1)	612.0(1)
1535.8(1)	0.30(3)	2480.3(1)	944.4(1)
1549.8(1)	0.32(3)	2097.3(1)	547.6(1)
1557.0(1)	0.37(3)	2501.4(1)	944.4(1)
1562.4(1)	0.26(2)	2686.4(2)	1123.9(1)
1575.7(1)	0.217(18)	2187.7(1)	612.0(1)
1604.3(1)	0.189(16)	2548.8(2)	944.4(1)
1620.5(1)	0.132(12)	2565.0(2)	944.4(1)
1629.7(1)	0.22(2)	2574.2(1)	944.4(1)
1673.4(1)	0.66(5)	2285.5(1)	612.0(1)
1742.2(1)	0.34(3)	2686.4(2)	944.4(1)
1745.5(1)	0.220(17)	2357.5(1)	612.0(1)
1757.7(1)	0.26(2)	2369.6(2)	612.0(1)
1767.5(1)	0.178(15)	2712.0(2)	944.4(1)
1778.1(5)	0.08(5)	2722.6(5)	944.4(1)
1779.8(1)	0.71(7)	2391.7(1)	612.0(1)
1806.2(1)	1.88(14)	2418.2(2)	612.0(1)
1823.7(1)	0.140(12)	2768.1(2)	944.4(1)
1835.9(1)	4.3(3)	2447.9(2)	612.0(1)
1889.4(1)	0.47(4)	2501.4(1)	612.0(1)
1952.0(1)	2.04(15)	2564.0(1)	612.0(1)
1974.2(1)	0.47(4)	2586.1(2)	612.0(1)
2021.4(1)	0.39(3)	2633.4(1)	612.0(1)
2099.2(1)	0.230(19)	2711.2(1)	612.0(1)
2132.0(2)	0.16(2)	2744.0(2)	612.0(1)

¹ Not observed directly.

² Limit given in 95% credible interval.

TABLE III: Transition properties obtained in the present work for ¹⁸⁴Hg. Level energies, spins and parities of the initial (E_i , J_i^π) and final (E_f , J_f^π) states, transition energies (E_t) and γ -branching ratios (Br_γ) have been listed. Pure $E0$ transitions are written in italics. The spins and parities are taken from this work and Refs. [2, 3].

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
366.9(1)	2 ⁺	0.0	0 ⁺	366.9(1)	100
375.4(1)	0 ⁺	366.9(1)	2 ⁺	8.5(2)	5.9(12) ¹

Continued Table III

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
	0 ⁺	0.0	0 ⁺	<i>375.4(1)</i>	<i>100</i>
534.8(1)	2 ⁺	0.0	0 ⁺	534.8(1)	100(5)
		366.9(1)	2 ⁺	168.0(1)	8.0(11)*
		375.4(1)	0 ⁺	159.4(1)	3.2(3)*
654.0(1)	4 ⁺	366.9(1)	2 ⁺	287.1(1)	100(5)
		534.8(1)	2 ⁺	119.2(2)	<0.6 ³
983.5(1)	2 ⁺	0.0	0 ⁺	983.5(1)	<11.7 ⁴
		366.9(1)	2 ⁺	616.6(1)	100(5)
		375.4(1)	0 ⁺	608.2(1)	91(7)
		534.8(1)	2 ⁺	448.7(1)	<3.7 ²
994.2(1)	6 ⁺	654.0(1)	4 ⁺	340.3(1)	100
1086.6(1)	4 ⁺	366.9(1)	2 ⁺	719.6(1)	68(5)
		534.8(1)	2 ⁺	551.9(1)	100(5)
		654.0(1)	4 ⁺	432.8(2)	20(2)*
1089.0(2)	(3) ⁺	366.9(1)	2 ⁺	722.0(1)	42(3)
		534.8(1)	2 ⁺	554.4(1)	100(5)
		654.0(1)	4 ⁺	435.1(2)	17.1(18)*
1123.9(2)	0 ⁺	534.8(1)	2 ⁺	589.1(2)	100(15)*
		375.4(1)	0 ⁺	<i>748.5(2)</i>	<i>4.5(14)</i> ⁵
1178.8(2)	2 ⁺	0.0	0 ⁺	1179.2(5)	58(7) ⁶
		366.9(1)	2 ⁺	812.2(2)	19(4)*
		375.4(1)	0 ⁺	803.3(1)	29(2)
		534.8(1)	2 ⁺	643.9(1)	100(5)
1300.2(1)	4 ⁺	366.9(1)	2 ⁺	933.3(2)	<10.2 ⁴
		534.8(1)	2 ⁺	765.3(1)	100(8) ⁶
		654.0(1)	4 ⁺	646.3(1)	67(6)
		983.5(1)	2 ⁺	316.6(3)	6.2(24)*
		1086.6(1)	4 ⁺	213.6(2)	<5.4 ²
1412.7(1)	8 ⁺	994.2(1)	6 ⁺	418.5(1)	100
1413.3(1)	(5 ⁺)	654.0(1)	4 ⁺	759.3(1)	100(5)*
		1089.0(2)	(3) ⁺	324.4(1)	22.8(17)
1445.0(1)		366.9(1)	2 ⁺	1078.1(1)	100
1449.6(1)		0.0	0 ⁺	1449.7(1) ⁷	14.9(18)
		366.9(1)	2 ⁺	1082.7(2)	24(5) ⁶
		534.8(1)	2 ⁺	914.8(1)	100(9)*
1463.8(4)		366.9(1)	2 ⁺	1096.2(5)	100(41)*
		375.4(1)	0 ⁺	1088.6(2)	68(32)
1513.8(1)		534.8(1)	2 ⁺	979.0(1)	100
1549.6(2)	6 ⁺	654.0(1)	4 ⁺	895.4(1)	28.9(28)
		994.2(1)	6 ⁺	555.5(1)	100(8)*
		1086.6(1)	4 ⁺	462.9(1)	99(9)
1557.4(1)		366.9(1)	2 ⁺	1190.5(1)	100(5)
		534.8(1)	2 ⁺	1022.4(3)	41(10)*
		983.5(1)	2 ⁺	573.9(3)	20(5)*
1603.0(1)		366.9(1)	2 ⁺	1236.1(1)	100(9)
		375.4(1)	0 ⁺	1227.7(1)	38(5)*
		534.8(1)	2 ⁺	1068.1(1)	53(6)
1658.4(1)		983.5(1)	2 ⁺	674.8(1)	100(5)
		1089.0(2)	(3) ⁺	569.6(3)	58(13)*
1665.3(2)		366.9(1)	2 ⁺	1298.4(2)	100
1705.8(2)		366.9(1)	2 ⁺	1338.9(1)	95(17)
		534.8(1)	2 ⁺	1170.7(2)	100(17)*
		1178.8(2)	2 ⁺	527.3(3)	75(23)*
1737.7(2)		366.9(1)	2 ⁺	1370.9(5)	70(20)*
		534.8(1)	2 ⁺	1203.0(5)	37(13)*
		983.5(1)	2 ⁺	754.1(2)	100(15)*
1790.2(3)		375.4(1)	0 ⁺	1414.7(3)	100
1792.7(2)		366.9(1)	2 ⁺	1425.8(2)	100
1794.0(3)		654.0(1)	4 ⁺	1140.0(2)	100
1803.3(1)	(7 ⁺)	994.2(1)	6 ⁺	809.1(1)	100(5)

Continued Table III

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
		1412.7(1)	8 ⁺	390.3(3)	25(7)*
		1413.3(1)	(5 ⁺)	389.9(1)	60(10)*
1804.6(1)		366.9(1)	2 ⁺	1437.7(1)	44(4)
		534.8(1)	2 ⁺	1269.7(1)	100(5)
		983.5(1)	2 ⁺	821.0(2)	51(12)*
1817.3(2)	(5, 6 ⁺)	654.0(1)	4 ⁺	1163.2(4)	23(7)*
		994.2(1)	6 ⁺	823.2(2)	28(7)*
		1086.6(1)	4 ⁺	730.7(1)	100(12)*
		1300.2(1)	4 ⁺	516.6(3)	38(10)*
1824.9(2)		1089.0(2)	(3) ⁺	735.9(1)	100
1832.6(1)		366.9(1)	2 ⁺	1465.6(1)	100(5)
		654.0(1)	4 ⁺	1178.7(6)	30(16)*
		1178.8(2)	2 ⁺	653.8(4)	22(8)*
1847.7(1)	5	654.0(1)	4 ⁺	1193.7(1)	97(23)
		1086.6(1)	4 ⁺	760.8(3)	100(23)*
		1300.2(1)	4 ⁺	547.6(2)	81(23)*
1854.3(2)		1089.0(2)	(3) ⁺	765.4(1)	100(15)*
		1413.3(1)	(5 ⁺)	440.5(4)	10.6(47)*
1862.4(1)		534.8(1)	2 ⁺	1327.6(1)	100
1871.7(1)		994.2(1)	6 ⁺	877.4(1)	100
1901.7(1)	10 ⁺	1412.7(1)	8 ⁺	489.0(1)	100
1910.0(3)		983.5(1)	2 ⁺	926.8(4)	91(47)*
		1086.6(1)	4 ⁺	823.2(3)	100(40)*
1929.1(2)		366.9(1)	2 ⁺	1562.2(1)	100(8)
		983.5(1)	2 ⁺	945.4(3)	62(17)*
1930.6(2)		1086.6(1)	4 ⁺	843.9(2)	100
1938.1(3)		1086.6(1)	4 ⁺	851.5(3)	100
1948.5(4)		654.0(1)	4 ⁺	1294.7(6)	100(31)*
		983.5(1)	2 ⁺	964.8(5)	73(36)*
1969.1(2)		1549.6(2)	6 ⁺	419.5(1)	100
1991.5(2)		1086.6(1)	4 ⁺	904.8(1)	100
1992.4(3)		1300.2(1)	4 ⁺	692.2(3)	100
2008.6(5)		654.0(1)	4 ⁺	1354.6(5)	100
2035.7(2)		0.0	0 ⁺	2035.6(1) ⁷	100(8)
		375.4(1)	0 ⁺	1660.3(2)	30(4)
2050.9(2)		1086.6(1)	4 ⁺	964.3(2)	100
2054.4(3)		1300.2(1)	4 ⁺	754.2(2)	100
2057.9(4)		366.9(1)	2 ⁺	1691.0(4)	100
2061.2(5)		1089.0(2)	(3) ⁺	972.2(5)	100
2063.7(2)	(6)	1413.3(1)	(5 ⁺)	650.3(1)	100
2064.2(3)		654.0(1)	4 ⁺	1410.2(3)	100
2066.9(2)		654.0(1)	4 ⁺	1412.9(2)	100(23)*
		994.2(1)	6 ⁺	1072.9(4)	89(38)*
2071.8(1)		534.8(1)	2 ⁺	1536.9(1)	100
2072.4(2)		1300.2(1)	4 ⁺	772.1(2)	100(19)*
		1413.3(1)	(5 ⁺)	659.0(2)	75(21)*
		1549.6(2)	6 ⁺	523.3(3)	52(22)*
2080.1(2)		366.9(1)	2 ⁺	1713.2(2)	100
2083.0(1)		534.8(1)	2 ⁺	1548.1(1)	100(6)
		1178.8(2)	2 ⁺	904.4(5)	25(11)*
2093.0(2)		0.0	0 ⁺	2093.1(2) ⁷	100(14)
		375.4(1)	0 ⁺	1717.6(1)	59(10)
2096.6(3)		375.4(1)	0 ⁺	1721.2(3)	100
2106.5(2)		654.0(1)	4 ⁺	1452.5(2)	100
2121.3(2)	7	1412.7(1)	8 ⁺	708.5(2)	100(22)*
		1549.6(2)	6 ⁺	571.8(2)	40(13)*
		1817.3(2)	(5, 6 ⁺)	304.2(1)	51(12)
2143.7(3)		366.9(1)	2 ⁺	1776.8(3)	100
2145.2(2)		1086.6(1)	4 ⁺	1058.5(1)	100
2149.6(1)		654.0(1)	4 ⁺	1495.6(1)	100

Continued Table III

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
2156.8(2)		534.8(1)	2 ⁺	1621.9(1)	100(11)
		1300.2(1)	4 ⁺	857.1(4)	45(20)*
2180.8(3)		366.9(1)	2 ⁺	1813.9(3)	100
2192.4(2)		366.9(1)	2 ⁺	1825.5(2)	100
2193.4(3)		1086.6(1)	4 ⁺	1106.7(3)	100
2195.8(3)		994.2(1)	6 ⁺	1201.6(3)	100
2216.3(4)		1549.6(2)	6 ⁺	666.7(4)	100
2239.3(2)		366.9(1)	2 ⁺	1872.1(3)	41(12)
		375.4(1)	0 ⁺	1864.0(2)	100(10)
2242.4(1)		654.0(1)	4 ⁺	1588.4(1)	100
2248.8(2)		1413.3(1)	(5 ⁺)	835.3(2)	66(8)
		1549.6(2)	6 ⁺	699.4(1)	100(7)
2257.1(3)	(9 ⁺)	1412.7(1)	8 ⁺	844.3(4)	100(38)*
		1803.3(1)	(7 ⁺)	453.9(3)	51(29)*
2267.2(2)		994.2(1)	6 ⁺	1273.0(2)	100
2270.1(3)		1817.3(2)	(5, 6 ⁺)	452.8(2)	100
2271.7(2)		654.0(1)	4 ⁺	1617.8(1)	100(8)
		994.2(1)	6 ⁺	1276.9(3)	70(19)*
2291.6(2)		994.2(1)	6 ⁺	1297.0(3)	27(9)*
		1412.7(1)	8 ⁺	879.0(1)	100(7)
		2072.4(2)		219.1(2)	64(19)*
2309.3(2)		0.0	0 ⁺	2309.3(2) ⁷	100(10)
		366.9(1)	2 ⁺	1942.4(1)	99(15)
		375.4(1)	0 ⁺	1934.2(3)	10.0(36)*
2328.8(2)		994.2(1)	6 ⁺	1334.5(1)	97(28)
		1412.7(1)	8 ⁺	916.3(2)	100(28)*
2330.1(1)		983.5(1)	2 ⁺	1346.6(1)	100
2344.1(4)		534.8(1)	2 ⁺	1809.0(4)	100(37)*
		654.0(1)	4 ⁺	1690.8(7)	61(35)*
2349.8(5)		1413.3(1)	(5 ⁺)	936.5(5)	100
2357.9(3)		375.4(1)	0 ⁺	1982.5(3)	100
2373.7(8)		983.5(1)	2 ⁺	1390.2(8)	100
2374.7(4)	(8)	1412.7(1)	8 ⁺	961.6(4)	47(22)*
		1803.3(1)	(7 ⁺)	571.3(2)	100(21)*
		2063.7(2)	(6)	311.6(3)	51(17)*
2380.5(1)		366.9(1)	2 ⁺	2013.6(1)	100
2383.3(3)		994.2(1)	6 ⁺	1389.1(3)	100
2387.2(2)		1412.7(1)	8 ⁺	974.5(2)	100
2404.3(2)		1412.7(1)	8 ⁺	991.6(2)	100
2417.1(1)		534.8(1)	2 ⁺	1882.3(1)	100
2429.5(1)		1412.7(1)	8 ⁺	1016.8(1)	100
2449.1(6)		366.9(1)	2 ⁺	2082.2(6)	100
2494.7(3)		1412.7(1)	8 ⁺	1082.0(3)	100
2502.2(3)		994.2(1)	6 ⁺	1508.0(3)	100
2509.6(2)		994.2(1)	6 ⁺	1515.3(2)	100
2543.5(1)		654.0(1)	4 ⁺	1889.5(1)	100
2548.3(2)		1412.7(1)	8 ⁺	1135.6(2)	100
2563.4(1)		1412.7(1)	8 ⁺	1150.7(1)	100
2569.0(4)		366.9(1)	2 ⁺	2202.1(4)	100
2627.7(2)		375.4(1)	0 ⁺	2252.3(2)	100
2642.5(4)		654.0(1)	4 ⁺	1988.5(4)	100
2664.6(3)		994.2(1)	6 ⁺	1670.3(3)	100
2673.4(1)		1412.7(1)	8 ⁺	1260.7(1)	100
2703.5(3)		1412.7(1)	8 ⁺	1290.8(3)	100
2735.8(3)		983.5(1)	2 ⁺	1752.2(3)	100
2817.6(4)		375.4(1)	0 ⁺	2442.2(4)	100
2832.8(4)		375.4(1)	0 ⁺	2457.4(4)	100
3015.7(1)		1412.7(1)	8 ⁺	1603.0(1)	100

Continued Table III

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
-------------	-----------	-------------	-----------	------------------	-------------

¹ Total transition intensity relative to the total intensity of the 375-keV $E0$ transition, see text for details.

² Observed only as conversion electrons, γ -branching ratio limits given with 95% credible interval.

³ Intensity obtained from singles after subtracting the contribution from daughter activities, see text for details.

⁴ γ ray not observed, upper limit, given within 95% credible interval, obtained from the γ - γ coincidence data.

⁵ Total electron intensity relative to the 589 keV γ -ray transition intensity, see text for details.

⁶ Intensity determined as a difference between singles and gated spectrum, see text for details.

⁷ Not included in the level energy determination.

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
643.9(1)	2.3(2)	1178.8(2)	534.8(1)
646.3(1)	2.09(15)	1300.2(1)	654.0(1)
650.3(1)	0.59(9)	2063.7(2)	1413.3(1)
653.8(4)	0.18(7)*	1832.6(1)	1178.8(2)
659.0(2)	0.19(4)*	2072.4(2)	1413.3(1)
666.7(4)	0.20(6)*	2216.3(4)	1549.6(2)
674.8(1)	0.76(6)	1658.4(1)	983.5(1)
692.2(3)	0.10(3)*	1992.4(3)	1300.2(1)
699.4(1)	0.30(3)	2248.8(2)	1549.6(2)
708.5(2)	0.59(13)*	2121.3(2)	1412.7(1)
719.6(1)	4.2(3)	1086.6(1)	366.9(1)
722.0(1)	3.1(2)	1089.0(2)	366.9(1)
730.7(1)	0.92(12)*	1817.3(2)	1086.6(1)
735.9(1)	1.09(16)*	1824.9(2)	1089.0(2)
748.5(2)	0.038(10) ³	1123.9(2)	375.4(1)
754.1(2)	0.65(10)*	1737.7(2)	983.5(1)
754.2(2)	0.23(5)*	2054.4(3)	1300.2(1)
759.3(1)	4.1(3)*	1413.3(1)	654.0(1)
760.8(3)	0.40(9)*	1847.7(1)	1086.6(1)
765.3(1)	3.1(3)*	1300.2(1)	534.8(1)
765.4(1)	0.89(14)*	1854.3(2)	1089.0(2)
772.1(2)	0.25(5)*	2072.4(2)	1300.2(1)
803.3(1)	0.68(5)	1178.8(2)	375.4(1)
809.1(1)	1.49(11)	1803.3(1)	994.2(1)
812.2(2)	0.43(8)*	1178.8(2)	366.9(1)
821.0(2)	0.28(7)*	1804.6(1)	983.5(1)
823.2(3)	0.18(7)*	1910.0(3)	1086.6(1)
823.2(2)	0.26(6)*	1817.3(2)	994.2(1)
835.3(2)	0.20(2)	2248.8(2)	1413.3(1)
843.9(2)	0.77(12)*	1930.6(2)	1086.6(1)
844.3(4)	0.15(6)*	2257.1(3)	1412.7(1)
851.5(3)	0.36(9)*	1938.1(3)	1086.6(1)
857.1(4)	0.09(4)*	2156.8(2)	1300.2(1)
877.4(1)	0.72(6)	1871.7(1)	994.2(1)
879.0(1)	0.61(5)	2291.6(2)	1412.7(1)
895.4(1)	0.69(5)	1549.6(2)	654.0(1)
904.4(5)	0.14(6)*	2083.0(1)	1178.8(2)
904.8(1)	0.83(11)*	1991.5(2)	1086.6(1)
914.8(1)	1.75(17)*	1449.6(1)	534.8(1)
916.3(2)	0.22(6)*	2328.8(2)	1412.7(1)
926.8(4)	0.17(5)*	1910.0(3)	983.5(1)
933.3(2)	< 0.32 ²	1300.2(1)	366.9(1)
936.5(5)	0.09(4)*	2349.8(5)	1413.3(1)
945.4(3)	0.24(6)*	1929.1(2)	983.5(1)
961.6(4)	0.09(4)*	2374.7(4)	1412.7(1)
964.3(2)	0.33(7)*	2050.9(2)	1086.6(1)
964.8(5)	0.13(5)*	1948.5(4)	983.5(1)
972.2(5)	0.07(4)*	2061.2(5)	1089.0(2)
974.5(2)	0.15(5)*	2387.2(2)	1412.7(1)
979.0(1)	0.28(2)	1513.8(1)	534.8(1)
983.5(1)	< 0.62 ²	983.5(1)	0.0
991.6(2)	0.40(9)*	2404.3(2)	1412.7(1)
1016.8(1)	0.142(14)	2429.5(1)	1412.7(1)
1022.4(3)	0.63(15)*	1557.4(1)	534.8(1)
1058.5(1)	0.30(2)	2145.2(2)	1086.6(1)
1068.1(1)	0.33(3)	1603.0(1)	534.8(1)
1072.9(4)	0.18(7)*	2066.9(2)	994.2(1)
1078.1(1)	0.37(3)	1445.0(1)	366.9(1)
1082.0(3)	0.23(7)*	2494.7(3)	1412.7(1)
1082.7(2)	0.42(8)*	1449.6(1)	366.9(1)
1088.6(2)	0.11(3)	1463.8(4)	375.4(1)
1096.2(5)	0.16(7)*	1463.8(4)	366.9(1)
1106.7(3)	0.28(7)*	2193.4(3)	1086.6(1)

TABLE IV: The relative γ -ray intensities in ^{184}Hg , normalized to the strongest $2_1^+ \rightarrow 0_1^+$ 367 keV transition. The intensities of transitions marked with * were determined from coincidences.

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
8.5(2) ¹	$2.4(9) \times 10^{-6}$	375.4(1)	366.9(1)
119.2(2)	< 0.22 ²	654.0(1)	534.8(1)
159.4(1)	0.48(5)*	534.8(1)	375.4(1)
168.0(1)	1.20(17)*	534.8(1)	366.9(1)
213.6(2)	< 0.17 ²	1300.2(1)	1086.6(1)
219.1(2)	0.39(11)*	2291.6(2)	2072.4(2)
287.1(1)	39(3)	654.0(1)	366.9(1)
304.2(1)	0.30(4)	2121.3(2)	1817.3(2)
311.6(3)	0.10(3)*	2374.7(4)	2063.7(2)
316.6(3)	0.19(7)*	1300.2(1)	983.5(1)
324.4(1)	0.94(7)	1413.3(1)	1089.0(2)
340.3(1)	19.8(14)	994.2(1)	654.0(1)
366.9(1)	100	366.9(1)	0.0
375.4(1)	10.1(7) ³	375.4(1)	0.0
389.9(1)	0.90(15)*	1803.3(1)	1413.3(1)
390.3(3)	0.38(10)*	1803.3(1)	1412.7(1)
418.5(1)	7.8(7)*	1412.7(1)	994.2(1)
419.5(1)	0.84(12)*	1969.1(2)	1549.6(2)
432.8(2)	1.23(13)*	1086.6(1)	654.0(1)
435.1(2)	1.27(13)*	1089.0(2)	654.0(1)
440.5(4)	0.09(4)*	1854.3(2)	1413.3(1)
448.7(1)	< 0.19 ²	983.5(1)	534.8(1)
452.8(2)	0.37(14)*	2270.1(3)	1817.3(2)
453.9(3)	0.08(3)*	2257.1(3)	1803.3(1)
462.9(1)	2.4(2)	1549.6(2)	1086.6(1)
489.0(1)	0.38(3)	1901.7(1)	1412.7(1)
516.6(3)	0.35(9)*	1817.3(2)	1300.2(1)
523.3(3)	0.13(5)*	2072.4(2)	1549.6(2)
527.3(3)	0.40(10)*	1705.8(2)	1178.8(2)
534.8(1)	15.0(11)	534.8(1)	0.0
547.6(2)	0.32(6)*	1847.7(1)	1300.2(1)
551.9(1)	6.1(4)	1086.6(1)	534.8(1)
554.4(1)	7.4(5)	1089.0(2)	534.8(1)
555.5(1)	2.4(2)*	1549.6(2)	994.2(1)
569.6(3)	0.44(10)*	1658.4(1)	1089.0(2)
571.3(2)	0.20(4)*	2374.7(4)	1803.3(1)
571.8(2)	0.24(6)*	2121.3(2)	1549.6(2)
573.9(3)	0.30(8)*	1557.4(1)	983.5(1)
589.1(2)	1.03(16)*	1123.9(2)	534.8(1)
608.2(1)	4.8(3)	983.5(1)	375.4(1)
616.6(1)	5.3(4)	983.5(1)	366.9(1)

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
1135.6(2)	0.15(2)	2548.3(2)	1412.7(1)
1140.0(2)	0.47(8)*	1794.0(3)	654.0(1)
1150.7(1)	0.20(2)	2563.4(1)	1412.7(1)
1163.2(4)	0.21(6)*	1817.3(2)	654.0(1)
1170.7(2)	0.54(9)*	1705.8(2)	534.8(1)
1178.7(6)	0.25(14)*	1832.6(1)	654.0(1)
1179.2(5)	1.34(17)*	1178.8(2)	0.0
1190.5(1)	1.52(11)	1557.4(1)	366.9(1)
1193.7(1)	0.38(3)	1847.7(1)	654.0(1)
1201.6(3)	0.21(6)*	2195.8(3)	994.2(1)
1203.0(5)	0.24(8)*	1737.7(2)	534.8(1)
1227.7(1)	0.24(3)*	1603.0(1)	375.4(1)
1236.1(1)	0.63(6)	1603.0(1)	366.9(1)
1260.7(1)	0.29(2)	2673.4(1)	1412.7(1)
1269.7(1)	0.54(4)	1804.6(1)	534.8(1)
1273.0(2)	0.38(6)*	2267.2(2)	994.2(1)
1276.9(3)	0.21(6)*	2271.7(2)	994.2(1)
1290.8(3)	0.10(4)*	2703.5(3)	1412.7(1)
1294.7(6)	0.17(6)*	1948.5(4)	654.0(1)
1297.0(3)	0.16(6)*	2291.6(2)	994.2(1)
1298.4(2)	0.59(8)*	1665.3(2)	366.9(1)
1327.6(1)	0.27(2)	1862.4(1)	534.8(1)
1334.5(1)	0.21(2)	2328.8(2)	994.2(1)
1338.9(1)	0.51(4)	1705.8(2)	366.9(1)
1346.6(1)	0.18(2)	2330.1(1)	983.5(1)
1354.6(5)	0.07(4)*	2008.6(5)	654.0(1)
1370.9(5)	0.45(11)*	1737.7(2)	366.9(1)
1389.1(3)	0.16(5)*	2383.3(3)	994.2(1)
1390.2(8)	0.20(10)*	2373.7(8)	983.5(1)
1410.2(3)	0.17(4)*	2064.2(3)	654.0(1)
1412.9(2)	0.21(5)*	2066.9(2)	654.0(1)
1414.7(3)	0.07(2)*	1790.2(3)	375.4(1)
1425.8(2)	0.21(5)*	1792.7(2)	366.9(1)
1437.7(1)	0.24(2)	1804.6(1)	366.9(1)
1449.7(1)	0.26(3)	1449.6(1)	0.0
1452.5(2)	0.122(13)	2106.5(2)	654.0(1)
1465.6(1)	0.83(6)	1832.6(1)	366.9(1)
1495.6(1)	0.58(4)	2149.6(1)	654.0(1)
1508.0(3)	0.18(5)*	2502.2(3)	994.2(1)
1515.3(2)	0.13(3)	2509.6(2)	994.2(1)
1536.9(1)	0.42(3)	2071.8(1)	534.8(1)
1548.1(1)	0.56(4)	2083.0(1)	534.8(1)
1562.2(1)	0.38(3)	1929.1(2)	366.9(1)
1588.4(1)	0.44(4)	2242.4(1)	654.0(1)
1603.0(1)	0.38(3)	3015.7(1)	1412.7(1)
1617.8(1)	0.30(3)	2271.7(2)	654.0(1)
1621.9(1)	0.19(2)	2156.8(2)	534.8(1)
1660.3(2)	0.130(14)	2035.7(2)	375.4(1)
1670.3(3)	0.14(5)*	2664.6(3)	994.2(1)
1690.8(7)	0.15(7)*	2344.1(4)	654.0(1)
1691.0(4)	0.30(9)*	2057.9(4)	366.9(1)
1713.2(2)	0.15(4)*	2080.1(2)	366.9(1)
1717.6(1)	0.138(13)	2093.0(2)	375.4(1)
1721.2(3)	0.07(2)*	2096.6(3)	375.4(1)
1752.2(3)	0.10(4)*	2735.8(3)	983.5(1)
1776.8(3)	0.13(2)	2143.7(3)	366.9(1)
1809.0(4)	0.24(9)*	2344.1(4)	534.8(1)
1813.9(3)	0.23(5)*	2180.8(3)	366.9(1)
1825.5(2)	0.19(2)	2192.4(2)	366.9(1)
1864.0(2)	0.16(2)	2239.3(2)	375.4(1)
1872.1(3)	0.07(2)	2239.3(2)	366.9(1)
1882.3(1)	0.30(3)	2417.1(1)	534.8(1)
1889.5(1)	0.18(3)	2543.5(1)	654.0(1)

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
1934.2(3)	0.036(13)*	2309.3(2)	375.4(1)
1942.4(1)	0.36(4)	2309.3(2)	366.9(1)
1982.5(3)	0.09(2)*	2357.9(3)	375.4(1)
1988.5(4)	0.10(5)*	2642.5(4)	654.0(1)
2013.6(1)	0.25(3)	2380.5(1)	366.9(1)
2035.6(1)	0.44(4)	2035.7(2)	0.0
2082.2(6)	0.25(10)*	2449.1(6)	366.9(1)
2093.1(2)	0.23(4)	2093.0(2)	0.0
2202.1(4)	0.25(6)	2569.0(4)	366.9(1)
2252.3(2)	0.16(2)	2627.7(2)	375.4(1)
2309.3(2)	0.36(4)	2309.3(2)	0.0
2442.2(4)	0.047(14)*	2817.6(4)	375.4(1)
2457.4(4)	0.044(13)*	2832.8(4)	375.4(1)

¹ Not observed directly.

² Limit given in 95% credible interval.

³ $E0$ transition. The intensity of K electrons was multiplied by a factor 1.2 to account for other shells.

TABLE V: Transition properties obtained in the present work for ^{186}Hg . Level energies, spins and parities of the initial (E_i , J_i^π) and final (E_f , J_f^π) states, transition energies (E_t) and γ -branching ratios (Br_γ) have been listed. Pure $E0$ transitions are written in italics. The spins and parities are taken from this work and Ref. [4].

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
405.5(1)	2 ⁺	0.0	0 ⁺	405.5(1)	100
523.7(2)	0 ⁺	0.0	0 ⁺	<i>523.7(2)</i>	<i>100</i>
621.4(1)	2 ⁺	0.0	0 ⁺	621.4(1)	18.4(14)
		405.5(1)	2 ⁺	216.0(1)	100(5)
		523.7(2)	0 ⁺	97.3(5)	3.8(18)*
808.4(1)	4 ⁺	405.5(1)	2 ⁺	402.8(1)	100(5)
		621.4(1)	2 ⁺	187.0(1)	4.1(3)
1080.8(1)	4 ⁺	405.5(1)	2 ⁺	675.2(1)	100(5)
		621.4(1)	2 ⁺	459.3(1)	20.0(14)
		808.4(1)	4 ⁺	272.5(1)	2.4(3)
1096.9(1)	2 ⁺	0.0	0 ⁺	1096.9(1)	< 11 ¹
		405.5(1)	2 ⁺	691.4(1)	100(5)
		523.7(2)	0 ⁺	573.2(1)	46(3)
1165.4(1)	6 ⁺	808.4(1)	4 ⁺	357.0(1)	100
1228.8(1)	4 ⁺	621.4(1)	2 ⁺	607.4(1)	100
1248.0(1)		0.0	0 ⁺	1247.9(1)	100(5)
		405.5(1)	2 ⁺	842.5(1)	33(3)
1434.2(1)	4 ⁺	405.5(1)	2 ⁺	1028.7(2)	< 16.8 ¹
		621.4(1)	2 ⁺	812.6(1)	47(5)*
		808.4(1)	4 ⁺	625.9(1)	100(5)
		1080.8(1)	4 ⁺	353.4(2)	< 2.5 ²
		1096.9(1)	2 ⁺	337.2(1)	15.0(17)
1536.1(2)		523.7(2)	0 ⁺	1012.4(1)	100
1578.4(1)	6 ⁺	808.4(1)	4 ⁺	769.9(1)	100(5)
		1080.8(1)	4 ⁺	497.7(1)	18.6(14)
		1165.4(1)	6 ⁺	413.0(1)	14.0(10)
		1228.8(1)	4 ⁺	349.5(2)	44(12)*
1589.7(2)	8 ⁺	1165.4(1)	6 ⁺	424.4(1)	100
1615.2(1)		405.5(1)	2 ⁺	1209.7(1)	100
1660.0(2)		808.4(1)	4 ⁺	851.3(1)	33(3)
		1080.8(1)	4 ⁺	579.4(1)	95(7)
		1096.9(1)	2 ⁺	563.1(1)	100(5)
1678.2(1)	6 ⁺	808.4(1)	4 ⁺	869.7(1)	25.2(18)
		1080.8(1)	4 ⁺	597.4(1)	100(5)
1719.3(1)		405.5(1)	2 ⁺	1313.8(1)	100
1762.3(1)		1080.8(1)	4 ⁺	681.2(3)	41(14)*

Continued Table V

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
		1096.9(1)	2 ⁺	665.4(1)	42(5)
		1228.8(1)	4 ⁺	533.5(1)	100(6)
1845.1(4)		523.7(2)	0 ⁺	1321.3(4)	100
1868.9(1)		1080.8(1)	4 ⁺	788.0(1)	100(5)
		1165.4(1)	6 ⁺	703.5(1)	29(4)*
		1434.2(1)	4 ⁺	435.0(1)	21.6(16)
1905.7(1)		405.5(1)	2 ⁺	1500.2(1)	100
1907.0(1)	(5)	808.4(1)	4 ⁺	1098.6(2)	47(6)*
		1080.8(1)	4 ⁺	826.4(1)	100(5)
		1434.2(1)	4 ⁺	472.7(1)	16.0(14)
1922.4(2)		405.5(1)	2 ⁺	1516.9(1)	100
1954.9(2)		1228.8(1)	4 ⁺	726.0(1)	100
1976.3(1)	8 ⁺	1165.4(1)	6 ⁺	811.0(1)	96(8)*
		1578.4(1)	6 ⁺	397.9(1)	100(5)
		1589.7(2)	8 ⁺	386.7(1)	13.1(11)
1982.1(2)		405.5(1)	2 ⁺	1576.6(1)	100
1983.8(5)		1080.8(1)	4 ⁺	903.1(5)	100
1995.1(3)		1096.9(1)	2 ⁺	898.2(3)	100
1995.8(1)		621.4(1)	2 ⁺	1374.3(1)	100
2002.7(2)		1228.8(1)	4 ⁺	773.7(1)	95(7)
		1434.2(1)	4 ⁺	568.8(1)	100(5)
2008.4(1)		1096.9(1)	2 ⁺	911.5(2)	100
2009.2(2)		621.4(1)	2 ⁺	1387.7(2)	100
2078.7(2)	10 ⁺	1589.7(2)	8 ⁺	488.9(1)	100
2081.2(1)		808.4(1)	4 ⁺	1272.8(1)	100(5)
		1165.4(1)	6 ⁺	915.7(2)	37(7)*
		1434.2(1)	4 ⁺	647.1(1)	27(2)
2083.8(2)		1719.3(1)		364.5(1)	100
2093.4(2)		808.4(1)	4 ⁺	1285.0(2)	100
2131.1(1)		1080.8(1)	4 ⁺	1050.4(1)	100(6)
		1434.2(1)	4 ⁺	696.9(1)	38(3)
2138.2(2)		808.4(1)	4 ⁺	1329.8(1)	100
2138.8(1)		1080.8(1)	4 ⁺	1058.0(1)	100(6)
		1660.0(2)		478.8(5)	35(12)*
2140.4(2)		405.5(1)	2 ⁺	1735.0(1)	100(6)
		523.7(2)	0 ⁺	1616.3(1)	50(5)
2155.6(3)		621.4(1)	2 ⁺	1534.1(3)	100
2155.9(1)	(8 ⁺)	1165.4(1)	6 ⁺	990.4(1)	16(3)
		1589.7(2)	8 ⁺	566.2(1)	39(8)
		1678.2(1)	6 ⁺	477.8(1)	100(19)*
2170.5(2)		405.5(1)	2 ⁺	1765.0(1)	100
2185.7(3)		1907.0(1)	(5)	278.7(3)	100
2186.6(2)	(6 ⁻)	1578.4(1)	6 ⁺	608.2(2)	100
2199.7(3)		1719.3(1)		480.4(2)	100
2211.6(1)		1080.8(1)	4 ⁺	1130.8(1)	100(6)
		1434.2(1)	4 ⁺	777.5(1)	41(4)
2214.1(2)		808.4(1)	4 ⁺	1405.7(2)	100
2214.7(2)		621.4(1)	2 ⁺	1593.3(1)	100
2218.4(1)	(8 ⁻)	1589.7(2)	8 ⁺	628.4(1)	37(3)
		1976.3(1)	8 ⁺	242.1(1)	100(5)
2231.5(2)		523.7(2)	0 ⁺	1707.8(1)	100
2234.5(4)		621.4(1)	2 ⁺	1613.1(4)	100
2254.3(2)		1080.8(1)	4 ⁺	1173.7(2)	74(9)
		1165.4(1)	6 ⁺	1088.8(1)	100(9)
2264.5(2)		523.7(2)	0 ⁺	1740.8(2)	100
2267.7(1)	(7)	1165.4(1)	6 ⁺	1102.4(1)	32(3)
		1589.7(2)	8 ⁺	678.5(4)	9(3)*
		1868.9(1)		398.8(1)	99(41)*
		1907.0(1)	(5)	360.6(1)	100(6)
2280.1(1)		808.4(1)	4 ⁺	1471.7(1)	100

Continued Table V

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
2324.4(2)		1165.4(1)	6 ⁺	1159.1(1)	100
2342.0(2)		621.4(1)	2 ⁺	1720.6(1)	100
2342.5(2)		1165.4(1)	6 ⁺	1177.2(2)	100
2350.3(2)	(6 ⁺ ,7)	1165.4(1)	6 ⁺	1185.0(1)	29(13)
		1589.7(2)	8 ⁺	760.2(1)	51(22)
		1868.9(1)		481.4(2)	100(42)*
		1907.0(1)	(5)	443.2(2)	55(25)*
2356.0(3)		1907.0(1)	(5)	449.0(3)	100
2380.7(1)		808.4(1)	4 ⁺	1572.4(1)	100(7)
		1165.4(1)	6 ⁺	1215.1(2)	83(40)*
2384.9(2)		405.5(1)	2 ⁺	1979.4(1)	100
2388.4(2)		1165.4(1)	6 ⁺	1223.0(1)	100
2393.0(2)		808.4(1)	4 ⁺	1584.6(2)	100
2403.2(2)		1589.7(2)	8 ⁺	813.3(2)	31(9)*
		1678.2(1)	6 ⁺	725.1(2)	100(21)*
2405.3(2)		1868.9(1)		536.4(1)	100
2422.0(5)		621.4(1)	2 ⁺	1800.6(5)	100
2428.2(1)	10 ⁺	1589.7(2)	8 ⁺	838.4(1)	89(27)
		1976.3(1)	8 ⁺	451.9(2)	100(29)*
2428.4(1)		1678.2(1)	6 ⁺	750.2(1)	77(8)
		1868.9(1)		559.7(1)	100(5)
2467.1(3)	(8 ⁻)	2186.6(2)	(6 ⁻)	280.5(2)	100
2469.2(3)		1589.7(2)	8 ⁺	879.3(4)	40(19)*
		1678.2(1)	6 ⁺	791.4(5)	100(34)*
2474.0(2)		1165.4(1)	6 ⁺	1308.6(1)	100
2475.9(2)		1589.7(2)	8 ⁺	886.1(1)	100
2489.5(3)		621.4(1)	2 ⁺	1868.2(4)	31(15)*
		1080.8(1)	4 ⁺	1408.3(5)	100(24)
2509.1(6)		621.4(1)	2 ⁺	1887.7(6)	100
2516.1(2)		1165.4(1)	6 ⁺	1350.7(1)	100(6)
		1589.7(2)	8 ⁺	926.3(5)	35(15)*
2564.5(2)		1165.4(1)	6 ⁺	1399.2(3)	100(23)*
		1589.7(2)	8 ⁺	974.8(3)	92(30)*
2574.0(2)	(9)	2267.7(1)	(7)	306.3(1)	100
2577.1(2)		1589.7(2)	8 ⁺	987.2(1)	77(7)
		1976.3(1)	8 ⁺	600.9(1)	100(6)
2590.6(1)		1165.4(1)	6 ⁺	1425.3(1)	89(11)
		1589.7(2)	8 ⁺	1000.8(1)	100(10)
2608.9(2)		1165.4(1)	6 ⁺	1443.7(3)	58(13)*
		1589.7(2)	8 ⁺	1019.1(1)	100(7)
2620.7(2)	12 ⁺	2078.7(2)	10 ⁺	542.1(1)	100
2628.6(2)		1589.7(2)	8 ⁺	1038.9(1)	100
2633.6(1)		1976.3(1)	8 ⁺	657.3(1)	100
2637.3(2)	(10 ⁺)	2078.7(2)	10 ⁺	558.4(4)	83(35)*
		2155.9(1)	(8 ⁺)	481.5(2)	100(26)*
2649.7(2)		1589.7(2)	8 ⁺	1060.0(1)	100
2685.0(2)		1165.4(1)	6 ⁺	1519.7(1)	100
2693.8(2)		1165.4(1)	6 ⁺	1528.4(1)	100
2706.7(2)		1589.7(2)	8 ⁺	1116.9(1)	100
2715.7(3)		2078.7(2)	10 ⁺	637.0(3)	100
2758.2(3)		1678.2(1)	6 ⁺	1080.0(3)	100
2772.6(2)		808.4(1)	4 ⁺	1964.2(1)	100
2791.2(5)		1165.4(1)	6 ⁺	1625.9(5)	100
2833.7(2)	10 ⁺	1589.7(2)	8 ⁺	1243.8(5)	95(33)*
		2078.7(2)	10 ⁺	755.0(2)	100(16)
2890.0(2)		1589.7(2)	8 ⁺	1300.3(1)	100
2908.7(2)		1589.7(2)	8 ⁺	1318.9(1)	77(9)
		2078.7(2)	10 ⁺	829.9(1)	100(6)
2912.1(3)		523.7(2)	0 ⁺	2388.4(3)	100
3003.2(2)		1165.4(1)	6 ⁺	1837.8(2)	100

Continued Table V

E_i (keV)	J_i^π	E_f (keV)	J_f^π	E_γ (keV)	Br_γ
3011.9(3)		2078.7(2)	10^+	933.2(3)	100
3024.9(3)		1165.4(1)	6^+	1859.6(3)	100

¹ γ ray not observed, upper limit, given within 95% credible interval, obtained from the γ - γ coincidence data.

² Observed only as conversion electrons, γ -branching ratio limits given with 95% credible interval.

TABLE VI: The relative γ -ray intensities in ^{186}Hg , normalized to the strongest $2_1^+ \rightarrow 0_1^+$ 406 keV transition. The intensities of transitions marked with * were determined from coincidences.

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
97.3(5)	0.141(66)*	621.4(1)	523.7(2)
187.0(1)	2.11(15)	808.4(1)	621.4(1)
216.0(1)	3.7(3)	621.4(1)	405.5(1)
242.1(1)	1.71(13)	2218.4(1)	1976.3(1)
272.5(1)	0.36(4)	1080.8(1)	808.4(1)
278.7(3)	0.55(16)*	2185.7(3)	1907.0(1)
280.5(2)	0.38(8)*	2467.1(3)	2186.6(2)
306.3(1)	0.78(6)	2574.0(2)	2267.7(1)
337.2(1)	0.46(5)	1434.2(1)	1096.9(1)
349.5(2)	2.2(6)*	1578.4(1)	1228.8(1)
353.4(2)	$< 0.076^1$	1434.2(1)	1080.8(1)
357.0(1)	31(2)	1165.4(1)	808.4(1)
360.6(1)	1.56(12)	2267.7(1)	1907.0(1)
364.5(1)	0.35(3)	2083.8(2)	1719.3(1)
386.7(1)	0.41(3)	1976.3(1)	1589.7(2)
397.9(1)	3.1(2)	1976.3(1)	1578.4(1)
398.8(1)	1.5(6)*	2267.7(1)	1868.9(1)
402.8(1)	51(4)	808.4(1)	405.5(1)
405.5(1)	100	405.5(1)	0.0
413.0(1)	0.70(5)	1578.4(1)	1165.4(1)
424.4(1)	14.1(10)	1589.7(2)	1165.4(1)
435.0(1)	0.60(5)	1868.9(1)	1434.2(1)
443.2(2)	0.56(12)*	2350.3(2)	1907.0(1)
449.0(3)	0.38(11)*	2356.0(3)	1907.0(1)
451.9(2)	0.8(2)*	2428.2(1)	1976.3(1)
459.3(1)	3.0(2)	1080.8(1)	621.4(1)
472.7(1)	0.45(4)	1907.0(1)	1434.2(1)
477.8(1)	2.1(4)*	2155.9(1)	1678.2(1)
478.8(5)	0.27(9)*	2138.8(1)	1660.0(2)
480.4(2)	0.25(8)*	2199.7(3)	1719.3(1)
481.4(2)	1.0(4)*	2350.3(2)	1868.9(1)
481.5(2)	0.17(5)*	2637.3(2)	2155.9(1)
488.9(1)	2.8(2)	2078.7(2)	1589.7(2)
497.7(1)	0.93(7)	1578.4(1)	1080.8(1)
523.7(2)	3.6(3) ²	523.7(2)	0.0
533.5(1)	0.52(4)	1762.3(1)	1228.8(1)
536.4(1)	0.17(2)	2405.3(2)	1868.9(1)
542.1(1)	0.32(3)	2620.7(2)	2078.7(2)
558.4(4)	0.15(5)*	2637.3(2)	2078.7(2)
559.7(1)	0.61(5)	2428.4(1)	1868.9(1)
563.1(1)	0.66(5)	1660.0(2)	1096.9(1)
566.2(1)	0.80(6)	2155.9(1)	1589.7(2)
568.8(1)	0.56(4)	2002.7(2)	1434.2(1)
573.2(1)	1.55(11)	1096.9(1)	523.7(2)
579.4(1)	0.63(5)	1660.0(2)	1080.8(1)
597.4(1)	4.4(3)	1678.2(1)	1080.8(1)
600.9(1)	0.49(4)	2577.1(2)	1976.3(1)
607.4(1)	7.3(6)*	1228.8(1)	621.4(1)
608.2(2)	1.38(19)*	2186.6(2)	1578.4(1)

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)
621.4(1)	0.67(5)	621.4(1)	0.0
625.9(1)	3.1(2)	1434.2(1)	808.4(1)
628.4(1)	0.64(5)	2218.4(1)	1589.7(2)
637.0(3)	0.18(6)*	2715.7(3)	2078.7(2)
647.1(1)	0.43(4)	2081.2(1)	1434.2(1)
657.3(1)	0.38(4)	2633.6(1)	1976.3(1)
665.4(1)	0.22(3)	1762.3(1)	1096.9(1)
675.2(1)	14.8(11)	1080.8(1)	405.5(1)
678.5(4)	0.14(5)*	2267.7(1)	1589.7(2)
681.2(3)	0.21(7)*	1762.3(1)	1080.8(1)
691.4(1)	3.4(2)	1096.9(1)	405.5(1)
696.9(1)	0.209(18)	2131.1(1)	1434.2(1)
703.5(1)	0.82(10)*	1868.9(1)	1165.4(1)
725.1(2)	0.96(20)*	2403.2(2)	1678.2(1)
726.0(1)	0.86(14)*	1954.9(2)	1228.8(1)
750.2(1)	0.47(5)	2428.4(1)	1678.2(1)
755.0(2)	0.21(4)	2833.7(2)	2078.7(2)
760.2(1)	0.52(4)	2350.3(2)	1589.7(2)
769.9(1)	5.0(4)	1578.4(1)	808.4(1)
773.7(1)	0.53(4)	2002.7(2)	1228.8(1)
777.5(1)	0.29(2)	2211.6(1)	1434.2(1)
788.0(1)	2.8(2)	1868.9(1)	1080.8(1)
791.4(5)	0.25(9)*	2469.2(3)	1678.2(1)
811.0(1)	3.0(2)*	1976.3(1)	1165.4(1)
812.6(1)	1.43(15)*	1434.2(1)	621.4(1)
813.3(2)	0.29(6)*	2403.2(2)	1589.7(2)
826.4(1)	2.8(2)	1907.0(1)	1080.8(1)
829.9(1)	0.26(2)	2908.7(2)	2078.7(2)
838.4(1)	0.72(5)	2428.2(1)	1589.7(2)
842.5(1)	0.55(4)	1248.0(1)	405.5(1)
851.3(1)	0.219(18)	1660.0(2)	808.4(1)
869.7(1)	1.10(8)	1678.2(1)	808.4(1)
879.3(4)	0.10(4)*	2469.2(3)	1589.7(2)
886.1(1)	0.66(5)	2475.9(2)	1589.7(2)
898.2(3)	0.28(8)*	1995.1(3)	1096.9(1)
903.1(5)	0.20(7)*	1983.8(5)	1080.8(1)
911.5(2)	0.48(10)*	2008.4(1)	1096.9(1)
915.7(2)	0.58(11)*	2081.2(1)	1165.4(1)
926.3(5)	0.19(8)*	2516.1(2)	1589.7(2)
933.2(3)	0.10(4)*	3011.9(3)	2078.7(2)
974.8(3)	0.22(5)*	2564.5(2)	1589.7(2)
987.2(1)	0.38(3)	2577.1(2)	1589.7(2)
990.4(1)	0.34(3)	2155.9(1)	1165.4(1)
1000.8(1)	0.26(3)	2590.6(1)	1589.7(2)
1012.4(1)	0.176(17)	1536.1(2)	523.7(2)
1019.1(1)	0.41(4)	2608.9(2)	1589.7(2)
1028.7(2)	$< 0.52^1$	1434.2(1)	405.5(1)
1038.9(1)	0.37(5)	2628.6(2)	1589.7(2)
1050.4(1)	0.55(4)	2131.1(1)	1080.8(1)
1058.0(1)	0.77(6)	2138.8(1)	1080.8(1)
1060.0(1)	0.45(4)	2649.7(2)	1589.7(2)
1080.0(3)	0.27(9)*	2758.2(3)	1678.2(1)
1088.8(1)	0.24(2)	2254.3(2)	1165.4(1)
1096.9(1)	$< 0.37^1$	1096.9(1)	0.0
1098.6(2)	1.30(17)*	1907.0(1)	808.4(1)
1102.4(1)	0.50(4)	2267.7(1)	1165.4(1)
1116.9(1)	0.41(3)	2706.7(2)	1589.7(2)
1130.8(1)	0.70(5)	2211.6(1)	1080.8(1)
1159.1(1)	0.148(18)	2324.4(2)	1165.4(1)
1173.7(2)	0.175(17)	2254.3(2)	1080.8(1)
1177.2(2)	0.49(8)*	2342.5(2)	1165.4(1)
1185.0(1)	0.30(3)	2350.3(2)	1165.4(1)
1209.7(1)	1.31(9)	1615.2(1)	405.5(1)

E_γ (keV)	I_γ	E_i (keV)	E_f (keV)				
1215.1(2)	0.16(8)*	2380.7(1)	1165.4(1)	1528.4(1)	0.184(18)	2693.8(2)	1165.4(1)
1223.0(1)	0.40(3)	2388.4(2)	1165.4(1)	1534.1(3)	0.12(3)*	2155.6(3)	621.4(1)
1243.8(5)	0.20(6)*	2833.7(2)	1589.7(2)	1572.4(1)	0.189(17)	2380.7(1)	808.4(1)
1247.9(1)	1.65(12)	1248.0(1)	0.0	1576.6(1)	0.27(2)	1982.1(2)	405.5(1)
1272.8(1)	1.59(11)	2081.2(1)	808.4(1)	1584.6(2)	0.092(14)	2393.0(2)	808.4(1)
1285.0(2)	0.086(13)	2093.4(2)	808.4(1)	1593.3(1)	0.22(2)	2214.7(2)	621.4(1)
1300.3(1)	0.24(2)	2890.0(2)	1589.7(2)	1613.1(4)	0.18(7)*	2234.5(4)	621.4(1)
1308.6(1)	0.57(4)	2474.0(2)	1165.4(1)	1616.3(1)	0.129(13)	2140.4(2)	523.7(2)
1313.8(1)	1.13(8)	1719.3(1)	405.5(1)	1625.9(5)	0.21(7)*	2791.2(5)	1165.4(1)
1318.9(1)	0.20(2)	2908.7(2)	1589.7(2)	1707.8(1)	0.22(2)	2231.5(2)	523.7(2)
1321.3(4)	0.050(18)*	1845.1(4)	523.7(2)	1720.6(1)	0.133(16)	2342.0(2)	621.4(1)
1329.8(1)	0.21(2)	2138.2(2)	808.4(1)	1735.0(1)	0.26(2)	2140.4(2)	405.5(1)
1350.7(1)	0.55(4)	2516.1(2)	1165.4(1)	1740.8(2)	0.161(19)	2264.5(2)	523.7(2)
1374.3(1)	0.74(6)	1995.8(1)	621.4(1)	1765.0(1)	0.41(4)	2170.5(2)	405.5(1)
1387.7(2)	0.20(2)	2009.2(2)	621.4(1)	1800.6(5)	0.27(7)*	2422.0(5)	621.4(1)
1399.2(3)	0.24(6)*	2564.5(2)	1165.4(1)	1837.8(2)	0.19(3)	3003.2(2)	1165.4(1)
1405.7(2)	0.35(6)	2214.1(2)	808.4(1)	1859.6(3)	0.11(3)*	3024.9(3)	1165.4(1)
1408.3(5)	0.28(7)	2489.5(3)	1080.8(1)	1868.2(4)	0.09(4)*	2489.5(3)	621.4(1)
1425.3(1)	0.23(2)	2590.6(1)	1165.4(1)	1887.7(6)	0.18(7)*	2509.1(6)	621.4(1)
1443.7(3)	0.24(5)*	2608.9(2)	1165.4(1)	1964.2(1)	0.22(2)	2772.6(2)	808.4(1)
1471.7(1)	0.94(7)	2280.1(1)	808.4(1)	1979.4(1)	0.22(2)	2384.9(2)	405.5(1)
1500.2(1)	0.49(4)	1905.7(1)	405.5(1)	2388.4(3)	0.09(2)	2912.1(3)	523.7(2)
1516.9(1)	0.41(4)	1922.4(2)	405.5(1)				
1519.7(1)	0.30(3)	2685.0(2)	1165.4(1)				

¹ Limit given in 95% credible interval.

² $E0$ transition. The intensity of K electrons was multiplied by a factor 1.2 to account for other shells.

-
- [1] B. Singh, Nuclear Data Sheets **130**, 21 (2015), URL <https://www.sciencedirect.com/science/article/pii/S0090375215000563>.
- [2] C. M. Baglin, Nuclear Data Sheets **111**, 275 (2010), URL <https://www.sciencedirect.com/science/article/pii/S0090375210000189>.
- [3] E. Rapisarda, A. N. Andreyev, S. Antalic, A. Barzakh, T. E. Cocolios, I. G. Darby, R. De Groote, H. De Witte, J. Diriken, J. Elseviers, et al., Journal of Physics G: Nuclear and Particle Physics **44**, 074001 (2017), URL <https://iopscience.iop.org/article/10.1088/1361-6471/aa6bb6>.
- [4] J. Batchelder, A. Hurst, and M. Basunia, Nuclear Data Sheets **183**, 1 (2022), URL <https://www.sciencedirect.com/science/article/pii/S009037522200031X>.
- [5] T. Grahn, A. Petts, M. Scheck, P. A. Butler, A. Dewald, M. B. Gómez Hornillos, P. T. Greenlees, A. Görden, K. Helariutta, J. Jolie, et al., Physical Review C **80**, 014324 (2009), URL <https://link.aps.org/doi/10.1103/PhysRevC.80.014324>.
- [6] L. P. Gaffney, M. Hackstein, R. D. Page, T. Grahn, M. Scheck, P. A. Butler, P. F. Bertone, N. Bree, R. J. Carroll, M. P. Carpenter, et al., Physical Review C **89**, 024307 (2014), 1401.5030, URL <https://link.aps.org/doi/10.1103/PhysRevC.89.024307>.
- [7] K. Wrzosek-Lipska, K. Rezynek, N. Bree, M. Zielińska, L. P. Gaffney, A. Petts, A. Andreyev, B. Bastin, M. Bender, A. Blazhev, et al., The European Physical Journal A **55**, 130 (2019), URL <http://link.springer.com/10.1140/epja/i2019-12815-2>.

TABLE VII. Comparison of the experimental $B(E2)$ transition strengths taken from Ref. [5–7] with the SCCM theoretical model. Values are given in units of e^2b^2 .

Nucleus	Value	Experiment	SCCM
^{182}Hg	$B(E2; 2_1^+ \rightarrow 0_1^+)$	0.33(2)	0.071
	$B(E2; 2_2^+ \rightarrow 0_1^+)$	0.072(24)	0.36
	$B(E2; 4_1^+ \rightarrow 2_1^+)$	1.52(5)	2.80
	$B(E2; 6_1^+ \rightarrow 4_1^+)$	2.27(18)	3.15
	$B(E2; 8_1^+ \rightarrow 6_1^+)$	2.33(25)	3.38
^{184}Hg	$B(E2; 2_1^+ \rightarrow 0_1^+)$	0.320(15)	0.40
	$B(E2; 2_2^+ \rightarrow 0_1^+)$	0.024(4)	0.00072
	$B(E2; 4_1^+ \rightarrow 2_1^+)$	1.22(4)	0.074
	$B(E2; 6_1^+ \rightarrow 4_1^+)$	1.91(9)	2.74
	$B(E2; 8_1^+ \rightarrow 6_1^+)$	1.92(8)	2.94
^{186}Hg	$B(E2; 2_1^+ \rightarrow 0_1^+)$	$0.31^{+0.05}_{-0.04}$	0.40
	$B(E2; 2_2^+ \rightarrow 0_1^+)$	0.0005(2)	0.0012
	$B(E2; 4_1^+ \rightarrow 2_1^+)$	1.28(15)	0.011
	$B(E2; 6_1^+ \rightarrow 4_1^+)$	1.46(6)	2.34
	$B(E2; 8_1^+ \rightarrow 6_1^+)$	1.27(9)	2.50