

$$(\hat{F}_1^b, \hat{F}_2^b, \dots, \hat{F}_m^b) \rightarrow \phi(\hat{F}_1^b, \hat{F}_2^b, \dots, \hat{F}_m^b) \rightarrow \text{Mean/Variance}$$

Resampled distribution

Simulation output

Linear modeling:


$$\phi(\hat{F}_1, \hat{F}_2, \dots, \hat{F}_m) + \nabla \phi(\hat{F}_1, \hat{F}_2, \dots, \hat{F}_m)[\hat{F}_1^b - \hat{F}_1, \hat{F}_2^b - \hat{F}_2, \dots, \hat{F}_m^b - \hat{F}_m]$$

Nuisance estimation

Infinitesimal
Jackknife



Orthogonal
Bootstrap



Further debasing via simulating the residual of the linear modeling:

$$\phi(\hat{F}_1^b, \hat{F}_2^b, \dots, \hat{F}_m^b) - \left[\phi(\hat{F}_1, \hat{F}_2, \dots, \hat{F}_m) + \nabla \phi(\hat{F}_1, \hat{F}_2, \dots, \hat{F}_m)[\hat{F}_1^b - \hat{F}_1, \hat{F}_2^b - \hat{F}_2, \dots, \hat{F}_m^b - \hat{F}_m] \right]$$