


Zero-shot Prompts ($P(X_K)$)



Few-shot
Demonstrations (X_D)

LLMs w/
zero-/few-shot learning

Test Examples (X_{test})

Knowledge Definition: Learn the relationship between the changes in the numerator and denominator of a fraction while keeping the value unchanged. Common related question types include the following: (1) Rewrite a fraction into an equal fraction with a specified numerator or denominator; (2) Determine the change in the original denominator or numerator of a fraction when the numerator or denominator increases or decreases, and the value of the fraction remains unchanged. In addition, it should be noted that the change in the numerator or denominator should be limited to addition, subtraction, multiplication, and division operations between integers.

Labeled Sample 1:

Question: Fill it out. 8 square meters = ____ square decimeters; 6 square decimeters = ____ square centimeters; 70,000 square centimeters = ____ square meters.

Expert Judgement:

...

Unlabeled Sample 1: Fill it out. 8 square meters = ____ square decimeters; 6 square decimeters = ____ square centimeters; 70,000 square centimeters = ____ square meters.

...


Unlabeled Sample N: Fill it out. 8 square meters = ____ square decimeters; 6 square decimeters = ____ square centimeters; 70,000 square centimeters = ____ square meters.

Training Data
($X_{train} = \{X_K, X_Q, Y_Q\}$)



PLMs w/
task fine-tuning

Positive Anchors (X_A)



Text encoding w/
similarity calculation

Test Examples (X_{test})