

Large-angle production of charged pions by 3 GeV =c{12.9 GeV =c protons on beryllium , alum inium and lead targets

H A R P C o l l a b o r a t i o n

A p r i l 8 , 2 0 1 3

A b s t r a c t

M easurem ents of the double-di erential production cross-section in the range of m om entum $100 \text{ MeV} =c \leq p < 800 \text{ MeV} =c$ and angle $0.35 \text{ rad} \leq \theta < 2.15 \text{ rad}$ in proton{beryllium , proton{ alum inium and proton{lead collisions are presented. The data were taken w ith the H A R P detector in the T9 beam line of the CERN PS. The pions were produced by proton beams in a m om entum range from 3 GeV =c to 12.9 GeV =c hitting a target w ith a thickness of 5% of a nuclear interaction length. The tracking and identi cation of the produced particles was performed using a small-radius cylindrical time projection chamber (TPC) placed inside a solenoidal magnet. Incident particles were identi ed by an elaborate system of beam detectors. Results are obtained for the double-di erentialcross-sections $d^2\sigma/dpd\theta$ at six incident proton beam m om enta (3 GeV =c, 5 GeV =c, 8 GeV =c, 8.9 GeV =c (Be only), 12 GeV =c and 12.9 GeV =c (Al only)) and com pared to previously available data.

(To be submitted to The European Physical Journal C)

H A R P collaboration

M .G .C atanese, E .R adicioni

U niversita degli Studie Sezione IN FN , Bari, Italy

R .Edgecock, M .Ellis¹, F J.P .Soler²

R utherford Appleton Laboratory, Chilton, Didcot, U K

C .G o ling

Institut fur Physik, Universitat Dortmund, Germany

S .Bunyatov, A .K rasnoperov, B .Popov³, V .Serdiuk, V .Tereschenko

Joint Institute for Nuclear Research, JINR Dubna, Russia

E .DiCapua, G .V idal Sitjes⁴

U niversita degli Studie Sezione IN FN , Ferrara, Italy

A .A rtam onov⁵, S .G ianni, S .G ilardoni, P .G orbunov⁵, A .G rant, A .G rossheim⁷, V .Ivanchenko⁸,
A .K ayis-Topaksu⁹, J .Panman, I .Papadopoulos, E .T chemiaev, I .Tsukerman⁵, R .V eenhof, C .W iebusch¹⁰,
P .Zucchelli^{6,11}

C E R N , G eneva, Switzerland

A .B londel, S .Borghini¹², M .C .M orone¹³, G .P rior¹⁴, R .Schroeter
Section de Physique, Universite de G eneve, Switzerland

C .M eurer

Institut fur Physik, Forschungszentrum Karlsruhe, Germany

U .G astaldi

Laboratori Nazionali di Legnaro dell' IN FN , Legnaro, Italy

G .B .M ill¹⁵

Los Alamos National Laboratory, Los Alamos, USA

J .S .G raulich¹⁶, G .G regoire

Institut de Physique Nucléaire, U C L , Louvain-la-Neuve, Belgium

M .B onesini, F .Ferri

U niversita degli Studie Sezione IN FN M ilano B icocca, M ilano, Italy

M .K irsanov

Institute for Nuclear Research, M oscow, Russia

A .B agulya, V .G richine, N .Polikhina

P .N .Lebedev Institute of Physics (F IAN), Russian Academy of Sciences, M oscow, Russia
V .P alladino

U niversita "Federico II" e Sezione IN FN , N apoli, Italy

L .C oney¹⁵, D .S chmitz¹⁵

C olumbia University, New York, USA

G .B arr, A .D e Santo¹⁷

N uclear and Astrophysics Laboratory, University of O xford, U K

F .B obisut, D .G ibin, A .G uglielmi, M .M ezzetto

U niversita degli Studie Sezione IN FN , Padova, Italy

J .D um archez

L P N H E , Universites de Paris VI et VII, Paris, France

U .D ore

U niversita "La Sapienza" e Sezione IN FN Roma I, Roma, Italy

D .O restano, F .Pastore, A .Tonazzo, L .Tortora

U niversita degli Studie Sezione IN FN Roma III, Roma, Italy

C .Booth, L .H owl ett

D ep t. of Physics, University of She feld, U K

M .B ogom ilov, M .C hizhov, D .K olev, R .T senov

Faculty of Physics, St. Kliment Ohridski University, So ia, Bulgaria

S .P iperov, P .T emnikov

Institute for Nuclear Research and Nuclear Energy, Academy of Sciences, So ia, Bulgaria

M .A polonio, P .Chimenti, G .G iannini

U niversita degli Studie Sezione IN FN , Trieste, Italy

J .B urguet(C astell), A .C ervera(V illanueva), J .J .G om ez(C adenas), J .M art n(A lbo), P .N ovella, M .S orei

I nstituto de F sica Corpuscular, IF IC , C SIC and Universidad de Valencia, Spain

¹Now at F N A L , Batavia, Illinois, U S A .

²Now at University of G lasgow , U K .

³A lso supported by LPNHE , Paris, France.

⁴N ow at Imperial College, University of London, U K .

⁵I T E P , M oscow , R ussian Federation.

⁶N ow at SpinX Technologies, G eneva, Sw itzerland.

⁷N ow at T R IUM F , Vancouver, C anada.

⁸O n leave of absence from E coanalitica, M oscow State U niversity, M oscow , R ussia .

⁹N ow at C ukurova U niversity, A dana, Turkey.

¹⁰N ow at III Phys. Inst. B , RW TH A achen, A achen, G ermany.

¹¹O n leave of absence from INFN , Sezione di Ferrara, Italy.

¹²N ow at CERN , G eneva, Sw itzerland.

¹³N ow at U niversity of R ome T or Vergata, Italy.

¹⁴N ow at Lawrence Berkeley N ational Laboratory, B erkeley, C alifornia, U S A .

¹⁵M inB ooN E C ol l abor ation.

¹⁶N ow at Section de P hysique, U niversite de G eneve, Sw itzerland, Sw itzerland.

¹⁷N ow at R oyal H olloway, U niversity of London, U K .

1 Introduction

The HARP experiment [1] makes use of a large-acceptance spectrometer for systematic study of the hadron production on a large range of target nuclei for beam momenta from 1.5 to 15 GeV/c. The main motivations are to measure pion yields for a quantitative design of the proton driver of a future neutrino factory [2], to provide measurements to allow substantially improved calculations of the atmospheric neutrino flux [3, 4, 5, 6, 7] to be made and to measure particle yields as input for the flux calculation of accelerator neutrino experiments, such as K2K [8, 9], MINIBOONE [10] and SciBooNE [11].

Measurements of the double-differential cross-section, $d^2/dpd\theta$ for pion production at large angles by protons of 3 GeV/c, 5 GeV/c, 8 GeV/c, 8.9 GeV/c (Be only), 12 GeV/c and 12.9 GeV/c (Al only) momentum impinging on a thin beryllium, aluminium or lead target of 5% nuclear interaction length (τ_0) are presented. These measurements are of special interest for target materials used in conventional accelerator neutrino beams (Be, Al) and in neutrino factory designs (Pb).

In this energy range and for these nuclear targets, only very sparse data sets are available from previous experiments, usually with large uncertainties [12, 13], aside what has been published in references [14], [15].

Results for other nuclei, such as Be, Al for pions produced in the forward direction and C, Cu, Sn, Ta for pion production at large angles are presented in different HARP publications [16, 17, 18, 19]. HARP is the first experiment to provide a large data set taken with many different targets, full particle identification and large detector acceptance down to low secondary momentum (< 200 MeV/c). This paper completes the range of solid target materials for which HARP data are available. The combination of the data sets make it possible to perform systematic comparisons of hadron production models with measurements at different incoming beam momenta over a large range of target atomic number A.

Data were taken in the T9 beam of the CERN PS. About 3.1×10^5 , 5.1×10^5 , 1.6×10^5 well-reconstructed secondary pion tracks for the beryllium, aluminium and lead targets were selected from 1.6, 2.3 and 0.9 millions of incoming protons, which gave an interaction trigger in the Large Angle spectrometer.

The analysis proceeds by selecting tracks in the Time Projection Chamber (TPC) in events with incident beam protons. Momentum and polar angle measurements and particle identification are based on the measurements of track position and energy deposition in the TPC. An unfolding method is used to correct for experimental resolution, efficiency and acceptance and to obtain the double-differential pion production cross-sections. The method allows a full error evaluation to be made. The analysis follows closely the methods used for the determination of pion production by protons on a tantalum target which are fully described in Ref. [19] and will be only briefly outlined here. A comparison with available data is presented.

2 Experimental apparatus and data analysis

The HARP detector is shown in Fig. 1 and is fully described in reference [20]. The forward spectrometer, mainly used in the particle production analysis for the conventional neutrino beams and atmospheric neutrino flux, comprises a dipole magnet, large planar drift chambers (NDC) [21], a time-of-flight wall (TOFW) [22], a threshold Cherenkov counter (CHE) and an electromagnetic calorimeter (ECAL). In the large-angle region of particle production a cylindrical TPC with a radius of 408 mm (active region) is positioned inside a solenoidal magnet with a field of 0.7 T. The TPC detector was designed to measure and identify tracks in the angular region from 0.25 to 2.5 rad with respect to the beam axis. The target is placed inside the inner field cage (IFC) of the TPC such that, in addition to particles produced in the forward direction, backward-going tracks can be measured. The targets have a nominal thickness of 5% and a cylindrical shape with a nominal diameter of 30 mm and each of the three targets have a purity above 99.95%. The Be, Al and Pb targets have a thickness of 20.46 mm, 19.80 mm and 8.37 mm with a measured variation of less than 0.02 mm, 0.07 mm and 0.08 mm, respectively.

The TPC is used for tracking, momentum determination and the measurement of the energy deposition




Figure 1: Schematic layout of the HARP detector. The convention for the coordinate system is shown in the lower-right corner. The three most downstream (unlabelled) drift chamber modules are only partly equipped with electronics and are not used for tracking.

dE/dx for particle identification [23]. A set of resistive plate chambers (RPC) form a barrel inside the solenoid around the TPC to measure the arrival time of the secondary particles [24]. Charged particle identification (PID) can be achieved by measuring the ionization per unit length in the gas (dE/dx) as a function of the total momentum of the particle. Additional PID can be performed through a time-of-flight measurement with the RPCs.

The momentum of the T9 beam is known with a precision of the order of 1% [25]. The absolute normalization of the number of incident protons was performed using a total of 1,148,120 incident proton triggers. These are triggers where the same selection on the beam particle was applied but no selection on the interaction was performed. The rate of this trigger was down-scaled by a factor 64. A cross-check of the absolute normalization was provided by counting tracks in the forward spectrometer.

Beam instrumentation provides identification of the incoming particle, the determination of the time when it hits the target, and the impact point and direction of the beam particle on the target. It is based on a set of four multi-wire proportional chambers (MWPC) to measure position and direction of the incoming beam particles and time-of-flight detectors and N_2 -illed Cherenkov counters to identify incoming particles. Several trigger detectors are installed to select events with an interaction and to define the normalization.

The beam of positive particles used for this measurement contains mainly positrons, pions and protons, with small components of kaons and deuterons and heavier ions. The proton fraction in the incoming beam varies from 35% at 3 GeV/c to 92% at 12 GeV/c. The length of the accelerator spill is 400 ms with a typical intensity of 15 000 beam particles per spill.

In addition to the usual need for calibration of the detector, a number of hardware shortfalls, discovered mainly after the end of data-taking, had to be overcome to use the TPC data reliably in the analysis. The TPC is affected by a relatively large number of dead or noisy pads and static and dynamic distortions of the reconstructed trajectories. Static distortions are caused by the inhomogeneity of the electric field, due to an accidental mismatch between the inner and outer field cage (powered by two distinct HV supplies) and other sources. Dynamic distortions are caused instead by the build-up of ion-charge density in the drift volume during the 400 ms long beam spill. All these effects were fully studied and available corrections are described in detail in Ref. [19]. While methods to correct the dynamic distortions of the TPC tracks are being developed, a practical approach has been followed in the present analysis. Only the events corresponding to the early part of the spill, where the effects of the dynamic distortions are

still small, have been used¹. The time interval between spills is large enough to drain all charges in the TPC related to the effect of the beam. The combined effect of the distortions on the kinematic quantities used in the analysis has been studied in detail and only that part of the data for which the systematic errors can be assessed with physical benchmarks was used, as explained in [19]. More than 30% of the recorded data can thus be used in the current analysis.

The absolute momentum scale is determined by using elastic scattering events off a hydrogen target. The angle of the forward scattered particle is used to predict the momentum of the recoil proton, to be compared to the one measured by the TPC. To study the stability of this measurement protons are selected in a narrow band with a relatively large $dE = dx$ where $dE = dx$ depends strongly on momentum. The average momentum for the selected protons remains stable within 3% as a function of time-in-spill over the part of the spill used in this analysis. Only a short outline of the data analysis is presented here, for more details see Ref. [19].

The analysis proceeds by first selecting a beam proton hitting the target, not accompanied by other tracks. Then an event is required to give a large angle interaction (LA I) trigger to be retained. After the event selection the sample of tracks to be used for analysis is defined. At least twelve space points in the TPC out of a maximum of twenty are required to consider a track. This cut ensures a good measurement of the track parameters and the $dE = dx$. For the selected tracks a cut on d_0^0 (the distance of closest approach to the extrapolated trajectory of the incoming beam particle in the plane perpendicular to the beam direction) and z_0^0 (the z-coordinate where the distance of the secondary track and the beam track is minimal) is applied. Finally, only tracks with $100 \text{ MeV}/c < p_T < 800 \text{ MeV}/c$ and $p_T > 55 \text{ MeV}/c$ are accepted.

Table 1 shows the number of events and the number of selected in the p{Be, p{Al and p{Pb analysis. The total number of events taken by the data acquisition ("Total DAQ events") includes trigger of all types as well as calibration events. The number of accepted events for the analysis ("Accepted protons with LA I") is obtained from incoming protons in coincidence with a large angle trigger. The large difference between the two numbers is due to the relatively large fraction of pions in the beam and to the larger number of triggers taken for the measurements with the forward dipole spectrometer. These data will be the subject of other publications. The fraction of data used for the analysis ("Fraction of triggers used") after a cut on the maximum event number to be retained in the spill ("N_{evt} cut") to avoid dynamical distortion corrections is then reported. Finally, the rows "\Negative particles", "\Positive particles", "\selected with PID" and "\selected with PID" show the number of accepted tracks with negative and positive charge and the ones passing in addition the pion PID criteria, respectively.

3 Experimental results

The double-differential cross-section for the production of a particle of type π can be expressed in the laboratory system as:

$$\frac{d^2}{dp_{id} d\Omega} = \frac{1}{N_{pot} N_A} \frac{A}{t} \sum_{i^0, j^0} X_{ij} M_{ij} \frac{1}{i^0 j^0} N_{ij}^0; \quad (1)$$

where $\frac{d^2}{dp_{id} d\Omega}$ is expressed in bins of true momentum (p_i), angle (Ω) and particle type (π). The factor $\frac{A}{N_A} t$ in Eq. 1 is the inverse of the number of target nuclei per unit area (A is the atomic mass, N_A is the Avogadro number, t are the target density and thickness)².

The 'raw yield' N_{ij}^0 is the number of particles of observed type π^0 in bins of reconstructed momentum (p_{id}) and angle (Ω). These particles must satisfy the event, track and PID selection criteria. Although, thanks to the stringent PID selection, the background from misidentified protons in the pion sample is

¹This translates into a cut on the maximum number of events (N_{evt}) to be retained.

²We do not make a correction for the attenuation of the proton beam in the target, so that the cross-sections are strictly valid for a $\tau = 5\%$ target.

Table 1: Total number of events and tracks used in the beryllium, aluminiun and lead 5% target data sets, and the number of protons on target as calculated from the pre-scaled trigger count. For each entry the first line shows beryllium target data, the second line { aluminiun target data and the third (last) line { lead target data.

Data set (GeV =c)		3	5	8	8.9	12	12.9
Total DAQ events	(Be)	1409710	1705362	2010031	3969685	1288354	{
	(Al)	1586331	1094308	1706919	{	619021	6644256
	(Pb)	1299264	2234984	1949950	{	630417	{
Acc. protons with LA I		77223	182423	365500	692150	300939	{
		69794	120948	341687	{	71554	1715323
		79188	207004	415982	{	188134	{
Fraction of triggers used		35%	33%	36%	41%	41%	{
(N evt cut)		48%	40%	33%	{	42%	35%
		36%	32%	36%	{	27%	{
selected with P ID		3120	11168	29337	63887	29506	{
		3882	9233	27809	{	19290	168229
		2347	11842	42576	{	18092	{
+ selected with P ID		5520	15331	37049	78727	35136	{
		6396	13045	35991	{	23440	203924
		3203	13318	46150	{	19040	{

small, the pion and proton raw yields ($N_{ij}^{0,0}$, for $i^0 = \pi^0, \eta^0; j^0 = p^+$) have been measured simultaneously. It is thus possible to correct for the small remaining proton background in the pion data without prior assumptions concerning the proton production cross-section.

The matrix $M_{ij}^{1,0,0,0}$ corrects for the efficiency and resolution of the detector. It unfolds the true variables ij from the reconstructed variables i^0j^0 with a Bayesian technique [26] and corrects the observed number of particles to take into account effects such as trigger efficiency, reconstruction efficiency, acceptance, absorption, pion decay, tertiary production, P ID efficiency, P ID misidentification and electron background. The method used to correct for the various effects is described in more detail in Ref. [19].

In order to predict the population of the migration matrix element $M_{ij}^{1,0,0,0}$, the resolution, efficiency and acceptance of the detector are obtained from the Monte Carlo. This is accurate provided that the Monte Carlo simulation describes these quantities correctly. Where some deviations from the control samples measured from the data are found, the data are used to introduce (small) corrections to the Monte Carlo. Using the unfolding approach, possible known biases in the measurements are taken into account automatically as long as they are described by the Monte Carlo. In the experiment simulation, which is based on the GEANT 4 toolkit [27], the materials in the beam-line and the detector are accurately described as well as the relevant features of the detector response and the digitization process. In general, the Monte Carlo simulation compares well with the data, as shown in Ref. [19].

The result is normalized to the number of incident protons on target N_{pot} . The absolute normalization of the result is calculated in the first instance relative to the number of incident beam particles accepted by the selection. After unfolding, the factor $\frac{A}{N_A} t$ is applied. The beam normalization using down-scaled incident proton triggers has uncertainties smaller than 2% for all beam momentum settings.

The background due to interactions of the primary protons outside the target (called ‘Empty target background’) is measured using data taken without the target mounted in the target holder. Owing to the selection criteria which only accept events from the target region and the good definition of the interaction point this background is negligible ($< 10^{-5}$). The background of interactions of the primary proton outside the target can be suppressed for large angle tracks measured in the TPC owing to the good resolution in z . This is contrary to the situation in the forward spectrometer where an interaction in the target cannot be distinguished from an interaction in upstream or downstream material [17, 16].

The effects of these uncertainties on the final results are estimated by repeating the analysis with the relevant input modified within the estimated uncertainty intervals. In many cases this procedure requires




Figure 2: Double-differential cross-sections for π^+ production (top) and π^- production (bottom) in $p\text{-Be}$ interactions as a function of momentum displayed in differential angular bins (shown in m rad in the panels). The error bars represent the combination of statistical and systematic uncertainties.

the construction of a set of differential migration matrices. The correlations of the variations between the cross-section bins are evaluated and expressed in the covariance matrix. Each systematic error source is represented by its own covariance matrix. The sum of these matrices describes the total systematic error.

3.1 Cross-section measurements

The measured double-differential cross-sections for the production of π^+ and π^- in the laboratory system as a function of the momentum and the polar angle for each incident beam momentum are shown in Fig. 2, 3 and 4 for Be, Al and Pb, respectively. The error bars shown are the square-roots of the diagonal elements in the covariance matrix, where statistical and systematic uncertainties are combined in quadrature. Correlations cannot be shown in the figures. The correlation of the statistical errors (introduced by the unfolding procedure) are typically smaller than 20% for adjacent momentum bins and even smaller for adjacent angular bins. The correlations of the systematic errors are larger, typically 80% for adjacent bins. The overall scale error is not shown. The latter error is 2% for Be and Al and 3% for Pb due to the larger variation in the measured thickness of the lead target. The results of this analysis are also tabulated in Appendix A.

To better visualize the dependence on the incoming beam momentum, the same data averaged over the angular range (for the forward going and backward going tracks) covered by the analysis are shown separately for π^+ and π^- in Fig. 5. The spectrum of pions produced in the backward direction is much steeper than that in the forward direction. The increase of the pion yield per proton is visible in addition to a change of spectrum towards higher momentum of the secondaries produced by higher momentum beams in the forward direction. This dependence is much weaker for Be than for Pb.

The dependence of the integrated pion yields on the incident beam momentum is shown in Fig. 6 and




Figure 3: Double-differential cross-sections for π^+ production (top) and π^- production (bottom) in p-Al interactions as a function of momentum displayed in different angular bins (shown in mrad in the panels). The error bars represent the combination of statistical and systematic uncertainties. In the figure, the symbol legend 13 (9) refers to 12.9 (8.9) GeV=c nominal beam momentum.

compared with previous results obtained with the same apparatus. The π^+ and π^- yields are integrated over the region $0.350 \text{ rad} < \theta < 0.950 \text{ rad}$ and $100 \text{ MeV=c} < p < 700 \text{ MeV=c}$. Whereas the beam energy dependence of the yields in the p{C, p{Be data differs clearly from the dependence in the p{Ta, p{Pb data one can observe that the p{Al, p{Cu and p{Sn data display a smooth transition between them. The dependence in the p{C, p{Be data is much more at with a saturation of the yield between 8 GeV=c and 12 GeV=c with the p{Al, p{Cu and p{Sn showing an intermediate behaviour.

The integrated π^-/π^+ ratio in the forward direction is displayed in Fig. 7 as a function of secondary momentum. In the covered part of the momentum range in most bins more π^+ 's are produced than π^- 's. The π^-/π^+ ratio has features similar to the ones observed in our p{C [18] and p{Ta data [19]. In the p{Pb data the ratio is closer to unity than for the p{Be, p{Al data. In the lead data a similar effect is observed as in the previously published tantalum data, namely that the number of π^+ 's produced is smaller than the number of π^- 's in the lowest momentum bin (100 MeV=c - 150 MeV=c) for the 8 GeV=c and 12 GeV=c incoming beam momenta. A similar effect was seen by E910 in their p{Au data [14]. Lower-A targets do not show this behaviour.

The dependence of the integrated pion yields on the atomic number A is shown in Fig. 8 combining the results with the p{Ta data (Ref. [19]), the p{C data and the p{Cu, p{Sn data (Ref. [18]) taken with the same apparatus and analysed using the same methods. The π^+ yields integrated over the region $0.350 \text{ rad} < \theta < 1.550 \text{ rad}$ and $100 \text{ MeV=c} < p < 700 \text{ MeV=c}$ are shown in the left panel and the data integrated over the same region in the right panel for four different beam momenta. One observes a smooth behaviour of the integrated yields. The A-dependence is slightly different for π^- and π^+ production, the latter saturating earlier, especially at lower beam momenta.

The experimental uncertainties are summarized in Table 2. One observes that only for the 3 GeV=c beam the statistical error is similar in magnitude to the systematic error, while the statistical error is negligible




Figure 4: Double-differential cross-sections for π^+ production (top) and π^- production (bottom) in $p\text{-Pb}$ interactions as a function of momentum displayed in different angular bins (shown in mrad in the panels). The error bars represent the combination of statistical and systematic uncertainties.

for the 8 GeV=c and 12 GeV=c beam settings. The statistical error is calculated by error propagation as part of the unfolding procedure. It takes into account that the unfolding matrix is obtained from the data themselves³ and hence contributes also to the statistical error. This procedure almost doubles the statistical error, but avoids an important systematic error which would otherwise be introduced by assuming a cross-section model a priori to calculate the corrections.

The largest systematic error corresponds to the uncertainty in the absolute momentum scale, which was estimated to be around 3% using elastic scattering [19]. At low momentum in the relatively small angle forward direction the uncertainty in the subtraction of the electron and positron background due to π^0 production is dominant (~ 6% {10%}). This uncertainty is split between the variation in the shape of the π^0 spectrum and the normalization using the identified electrons. The target region definition and the uncertainty in the PID efficiency and background from tertiaries (particles produced in secondary interactions) are of similar size and are not negligible (~ 2 {3%). Relatively small errors are introduced by the uncertainties in the absorption correction, absolute knowledge of the angular and the momentum resolution. The correction for tertiaries is relatively large at low momentum and large angles (~ 3 {5%). As expected, this region is most affected by this component. The errors are quoted for the positive pion data. Owing to the similarity of the spectra the errors are very similar for the negative pions.

As already mentioned above, the overall normalization has an uncertainty of 2% for Be and Al and 3% for Pb, and is not reported in the table. It is mainly due to the uncertainty in the efficiency that beam protons counted in the normalization actually hit the target, with smaller components from the target thickness and density and beam particle counting procedure.

The Pb data presented in this paper are particularly relevant for the design of the input stage of future neutrino factories. This experiment covers the full momentum range of interest for production angles

³The migration matrix is calculated without prior knowledge of the cross-sections, while the unfolding procedure determined the unfolding matrix from the migration matrix and the distributions found in the data.




Figure 5: Double-differential cross-sections for π^+ and π^- production in $p\{\text{Be}$ (top), $p\{\text{Al}$ (middle) and $p\{\text{Pb}$ (bottom) interactions as a function of momentum averaged over the angular region covered by this experiment (shown in m rad). The left panel of each pair shows forward production ($350 \text{ m rad} < \theta < 1550 \text{ m rad}$), while the right panel of each pair shows backward production ($1550 \text{ m rad} < \theta < 2150 \text{ m rad}$). The error bars obtained after summing the bins of the double-differential cross-sections take into account the correlations of the statistical and systematic uncertainties. In the figure, the symbol legend 13 (9) refers to 12.9 (8.9) GeV=c nominal beam momentum.

above 0.35 rad. When one defines the effective coverage of the kinematic range as the fraction of muons transported by the input stage of a neutrino factory design originating from decays for which the pion production cross-section is within the kinematic range measured by the present experiment then one evaluates this effective coverage to be close to 70% [28], using a particular model for pion production at an incoming beam momentum of 10.9 GeV=c [29] for the ISS input stage [30].

The π^+ and π^- production cross-sections were integrated over the full HARP kinematic range in the forward hemisphere ($100 \text{ M eV=c} < p < 700 \text{ M eV=c}$ and $0.35 < \theta < 1.55$). The results are shown in Fig. 9. The integrated yields normalized to the kinetic energy of the incoming beam particles are shown for Pb




Figure 6: The dependence on the beam momentum of the (left) and $^{+}$ (right) production yields in $p\{\text{Be}$, $p\{\text{C}$, $p\{\text{Al}$, $p\{\text{Cu}$, $p\{\text{Sn}$, $p\{\text{Ta}$, $p\{\text{Pb}$ interactions integrated over the forward angular region ($0.350 \text{ rad} < \theta < 0.950 \text{ rad}$) and momentum ($100 \text{ MeV}/c \leq p < 700 \text{ MeV}/c$). The results are given in arbitrary units, with a consistent scale between the left and right panel. Data points for different target nuclei and equal momenta are slightly shifted horizontally with respect to each other to increase the visibility.

in the left panel and compared with the Ta data in the right panel. The outer error bars indicate the total statistical and systematic errors. If one compares the $^{+}$ and $^{-}$ rates for a given beam momentum or if one compares the rates at a different beam momentum the relative systematic error is reduced by about a factor two. The relative uncertainties are shown as inner error bar. It is shown that in our kinematic coverage the optimum yield is between $5 \text{ GeV}/c$ and $8 \text{ GeV}/c$. To show the trend the rates within restricted ranges are also given: a restricted angular range ($0.35 < \theta < 0.95$) and a range further restricted in momentum ($250 \text{ MeV}/c \leq p < 500 \text{ MeV}/c$). The latter range may be most representative for the neutrino factory. One notes that the Pb and Ta data yield the same conclusions. Although the units are indicated as "arbitrary", for the largest region, the yield is expressed as $d^2 = dp/d\theta$ in mb/(GeV/c sr). For the other regions the same normalization is chosen, but now scaled with the relative bin size to show visually the correct ratio of number of pions produced in these kinematic regions.

Of course this analysis only gives a simplified picture of the results. One should note that the best result can be obtained by using the full information of the double-differential cross-section and by developing designs optimized specifically for each single beam momentum. Then these optimized designs can be compared.




Figure 7: The ratio of the differential cross-sections for π^-/π^+ production in $p\{\text{Be}$ (left panel), $p\{\text{Al}$ (middle panel) and $p\{\text{Pb}$ (right panel) interactions as a function of secondary momentum integrated over the forward angular region (shown in m rad). In the figure, the symbol legend 13 (9) refers to 12.9 (8.9) GeV/c nominal beam momentum.




Figure 8: The dependence on the atomic number A of the pion production yields in $p\{\text{Be}$, $p\{\text{C}$, $p\{\text{Al}$, $p\{\text{Cu}$, $p\{\text{Sn}$, $p\{\text{Ta}$, $p\{\text{Pb}$ interactions integrated over the forward angular region ($0.350 \text{ rad} < \theta < 1.550 \text{ rad}$) and momentum ($100 \text{ MeV}/c < p < 700 \text{ MeV}/c$). The results are given in arbitrary units, with a consistent scale between the left and right panel. The vertical scale used in this figure is consistent with the one in Fig. 6.

Table 2: Experimental uncertainties for the beryllium, aluminium and lead analyses. The numbers represent the uncertainty in percent of the cross-section integrated over the angle and momentum region indicated. The overall normalization has an uncertainty of 2% for Be and Al and 3% for Pb, and is not reported in the table.

p (GeV/c)	0.1 { 0.3			0.3 { 0.5			0.5 { 0.7		
Angle	350{ 950{ 1550{			350{ 950{ 1550{			350{ 950{		
(m rad)	950 1550 2150			950 1550 2150			950 1550		
3 GeV/c									
Total syst.	(Be)	11.6	4.6	2.6	3.6	7.5	10.5	9.6	16.4
	(Al)	9.9	5.1	3.5	3.9	7.7	12.9	10.0	14.4
	(Pb)	11.7	6.8	6.3	3.7	5.9	6.4	11.0	14.7
Statistics	(Be)	4.5	3.8	4.9	3.5	5.9	16.0	4.7	13.0
	(Al)	4.0	3.3	4.2	3.2	5.1	11.3	4.2	9.9
	(Pb)	5.8	4.6	5.5	4.8	6.8	14.1	6.7	13.4
5 GeV/c									
Total syst.	(Be)	11.0	4.7	2.7	3.9	4.8	7.8	6.5	11.4
	(Al)	9.9	5.0	3.5	3.9	5.0	6.8	8.5	12.2
	(Pb)	12.4	7.4	6.3	4.0	5.2	6.8	6.8	11.3
Statistics	(Be)	2.2	1.8	2.3	1.4	2.2	4.5	1.7	3.5
	(Al)	2.7	2.4	3.0	2.1	3.2	6.3	2.5	5.2
	(Pb)	2.8	2.3	2.8	2.2	2.9	5.2	2.7	4.6
8 GeV/c									
Total syst.	(Be)	10.8	5.2	3.1	5.1	3.9	6.8	6.7	11.3
	(Al)	9.6	5.2	3.6	4.1	4.3	7.2	7.3	11.4
	(Pb)	11.1	7.4	6.4	4.2	4.7	6.6	6.6	9.3
Statistics	(Be)	1.7	1.4	1.8	1.1	1.7	3.2	1.2	2.5
	(Al)	1.6	1.5	1.9	1.2	1.9	3.6	1.4	2.7
	(Pb)	1.5	1.3	1.6	1.1	1.6	2.7	1.3	2.2
8.9 GeV/c									
Total syst.	(Be)	8.8	4.4	2.7	4.5	4.0	7.8	7.4	12.3
Statistics	(Be)	1.1	1.0	1.3	0.8	1.2	2.4	0.9	1.8
12 GeV/c									
Total syst.	(Be)	10.7	5.1	2.9	4.3	3.8	6.7	6.6	11.1
	(Al)	9.8	5.8	4.1	3.9	4.5	6.8	7.5	10.8
	(Pb)	10.8	7.1	6.7	2.9	4.4	5.6	7.1	9.1
Statistics	(Be)	1.6	1.4	1.7	1.0	1.5	2.9	1.1	2.2
	(Al)	1.9	1.9	2.4	1.5	2.2	4.4	1.6	3.2
	(Pb)	2.1	1.9	2.4	1.7	2.4	4.3	2.0	3.4
12.9 GeV/c									
Total syst.	(Al)	9.7	5.4	3.8	3.7	4.1	6.7	7.3	11.1
Statistics	(Al)	0.7	0.6	0.8	0.5	0.8	1.4	0.6	1.0

3.2 Comparisons with earlier data

Available data to be compared with are very scarce and in general suffer from large systematic and statistical uncertainties, except for the following two examples.

The p{Be data at 12.3 GeV/c from the E910 experiment [14] are in reasonable agreement with our results as shown in Fig. 10. In order to take into account the different angular binnings which prevent a direct comparison, a Sanford-Wang parametrization [31] is fitted to our data. The fit is performed to the data reduced as $d^2 = dpd\Omega$: As the Sanford-Wang parametrization does not fit perfectly our data, a 15% band which contains fully our experimental data points has been chosen for the comparison as shown in Fig. 10 (top panels). The same parametrizations are then displayed in the binning of E910. While the shape of the distributions are similar for both + and - in the HARP and E910 data sets, the absolute cross-sections disagree by up to 15% for the + data and agree well for the - data. (The parametrization shows similar difficulties to fit both data sets). One should note that the range of the systematic errors of the HARP data is 5% to 10% and similar for the E910 data, such that the disagreement is not




Figure 9: The integrated yields normalized to the kinetic energy of the proton of the π^+ (closed symbols) and π^- (open symbols) yield as a function of incident proton beam momentum. Shown are the yields for lead (left) and tantalum (right). The circles indicate the integral over the full HARP acceptance (in the forward direction), the squares are integrated over $0.35 \text{ rad} < \theta < 0.95 \text{ rad}$, while the diamonds are calculated for the restricted angular range $250 \text{ MeV}/c < p < 500 \text{ MeV}/c$. The full error bar shows the overall (systematic and statistical) error, while the inner error bar shows the error relevant for the point-to-point comparison. For the latter error only the uncorrelated systematic uncertainties were added to the statistical error.

much larger than one standard deviation. The difference in the π^+/π^- ratio between the two experiments is about 15%, which is more significant given the expected correlations between the uncertainties in the measurements of the π^+ and π^- spectra. This effect may point to an underestimation of systematic effects on the absolute normalization, efficiencies or background subtractions. Owing to the symmetry of the HARP TPC, including its trigger counter, we do not expect a large systematic error in the HARP data between π^+ and π^- production cross-sections⁴.

Our p{Al data have been compared with π^+ and π^- production measurements at 12 GeV/c incident proton momentum from Shibata et al. [15]. Their data were taken with a magnetic spectrometer and only measurements at 90 degrees from the initial proton direction are available. The statistical point-to-point errors are quoted to be 3%, while the overall normalization has a 30% uncertainty due to the knowledge of the acceptance. In Fig. 11 their data are shown together with the results reported in this paper. Their data set compares well with the data described in this paper (filled circles) in the angular region $1.35 \text{ rad} < \theta < 1.55 \text{ rad}$ at the same proton beam momentum⁵.

⁴As a side remark, E910 data shows a step around 800 MeV/c in momentum (inverse for π^+ , π^-) that may explain also the observed discrepancy.

⁵In this comparison data are compared with their proper experimental normalization factors, while in the previous published comparison of our carbon and copper target data with their data sets normalization factors 0.72 (0.91) were used, still compatible with their overall quoted normalization uncertainty of 30%.




Figure 10: Comparison of the HARP Be data with π^+ and π^- production data from Ref. [14] taken with $12.3 \text{ GeV}/c$ protons. The top panels show a parametrization of the π^+ (left) and π^- (right) production data described in this paper. The data have been normalized to represent $d^2\sigma = dp d\Omega$. The shaded band represents the area between two parametrizations which contain the data points. The bottom panels show the comparison of the same parametrization, now binned according to the E910 data. The bottom left (right) panel shows the π^+ (π^-) production data of Ref. [14]. The angular regions are indicated in mrad in the upper right-hand corner of each plot.

4 Summary and Conclusions

The analysis of the production of charged pions at large angles with respect to the beam direction for protons of $3 \text{ GeV}/c$, $5 \text{ GeV}/c$, $8 \text{ GeV}/c$, $8.9 \text{ GeV}/c$ (Be only), $12 \text{ GeV}/c$ and $12.9 \text{ GeV}/c$ (Al only) impinging on thin (5% nuclear interaction length) beryllium, aluminium and lead targets is presented. The secondary pion yields are measured in a large angular and momentum range and double-differential cross-sections are obtained. A detailed error estimation is discussed. Results on the dependence of charged pion production on the target atomic number A are also presented.

The use of a single detector for a range of beam momenta makes possible to measure the dependence of the pion yield on the secondary particle momentum and emission angle with high precision. The A dependence of the cross-section can be studied using the combination of the present data with the data obtained with carbon, copper, tin [18] and tantalum [19] targets in the same experiment. The yields integrated over relatively large angular and momentum regions show a smooth trend in their A and beam momentum dependence.

The data taken with the lead target is important for the design studies for a neutrino factory. These data show a similar behaviour as the previously reported data with a tantalum target.




Figure 11: Comparison of HARP p-Al data with π^+ and π^- production data at 90 degrees from Ref. [15] taken with 12 GeV/c incident protons. The left panel shows the comparison of the π^+ production data of Ref. [15] with the data reported here; the right panel shows instead the comparison with the π^- production data. The data sets compares well with our results (filled circles) in the angular region $1.35^\circ < 1.55^\circ$.

5 Acknowledgements

We gratefully acknowledge the help and support of the PS beam staff and of the numerous technical collaborators who contributed to the detector design, construction, commissioning and operation. In particular, we would like to thank G. Barichello, R. Brocard, K. Burin, V. Carassiti, F. Chignoli, D. Conventi, G. Decreuse, M. Delattre, C. Detraz, A. Domenech, M. Dwuznik, F. Evangelisti, B. Friend, A. Iacofano, I. Krasin, D. Lacroix, J.-C. Legrand, M. Lobello, M. Lollo, J. Loquet, F. Marinilli, J. Malon, L. Musa, R. Nicholson, A. Pepato, P. Petev, X. Pons, I. Rusinov, M. Scandurra, E. Usenko, and R. van der Vugt, for their support in the construction of the detector. The collaboration acknowledges them major contributions and advice of M. Baldo-Ceolin, L. Linssen, M. T. Muciaccia and A. Pullia during the construction of the experiment. The collaboration is indebted to V. Ableev, P. Arcue, F. Bergsma, P. Binko, E. Botter, C. Buttar, M. Calvi, M. Campanelli, C. Cavion, A. Chukanov, A. De Meir, M. Doucet, D. Duulmann, R. Engel, V. Emelova, W. Flegel, P. Gruber, Y. Hayato, P. Hodgson, A. Ichikawa, A. Ivanchenko, I. Kato, O. Klimov, T. Kobayashi, D. Kustov, M. Laveder, M. Mass, H. Meinhart, T. Nakaya, K. Nishikawa, M. Paganini, F. Palari, M. Pasquali, J. Pasternak, C. Pattison, M. Placentino, S. Robbins, G. Santini, S. Simone, A. Tomero, S. Troquereau, S. Ueda, A. Valassi, F. Vannucci and K. Zuber for their contributions to the experiment and to P. Dini for his contribution to MC production.

We acknowledge the contributions of V. Ammosov, G. Chekhov, D. Dovydov, F. Dyak, M. Gostkin, A. Guskov, D. Kharichenko, V. Koreshev, Z. Kroumchtein, I. Nefedov, A. Semak, J. Wotschack, V. Zaets and A. Zhemchugov to the work described in this paper.

The experiment was made possible by grants from the Institut Interuniversitaire des Sciences Nucléaires and the Interuniversitair Instituut voor Kernwetenschappen (Belgium), Ministerio de Educacion y Ciencia, Grant FPA 2003-06921-c02-02 and Generalitat Valenciana, grant GV00-054-1, CERN (Geneva, Switzerland), the German Bundesministerium für Bildung und Forschung (Germany), the Istituto Nazionale di Fisica Nucleare (Italy), INR RAS (Moscow) and the Particle Physics and Astronomy Research Council (UK). We gratefully acknowledge their support. This work was supported in part by the Swiss

National Science Foundation and the Swiss Agency for Development and Cooperation in the framework of the program me SCOPES – Scientific co-operation between Eastern Europe and Switzerland.

A Cross-section data

Table 3: HAR P results for the double-differential π^+ production cross-section in the laboratory system, $d^2\sigma = (dp/d\Omega)$ for beryllium. Each row refers to a different $(p_{\text{min}} < p < p_{\text{max}}, \theta_{\text{min}} < \theta < \theta_{\text{max}})$ bin, where p and θ are the pion momentum and polar angle, respectively. The central value as well as the square-root of the diagonal elements of the covariance matrix are given. The overall normalization has an uncertainty of 2%, and is not reported in the table.

θ_{min} (rad)	θ_{max} (rad)	p_{min} (GeV/c)	p_{max} (GeV/c)	$d^2\sigma = (dp/d\Omega)$ (barn/(GeV/c rad))							
				3 GeV/c		5 GeV/c		8 GeV/c		8.9 GeV/c	
				3.0	5.0	5.0	8.0	8.0	12.0	8.9	12.0
0.35	0.55	0.15	0.20	0.063	0.015	0.107	0.017	0.121	0.016	0.130	0.015
		0.20	0.25	0.090	0.015	0.131	0.014	0.161	0.014	0.174	0.014
		0.25	0.30	0.104	0.015	0.191	0.023	0.199	0.018	0.213	0.018
		0.30	0.35	0.151	0.025	0.229	0.021	0.236	0.019	0.232	0.022
		0.35	0.40	0.178	0.018	0.237	0.016	0.237	0.016	0.266	0.018
		0.40	0.45	0.163	0.016	0.222	0.014	0.254	0.018	0.261	0.014
		0.45	0.50	0.187	0.018	0.245	0.020	0.281	0.014	0.281	0.019
		0.50	0.60	0.185	0.018	0.232	0.016	0.274	0.017	0.284	0.018
		0.60	0.70	0.117	0.020	0.214	0.022	0.285	0.026	0.249	0.024
		0.70	0.80	0.083	0.016	0.150	0.029	0.208	0.037	0.187	0.029
0.55	0.75	0.10	0.15	0.050	0.016	0.076	0.017	0.081	0.018	0.092	0.015
		0.15	0.20	0.108	0.016	0.111	0.013	0.145	0.012	0.132	0.010
		0.20	0.25	0.126	0.019	0.171	0.017	0.202	0.014	0.197	0.015
		0.25	0.30	0.181	0.020	0.218	0.020	0.210	0.017	0.218	0.016
		0.30	0.35	0.167	0.020	0.214	0.016	0.212	0.014	0.220	0.015
		0.35	0.40	0.179	0.017	0.196	0.013	0.217	0.014	0.222	0.013
		0.40	0.45	0.156	0.015	0.183	0.013	0.224	0.012	0.209	0.010
		0.45	0.50	0.139	0.013	0.175	0.011	0.206	0.011	0.211	0.011
		0.50	0.60	0.103	0.013	0.149	0.013	0.185	0.013	0.179	0.014
		0.60	0.70	0.050	0.014	0.102	0.016	0.130	0.018	0.131	0.017
0.75	0.95	0.10	0.15	0.079	0.017	0.067	0.013	0.079	0.013	0.087	0.013
		0.15	0.20	0.121	0.017	0.143	0.015	0.162	0.012	0.157	0.012
		0.20	0.25	0.136	0.017	0.173	0.016	0.193	0.015	0.191	0.013
		0.25	0.30	0.125	0.014	0.167	0.012	0.188	0.012	0.197	0.013
		0.30	0.35	0.120	0.014	0.146	0.012	0.175	0.011	0.192	0.012
		0.35	0.40	0.103	0.012	0.150	0.011	0.171	0.009	0.175	0.008
		0.40	0.45	0.078	0.009	0.129	0.010	0.146	0.009	0.137	0.007
		0.45	0.50	0.072	0.009	0.096	0.010	0.126	0.007	0.121	0.006
		0.50	0.60	0.044	0.008	0.065	0.008	0.097	0.009	0.095	0.008
		0.60	0.70	0.021	0.006	0.039	0.007	0.059	0.010	0.058	0.010
0.95	1.15	0.10	0.15	0.105	0.017	0.079	0.014	0.093	0.014	0.089	0.012
		0.15	0.20	0.127	0.018	0.154	0.015	0.159	0.011	0.166	0.011
		0.20	0.25	0.165	0.018	0.167	0.013	0.151	0.010	0.168	0.008
		0.25	0.30	0.119	0.014	0.163	0.012	0.158	0.009	0.155	0.009
		0.30	0.35	0.115	0.013	0.106	0.009	0.131	0.008	0.122	0.007
		0.35	0.40	0.074	0.010	0.086	0.007	0.107	0.006	0.107	0.006
		0.40	0.45	0.054	0.008	0.067	0.006	0.085	0.006	0.088	0.004
		0.45	0.50	0.034	0.006	0.051	0.005	0.066	0.006	0.068	0.006
		0.50	0.60	0.018	0.004	0.032	0.005	0.042	0.006	0.044	0.006

m in (rad)	m ax (rad)	p _m in (G eV =c)	p _m ax (G eV =c)	$d^2 \frac{+}{-} = (dpd)$ (barn/(G eV =c rad))									
				3 G eV =c		5 G eV =c		8 G eV =c		8.9 G eV =c		12 G eV =c	
				0.098	0.016	0.102	0.014	0.094	0.012	0.105	0.013	0.093	0.014
1.15	1.35	0.10	0.15	0.098	0.016	0.102	0.014	0.094	0.012	0.105	0.013	0.093	0.014
		0.15	0.20	0.114	0.017	0.144	0.013	0.155	0.011	0.149	0.008	0.136	0.011
		0.20	0.25	0.134	0.016	0.127	0.010	0.141	0.008	0.145	0.007	0.133	0.008
		0.25	0.30	0.084	0.011	0.110	0.009	0.099	0.007	0.103	0.007	0.116	0.008
		0.30	0.35	0.049	0.009	0.076	0.007	0.076	0.006	0.075	0.004	0.082	0.005
		0.35	0.40	0.026	0.005	0.057	0.005	0.063	0.004	0.066	0.003	0.072	0.004
		0.40	0.45	0.022	0.004	0.041	0.006	0.048	0.004	0.048	0.003	0.053	0.005
		0.45	0.50	0.017	0.004	0.024	0.004	0.036	0.004	0.034	0.004	0.037	0.005
1.35	1.55	0.10	0.15	0.084	0.015	0.109	0.015	0.086	0.012	0.097	0.012	0.089	0.013
		0.15	0.20	0.107	0.014	0.120	0.011	0.128	0.011	0.145	0.010	0.137	0.009
		0.20	0.25	0.079	0.012	0.124	0.011	0.117	0.009	0.118	0.006	0.105	0.007
		0.25	0.30	0.070	0.011	0.081	0.009	0.067	0.007	0.083	0.006	0.081	0.006
		0.30	0.35	0.036	0.007	0.049	0.006	0.050	0.004	0.055	0.003	0.057	0.005
		0.35	0.40	0.023	0.005	0.032	0.004	0.041	0.003	0.044	0.003	0.045	0.004
		0.40	0.45	0.012	0.004	0.018	0.003	0.030	0.004	0.029	0.003	0.028	0.004
		0.45	0.50	0.007	0.003	0.010	0.002	0.018	0.003	0.020	0.003	0.018	0.003
1.55	1.75	0.10	0.15	0.067	0.015	0.088	0.014	0.080	0.012	0.084	0.011	0.088	0.011
		0.15	0.20	0.104	0.014	0.130	0.011	0.115	0.008	0.114	0.006	0.103	0.007
		0.20	0.25	0.058	0.010	0.073	0.009	0.079	0.006	0.082	0.005	0.079	0.006
		0.25	0.30	0.040	0.008	0.044	0.005	0.062	0.005	0.060	0.004	0.051	0.005
		0.30	0.35	0.023	0.006	0.030	0.004	0.042	0.004	0.039	0.003	0.031	0.003
		0.35	0.40	0.010	0.003	0.015	0.003	0.028	0.003	0.024	0.003	0.021	0.002
		0.40	0.45	0.006	0.003	0.008	0.002	0.015	0.002	0.015	0.002	0.012	0.002
		0.45	0.50	0.002	0.002	0.004	0.002	0.009	0.002	0.009	0.001	0.008	0.001
1.75	1.95	0.10	0.15	0.048	0.011	0.072	0.011	0.081	0.011	0.085	0.010	0.068	0.009
		0.15	0.20	0.091	0.015	0.097	0.009	0.091	0.006	0.100	0.006	0.098	0.008
		0.20	0.25	0.058	0.011	0.053	0.007	0.067	0.006	0.061	0.004	0.058	0.007
		0.25	0.30	0.018	0.007	0.033	0.005	0.031	0.004	0.043	0.003	0.036	0.003
		0.30	0.35	0.008	0.003	0.016	0.003	0.022	0.002	0.024	0.003	0.025	0.002
		0.35	0.40	0.003	0.002	0.009	0.002	0.014	0.002	0.016	0.002	0.017	0.003
		0.40	0.45	0.001	0.001	0.004	0.001	0.007	0.002	0.008	0.002	0.007	0.002
		0.45	0.50	0.002	0.002	0.002	0.001	0.003	0.001	0.004	0.001	0.003	0.001
1.95	2.15	0.10	0.15	0.055	0.014	0.062	0.010	0.056	0.008	0.068	0.008	0.054	0.007
		0.15	0.20	0.062	0.011	0.082	0.008	0.083	0.006	0.068	0.005	0.072	0.006
		0.20	0.25	0.042	0.009	0.045	0.006	0.045	0.005	0.048	0.004	0.049	0.005
		0.25	0.30	0.015	0.005	0.019	0.005	0.026	0.003	0.027	0.002	0.020	0.004
		0.30	0.35	0.007	0.003	0.007	0.002	0.017	0.002	0.018	0.002	0.010	0.001
		0.35	0.40	0.004	0.003	0.007	0.002	0.008	0.002	0.008	0.002	0.007	0.001
		0.40	0.45			0.004	0.002	0.003	0.001	0.004	0.001	0.004	0.001
		0.45	0.50			0.002	0.002	0.002	0.001	0.003	0.001	0.002	0.001

Table 4: HARP results for the double-differential production cross-section in the laboratory system, $d^2 \sigma = (dp/d\Omega)$ for beryllium. Each row refers to a different ($p_{\text{min}} < p < p_{\text{max}}$; $\theta_{\text{min}} < \theta < \theta_{\text{max}}$) bin, where p and θ are the pion momentum and polar angle, respectively. The central value as well as the square-root of the diagonal elements of the covariance matrix are given. The overall normalization has an uncertainty of 2%, and is not reported in the table.

θ_{min} (rad)	θ_{max} (rad)	p_{min} (GeV/c)	p_{max} (GeV/c)	$d^2 \sigma = (dp/d\Omega)$ (barn/(GeV/c rad))							
				3 GeV/c		5 GeV/c		8 GeV/c		8.9 GeV/c	
				3.0	5.0	5.0	8.0	8.0	12.0	8.9	12.0
0.35	0.55	0.15	0.20	0.047	0.012	0.078	0.013	0.104	0.015	0.114	0.014
		0.20	0.25	0.057	0.013	0.095	0.012	0.132	0.011	0.146	0.012
		0.25	0.30	0.070	0.012	0.147	0.017	0.155	0.013	0.164	0.011
		0.30	0.35	0.058	0.010	0.130	0.011	0.157	0.012	0.170	0.012
		0.35	0.40	0.059	0.010	0.109	0.009	0.161	0.011	0.164	0.008
		0.40	0.45	0.067	0.010	0.122	0.013	0.155	0.010	0.157	0.009
		0.45	0.50	0.063	0.009	0.122	0.010	0.148	0.009	0.166	0.011
		0.50	0.60	0.049	0.007	0.120	0.009	0.150	0.010	0.166	0.010
		0.60	0.70	0.050	0.009	0.101	0.012	0.145	0.012	0.164	0.013
		0.70	0.80	0.035	0.009	0.081	0.010	0.137	0.016	0.140	0.017
0.55	0.75	0.10	0.15	0.032	0.011	0.056	0.015	0.055	0.015	0.069	0.016
		0.15	0.20	0.042	0.010	0.101	0.012	0.121	0.012	0.127	0.009
		0.20	0.25	0.058	0.011	0.131	0.011	0.155	0.012	0.152	0.011
		0.25	0.30	0.050	0.010	0.110	0.010	0.148	0.011	0.155	0.010
		0.30	0.35	0.070	0.011	0.106	0.010	0.135	0.008	0.154	0.008
		0.35	0.40	0.066	0.009	0.108	0.009	0.134	0.009	0.146	0.009
		0.40	0.45	0.060	0.009	0.099	0.007	0.133	0.008	0.146	0.007
		0.45	0.50	0.062	0.008	0.103	0.010	0.125	0.007	0.137	0.006
		0.50	0.60	0.054	0.007	0.101	0.008	0.116	0.007	0.126	0.006
		0.60	0.70	0.040	0.008	0.075	0.009	0.106	0.008	0.103	0.010
0.75	0.95	0.10	0.15	0.033	0.010	0.043	0.009	0.078	0.010	0.071	0.009
		0.15	0.20	0.077	0.014	0.097	0.011	0.114	0.012	0.132	0.009
		0.20	0.25	0.094	0.013	0.120	0.011	0.144	0.010	0.149	0.010
		0.25	0.30	0.071	0.010	0.107	0.009	0.126	0.008	0.140	0.007
		0.30	0.35	0.061	0.009	0.096	0.007	0.112	0.008	0.121	0.006
		0.35	0.40	0.062	0.009	0.087	0.007	0.114	0.006	0.111	0.005
		0.40	0.45	0.052	0.008	0.077	0.006	0.096	0.005	0.098	0.005
		0.45	0.50	0.037	0.006	0.066	0.005	0.094	0.005	0.088	0.004
		0.50	0.60	0.036	0.006	0.058	0.005	0.083	0.005	0.078	0.004
		0.60	0.70	0.023	0.005	0.045	0.006	0.063	0.008	0.063	0.006
0.95	1.15	0.10	0.15	0.040	0.010	0.055	0.010	0.067	0.008	0.069	0.008
		0.15	0.20	0.070	0.012	0.116	0.015	0.099	0.009	0.131	0.010
		0.20	0.25	0.048	0.008	0.115	0.010	0.116	0.008	0.131	0.006
		0.25	0.30	0.052	0.009	0.090	0.008	0.113	0.007	0.120	0.006
		0.30	0.35	0.077	0.013	0.076	0.007	0.094	0.005	0.099	0.004
		0.35	0.40	0.054	0.010	0.070	0.006	0.083	0.004	0.082	0.004
		0.40	0.45	0.033	0.005	0.052	0.005	0.069	0.004	0.071	0.003
		0.45	0.50	0.028	0.005	0.038	0.004	0.059	0.004	0.060	0.003
		0.50	0.60	0.017	0.004	0.030	0.003	0.045	0.004	0.045	0.004
		0.60	0.70	0.017	0.004	0.030	0.003	0.045	0.004	0.050	0.004

m in (rad)	m ax (rad)	p _m in (G eV =c)	p _m ax (G eV =c)	$d^2 = (dpd)$ (barn/(G eV =c rad))									
				3 G eV =c		5 G eV =c		8 G eV =c		8.9 G eV =c		12 G eV =c	
				0.023	0.007	0.075	0.011	0.081	0.008	0.075	0.008	0.080	0.010
1.15	1.35	0.10	0.15	0.023	0.007	0.075	0.011	0.081	0.008	0.075	0.008	0.080	0.010
		0.15	0.20	0.069	0.012	0.107	0.010	0.098	0.008	0.117	0.008	0.124	0.009
		0.20	0.25	0.087	0.015	0.086	0.008	0.118	0.008	0.114	0.005	0.118	0.007
		0.25	0.30	0.060	0.010	0.070	0.006	0.091	0.006	0.087	0.005	0.088	0.006
		0.30	0.35	0.035	0.007	0.049	0.005	0.074	0.005	0.068	0.004	0.070	0.004
		0.35	0.40	0.020	0.004	0.040	0.004	0.055	0.004	0.056	0.003	0.051	0.004
		0.40	0.45	0.016	0.003	0.035	0.003	0.046	0.003	0.046	0.002	0.041	0.003
		0.45	0.50	0.013	0.003	0.032	0.003	0.037	0.003	0.037	0.002	0.033	0.003
1.35	1.55	0.10	0.15	0.045	0.011	0.075	0.011	0.057	0.008	0.086	0.009	0.079	0.010
		0.15	0.20	0.049	0.009	0.099	0.010	0.111	0.009	0.103	0.006	0.107	0.008
		0.20	0.25	0.074	0.012	0.097	0.009	0.102	0.007	0.101	0.005	0.100	0.007
		0.25	0.30	0.041	0.008	0.072	0.008	0.069	0.005	0.075	0.005	0.081	0.007
		0.30	0.35	0.027	0.005	0.041	0.006	0.050	0.004	0.053	0.003	0.050	0.003
		0.35	0.40	0.016	0.004	0.024	0.003	0.039	0.003	0.036	0.003	0.038	0.003
		0.40	0.45	0.012	0.003	0.021	0.003	0.031	0.003	0.028	0.002	0.027	0.003
		0.45	0.50	0.009	0.003	0.019	0.003	0.022	0.002	0.020	0.002	0.020	0.002
1.55	1.75	0.10	0.15	0.042	0.010	0.067	0.009	0.068	0.008	0.072	0.009	0.072	0.010
		0.15	0.20	0.084	0.014	0.082	0.008	0.088	0.007	0.098	0.006	0.102	0.008
		0.20	0.25	0.046	0.010	0.066	0.007	0.078	0.005	0.079	0.005	0.081	0.006
		0.25	0.30	0.021	0.006	0.054	0.006	0.050	0.004	0.053	0.004	0.051	0.005
		0.30	0.35	0.011	0.003	0.034	0.005	0.044	0.004	0.040	0.003	0.042	0.003
		0.35	0.40	0.009	0.003	0.021	0.003	0.034	0.004	0.028	0.002	0.030	0.003
		0.40	0.45	0.009	0.003	0.015	0.002	0.020	0.002	0.019	0.002	0.021	0.002
		0.45	0.50	0.008	0.003	0.011	0.002	0.014	0.002	0.013	0.001	0.015	0.002
1.75	1.95	0.10	0.15	0.042	0.011	0.064	0.009	0.059	0.008	0.064	0.007	0.058	0.008
		0.15	0.20	0.049	0.010	0.067	0.008	0.070	0.006	0.080	0.005	0.090	0.008
		0.20	0.25	0.028	0.007	0.060	0.007	0.056	0.004	0.059	0.004	0.058	0.006
		0.25	0.30	0.019	0.006	0.035	0.005	0.039	0.004	0.038	0.003	0.044	0.004
		0.30	0.35	0.006	0.003	0.022	0.003	0.023	0.003	0.025	0.002	0.029	0.003
		0.35	0.40	0.008	0.004	0.017	0.003	0.014	0.002	0.017	0.001	0.021	0.003
		0.40	0.45	0.005	0.003	0.008	0.002	0.012	0.001	0.011	0.001	0.012	0.002
		0.45	0.50			0.004	0.001	0.008	0.001	0.008	0.001	0.006	0.001
1.95	2.15	0.10	0.15	0.038	0.010	0.047	0.008	0.060	0.006	0.058	0.006	0.053	0.006
		0.15	0.20	0.036	0.009	0.053	0.007	0.063	0.005	0.065	0.004	0.066	0.006
		0.20	0.25	0.023	0.007	0.052	0.007	0.042	0.004	0.051	0.003	0.045	0.005
		0.25	0.30	0.013	0.005	0.023	0.004	0.028	0.004	0.032	0.003	0.023	0.003
		0.30	0.35	0.007	0.004	0.020	0.003	0.016	0.002	0.017	0.002	0.019	0.002
		0.35	0.40			0.013	0.003	0.011	0.002	0.012	0.001	0.010	0.002
		0.40	0.45			0.007	0.002	0.010	0.001	0.008	0.001	0.009	0.001
		0.45	0.50			0.004	0.001	0.007	0.001	0.006	0.001	0.007	0.001

Table 5: HAR P results for the double-differential $\pi^+ \pi^-$ production cross-section in the laboratory system, $d^2\sigma = (dp/d\Omega)$ for aluminum. Each row refers to a different (p_m in GeV/c ; θ_m in rad) bin, where p and θ are the pion momentum and polar angle, respectively. The central value as well as the square-root of the diagonal elements of the covariance matrix are given. The overall normalization has an uncertainty of 2% for Be and Al and 3% for Pb, and is not reported in the table.

θ_m in (rad)	θ_m max (rad)	p_m in (GeV/c)	p_m max (GeV/c)	$d^2\sigma = (dp/d\Omega)$ (bam/(GeV/c rad))							
				3 GeV/c		5 GeV/c		8 GeV/c		12 GeV/c	
				3.0	5.0	5.0	8.0	8.0	12.0	12.0	12.9
0.35	0.55	0.15	0.20	0.121	0.027	0.267	0.047	0.321	0.050	0.376	0.062
		0.20	0.25	0.151	0.026	0.345	0.038	0.485	0.048	0.494	0.044
		0.25	0.30	0.196	0.028	0.451	0.046	0.517	0.039	0.597	0.056
		0.30	0.35	0.280	0.042	0.450	0.036	0.625	0.059	0.614	0.043
		0.35	0.40	0.300	0.030	0.398	0.030	0.645	0.038	0.667	0.055
		0.40	0.45	0.305	0.029	0.409	0.036	0.643	0.041	0.717	0.048
		0.45	0.50	0.270	0.025	0.455	0.032	0.675	0.039	0.759	0.051
		0.50	0.60	0.281	0.027	0.500	0.036	0.626	0.037	0.695	0.046
		0.60	0.70	0.197	0.032	0.366	0.047	0.621	0.060	0.709	0.074
		0.70	0.80	0.095	0.024	0.274	0.045	0.492	0.077	0.569	0.087
0.55	0.75	0.10	0.15	0.160	0.048	0.227	0.061	0.229	0.053	0.265	0.065
		0.15	0.20	0.251	0.035	0.367	0.036	0.353	0.036	0.378	0.041
		0.20	0.25	0.327	0.037	0.427	0.039	0.553	0.050	0.546	0.044
		0.25	0.30	0.349	0.037	0.420	0.047	0.626	0.051	0.557	0.040
		0.30	0.35	0.280	0.030	0.449	0.033	0.601	0.032	0.568	0.040
		0.35	0.40	0.261	0.028	0.376	0.030	0.544	0.030	0.599	0.039
		0.40	0.45	0.265	0.024	0.383	0.028	0.491	0.028	0.615	0.033
		0.45	0.50	0.260	0.026	0.371	0.026	0.505	0.028	0.537	0.035
		0.50	0.60	0.178	0.028	0.297	0.026	0.485	0.032	0.464	0.033
		0.60	0.70	0.098	0.020	0.193	0.030	0.336	0.048	0.373	0.052
0.75	0.95	0.10	0.15	0.195	0.039	0.267	0.049	0.265	0.049	0.217	0.044
		0.15	0.20	0.369	0.041	0.348	0.034	0.464	0.034	0.439	0.047
		0.20	0.25	0.346	0.033	0.394	0.030	0.536	0.037	0.538	0.040
		0.25	0.30	0.375	0.039	0.438	0.042	0.521	0.032	0.569	0.036
		0.30	0.35	0.244	0.033	0.367	0.028	0.442	0.024	0.451	0.024
		0.35	0.40	0.190	0.020	0.291	0.021	0.411	0.022	0.399	0.022
		0.40	0.45	0.176	0.018	0.284	0.022	0.346	0.018	0.375	0.021
		0.45	0.50	0.141	0.017	0.268	0.020	0.307	0.018	0.347	0.021
		0.50	0.60	0.091	0.013	0.193	0.023	0.256	0.023	0.272	0.025
		0.60	0.70	0.055	0.010	0.110	0.022	0.161	0.028	0.179	0.029
0.95	1.15	0.10	0.15	0.257	0.043	0.274	0.043	0.264	0.039	0.289	0.052
		0.15	0.20	0.327	0.034	0.449	0.037	0.489	0.040	0.457	0.038
		0.20	0.25	0.314	0.031	0.417	0.034	0.513	0.029	0.508	0.034
		0.25	0.30	0.221	0.026	0.357	0.029	0.396	0.023	0.405	0.025
		0.30	0.35	0.160	0.024	0.267	0.021	0.337	0.020	0.338	0.020
		0.35	0.40	0.107	0.013	0.191	0.019	0.293	0.016	0.277	0.017
		0.40	0.45	0.081	0.010	0.122	0.015	0.231	0.014	0.225	0.015
		0.45	0.50	0.061	0.011	0.078	0.010	0.184	0.014	0.183	0.015
		0.50	0.60	0.032	0.007	0.058	0.009	0.126	0.016	0.128	0.016
		0.60	0.70	0.022	0.004	0.040	0.005	0.104	0.012	0.106	0.014

m in (rad)	m ax (rad)	Pm in (G eV =c)	Pm ax (G eV =c)	$d^2 \frac{+}{-} = (dpd)$ (barn/(G eV =c rad))									
				3 G eV =c		5 G eV =c		8 G eV =c		12 G eV =c		12.9 G eV =c	
				3 G eV =c	5 G eV =c	8 G eV =c	12 G eV =c	12.9 G eV =c	3 G eV =c	5 G eV =c	8 G eV =c	12 G eV =c	12.9 G eV =c
1.15	1.35	0.10	0.15	0.208	0.031	0.271	0.040	0.308	0.043	0.257	0.038	0.332	0.048
		0.15	0.20	0.323	0.037	0.487	0.043	0.422	0.029	0.486	0.048	0.468	0.024
		0.20	0.25	0.249	0.027	0.332	0.031	0.390	0.023	0.431	0.029	0.436	0.019
		0.25	0.30	0.190	0.023	0.234	0.021	0.337	0.020	0.336	0.027	0.336	0.015
		0.30	0.35	0.123	0.019	0.193	0.017	0.258	0.016	0.292	0.021	0.253	0.013
		0.35	0.40	0.068	0.010	0.142	0.014	0.186	0.015	0.188	0.019	0.189	0.010
		0.40	0.45	0.044	0.008	0.104	0.014	0.138	0.011	0.142	0.013	0.133	0.008
		0.45	0.50	0.030	0.007	0.067	0.011	0.097	0.011	0.095	0.013	0.102	0.009
1.35	1.55	0.10	0.15	0.195	0.034	0.269	0.038	0.353	0.045	0.351	0.053	0.343	0.048
		0.15	0.20	0.357	0.041	0.343	0.032	0.416	0.027	0.390	0.028	0.427	0.023
		0.20	0.25	0.231	0.039	0.266	0.023	0.303	0.020	0.298	0.022	0.357	0.015
		0.25	0.30	0.121	0.016	0.174	0.016	0.215	0.015	0.243	0.018	0.246	0.014
		0.30	0.35	0.077	0.013	0.163	0.016	0.174	0.013	0.169	0.014	0.175	0.010
		0.35	0.40	0.052	0.009	0.096	0.014	0.119	0.011	0.134	0.013	0.128	0.008
		0.40	0.45	0.034	0.007	0.057	0.009	0.073	0.008	0.088	0.010	0.087	0.009
		0.45	0.50	0.021	0.005	0.036	0.007	0.045	0.008	0.060	0.010	0.055	0.008
1.55	1.75	0.10	0.15	0.224	0.037	0.278	0.044	0.288	0.036	0.267	0.044	0.324	0.041
		0.15	0.20	0.272	0.030	0.399	0.033	0.331	0.021	0.384	0.030	0.382	0.020
		0.20	0.25	0.159	0.020	0.233	0.023	0.221	0.016	0.280	0.028	0.268	0.014
		0.25	0.30	0.130	0.019	0.118	0.015	0.159	0.012	0.169	0.017	0.165	0.010
		0.30	0.35	0.044	0.012	0.094	0.012	0.111	0.010	0.095	0.012	0.112	0.006
		0.35	0.40	0.022	0.006	0.061	0.009	0.070	0.007	0.063	0.006	0.081	0.007
		0.40	0.45	0.014	0.005	0.035	0.007	0.047	0.006	0.051	0.007	0.049	0.006
		0.45	0.50	0.007	0.003	0.018	0.005	0.027	0.005	0.034	0.007	0.029	0.004
1.75	1.95	0.10	0.15	0.263	0.038	0.222	0.031	0.279	0.034	0.297	0.038	0.293	0.034
		0.15	0.20	0.232	0.026	0.284	0.027	0.329	0.028	0.299	0.024	0.309	0.014
		0.20	0.25	0.128	0.020	0.216	0.022	0.204	0.020	0.175	0.018	0.197	0.009
		0.25	0.30	0.081	0.013	0.090	0.016	0.125	0.011	0.111	0.012	0.117	0.009
		0.30	0.35	0.052	0.013	0.051	0.008	0.064	0.009	0.067	0.009	0.076	0.005
		0.35	0.40	0.015	0.007	0.040	0.007	0.035	0.004	0.049	0.007	0.051	0.005
		0.40	0.45	0.004	0.003	0.025	0.006	0.025	0.004	0.032	0.007	0.030	0.004
		0.45	0.50	0.002	0.002	0.014	0.005	0.013	0.003	0.016	0.005	0.016	0.003
1.95	2.15	0.10	0.15	0.203	0.029	0.193	0.027	0.249	0.033	0.202	0.031	0.218	0.029
		0.15	0.20	0.179	0.024	0.248	0.028	0.255	0.018	0.242	0.021	0.254	0.012
		0.20	0.25	0.079	0.019	0.161	0.028	0.132	0.017	0.124	0.015	0.147	0.011
		0.25	0.30	0.048	0.011	0.046	0.008	0.066	0.007	0.058	0.009	0.077	0.006
		0.30	0.35	0.018	0.008	0.033	0.007	0.043	0.006	0.036	0.006	0.045	0.004
		0.35	0.40	0.007	0.003	0.022	0.006	0.022	0.004	0.029	0.006	0.031	0.003
		0.40	0.45	0.004	0.003	0.007	0.003	0.015	0.003	0.013	0.004	0.016	0.003
		0.45	0.50	0.002	0.002	0.003	0.002	0.006	0.002	0.007	0.002	0.009	0.002

Table 6: HARP results for the double-differential production cross-section in the laboratory system, $d^2 \frac{d}{dp} = (dp/d\theta)$ for aluminum. Each row refers to a different ($p_{\text{min}} < p < p_{\text{max}}$; $\theta_{\text{min}} < \theta < \theta_{\text{max}}$) bin, where p and θ are the pion momentum and polar angle, respectively. The central value as well as the square-root of the diagonal elements of the covariance matrix are given. The overall normalization has an uncertainty of 2%, and is not reported in the table.

θ_{min} (rad)	θ_{max} (rad)	p_{min} (GeV/c)	p_{max} (GeV/c)	$d^2 \frac{d}{dp} = (dp/d\theta)$ (barn/(GeV/c rad))							
				3 GeV/c		5 GeV/c		8 GeV/c		12 GeV/c	
				3.0	5.0	5.0	8.0	8.0	12.0	12.0	12.9
0.35	0.55	0.15	0.20	0.107	0.029	0.231	0.046	0.356	0.056	0.321	0.055
		0.20	0.25	0.099	0.022	0.249	0.031	0.371	0.035	0.410	0.044
		0.25	0.30	0.106	0.025	0.300	0.034	0.455	0.030	0.485	0.037
		0.30	0.35	0.180	0.026	0.313	0.030	0.355	0.023	0.454	0.037
		0.35	0.40	0.164	0.022	0.250	0.024	0.383	0.035	0.478	0.035
		0.40	0.45	0.114	0.015	0.230	0.024	0.432	0.032	0.442	0.027
		0.45	0.50	0.127	0.019	0.279	0.028	0.422	0.024	0.415	0.028
		0.50	0.60	0.137	0.018	0.261	0.023	0.367	0.023	0.411	0.028
		0.60	0.70	0.088	0.017	0.193	0.030	0.350	0.028	0.401	0.034
		0.70	0.80	0.060	0.014	0.135	0.020	0.333	0.041	0.406	0.046
0.55	0.75	0.10	0.15	0.083	0.030	0.123	0.047	0.232	0.062	0.246	0.071
		0.15	0.20	0.117	0.023	0.286	0.032	0.368	0.034	0.376	0.035
		0.20	0.25	0.188	0.028	0.233	0.028	0.424	0.027	0.396	0.032
		0.25	0.30	0.142	0.020	0.285	0.029	0.406	0.031	0.389	0.030
		0.30	0.35	0.133	0.020	0.263	0.023	0.355	0.021	0.454	0.037
		0.35	0.40	0.150	0.020	0.214	0.019	0.366	0.026	0.336	0.018
		0.40	0.45	0.139	0.017	0.225	0.023	0.341	0.018	0.368	0.027
		0.45	0.50	0.123	0.015	0.238	0.020	0.323	0.019	0.384	0.024
		0.50	0.60	0.104	0.014	0.212	0.018	0.281	0.019	0.338	0.024
		0.60	0.70	0.081	0.014	0.155	0.022	0.250	0.022	0.282	0.029
0.75	0.95	0.10	0.15	0.100	0.030	0.176	0.035	0.224	0.041	0.258	0.052
		0.15	0.20	0.198	0.028	0.319	0.032	0.356	0.026	0.418	0.032
		0.20	0.25	0.141	0.022	0.283	0.027	0.360	0.026	0.374	0.030
		0.25	0.30	0.145	0.020	0.272	0.025	0.348	0.026	0.393	0.031
		0.30	0.35	0.138	0.018	0.230	0.020	0.323	0.019	0.348	0.022
		0.35	0.40	0.139	0.017	0.210	0.018	0.293	0.017	0.283	0.017
		0.40	0.45	0.117	0.015	0.209	0.018	0.258	0.015	0.269	0.016
		0.45	0.50	0.080	0.012	0.169	0.017	0.233	0.013	0.245	0.015
		0.50	0.60	0.054	0.011	0.115	0.013	0.203	0.013	0.230	0.017
		0.60	0.70	0.028	0.007	0.079	0.012	0.156	0.017	0.178	0.019
0.95	1.15	0.10	0.15	0.174	0.031	0.213	0.032	0.222	0.031	0.215	0.037
		0.15	0.20	0.216	0.027	0.259	0.029	0.326	0.026	0.338	0.030
		0.20	0.25	0.197	0.027	0.280	0.025	0.355	0.024	0.354	0.027
		0.25	0.30	0.177	0.021	0.201	0.019	0.288	0.017	0.331	0.025
		0.30	0.35	0.137	0.018	0.172	0.018	0.231	0.014	0.263	0.020
		0.35	0.40	0.087	0.014	0.118	0.011	0.189	0.012	0.201	0.013
		0.40	0.45	0.065	0.010	0.118	0.013	0.153	0.010	0.192	0.013
		0.45	0.50	0.050	0.009	0.096	0.009	0.139	0.009	0.158	0.012
		0.50	0.60	0.028	0.006	0.074	0.008	0.115	0.009	0.126	0.011
		0.60	0.70	0.028	0.006	0.074	0.008	0.115	0.009	0.132	0.008

m in (rad)	m ax (rad)	Pm in (G eV =c)	Pm ax (G eV =c)	$d^2 \frac{+}{-} = (dpd)$ (barn / (G eV =c rad))							
				3 G eV =c		5 G eV =c		8 G eV =c		12 G eV =c	
				3 G eV =c	5 G eV =c	8 G eV =c	12 G eV =c	12.9 G eV =c	3 G eV =c	5 G eV =c	8 G eV =c
1.15	1.35	0.10	0.15	0.116	0.023	0.127	0.021	0.240	0.032	0.249	0.045
		0.15	0.20	0.159	0.023	0.242	0.033	0.338	0.024	0.371	0.028
		0.20	0.25	0.166	0.022	0.271	0.026	0.300	0.020	0.308	0.023
		0.25	0.30	0.137	0.019	0.165	0.016	0.253	0.017	0.271	0.020
		0.30	0.35	0.082	0.016	0.161	0.016	0.168	0.015	0.202	0.017
		0.35	0.40	0.047	0.009	0.110	0.012	0.128	0.009	0.136	0.011
		0.40	0.45	0.038	0.007	0.086	0.009	0.108	0.007	0.111	0.010
		0.45	0.50	0.031	0.006	0.071	0.008	0.091	0.007	0.088	0.008
1.35	1.55	0.10	0.15	0.144	0.028	0.208	0.029	0.257	0.027	0.257	0.034
		0.15	0.20	0.193	0.025	0.226	0.024	0.279	0.020	0.269	0.024
		0.20	0.25	0.126	0.019	0.165	0.019	0.252	0.017	0.266	0.024
		0.25	0.30	0.069	0.011	0.104	0.012	0.187	0.015	0.223	0.019
		0.30	0.35	0.078	0.014	0.101	0.012	0.141	0.010	0.148	0.013
		0.35	0.40	0.041	0.009	0.086	0.010	0.111	0.008	0.108	0.010
		0.40	0.45	0.023	0.007	0.062	0.008	0.090	0.008	0.085	0.008
		0.45	0.50	0.015	0.005	0.041	0.008	0.066	0.008	0.066	0.007
1.55	1.75	0.10	0.15	0.141	0.028	0.239	0.032	0.234	0.034	0.280	0.038
		0.15	0.20	0.170	0.023	0.231	0.023	0.257	0.018	0.274	0.023
		0.20	0.25	0.120	0.020	0.177	0.020	0.184	0.013	0.233	0.021
		0.25	0.30	0.057	0.011	0.092	0.016	0.150	0.012	0.148	0.018
		0.30	0.35	0.034	0.008	0.058	0.008	0.094	0.012	0.085	0.011
		0.35	0.40	0.017	0.005	0.055	0.008	0.052	0.006	0.057	0.006
		0.40	0.45	0.012	0.004	0.043	0.007	0.040	0.004	0.043	0.005
		0.45	0.50	0.008	0.003	0.028	0.006	0.033	0.003	0.041	0.005
1.75	1.95	0.10	0.15	0.123	0.023	0.174	0.023	0.218	0.023	0.223	0.028
		0.15	0.20	0.154	0.023	0.206	0.022	0.234	0.017	0.229	0.020
		0.20	0.25	0.091	0.016	0.123	0.016	0.166	0.013	0.149	0.016
		0.25	0.30	0.042	0.009	0.088	0.012	0.113	0.011	0.093	0.010
		0.30	0.35	0.032	0.009	0.054	0.009	0.069	0.007	0.088	0.010
		0.35	0.40	0.020	0.006	0.041	0.007	0.048	0.006	0.061	0.009
		0.40	0.45	0.013	0.005	0.023	0.005	0.036	0.004	0.034	0.006
		0.45	0.50	0.009	0.004	0.016	0.004	0.026	0.003	0.024	0.004
1.95	2.15	0.10	0.15	0.096	0.019	0.097	0.016	0.176	0.019	0.128	0.022
		0.15	0.20	0.086	0.016	0.172	0.021	0.178	0.015	0.211	0.021
		0.20	0.25	0.040	0.009	0.088	0.016	0.138	0.012	0.117	0.014
		0.25	0.30	0.036	0.010	0.046	0.008	0.061	0.010	0.070	0.009
		0.30	0.35	0.021	0.007	0.048	0.009	0.040	0.005	0.055	0.008
		0.35	0.40	0.016	0.006	0.030	0.007	0.039	0.005	0.034	0.006
		0.40	0.45	0.010	0.005	0.013	0.005	0.032	0.005	0.019	0.005
		0.45	0.50	0.005	0.003	0.006	0.003	0.017	0.004	0.012	0.003

Table 7: HAR P results for the double-differential $\pi^+ \pi^-$ production cross-section in the laboratory system, $d^2 \sigma = (dp/d\Omega)$ for lead. Each row refers to a differential ($p_{\text{min}} < p < p_{\text{max}}$; $\theta_{\text{min}} < \theta < \theta_{\text{max}}$) bin, where p and θ are the pion momentum and polar angle, respectively. The central value as well as the square-root of the diagonal elements of the covariance matrix are given. The overall normalization has an uncertainty of 3%, and is not reported in the table.

θ_{min} (rad)	θ_{max} (rad)	p_{min} (GeV/c)	p_{max} (GeV/c)	$d^2 \sigma = (dp/d\Omega)$ (barn/(GeV/c rad))							
				3 GeV/c		5 GeV/c		8 GeV/c		12 GeV/c	
				3.4	0.12	0.80	0.21	1.14	0.32	1.49	0.40
0.35	0.55	0.15	0.20	0.34	0.12	0.80	0.21	1.14	0.32	1.49	0.40
		0.20	0.25	0.29	0.09	0.95	0.16	1.86	0.24	1.80	0.26
		0.25	0.30	0.48	0.11	1.26	0.13	2.09	0.14	2.42	0.26
		0.30	0.35	0.75	0.11	1.25	0.11	1.99	0.15	2.75	0.26
		0.35	0.40	0.56	0.08	1.31	0.13	2.19	0.16	2.69	0.17
		0.40	0.45	0.53	0.07	1.43	0.11	2.21	0.13	2.33	0.14
		0.45	0.50	0.56	0.10	1.29	0.09	2.04	0.11	2.32	0.16
		0.50	0.60	0.45	0.07	1.22	0.09	2.07	0.13	2.22	0.16
		0.60	0.70	0.22	0.05	0.84	0.12	1.73	0.20	2.03	0.21
		0.70	0.80	0.12	0.03	0.52	0.09	1.09	0.19	1.52	0.22
0.55	0.75	0.10	0.15	0.21	0.11	0.66	0.24	0.93	0.35	0.91	0.41
		0.15	0.20	0.47	0.11	1.25	0.17	1.81	0.21	2.14	0.30
		0.20	0.25	0.70	0.12	1.23	0.13	2.11	0.18	3.03	0.24
		0.25	0.30	0.88	0.12	1.37	0.13	2.26	0.15	2.89	0.19
		0.30	0.35	0.53	0.07	1.12	0.09	2.09	0.15	2.62	0.16
		0.35	0.40	0.55	0.07	0.95	0.09	2.09	0.14	2.68	0.22
		0.40	0.45	0.58	0.07	1.03	0.10	1.86	0.10	2.69	0.15
		0.45	0.50	0.54	0.08	1.02	0.07	1.63	0.09	2.38	0.13
		0.50	0.60	0.27	0.06	0.74	0.08	1.30	0.09	1.78	0.16
		0.60	0.70	0.16	0.03	0.42	0.06	0.89	0.11	1.21	0.14
0.75	0.95	0.10	0.15	0.44	0.13	0.90	0.22	1.21	0.31	1.27	0.35
		0.15	0.20	0.77	0.11	1.55	0.14	2.16	0.15	2.54	0.21
		0.20	0.25	0.86	0.10	1.37	0.13	2.27	0.14	2.93	0.24
		0.25	0.30	0.70	0.09	1.22	0.13	2.02	0.13	2.75	0.18
		0.30	0.35	0.54	0.07	1.05	0.08	1.85	0.12	2.22	0.15
		0.35	0.40	0.40	0.05	0.96	0.07	1.60	0.10	2.09	0.13
		0.40	0.45	0.41	0.06	0.80	0.06	1.39	0.08	1.81	0.11
		0.45	0.50	0.32	0.05	0.67	0.05	1.22	0.07	1.52	0.09
		0.50	0.60	0.18	0.03	0.44	0.05	0.83	0.08	1.04	0.10
		0.60	0.70	0.08	0.02	0.25	0.04	0.46	0.07	0.63	0.08
0.95	1.15	0.10	0.15	0.73	0.18	1.01	0.20	1.47	0.26	1.52	0.32
		0.15	0.20	0.82	0.09	1.64	0.12	2.19	0.15	2.60	0.21
		0.20	0.25	0.71	0.10	1.37	0.10	1.97	0.12	2.82	0.19
		0.25	0.30	0.73	0.09	1.10	0.10	1.60	0.11	2.13	0.16
		0.30	0.35	0.41	0.07	0.80	0.08	1.31	0.10	1.73	0.12
		0.35	0.40	0.29	0.05	0.66	0.06	1.11	0.06	1.64	0.11
		0.40	0.45	0.29	0.05	0.61	0.05	0.88	0.05	1.23	0.10
		0.45	0.50	0.20	0.04	0.48	0.05	0.66	0.04	0.86	0.08
		0.50	0.60	0.12	0.02	0.23	0.04	0.46	0.04	0.53	0.07

m _{in} (rad)	m _{ax} (rad)	P _m _{in} (G eV =c)	P _m _{ax} (G eV =c)	$d^2 \frac{+}{-} = (dpd)$ (bam/(G eV =c rad))							
				3 G eV =c		5 G eV =c		8 G eV =c		12 G eV =c	
				0.79	0.18	1.17	0.23	1.82	0.30	1.76	0.34
1.15	1.35	0.10	0.15	0.93	0.10	1.51	0.11	2.30	0.14	2.53	0.22
		0.15	0.20	0.65	0.08	1.21	0.09	1.86	0.11	2.64	0.20
		0.20	0.25	0.51	0.07	0.91	0.08	1.41	0.10	1.84	0.17
		0.25	0.30	0.33	0.05	0.59	0.06	0.94	0.08	1.17	0.09
		0.30	0.35	0.23	0.04	0.38	0.04	0.74	0.05	0.93	0.07
		0.35	0.40	0.17	0.03	0.29	0.03	0.55	0.04	0.72	0.07
		0.40	0.45	0.11	0.03	0.21	0.03	0.37	0.04	0.45	0.06
		0.45	0.50								
1.35	1.55	0.10	0.15	0.85	0.17	1.44	0.29	1.84	0.39	2.03	0.41
		0.15	0.20	0.94	0.10	1.41	0.12	2.21	0.15	2.50	0.19
		0.20	0.25	0.71	0.08	0.96	0.08	1.57	0.11	1.84	0.14
		0.25	0.30	0.38	0.06	0.64	0.06	1.04	0.08	1.48	0.12
		0.30	0.35	0.22	0.04	0.43	0.04	0.74	0.05	0.87	0.08
		0.35	0.40	0.11	0.03	0.35	0.04	0.53	0.04	0.63	0.06
		0.40	0.45	0.04	0.01	0.23	0.03	0.38	0.03	0.46	0.05
		0.45	0.50	0.04	0.01	0.15	0.02	0.22	0.03	0.28	0.04
1.55	1.75	0.10	0.15	0.66	0.15	1.37	0.23	1.54	0.30	2.03	0.40
		0.15	0.20	0.70	0.09	1.40	0.11	1.93	0.13	2.27	0.18
		0.20	0.25	0.53	0.07	0.99	0.07	1.34	0.09	1.42	0.11
		0.25	0.30	0.26	0.06	0.58	0.06	0.87	0.06	0.95	0.08
		0.30	0.35	0.13	0.03	0.41	0.04	0.53	0.04	0.66	0.06
		0.35	0.40	0.10	0.03	0.26	0.03	0.36	0.03	0.47	0.05
		0.40	0.45	0.06	0.02	0.16	0.03	0.25	0.02	0.31	0.04
		0.45	0.50	0.04	0.01	0.09	0.02	0.15	0.02	0.17	0.03
1.75	1.95	0.10	0.15	0.64	0.14	1.03	0.19	1.31	0.20	1.72	0.29
		0.15	0.20	0.66	0.07	1.14	0.09	1.64	0.09	1.85	0.13
		0.20	0.25	0.36	0.05	0.74	0.06	1.02	0.07	1.10	0.10
		0.25	0.30	0.18	0.04	0.34	0.05	0.63	0.05	0.56	0.06
		0.30	0.35	0.08	0.02	0.17	0.03	0.34	0.04	0.36	0.05
		0.35	0.40	0.07	0.02	0.10	0.02	0.22	0.03	0.18	0.03
		0.40	0.45	0.05	0.02	0.06	0.01	0.14	0.02	0.10	0.02
		0.45	0.50	0.02	0.01	0.03	0.01	0.07	0.02	0.07	0.01
1.95	2.15	0.10	0.15	0.79	0.15	0.83	0.14	1.14	0.18	1.46	0.23
		0.15	0.20	0.65	0.09	0.89	0.08	1.17	0.06	1.36	0.11
		0.20	0.25	0.36	0.07	0.51	0.05	0.75	0.05	1.04	0.10
		0.25	0.30	0.15	0.05	0.28	0.05	0.45	0.05	0.40	0.07
		0.30	0.35	0.05	0.02	0.14	0.03	0.20	0.03	0.19	0.03
		0.35	0.40	0.03	0.02	0.09	0.02	0.09	0.01	0.13	0.02
		0.40	0.45	0.02	0.01	0.04	0.01	0.06	0.01	0.09	0.02
		0.45	0.50	0.01	0.01	0.02	0.01	0.04	0.01	0.07	0.02

Table 8: HAR P results for the double-differential production cross-section in the laboratory system, $d^2 = (dp/d\Omega)$ for lead. Each row refers to a differential ($p_{\text{min}} \leq p < p_{\text{max}}$; $\theta_{\text{min}} \leq \theta < \theta_{\text{max}}$) bin, where p and θ are the pion momentum and polar angle, respectively. The central value as well as the square-root of the diagonal elements of the covariance matrix are given. The overall normalization has an uncertainty of 3%, and is not reported in the table.

θ_{min} (rad)	θ_{max} (rad)	p_{min} (GeV/c)	p_{max} (GeV/c)	$d^2 = (dp/d\Omega)$ (barn/(GeV/c rad))							
				3 GeV/c		5 GeV/c		8 GeV/c		12 GeV/c	
				Central	Square Root	Central	Square Root	Central	Square Root	Central	Square Root
0.35	0.55	0.15	0.20	0.17	0.09	0.58	0.22	1.59	0.36	1.92	0.47
		0.20	0.25	0.33	0.11	0.89	0.18	2.00	0.27	2.66	0.31
		0.25	0.30	0.25	0.06	0.98	0.12	2.07	0.14	2.54	0.24
		0.30	0.35	0.49	0.11	0.96	0.11	1.99	0.13	2.30	0.16
		0.35	0.40	0.37	0.08	0.88	0.09	1.63	0.09	2.09	0.12
		0.40	0.45	0.30	0.06	0.92	0.07	1.63	0.08	2.04	0.13
		0.45	0.50	0.31	0.06	0.79	0.06	1.48	0.07	1.89	0.13
		0.50	0.60	0.34	0.06	0.78	0.06	1.38	0.08	1.50	0.14
		0.60	0.70	0.21	0.05	0.64	0.07	1.37	0.10	1.32	0.12
		0.70	0.80	0.11	0.04	0.45	0.08	1.06	0.15	1.46	0.15
0.55	0.75	0.10	0.15	0.34	0.18	1.03	0.37	1.24	0.44	1.70	0.49
		0.15	0.20	0.40	0.10	1.30	0.17	2.09	0.22	2.30	0.29
		0.20	0.25	0.43	0.09	1.21	0.12	2.18	0.16	2.45	0.17
		0.25	0.30	0.54	0.09	1.29	0.11	2.19	0.14	2.20	0.19
		0.30	0.35	0.53	0.09	1.01	0.08	1.88	0.11	2.29	0.14
		0.35	0.40	0.40	0.08	0.93	0.08	1.51	0.08	1.91	0.13
		0.40	0.45	0.31	0.05	0.89	0.07	1.38	0.07	1.79	0.11
		0.45	0.50	0.37	0.06	0.70	0.06	1.26	0.07	1.59	0.10
		0.50	0.60	0.27	0.05	0.62	0.05	1.20	0.06	1.35	0.09
		0.60	0.70	0.16	0.04	0.55	0.05	0.95	0.09	1.19	0.11
0.75	0.95	0.10	0.15	0.52	0.16	1.12	0.26	1.71	0.38	1.95	0.43
		0.15	0.20	0.73	0.10	1.47	0.15	2.28	0.17	2.74	0.23
		0.20	0.25	0.61	0.10	1.17	0.10	2.04	0.12	2.78	0.17
		0.25	0.30	0.60	0.09	1.04	0.09	1.88	0.11	2.25	0.16
		0.30	0.35	0.45	0.07	0.94	0.07	1.54	0.08	2.29	0.14
		0.35	0.40	0.29	0.05	0.76	0.07	1.26	0.06	1.67	0.12
		0.40	0.45	0.19	0.04	0.53	0.05	1.11	0.06	1.43	0.09
		0.45	0.50	0.18	0.04	0.44	0.04	0.95	0.05	1.25	0.08
		0.50	0.60	0.19	0.04	0.45	0.04	0.78	0.04	0.99	0.08
		0.60	0.70	0.10	0.03	0.36	0.04	0.61	0.06	0.67	0.09
0.95	1.15	0.10	0.15	0.44	0.10	1.28	0.24	2.17	0.36	2.58	0.45
		0.15	0.20	0.77	0.11	1.53	0.13	2.30	0.16	2.93	0.19
		0.20	0.25	0.47	0.07	1.13	0.08	1.85	0.11	2.59	0.19
		0.25	0.30	0.40	0.06	0.99	0.08	1.50	0.10	2.19	0.15
		0.30	0.35	0.39	0.06	0.85	0.07	1.15	0.07	1.77	0.12
		0.35	0.40	0.30	0.05	0.61	0.06	0.99	0.06	1.44	0.09
		0.40	0.45	0.28	0.05	0.42	0.04	0.80	0.05	1.11	0.08
		0.45	0.50	0.18	0.04	0.34	0.03	0.69	0.04	0.82	0.06
		0.50	0.60	0.08	0.03	0.26	0.03	0.52	0.04	0.65	0.05

m _{in} (rad)	m _{ax} (rad)	P _m _{in} (G eV =c)	P _m _{ax} (G eV =c)	$d^2 = (dp/d\theta)$ (bam/(G eV =c rad))							
				3 G eV =c	5 G eV =c	8 G eV =c	12 G eV =c	3 G eV =c	5 G eV =c	8 G eV =c	12 G eV =c
1.15	1.35	0.10	0.15	0.43	0.10	1.45	0.26	2.40	0.37	3.22	0.57
		0.15	0.20	0.65	0.09	1.56	0.10	2.19	0.14	3.14	0.21
		0.20	0.25	0.37	0.06	0.99	0.08	1.70	0.11	2.32	0.16
		0.25	0.30	0.25	0.04	0.83	0.07	1.23	0.08	1.74	0.14
		0.30	0.35	0.16	0.03	0.63	0.06	0.92	0.07	1.16	0.09
		0.35	0.40	0.13	0.03	0.42	0.04	0.75	0.05	0.90	0.06
		0.40	0.45	0.11	0.03	0.35	0.03	0.59	0.04	0.71	0.06
		0.45	0.50	0.09	0.02	0.26	0.03	0.46	0.03	0.52	0.05
1.35	1.55	0.10	0.15	0.60	0.13	1.39	0.26	2.34	0.45	3.46	0.64
		0.15	0.20	0.70	0.08	1.29	0.11	2.06	0.13	2.89	0.20
		0.20	0.25	0.41	0.06	0.84	0.08	1.60	0.10	1.78	0.13
		0.25	0.30	0.34	0.06	0.55	0.06	1.04	0.07	1.28	0.09
		0.30	0.35	0.24	0.05	0.41	0.04	0.69	0.05	0.89	0.08
		0.35	0.40	0.16	0.03	0.32	0.03	0.52	0.03	0.66	0.05
		0.40	0.45	0.08	0.02	0.27	0.03	0.41	0.03	0.47	0.05
		0.45	0.50	0.06	0.02	0.20	0.03	0.29	0.03	0.31	0.04
1.55	1.75	0.10	0.15	0.73	0.16	1.17	0.25	2.09	0.40	3.05	0.58
		0.15	0.20	0.65	0.08	1.20	0.10	1.76	0.12	2.45	0.16
		0.20	0.25	0.39	0.06	0.73	0.06	1.29	0.08	1.30	0.11
		0.25	0.30	0.22	0.05	0.43	0.05	0.82	0.07	0.86	0.07
		0.30	0.35	0.16	0.04	0.34	0.04	0.48	0.05	0.69	0.06
		0.35	0.40	0.10	0.03	0.26	0.03	0.35	0.03	0.49	0.04
		0.40	0.45	0.07	0.02	0.16	0.02	0.26	0.02	0.38	0.04
		0.45	0.50	0.04	0.02	0.10	0.02	0.19	0.02	0.26	0.03
1.75	1.95	0.10	0.15	0.72	0.15	1.13	0.20	1.78	0.25	2.36	0.44
		0.15	0.20	0.52	0.07	1.09	0.09	1.44	0.07	1.84	0.12
		0.20	0.25	0.32	0.06	0.65	0.06	0.92	0.06	1.10	0.10
		0.25	0.30	0.11	0.03	0.36	0.04	0.56	0.05	0.58	0.05
		0.30	0.35	0.11	0.03	0.25	0.03	0.30	0.03	0.41	0.05
		0.35	0.40	0.09	0.03	0.15	0.03	0.23	0.02	0.31	0.03
		0.40	0.45	0.07	0.03	0.11	0.02	0.20	0.02	0.30	0.04
		0.45	0.50	0.04	0.02	0.09	0.02	0.14	0.02	0.21	0.04
1.95	2.15	0.10	0.15	0.69	0.14	1.08	0.20	1.52	0.20	1.84	0.31
		0.15	0.20	0.43	0.07	0.84	0.07	1.11	0.06	1.35	0.10
		0.20	0.25	0.23	0.05	0.40	0.06	0.68	0.05	0.90	0.10
		0.25	0.30	0.08	0.03	0.21	0.03	0.42	0.04	0.51	0.06
		0.30	0.35	0.05	0.02	0.11	0.03	0.24	0.03	0.34	0.06
		0.35	0.40	0.03	0.02	0.07	0.01	0.17	0.02	0.19	0.03
		0.40	0.45	0.02	0.02	0.08	0.02	0.12	0.02	0.14	0.03
		0.45	0.50	0.02	0.02	0.08	0.02	0.08	0.01	0.09	0.02

R eferences

- [1] M . G . Catanesi et al., HARP Collaboration, \Proposal to study hadron production for the neutrino factory and for the atmospheric neutrino flux", CERN-SPSC/99-35 (1999).
- [2] A . Blondelet et al., CERN-2004-002, ECFA /04/230.
- [3] G . Battistoni, Nucl. Phys. Proc. Suppl. B 100 (2001) 101.
- [4] T . Stanev, Rapporteur's talk at the 26th Int. Cosmic Ray Conference (Salt Lake City, Utah, USA ; eds. B L . D ingus et al., AIP Conf. Proceedings 516, (2000) 247).
- [5] T K . G aisser, Nucl. Phys. Proc. Suppl. B 87 (2000) 145.
- [6] R . Engel, T K . G aisser and T . Stanev, Phys. Lett. B 472 (2000) 113.
- [7] M . Honda, Nucl. Phys. B 77 (1999) 140.
- [8] M . H . Ahn et al., K2K Collaboration, Phys. Rev. Lett. 90 (2003) 041801.
- [9] M . H . Ahn et al., K2K Collaboration, Phys. Rev. D 74 (2006) 072003, arX iv:hep-ex/0606032.
- [10] A .A .A guilar-A revalo, The MINIBOONE Collaboration, \A Search for Electron Neutrino Appearance at the $m^2 = 1 \text{ eV}^2$ Scale\, arX iv:0704.1500.
E .Church et al., BooNe Collaboration, \A proposal for an experiment to measure muon-neutrino ! electron-neutrino oscillations and muon-neutrino disappearance at the Fermilab Booster: BooNE ", FERMILAB-PROPOSAL-0898, (1997)).
- [11] A .A .A guilar-A revalo et al., SciBooNE Collaboration, \Bringing the SciBar detector to the Booster neutrino beam , FERMILAB-PROPOSAL-0954, (2006), arX iv:hep-ex/0601022.
- [12] P A .P iroue and A J.S .S m ith, Phys. Rev. 148 (1966) 1315.
- [13] S .B oyarinov et al., Sov. J. Nucl. Phys. 46 (1987) 871.
- [14] I .C hemakin et al., E910 Collaboration, Phys. Rev. C 65 (2002) 024904.
- [15] T .A .S hibata et al., Nucl. Phys. A 408 (1983) 525.
- [16] M . G . Catanesi et al., HARP Collaboration, Eur. Phys. J. C 52 (2007) 29, arX iv:hep-ex/0702024.
- [17] M . G . Catanesi et al., HARP Collaboration, Nucl. Phys. B 732 (2006) 1, arX iv:hep-ex/0510039.
- [18] M . G . Catanesi et al., HARP Collaboration, \Large-angle production of charged pions by 3 GeV =c{ 12 GeV =c protons on carbon, copper and tin targets", submitted to European Physical Journal C .
- [19] M . G . Catanesi et al., HARP Collaboration, Eur. Phys. J. C 51 (2007) 787, arX iv:0706.1600.
- [20] M . G . Catanesi et al., HARP Collaboration, Nucl. Instrum .M eth. A 571 (2007) 527; A 571 (2007) 564.
- [21] M . Anfreville et al., Nucl. Instrum .M eth. A 481 (2002) 339.
- [22] M . Baldo-C eolin et al., Nucl. Instrum .M eth. A 532 (2004) 548;
M . Bonnesini et al., IEEE Trans. Nucl. Sci. NS-50 (2003) 1053.
- [23] E .R adicioni, presented at NSS2004, IEEE Transaction on Nuclear Science, Vol 52, N 6 (2005) 2986.
- [24] M .B ogom ilov et al., Nucl. Instrum .M ethods A 508 (2003) 152;
G .B arr et al., Nucl. Instrum .M ethods A 533 (2004) 214;
M .B ogom ilov et al., IEEE Transaction on Nuclear Science 54 (2007) 342.

- [25] L.Durieu, A.Mueler and M.Martini, PAC-2001-TPA H 142 Presented at IEEE Particle Accelerator Conference (PAC 2001), Chicago, Illinois, 18-22 Jun 2001;
 L.Durieu et al., Proceedings of PAC '97, Vancouver, (1997);
 L.Durieu, O.Fernando, CERN PS/PA Note 96-38.
- [26] G.D'Alostini, Nucl. Instrum. Meth. A 362 (1995) 487.
- [27] S.Agostinelli et al., GEANT 4 Collaboration, Nucl. Instrum. Meth. A 506 (2003) 250.
- [28] R.C.Fernow and J.Gallardo, private communication; S.J.Brooks, private communication.
- [29] S.J.Brooks and K.A.Wakar, Nucl. Phys. B (Proc. Suppl.), 155 (2006) 295.
- [30] K.Long, Nucl. Phys. B (Proc. Suppl.), 154 (2006) 111; ISS/2005/01, "An international scoping study of a Neutrino Factory and super-beam facility", http://www.hep.ph.ic.ac.uk/iss/issnotes/ISS_Doc1_v02_13-7-2005.pdf.
- [31] J.R.Sanford and C.L.Wang, "Empirical formulas for particle production in p-Be collisions between 10 and 35 BeV/c", Brookhaven National Laboratory, AGS internal report, (1967) (unpublished).