

The background of the slide features a collage of images related to the ATLAS experiment. On the left, there is a golden-colored detector component. The central and right portions show a complex, multi-layered detector structure with various pipes, cables, and structural elements, typical of a large-scale particle physics experiment.

ATLAS Cloud Computing R&D project

Sergey Panitkin¹, Fernando Barreiro Megino², Jose Caballero Bejar¹,
Doug Benjamin³, Alessandro Di Girolamo², Ian Gable⁴, Val Hendrix⁵,
John Hover¹, Katarzyna Kucharczyk², Ramon Medrano Llamas²,
Peter Love⁶, Henrik Ohman⁷, Michael Paterson⁴, Randall Sobie⁴,
Ryan Taylor⁴, Rodney Walker⁸, Alexander Zaytsev¹

on behalf of the ATLAS Collaboration

1: Brookhaven National Laboratory, Upton, USA

2: CERN, Geneva, Switzerland

3: Duke University, Durham, USA

4: University of Victoria, Victoria, Canada

5: Lawrence Berkeley National Lab, Berkeley, USA

6: Lancaster University, Lancaster, UK

7: Uppsala University, Uppsala, Sweden

8: Ludwig-Maximillan Universitat, Munich, Germany



Outline

- ◆ Introduction
- ◆ Private and Academic Clouds
 - ◆ Cloud Scheduler and “Grid of Clouds”
 - ◆ ATLAS HLT farm
- ◆ Public and Hybrid Clouds
 - ◆ Amazon EC2
 - ◆ Google Compute Engine






Cloud Computing and ATLAS


- ◆ A few years ago the ATLAS Experiment set up cloud computing project to exploit virtualization and clouds
 - ◆ Utilize private and public clouds as an extra computing resource
 - ◆ Mechanism to cope with peak loads on the Grid
- ◆ Since then we gained experience with variety of cloud platforms
 - ◆ Amazon EC2
 - ◆ Helix Nebula project (CloudSigma, T-Systems and ATOS)
 - ◆ FutureGrid in USA, Synnefo cloud (U. Victoria)
 - ◆ Private clouds based on OpenStack, CloudStack, OpenNebula, etc...
- ◆ In this talk we will discuss ATLAS Cloud R&D activities that took place since CHEP 2012

A "Grid of Clouds"

Cloud Flavour

-  Nimbus, Xen
-  Nimbus, KVM
-  OpenStack, KVM

Cloud Status

-  In use
-  Testing/Commissioning






Powered by Cloud Scheduler

- ◆ A Python package for managing VMs on IaaS clouds, based on the requirements of HTCondor jobs
- ◆ Users submit HTCondor jobs, with additional attributes specifying VM properties
- ◆ Developed by UVic and NRC since 2009
- ◆ Used by ATLAS, BaBar, CANFAR
 - ◆ And possibly Belle II in the future
- ◆ More information about Cloud Scheduler:
 - ◆ <https://github.com/hep-gc/cloud-scheduler>
 - ◆ [Research Computing in a Distributed Cloud Environment](#) (Proc. of HPCS 2010)
 - ◆ [A Batch System For HEP Applications on a Distributed IAAS Cloud](#) (Proc. of CHEP 2010)
 - ◆ <http://goo.gl/G91RA> (ADC Cloud Computing Workshop, May 2011)

Cloud Job Flow





Key Features of Cloud Scheduler

- ◆ Dynamically manages quantity and type of VMs in response to user demand
- ◆ Easily connects to many IaaS clouds, and aggregates their resources together
- ◆ Complete solution for harnessing IaaS resources in the form of an ordinary HTCondor batch system
- ◆ Generic tool, not grid-specific or HEP-specific
- ◆ `pip install cloud-scheduler`




Cloud Scheduler Image

- ◆ Dual hypervisor image. Can run on KVM or Zen
- ◆ Configuration management with Puppet
- ◆ Use one image on all (12+) clouds
- ◆ Customized CernVM batch node v2.7
- ◆ Use whole node VM for better efficiency
 - ◆ Cache sharing instead of disk contention
 - ◆ Fewer image downloads when ramping up

Production on IaaS Cloud

preliminary tests Oct. 2011
standard operation Apr. 2012

- GRIDPP_CLOUD: added May 2013
- CA-JADE: testing now





Cloud on ATLAS HLT Farm


- ◆ Long LHC shutdown provided an opportunity to utilize ATLAS High Level Trigger (HLT) farm for ATLAS offline computing
- ◆ Prototyping started in February 2013
- ◆ Production operation since June 2013
- ◆ Resources organized as an IaaS cloud using OpenStack
 - ◆ Resources are presented to users as a PanDA queue
 - ◆ ~1500 HLT compute nodes located at Point 1
 - ◆ ~17.1k batch slots are available (~2.1k VMs) for production
 - ◆ + 0.7k may become available in the near future



Cloud on HLT farm status

- ◆ Production operation since June 2013
- ◆ Coordinated with ATLAS TDAQ activities. TDAQ has top priority
- ◆ The largest ATLAS Grid site when running
- ◆ As of now more than **1.4M** jobs were finished on HLT farm cloud
- ◆ **21.6%** job failure rate due to opportunistic nature of resources (hardware repurposed for TDAQ needs)
- ◆ That translates in **8.6%** CPU time loss over the period of running
- ◆ Workload related job failure rate is on the level of **0.1%**

2639 Hours from Week 21 of 2013 to Week 37 of 2013 UTC



- evgen (960,983)
- simul (453,462)
- gangarobot-pft (77,261)
- install (969.00)
- validation (557.00)
- hammercloud (520.00)
- reco (3.00)
- reprocessing (1.00)
- test (1.00)

Total: 1.49M jobs

Total: 1,493,757 , Average Rate: 0.16 /s

June 1, 2013 – Sep 18, 2013

Sergey Panitkin, CHEP 2013


Amsterdam, NL




Project on Amazon EC2

- ◆ RACF BNL group has received grant allocation from Amazon EC2 in 2013
- ◆ The idea of the project was to set up a hybrid cloud with some of the resources at BNL T1 and “elastic” part of the cloud on Amazon EC2
- ◆ We wanted to try Amazon EC2 spot market
 - ◆ Cheapest resources, but price and availability fluctuations
 - ◆ Dynamic environment - opportunistic resources
- ◆ We wanted to create one cloud spanning geographically distributed EC2 sites

Hybrid Cloud: BNL OpenStack + EC2



John Hover, BNL





Hybrid cloud on EC2 results

- ◆ Ran ~5000 EC2 VMs for about 3 weeks
- ◆ Used 3 EC2 zones – Virginia, California, Oregon
- ◆ Added to the pool ~250 VM on OpenStack at BNL
- ◆ Ran ATLAS Monte Carlo production jobs
- ◆ Total cost ~ \$13k , only \$750 for data transfer
- ◆ Actual spot price paid was very close to baseline – less than \$0.01 per hour for m1.small type of instance
- ◆ Reliable operations of EC2 platform
- ◆ Poor job efficiency on EC2 due to long running jobs.
 - ◆ It's better to run short jobs on the EC2 spot market!



Google Compute Engine Project


- ◆ ATLAS was invited to participate in GCE closed preview period in August 2012
- ◆ Brand new cloud platform, new cloud API, modern hardware
- ◆ Google agreed to allocate additional resources for ATLAS after the initial period
 - ◆ ~5M core-hours, 4k cores for about 2 months, (original preview allocation was 1k cores)
- ◆ Resources were organized as HTCondor based PanDA queue
 - ◆ Centos 6 based custom built images, with SL5 compatibility libraries to run ATLAS software, CVMFS
 - ◆ Whole-node, 8 core instances with ~3.4 TB of ephemeral storage
 - ◆ HTCondor head nodes and web proxies at BNL
 - ◆ Output automatically transferred to storage at BNL
- ◆ Transparent inclusion of the cloud resources into ATLAS Grid
- ◆ The idea was to test long term stability while running a cloud cluster similar in size to Tier 2 site in ATLAS
- ◆ Planned as a production type of run. Delivered to ATLAS as a resource and not as an R&D platform



Running on GCE

- ◆ We ran for about 8 weeks (2 weeks were planned for scaling up)
- ◆ We ran computationally intensive workloads
 - ◆ Physics event generators, Fast detector simulation, Full detector simulation
- ◆ Very stable running on the GCE side
- ◆ Most problems that we had were on the ATLAS side, not cloud related
- ◆ Overall failure rate ~6%, mostly during start up and debugging period
- ◆ Completed 458k jobs, generated and processed about 214M events
- ◆ Also ran several smaller projects
 - ◆ Large PROOF farms on GCE
 - ◆ Tested data transfer from Federated ATLAS Xroot (FAX)
- ◆ We were invited to give a talk at Google IO Conference in May 2013 about the project


Failed and Finished Jobs on GCE



- ◆ Most of the job failures occurred during start up and scale up phase – as expected
- ◆ Most of the failures were on the ATLAS side – file transfer, LFC problems, HTCondor
- ◆ No failures were due to GCE problems

Data transfers from FAX to GCE

xrdcp transfer rate from ATLAS federation to GCE. Xtreme copy mode



- Data transfer from Federated ATLAS Xroot to GCE in multisource/multi-stream mode
- Xroot cluster on GCE using ephemeral storage with 1.7 TB volumes per node
- Average transfer rate: **57 MB/s** (single source xrdcp rate 40 MB/s)
- Note, this is over public networks



Summary

- ◆ ATLAS Cloud R&D has been an active and successful project
- ◆ Significant computational resources were delivered to ATLAS in the form of IaaS clouds in the past 18 months
- ◆ Production scale projects on private and academic clouds
 - ◆ Cloud Scheduler/IaaS cloud has been running for the past 18 months on infrastructure distributed worldwide
 - ◆ Large scale OpenStack installation on ATLAS HLT farm at CERN
 - ◆ Comparable to Tier 1 in CPU capacity (2.1k VMs, 17.1k batch slots)
- ◆ Active engagement with commercial cloud providers
 - ◆ Large scale production run on Amazon EC2
 - ◆ Successfully utilized EC2 spot priced resources at scale (~5k running VMs at one time)
 - ◆ Operated hybrid private-public cloud spanning EC2 and OpenStack at BNL
 - ◆ Large scale production run on Google Compute Engine for about 2 months
 - ◆ ~500 VMs, ~4k cores on a new high performance cloud platform