



The Compact Muon Solenoid Experiment
Conference Report

Mailing address: CMS CERN, CH-1211 GENEVA 23, Switzerland



05 November 2016 (v2, 08 November 2016)

A new Data Acquisition System for the CMS Phase 1 Pixel Detector

Andreas Kornmayer for the CMS Collaboration

Abstract

A new pixel detector will be installed in the CMS experiment during the extended technical stop of the LHC at the beginning of 2017. The new pixel detector, built from four layers in the barrel region and three layers on each end of the forward region, is equipped with upgraded front-end readout electronics, specifically designed to handle the high particle hit rates created in the LHC environment. The DAQ back-end was entirely redesigned to handle the increased number of readout channels, the higher data rates per channel and the new digital data format. Based entirely on the microTCA standard, new front-end controller (FEC) and front-end driver (FED) cards have been developed, prototyped and produced with custom optical link mezzanines mounted on the FC7 AMC and custom firmware. At the same time as the new detector is being assembled, the DAQ system is set up and its integration into the CMS central DAQ system tested by running the pilot blade detector already installed in CMS. This work describes the DAQ system, integration tests and results, and gives an outline for the activities up to commissioning the final system at CMS in 2017.

Presented at *PIXEL2016 International Workshop on Semiconductor Pixel Detectors for Particles and Imaging*

PREPARED FOR SUBMISSION TO JINST

8TH INTERNATIONAL WORKSHOP ON SEMICONDUCTOR
PIXEL DETECTORS FOR PARTICLES AND IMAGING
2016
SESTRI LEVANTE

A new Data Acquisition System for the CMS Phase 1 Pixel Detector

A. Kornmayer,^a on behalf of the CMS collaboration

^a*CERN,
Geneva, Switzerland*

E-mail: andreas.kornmayer@cern.ch

ABSTRACT: A new pixel detector will be installed in the CMS experiment during the extended technical stop of the LHC at the beginning of 2017. The new pixel detector, built from four layers in the barrel region and three layers on each end of the forward region, is equipped with upgraded front-end readout electronics, specifically designed to handle the high particle hit rates created in the LHC environment. The DAQ back-end was entirely redesigned to handle the increased number of readout channels, the higher data rates per channel and the new digital data format. Based entirely on the microTCA standard, new front-end controller (FEC) and front-end driver (FED) cards have been developed, prototyped and produced with custom optical link mezzanines mounted on the FC7 AMC and custom firmware. At the same time as the new detector is being assembled, the DAQ system is set up and its integration into the CMS central DAQ system tested by running the pilot blade detector already installed in CMS. This work describes the DAQ system, integration tests and results, and gives an outline for the activities up to commissioning the final system at CMS in 2017.

KEYWORDS: CMS, Pixel, data acquisition

¹Corresponding author

Contents

1	Introduction	1
2	The CMS Phase 1 Upgrade	2
3	System Requirements and Readout Architecture of the new DAQ system	2
3.1	Pixel FEDs and FECs	3
4	The full DAQ backend layout	4
5	System Tests	5
6	Soak test	6
7	Summary and Outlook	6

1 Introduction

The innermost part of the CMS experiment hosted at CERN, Switzerland, is build from a detector based on the silicon hybrid pixel technology. This pixel detector consists of three layers in the barrel shaped part, commonly named BPIX, and two disks on each end of CMS in the forward part, called FPIX. The n-in-n silicon sensors are of a thickness of $285\ \mu\text{m}$. BPIX and FPIX together possess a total of 66M pixels, with each having an active area of $150\ \mu\text{m} \times 100\ \mu\text{m}$.

The CMS pixel detector was designed to operate at an instantaneous luminosity $L = 10^{34}\ \text{cm}^{-2}\ \text{s}^{-1}$ and a bunch spacing of 25ns [1]. The assumed average number of inelastic collisions (pile-up) under these conditions was 25. Due to the excellent performance of the LHC these values have been reached and already exceeded by more than 20%. Towards the end of the second running period of the LHC in 2016 the instantaneous luminosity reached values of $1.3 - 1.5 \times 10^{34}\ \text{cm}^{-2}\ \text{s}^{-1}$.

Limitations in the readout logic of the pixel detector front-end parts cause dynamic hit detection inefficiencies. These inefficiencies will increase even further as the LHC reaches higher instantaneous luminosities causing a substantial performance loss in the reconstruction of particle tracks and thus the physics performance of the whole experiment. In order to maintain the excellent performance of the CMS experiment it is planned to install a new pixel detector during an extended year-end technical stop (EYETS). This detector will have an upgraded front-end readout chip, a larger number of layers in the barrel and the forward region, and a new data acquisition system (DAQ) in the CMS service cavern.

Following an overview of the new and improved Phase 1 CMS pixel detector this paper will focus on the design, layout, implementation and test of the DAQ system.

2 The CMS Phase 1 Upgrade

The Phase 1 Upgrade of the CMS pixel detector is an evolutionary improvement of the currently installed pixel detector. The approach of using silicon hybrid pixel detectors remains unchanged. Silicon sensors of the n-in-n type were again used as detector material while performance improvements were made to the front-end electronics, namely the readout chips (ROCs) and the token bit manager (TBM), a chip to control all 16 ROCs on a single module. Both, the BPIX and FPIX part of the detector are extended by an additional layer, with the innermost layer of the BPIX part moving closer to the interaction point and the outermost layer moving further away, covering currently unused space in the detector volume. A comparison of the old and new detector layout is shown in Figure 1. The FPIX detector part will be equipped with a third disk on each end of CMS. In layer two to four of the BPIX part and all FPIX disks, the PSI46digV2 [2] readout chip is being used. This ROC possesses enlarged data and time stamp buffers compared to its predecessor, the PSI46v2. Closest to the interaction point, in layer 1 of the BPIX, the newly developed PROC600 readout chip will be used. The data format in which the ROCs transmit their collected hit information has been changed from a 6-bit analog level encoding to a digital data transmission protocol. The usage of low weight materials for detector support structures and the switch to a two-phase evaporative CO₂ cooling system leads to a significant reduction of nonsensitive material in the detector volume.




Figure 1: Shown are the cross sections of the old (bottom) and the new (top) pixel detector of the CMS experiment. The new detector layout features an additional layer in the barrel and the forward region compared to the old layout.

3 System Requirements and Readout Architecture of the new DAQ system

The change from analogue to digital readout made it necessary to also upgrade the entire readout chain up to the back-end readout electronics. The readout chips transmit their data on a digital data line clocked at a speed of 160 MHz. Two serial data lines of up to eight ROCs are multiplexed to a 320 MHz data stream by the Token Bit Manager (TBM) chip. In order to balance the readout links during data transmission, a four-to-five bit encoding is applied, resulting in a 400 Mbps serial data stream coming from each TBM. For the first layer of the CMS pixel detector the data rates

are estimated to reach 600 MHz/cm^2 , thus calling for two TBMs and two optical fibres for each module of 16 ROCs.




Figure 2: The readout architecture for the new DAQ system for the CMS Phase 1 pixel detector.

In Figure 2 the full readout architecture is shown. The 400 Mbps data stream from the TBMs is converted to an optical signal in the Pixel Opto-Hybrids (POH) and transmitted to the Front-End Drivers (FED). Together with the Front-End Controllers (FEC) that send control signals to the detector front-end and slow control commands to the readout periphery, the new DAQ system is entirely based on the FC7 card, a full size, double width μ TCA AMC. This card is used by several CMS subsystems like the CMS Trigger and Command Distribution System (TCDS), the CMS-TOTEM Precision Proton Spectrometer (CTPPS), the Hadron Calorimeter and on work for R&D activities [3].

3.1 Pixel FEDs and FECs

All FC7 boards share the same basic hardware configuration. The cards are equipped with a Kintex 7 FPGA, 4Gb of DDR3 RAM for data buffering and twelve 10 Gbps high speed links to the crate back plane. Additionally each FC7 can house up to two FPGA Mezzanine Cards (FMC) that can be customised to a specific use case as shown in Figure 3a. In the CMS Pixel Phase 1 system, these FMCs are used to enable the FEDs and FECs to perform their specific tasks, interfacing to the dedicated optical links for readout and control.

The FEDs are equipped with a single FMC card. The FED FMC contains two FITEL optical receivers with twelve inputs each, shown in Figure 3c. The FITELs semi-conductor parts are optimised for a wave length of 1310 nm and compatible with the 400 Mbps serial data stream coming from the detector front-end. Additionally every FED FMC houses a cage to place either a 5 Gbps or 10 Gbps optical Ethernet SFP+ link, over which the collected event data is transferred to the CMS Central DAQ system.

The FECs come in two different flavours: Tracker FEC and Pixel FEC. The Tracker FEC is used to program the supply electronics like the POH, used for electrical to optical signal conversion, or the DC-DC power converters via the I²C interface of a CCU [4]. The Pixel FEC on the other hand is used to supply the detector front-end chips with a 40MHz clock, distribute trigger and other

fast control signals to the front-end and to program the DAC settings on TBM and ROCs. Both, Pixel and Tracker FEC, use the same FMC hardware as shown in Figure 3d and only differ by the firmware loaded to the FPGA.




Figure 3: Shown are the FC7 card, on which the new CMS Pixel detector readout back-end is based on, from the front (a) and the back (b) [3]. The connectors for two FMC cards and the cooling block for the FPGA can be seen. The two different FMCs for FED (c) and FECs (d) are shown. The FED FMC has 24 optical input channels and an optical Ethernet connection to the Central DAQ of CMS. The FEC FMC is equipped with eight SFP optical transceivers.

4 The full DAQ backend layout

The CMS pixel detector readout and control system consists of twelve μ TCA crates, four of which are used to house FEDs and FECs for FPIX, while the other eight hold the BPIX backend electronics. All crates, manufactured by Schroff, are based on standard units used in telecommunication and a backplane made to CMS specifications. They can hold up to twelve full size AMCs, are equipped with two fully redundant power supplies and have space for a 13th half size AMC where the AMC13 card [5] is placed. This extra AMC is used to receive and distribute CMS clock and trigger signals within the crate. Through the μ TCA Carrier Hub (MCH) the crate and all AMC cards in it are connected to standard 1Gbps Ethernet. The special backplane configuration has twelve high speed links between the AMC slots and the AMC13.

The crates for BPIX and FPIX are separated into three different racks. Each of the FPIX crates holds seven FEDs and two Pixel FECs. For the BPIX detector which has more channels than FPIX each crate is equipped with 10 FEDs and a single Pixel FEC. For both, FPIX and BPIX, a single Tracker FEC each is enough to control the front-end periphery electronics. The layout of the DAQ

backend is shown in Figure 4. As seen in the layout, the bottom of the racks is reserved for optical patch panels, where the optical fibres from the detector front-end arrive. If needed in the future, the fibre connections can be remapped to balance the data input rates into the FEDs.




Figure 4: The layout of the final DAQ backend readout system in the CMS service cavern.

5 System Tests

Several test stands and development benches based on the μ TCA readout system at different detector assembly centres were created, where hardware parts, firmware for FED and FECs and the Pixel Online Software (POS) are being evaluated, systematically studied and used to verify the overall integration of all detector parts. As an example three centres are mentioned:

- **FERMILAB** is the local site where the USA-based FPIX group assembles the twelve half disks of their detector. All of the final detector tests and calibrations are done using the μ TCA Pixel readout of FEDs and FECs.
- **Uni Zurich**, as part of the BPIX community, is responsible for testing the optical components on the service cylinders for the barrel part of the CMS Pixel detector. While tests after assembly of the BPIX are done using the legacy VME system and custom built electronics, the optical parts are also checked using the new μ TCA readout system. Additionally the overall integration of the new readout and control system with the BPIX front-end and service electronics is being verified.
- **CERN** was the first CMS Pixel collaboration centre to have a fully functioning μ TCA setup. The task of the local group is to work in close contact with the FED firmware developers from IHPC Strasbourg and HEPHY Vienna and to provide the 'reference system' that should be as close to the final detector readout chain as possible. After FPIX parts are shipped from FERMILAB to CERN the reassembled half cylinders are tested again using the full μ TCA readout system. A separate test stand has been created to ensure the integration of the new data acquisition system with Central DAQ of CMS.

Having several data acquisition systems distributed to different centres and dedicated to different tasks advanced the integration of the POS software package with the detector firmware and the

front-end and accelerated the learning of the FPIX and BPIX user community. At the same time new features in the FED and FEC firmware could be tested without losing time during detector assembly. Finally the in-situ use of the CMS Pixel readout system made it possible to spot firmware and software bugs before the final integration of the full system in the experiment.

6 Soak test

In order to minimise problems during this startup phase of the CMS pixel detector in 2017 a 'soak test' is performed with all DAQ back-end parts. Twelve μ TCA crates, the same crates that later will be installed in the CMS service cavern, are loaded with up to twelve FED readout cards. To create a high load on the FPGA the FEDs are operated running in an emulated data mode, where the FED firmware creates an event for each L1A trigger it receives and fills it with a fixed pattern of eight hits per TBM readout channel. At the same time all FEDs and crates are constantly monitored. Temperatures, operation voltages and currents on all FC7 cards and FED FMCs are monitored and logged, as well as the load on the power supplies. This test is being run for several hundred hours before the equipment is installed in the CMS experiment to gain experience with the full size system and to ensure that 'infant mortality' of newly assembled cards will not be hindering the commissioning of the new pixel detector in the CMS experiment.

7 Summary and Outlook

A new DAQ system based on the μ TCA standard has been designed and is currently under development to accommodate for the new digital readout scheme and higher data rates coming from the front-end. New Front-End Drivers and Front-End Controllers based on the FC7 board have been designed and produced. Several test stands have been set up to facilitate development and debugging of FED and FEC firmware and also to test the system integration of the DAQ backend, the different detector front-end configurations for BPIX and FPIX and the overall software framework. A soak test for all backend electronics has been set up to test the hardware under realistic load before it is being installed in the service cavern of the CMS experiment.

References

- [1] The CMS Collaboration, *CMS Physics: Technical Design Report Volume 1: Detector Performance and Software*, CERN-LHCC-2006-001.
- [2] D. Hits, A. Starodumov, *The CMS Pixel Readout Chip for the Phase 1 Upgrade*, Journal of Instrumentation, vol. 10, no. 05, p. C05029, 2015
- [3] M. Pesaresi, M. B. Marin, G. Hall, M. Hansen, G. Iles, A. Rose, F. Vasey, and P. Vichoudis, *The FC7 AMC for generic DAQ & control applications in CMS*, 2015 JINST 10 C03036.
- [4] K. Kloukinas et al., *FEC-CCS: A common front-end controller card for the CMS detector electronics*, Proceedings of the 12th Workshop on Electronics for LHC and Future Experiments (LECC 2006), p. 179, 2006.
- [5] E. Hazen, A. Heister, C. Hill, J. Rohlf, S. X. Wu, and D. Zou, *The AMC13XG: a new generation clock / timing / DAQ module for CMS microTCA*, 2013 JINST 8 C12036