EUROPEAN ORGANISATION FOR NUCLEAR RESEARCH (CERN)



Phys. Rev. D 108 (2023) 1, 012022 DOI: 10.1103/PhysRevD.108.012022



Measurement of cross-sections for production of a Z boson in association with a flavor-inclusive or doubly b-tagged large-radius jet in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment

The ATLAS Collaboration

We present measurements of cross-sections for production of a leptonically decaying Z boson in association with a large-radius jet in 13 TeV proton-proton collisions at the LHC, using $36~{\rm fb^{-1}}$ of data from the ATLAS detector. Integrated and differential cross-sections are measured at particle-level in both a flavor-inclusive and a doubly b-tagged fiducial phase-space. The large-radius jet mass and transverse momentum, its kinematic relationship to the Z boson, and the angular separation of b-tagged small-radius track-jets within the large-radius jet are measured. This measurement constitutes an important test of perturbative quantum chromodynamics in kinematic and flavor configurations relevant to several Higgs boson and beyond-Standard-Model physics analyses. The results highlight issues with modeling of additional hadronic activity in the flavor-inclusive selection, and a distinction between flavor-number schemes in the b-tagged phase-space.

1 Introduction

Since the proposal of a Higgs $\rightarrow b\bar{b}$ discovery channel based on the structure of a high-momentum jet [1], "boosted jet" methods have been a major feature of Higgs and other experimental analyses at the LHC [2–7]. In these, a large-radius jet (large-R jet) is reconstructed, and then decomposed into smaller-radius (small-R) subjets whose structure enables identification of resonances whose decay products have been collimated by their parent's large momentum. Such methods are also of high interest in searches for new physics, both because a high-mass new particle decaying into resonances naturally generates high-momentum merged jets, and because the high-momentum regime is particularly sensitive to modifications to Standard Model (SM) dynamics by new physics.

A good understanding of hard, collinear parton splittings in quantum chromodynamics (QCD) is key to measurements using large-R jet methods, as these constitute the dominant background to boosted resonance signatures. Monte Carlo (MC) event-simulation methods include approximations such as factorization of partonic splittings in parton-shower algorithms, and slicing of emission phase-space between matrix-element and parton-shower sources. The extreme dynamics of boosted topologies include aspects of both collinear and high- $p_{\rm T}$ physics, presenting a test for such factorizations.

The role of heavy-quark masses is also important: contradictory inclusions of mass effects in calculations for parton-shower MC generators and parton distribution functions (PDFs) mean that there is as yet no unambiguously more-correct simulation strategy for heavy-flavor production [8]. Additionally, the modeling of gluon-splitting into heavy quarks may benefit from renormalization-scale choices different from those developed for the more common cases of gluon emission from light quarks and gluons.

Due to these factors, empirical comparisons between MC models and collider measurements of boosted $b\bar{b}$ production are key to understanding and improving the validity of parton-shower MC simulations in this event topology, and closely related ones such as high- $p_{\rm T}$ associated Higgs-boson production. In addition, this phase-space is also relatively novel for light-jet production, whose modeling can be similarly informed by equivalent measurements without the b-tagging requirement.

This analysis follows the $VH(b\bar{b})$ event-selection strategy of requiring boosted-jet production in association with a leptonically decaying vector boson, which is effective at reducing QCD backgrounds and provides an additional, experimentally clean proxy for each event's characteristic momentum-transfer scale [1]. Previous measurements of the $Z+b(\bar{b})$ process, in a resolved rather than boosted event topology, were made using $\sqrt{s} = 7$ TeV proton–proton collisions by ATLAS, CMS and LHCb [9–13], at 8 TeV by CMS [14], and at 13 TeV by ATLAS and CMS [15, 16].

Additionally, studies of correlations between B and \bar{B} mesons have been performed by CMS at 7 TeV [17], and various properties of gluon splitting at 13 TeV have been measured by ATLAS [18]. In these papers the differential cross-section as a function of $\Delta R(b,\bar{b})$, the angular separation between the b-jets or b-hadrons, was measured and found to be mismodeled by MC generators in the small- $\Delta R(b,\bar{b})$ region typical of gluon splitting into $b\bar{b}$. Given the importance of $\Delta R(b,\bar{b})$ modeling to techniques for reconstruction of boosted Higgs-bosons, this variable is also a target of this analysis. The higher 13 TeV center-of-mass energy produces a larger boosted-event population than in the 7 TeV studies, and in contrast to the recent ATLAS $Z+b\bar{b}$ cross-section measurement at 13 TeV, use is also made of small-radius charged-particle jets that allow precise measurement of the small angular separations.

In this paper, we present measurements of cross-sections for the production of a leptonically-decaying Z-boson in association with a large-R jet, using data taken by the ATLAS detector at the LHC [19, 20] in

2015–2016. The measured cross-sections are differential in kinematic variables of the large-R jet. An additional phase-space is defined by the requirement that the large-R jet be doubly b-tagged: total and differential cross-sections, including as a function of the angular separation of the b-tagged subjets, are also measured in this phase-space. These measurements provide an important test of perturbative QCD in the boosted regime, including contributions both where a high-energy gluon splits to give a $b\bar{b}$ pair carrying a significant fraction of the jet momentum, and where secondary processes in which two b-tagged momentum flows exist within the jet but are not its dominant kinematic components.

The relevant perturbative-QCD issues are summarized in Section 2, the ATLAS detector is described in Section 3, and the MC event samples used in the analysis and for comparison with the resulting measurements are discussed in Section 4. The physics-object definitions at the reconstruction and particle levels are described in Section 5, followed by the event selection and observable definitions in Section 6. The correction for detector biases is treated in Section 7, and the sources and estimation of systematic uncertainties are described in Section 8. Finally, the detector-corrected observables are compared with current MC predictions in Section 9.

2 Theory context

Heavy-flavor partons in the initial state of a hard-scattering process are understood to arise mainly from perturbative gluon splittings into $b\bar{b}$ and $c\bar{c}$ quark-antiquark pairs, formalized as DGLAP QCD evolution [21–23]. But there is an ambiguity in this evolution in the usual factorization picture of perturbative QCD calculations, as to whether the emergence of heavy flavor is to be isolated into the partonic cross-section $\hat{\sigma}$, or is also permitted in the evolution of the PDFs which encode the initial-state proton structure. At present, this separation is strongly tied to the treatment of the heavy quark as having a finite or zero mass [8].

The picture without heavy-quark production in the PDF evolution – here, the absence of b-quarks – is termed the four-flavor number scheme (4FNS). In this, the b-quark density in the PDF is set to zero, and so the perturbative generation of initial-state b-quarks comes from explicit gluon splitting into a $b\bar{b}$ pair in the partonic matrix-element [24], usually including b-quark mass effects. A consequence is that in the four-flavor scheme there are always at least two participating b-quarks, although they may fall outside the experimental acceptance. By contrast, in the five-flavor number scheme (5FNS) the PDF evolution can generate initial-state b-quarks – again through gluon splitting, but now internalized in the functional form of the b-quark PDF. This allows matrix-element amplitudes where it is possible for only one b-quark to participate in the hard-scatter [24]. While the 5FNS initially seems the more complete treatment, its treatment of the initial-state b-quark is purely longitudinal (whereas gluon splitting in the matrix element generates transverse momentum), and to avoid non-cancellation of higher-order soft divergences the initial-state b-quark is currently treated as massless in standard PDF approaches [25].

In a hypothetical all-orders calculation the two schemes would give the same results, but for a truncated perturbation expansion they generally give different predictions. There are arguments in favour of both approaches: the 4FNS allows for transverse momentum exchange through the initial-state heavy quarks and hence might be expected to describe event kinematics better, while the 5FNS is able to make use of higher-order DGLAP resummation calculations in the PDF evolution, which are not present in matrix elements matched to parton showers. The importance of mass effects is expected to become less important for process scales $Q \gg m_b$, suggesting that higher-accuracy predictions may be obtained using the 5FNS in boosted event configurations [8, 26–28]. Recent computations such as the computation of Z + b production

at $O(\alpha_s^3)$ [29], and the NLO "fusing" scheme developed by Sherpa [30] combine desirable aspects of both schemes, and should also be dominated by the 5FNS in boosted phase-space. It is therefore important to compare experimental measurements of b-quark production with predictions using both of these schemes, to empirically test the accuracy and predictivity of the available theoretical approaches.

Theoretical uncertainties also arise in the production of b-quarks in the partonic final state. The usual parton shower formulation for parton or dipole splitting is derived in the collinear-emission limit, using the p_T of the splitting as the characteristic (renormalization) scale, but this heuristic scale choice is only well-motivated for gluon-emission splitting functions [31]. The scale choice for gluon splitting, especially into heavy quarks, is hence an extrapolation requiring empirical testing. This is of great importance since uncertainties in heavy-flavor production by gluon splitting are a leading systematic limitation on the sensitivity of Higgs boson decays into $b\bar{b}$ in the $t\bar{t}H$, VH (where V is either a W or Z boson) and gluon-fusion channels [32–34] — particularly in boosted-Higgs configurations where the two b-quarks are relatively collinear, similar to the gluon-splitting kinematics [35].

3 ATLAS detector

The ATLAS detector [19] is a multipurpose particle detector with a forward/backward-symmetric cylindrical geometry. The detector has a nearly 4π coverage in solid angle ¹ and consists of an inner tracking detector, electromagnetic and hadronic calorimeters, and a muon spectrometer.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer (IBL) installed before Run 2 [36, 37]. It is followed by the silicon microstrip tracker (SCT), which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron-identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimised for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, covers the region $|\eta| < 2.7$,

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the *z*-axis along the beam pipe. The *x*-axis points from the IP to the center of the LHC ring, and the *y*-axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta \eta)^2 + (\Delta \phi)^2}$.

complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

A two-level trigger system is used to select events for further analysis [38, 39]. The first-level trigger is implemented in hardware and utilizes partial detector information to accept events at a rate of 100 kHz. The high-level trigger is based on software and reduces the rate of accepted events to 1 kHz. An extensive software suite [40] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data-acquisition systems of the experiment.

4 Data and MC event samples

The data used in this measurement were collected during the LHC 2015 and 2016 pp-collision runs at $\sqrt{s} = 13$ TeV, corresponding to an integrated luminosity of 36.1 fb⁻¹. The uncertainty in the combined 2015–2016 integrated luminosity is 2.1% [41], obtained using the LUCID-2 detector [42] for the primary luminosity measurements. Analyzed events were required to have all ATLAS subdetectors fully operational, and stable beam conditions.

MC-simulated event samples were used in this analysis to estimate the contamination from background processes, correct the data from reconstruction level to particle level (unfolding), and for comparisons to the unfolded data. Four processes are considered in detail for this analysis: production of Z+jets, W+jets, $t\bar{t}$, and electroweak diboson events. Single top-quark production was shown to make a negligible contribution, as its acceptance is similar to the already small W+jets contribution, and its cross-section is orders of magnitude smaller. QCD multijet events were shown to be negligible using a data-driven method.

The Z+jets signal and W+jets background were simulated at next-to-leading-order (NLO) accuracy with the Sherpa 2.2.1 [43, 44] MC generator, matching additional hard parton emissions [45] to the parton shower algorithm based on the Catani–Seymour dipole formalism [46]. The MEPS@NLO prescription [47–50] was used with a merging threshold of 20 GeV to provide merged matrix-element and parton-shower calculations accurate at NLO in QCD for up to two additional partons and accurate at LO for up to four additional partons; the virtual QCD matrix-element components at NLO accuracy were provided by the OpenLoops library [51, 52]. In this configuration, $g \to b\bar{b}$ splittings can originate either from the matrix element or from the parton shower, depending on the transverse scale of the splitting relative to the CKKW merging scale [48, 53]. As the matrix-element portions of this calculation include $g \to b\bar{b}$ splittings, it is expected that the majority of boosted jets in this sample will have been initiated by matrix-element rather than parton-shower splittings, but that the $b\bar{b}$ splitting within them can arise from either matrix-element or parton-shower modeling. The 5FNS NNPDF3.0NNLO PDF set [54] with $\alpha_s(m_Z) = 0.118$ was used, in conjunction with the Sherpa authors' standard set of tuned MC parameter values, referred to as the "tune". The samples were normalized to the NNLO inclusive Z/W cross-sections [55].

An alternative LO QCD Z+jets sample was simulated using MadGraph 2.2.2 [56] with up to four additional partons at matrix-element level, and using the NNPDF2.3Lo set of PDFs [57]. This was interfaced with Pythia 8.186 [58] for modeling of the parton shower and underlying event, with use of the CKKW-L merging procedure [59, 60], and with bottom and charm hadron decays corrected by EvtGen 1.2.0 [61]. The A14 tune [62] and the 5FNS NNPDF2.3Lo PDF set [57] with $\alpha_s = 0.13$ were used by Pythia 8. This sample was also normalized to the NNLO inclusive cross-section for use in MC-based background estimation.

The $t\bar{t}$ background was simulated using the Powheg-Box v2 HVQ [63–66] generator at NLO with the CT10 PDF [67], and matched to the Pythia 8.186 [58] parton shower and hadronization with the A14 tune [62]. The top-quark mass was set to 172.5 GeV, and the $h_{\rm damp}$ parameter – which controls the $p_{\rm T}$ of the first additional emission beyond the Born configuration – was set to the mass of the top quark. This sample was normalized to the $t\bar{t}$ NNLO+NNLL cross-section [68].

The diboson processes (WW, WZ, and ZZ, with one of the bosons decaying hadronically and the other leptonically) were simulated using Sherpa 2.1.1 with a MEPS@NLO configuration similar to that used in the Z+jets and W+jets processes described above. The CT10NLO PDF set [69] with $\alpha_s = 0.118$ was used, with the corresponding Sherpa parton-shower tune.

All these MC event samples were processed through the ATLAS Geant44-based detector simulation [70, 71] and digitization system to produce inputs to object reconstruction equivalent to those from the detector data-stream in collision events. Pile-up — multiple pp collisions in each hard-interaction bunch-crossing, as well as detector-response effects due to surrounding bunch-crossings — was emulated by pre-digitization overlay of simulated detector hits from multiple Pythia 8.186 inclusive QCD events using the A3 tune [72]. The composite events were reweighted in the analysis so the distribution of the number of overlays per simulated signal event matched the mean number of collisions per bunch-crossing, $\langle \mu \rangle$, in data.

In addition to these MC generator versions and configurations, signal samples were also produced only at particle level, using the newer Sherpa 2.2.10 generator in a configuration equivalent to that described above, as well as 4FNS and fusing variations, and the NLO MadGraph5_AMC@NLO 2.7.3 + Pythia 8.244 generator with FxFx merging in 5FNS and 4FNS modes. These variations are used in Section 9 for comparisons with unfolded observables in data.

5 Lepton and jet definitions

The objects used in this analysis to select events and define observables are charged leptons, large-*R* jets, and (optionally *b*-tagged) small-*R* track-jets. These are defined in this section, with detailed discussion of the systematic uncertainties associated with their reconstruction postponed to Section 8.

The final results of this analysis consist of observables measured in particle-level fiducial volumes, which closely match the reconstruction-level event- and object-selection, to minimize model-dependent extrapolations. In what follows, the physics objects are defined at both reconstruction level and particle level. Throughout this analysis, stable particles are defined to be those with a mean lifetime $\tau > 10 \text{ mm/}c$.

Charged leptons: The leptonically decaying Z boson is identified by use of high- p_T charged e^{\pm} and μ^{\pm} pairs, including those from τ -lepton decays.

At reconstruction level, identified electrons and muons were used, with contamination suppressed by use of "tight" and "medium" identification criteria for electrons and muons respectively [73, 74]. The lepton candidates were geometrically restricted to the active regions of the calorimeters and muon spectometer ($|\eta| < 2.47$ excluding the 1.37–1.52 region for electrons, and $|\eta| < 2.47$ for muons), and have $p_T > 27$ GeV for both lepton flavors. Both the electrons and muons were required to be isolated from significant energy deposits in the calorimeter and from high-momentum tracks.

Corrections derived in $Z \to \ell\ell$ events were applied to account for differences in reconstruction and identification efficiencies between data and simulated events. Electron energies as measured by the

electromagnetic calorimeter were calibrated to the electron energy in simulation, and discrepancies between data and simulation corrected [75]. The reconstructed muon momenta were similarly calibrated using a mix of simulation and data-driven methods [76]. Uncertainties associated with the lepton efficiencies, scales, and resolutions were propagated via systematic variations.

At particle level, the charged leptons are defined as final-state electrons and muons dressed with direct photons within a surrounding cone of size $\Delta R = 0.1$, with kinematic requirements of $|\eta| < 2.47$ and $p_T > 27$ GeV on the resulting objects. No explicit requirements of final-state isolation nor direct connection to the hard scattering are made in the fiducial lepton definition, hence events with two high- p_T electrons or two muons in the final-state acceptance are treated as part of the signal even if one or both arise from τ -lepton or heavy-flavor hadron decays.

Large-*R* **jets:** A large-*R* jet is required in this analysis as a proxy for a high-momentum, hadronically decaying or splitting object, e.g. a high-energy gluon.

In reconstructed events, large-R jets were reconstructed from calibrated topological clusters of calorimeter cells [77], using the anti- k_t algorithm with radius parameter R=1.0 [78, 79]. The clustered jet's energy and pseudorapidity were further calibrated using simulated data, and its mass was calibrated using a combination of calorimeter and tracking information [80, 81]. Pile-up and underlying-event contributions to the jets were suppressed by a dynamic trimming [82] procedure discarding clusters from R=0.2 subjets with less than 5% of the original jet $p_{\rm T}$. The trimmed jets were required to have $p_{\rm T}>200$ GeV and $|\eta|<2$, to ensure that the majority of the jet lies within the tracker volume. Discrepancies between data and simulation in the jet calibration were treated as systematic uncertainties.

At particle level, all final-state particles are used as inputs to the anti- k_t R = 1.0 jet algorithm, and trimming is applied with the same parameters as in reconstruction, effectively subtracting underlying-event contributions. Again the trimmed jets are required to have $p_T > 200$ GeV and $|\eta| < 2$.

Subjets and b**-tagging:** Small-R subjets within the large-R jet are used as proxies for the leading partons in the jet, e.g. the b-quarks in a high-energy $g \to b\bar{b}$ splitting. To achieve high angular resolution, inner-detector tracks are used in place of calorimeter information to construct these subjets.

At reconstruction level, the anti- k_t algorithm with radius parameter R=0.2 was used to construct track-jets from at least two inner-detector tracks matched to the primary vertex (see Section 6). The track-jets were required to have $p_T > 10$ GeV and $|\eta| < 2.5$. Identification of the track-jets as likely (or not) to have been initiated by b-quarks was provided by the ATLAS MV2c10 multivariate b-tagging algorithm [83] trained on leptonic $t\bar{t}$ events to achieve 70% b-tagging efficiency, with mis-tag rejection ratios of 7.1 and 120 for charmed and light jets respectively. Corrections were applied to compensate for differences in b-tagging efficiency and charm- and light-jet mis-tag rates observed between simulation and collision data. Systematic uncertainties from tracking, vertexing, and b-tagging calibration were evaluated.

At particle level, stable charged particles are used as the inputs to the R = 0.2 anti- k_t jet algorithm, again with $p_T > 10$ GeV and $|\eta| < 2.5$. A charged-particle jet is considered to be b-tagged if a weakly decaying b-hadron, with $p_T > 5$ GeV, is associated with it by the ghost-association method [84].

Any small-R track-jets or small-R charged-particle jets matched to the large-R jets by ghost-association are considered to be charged subjets of the large-R jet. A large-R jet is considered

b-tagged if any of its small-*R* subjets is *b*-tagged, and the number of *b*-tagged subjets is used to define subclasses of signal events.

A simple overlap-removal procedure was used at both reconstruction and particle levels to accommodate a single particle or object leaving multiple signatures in the detector. In particular, this procedure was motivated by the possibility that leptons from the Z-boson decay could also be recorded as an additional large-R jet. To correct for this, the angular separation between each lepton and large-R jet was computed, and if any were within $\Delta R = 1.0$ of each other then the jet was removed. This cut has the additional effect of suppressing contributions from the dijet process with collinear Z-boson emission from quarks, while still admitting widely separated topologies in which the Z boson and the large-R jet are located in the same event hemisphere.

6 Event selection and observables

For both the data and reconstruction-level MC samples, single-electron and single-muon triggers [85–87] were used to select the subset of events of *a priori* relevance to this analysis before application of offline event-selection cuts. The kinematic requirements on the leptons defined in the previous section ensured full trigger-efficiency for events in the analysis fiducial phase-space. Candidate events were required to have a primary vertex, defined as the vertex with the highest sum of track- p_T^2 , and with at least two associated tracks of $p_T > 400$ MeV.

Event selection cuts on the physics objects defined in Section 5 were applied equally to reconstruction-level events in data and MC simulation, and to particle-level MC events. To select signal events containing a leptonically decaying Z-boson candidate produced in association with a large-R jet, events were required to have exactly two charged leptons of the same flavor, $\ell^{\pm} \in \{e^{\pm}, \mu^{\pm}\}$, and at least one large-R jet. No opposite-charge requirement was placed on the charged-lepton pairs, but the invariant mass of the lepton pair, $m_{\ell\ell}$, was required to be greater than 50 GeV to exclude the photon-dominated part of the Drell-Yan continuum.

This set of criteria defines the "inclusive" event-selection region for this analysis. A more exclusive "2-tag" region was defined as a subset of this by additionally requiring that the large-R jet contains exactly two b-tagged subjets. The numbers of events selected in these regions, for the dielectron and dimuon channels separately, and for both collision data and MC simulation, are shown in Table 1, omitting the single-top and multijet processes, which were shown to be negligible by MC studies and a data-driven background study respectively.

The large-R jet used to construct the observables below was chosen as the highest- p_T large-R jet in the inclusive selection, and the highest- p_T 2-tag large-R jet in the 2-tag selection. The 2-tag observables are hence not a subset of the inclusive observables, as the latter includes events in which the highest- p_T large-R jet does not contain two b-tagged subjets.

The differential observables measured in this analysis are:

Properties of the large-R **jet** (**J**): the large-R jet mass, $m_{\rm J}$, and transverse momentum, $p_{\rm T}^{\rm J}$, for both the inclusive and 2-tag regions;

Properties of the large-R jet and Z-boson system (Z+J): the transverse momentum of their vector sum, p_T^{Z+J} , and their separation in ϕ , $\Delta\phi(Z,J)$, for the inclusive region only;

Table 1: Reconstruction-level event-selection yields (and statistical uncertainties of the expected yields) in the ee and $\mu\mu$ channels from each process's MC sample (with Sherpa 2.2.1 used for the Z+jets samples) with the normalizations discussed in Section 4, and from collision data. The $Z+q\bar{q}$ categories were defined using a particle-level filtering strategy in which the given orthogonal combinations of heavy hadrons (from any source) with $p_T > 5$ GeV, $|\eta| < 2.9$ and associated to a $p_T > 10$ GeV truth-particle jet, were enforced in separate MC event samples at during event generation. The single-top process was found to make a negligible contribution to all event selections and has been omitted. Multijet backgrounds were estimated to be negligible by a data-driven method.

	Inclu	usive	2-tag		
	ee	$\mu\mu$	ee	μμ	
$Z+b\bar{b}$	324 ± 4	305 ± 4	163.8 ± 2.6	157.2 ± 2.5	
Z + $c\bar{c}$	536 ± 10	530 ± 9	12.3 ± 1.8	19.3 ± 2.0	
Z+ bc	89 ± 2	81 ± 2	14.6 ± 1.2	12.1 ± 0.9	
Z+ b	2588 ± 13	2423 ± 12	14.8 ± 1.1	12.4 ± 1.3	
Z+c	5073 ± 32	4862 ± 39	5.5 ± 1.3	6.9 ± 1.7	
Z+light	53808 ± 164	51206 ± 145	9.4 ± 1.1	11.1 ± 1.5	
$t\bar{t}$	5960 ± 46	5204 ± 43	82.7 ± 5.3	75.4 ± 5.6	
W+jets	73 ± 4	7 ± 1	0.4 ± 0.1	< 0.1	
Diboson	2042 ± 17	1834 ± 16	21.5 ± 1.4	20.7 ± 1.4	
MC total	70493 ± 175	66452 ± 158	324.9 ± 6.8	315.1 ± 7.2	
Data	66 481	65 034	391	384	

Subjet separation: the angular separation, $\Delta R(b, \bar{b})$, between the two b-tagged subjets in the 2-tag region.

These variables respectively measure the external and internal kinematics of the selected large-R jet, the effect of additional QCD radiation on the Z+J event topology, and the kinematics of $g \to b\bar{b}$ splitting in the boosted regime. The total cross-sections in the fiducial volume for the inclusive and 2-tag event selections were also measured, via integration of the differential measurements.

A selection of these observables are shown at reconstruction level in Figure 1, illustrating the inclusive large-R jet and Z+J p_T distributions, and the 2-tag large-R jet mass and $\Delta R(b,\bar{b})$ distributions in data and simulation. One ee and one $\mu\mu$ dilepton observable are shown for each event-selection region: all observables were constructed separately for the electron and muon channels, to allow consistency checks and consideration of distinct detector effects before lepton-channel combination. Significant discrepancies between data and the sum of MC-modeled processes (including correction factors) are visible in several variables, particularly the inclusive large-R jet and Z+J-system transverse momenta. This evidence of general mismodeling in the boosted phase-space at reconstruction-level motivated the publication of the detector-corrected forms of these observables.

These plots show the admixture of processes contributing to the two event-selection regions, with the inclusive event-selection dominated by the Z+light-parton (including Z+charm quark) and $t\bar{t}$ production processes, and the 2-tag region dominated by Z+ $b\bar{b}$ with significant background contributions from diboson and $t\bar{t}$ production.




Figure 1: Selected reconstruction-level observables, compared with pre-fit MC simulation with Sherpa 2.2.1 used for the Z+jets samples: the top row shows the inclusive-selection ee large-R jet p_T distribution (left) and $\mu\mu$ Z+J p_T distribution (right), and the bottom row shows the 2-tag selection ee large-R jet mass and $\mu\mu$ $\Delta R(b,\bar{b})$ distributions. The MC statistical uncertainties are shown by the dark gray band and the total uncertainty, including in quadrature the systematic uncertainties detailed in Section 8, are shown by the light gray band. The statistical uncertainty of the data is given by the error bar on the data point.

7 Correction of observables to particle level

The main result of this analysis is the set of differential cross-sections introduced in the previous section, corrected to the particle-level fiducial phase-space by unfolding: the deconvolution of biases introduced by the detector and reconstruction algorithms. Presentation in the fiducial form assists comparison with results from different experiments and with theoretical predictions.

In this analysis, the unfolding was performed using the Fully Bayesian Unfolding (FBU) technique [88]. FBU directly performs a likelihood fit in the parameter space of signal cross-sections σ , plus a set of nuisance parameters ν that control background compositions and systematic uncertainties (to be described in Section 8). The FBU method hence gives access to a full posterior probability density in the space of signal and nuisance parameters, from which arbitrarily detailed correlation information may be extracted.

The FBU posterior probability for each observable is constructed as the product of Poisson probabilities over all reconstruction-level bins i as a function of the model parameters $\theta = \{\sigma, \nu\}$,

$$\mathcal{P}(\boldsymbol{\theta}|\boldsymbol{d}) \propto \mathcal{L}(\boldsymbol{d}|\boldsymbol{\theta}) \cdot \pi(\boldsymbol{\theta})$$

where d is the set of observed bin counts in data, and $\pi(\theta)$ is a set of prior probability densities over the model parameters. The \mathcal{L} term in this can be expressed as a product of Poisson likelihoods over the bins,

$$\mathcal{L}(\boldsymbol{d}|\boldsymbol{\theta}) = \prod_{i \in \text{bins}} \text{Poiss}(d_i, x_i(\boldsymbol{\theta})),$$

where $x(\theta)$ is the set of expected total bin yields. This can be decomposed further into reconstruction-level background and signal cross-sections b_i and s_i ,

$$\begin{aligned} x_i(\boldsymbol{\theta}) &= \mathcal{L}(\boldsymbol{v}) \cdot \left(b_i(\boldsymbol{v}) + s_i(\boldsymbol{\theta}) \right) \\ &= \mathcal{L}(\boldsymbol{v}) \cdot \left(b_i(\boldsymbol{v}) + \sum_j M_{ij}^{\mathrm{P} \to \mathrm{R}}(\boldsymbol{v}) \cdot \sigma_j \right), \end{aligned}$$

where \mathscr{L} is the integrated luminosity of the dataset and $M_{ij}^{\mathrm{P}\to\mathrm{R}}$ is the response matrix p(i|j) mapping particle-level bins $\{j\}$ to reconstruction-level bins $\{i\}$. Overflows outside the fiducial acceptance are included in the bin indexing, so migrations into and out of the acceptance are treated with the full machinery. This provides the full formalism necessary to relate the observed data d_i to our parameters of interest, the particle-level signal cross-sections σ_i . In the inclusive region, the signal is defined as all Z+jets contributions, while in the 2-tag region it is only Z+ $b\bar{b}$, with other Z+jets flavors now considered as part of the background.

The background cross-sections and response matrix were constructed from a set of MC-derived histogram templates, including predictions from the nominal MC samples (Sherpa Z+jets) with data/MC corrections, and a set of predictions from each systematic-uncertainty variation to be described in Section 8. Examples of nominal-model response-matrix templates for two observables are shown in Figure 2.

The unit nuisance parameters $v_k \in \nu$ were used to define linear interpolations of b_i and $M_{ij}^{P\to R}$ between templates corresponding to $v_k = 0$ and 1. The absolute deviations obtained from "up" and "down" variations of nuisance parameters were averaged into single positive deviations for use in this symmetrized form. Unit Gaussian priors were applied to all v_k other than the luminosity uncertainty; as negative luminosities would imply unphysical negative event rates, the luminosity uncertainty was modelled by an always-positive log-normal prior with $\mu = 0$ and $\sigma = 0.021$. The background normalizations were allowed




Figure 2: Example response matrices for inclusive-region $\mu\mu$ -channel large-R jet + Z $p_{\rm T}$ (left) and 2-tag ee-channel $\Delta R(b,\bar{b})$ (right), with nominal signal modeling.

to float with Gaussian prior widths discussed in Section 8, and flat, non-negative priors were imposed on the signal cross-section parameters σ .

For this analysis, the "hunfold" [89] implementation of FBU was used. This uses gradient ascent to maximize the posterior log-probability $\ln \mathcal{P}(\theta)$, and then samples the posterior probability distribution using a proposal density in θ derived from the likelihood Hessian matrix at the maximum-likelihood point. In the unfolded observables of this analysis (see Section 9), each variable is constructed from a sum of electron and muon channels via a single FBU fit, with a "double width" concatenation of electron and muon response matrices used to simultaneously unfold the electron and muon distributions into combined particle-level distributions representing Z-boson decays into either lepton flavor.

8 Systematic uncertainties

The measurements in this analysis are affected by statistical uncertainties and by systematic uncertainties from detector-interaction and reconstruction processes, from MC modeling, and from the unfolding procedure. Estimates of these uncertainties were derived using standard methods described in this section, and were propagated through the unfolding procedure where they affected the final posterior distributions.

The main sources of experimental systematic uncertainty affecting these measurements were:

Charged leptons: energy/momentum scale and resolution, and reconstruction, identification, isolation, and trigger efficiencies. Systematic variations of the data/MC efficiency corrections and energy/momentum calibrations applied to the MC samples [75, 90] were used to define variations from their nominal templates in the FBU unfolding's parameterized background cross-sections and signal response matrices.

Large-R jets: energy scale, mass scale, energy resolution, and mass resolution. The jet energy scale (JES) and jet mass scale (JMS) uncertainties were based on the double-ratio of each variable (energy, mass) to its equivalent reconstructed from track-jets, between data and simulation; this construction permitted

separation of the physics effects from the calorimeter reconstruction systematic uncertainties [91]. In this analysis, the JES and JMS uncertainties have been treated as fully uncorrelated; cross-checks assuming higher degrees of correlation had negligible effect. The uncertainty in the jet mass resolution (JMR) was determined by smearing the jet mass such that its resolution was degraded by 20%, and for the large-R jet energy resolution (JER), symmetric variations of the jet energies by $\pm 2\%$ were applied.

Flavor tagging: track-jet *b*-tagging efficiencies, and mis-tag rates for *c*-jets and light-flavor jets. The *b*-tagging efficiency and charm mis-tag rate in simulation were calibrated using the tag-and-probe method in $t\bar{t}$ events [92, 93], and the light-jet mis-tag rate was calibrated in dijet events [94]. A total of 25 diagonalized systematic uncertainties associated with these calibration factors were considered in this analysis.

Pile-up: pile-up reweighting uncertainty. The MC predictions were reweighted such that their distribution of the number of pile-up vertices matched the pile-up distribution measured in the data. The uncertainty from this procedure was propagated to the unfolding using variations of pile-up weights to account for the uncertainty in the pile-up estimation.

In addition to the above measures of imperfect understanding of the detector, uncertainties in the modeling of both the signal and background physics processes were propagated to the final measurement, via systematic variations in the unfolding components. As for the detector uncertainties, this propagation was implemented via linear interpolation of template distributions (including response matrices) in the unfolding machinery. For the signal process, standard 7-point variations of the renormalization and factorization scales by factors of two from the nominal values, the nominal PDF's error-set, differences between the nominal PDF and the alternative CT14nnlo [95] and MMHT2014nnlo [96] central PDFs, and variations of $\alpha_s(m_Z)$ by ± 0.001 were included. Approximate uncertainties in the matching procedure between matrix element and parton shower were evaluated by variations between the nominal Sherpa samples and the Madgraph5_AMC@NLO+Pythia 8 samples. The envelope of differences in the signal-process response matrix between Sherpa and Madgraph was also treated as a systematic uncertainty; a cross-check showed that the results were not sensitive to whether or not the Sherpa/Madgraph difference was split into several independently parametrized components.

Dedicated variation MC samples were used to evaluate the modeling of the $t\bar{t}$ background, considering the matrix element, parton shower model, and the dependence on initial- and final-state radiation settings and the $h_{\rm damp}$ parameter. In addition, the quality of $t\bar{t}$ modeling was assessed in MC-data comparisons using an opposite-flavor $e\mu$ variation on the standard $ee/\mu\mu$ selection; additional mismodeling uncertainties of 30–50% were added to the first bins of the inclusive $p_{\rm T}^{Z+J}$ observable, to cover an MC-data discrepancy in this control region. A conservative $\sigma=0.2$ Gaussian prior, informed by the maximum reconstruction-level data/MC disagreement, was used for the normalization uncertainty of all background processes other than the non-signal Z+jets samples in the 2-tag region, for which a larger $\sigma=0.5$ prior was used. This inflated uncertainty was assigned to reflect that a robust in situ measure of the 2-tag flavor fractions could not be obtained from b-tagging variable templates due to the low event-count in this analysis phase-space.

In addition, systematic errors arise from the finite sizes of the simulation samples. In principle, the statistical limitation of each bin corresponds to a nuisance parameter in the unfolding. But in practice many of these parameters have little effect, since most bins with low rates, e.g. very statistically limited off-diagonal elements of the response matrix, by construction do not contribute much to the result. This abundance of uncertain quantities creates an intractably large space of nuisance parameters in which the unfolding fit is unlikely to converge. A "pruning" procedure was hence implemented, both for statistical uncertainties in




Figure 3: Illustration of leading post-unfolding groups of systematic uncertainties for the inclusive-selection large-R jet p_T (left) and 2-tag selection $\Delta R(b, \bar{b})$ (right). These groups have been constructed from elementary systematic nuisance parameters, assuming statistical independence of error sources within each group.

response-matrix estimates and for all the detector and modeling systematic uncertainties described. The pruning criterion was to remove nuisance parameters which produced a background variation of less than 5% in all bins (the background fractions being around 20% of the event yield in the inclusive region and 40% in the 2-tag region), and did not change any entries in the response matrix by at least 0.002. The effect was to prune jet-substructure and most lepton-calibration systematic uncertainties for all observables, jet-mass systematic uncertainties for the $p_{\rm T}^{\rm Z+J}$ observables, and jet-mass resolution for all but the large-R jet mass observable. The b-tagging uncertainties were partially pruned for the 2-tag region; naturally, there are no such uncertainties in the inclusive region. The unpruned MC statistical uncertainties in total contributed a subleading $\sim 1\%$.

A comprehensive set of closure tests in the unfolding/nuisance-profiling procedure was performed, including closure tests with and without reweighting of the MC samples to match the reconstruction-level data distribution in each variable, stress-testing by reweighting Sherpa pseudodata with a MadGraph-derived response matrix and vice versa, and checks against bias from nonuniform signal priors. Non-closure effects from these tests, which were very small in nearly all bins, but rose to around 20% in single bins of the $p_{\rm T}^{\rm J}$ and $p_{\rm T}^{\rm Z+J}$ distributions, were added in quadrature to the mix of final uncertainties.

Summary systematic uncertainties are listed in Table 2 and illustrated for two observables in Figure 3. The summaries were obtained from the FBU posterior-distribution samples by computing the sample covariance matrix between all fit parameters, including nuisance parameters and signal bin-values, $\cos i_j = \langle x_i x_j \rangle - \langle x_i \rangle \langle x_j \rangle$ for parameter indices i and j. The absolute values of covariance-matrix rows for the elementary nuisance parameters were then summed in semantic groupings, e.g. the sets of nuisance parameters for electron reconstruction, jet reconstruction, b-tagging, etc. The resulting grouped-covariance entries were projected onto the signal-bin cross-section parameters via the relation $\sigma_b = \cos_{bn}/\sqrt{\cos_{nn}}$,

Table 2: Summary table of relative uncertainty magnitudes per observable. These uncorrelated estimates of systematic uncertainties' contributions to the total uncertainty are based on projection of nuisance parameters onto the signal cross-section bin values via the likelihood-scan covariance matrix, and summing the elementary contributions in quadrature.

	Inclusive			2-tag			
	$p_{\mathrm{T}}^{\mathrm{J}}$	$m_{ m J}$	$p_{\mathrm{T}}^{Z+\mathrm{J}}$	$\Delta \phi(Z, J)$	$p_{\mathrm{T}}^{\mathrm{J}}$	$m_{ m J}$	$\Delta R(b, \bar{b})$
Scales & PDFs	0 - 10 %	3 - 7%	2 - 9%	1 - 4%	2 - 9%	3 - 9%	2 - 14 %
MC modeling	1 - 11 %	0 - 12 %	1 - 6%	1 - 6%	0 - 15 %	4 - 9%	2 - 9 %
MC statistics	0 - 2%	3 − 10 %	0 - 5%	0 - 1%	4 - 12 %	3 - 11 %	2 - 4 %
Bkg normalization	2 - 6%	4 - 7 %	3 - 6%	2 - 7%	9 - 37 %	11 - 23 %	11 - 26 %
$t\bar{t}$ modeling	1 - 22 %	3 − 13 %	2 - 13 %	2 - 11 %	4 - 23 %	11 - 29 %	3 - 24 %
Jet reco.	5 - 50 %	6 − 11 %	5 -21%	7 - 22 %	9 - 33 %	15 - 24 %	11 - 21 %
b-tagging					5 - 33 %	6 - 12 %	7 - 11 %
Electron reco.	0 - 2%	1 - 7%	2 - 7%	1 - 3%	4 - 8%	0 - 9%	1 - 3 %
Muon reco.	1 - 10 %	2 - 9%	0 - 2%	1 - 5%	1 - 3%	1 - 7%	0 - 2 %
Pile-up	0 - 9%	0 - 3%	0 - 2%	0 - 1%	1 - 16 %	0 - 7%	1 - 4 %
Luminosity	3 - 4%	0 - 7%	3 - 7%	4 - 5%	5 - 7%	3 - 7%	4 - 6 %
Unfolding closure	0 - 21 %	0 - 0%	0 -18%	0 - 0%	0 - 0%	0 - 0%	0 - 0 %
Total syst.	7 - 62 %	11 - 27 %	10 -33 %	9 - 27 %	23 - 66 %	24 - 45 %	22 - 41 %

where b is the signal bin index, and n the systematic nuisance index. By construction, these grouped uncertainties are symmetric. The total uncertainty, including statistical effects, is given by the larger standard deviation of each signal bin value. The largest systematic-group effects are from large-R jet calibration and signal modeling in the inclusive region, and from background normalization and b-tagging calibration in the 2-tag region.

9 Results

The posterior distributions of nuisance parameters common to the electron and muon channels were unfolded independently and found to be consistent before performing the simultaneous unfolding shown here. Other than in the inclusive-region $m_{\rm J}$ distribution, the FBU procedure did not constrain most systematic-uncertainty nuisance parameters significantly. The nuisance parameter for the Sherpa vs. MadGraph modeling uncertainty was the exception: this was constrained in favor of Sherpa to 20–40% of the original prior width by all distributions. The background normalizations changed by at most a few percent, not significantly modifying the admixture of signal and background predicted by the MC programs, and least of all in the 2-tag fits.

The full multidimensional posterior-probability distribution is the most complete form of the measurement, but for histogram presentation each bin's marginal probability distribution is used to define the central value and error bar; these correspond to the marginal median and marginal central 68% confidence range respectively.

The final unfolded differential cross-sections as functions of the event kinematics are presented in Figures 4 and 5, compared with NLO particle-level predictions from Sherpa 2.2.1 and 2.2.10, and MadGraph5_AMC@NLO 2.7.3 + Pythia 8.244. In this section, all predictions are normalized to their




Figure 4: Particle-level differential cross-sections in the inclusive event selection. The top row shows the large-R jet $p_{\rm T}$ (left) and mass (right), and the bottom row shows the $p_{\rm T}$ of the Z+J system (left) and the azimuthal separation of the Z and large-R jet (right). The combined statistical and systematic uncertainty band from the FBU fit is shown. In the legend, "MGaMC" refers to NLO configurations of the MadGraph5_AMC@NLO generator, and "MG" to LO MAdGraph, both run in conjunction with Pythia 8. All models are using the 5FNS.

own calculated cross-section to allow an unbiased comparison of both the total rates and distribution shapes between the different generators.

The total fiducial cross-sections are measured by integration of the angular distributions (chosen because they do not have overflow bins) in both event-selection regions. The measured values are $\sigma^{incl} = 2.37 \pm 0.28$ pb for the inclusive selection, and $\sigma^{2\text{-tag}} = 14.6 \pm 4.6$ fb for the 2-tag selection.

The NLO Sherpa 2.2.10 and NLO MadGraph5_aMC@NLO + Pythia 8 generators predict slightly higher central values of the inclusive cross-section than the measured one, at 2.53 ± 1.25 pb and 2.68 ± 0.67 pb respectively, while the LO MadGraph central configuration overestimates at 2.84 pb. The older Sherpa 2.2.1 central prediction of 2.37 pb also agrees closely with the measurement. The large uncertainties in the NLO calculations are dominated by the effects of scale variations; systematic uncertainties are not well defined for the LO calculation, but the better nominal performance is evidently provided by the NLO generators. For the 2-tag cross-section, the NLO 5-flavor Sherpa 2.2.10 and MadGraph5_aMC@NLO central predictions describe the data well, with 14.9 ± 4.2 fb and 14.4 ± 1.9 fb respectively. The Sherpa fusing cross-section, mixing elements of the 4- and 5-flavor calculations, is close to the 5-flavor predictions, with 14.3 ± 4.8 fb. The 4-flavor Sherpa and MadGraph5_aMC@NLO calculations, and the previous 5-flavor Sherpa 2.2.1 prediction underestimate the 2-tag cross-section with 9.4 ± 3.1 fb, 4.4 ± 1.1 fb, and 9.1 fb respectively. This result underscores the expectation that the 5-flavor (or fusing) scheme is the more appropriate choice for heavy-quark production in this analysis phase-space, even for $b\bar{b}$ -pair production.

The $\sigma^{2\text{-tag}}/\sigma^{\text{incl}}$ ratio of 2-tag to inclusive events seen in data is $(0.62\pm0.12)\%$, accounting for cancellations of shared systematic uncertainties between the inclusive and 2-tag cross-section estimates. This figure is reproduced well by Sherpa 2.2.10's $(0.59\pm0.39)\%$ and by MadGraph5_aMC@NLO + Pythia 8 with $(0.54\pm0.21)\%$. The older NLO Sherpa 2.2.1 and leading-order MadGraph + Pythia 8 estimates undershoot with 0.42% and 0.38% respectively. These cross-sections hence furnish new experimental discriminators between perturbative-QCD models of high- p_T heavy-flavor production rates, despite the significant measurement uncertainties.

In the inclusive-selection differential distributions of Figure 4, the MadGraph5_aMC@NLO + Pythia 8 predictions can be seen to have the shapes in best agreement with data, not suffering from the excesses of activity common to the Sherpa models and leading-order MadGraph + Pythia 8 in the more extreme phase-space regions of high p_T^J and p_T^{Z+J} , and small $\Delta\phi(Z,J)$. In this topology, where the Z+jets process becomes more like a dijet system with collinear Z-boson radiation, both generators display similar shape deviations with respect to the measurement, with the best agreement at low p_T , low mass, and low levels of additional event activity (as characterised by low p_T^{Z+J} values and the back-to-back $\Delta\phi(Z,J) \sim \pi$ region). The excess in inclusive cross-section estimate for nominal MadGraph5_aMC@NLO +Pythia 8 can be seen to arise from a relatively small overpopulation with respect to Sherpa in the most populated bins of p_T^J and p_T^{Z+J} , while its shapes typically match data to within 10%, whereas the other generators overestimate high-scale activity by 50–100%.

As noted in the review of reconstruction-level plots, the mismodeling of extra radiation by Sherpa and leading-order MadGraph + Pythia 8 is one of the most significant discrepancies between simulation and data observed in this analysis. Despite the large measurement uncertainties, this evidence of larger transverse recoil of the Z+J system in simulation than in data, as well as the higher-than-observed p_T and mass of the large-R jets, is an important result for inclusive QCD model development and tuning in this boosted phase-space.




Figure 5: Particle-level differential cross-sections in the 2-tag event selection. The top row shows the large-R jet p_T (left) and mass (right), and the bottom row shows the angular separation of b-tagged charged-particle subjets. The combined statistical and systematic uncertainty band from the FBU fit is shown. In the legend, "MGaMC" refers to NLO configurations of the MadGraph5_AMC@NLO generator, run in conjunction with Pythia 8, and "4/5F" refer to the flavor-number scheme used.

In the 2-tag selection distributions in Figure 5, the larger uncertainties and much lower event counts mean that shape discrepancies are more difficult to discern: current shape modeling appears to be performing adequately, with relatively constant MC/data ratios for large-R jet mass and $\Delta R(b,\bar{b})$. In particular, the large-R jet mass in this region appears to be consistently well described by all MC models, with no sign of the excesses and model disagreements seen in the inclusive-region version of that observable. Further analysis with the complete Run 2 dataset will be required to discriminate between the models in this phase-space, beyond the evident favoring of the 5FNS for total $b\bar{b}$ production rate.

10 Conclusion

We have presented measurements of cross-sections for the production of a leptonically decaying Z boson in association with a large-radius jet in LHC 13 TeV proton–proton collision events from the ATLAS 36 fb^{-1} combined 2015–2016 data-taking run, corrected to a particle-level fiducial region. The observables presented are differential in kinematic variables of the Z boson, the large-R jet, and its associated small-R b-tagged charged-particle jets. They are measured with a flavor-inclusive event selection and also within a "2-tag" event-selection region which adds a double b-hadron labeling requirement on the large-R jet. The integrated cross-sections within the fiducial volumes of the event-selection regions have also been presented.

These cross-section estimates were extracted from data using the Fully Bayesian Unfolding formalism, effectively performing a posterior-probability fit over a combination of signal and background cross-section parameters, and various systematic uncertainties affecting the response of the detector. These measurements provide an important test of perturbative quantum chromodynamics, with particular emphasis on the production rates and kinematics of bottom quarks. These are a significant background to several important Higgs-boson searches, and are affected by significant theory and modeling uncertainties. The full data, correlations, and samples from the posterior-probability function are provided for use in event-generator tuning and model hypothesis-testing via public databases.

The differential cross-sections indicate significant mismodeling of QCD activity in the inclusive event selection by many MC models, with both the NLO Sherpa and LO MadGraph + Pythia 8 event generators predicting greater p_T and azimuthal decorrelation in the Z+J system than seen in the ATLAS data. The large-R jet itself is consequently biased to higher p_T and mass values than in data, although to a lesser extent than the deviations in the Z+J-system observables. The NLO MadGraph5_aMC@NLO + Pythia 8 model, by contrast, describes all distribution shapes well, with only a small overestimate of the inclusive fiducial cross-section. All models somewhat overestimate this cross-section, with recent Sherpa versions providing the best description.

The 2-tag selection, while its discrimination power is limited by the number of data events, does not appear to suffer from the same shape-modeling issues, and there is good shape agreement between the data and all MC models. The strongest feature observed in this event-selection region is in normalization, with models using the 4FNS approach significantly underestimating the rate of $b\bar{b}$ boosted-jet production. Five-flavor approaches with modern tools do much better, with both Sherpa 2.2.10 and MadGraph5_aMC@NLO providing accurate predictions for the 2-tag cross-section and the ratio of 2-tag to inclusive rates. This information is important for future use of MC-derived large-R jet flavor composition in, for example, studies of the $VH(b\bar{b})$ process. As the result is statistically limited in the 2-tag region, the significant increase in integrated luminosity from the LHC full Run 2 dataset (and expected from the LHC Run 3

program) should provide a clearer view of how far the validity of MC modeling of heavy-flavor extends into this extreme event topology.

Acknowledgments

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taipei; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d'Avenir Labex, Investissements d'Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [97].

References

- [1] J. M. Butterworth, A. R. Davison, M. Rubin, and G. P. Salam, Jet Substructure as a New Higgs-Search Channel at the Large Hadron Collider, Phys. Rev. Lett. **100** (2008) 242001, arXiv: **0802.2470** [hep-ph].
- [2] ATLAS Collaboration, Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, JHEP **01** (2019) 030, arXiv: 1804.06174 [hep-ex].
- [3] ATLAS Collaboration, *Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at* 13 *TeV*, Eur. Phys. J. C **79** (2019) 836, arXiv: 1906.11005 [hep-ex].

- [4] CMS Collaboration, Search for production of Higgs boson pairs in the four b-quark final state using large-area jets in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP **01** (2019) 040, arXiv: 1808.01473 [hep-ex].
- [5] CMS Collaboration, Search for resonances decaying to a pair of Higgs bosons in the $b\bar{b}q\bar{q}'\ell\nu$ final state in proton-proton collisions at $\sqrt{s} = 13$ TeV, JHEP **10** (2019) 125, arXiv: 1904.04193 [hep-ex].
- [6] CMS Collaboration, Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\sqrt{s} = 13$ TeV, JHEP **07** (2020) 126, arXiv: 2001.07763 [hep-ex].
- [7] CMS Collaboration, *Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at* $\sqrt{s} = 13$ TeV, JHEP **12** (2020) 085, arXiv: 2006.13251 [hep-ex].
- [8] D. Napoletano, "V and heavy flavour production: status and recent theoretical developments," 7th Large Hadron Collider Physics Conference (LHCP 2019) Puebla, Puebla, Mexico, May 20-25, 2019, 2019, arXiv: 1909.00143 [hep-ph].
- [9] ATLAS Collaboration, Measurement of the cross-section for b-jets produced in association with a Z boson at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Lett. B **706** (2011) 295, arXiv: 1109.1403 [hep-ex].
- [10] ATLAS Collaboration, Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton–proton collisions with the ATLAS detector, JHEP 10 (2014) 141, arXiv: 1407.3643 [hep-ex].
- [11] CMS Collaboration, Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV, JHEP 12 (2013) 039, arXiv: 1310.1349 [hep-ex].
- [12] CMS Collaboration, Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $\sqrt{s} = 7$ TeV, JHEP **06** (2014) 120, arXiv: 1402.1521 [hep-ex].
- [13] LHCb Collaboration, *Measurement of the Z+b-jet cross-section in pp collisions at* $\sqrt{s} = 7$ *TeV in the forward region*, JHEP **01** (2015) 064, arXiv: 1411.1264 [hep-ex].
- [14] CMS Collaboration,

 Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8$ TeV,

 Eur. Phys. J. C 77 (2017) 751, arXiv: 1611.06507 [hep-ex].
- [15] ATLAS Collaboration, Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, JHEP **07** (2020) 044, arXiv: 2003.11960 [hep-ex].
- [16] CMS Collaboration, Measurement of the associated production of a Z boson with charm or bottom quark jets in proton–proton collisions at $\sqrt{s} = 13$ TeV, Phys. Rev. D **102** (2020) 032007, arXiv: 2001.06899 [hep-ex].
- [17] CMS Collaboration,

 Measurement of $B\bar{B}$ Angular Correlations based on Secondary Vertex Reconstruction at $\sqrt{s} = 7$ TeV,

 JHEP **03** (2011) 136, arXiv: 1102.3194 [hep-ex].
- [18] ATLAS Collaboration, Properties of $g \to b\bar{b}$ at small opening angles in pp collisions with the ATLAS detector at $\sqrt{s} = 13$ TeV, Phys. Rev. D **99** (2019) 052004, arXiv: 1812.09283 [hep-ex].

- [19] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, JINST **3** (2008) S08003.
- [20] L. Evans and P. Bryant, *LHC Machine*, JINST 3 (2008) S08001.
- [21] V. N. Gribov and L. N. Lipatov, *Deep inelastic electron scattering in perturbation theory*, Phys. Lett. B **37** (1971) 78.
- [22] G. Altarelli and G. Parisi, *Asymptotic freedom in parton language*, Nuclear Physics B **126** (1977) 298.
- [23] Y. L. Dokshitzer, Calculation of the structure functions for deep inelastic scattering and e⁺e⁻ annihilation by perturbation theory in quantum chromodynamics, Zh. Eksp. Teor. Fiz **73** (1977) 1216.
- [24] D. Napoletano, *Heavy quark mass effects in associated production*, PoS **DIS2018** (2018) 116, arXiv: 1808.04809 [hep-ph].
- [25] F. Krauss and D. Napoletano, *Towards a fully massive five-flavor scheme*, Phys. Rev. D **98** (2018) 096002, arXiv: 1712.06832 [hep-ph].
- [26] S. Forte, D. Napoletano, and M. Ubiali, *Higgs production in bottom-quark fusion in a matched scheme*, Phys. Lett. B **751** (2015) 331, arXiv: 1508.01529 [hep-ph].
- [27] E. Bagnaschi, F. Maltoni, A. Vicini, and M. Zaro,

 Lepton-pair production in association with a $b\bar{b}$ pair and the determination of the W boson mass,

 JHEP 07 (2018) 101, arXiv: 1803.04336 [hep-ph].
- [28] G. Ridolfi, M. Ubiali, and M. Zaro, *A fragmentation-based study of heavy quark production*, JHEP **01** (2020) 196, arXiv: 1911.**01975** [hep-ph].
- [29] R. Gauld, A. Gehrmann-De Ridder, E. W. N. Glover, A. Huss, and I. Majer, *Predictions for Z -Boson Production in Association with a b-Jet at O*(α_s^3), Phys. Rev. Lett. **125** (2020) 222002, arXiv: 2005.03016 [hep-ph].
- [30] F. Krauss, D. Napoletano, and S. Schumann, Simulating b-associated production of Z and Higgs bosons with the SHERPA event generator, Phys. Rev. D **95** (2017) 036012, arXiv: 1612.04640 [hep-ph].
- [31] R. K. Ellis, G. Marchesini, and B. R. Webber, *Soft radiation in parton-parton scattering*, Nucl. Phys. B **286** (1987) 643, [Erratum: Nucl. Phys. B 294 (1987) 1180].
- [32] ATLAS Collaboration, Measurement of Higgs boson decay into b-quarks in associated production with a top-quark pair in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, JHEP **06** (2022) 097, arXiv: 2111.06712 [hep-ex].
- [33] ATLAS Collaboration, Observation of $H \rightarrow b\bar{b}$ decays and VH production with the ATLAS detector, Phys. Lett. B **786** (2018) 59, arXiv: 1808.08238 [hep-ex].
- [34] CMS Collaboration, *Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at* $\sqrt{s} = 13$ TeV, JHEP **12** (2020) 085, arXiv: 2006.13251 [hep-ex].

- [35] ATLAS Collaboration,

 Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector,

 Phys. Lett. B **816** (2021) 136204, arXiv: 2008.02508 [hep-ex].
- [36] ATLAS Collaboration, ATLAS Insertable B-Layer: Technical Design Report, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: https://cds.cern.ch/record/1291633, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: https://cds.cern.ch/record/1451888.
- [37] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, JINST **13** (2018) T05008, arXiv: 1803.00844 [physics.ins-det].
- [38] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, Eur. Phys. J. C **77** (2017) 317, arXiv: 1611.09661 [hep-ex].
- [39] ATLAS Collaboration, *Performance of the ATLAS Trigger System in 2015*, Eur. Phys. J. **C77** (2017) 317, arXiv: 1611.09661 [hep-ex].
- [40] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, url: https://cds.cern.ch/record/2767187.
- [41] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC, ATLAS-CONF-2019-021, 2019, URL: https://cds.cern.ch/record/2677054.
- [42] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, JINST **13** (2018) P07017.
- [43] E. Bothmann et al., Event Generation with Sherpa 2.2, SciPost Phys. 7 (2019) 034, arXiv: 1905.09127 [hep-ph].
- [44] T. Gleisberg et al., Event generation with SHERPA 1.1, JHEP **02** (2009) 007, arXiv: **0811.4622** [hep-ph].
- [45] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, JHEP **12** (2008) 039, arXiv: **0808.3674** [hep-ph].
- [46] S. Schumann and F. Krauss, A Parton shower algorithm based on Catani-Seymour dipole factorisation, JHEP **03** (2008) 038, arXiv: **0709.1027** [hep-ph].
- [47] S. Catani, F. Krauss, B. R. Webber, and R. Kuhn, *QCD matrix elements + parton showers*, JHEP **11** (2001) 063, arXiv: hep-ph/0109231.
- [48] S. Höche, F. Krauss, S. Schumann, and F. Siegert, *QCD matrix elements and truncated showers*, JHEP **05** (2009) 053, arXiv: 0903.1219 [hep-ph].
- [49] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, QCD matrix elements + parton showers: The NLO case, JHEP **04** (2013) 027, arXiv: 1207.5030 [hep-ph].
- [50] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, A critical appraisal of NLO+PS matching methods, JHEP **09** (2012) 049, arXiv: 1111.1220 [hep-ph].
- [51] F. Cascioli, P. Maierhöfer, and S. Pozzorini, *Scattering Amplitudes with Open Loops*, Phys. Rev. Lett. **108** (2012) 111601, arXiv: 1111.5206 [hep-ph].

- [52] A. Denner, S. Dittmaier, and L. Hofer, Collier: a fortran-based complex one-loop library in extended regularizations, Comput. Phys. Commun. **212** (2017) 220, arXiv: 1604.06792 [hep-ph].
- [53] S. Höche, F. Krauss, M. Schönherr, and F. Siegert, *NLO matrix elements and truncated showers*, JHEP **08** (2011) 123, arXiv: **1009**.1127 [hep-ph].
- [54] NNPDF Collaboration, R.D. Ball and others, *Parton distributions for the LHC Run II*, JHEP **04** (2015) 040, arXiv: 1410.8849 [hep-ph].
- [55] C. Anastasiou, L. J. Dixon, K. Melnikov, and F. Petriello, *High-precision QCD at hadron colliders: Electroweak gauge boson rapidity distributions at next-to-next-to leading order*, Phys. Rev. D **69** (2004) 094008, arXiv: hep-ph/0312266.
- [56] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, JHEP **07** (2014) 079, arXiv: 1405.0301 [hep-ph].
- [57] R. D. NNPDF Collaboration Ball et al., *Parton distributions with LHC data*, Nucl. Phys. B **867** (2013) 244, arXiv: 1207.1303 [hep-ph].
- [58] T. Sjöstrand, S. Mrenna, and P. Skands, *A Brief Introduction to PYTHIA 8.1*, Comput. Phys. Commun. **178** (2008) 852, arXiv: **0710.3820** [hep-ph].
- [59] L. Lönnblad, *Correcting the Colour-Dipole Cascade Model with Fixed Order Matrix Elements*, JHEP **05** (2002) 046, arXiv: hep-ph/0112284 [hep-ph].
- [60] L. Lönnblad and S. Prestel, *Matching tree-level matrix elements with interleaved showers*, JHEP **03** (2012) 019, arXiv: 1109.4829 [hep-ph].
- [61] D. J. Lange, *The EvtGen particle decay simulation package*, Nucl. Instrum. Meth. A **462** (2001) 152.
- [62] ATLAS Run 1 Pythia8 tunes, tech. rep. ATL-PHYS-PUB-2014-021, CERN, 2014, URL: https://cds.cern.ch/record/1966419.
- [63] S. Frixione, P. Nason, and G. Ridolfi,

 A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction,

 JHEP 09 (2007) 126, arXiv: 0707.3088 [hep-ph].
- [64] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, JHEP 11 (2004) 040, arXiv: hep-ph/0409146.
- [65] S. Frixione, P. Nason, and C. Oleari, Matching NLO QCD computations with parton shower simulations: the POWHEG method, JHEP 11 (2007) 070, arXiv: 0709.2092 [hep-ph].
- [66] S. Alioli, P. Nason, C. Oleari, and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, JHEP **06** (2010) 043, arXiv: 1002.2581 [hep-ph].
- [67] J. Pumplin et al.,

 New Generation of Parton Distributions with Uncertainties from Global QCD Analysis,

 JHEP 07 (2002) 012, arXiv: hep-ph/0201195.
- [68] M. Czakon, P. Fiedler, and A. Mitov, Total Top-Quark Pair-Production Cross Section at Hadron Colliders Through $O(\alpha_S^4)$, Phys. Rev. Lett. **110** (2013) 252004, arXiv: 1303.6254 [hep-ph].

- [69] H.-L. Lai et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, URL: https://link.aps.org/doi/10.1103/PhysRevD.82.074024.
- [70] S. Agostinelli et al., *Geant4 a simulation toolkit*, Nucl. Instrum. Meth. A **506** (2003) 250.
- [71] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, Eur. Phys. J. C **70** (2010) 823, arXiv: 1005.4568 [physics.ins-det].
- [72] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, url: https://cds.cern.ch/record/2206965.
- [73] ATLAS Collaboration, *Electron reconstruction and identification in the ATLAS experiment using* the 2015 and 2016 LHC proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **79** (2019) 639, arXiv: 1902.04655 [physics.ins-det].
- [74] ATLAS Collaboration, *Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data*, Eur. Phys. J. C **74** (2014) 3130, arXiv: 1407.3935 [hep-ex].
- [75] ATLAS Collaboration, *Electron and photon energy calibration with the ATLAS detector using* 2015–2016 LHC proton–proton collision data, JINST **14** (2019) P03017, arXiv: 1812.03848 [hep-ex].
- [76] ATLAS Collaboration, Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **81** (2021) 578, arXiv: 2012.00578 [hep-ex].
- [77] Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, Eur. Phys. J. C 77 (2017) 490, ISSN: 1434-6052, URL: https://doi.org/10.1140/epjc/s10052-017-5004-5.
- [78] M. Cacciari, G. P. Salam, and G. Soyez, *The anti-k_t jet clustering algorithm*, JHEP **04** (2008) 063, arXiv: 0802.1189 [hep-ph].
- [79] M. Cacciari, G. P. Salam, and G. Soyez, *FastJet user manual*, Eur. Phys. J. C **72** (2012) 1896, arXiv: 1111.6097 [hep-ph].
- [80] ATLAS Collaboration, *In situ calibration of large-radius jet energy and mass in* 13 *TeV proton–proton collisions with the ATLAS detector*, Eur. Phys. J. C **79** (2019) 135, arXiv: 1807.09477 [hep-ex].
- [81] ATLAS Collaboration, *Optimisation of large-radius jet reconstruction for the ATLAS detector in* 13 TeV proton–proton collisions, Eur. Phys. J. C **81** (2021) 334, arXiv: 2009.04986 [hep-ex].
- [82] D. Krohn, J. Thaler, and L.-T. Wang, *Jet trimming*, JHEP **02** (2010) 084, arXiv: **0912.1342** [hep-ph].
- [83] ATLAS Collaboration,

 Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC,

 Eur. Phys. J. C 79 (2019) 375, arXiv: 1808.07858 [hep-ex].
- [84] M. Cacciari, G. P. Salam, and G. Soyez, *The Catchment Area of Jets*, JHEP **04** (2008) 005, arXiv: **0802.1188** [hep-ph].
- [85] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, Eur. Phys. J. C **80** (2020) 47, arXiv: 1909.00761 [hep-ex].

- [86] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, JINST **15** (2020) P09015, arXiv: 2004.13447 [physics.ins-det].
- [87] ATLAS Collaboration,

 The ATLAS Inner Detector Trigger performance in pp collisions at 13 TeV during LHC Run 2,

 (2021), arXiv: 2107.02485 [hep-ex].
- [88] G. Choudalakis, Fully Bayesian Unfolding, arXiv (2012), arXiv: 1201.4612.
- [89] C. Pollard, https://github.com/cspollard/hunfold, 2018.
- [90] ATLAS Collaboration, Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton–proton collisions at $\sqrt{s} = 7$ TeV in 2010, Eur. Phys. J. C **74** (2014) 3034, arXiv: 1404.4562 [hep-ex].
- [91] ATLAS Collaboration, Jet Calibration and Systematic Uncertainties for Jets Reconstructed in the ATLAS Detector at $\sqrt{s} = 13$ TeV, tech. rep. ATL-PHYS-PUB-2015-015, CERN, 2015, URL: https://cds.cern.ch/record/2037613.
- [92] ATLAS Collaboration,

 Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV,

 JHEP **08** (2018) 089, arXiv: 1805.01845 [hep-ex].
- [93] ATLAS Collaboration, Measurement of b-tagging efficiency of c-jets in tt events using a likelihood approach with the ATLAS detector, tech. rep. ATLAS-CONF-2018-001, CERN, 2018, URL: https://cds.cern.ch/record/2306649.
- [94] ATLAS Collaboration, Calibration of light-flavour b-jet mistagging rates using ATLAS proton-proton collision data at $\sqrt{s} = 13$ TeV, tech. rep. ATLAS-CONF-2018-006, CERN, 2018, URL: https://cds.cern.ch/record/2314418.
- [95] S. Dulat et al.,

 New parton distribution functions from a global analysis of quantum chromodynamics,

 Phys. Rev. D **93** (2016) 033006, arXiv: 1506.07443 [hep-ph].
- [96] L. A. Harland-Lang, A. D. Martin, P. Motylinski, and R. S. Thorne, *Parton distributions in the LHC era: MMHT 2014 PDFs*, Eur. Phys. J. C **75** (2015) 204, arXiv: 1412.3989 [hep-ph].
- [97] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: https://cds.cern.ch/record/2869272.

The ATLAS Collaboration

```
G. Aad 10<sup>103</sup>, B. Abbott 10<sup>121</sup>, D.C. Abbott 10<sup>104</sup>, A. Abed Abud 10<sup>36</sup>, K. Abeling 10<sup>55</sup>,
D.K. Abhayasinghe <sup>©95</sup>, S.H. Abidi <sup>©29</sup>, O.S. AbouZeid <sup>©42</sup>, N.L. Abraham<sup>147</sup>, H. Abramowicz <sup>©152</sup>,
H. Abreu (D<sup>151</sup>, Y. Abulaiti (D<sup>6</sup>, B.S. Acharya (D<sup>69a,69b,p</sup>, B. Achkar (D<sup>55</sup>, L. Adam (D<sup>101</sup>),
C. Adam Bourdarios <sup>5</sup>, L. Adamczyk <sup>85a</sup>, L. Adamek <sup>157</sup>, J. Adelman <sup>117</sup>, A. Adiguzel <sup>12c,ad</sup>,
S. Adorni <sup>656</sup>, T. Adye <sup>6135</sup>, A.A. Affolder <sup>6137</sup>, Y. Afik <sup>6151</sup>, C. Agapopoulou <sup>67</sup>, M.N. Agaras <sup>640</sup>,
A. Aggarwal 115, C. Agheorghiesei 27c, J.A. Aguilar-Saavedra 131f,131a,ac, A. Ahmad 36,
F. Ahmadov (1038,aa), W.S. Ahmed (10105), X. Ai (1018a), G. Aielli (1076a,76b), S. Akatsuka (1087), M. Akbiyik (10101),
T.P.A. Åkesson \mathbb{D}^{98}, E. Akilli \mathbb{D}^{56}, A.V. Akimov \mathbb{D}^{37}, K. Al Khoury \mathbb{D}^{67}, G.L. Alberghi \mathbb{D}^{23b},
J. Albert 166, M.J. Alconada Verzini 152, S. Alderweireldt 156, M. Aleksa 156, I.N. Aleksandrov 158,
C. Alexa (D<sup>27b</sup>, T. Alexopoulos (D<sup>10</sup>, A. Alfonsi (D<sup>116</sup>, F. Alfonsi (D<sup>23b,23a</sup>, M. Alhroob (D<sup>121</sup>, B. Ali (D<sup>133</sup>),
S. Ali <sup>149</sup>, M. Aliev <sup>37</sup>, G. Alimonti <sup>71a</sup>, C. Allaire <sup>36</sup>, B.M.M. Allbrooke <sup>147</sup>, P.P. Allport <sup>21</sup>,
A. Aloisio 672a,72b, F. Alonso 690, C. Alpigiani 6139, E. Alunno Camelia 76a,76b, M. Alvarez Estevez 6100,
M.G. Alviggi (D<sup>72a,72b</sup>, Y. Amaral Coutinho (D<sup>82b</sup>, A. Ambler (D<sup>105</sup>, L. Ambroz (D<sup>127</sup>, C. Amelung<sup>36</sup>,
D. Amidei 107, S.P. Amor Dos Santos 131a, S. Amoroso 48, C.S. Amrouche 6, F. An 81,
C. Anastopoulos 140, N. Andari 15136, T. Andeen 1511, J.K. Anders 1520, S.Y. Andrean 1547a,47b,
A. Andreazza (D<sup>71a,71b</sup>, V. Andrei<sup>63a</sup>, C.R. Anelli<sup>166</sup>, S. Angelidakis (D<sup>9</sup>, A. Angerami (D<sup>41</sup>),
A.V. Anisenkov (1037), A. Annovi (1074a), C. Antel (1056), M.T. Anthony (10140), E. Antipov (10122),
M. Antonelli 653, D.J.A. Antrim 618a, F. Anulli 675a, M. Aoki 683, J.A. Aparisi Pozo 6164,
M.A. Aparo <sup>147</sup>, L. Aperio Bella <sup>48</sup>, N. Aranzabal <sup>36</sup>, V. Araujo Ferraz <sup>82a</sup>, R. Araujo Pereira <sup>82b</sup>,
C. Arcangeletti ^{\odot}5^3, A.T.H. Arce ^{\odot}5^1, J-F. Arguin ^{\odot}10^9, S. Argyropoulos ^{\odot}5^4, J.-H. Arling ^{\odot}4^8,
A.J. Armbruster (D<sup>36</sup>, A. Armstrong (D<sup>161</sup>, O. Arnaez (D<sup>157</sup>, H. Arnold (D<sup>116</sup>, Z.P. Arrubarrena Tame<sup>110</sup>),
G. Artoni 127, H. Asada 113, K. Asai 119, S. Asai 154, T. Asawatavonvanich, N.A. Asbah 156, N.A. Asbah 156,
E.M. Asimakopoulou 162, L. Asquith 147, K. Assamagan 29, R. Astalos 28a, R.J. Atkin 33a,
M. Atkinson<sup>163</sup>, N.B. Atlay <sup>19</sup>, H. Atmani<sup>67</sup>, P.A. Atmasiddha <sup>107</sup>, K. Augsten <sup>133</sup>,
V.A. Austrup <sup>172</sup>, G. Avolio <sup>36</sup>, M.K. Ayoub <sup>15c</sup>, G. Azuelos <sup>109,ai</sup>, D. Babal <sup>28a</sup>,
H. Bachacou 136, K. Bachas 153, F. Backman 143, P. Bagnaia 75a,75b, H. Bahrasemani 43,
A.J. Bailey 164, V.R. Bailey 163, J.T. Baines 135, C. Bakalis 10, O.K. Baker 173, P.J. Bakker 1616,
E. Bakos 16, D. Bakshi Gupta 8, S. Balaji 148, R. Balasubramanian 116, E.M. Baldin 37,
P. Balek 170, F. Balli 136, W.K. Balunas 127, J. Balz 101, E. Banas 186, M. Bandieramonte 130,
A. Bandyopadhyay 19, Sw. Banerjee 171,k, L. Barak 152, W.M. Barbe 40, E.L. Barberio 106,
D. Barberis 657b,57a, M. Barbero 6103, G. Barbour, T. Barillari 6111, M-S. Barisits 636,
J. Barkeloo 124, T. Barklow 144, R. Barnea 151, B.M. Barnett 135, R.M. Barnett 18a,
Z. Barnovska-Blenessy 62a, A. Baroncelli 62a, G. Barone 29, A.J. Barr 6127,
L. Barranco Navarro (D<sup>47a,47b</sup>, F. Barreiro (D<sup>100</sup>, J. Barreiro Guimarães da Costa (D<sup>15a</sup>, U. Barron (D<sup>152</sup>),
S. Barsov \bigcirc^{37}, F. Bartels \bigcirc^{63a}, R. Bartoldus \bigcirc^{144}, G. Bartolini \bigcirc^{103}, A.E. Barton \bigcirc^{91}, P. Bartos \bigcirc^{28a},
A. Basalaev ^{648}, A. Basan ^{6101}, A. Bassalat ^{667,ae}, M.J. Basso ^{6157}, C.R. Basson ^{6102}, R.L. Bates ^{69}.
S. Batlamous<sup>35e</sup>, J.R. Batley <sup>©32</sup>, B. Batool <sup>©142</sup>, M. Battaglia <sup>©137</sup>, M. Bauce <sup>©75a,75b</sup>, F. Bauer <sup>©136,*</sup>
P. Bauer <sup>©24</sup>, H.S. Bawa<sup>31</sup>, A. Bayirli <sup>©12c</sup>, J.B. Beacham <sup>©51</sup>, T. Beau <sup>©128</sup>, P.H. Beauchemin <sup>©160</sup>,
F. Becherer <sup>154</sup>, P. Bechtle <sup>154</sup>, H.C. Beck <sup>155</sup>, H.P. Beck <sup>150</sup>, K. Becker <sup>168</sup>, C. Becot <sup>168</sup>,
A. Beddall<sup>12d</sup>, A.J. Beddall <sup>12a</sup>, V.A. Bednyakov <sup>38</sup>, M. Bedognetti <sup>116</sup>, C.P. Bee <sup>146</sup>,
T.A. Beermann \bigcirc^{172}, M. Begalli \bigcirc^{82b}, M. Begel \bigcirc^{29}, A. Behera \bigcirc^{146}, J.K. Behr \bigcirc^{48}, F. Beisiegel \bigcirc^{24},
M. Belfkir \bigcirc^5, A.S. Bell \bigcirc^{96}, G. Bella \bigcirc^{152}, L. Bellagamba \bigcirc^{23b}, A. Bellerive \bigcirc^{34}, P. Bellos \bigcirc^{9},
K. Beloborodov \bigcirc^{37}, K. Belotskiy \bigcirc^{37}, N.L. Belyaev \bigcirc^{37}, D. Benchekroun \bigcirc^{35a}, N. Benekos \bigcirc^{10},
Y. Benhammou \bigcirc^{152}, D.P. Benjamin \bigcirc^{6}, M. Benoit \bigcirc^{29}, J.R. Bensinger \bigcirc^{26}, S. Bentvelsen \bigcirc^{116},
```

```
L. Beresford 127, M. Beretta 53, D. Berge 19, E. Bergeaas Kuutmann 162, N. Berger 5,
B. Bergmann 133, L.J. Bergsten 26, J. Beringer 18a, S. Berlendis 7, G. Bernardi 128,
C. Bernius 144, F.U. Bernlochner 24, T. Berry 95, P. Berta 111, A. Berthold 50, I.A. Bertram 191,
O. Bessidskaia Bylund 172, N. Besson 136, S. Bethke 111, A. Betti 44, A.J. Bevan 94,
S. Bhatta © 146, D.S. Bhattacharya © 167, P. Bhattarai © 26, V.S. Bhopatkar © 6, R. Bi 130, R.M. Bianchi © 130,
O. Biebel 110, D. Biedermann 19, R. Bielski 36, K. Bierwagen 101, N.V. Biesuz 74a,74b,
M. Biglietti (D<sup>77a</sup>, T.R.V. Billoud (D<sup>133</sup>, M. Bindi (D<sup>55</sup>, A. Bingul (D<sup>12d</sup>, C. Bini (D<sup>75a,75b</sup>, S. Biondi (D<sup>23b,23a</sup>,
C.J. Birch-sykes \bigcirc^{102}, M. Birman \bigcirc^{170}, T. Bisanz \bigcirc^{36}, D. Biswas \bigcirc^{171,k}, A. Bitadze \bigcirc^{102},
C. Bittrich \bigcirc^{50}, K. Bjørke \bigcirc^{126}, T. Blazek \bigcirc^{28a}, I. Bloch \bigcirc^{48}, C. Blocker \bigcirc^{26}, A. Blue \bigcirc^{59},
U. Blumenschein (D94, J. Blumenthal (D101, G.J. Bobbink (D116, V.S. Bobrovnikov (D37, S.S. Bocchetta98,
D. Bogavac <sup>14</sup>, A.G. Bogdanchikov <sup>37</sup>, C. Bohm <sup>47a</sup>, V. Boisvert <sup>95</sup>, P. Bokan <sup>162,55</sup>, T. Bold <sup>85a</sup>,
A.E. Bolz (1063b), M. Bomben (10128), M. Bona (1094), J.S. Bonilla (10124), M. Boonekamp (10136), C.D. Booth (1095),
A.G. Borbély <sup>59</sup>, H.M. Borecka-Bielska <sup>92</sup>, L.S. Borgna <sup>96</sup>, A. Borisov<sup>37</sup>, G. Borissov <sup>91</sup>,
D. Bortoletto 127, D. Boscherini 23b, M. Bosman 14, J.D. Bossio Sola 105, K. Bouaouda 35a,
J. Boudreau 130, E.V. Bouhova-Thacker 191, D. Boumediene 140, R. Bouquet 128, A. Boveia 120,
J. Boyd (1)36, D. Boye (1)33c, I.R. Boyko (1)38, A.J. Bozson (1)95, J. Bracinik (1)21, N. Brahimi (1)62d,62c,
G. Brandt 172, O. Brandt 32, F. Braren 48, B. Brau 104, J.E. Brau 124, W.D. Breaden Madden 59,
K. Brendlinger ^{\bullet 48}, R. Brener ^{\bullet 151}, L. Brenner ^{\bullet 36}, R. Brenner ^{\bullet 162}, S. Bressler ^{\bullet 170}, B. Brickwedde ^{\bullet 101}, D.L. Briglin ^{\bullet 21}, D. Britton ^{\bullet 59}, D. Britzger ^{\bullet 111}, I. Brock ^{\bullet 24}, R. Brock ^{\bullet 108},
G. Brooijmans <sup>1</sup>41, W.K. Brooks <sup>138d</sup>, E. Brost <sup>29</sup>, P.A. Bruckman de Renstrom <sup>86</sup>, B. Brüers <sup>48</sup>,
D. Bruncko (D<sup>28b,*</sup>, A. Bruni (D<sup>23b</sup>, G. Bruni (D<sup>23b</sup>, M. Bruschi (D<sup>23b</sup>, N. Bruscino (D<sup>75a,75b</sup>),
L. Bryngemark 144, T. Buanes 17, Q. Buat 146, P. Buchholz 142, A.G. Buckley 59,
I.A. Budagov \bigcirc^{38,*}, M.K. Bugge \bigcirc^{126}, O. Bulekov \bigcirc^{37}, B.A. Bullard \bigcirc^{61}, T.J. Burch \bigcirc^{117}, S. Burdin \bigcirc^{92},
C.D. Burgard <sup>648</sup>, A.M. Burger <sup>6122</sup>, B. Burghgrave <sup>68</sup>, J.T.P. Burr <sup>648</sup>, C.D. Burton <sup>611</sup>,
J.C. Burzynski <sup>104</sup>, V. Büscher <sup>101</sup>, E. Buschmann<sup>55</sup>, P.J. Bussey <sup>59</sup>, J.M. Butler <sup>25</sup>,
C.M. Buttar <sup>59</sup>, J.M. Butterworth <sup>96</sup>, W. Buttinger <sup>135</sup>, C.J. Buxo Vazquez <sup>108</sup>, A.R. Buzykaev <sup>37</sup>,
G. Cabras ©23b, S. Cabrera Urbán ©164, D. Caforio ©58, H. Cai ©130, V.M.M. Cairo ©144, O. Cakir ©4a,
N. Calace ^{18a}, P. Calafiura ^{18a}, G. Calderini ^{128}, P. Calfayan ^{68}, G. Callea ^{59}, L.P. Caloba ^{82b},
A. Caltabiano<sup>76a,76b</sup>, S. Calvente Lopez (D100), D. Calvet (D40), S. Calvet (D40), T.P. Calvet (D103),
M. Calvetti 0^{74a,74b}, R. Camacho Toro 0^{128}, S. Camarda 0^{36}, D. Camarero Munoz 0^{100},
P. Camarri <sup>1076a,76b</sup>, M.T. Camerlingo <sup>1077a,77b</sup>, D. Cameron <sup>126</sup>, C. Camincher <sup>136</sup>, S. Campana <sup>36</sup>,
M. Campanelli (1096), A. Camplani (1042), V. Canale (1072a,72b), A. Canesse (1015), M. Cano Bret (1080),
J. Cantero (122), T. Cao (152), Y. Cao (163), M. Capua (143b,43a), R. Cardarelli (1676a), F. Cardillo (164),
T. Carli 636, G. Carlino 72a, B.T. Carlson 130, E.M. Carlson 166,158a, L. Carminati 71a,71b,
R.M.D. Carney (D144), S. Caron (D115), E. Carquin (D138d), S. Carrá (D48), G. Carratta (D23b,23a),
J.W.S. Carter 157, T.M. Carter 52, M.P. Casado 14,h, A.F. Casha 157, E.G. Castiglia 173,
F.L. Castillo 6164, L. Castillo Garcia 614, V. Castillo Gimenez 6164, N.F. Castro 6131a,131e,
A. Catinaccio (1)36, J.R. Catmore (1)126, A. Cattai 36, V. Cavaliere (1)29, V. Cavasinni (1)74a,74b,
E. Celebi 12b, F. Celli 127, K. Cerny 123, A.S. Cerqueira 82a, A. Cerri 147, L. Cerrito 76a,76b,
F. Cerutti 18a, A. Cervelli 23b, S.A. Cetin 12b, Z. Chadi 35a, D. Chakraborty 117, J. Chan 1171,
W.S. Chan 1016, W.Y. Chan 1092, J.D. Chapman 1032, B. Chargeishvili 10150b, D.G. Charlton 1021,
T.P. Charman \mathbb{D}^{94}, M. Chatterjee \mathbb{D}^{20}, C.C. Chau \mathbb{D}^{34}, S. Che \mathbb{D}^{120}, S. Chekanov \mathbb{D}^6,
S.V. Chekulaev 158a, G.A. Chelkov 138,a, B. Chen 181, C. Chen 15a, C.H. Chen 15c,
H. Chen (D<sup>29</sup>, J. Chen (D<sup>62a</sup>, J. Chen (D<sup>41</sup>, J. Chen (D<sup>26</sup>, S. Chen (D<sup>129</sup>, S.J. Chen (D<sup>15c</sup>, X. Chen (D<sup>15b</sup>, ah.,
Y. Chen 62a, Y-H. Chen 48, H.C. Cheng 65a, H.J. Cheng 15a, A. Cheplakov 638,
E. Cheremushkina <sup>1</sup>0<sup>37</sup>, R. Cherkaoui El Moursli <sup>1</sup>0<sup>35</sup>e, E. Cheu <sup>1</sup>0<sup>7</sup>, K. Cheung <sup>1</sup>0<sup>66</sup>,
T.J.A. Chevalérias <sup>136</sup>, L. Chevalier <sup>136</sup>, V. Chiarella <sup>53</sup>, G. Chiarelli <sup>74a</sup>, G. Chiodini <sup>70a</sup>,
```

```
A.S. Chisholm (D<sup>21</sup>, A. Chitan (D<sup>27b</sup>, I. Chiu (D<sup>154</sup>, Y.H. Chiu (D<sup>166</sup>, M.V. Chizhov (D<sup>38</sup>, K. Choi (D<sup>11</sup>),
A.R. Chomont (D<sup>75a,75b</sup>, Y. Chou (D<sup>104</sup>, E.Y.S. Chow (D<sup>116</sup>, L.D. Christopher (D<sup>33e</sup>, M.C. Chu (D<sup>65a</sup>,
X. Chu 15a,15d, J. Chudoba 132, J.J. Chwastowski 86, L. Chytka 123, D. Cieri 111, K.M. Ciesla 86,
V. Cindro (1993), I.A. Cioară (1927b), A. Ciocio (1918a), F. Cirotto (1972a,72b), Z.H. Citron (19170,1), M. Citterio (1971a),
D.A. Ciubotaru<sup>27b</sup>, B.M. Ciungu <sup>157</sup>, A. Clark <sup>56</sup>, P.J. Clark <sup>52</sup>, S.E. Clawson <sup>102</sup>,
C. Clement (D47a,47b), L. Clissa (D23b,23a), Y. Coadou (D103), M. Cobal (D69a,69c), A. Coccaro (D57b),
J. Cochran<sup>81</sup>, R. Coelho Lopes De Sa <sup>104</sup>, H. Cohen <sup>152</sup>, A.E.C. Coimbra <sup>153</sup>, B. Cole <sup>141</sup>,
A.P. Colijn<sup>116</sup>, J. Collot <sup>60</sup>, P. Conde Muiño <sup>131a,131h</sup>, S.H. Connell <sup>33c</sup>, I.A. Connelly <sup>59</sup>,
S. Constantinescu<sup>27b</sup>, F. Conventi D<sup>72a,aj</sup>, A.M. Cooper-Sarkar D<sup>127</sup>, F. Cormier D<sup>165</sup>, K.J.R. Cormier<sup>157</sup>,
L.D. Corpe 696, M. Corradi 675a,75b, E.E. Corrigan 698, F. Corriveau 6105,z, M.J. Costa 6164,
F. Costanza 5, D. Costanzo 140, G. Cowan 5, J.W. Cowley 32, J. Crane 102, K. Cranmer 118,
R.A. Creager (129), S. Crépé-Renaudin (160), F. Crescioli (128), M. Cristinziani (124),
M. Cristoforetti (D<sup>78a,78b</sup>, V. Croft (D<sup>160</sup>, G. Crosetti (D<sup>43b,43a</sup>, A. Cueto (D<sup>5</sup>, T. Cuhadar Donszelmann (D<sup>161</sup>,
H. Cui © 15a,15d, A.R. Cukierman © 144, W.R. Cunningham © 59, S. Czekierda © 86, P. Czodrowski © 36,
M.M. Czurylo 63b, M.J. Da Cunha Sargedas De Sousa 62b, J.V. Da Fonseca Pinto 82b, C. Da Via 6102,
W. Dabrowski (D85a, F. Dachs (D36, T. Dado (D49, S. Dahbi (D33e, T. Dai (D107, C. Dallapiccola (D104,
M. Dam (D<sup>42</sup>, G. D'amen (D<sup>29</sup>, V. D'Amico (D<sup>77a,77b</sup>, J. Damp (D<sup>101</sup>, J.R. Dandoy (D<sup>129</sup>, M.F. Daneri (D<sup>30</sup>),
M. Danninger 143, V. Dao 536, G. Darbo 57b, O. Dartsi, A. Dattagupta 124, S. D'Auria 71a,71b,
C. David (D158b), T. Davidek (D134), D.R. Davis (D51), I. Dawson (D140), K. De (D8), R. De Asmundis (D72a),
M. De Beurs 116, S. De Castro 23b,23a, N. De Groot 115, P. de Jong 116, H. De la Torre 108,
A. De Maria 615c, D. De Pedis 675a, A. De Salvo 675a, U. De Sanctis 676a,76b, M. De Santis 676a,76b.
A. De Santo 147, J.B. De Vivie De Regie 67, D.V. Dedovich A.M. Deiana 44, J. Del Peso 100,
Y. Delabat Diaz <sup>1048</sup>, D. Delgove <sup>1067</sup>, F. Deliot <sup>10136</sup>, C.M. Delitzsch <sup>107</sup>, M. Della Pietra <sup>1072a,72b</sup>,
D. Della Volpe 656, A. Dell'Acqua 636, L. Dell'Asta 676a,76b, M. Delmastro 65, C. Delporte 67,
P.A. Delsart <sup>60</sup>, S. Demers <sup>173</sup>, M. Demichev <sup>38</sup>, G. Demontigny <sup>109</sup>, S.P. Denisov <sup>37</sup>,
L. D'Eramo 117, D. Derendarz 86, J.E. Derkaoui 35d, F. Derue 128, P. Dervan 92, K. Desch 24,
K. Dette 157, C. Deutsch 24, M.R. Devesa 7, P.O. Deviveiros 36, F.A. Di Bello 75a,75b,
A. Di Ciaccio (10<sup>76a,76b</sup>, L. Di Ciaccio (10<sup>5</sup>, C. Di Donato (10<sup>72a,72b</sup>, A. Di Girolamo (10<sup>36</sup>,
G. Di Gregorio (1)74a,74b, A. Di Luca (1)78a,78b, B. Di Micco (1)77a,77b, R. Di Nardo (1)77a,77b,
R. Di Sipio 157, C. Diaconu 10103, F.A. Dias 10116, T. Dias Do Vale 10131a, M.A. Diaz 10138a,
F.G. Diaz Capriles (D<sup>24</sup>, J. Dickinson (D<sup>18a</sup>, M. Didenko (D<sup>37</sup>, E.B. Diehl (D<sup>107</sup>, J. Dietrich (D<sup>19</sup>),
S. Díez Cornell <sup>648</sup>, C. Diez Pardos <sup>6142</sup>, A. Dimitrievska <sup>618a</sup>, W. Ding <sup>615b</sup>, J. Dingfelder <sup>624</sup>,
S.J. Dittmeier 63b, F. Dittus 636, F. Djama 6103, T. Djobava 6150b, J.I. Djuvsland 617,
M.A.B. Do Vale ^{\bullet 82c}, M. Dobre ^{\bullet 27b}, D. Dodsworth ^{\bullet 26}, C. Doglioni ^{\bullet 98}, J. Dolejsi ^{\bullet 134},
Z. Dolezal © 134, M. Donadelli © 82d, B. Dong © 62c, J. Donini © 40, A. D'Onofrio © 15c, M. D'Onofrio © 92,
J. Dopke 135, A. Doria 72a, M.T. Dova 90, A.T. Doyle 59, E. Drechsler 143, E. Dreyer 143,
T. Dreyer 155, A.S. Drobac 160, D. Du 162b, T.A. du Pree 116, Y. Duan 162d, F. Dubinin 137,
M. Dubovsky <sup>©</sup><sup>28a</sup>, A. Dubreuil <sup>©</sup><sup>56</sup>, E. Duchovni <sup>©</sup><sup>170</sup>, G. Duckeck <sup>©</sup><sup>110</sup>, O.A. Ducu <sup>©</sup><sup>36,27b</sup>,
D. Duda 111, A. Dudarev 36, A.C. Dudder 101, E.M. Duffield 8a, M. D'uffizi 101, L. Duflot 167,
M. Dührssen ^{\circ} 36, C. Dülsen ^{\circ} 172, M. Dumancic ^{\circ} 170, A.E. Dumitriu ^{\circ} 27b, M. Dunford ^{\circ} 3a, S. Dungs ^{\circ} 49, A. Duperrin ^{\circ} 103, H. Duran Yildiz ^{\circ} 4a, M. Düren ^{\circ} 58, A. Durglishvili ^{\circ} 150b, B. Dutta ^{\circ} 48,
B.L. Dwyer 117, G.I. Dyckes 129, M. Dyndal 36, S. Dysch 1012, B.S. Dziedzic 86, M.G. Eggleston 4,
T. Eifert <sup>1</sup>08, G. Eigen <sup>1</sup>017, K. Einsweiler <sup>1</sup>018a, T. Ekelof <sup>1</sup>0162, H. El Jarrari <sup>1</sup>035e, V. Ellajosyula <sup>1</sup>0162,
M. Ellert 1616, F. Ellinghaus 1617, A.A. Elliot 1694, N. Ellis 1636, J. Elmsheuser 1629, M. Elsing 1636,
D. Emeliyanov 135, A. Emerman 141, Y. Enari 154, J. Erdmann 154, A. Ereditato 1520, P.A. Erland 1586,
M. Errenst 172, M. Escalier 67, C. Escobar 164, O. Estrada Pastor 164, E. Etzion 152,
G. Evans (D<sup>131a</sup>, H. Evans (D<sup>68</sup>, M.O. Evans (D<sup>147</sup>, A. Ezhilov (D<sup>37</sup>, F. Fabbri (D<sup>59</sup>, L. Fabbri (D<sup>23b,23a</sup>,
```

```
V. Fabiani 115, G. Facini 168, R.M. Fakhrutdinov 137, S. Falciano 175a, P.J. Falke 154, S. Falke 156,
J. Faltova 134, Y. Fang 15a, Y. Fang 15a, 15d, G. Fanourakis 146, M. Fanti 171a,71b, M. Faraj 169a,69c,
A. Farbin 68, A. Farilla 67a, E.M. Farina 67a, T. Farooque 6108, S.M. Farrington 652,
P. Farthouat <sup>636</sup>, F. Fassi <sup>635e</sup>, P. Fassnacht <sup>536</sup>, D. Fassouliotis <sup>69</sup>, M. Faucci Giannelli <sup>652</sup>,
W.J. Fawcett \bigcirc^{32}, L. Fayard \bigcirc^{67}, O.L. Fedin \bigcirc^{37,a}, M. Feickert \bigcirc^{163}, L. Feligioni \bigcirc^{103}, A. Fell \bigcirc^{140},
C. Feng \bigcirc^{62b}, M. Feng \bigcirc^{51}, M.J. Fenton \bigcirc^{161}, A.B. Fenyuk<sup>37</sup>, S.W. Ferguson \bigcirc^{45}, J. Ferrando \bigcirc^{48},
A. Ferrari 16162, P. Ferrari 1616, R. Ferrari 1673a, A. Ferrer 16164, D. Ferrere 1656, C. Ferretti 16107,
F. Fiedler 1010, A. Filipčič 1093, F. Filthaut 10115, K.D. Finelli 1025, M.C.N. Fiolhais 10131a,131c,b,
L. Fiorini 6164, F. Fischer 6110, W.C. Fisher 6108, T. Fitschen 621, I. Fleck 6142, P. Fleischmann 6107,
T. Flick 172, B.M. Flier 110, L. Flores 129, L.R. Flores Castillo 165a, F.M. Follega 178a,78b,
N. Fomin 17, J.H. Foo 157, G.T. Forcolin 78a,78b, B.C. Forland, A. Formica 156, F.A. Förster 14,
A.C. Forti 10102, E. Fortin 10103, M.G. Foti 10127, D. Fournier 1067, H. Fox 1091, P. Francavilla 1074a,74b,
S. Francescato 675a,75b, M. Franchini 623b,23a, S. Franchino 63a, D. Francis 6, L. Franco 5,
L. Franconi (D<sup>20</sup>, M. Franklin (D<sup>61</sup>, G. Frattari (D<sup>75a,75b</sup>, A.N. Fray (D<sup>94</sup>, P.M. Freeman<sup>21</sup>, B. Freund (D<sup>109</sup>),
W.S. Freund (D82b), E.M. Freundlich (D49), D.C. Frizzell (D121), D. Froidevaux (D36), J.A. Frost (D127),
M. Fujimoto 119, C. Fukunaga 155, E. Fullana Torregrosa 164,*, T. Fusayasu 12, J. Fuster 164,
A. Gabrielli (D<sup>23b,23a</sup>, A. Gabrielli (D<sup>36</sup>, S. Gadatsch (D<sup>56</sup>, P. Gadow (D<sup>111</sup>, G. Gagliardi (D<sup>57b,57a</sup>,
L.G. Gagnon 10109, G.E. Gallardo 10127, E.J. Gallas 10127, B.J. Gallop 10135, R. Gamboa Goni 1094,
K.K. Gan © 120, S. Ganguly © 170, J. Gao © 62a, Y. Gao © 52, Y.S. Gao © 31,n, F.M. Garay Walls © 138a,
C. García 6164, J.E. García Navarro 6164, J.A. García Pascual 615a, C. Garcia-Argos 654,
M. Garcia-Sciveres (18a, R.W. Gardner (1939), S. Gargiulo (1954), C.A. Garner (1957), V. Garonne (1916),
S.J. Gasiorowski (D<sup>139</sup>, P. Gaspar (D<sup>82b</sup>, G. Gaudio (D<sup>73a</sup>, P. Gauzzi (D<sup>75a,75b</sup>, I.L. Gavrilenko (D<sup>37</sup>,
A. Gavrilyuk (D<sup>37</sup>, C. Gay (D<sup>165</sup>, G. Gaycken (D<sup>48</sup>, E.N. Gazis (D<sup>10</sup>, A.A. Geanta (D<sup>27b</sup>, C.M. Gee (D<sup>137</sup>,
C.N.P. Gee 135, J. Geisen 98, M. Geisen 1011, C. Gemme 157b, M.H. Genest 160, C. Geng 107,
S. Gentile <sup>1075a,75b</sup>, S. George <sup>1995</sup>, T. Geralis <sup>1046</sup>, L.O. Gerlach <sup>55</sup>, P. Gessinger-Befurt <sup>10101</sup>,
G. Gessner <sup>©49</sup>, M. Ghasemi Bostanabad <sup>©166</sup>, M. Ghneimat <sup>©142</sup>, A. Ghosh <sup>©67</sup>, A. Ghosh <sup>©80</sup>,
B. Giacobbe ©23b, S. Giagu ©75a,75b, N. Giangiacomi ©157, P. Giannetti ©74a, A. Giannini ©72a,72b,
G. Giannini<sup>14</sup>, S.M. Gibson <sup>695</sup>, M. Gignac <sup>6137</sup>, D.T. Gil <sup>685b</sup>, B.J. Gilbert <sup>641</sup>, D. Gillberg <sup>634</sup>,
G. Gilles 172, N.E.K. Gillwald 48, D.M. Gingrich 3,ai, M.P. Giordani 69a,69c, P.F. Giraud 136,
G. Giugliarelli (1069a,69c), D. Giugni (1071a), F. Giuli (1076a,76b), S. Gkaitatzis (10153), I. Gkialas (1094),
E.L. Gkougkousis <sup>14</sup>, P. Gkountoumis <sup>10</sup>, L.K. Gladilin <sup>37</sup>, C. Glasman <sup>10</sup>, P.C.F. Glaysher <sup>48</sup>,
A. Glazov<sup>48</sup>, G.R. Gledhill <sup>124</sup>, I. Gnesi <sup>43b,d</sup>, M. Goblirsch-Kolb <sup>26</sup>, D. Godin <sup>109</sup>, S. Goldfarb <sup>106</sup>,
T. Golling 656, D. Golubkov 637, A. Gomes 6131a,131b, R. Goncalves Gama 655, R. Gonçalo 6131a,131c,
G. Gonella <sup>124</sup>, L. Gonella <sup>21</sup>, A. Gongadze <sup>38</sup>, F. Gonnella <sup>21</sup>, J.L. Gonski <sup>41</sup>,
S. González de la Hoz 164, S. Gonzalez Fernandez 14, R. Gonzalez Lopez 192,
C. Gonzalez Renteria <sup>18a</sup>, R. Gonzalez Suarez <sup>162</sup>, S. Gonzalez-Sevilla <sup>56</sup>,
G.R. Gonzalvo Rodriguez 164, L. Goossens 36, N.A. Gorasia 21, P.A. Gorbounov 37, B. Gorini 36,
E. Gorini (D<sup>70a,70b</sup>, A. Gorišek (D<sup>93</sup>, A.T. Goshaw (D<sup>51</sup>, M.I. Gostkin (D<sup>38</sup>, C.A. Gottardo (D<sup>115</sup>,
M. Gouighri <sup>©35b</sup>, A.G. Goussiou <sup>©139</sup>, N. Govender <sup>©33c</sup>, C. Goy <sup>©5</sup>, I. Grabowska-Bold <sup>©85a</sup>,
E.C. Graham <sup>192</sup>, J. Gramling <sup>161</sup>, E. Gramstad <sup>126</sup>, S. Grancagnolo <sup>19</sup>, M. Grandi <sup>147</sup>, V. Gratchev <sup>37,*</sup>, P.M. Gravila <sup>127</sup>, F.G. Gravili <sup>1670a,70b</sup>, C. Gray <sup>159</sup>, H.M. Gray <sup>18a</sup>, C. Grefe <sup>1624</sup>,
K. Gregersen 698, I.M. Gregor 648, P. Grenier 6144, K. Grevtsov 648, C. Grieco 614, N.A. Grieser 121,
A.A. Grillo (D<sup>137</sup>, K. Grimm (D<sup>31,m</sup>, S. Grinstein (D<sup>14,v</sup>, J.-F. Grivaz (D<sup>67</sup>, S. Groh (D<sup>101</sup>, E. Gross (D<sup>170</sup>),
J. Grosse-Knetter <sup>55</sup>, Z.J. Grout <sup>96</sup>, C. Grud<sup>107</sup>, A. Grummer <sup>114</sup>, J.C. Grundy <sup>127</sup>, L. Guan <sup>107</sup>,
W. Guan <sup>171</sup>, C. Gubbels <sup>165</sup>, J. Guenther <sup>36</sup>, A. Guerguichon <sup>67</sup>, J.G.R. Guerrero Rojas <sup>164</sup>,
F. Guescini 111, R. Gugel 101, A. Guida 148, T. Guillemin 15, S. Guindon 136, J. Guo 162c,
W. Guo 62a, Z. Guo 62a, R. Gupta 48, S. Gurbuz 612c, G. Gustavino 6121, M. Guth 54,
```

```
P. Gutierrez (D<sup>121</sup>, L.F. Gutierrez Zagazeta (D<sup>129</sup>, C. Gutschow (D<sup>96</sup>, C. Guyot (D<sup>136</sup>, C. Gwenlan (D<sup>127</sup>,
C.B. Gwilliam (D)<sup>92</sup>, E.S. Haaland (D)<sup>126</sup>, A. Haas (D)<sup>118</sup>, C. Haber (D)<sup>18a</sup>, H.K. Hadavand (D)<sup>8</sup>, A. Hadef (D)<sup>101</sup>,
M. Haleem 167, J. Haley 122, J.J. Hall 140, G. Halladjian 10108, G.D. Hallewell 10103, K. Hamano 10166,
H. Hamdaoui <sup>1035e</sup>, M. Hamer <sup>1024</sup>, G.N. Hamity <sup>1052</sup>, K. Han <sup>1062a</sup>, L. Han <sup>1062a</sup>, L. Han <sup>1062a</sup>,
S. Han (D<sup>18a</sup>, Y.F. Han (D<sup>157</sup>, K. Hanagaki (D<sup>83</sup>, M. Hance (D<sup>137</sup>, D.M. Handl (D<sup>110</sup>, M.D. Hank (D<sup>39</sup>),
R. Hankache 128, E. Hansen 98, J.B. Hansen 42, J.D. Hansen 42, M.C. Hansen 24,
P.H. Hansen \mathbb{D}^{42}, E.C. Hanson \mathbb{D}^{102}, K. Hara \mathbb{D}^{159}, T. Harenberg \mathbb{D}^{172}, S. Harkusha \mathbb{D}^{37}, P.F. Harrison \mathbb{D}^{168},
N.M. Hartman (144, N.M. Hartmann (110), Y. Hasegawa (141, A. Hasib (152, S. Hassani (136),
S. Haug © 20, R. Hauser © 108, M. Havranek © 133, C.M. Hawkes © 21, R.J. Hawkings © 36,
S. Hayashida 113, D. Hayden 10108, C. Hayes 10107, R.L. Hayes 10165, C.P. Hays 10127, J.M. Hays 1094,
H.S. Hayward (D<sup>92</sup>, S.J. Haywood (D<sup>135</sup>, F. He (D<sup>62a</sup>, Y. He (D<sup>156</sup>, M.P. Heath (D<sup>52</sup>, V. Hedberg (D<sup>98</sup>,
A.L. Heggelund <sup>126</sup>, N.D. Hehir <sup>94,*</sup>, C. Heidegger <sup>54</sup>, K.K. Heidegger <sup>54</sup>, W.D. Heidorn <sup>81</sup>,
J. Heilman \bigcirc^{34}, S. Heim \bigcirc^{48}, T. Heim \bigcirc^{18a}, B. Heinemann \bigcirc^{48,af}, J.G. Heinlein \bigcirc^{129}, J.J. Heinrich \bigcirc^{124},
L. Heinrich (D<sup>36</sup>, J. Hejbal (D<sup>132</sup>, L. Helary (D<sup>48</sup>, A. Held (D<sup>118</sup>, S. Hellesund (D<sup>126</sup>, C.M. Helling (D<sup>137</sup>,
S. Hellman (D<sup>47a,47b</sup>, C. Helsens (D<sup>36</sup>, R.C.W. Henderson<sup>91</sup>, L. Henkelmann (D<sup>32</sup>,
A.M. Henriques Correia<sup>36</sup>, H. Herde 144, Y. Hernández Jiménez 33e, H. Herr<sup>101</sup>, M.G. Herrmann 110,
T. Herrmann \bigcirc^{50}, G. Herten \bigcirc^{54}, R. Hertenberger \bigcirc^{110}, L. Hervas \bigcirc^{36}, G.G. Hesketh \bigcirc^{96},
N.P. Hessey ^{158a}, H. Hibi ^{158a}, S. Higashino ^{1683}, E. Higón-Rodriguez ^{164}, K. Hildebrand ^{39}, J.C. Hill ^{158a}, K.K. Hill ^{158a}, K.K. Hiller ^{188}, S.J. Hillier ^{158a}, M. Hils ^{158a}, I. Hinchliffe ^{158a},
F. Hinterkeuser (D<sup>24</sup>, M. Hirose (D<sup>125</sup>, S. Hirose (D<sup>159</sup>, D. Hirschbuehl (D<sup>172</sup>, B. Hiti (D<sup>93</sup>, O. Hladik (1<sup>32</sup>),
J. Hobbs (D<sup>146</sup>, R. Hobincu (D<sup>27e</sup>, N. Hod (D<sup>170</sup>, M.C. Hodgkinson (D<sup>140</sup>, A. Hoecker (D<sup>36</sup>, D. Hohn (D<sup>54</sup>,
D. Hohov<sup>67</sup>, T. Holm D<sup>24</sup>, T.R. Holmes D<sup>39</sup>, M. Holzbock D<sup>111</sup>, L.B.A.H. Hommels D<sup>32</sup>,
T.M. Hong (D130), J.C. Honig (D54), A. Hönle (D111), B.H. Hooberman (D163), W.H. Hopkins (D6), Y. Horii (D113),
P. Horn 650, L.A. Horyn 639, S. Hou 6149, A. Hoummada 55a, J. Howarth 659, J. Hoya 690,
M. Hrabovsky \bigcirc^{123}, J. Hrivnac<sup>67</sup>, A. Hrynevich \bigcirc^{37}, T. Hryn'ova \bigcirc^{5}, P.J. Hsu \bigcirc^{66}, S.-C. Hsu \bigcirc^{139},
Q. Hu (D<sup>41</sup>, S. Hu (D<sup>62c</sup>, Y.F. Hu (D<sup>15a,15d,ak</sup>, D.P. Huang (D<sup>96</sup>, X. Huang (D<sup>15c</sup>, Y. Huang (D<sup>62a</sup>,
Y. Huang <sup>15a</sup>, Z. Hubacek <sup>133</sup>, F. Hubaut <sup>103</sup>, M. Huebner <sup>24</sup>, F. Huegging <sup>24</sup>, T.B. Huffman <sup>127</sup>,
M. Huhtinen \bigcirc^{36}, R. Hulsken \bigcirc^{60}, R.F.H. Hunter \bigcirc^{34}, N. Huseynov \bigcirc^{38,aa}, J. Huston \bigcirc^{108}, J. Huth \bigcirc^{61}, R. Hyneman \bigcirc^{144}, S. Hyrych \bigcirc^{28a}, G. Iacobucci \bigcirc^{56}, G. Iakovidis \bigcirc^{29}, I. Ibragimov \bigcirc^{142},
L. Iconomidou-Fayard 667, P. Iengo 636, R. Ignazzi 42, R. Iguchi 6154, T. Iizawa 656, Y. Ikegami 683,
M. Ikeno (1083), A. Ilg (1020), N. Ilic (10115,157,z), F. Iltzsche<sup>50</sup>, H. Imam (1035a), G. Introzzi (1073a,73b),
M. Iodice <sup>177a</sup>, K. Iordanidou <sup>158a</sup>, V. Ippolito <sup>75a,75b</sup>, M.F. Isacson <sup>162</sup>, M. Ishino <sup>154</sup>,
W. Islam • C. Issever • S. Istin • Islam • Ponce • R. Iuppa • Ra,78b, A. Ivina • Islam • Islam • A. Ivina • Islam • Is
G. Jäkel (172), K.B. Jakobi 101, K. Jakobs (154), T. Jakoubek (170), J. Jamieson (159), K.W. Janas (185a),
R. Jansky 656, M. Janus 655, P.A. Janus 685a, G. Jarlskog 698, A.E. Jaspan 692, N. Javadov 38,aa,
T. Javůrek (D<sup>36</sup>, M. Javurkova (D<sup>104</sup>, F. Jeanneau (D<sup>136</sup>, L. Jeanty (D<sup>124</sup>, J. Jejelava (D<sup>150a,ab</sup>, P. Jenni (D<sup>54,e</sup>,
N. Jeong<sup>48</sup>, S. Jézéquel <sup>5</sup>, J. Jia <sup>146</sup>, Z. Jia <sup>15c</sup>, Y. Jiang<sup>62a</sup>, S. Jiggins <sup>54</sup>, F.A. Jimenez Morales<sup>40</sup>,
J. Jimenez Pena 111, S. Jin 15c, A. Jinaru 27b, O. Jinnouchi 156, H. Jivan 33e, P. Johansson 140,
K.A. Johns 67, C.A. Johnson 68, E. Jones 6168, R.W.L. Jones 691, S.D. Jones 6147, T.J. Jones 692,
J. Jovicevic <sup>136</sup>, X. Ju <sup>18a</sup>, J.J. Junggeburth <sup>111</sup>, A. Juste Rozas <sup>14,v</sup>, A. Kaczmarska <sup>86</sup>,
M. Kado ©<sup>75a,75b</sup>, H. Kagan ©<sup>120</sup>, M. Kagan ©<sup>144</sup>, A. Kahn<sup>41</sup>, C. Kahra ©<sup>101</sup>, T. Kaji ©<sup>169</sup>,
E. Kajomovitz 151, C.W. Kalderon 29, A. Kaluza 101, A. Kamenshchikov 37, M. Kaneda 154,
N.J. Kang © 137, S. Kang © 81, Y. Kano © 113, J. Kanzaki 83, L.S. Kaplan © 171, D. Kar © 33e,
K. Karava (127), M.J. Kareem (158b), I. Karkanias (153), S.N. Karpov (138), Z.M. Karpova (153),
V. Kartvelishvili (1991), A.N. Karyukhin (1937), E. Kasimi (1915), A. Kastanas (1947), A.N. Karyukhin (1947), C. Kato (1962),
J. Katzy \bigcirc^{48}, K. Kawade \bigcirc^{141}, K. Kawagoe \bigcirc^{89}, T. Kawaguchi \bigcirc^{113}, T. Kawamoto \bigcirc^{136}, G. Kawamura \bigcirc^{55},
```

```
E.F. Kay 10166, F.I. Kaya 10160, S. Kazakos 1014, V.F. Kazanin 1037, J.M. Keaveney 1033a, R. Keeler 10166,
J.S. Keller \bigcirc^{34}, E. Kellermann ^{98}, D. Kelsey \bigcirc^{147}, J.J. Kempster \bigcirc^{21}, J. Kendrick \bigcirc^{21}, K.E. Kennedy \bigcirc^{41},
O. Kepka 132, S. Kersten 172, B.P. Kerševan 93, S. Ketabchi Haghighat 157, F. Khalil-Zada 3,
M. Khandoga © 136, A. Khanov © 122, A.G. Kharlamov © 37, T. Kharlamova © 37, E.E. Khoda © 165,
Y.K. Kim (D<sup>39</sup>, N. Kimura (D<sup>96</sup>, A. Kirchhoff (D<sup>55</sup>, D. Kirchmeier (D<sup>50</sup>, J. Kirk (D<sup>135</sup>, A.E. Kiryunin (D<sup>111</sup>),
T. Kishimoto 154, D.P. Kisliuk 757, V. Kitali 48, C. Kitsaki 1010, O. Kivernyk 124,
T. Klapdor-Kleingrothaus <sup>54</sup>, M. Klassen <sup>63a</sup>, C. Klein <sup>34</sup>, L. Klein <sup>167</sup>, M.H. Klein <sup>107</sup>,
M. Klein (10) V. Klein (10) K. Kleinknecht (10), P. Klimek (10), A. Klimentov (10), F. Klimpel (10), F. Klim
T. Klingl 624, T. Klioutchnikova 636, F.F. Klitzner 6110, P. Kluit 6116, S. Kluth 6111, E. Kneringer 679,
E.B.F.G. Knoops (103), A. Knue (154), D. Kobayashi<sup>89</sup>, M. Kobel (150), M. Kocian (154), T. Kodama (154),
P. Kodyš 134, D.M. Koeck 147, P.T. Koenig 24, T. Koffas 34, N.M. Köhler 36, M. Kolb 136,
I. Koletsou <sup>65</sup>, T. Komarek <sup>6123</sup>, T. Kondo<sup>83</sup>, K. Köneke <sup>654</sup>, A.X.Y. Kong <sup>61</sup>, A.C. König <sup>6115</sup>,
T. Kono (D<sup>119</sup>, V. Konstantinides<sup>96</sup>, N. Konstantinidis (D<sup>96</sup>, B. Konya (D<sup>98</sup>, R. Kopeliansky (D<sup>68</sup>,
S. Koperny (1085a), K. Korcyl (1086), K. Kordas (1015a), G. Koren (1015a), A. Korn (1096), I. Korolkov (1014),
E.V. Korolkova<sup>140</sup>, N. Korotkova <sup>1037</sup>, O. Kortner <sup>111</sup>, S. Kortner <sup>111</sup>, V.V. Kostyukhin <sup>140,37</sup>,
A. Kotsokechagia ©67, A. Kotwal ©51, A. Koulouris ©10, A. Kourkoumeli-Charalampidi ©73a,73b,
C. Kourkoumelis <sup>©9</sup>, E. Kourlitis <sup>©6</sup>, V. Kouskoura <sup>©29</sup>, R. Kowalewski <sup>©166</sup>, W. Kozanecki <sup>©102</sup>,
A.S. Kozhin <sup>©37</sup>, V.A. Kramarenko <sup>©37</sup>, G. Kramberger <sup>©93</sup>, D. Krasnopevtsev <sup>©62a</sup>, M.W. Krasny <sup>©128</sup>,
A. Krasznahorkay <sup>©36</sup>, J.A. Kremer <sup>©101</sup>, J. Kretzschmar <sup>©92</sup>, K. Kreul <sup>©19</sup>, P. Krieger <sup>©157</sup>,
F. Krieter 110, S. Krishnamurthy 10104, A. Krishnan 1063b, M. Krivos 1134, K. Krizka 118a,
K. Kroeninger \mathbb{D}^{49}, H. Kroha \mathbb{D}^{111}, J. Kroll \mathbb{D}^{132}, J. Kroll \mathbb{D}^{129}, K.S. Krowpman \mathbb{D}^{108}, U. Kruchonak \mathbb{D}^{38},
H. Krüger \bigcirc^{24}, N. Krumnack<sup>81</sup>, M.C. Kruse \bigcirc^{51}, J.A. Krzysiak \bigcirc^{86}, A. Kubota \bigcirc^{156},
O. Kuchinskaia <sup>©37</sup>, S. Kuday <sup>©4b</sup>, D. Kuechler <sup>©48</sup>, J.T. Kuechler <sup>©48</sup>, S. Kuehn <sup>©36</sup>, T. Kuhl <sup>©48</sup>,
V. Kukhtin <sup>©38</sup>, Y. Kulchitsky <sup>©37,a</sup>, S. Kuleshov <sup>©138b</sup>, Y.P. Kulinich<sup>163</sup>, M. Kumar <sup>©33e</sup>, M. Kuna <sup>©60</sup>,
A. Kupco <sup>132</sup>, T. Kupfer<sup>49</sup>, O. Kuprash <sup>54</sup>, H. Kurashige <sup>84</sup>, L.L. Kurchaninov <sup>158a</sup>,
Y.A. Kurochkin <sup>©37</sup>, A. Kurova <sup>©37</sup>, M.G. Kurth <sup>15a,15d</sup>, E.S. Kuwertz <sup>©36</sup>, M. Kuze <sup>©156</sup>,
A.K. Kvam \mathbb{D}^{139}, J. Kvita \mathbb{D}^{123}, T. Kwan \mathbb{D}^{105}, C. Lacasta \mathbb{D}^{164}, F. Lacava \mathbb{D}^{75a,75b}, D.P.J. Lack \mathbb{D}^{102},
H. Lacker <sup>19</sup>, D. Lacour <sup>128</sup>, E. Ladygin <sup>38</sup>, R. Lafaye <sup>5</sup>, B. Laforge <sup>128</sup>, T. Lagouri <sup>138c</sup>,
S. Lai \mathbb{D}^{55}, I.K. Lakomiec \mathbb{D}^{85a}, J.E. Lambert \mathbb{D}^{121}, S. Lammers \mathbb{D}^{68}, W. Lampl \mathbb{D}^7, C. Lampoudis \mathbb{D}^{153},
E. Lançon <sup>©29</sup>, U. Landgraf <sup>©54</sup>, M.P.J. Landon <sup>©94</sup>, V.S. Lang <sup>©54</sup>, J.C. Lange <sup>©55</sup>,
R.J. Langenberg <sup>104</sup>, A.J. Lankford <sup>161</sup>, F. Lanni <sup>29</sup>, K. Lantzsch <sup>24</sup>, A. Lanza <sup>73a</sup>,
A. Lapertosa 5<sup>7b,57a</sup>, J.F. Laporte 1<sup>36</sup>, T. Lari 7<sup>71a</sup>, F. Lasagni Manghi 2<sup>3b</sup>, M. Lassnig 3<sup>6</sup>,
V. Latonova (D<sup>132</sup>, T.S. Lau (D<sup>65a</sup>, A. Laudrain (D<sup>101</sup>, A. Laurier (D<sup>34</sup>, M. Lavorgna (D<sup>72a,72b</sup>),
S.D. Lawlor \mathbb{D}^{95}, M. Lazzaroni \mathbb{D}^{71a,71b}, B. Le<sup>102</sup>, E. Le Guirriec \mathbb{D}^{103}, A. Lebedev \mathbb{D}^{81}, M. LeBlanc \mathbb{D}^{7},
T. LeCompte <sup>6</sup>, F. Ledroit-Guillon <sup>6</sup>, A.C.A. Lee <sup>9</sup>, C.A. Lee <sup>6</sup>, C.A. Lee <sup>6</sup>, L. Lee <sup>6</sup>,
S.C. Lee <sup>149</sup>, S. Lee <sup>81</sup>, B. Lefebvre <sup>158a</sup>, H.P. Lefebvre <sup>95</sup>, M. Lefebvre <sup>166</sup>, C. Leggett <sup>18a</sup>,
K. Lehmann 0^{143}, N. Lehmann 0^{20}, G. Lehmann Miotto 0^{36}, W.A. Leight 0^{48}, A. Leisos 0^{153,u},
M.A.L. Leite 682d, C.E. Leitgeb 6110, R. Leitner 6134, K.J.C. Leney 644, T. Lenz 624, S. Leone 674a,
C. Leonidopoulos <sup>52</sup>, A. Leopold <sup>128</sup>, C. Leroy <sup>109</sup>, R. Les <sup>108</sup>, C.G. Lester <sup>32</sup>,
M. Levchenko (1037), J. Levêque (105), D. Levin (10107), L.J. Levinson (10170), D.J. Lewis (1021), B. Li (1015b),
B. Li 10, C-Q. Li 162c, 62d, F. Li 162c, H. Li 162a, H. Li 162b, J. Li 162c, K. Li 163c, L. Li 162c,
M. Li 15a,15d, Q.Y. Li 16a, S. Li 16a, X. Li 16a, Y. Li 16a, Y. Li 16a, Z. Li
Z. Li (1992), Z. Liang (1915a), M. Liberatore (1948), B. Liberti (1976a), K. Lie (1965c), S. Lim<sup>29</sup>, C.Y. Lin (1932),
K. Lin (10) 108, R.A. Linck (10) 68, R.E. Lindley (10) 7, J.H. Lindon (10) 11, A. Linss (10) 48, A.L. Lionti (10) 56,
E. Lipeles 129, A. Lipniacka 17, T.M. Liss 163, ag, A. Lister 165, J.D. Little 8, B. Liu 81,
B.X. Liu 143, H.B. Liu<sup>29</sup>, J.B. Liu 62a, J.K.K. Liu 639, K. Liu 62d,62c, M. Liu 62a, M.Y. Liu 62a,
```

```
P. Liu 15a, X. Liu 62a, Y. Liu 48, Y. Liu 15a, 15d, Y.L. Liu 17a, Y.W. Liu 62a, M. Livan 7a, 73b,
A. Lleres 60, J. Llorente Merino 6143, S.L. Lloyd 69, C.Y. Lo 65b, E.M. Lobodzinska 648,
P. Loch <sup>10</sup>, S. Loffredo <sup>17</sup>, T. Lohse <sup>19</sup>, K. Lohwasser <sup>140</sup>, M. Lokajicek <sup>132,*</sup>, J.D. Long <sup>163</sup>,
R.E. Long (1991), I. Longarini (1975a,75b), L. Longo (1936), R. Longo (19163), I. Lopez Paz (19102),
A. Lopez Solis <sup>140</sup>, J. Lorenz <sup>110</sup>, N. Lorenzo Martinez <sup>5</sup>, A.M. Lory <sup>110</sup>, A. Lösle <sup>54</sup>,
X. Lou (D<sup>47a,47b</sup>, X. Lou (D<sup>15a,15d</sup>, A. Lounis (D<sup>67</sup>, J. Love (D<sup>6</sup>), P.A. Love (D<sup>91</sup>, J.J. Lozano Bahilo (D<sup>164</sup>),
M. Lu 62a, Y.J. Lu 66, H.J. Lubatti 139, C. Luci 75a,75b, F.L. Lucio Alves 15c, A. Lucotte 60,
F. Luehring 68, I. Luise 146, L. Luminari 75a, B. Lund-Jensen 145, N.A. Luongo 124, M.S. Lutz 152,
D. Lynn (D<sup>29</sup>, H. Lyons<sup>92</sup>, R. Lysak (D<sup>132</sup>, E. Lytken (D<sup>98</sup>, F. Lyu (D<sup>15a</sup>, V. Lyubushkin (D<sup>38</sup>, T. Lyubushkin (D<sup>38</sup>, H. Ma (D<sup>29</sup>, L.L. Ma (D<sup>62b</sup>, Y. Ma (D<sup>96</sup>, D.M. Mac Donell (D<sup>166</sup>, G. Maccarrone (D<sup>53</sup>, Maccarrone (D<sup>53</sup>), P. Lyubushkin (D<sup>38</sup>, H. Ma (D<sup>96</sup>), L.L. Ma (D<sup>96</sup>), P. Ma (D<sup>96</sup>), D.M. Mac Donell (D<sup>166</sup>), G. Maccarrone (D<sup>53</sup>),
C.M. Macdonald 140, J.C. MacDonald 140, J. Machado Miguens 129, R. Madar 40, W.F. Mader 50,
M. Madugoda Ralalage Don 122, N. Madysa 50, J. Maeda 84, T. Maeno 29, M. Maerker 50,
V. Magerl <sup>©54</sup>, N. Magini<sup>81</sup>, J. Magro <sup>©69a,69c,s</sup>, D.J. Mahon <sup>©41</sup>, C. Maidantchik <sup>©82b</sup>,
A. Maio (131a,131b,131d), K. Maj (185a), O. Majersky (124a), S. Majewski (124a), Y. Makida (185a), N. Makovec (186a), N. Makove
B. Malaescu 128, Pa. Malecki 186, V.P. Maleev 137, F. Malek 160, D. Malito 143b,43a, U. Mallik 180,
C. Malone (D<sup>32</sup>, S. Maltezos<sup>10</sup>, S. Malyukov<sup>38</sup>, J. Mamuzic (D<sup>164</sup>, G. Mancini (D<sup>53</sup>, J.P. Mandalia (D<sup>94</sup>)
I. Mandić (1993), L. Manhaes de Andrade Filho (1982a), I.M. Maniatis (19153), J. Manjarres Ramos (1950),
K.H. Mankinen (10)98, A. Mann (10)110, A. Manousos (10)79, B. Mansoulie (10)136, I. Manthos (10)153,
S. Manzoni 116, A. Marantis 153,u, L. Marchese 127, G. Marchiori 128, M. Marcisovsky 132,
L. Marcoccia 676a,76b, C. Marcon 698, M. Marjanovic 6121, Z. Marshall 618a, M.U.F. Martensson 6162,
S. Marti-Garcia 164, C.B. Martin 120, T.A. Martin 168, V.J. Martin 152, B. Martin dit Latour 17,
L. Martinelli (D77a,77b), M. Martinez (D14,v), P. Martinez Agullo (D164), V.I. Martinez Outschoorn (D104),
S. Martin-Haugh 135, V.S. Martoiu 27b, A.C. Martyniuk 96, A. Marzin 36, S.R. Maschek 111,
L. Masetti 📵 101, T. Mashimo 📵 154, R. Mashinistov 📵 37, J. Masik 📵 102, A.L. Maslennikov 📵 37,
L. Massa (D<sup>23b</sup>, P. Massarotti (D<sup>72a,72b</sup>, P. Mastrandrea (D<sup>74a,74b</sup>, A. Mastroberardino (D<sup>43b,43a</sup>,
T. Masubuchi <sup>154</sup>, D. Matakias<sup>29</sup>, T. Mathisen <sup>162</sup>, A. Matic <sup>110</sup>, N. Matsuzawa<sup>154</sup>, P. Mättig <sup>24</sup>,
J. Maurer (D<sup>27b</sup>, B. Maček (D<sup>93</sup>, D.A. Maximov (D<sup>37</sup>, R. Mazini (D<sup>149</sup>, I. Maznas (D<sup>153</sup>, S.M. Mazza (D<sup>137</sup>,
C. Mc Ginn \mathbb{D}^{29}, J.P. Mc Gowan \mathbb{D}^{105}, S.P. Mc Kee \mathbb{D}^{107}, T.G. McCarthy \mathbb{D}^{111}, W.P. McCormack \mathbb{D}^{18a},
E.F. McDonald 1006, A.E. McDougall 1016, J.A. Mcfayden 1018a, G. Mchedlidze 10150b, M.A. McKay 44,
K.D. McLean (b)166, S.J. McMahon (b)135, P.C. McNamara (b)106, C.J. McNicol (b)168,
R.A. McPherson 166,z, J.E. Mdhluli 33e, Z.A. Meadows 104, S. Meehan 36, T. Megy 40,
S. Mehlhase 110, A. Mehta 192, B. Meirose 145, D. Melini 151, B.R. Mellado Garcia 133e,
J.D. Mellenthin <sup>©55</sup>, M. Melo <sup>©28a</sup>, F. Meloni <sup>©48</sup>, A. Melzer <sup>©24</sup>, E.D. Mendes Gouveia <sup>©131a,131e</sup>,
A.M. Mendes Jacques Da Costa <sup>©21</sup>, H.Y. Meng <sup>©157</sup>, L. Meng <sup>©36</sup>, X.T. Meng <sup>©107</sup>, S. Menke <sup>©111</sup>,
E. Meoni (D<sup>43b,43a</sup>, S. Mergelmeyer<sup>19</sup>, S.A.M. Merkt<sup>130</sup>, C. Merlassino (D<sup>127</sup>, P. Mermod (D<sup>56</sup>,*),
L. Merola (D<sup>72a,72b</sup>, C. Meroni (D<sup>71a,71b</sup>, G. Merz<sup>107</sup>, O. Meshkov (D<sup>37</sup>, J.K.R. Meshreki (D<sup>142</sup>,
J. Metcalfe ^{\bigcirc 6}, A.S. Mete ^{\bigcirc 6}, C. Meyer ^{\bigcirc 68}, J-P. Meyer ^{\bigcirc 136}, M. Michetti ^{\bigcirc 19}, R.P. Middleton ^{\bigcirc 135},
L. Mijović (52, G. Mikenberg (170, M. Mikestikova (132, M. Mikuž (193, H. Mildner (140,
A. Milic 157, C.D. Milke 154, D.W. Miller 1539, L.S. Miller 1534, A. Milov 1510, D.A. Milstead 154, A. Minaenko 1537, I.A. Minashvili 150b, L. Mince 1559, A.I. Mincer 15118, B. Mindur 1585a,
M. Mineev (538, Y. Minegishi<sup>154</sup>, Y. Mino (587, L.M. Mir (514, M. Mironova (5127, T. Mitani (5169),
J. Mitrevski<sup>110</sup>, V.A. Mitsou <sup>164</sup>, M. Mittal<sup>62c</sup>, O. Miu <sup>157</sup>, A. Miucci <sup>20</sup>, P.S. Miyagawa <sup>94</sup>,
A. Mizukami <sup>683</sup>, J.U. Mjörnmark <sup>98</sup>, T. Mkrtchyan <sup>63a</sup>, M. Mlynarikova <sup>6117</sup>, T. Moa <sup>647a,47b</sup>,
S. Mobius <sup>©55</sup>, K. Mochizuki <sup>©109</sup>, P. Moder <sup>©48</sup>, P. Mogg <sup>©110</sup>, S. Mohapatra <sup>©41</sup>,
G. Mokgatitswane <sup>©33e</sup>, R. Moles-Valls <sup>©24</sup>, B. Mondal <sup>©142</sup>, S. Mondal <sup>©133</sup>, K. Mönig <sup>©48</sup>,
E. Monnier (10) A. Montalbano (14), J. Montejo Berlingen (13), M. Montella (19), F. Monticelli (19),
N. Morange 67, A.L. Moreira De Carvalho 6131a, D. Moreno 622a, M. Moreno Llácer 6164,
```

```
C. Moreno Martinez (D<sup>14</sup>, P. Morettini (D<sup>57b</sup>, M. Morgenstern (D<sup>151</sup>, S. Morgenstern (D<sup>50</sup>, D. Mori (D<sup>143</sup>),
M. Morii \mathbb{D}^{61}, M. Morinaga \mathbb{D}^{169}, V. Morisbak \mathbb{D}^{126}, A.K. Morley \mathbb{D}^{36}, G. Mornacchi \mathbb{D}^{36},
A.P. Morris 696, L. Morvaj 636, P. Moschovakos 636, B. Moser 6116, M. Mosidze 6150b,
T. Moskalets (D<sup>136</sup>, P. Moskvitina (D<sup>115</sup>, J. Moss (D<sup>31,0</sup>, E.J.W. Moyse (D<sup>104</sup>, S. Muanza (D<sup>103</sup>,
J. Mueller 130, R.S.P. Mueller, D. Muenstermann 91, G.A. Mullier 98, J.J. Mullin 129,
D.P. Mungo (10, 71a, 71b), J.L. Munoz Martinez (114, F.J. Munoz Sanchez (10, P. Murin (10, 28b)),
W.J. Murray (168,135), A. Murrone (171a,716), J.M. Muse (1911), M. Muškinja (1918a), C. Mwewa (1933a),
A.G. Myagkov (10) 37,a, A.A. Myers (130), G. Myers (10) 68, J. Myers (10) 124, M. Myska (10) 133, B.P. Nachman (10) 18a,
O. Nackenhorst \mathbb{D}^{49}, A. Nag \mathbb{D}^{50}, K. Nagai \mathbb{D}^{127}, K. Nagano \mathbb{D}^{83}, Y. Nagasaka \mathbb{D}^{64}, J.L. Nagle \mathbb{D}^{29},
E. Nagy 103, A.M. Nairz 136, Y. Nakahama 113, K. Nakamura 183, H. Nanjo 125, F. Napolitano 163a,
R.F. Naranjo Garcia 648, R. Narayan 644, I. Naryshkin 637, M. Naseri 634, T. Naumann 648,
G. Navarro (D<sup>22a</sup>, J. Navarro-Gonzalez (D<sup>164</sup>, P.Y. Nechaeva (D<sup>37</sup>, F. Nechansky (D<sup>48</sup>, T.J. Neep (D<sup>21</sup>),
A. Negri (10<sup>73a,73b</sup>, M. Negrini (10<sup>23b</sup>, C. Nellist (10<sup>115</sup>, C. Nelson (10<sup>105</sup>, M.E. Nelson (10<sup>47a,47b</sup>),
S. Nemecek <sup>132</sup>, M. Nessi <sup>36,g</sup>, M.S. Neubauer <sup>163</sup>, F. Neuhaus <sup>101</sup>, M. Neumann <sup>172</sup>,
R. Newhouse 165, P.R. Newman 21, C.W. Ng 130, Y.S. Ng 19, Y.W.Y. Ng 161, B. Ngair 1535e,
H.D.N. Nguyen \mathbb{D}^{103}, T. Nguyen Manh \mathbb{D}^{109}, E. Nibigira \mathbb{D}^{40}, R.B. Nickerson \mathbb{D}^{127}, R. Nicolaidou \mathbb{D}^{136},
D.S. Nielsen (D<sup>42</sup>, J. Nielsen (D<sup>137</sup>, M. Niemeyer (D<sup>55</sup>, N. Nikiforou (D<sup>11</sup>, V. Nikolaenko (D<sup>37</sup>, a),
I. Nikolic-Audit <sup>128</sup>, K. Nikolopoulos <sup>21</sup>, P. Nilsson <sup>29</sup>, H.R. Nindhito <sup>56</sup>, A. Nisati <sup>75a</sup>.
N. Nishu (1062c), R. Nisius (1111), I. Nitsche<sup>49</sup>, T. Nitta (1016), T. Nobe (1015), D.L. Noel (1032), Y. Noguchi (1087),
I. Nomidis 128, M.A. Nomura, M. Nordberg, J. Novak 93, T. Novak 93, O. Novgorodova 50,
R. Novotny (D<sup>114</sup>, L. Nozka (D<sup>123</sup>, K. Ntekas (D<sup>161</sup>, E. Nurse), F.G. Oakham (D<sup>34,ai</sup>, J. Ocariz (D<sup>128</sup>),
A. Ochi (1084), I. Ochoa (10131a), J.P. Ochoa-Ricoux (10138a), K. O'Connor (1026), S. Oda (1089), S. Odaka (1083),
S. Oerdek <sup>655</sup>, A. Ogrodnik <sup>85a</sup>, A. Oh <sup>6102</sup>, C.C. Ohm <sup>6145</sup>, H. Oide <sup>6156</sup>, R. Oishi <sup>6154</sup>,
M.L. Ojeda 157, Y. Okazaki 87, M.W. O'Keefe92, Y. Okumura 154, A. Olariu<sup>27b</sup>,
L.F. Oleiro Seabra (D131a), S.A. Olivares Pino (D138a), D. Oliveira Damazio (D29), J.L. Oliver (D1),
M.J.R. Olsson 161, A. Olszewski 86, J. Olszowska 86, Ö.O. Öncel 24, D.C. O'Neil 143,
A.P. O'Neill 127, A. Onofre 131a,131e, P.U.E. Onyisi 11, H. Oppen 126, R.G. Oreamuno Madriz 117,
M.J. Oreglia <sup>39</sup>, G.E. Orellana <sup>90</sup>, D. Orestano <sup>77a,77b</sup>, N. Orlando <sup>14</sup>, R.S. Orr <sup>157</sup>,
V. O'Shea <sup>1059</sup>, R. Ospanov <sup>1062a</sup>, G. Otero y Garzon <sup>1030</sup>, H. Otono <sup>1089</sup>, P.S. Ott <sup>1063a</sup>, G.J. Ottino <sup>1018a</sup>,
M. Ouchrif <sup>6</sup> <sup>35d</sup>, J. Ouellette <sup>6</sup> <sup>29</sup>, F. Ould-Saada <sup>6</sup> <sup>126</sup>, A. Ouraou <sup>6</sup> <sup>136</sup>, Q. Ouyang <sup>6</sup> <sup>15a</sup>, M. Owen <sup>6</sup> <sup>9</sup>,
R.E. Owen 135, V.E. Ozcan 12c, N. Ozturk 8, J. Pacalt 123, H.A. Pacey 32, A. Pacheco Pages 14,
C. Padilla Aranda 14, S. Pagan Griso 18a, G. Palacino 68, S. Palazzo 52, S. Palestini 56,
M. Palka <sup>10</sup>85b, P. Palni <sup>10</sup>85a, C.E. Pandini <sup>10</sup>56, J.G. Panduro Vazquez <sup>10</sup>95, P. Pani <sup>10</sup>48,
G. Panizzo (69a,69c), L. Paolozzi (556), C. Papadatos (5109), K. Papageorgiou<sup>9,i</sup>, S. Parajuli (544),
A. Paramonov <sup>6</sup>, C. Paraskevopoulos <sup>10</sup>, D. Paredes Hernandez <sup>65b</sup>, S.R. Paredes Saenz <sup>127</sup>,
B. Parida (D<sup>170</sup>, T.H. Park (D<sup>157</sup>, A.J. Parker (D<sup>31</sup>, M.A. Parker (D<sup>32</sup>, F. Parodi (D<sup>57b,57a</sup>, E.W. Parrish (D<sup>117</sup>,
J.A. Parsons <sup>1</sup>0<sup>41</sup>, U. Parzefall <sup>54</sup>, L. Pascual Dominguez <sup>128</sup>, V.R. Pascuzzi <sup>18a</sup>, J.M.P. Pasner <sup>137</sup>,
F. Pasquali <sup>116</sup>, E. Pasqualucci <sup>75a</sup>, S. Passaggio <sup>57b</sup>, F. Pastore <sup>95</sup>, P. Pasuwan <sup>47a,47b</sup>,
S. Pataraia (1010), J.R. Pater (1010), A. Pathak (1017), J. Patton (1010), T. Pauly (1036), J. Pearkes (1014), M. Pedersen (1012), L. Pedraza Diaz (1011), R. Pedro (1013), T. Peiffer (1055), S.V. Peleganchuk (1037),
O. Penc (132), C. Peng (165b), H. Peng (162a), B.S. Peralva (182a), M.M. Perego (167),
A.P. Pereira Peixoto 131a, L. Pereira Sanchez 47a,47b, D.V. Perepelitsa 29, E. Perez Codina 158a,
L. Perini ©<sup>71a,71b,*</sup>, H. Pernegger ©<sup>36</sup>, A. Perrevoort ©<sup>116</sup>, K. Peters ©<sup>48</sup>, R.F.Y. Peters ©<sup>102</sup>,
B.A. Petersen 636, T.C. Petersen 642, E. Petit 6103, V. Petousis 6133, C. Petridou 6153,
F. Petrucci (^{77a,77b}, M. Pettee (^{173}, N.E. Pettersson (^{104}, K. Petukhova (^{134}, A. Peyaud (^{136}),
R. Pezoa 138d, L. Pezzotti 73a,73b, G. Pezzullo 173, T. Pham 106, P.W. Phillips 135,
M.W. Phipps 163, G. Piacquadio 146, E. Pianori 18a, A. Picazio 104, R.H. Pickles, R. Piegaia 30,
```

```
D. Pietreanu (D<sup>27b</sup>, J.E. Pilcher (D<sup>39</sup>, A.D. Pilkington (D<sup>102</sup>, M. Pinamonti (D<sup>69a,69c</sup>, J.L. Pinfold (D<sup>3</sup>),
C. Pitman Donaldson<sup>96</sup>, M. Pitt 152, L. Pizzimento 156a,76b, A. Pizzini 1616, M.-A. Pleier 1529,
V. Plesanovs<sup>54</sup>, V. Pleskot 134, E. Plotnikova<sup>38</sup>, P. Podberezko 37, R. Poettgen 98, R. Poggi 56,
L. Poggioli • 128, I. Pogrebnyak • 108, D. Pohl • 24, I. Pokharel • 55, G. Polesello • 73a, A. Poley • 143,158a,
A. Policicchio (D<sup>75a,75b</sup>, R. Polifka (D<sup>134</sup>, A. Polini (D<sup>23b</sup>, C.S. Pollard (D<sup>48</sup>, V. Polychronakos (D<sup>29</sup>),
D. Ponomarenko (1)37, L. Pontecorvo (1)36, S. Popa (1)27a, G.A. Popeneciu (1)27d, L. Portales (1)5,
D.M. Portillo Quintero 60, S. Pospisil 133, P. Postolache 27c, K. Potamianos 127, I.N. Potrap 38,
C.J. Potter (D<sup>32</sup>, H. Potti (D<sup>11</sup>, T. Poulsen (D<sup>98</sup>, J. Poveda (D<sup>164</sup>, T.D. Powell (D<sup>140</sup>, G. Pownall (D<sup>48</sup>),
M.E. Pozo Astigarraga 636, A. Prades Ibanez 6164, P. Pralavorio 6103, M.M. Prapa 646, S. Prell 681,
D. Price 102, M. Primavera 170a, M.L. Proffitt 139, N. Proklova 137, K. Prokofiev 165c,
S. Protopopescu <sup>©29</sup>, J. Proudfoot <sup>©6</sup>, M. Przybycien <sup>©85a</sup>, D. Pudzha <sup>©37</sup>, A. Puri <sup>©163</sup>, P. Puzo<sup>67</sup>,
D. Pyatiizbyantseva (D<sup>37</sup>, J. Qian (D<sup>107</sup>, Y. Qin (D<sup>102</sup>, A. Quadt (D<sup>55</sup>, M. Queitsch-Maitland (D<sup>36</sup>,
G. Rabanal Bolanos 61, M. Racko<sup>28a</sup>, F. Ragusa 71a,71b, G. Rahal 99, J.A. Raine 56,
S. Rajagopalan <sup>©29</sup>, A. Ramirez Morales <sup>94</sup>, K. Ran <sup>©15a,15d</sup>, D.F. Rassloff <sup>©63a</sup>, D.M. Rauch <sup>©48</sup>,
F. Rauscher<sup>110</sup>, S. Rave 10101, B. Ravina 1059, I. Ravinovich 10170, M. Raymond 1036, A.L. Read 10126,
N.P. Readioff (140), M. Reale (170a,70b), D.M. Rebuzzi (173a,73b), G. Redlinger (129), K. Reeves (145),
D. Reikher (D152), A. Reiss 101, A. Rej (D142), C. Rembser (D36), A. Renardi (D48), M. Renda (D27b),
M.B. Rendel<sup>111</sup>, A.G. Rennie <sup>59</sup>, S. Resconi <sup>71a</sup>, E.D. Resseguie <sup>18a</sup>, S. Rettie <sup>96</sup>, B. Reynolds<sup>120</sup>,
E. Reynolds \mathbb{D}^{21}, O.L. Rezanova \mathbb{D}^{37}, P. Reznicek \mathbb{D}^{134}, E. Ricci \mathbb{D}^{78a,78b}, R. Richter \mathbb{D}^{111}, S. Richter \mathbb{D}^{48},
E. Richter-Was 685b, M. Ridel 6128, P. Rieck 6111, O. Rifki 648, M. Rijssenbeek 6146,
A. Rimoldi (D<sup>73a,73b</sup>, M. Rimoldi (D<sup>48</sup>, L. Rinaldi (D<sup>23b,23a</sup>, T.T. Rinn (D<sup>163</sup>, G. Ripellino (D<sup>145</sup>, I. Riu (D<sup>14</sup>,
P. Rivadeneira <sup>648</sup>, J.C. Rivera Vergara <sup>6166</sup>, F. Rizatdinova <sup>6122</sup>, E. Rizvi <sup>694</sup>, C. Rizzi <sup>636</sup>,
S.H. Robertson 105,z, M. Robin 48, D. Robinson 32, C.M. Robles Gajardo 38d,
M. Robles Manzano (D<sup>101</sup>, A. Robson (D<sup>59</sup>, A. Rocchi (D<sup>76a,76b</sup>, C. Roda (D<sup>74a,74b</sup>, S. Rodriguez Bosca (D<sup>164</sup>,
A. Rodriguez Rodriguez \bigcirc^{54}, A.M. Rodríguez Vera \bigcirc^{158b}, S. Roe<sup>36</sup>, J. Roggel \bigcirc^{172}, O. Røhne \bigcirc^{126},
R.A. Rojas © 138d, B. Roland © 54, C.P.A. Roland © 68, J. Roloff © 29, A. Romaniouk © 37, M. Romano © 23b,
N. Rompotis (1092), M. Ronzani (10118), L. Roos (10128), S. Rosati (1075a), G. Rosin (104), B.J. Rosser (10129),
E. Rossi (D<sup>48</sup>, E. Rossi (D<sup>77a,77b</sup>, E. Rossi (D<sup>72a,72b</sup>, L.P. Rossi (D<sup>57b</sup>, L. Rossini (D<sup>48</sup>, R. Rosten (D<sup>14</sup>,
M. Rotaru (D<sup>27b</sup>, B. Rottler (D<sup>54</sup>, D. Rousseau (D<sup>67</sup>, G. Rovelli (D<sup>73a,73b</sup>, A. Roy (D<sup>11</sup>, A. Rozanov (D<sup>103</sup>,
Y. Rozen 151, X. Ruan 133e, T.A. Ruggeri 17, F. Rühr 154, A. Ruiz-Martinez 164, A. Rummler 156,
Z. Rurikova <sup>©54</sup>, N.A. Rusakovich <sup>©38</sup>, H.L. Russell <sup>©105</sup>, L. Rustige <sup>©40,49</sup>, J.P. Rutherfoord <sup>©7</sup>,
E.M. Rüttinger (10) 140, M. Rybar (10) 134, G. Rybkin (10) 67, E.B. Rye (10) 126, A. Ryzhov (10) 37,
J.A. Sabater Iglesias ^{\bigcirc 48}, P. Sabatini ^{\bigcirc 164}, L. Sabetta ^{\bigcirc 75a,75b}, S. Sacerdoti ^{\bigcirc 67}, H.F-W. Sadrozinski ^{\bigcirc 137},
F. Safai Tehrani <sup>1075a</sup>, B. Safarzadeh Samani <sup>10147</sup>, M. Safdari <sup>10144</sup>, P. Saha <sup>10117</sup>, S. Saha <sup>10105</sup>,
M. Sahinsoy 111, A. Sahu 172, M. Saimpert 36, M. Saito 154, T. Saito 154, D. Salamani 56,
G. Salamanna (D<sup>77a,77b</sup>), A. Salnikov (D<sup>144</sup>, J. Salt (D<sup>164</sup>, A. Salvador Salas (D<sup>14</sup>, D. Salvatore (D<sup>43b,43a</sup>),
F. Salvatore 147, A. Salzburger 36, D. Sammel 54, D. Sampsonidis 153, D. Sampsonidou 62d,62c,
J. Sánchez 164, A. Sanchez Pineda 69a,36,69c, H. Sandaker 126, C.O. Sander 48,
I.G. Sanderswood <sup>191</sup>, M. Sandhoff <sup>172</sup>, C. Sandoval <sup>22b</sup>, D.P.C. Sankey <sup>135</sup>, M. Sannino <sup>57b,57a</sup>,
Y. Sano (113), A. Sansoni (153), C. Santoni (140), H. Santos (131a,131b), S.N. Santpur (18a), A. Santra (170),
K.A. Saoucha (D<sup>140</sup>, J.G. Saraiva (D<sup>131a,131d</sup>, J. Sardain (D<sup>128</sup>, O. Sasaki (D<sup>83</sup>, K. Sato (D<sup>159</sup>),
F. Sauerburger <sup>154</sup>, E. Sauvan <sup>155</sup>, P. Savard <sup>157</sup>, ai, R. Sawada <sup>154</sup>, C. Sawyer <sup>135</sup>, L. Sawyer <sup>197</sup>,
I. Sayago Galvan<sup>164</sup>, C. Sbarra <sup>©23b</sup>, A. Sbrizzi <sup>©69a,69c</sup>, T. Scanlon <sup>©96</sup>, J. Schaarschmidt <sup>©139</sup>,
P. Schacht 111, D. Schaefer 39, L. Schaefer 129, U. Schäfer 101, A.C. Schaffer 67, D. Schaile 110,
R.D. Schamberger 146, E. Schanet 110, C. Scharf 19, N. Scharmberg 102, V.A. Schegelsky 37,
D. Scheirich ^{0134}, F. Schenck ^{019}, M. Schernau ^{0161}, C. Schiavi ^{057b,57a}, L.K. Schildgen ^{024},
Z.M. Schillaci 626, E.J. Schioppa 670a,70b, M. Schioppa 643b,43a, K.E. Schleicher 54, S. Schlenker 636,
```

```
K.R. Schmidt-Sommerfeld 111, K. Schmieden 101, C. Schmitt 10101, S. Schmitt 1048, L. Schoeffel 1136,
A. Schoening 63b, P.G. Scholer 54, E. Schopf 127, M. Schott 101, J.F.P. Schouwenberg 115,
J. Schovancova © 36, S. Schramm © 56, F. Schroeder © 172, A. Schulte © 101, H-C. Schultz-Coulon © 63a,
M. Schumacher <sup>54</sup>, B.A. Schumm <sup>137</sup>, Ph. Schune <sup>136</sup>, A. Schwartzman <sup>144</sup>, T.A. Schwarz <sup>107</sup>,
Ph. Schwemling 6136, R. Schwienhorst 6108, A. Sciandra 6137, G. Sciolla 626, F. Scuri 674a, F. Scutti 106,
L.M. Scyboz 111, C.D. Sebastiani 92, K. Sedlaczek 49, P. Seema 19, S.C. Seidel 114,
A. Seiden 137, B.D. Seidlitz 29, T. Seiss 39, C. Seitz 48, J.M. Seixas 82b, G. Sekhniaidze 72a,
S.J. Sekula <sup>644</sup>, N. Semprini-Cesari <sup>623b,23a</sup>, S. Sen <sup>651</sup>, C. Serfon <sup>629</sup>, L. Serin <sup>667</sup>, L. Serkin <sup>69a,69b</sup>,
M. Sessa (D62a), H. Severini (D121), S. Sevova (D144), F. Sforza (D57b,57a), A. Sfyrla (D56), E. Shabalina (D55),
J.D. Shahinian 129, N.W. Shaikh 147a,47b, D. Shaked Renous 170, L.Y. Shan 15a, M. Shapiro 18a,
A. Sharma \bigcirc^{36}, A.S. Sharma \bigcirc^{1}, P.B. Shatalov \bigcirc^{37}, K. Shaw \bigcirc^{147}, S.M. Shaw \bigcirc^{102}, M. Shehade ^{170},
Y. Shen<sup>121</sup>, A.D. Sherman<sup>25</sup>, P. Sherwood <sup>696</sup>, L. Shi <sup>696</sup>, C.O. Shimmin <sup>6173</sup>, Y. Shimogama <sup>6169</sup>,
M. Shimojima <sup>112</sup>, J.D. Shinner <sup>95</sup>, I.P.J. Shipsey <sup>127</sup>, S. Shirabe <sup>156</sup>, M. Shiyakova <sup>38,x</sup>,
J. Shlomi <sup>170</sup>, A. Shmeleva<sup>37</sup>, M.J. Shochet <sup>39</sup>, J. Shojaii <sup>106</sup>, D.R. Shope <sup>145</sup>, S. Shrestha <sup>120</sup>,
E.M. Shrif (33e), M.J. Shroff (166), E. Shulga (170), P. Sicho (132), A.M. Sickles (163),
E. Sideras Haddad (D<sup>33e</sup>, O. Sidiropoulou (D<sup>36</sup>, A. Sidoti (D<sup>23b</sup>, F. Siegert (D<sup>50</sup>, Dj. Sijacki (D<sup>16</sup>,
M.Jr. Silva 171, M.V. Silva Oliveira 36, S.B. Silverstein 47a, S. Simion 7, R. Simoniello 111,
C.J. Simpson-allsop<sup>21</sup>, S. Simsek <sup>12b</sup>, P. Sinervo <sup>157</sup>, V. Sinetckii <sup>37</sup>, S. Singh <sup>143</sup>, S. Sinha <sup>33e</sup>,
M. Sioli (D<sup>23b,23a</sup>, I. Siral (D<sup>124</sup>, S.Yu. Sivoklokov (D<sup>37,*</sup>, J. Sjölin (D<sup>47a,47b</sup>, A. Skaf (D<sup>55</sup>, E. Skorda (D<sup>98</sup>,
P. Skubic (D121, M. Slawinska (D86, K. Sliwa (D160, V. Smakhtin 170, B.H. Smart (D135, J. Smiesko (D28b,
N. Smirnov \mathbb{D}^{37}, S. Yu. Smirnov \mathbb{D}^{37}, Y. Smirnov \mathbb{D}^{37}, L.N. Smirnova \mathbb{D}^{37,a}, O. Smirnova \mathbb{D}^{98},
E.A. Smith 639, H.A. Smith 6127, M. Smizanska 691, K. Smolek 6133, A. Smykiewicz 686,
A.A. Snesarev (1037), H.L. Snoek (1016), I.M. Snyder (10124), S. Snyder (1029), R. Sobie (1016), A. Soffer (10152),
A. Søgaard <sup>652</sup>, F. Sohns <sup>655</sup>, C.A. Solans Sanchez <sup>636</sup>, E.Yu. Soldatov <sup>637</sup>, U. Soldevila <sup>6164</sup>,
A.A. Solodkov <sup>©37</sup>, A. Soloshenko <sup>©38</sup>, O.V. Solovyanov <sup>©37</sup>, V. Solovyev <sup>©37</sup>, P. Sommer <sup>©140</sup>,
H. Son 160, A. Sonay 14, W.Y. Song 158b, A. Sopczak 133, A.L. Sopio 196, F. Sopkova 28b,
S. Sottocornola <sup>10</sup>73a,73b, R. Soualah <sup>10</sup>69a,69c, D. South <sup>10</sup>48, S. Spagnolo <sup>10</sup>70a,70b, M. Spalla <sup>10</sup>111,
M. Spangenberg \bigcirc^{168}, F. Spanò \bigcirc^{95}, D. Sperlich \bigcirc^{54}, T.M. Spieker \bigcirc^{63a}, G. Spigo \bigcirc^{36}, M. Spina \bigcirc^{147}, D.P. Spiteri \bigcirc^{59}, M. Spousta \bigcirc^{134}, A. Stabile \bigcirc^{71a,71b}, R. Stamen \bigcirc^{63a}, M. Stamenkovic \bigcirc^{116},
A. Stampekis 621, E. Stanecka 686, B. Stanislaus 6127, M.M. Stanitzki 648, M. Stankaityte 6127,
B. Stapf 116, E.A. Starchenko 137, G.H. Stark 137, J. Stark 160, P. Staroba 132, P. Starovoitov 163a,
S. Stärz 10105, R. Staszewski 1086, G. Stavropoulos 1046, M. Stegler 48, P. Steinberg 1029,
A.L. Steinhebel 124, B. Stelzer 143,158a, H.J. Stelzer 130, O. Stelzer-Chilton 158a, H. Stenzel 58,
T.J. Stevenson 147, G.A. Stewart 36, M.C. Stockton 36, G. Stoicea 27b, M. Stolarski 131a,
S. Stonjek 111, A. Straessner 50, J. Strandberg 145, S. Strandberg 47a,47b, M. Strauss 121,
T. Strebler © 103, P. Strizenec © 28b, R. Ströhmer © 167, D.M. Strom © 124, R. Stroynowski © 44,
A. Strubig (D47a,47b), S.A. Stucci (D29), B. Stugu (D17), J. Stupak (D121), N.A. Styles (D48), D. Su (D144),
W. Su 62d,139,62c, X. Su 62a, N.B. Suarez 30, V.V. Sulin 37, M.J. Sullivan 92, D.M.S. Sultan 56,
S. Sultansoy <sup>64c</sup>, T. Sumida <sup>687</sup>, S. Sun <sup>6107</sup>, X. Sun <sup>6102</sup>, C.J.E. Suster <sup>6148</sup>, M.R. Sutton <sup>6147</sup>,
S. Suzuki <sup>©83</sup>, M. Svatos <sup>©132</sup>, M. Swiatlowski <sup>©158a</sup>, S.P. Swift<sup>2</sup>, T. Swirski <sup>©167</sup>, A. Sydorenko <sup>101</sup>,
I. Sykora <sup>©</sup><sup>28a</sup>, M. Sykora <sup>©</sup><sup>134</sup>, T. Sykora <sup>©</sup><sup>134</sup>, D. Ta <sup>©</sup><sup>101</sup>, K. Tackmann <sup>©</sup><sup>48,w</sup>, J. Taenzer <sup>152</sup>,
A. Taffard 161, R. Tafirout 158a, E. Tagiev 157, R.H.M. Taibah 1512, R. Takashima 158, K. Takeda 1584,
T. Takeshita 10141, E.P. Takeva 1052, Y. Takubo 1083, M. Talby 10103, A.A. Talyshev 1037, K.C. Tam 1065b,
N.M. Tamir<sup>152</sup>, J. Tanaka 154, R. Tanaka 167, S. Tapia Araya 163, S. Tapprogge 101,
A. Tarek Abouelfadl Mohamed <sup>108</sup>, S. Tarem <sup>151</sup>, K. Tariq <sup>162b</sup>, G. Tarna <sup>1027b,f</sup>, G.F. Tartarelli <sup>1071a</sup>,
P. Tas 134, M. Tasevsky 132, E. Tassi 143b,43a, G. Tateno 154, A. Tavares Delgado 131a, Y. Tayalati 155e,
A.J. Taylor \bigcirc^{52}, G.N. Taylor \bigcirc^{106}, W. Taylor \bigcirc^{158b}, H. Teagle<sup>92</sup>, A.S. Tee \bigcirc^{91}, R. Teixeira De Lima \bigcirc^{144},
```

```
P. Teixeira-Dias <sup>6</sup> <sup>95</sup>, H. Ten Kate <sup>36</sup>, J.J. Teoh <sup>6</sup> <sup>116</sup>, K. Terashi <sup>6</sup> <sup>154</sup>, J. Terron <sup>6</sup> <sup>100</sup>, S. Terzo <sup>6</sup> <sup>14</sup>,
M. Testa 653, R.J. Teuscher 6157,z, N. Themistokleous 652, T. Theveneaux-Pelzer 619, D.W. Thomas 95,
J.P. Thomas 0^{21}, E.A. Thompson 0^{48}, P.D. Thompson 0^{21}, E. Thomson 0^{129}, E.J. Thorpe 0^{94},
V. Tikhomirov (D<sup>37</sup>, a, Yu.A. Tikhonov (D<sup>37</sup>, S. Timoshenko<sup>37</sup>, P. Tipton (D<sup>173</sup>, S. Tisserant (D<sup>103</sup>)
K. Todome (D<sup>23b,23a</sup>, S. Todorova-Nova (D<sup>134</sup>, S. Todt<sup>50</sup>, J. Tojo (D<sup>89</sup>, S. Tokár (D<sup>28a</sup>, K. Tokushuku (D<sup>83</sup>,
E. Tolley 120, R. Tombs 32, K.G. Tomiwa 33e, M. Tomoto 83,113, L. Tompkins 144,q,
P. Tornambe 104, E. Torrence 124, H. Torres 50, E. Torró Pastor 164, M. Toscani 30, C. Tosciri 127,
J. Toth 103, Physical December 2013, A. Traeet 7, C.J. Treado 118, T. Trefzger 167, F. Tresoldi 147,
A. Tricoli 629, I.M. Trigger 6158a, S. Trincaz-Duvoid 6128, D.A. Trischuk 6165, B. Trocmé 660,
A. Trofymov \bigcirc^{67}, C. Troncon \bigcirc^{71a}, F. Trovato \bigcirc^{147}, L. Truong \bigcirc^{33c}, M. Trzebinski \bigcirc^{86}, A. Trzupek \bigcirc^{86},
F. Tsai \mathbb{D}^{48}, P.V. Tsiareshka<sup>37,a</sup>, A. Tsirigotis \mathbb{D}^{153,u}, V. Tsiskaridze \mathbb{D}^{146}, E.G. Tskhadadze \mathbb{D}^{150a},
M. Tsopoulou ^{153}, I.I. Tsukerman ^{037}, V. Tsulaia ^{18a}, S. Tsuno ^{083}, D. Tsybychev ^{146}, Y. Tu ^{065b},
A. Tudorache (D<sup>27b</sup>, V. Tudorache (D<sup>27b</sup>, A.N. Tuna (D<sup>36</sup>, S. Turchikhin (D<sup>38</sup>, D. Turgeman (D<sup>170</sup>),
I. Turk Cakir <sup>64b,t</sup>, R.J. Turner<sup>21</sup>, R. Turra <sup>671a</sup>, P.M. Tuts <sup>641</sup>, S. Tzamarias <sup>6153</sup>, E. Tzovara <sup>6101</sup>,
K. Uchida<sup>154</sup>, F. Ukegawa 159, G. Unal 1636, M. Unal 1511, A. Undrus 1629, G. Unel 1611,
F.C. Ungaro (106), Y. Unno (1083), K. Uno (10154), J. Urban (1028b), P. Urquijo (1016), G. Usai (108), Z. Uysal (1012d),
V. Vacek 133, B. Vachon 105, K.O.H. Vadla 126, T. Vafeiadis 136, A. Vaidya 196, C. Valderanis 110,
E. Valdes Santurio (D47a,47b), M. Valente (D158a), S. Valentinetti (D23b,23a), A. Valero (D164), L. Valéry (D48),
R.A. Vallance <sup>121</sup>, A. Vallier <sup>36</sup>, J.A. Valls Ferrer <sup>164</sup>, T.R. Van Daalen <sup>14</sup>, P. Van Gemmeren <sup>6</sup>,
S. Van Stroud 696, I. Van Vulpen 6116, M. Vanadia 676a,76b, W. Vandelli 636, M. Vandenbroucke 6136,
E.R. Vandewall (122), D. Vannicola (175a,75b), R. Vari (175a), E.W. Varnes (175a), C. Varni (175a),
T. Varol 149, D. Varouchas 67, K.E. Varvell 148, M.E. Vasile 27b, G.A. Vasquez 166,
F. Vazeille <sup>640</sup>, D. Vazquez Furelos <sup>614</sup>, T. Vazquez Schroeder <sup>636</sup>, J. Veatch <sup>655</sup>, V. Vecchio <sup>6102</sup>,
M.J. Veen (10)116, L.M. Veloce (10)157, F. Veloso (10)131a,131c, S. Veneziano (10)75a, A. Ventura (10)70a,70b,
A. Verbytskyi 111, V. Vercesi 73a, M. Verducci 74a,74b, C.M. Vergel Infante, C. Vergis 24,
W. Verkerke <sup>116</sup>, A.T. Vermeulen <sup>116</sup>, J.C. Vermeulen <sup>116</sup>, C. Vernieri <sup>144</sup>, P.J. Verschuuren <sup>95</sup>,
M.C. Vetterli 143,ai, N. Viaux Maira 138d, T. Vickey 140, O.E. Vickey Boeriu 140,
G.H.A. Viehhauser 127, L. Vigani 63b, M. Villa 23b,23a, M. Villaplana Perez 164, E.M. Villhauer 27,
E. Vilucchi (D<sup>53</sup>, M.G. Vincter (D<sup>34</sup>, G.S. Virdee (D<sup>21</sup>, A. Vishwakarma (D<sup>52</sup>, C. Vittori (D<sup>23b,23a</sup>,
I. Vivarelli 147, M. Vogel 172, P. Vokac 133, J. Von Ahnen 48, S.E. von Buddenbrock 33e,
E. Von Toerne (D<sup>24</sup>, V. Vorobel (D<sup>134</sup>, K. Vorobev (D<sup>37</sup>, M. Vos (D<sup>164</sup>, J.H. Vossebeld (D<sup>92</sup>, M. Vozak (D<sup>102</sup>,
N. Vranjes <sup>16</sup>, M. Vranjes Milosavljevic <sup>16</sup>, V. Vrba<sup>133,*</sup>, M. Vreeswijk <sup>116</sup>, R. Vuillermet <sup>36</sup>,
I. Vukotic <sup>139</sup>, S. Wada <sup>159</sup>, C. Wagner <sup>104</sup>, P. Wagner <sup>124</sup>, W. Wagner <sup>172</sup>, J. Wagner-Kuhr <sup>110</sup>, S. Wahdan <sup>172</sup>, H. Wahlberg <sup>190</sup>, R. Wakasa <sup>159</sup>, V.M. Walbrecht <sup>111</sup>, J. Walder <sup>135</sup>,
R. Walker 110, S.D. Walker, W. Walkowiak 142, V. Wallangen 47a,47b, A.M. Wang 161,
A.Z. Wang 171, C. Wang 62a, C. Wang 62c, H. Wang 18a, H. Wang 3, J. Wang 65a, P. Wang 64,
R.-J. Wang 10101, R. Wang 1062a, R. Wang 10117, S.M. Wang 10149, S. Wang 1062b, T. Wang 1062a,
W.T. Wang 62a, W.X. Wang 62a, Y. Wang 62a, Z. Wang 6107, A. Warburton 6105, C.P. Ward 632,
R.J. Ward (D<sup>21</sup>, N. Warrack (D<sup>59</sup>, A.T. Watson (D<sup>21</sup>, M.F. Watson (D<sup>21</sup>, G. Watts (D<sup>139</sup>, B.M. Waugh (D<sup>96</sup>),
A.F. Webb 11, C. Weber 29, M.S. Weber 20, S.A. Weber 34, S.M. Weber 63a, Y. Wei 617,
A.R. Weidberg <sup>127</sup>, J. Weingarten <sup>49</sup>, M. Weirich <sup>101</sup>, C. Weiser <sup>54</sup>, P.S. Wells <sup>36</sup>, T. Wenaus <sup>29</sup>,
B. Wendland \mathbb{D}^{49}, T. Wengler \mathbb{D}^{36}, S. Wenig \mathbb{D}^{36}, N. Wermes \mathbb{D}^{24}, M. Wessels \mathbb{D}^{63a}, T.D. Weston<sup>20</sup>,
K. Whalen 124, A.M. Wharton 191, A.S. White 1017, A. White 18, M.J. White 11, D. Whiteson 161,
B.W. Whitmore <sup>1091</sup>, W. Wiedenmann <sup>171</sup>, C. Wiel <sup>150</sup>, M. Wielers <sup>135</sup>, N. Wieseotte <sup>101</sup>,
C. Wiglesworth <sup>642</sup>, L.A.M. Wiik-Fuchs <sup>654</sup>, H.G. Wilkens <sup>636</sup>, L.J. Wilkins <sup>695</sup>, D.M. Williams <sup>641</sup>,
H.H. Williams <sup>129</sup>, S. Williams <sup>129</sup>, S. Willocq <sup>104</sup>, P.J. Windischhofer <sup>127</sup>, I. Wingerter-Seez <sup>15</sup>,
E. Winkels 6147, F. Winklmeier 6124, B.T. Winter 54, M. Wittgen 44, M. Wobisch 697, A. Wolf 6101,
```

```
R. Wölker 127, J. Wollrath 4, M.W. Wolter 8, H. Wolters 131a,131c, V.W.S. Wong 165,
A.F. Wongel (D48), N.L. Woods (D137), S.D. Worm (D48), B.K. Wosiek (D86), K.W. Woźniak (D86),
K. Wraight 659, S.L. Wu 6171, X. Wu 656, Y. Wu 662a, J. Wuerzinger 6127, T.R. Wyatt 6102,
B.M. Wynne 652, S. Xella 642, J. Xiang 665c, X. Xiao 6107, X. Xie 62a, I. Xiotidis 147, D. Xu 615a,
H. Xu<sup>62a</sup>, H. Xu<sup>62a</sup>, L. Xu<sup>62a</sup>, R. Xu<sup>62a</sup>, T. Xu<sup>62a</sup>, W. Xu<sup>61o</sup>, Y. Xu<sup>61b</sup>, Z. Xu<sup>62b</sup>,
Z. Xu 144, B. Yabsley 148, S. Yacoob 33a, D.P. Yallup 96, N. Yamaguchi 89, Y. Yamaguchi 156,
A. Yamamoto ^{\circ}8^3, M. Yamatani ^{154}, H. Yamauchi ^{\circ}1^{59}, T. Yamazaki ^{\circ}1^{8a}, Y. Yamazaki ^{\circ}8^4, J. Yan ^{62c},
Z. Yan 625, H.J. Yang 662c,62d, H.T. Yang 618a, S. Yang 662a, T. Yang 665c, X. Yang 662a,
X. Yang 15a,60, Y. Yang 154, Z. Yang 62a,107, W-M. Yao 18a, Y.C. Yap 48, H. Ye 15c, J. Ye 44,
S. Ye (D<sup>29</sup>, I. Yeletskikh (D<sup>38</sup>, M.R. Yexley (D<sup>91</sup>, P. Yin (D<sup>41</sup>, K. Yorita (D<sup>169</sup>, K. Yoshihara (D<sup>81</sup>,
C.J.S. Young 636, C. Young 6144, R. Yuan 662b, X. Yue 663a, M. Zaazoua 635e, B. Zabinski 686,
G. Zacharis <sup>10</sup> , E. Zaffaroni <sup>56</sup>, T. Zakareishvili <sup>150b</sup>, N. Zakharchuk <sup>34</sup>, S. Zambito <sup>36</sup>,
D. Zanzi 654, S.V. Zeißner 649, C. Zeitnitz 6172, G. Zemaityte 6127, J.C. Zeng 6163, O. Zenin 637,
T. Ženiš 🕞 <sup>28a</sup>, S. Zenz 🕞 <sup>94</sup>, S. Zerradi 🕞 <sup>35a</sup>, D. Zerwas 🕞 <sup>67</sup>, M. Zgubič 🕞 <sup>127</sup>, B. Zhang 🕞 <sup>15c</sup>,
D.F. Zhang 615b, G. Zhang 615b, J. Zhang 66, K. Zhang 615a, L. Zhang 615c, L. Zhang 62a,
M. Zhang 6163, R. Zhang 6171, S. Zhang 6107, X. Zhang 62c, X. Zhang 62b, Y. Zhang 615a,15d,
Z. Zhang 67, P. Zhao 51, Y. Zhao 517, Z. Zhao 52a, A. Zhemchugov 38, Z. Zheng 5107,
D. Zhong 6163, B. Zhou 6107, C. Zhou 6171, H. Zhou 7, M. Zhou 6146, N. Zhou 662c, Y. Zhou 7,
C.G. Zhu 62b, C. Zhu 15a,15d, H.L. Zhu 62a, H. Zhu 615a, J. Zhu 6107, Y. Zhu 62a, X. Zhuang 615a,
K. Zhukov (D<sup>37</sup>, V. Zhulanov (D<sup>37</sup>, D. Zieminska (D<sup>68</sup>, N.I. Zimine (D<sup>38</sup>, S. Zimmermann (D<sup>54</sup>,*).
Z. Zinonos<sup>111</sup>, M. Ziolkowski <sup>142</sup>, L. Živković <sup>16</sup>, G. Zobernig <sup>171</sup>, A. Zoccoli <sup>23b,23a</sup>, K. Zoch <sup>55</sup>,
T.G. Zorbas 140, R. Zou 39, L. Zwalinski 36.
```

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Physics Department, SUNY Albany, Albany NY; United States of America.

³Department of Physics, University of Alberta, Edmonton AB; Canada.

^{4(a)}Department of Physics, Ankara University, Ankara; ^(b)Istanbul Aydin University, Application and Research Center for Advanced Studies, Istanbul; ^(c)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁵LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

^{12(a)}Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul; ^(b)Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; ^(c)Department of Physics, Bogazici University, Istanbul; ^(d)Department of Physics Engineering, Gaziantep University, Gaziantep; Türkiye.

¹³Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹⁴Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

^{15(a)}Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; ^(b)Physics Department, Tsinghua University, Beijing; ^(c)Department of Physics, Nanjing University, Nanjing; ^(d)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁶Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁷Department for Physics and Technology, University of Bergen, Bergen; Norway.

- ^{18(a)}Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b)University of California, Berkeley CA; United States of America.
- ¹⁹Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.
- ²⁰Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.
- ²¹School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ^{22(a)}Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño,
- Bogotá; (b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- $^{23(a)}$ Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; $^{(b)}$ INFN Sezione di Bologna; Italy.
- ²⁴Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁵Department of Physics, Boston University, Boston MA; United States of America.
- ²⁶Department of Physics, Brandeis University, Waltham MA; United States of America.
- ^{27(a)}Transilvania University of Brasov, Brasov; ^(b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c)Department of Physics, Alexandru Ioan Cuza University of Iasi,
- Iasi; $^{(d)}$ National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; $^{(e)}$ University Politehnica Bucharest, Bucharest; $^{(f)}$ West University in Timisoara, Timisoara; Romania.
- ^{28(a)} Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁹Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³⁰Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³¹California State University, CA; United States of America.
- ³²Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ^{33(a)} Department of Physics, University of Cape Town, Cape Town; ^(b) iThemba Labs, Western Cape; ^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; ^(d) University of South Africa, Department of Physics, Pretoria; ^(e) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁴Department of Physics, Carleton University, Ottawa ON; Canada.
- ^{35(a)} Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies Université Hassan II, Casablanca; (b) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (e) Faculté des sciences, Université Mohammed V, Rabat; Morocco.
- ³⁶CERN, Geneva; Switzerland.
- ³⁷ Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁸ Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴⁰LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴¹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴²Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- $^{43(a)}$ Dipartimento di Fisica, Università della Calabria, Rende; $^{(b)}$ INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁴Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁵Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁶National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.

- ^{47(a)}Department of Physics, Stockholm University; ^(b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁸Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁹Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵⁰Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵¹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵²SUPA School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵³INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁴Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁵II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁶Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ^{57(a)}Dipartimento di Fisica, Università di Genova, Genova; ^(b)INFN Sezione di Genova; Italy.
- ⁵⁸II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁹SUPA School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶⁰LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶¹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ^{62(a)}Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b)Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c)School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d)Tsung-Dao Lee Institute, Shanghai; China. ^{63(a)}Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b)Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁴Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima; Japan.
- ^{65(a)}Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b)Department of Physics, University of Hong Kong, Hong Kong; ^(c)Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China. ⁶⁶Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁷IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁸Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁹(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (b) ICTP, Trieste; (c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ^{70(a)}INFN Sezione di Lecce; ^(b)Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ^{71(a)}INFN Sezione di Milano; ^(b)Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ^{72(a)}INFN Sezione di Napoli; ^(b)Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷³(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ^{74(a)}INFN Sezione di Pisa; ^(b)Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ^{75(a)}INFN Sezione di Roma; ^(b)Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ^{76(a)}INFN Sezione di Roma Tor Vergata; ^(b)Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- $^{77(a)}$ INFN Sezione di Roma Tre; $^{(b)}$ Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁸(a) INFN-TIFPA; (b) Università degli Studi di Trento, Trento; Italy.
- ⁷⁹Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸⁰University of Iowa, Iowa City IA; United States of America.
- ⁸¹Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- 82(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de

- Fora; $^{(b)}$ Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; $^{(c)}$ Universidade Federal de São João del Rei (UFSJ), São João del Rei; $^{(d)}$ Instituto de Física, Universidade de São Paulo, São Paulo; Brazil.
- ⁸³KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.
- ⁸⁴Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸⁵(a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸⁶Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁷Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁸Kyoto University of Education, Kyoto; Japan.
- ⁸⁹Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka; Japan.
- ⁹⁰Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁹¹Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁹²Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹³Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹⁴School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹⁵Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹⁶Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁷Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁸Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁹Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne; France.
- ¹⁰⁰Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ¹⁰¹Institut für Physik, Universität Mainz, Mainz; Germany.
- ¹⁰²School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ¹⁰³CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰⁴Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰⁵Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰⁶School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰⁷Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁸Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁹Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹¹⁰Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹¹¹Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹¹²Nagasaki Institute of Applied Science, Nagasaki; Japan.
- ¹¹³Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹¹⁴Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹⁵Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹⁶Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹⁷Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹⁸Department of Physics, New York University, New York NY; United States of America.

- ¹¹⁹Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹²⁰Ohio State University, Columbus OH; United States of America.
- ¹²¹Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²²Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²³Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²⁴Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁵Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁶Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁷Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁸LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁹Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹³⁰Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³¹(a) Laboratório de Instrumentação e Física Experimental de Partículas LIP, Lisboa; (b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (c) Departamento de Física, Universidade de Coimbra, Coimbra; (d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (e) Departamento de Física, Universidade do Minho, Braga; (f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica; (h) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³²Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³³Czech Technical University in Prague, Prague; Czech Republic.
- ¹³⁴Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁵Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁶IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁷Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁸(a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b) Universidad Andres Bello, Department of Physics, Santiago; ^(c) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(d) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁹Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹⁴⁰Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴¹Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴²Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴³Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴⁴SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴⁵Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁶Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴⁷Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁸School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁹Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁵⁰(a)</sup>E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi; Georgia.
- ¹⁵¹Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵²Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.

- ¹⁵³Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁴International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁵Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo; Japan.
- ¹⁵⁶Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.
- ¹⁵⁷Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁸(a) TRIUMF, Vancouver BC; (b) Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁵⁹Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁶⁰Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁶¹Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶²Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶³Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶⁴Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia CSIC, Valencia; Spain.
- ¹⁶⁵Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁶Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁶⁷Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁶⁸Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁶⁹Waseda University, Tokyo; Japan.
- ¹⁷⁰Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷¹Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷²Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷³Department of Physics, Yale University, New Haven CT; United States of America.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^c Also at Center for High Energy Physics, Peking University; China.
- ^d Also at Centro Studi e Ricerche Enrico Fermi; Italy.
- ^e Also at CERN, Geneva; Switzerland.
- ^f Also at CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ^g Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ^h Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona; Spain.
- ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^j Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.
- ¹ Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.
- ^m Also at Department of Physics, California State University, East Bay; United States of America.
- ⁿ Also at Department of Physics, California State University, Fresno; United States of America.
- ^o Also at Department of Physics, California State University, Sacramento; United States of America.
- ^p Also at Department of Physics, King's College London, London; United Kingdom.
- ^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.

- ^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^s Also at Dipartimento di Matematica, Informatica e Fisica, Università di Udine, Udine; Italy.
- ^t Also at Giresun University, Faculty of Engineering, Giresun; Türkiye.
- ^u Also at Hellenic Open University, Patras; Greece.
- ^v Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^w Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^x Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^y Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary.
- ^z Also at Institute of Particle Physics (IPP); Canada.
- aa Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ab Also at Institute of Theoretical Physics, Ilia State University, Tbilisi; Georgia.
- ac Also at Instituto de Fisica Teorica, IFT-UAM/CSIC, Madrid; Spain.
- ad Also at Istanbul University, Dept. of Physics, Istanbul; Türkiye.
- ae Also at Physics Department, An-Najah National University, Nablus; Palestine.
- af Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ag Also at The City College of New York, New York NY; United States of America.
- ah Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ai Also at TRIUMF, Vancouver BC; Canada.
- aj Also at Università di Napoli Parthenope, Napoli; Italy.
- ak Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- * Deceased