



Search for new phenomena in final states with photons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

A search for new phenomena has been performed in final states with at least one isolated high-momentum photon, jets and missing transverse momentum in proton–proton collisions at a centre-of-mass energy of $\sqrt{s} = 13$ TeV. The data, collected by the ATLAS experiment at the CERN LHC, correspond to an integrated luminosity of 139 fb^{-1} . The experimental results are interpreted in a supersymmetric model in which pair-produced gluinos decay into neutralinos, which in turn decay into a gravitino, at least one photon, and jets. No significant deviations from the predictions of the Standard Model are observed. Upper limits are set on the visible cross section due to physics beyond the Standard Model, and lower limits are set on the masses of the gluinos and neutralinos, all at 95% confidence level. Visible cross sections greater than 0.022 fb are excluded and pair-produced gluinos with masses up to 2200 GeV are excluded for most of the NLSP masses investigated.

1 Introduction

In this paper, proton–proton collisions at the LHC are used to search for new phenomena in experimental signatures with photons, jets and a large amount of missing transverse momentum in the final state. These signatures are motivated by a gauge-mediated supersymmetry breaking (GMSB) model [1–3], and its more generalized form, general gauge mediation (GGM) [4, 5], where supersymmetry (SUSY) breaking takes place in a hidden sector and communicates with the visible sector through Standard Model (SM) gauge boson interactions. The results are interpreted in the context of a set of simplified GGM models that include the production of gluinos (\tilde{g}) – supersymmetric partners of strongly coupled SM particles – and various assumptions for the couplings of the new particles to the SM bosons.

In this scenario, the lightest supersymmetric particle (LSP) is the ultralight gravitino (\tilde{G}), which passes through the detector undetected and induces a non-zero missing transverse momentum ($E_{\text{T}}^{\text{miss}}$) in the events in which it is produced. In certain circumstances it is a viable dark-matter candidate [6–8]. The models considered in this analysis conserve R-parity [9], so supersymmetric particles are produced in pairs and each decay must contain an odd number of supersymmetric decay products. Each decay therefore results in a decay chain leading to the LSP, usually proceeding via the emission of jets through the next-to-lightest supersymmetric particle (NLSP), which is often the lightest neutralino ($\tilde{\chi}_1^0$).

In the simplified GGM models considered, the decoupled mass scales for supersymmetric partners of the SM particles allow the NLSP neutralino to have large higgsino or bino components. This kind of NLSP decays into a gravitino and a photon or a gravitino and either a Z boson or a Higgs boson (h , assumed to have a mass of 125 GeV with SM-like couplings). Thus, GGM models with a neutralino NLSP predict final states with two of these bosons (photon, Z , or h) and two LSPs, and hence large $E_{\text{T}}^{\text{miss}}$. The final state targeted by this search corresponds to a signature including many jets from the decay chain and $E_{\text{T}}^{\text{miss}}$ from the undetected particles, in combination with a high transverse momentum (p_{T}) photon appearing in the decay because of the bino component of the NLSP allowed by GGM.

Examples of production modes in proton–proton collisions for the topologies (from now on called γ/Z and γ/h) targeted in this paper are shown in Figure 1, where all decays modes for the Z and h bosons are considered.

An event selection strategy is designed to maximize the sensitivity for final states with photons, jets and $E_{\text{T}}^{\text{miss}}$, with the aim of avoiding the imposition of any model-tailored selection requirements.

Previous studies of similar signatures with smaller datasets (36.1 fb^{-1}), collected between 2015 and 2016 at $\sqrt{s} = 13 \text{ TeV}$, were presented in Refs. [10, 11]. This analysis extends the reach for gluino masses by several hundred GeV by using new criteria for reconstructed objects, new optimized signal regions and background estimation strategies, and the much larger full Run-2 dataset, with an integrated luminosity of 139 fb^{-1} recorded during 2015–2018. The results complement searches [12–14] performed by the CMS Collaboration in pp collisions at $\sqrt{s} = 13 \text{ TeV}$.




Figure 1: Examples of production diagrams for gluinos and their subsequent decay to a final state with photons, jets and missing transverse momentum (from the gravitinos) for the (a) γ/Z and (b) γ/h models.

2 ATLAS detector

The ATLAS detector [15] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadron calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track, the first hit normally being in the insertable B-layer [16, 17] installed before Run 2. It is followed by the silicon microstrip tracker, which usually provides eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which enables radially extended track reconstruction up to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadron calorimetry is provided by the steel/scintillator-tile calorimeter, segmented into three barrel structures within $|\eta| < 1.7$, and two copper/LAr hadron endcap calorimeters. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimized for electromagnetic and hadronic energy measurements respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. A set of precision chambers covers the region $|\eta| < 2.7$ with three layers of monitored drift tubes, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Interesting events are selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [18]. The first-level trigger accepts events from the 40 MHz bunch crossings at a rate below 100 kHz, which the high-level trigger further reduces in order to record events to disk at about 1 kHz.

An extensive software suite [19] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Samples of simulated processes

Samples of the targeted SUSY signals and SM backgrounds were simulated at $\sqrt{s} = 13$ TeV using dedicated Monte Carlo (MC) generators. For the interpretation of the results, a grid of signal samples was simulated with a set of benchmark parameter values covering the region in which the signal can be observed. In these particular regions of the GGM model space, the lightest neutralino is a mixture of bino and higgsino fields; the neutral wino field has a much larger mass than the bino/higgsino, so the corresponding wino content of the lightest neutralino is negligible. The gluino is the only relevant coloured particle, since all squark (supersymmetric partners of the SM quarks) soft masses are decoupled at a value of 5 TeV. The full model parameters include the U(1), SU(2) and SU(3) gauge partner mass parameters (M_1 , M_2 and M_3 , respectively), the higgsino mass parameter μ , the gravitino mass $m_{\tilde{G}}$, and the ratio $\tan\beta$ of the two SUSY Higgs-doublet vacuum expectation values. Due to the Weinberg mixing angle in the SM, the bino component of the lightest neutralino couples to both the photon and the Z boson in the case of positive values of μ , and to the photon and the Higgs boson in the case of negative μ values [20, 21]. For all GGM models considered, the phenomenology relevant to this search is only weakly dependent on the value of $\tan\beta$, chosen to be 1.5. The mass parameter M_2 is decoupled at a value of 3 TeV and M_3 matches the gluino mass since no radiative corrections are taken into account. The lifetime τ of the NLSP is set so that $c\tau$ is less than 0.1 mm, ensuring that the neutralino decays promptly, where for most of the mass space it is achieved with a minimal gravitino mass of $m_{\tilde{G}} = 10^{-9}$ GeV. All trilinear coupling terms are set to zero and the slepton masses are set to 5 TeV. The Higgs sector is in the decoupling regime at 2 TeV (except for the lightest neutral Higgs boson). Setting $M_1 \sim |\mu| \sim m_{\tilde{\chi}_1^0}$, the branching ratios of the lightest neutralino to $\gamma + \tilde{G}$ and $Z/h + \tilde{G}$ are approximately constant at 50%, maximizing the production of the final states of interest for this search.

The generated signal samples cover the $\tilde{g}-\tilde{\chi}_1^0$ mass plane in the range 1400–2600 GeV for $m_{\tilde{g}}$ and 150–2600 GeV for $m_{\tilde{\chi}_1^0}$, for each of the targeted models.² The full mass spectrum, the gluino and neutralino branching ratios, and their decay widths were calculated using SUSPECT v2.43 [22], SDECAY v1.5 [23] and HDECAY v3.4 [24], run as part of the SUSYHIT package v1.5a [25]. All signal samples were then generated at leading order (LO) with up to two additional partons with MADGRAPH 5 interfaced to PYTHIA 8. Signal cross sections are calculated at next-to-leading order (NLO) in the strong coupling constant, adding the resummation of soft gluon emission at next-to-leading-logarithm accuracy [26–30]. The nominal cross

² The $m_{\tilde{g}}$ range for the γ/h model starts at 1200 GeV to match the mass range used in the previous publication [10].

section and its uncertainty are taken from an envelope of cross-section predictions using different parton distribution function (PDF) sets and factorization and renormalization scales, as described in Ref. [31].

Most of the backgrounds affecting this search were estimated using control samples selected from data, defined such that one of the background processes becomes dominant, but otherwise kinematically similar to the signal region (SR). The extrapolations from these control regions (CRs) to the SRs are based on samples of simulated events. Samples of $t\bar{t}\gamma$ events were generated with MG5_aMC@NLO [32] at NLO (with $m_{\text{top}} = 172.5$ GeV), interfaced to the PYTHIA 8 parton shower model [33]. The NNPDF3.0_{NNLO} [34] set of PDFs was used, with parameter values set to the A14 tune [35]. The rest of the SM backgrounds were simulated with the SHERPA 2.2 [36] generator. Matrix elements at LO or NLO accuracy in QCD were calculated with the COMIX [37] and OPENLOOPS 1 [38–40] libraries. They were matched and merged with the SHERPA parton shower based on Catani–Seymour dipole factorization [37, 41] using the MEPS@NLO prescription [42–45]. These background samples were generated using the NNPDF3.0_{NNLO} set, along with the dedicated set of tuned parton-shower parameters developed by the SHERPA authors. For the production of $V\gamma$ ($W\gamma$ and $Z\gamma$) and prompt single-photon (γ + jets) final states, SHERPA 2.2.2 was used. Matrix elements at NLO for up to one (two) additional parton emission(s) and at LO accuracy for up to three (four) additional parton emissions were calculated for $V\gamma$ (γ + jets) samples. Diphoton and $V\gamma\gamma$ ($W\gamma\gamma$ and $Z\gamma\gamma$) events were simulated with SHERPA 2.2.4. In this set-up, matrix elements at LO accuracy in QCD for up to three additional parton emissions were matched and merged with the SHERPA parton shower.

In order to avoid any double counting of events when considering both the $V\gamma$ and $V\gamma\gamma$ samples, duplicated processes were removed, focusing on $V\gamma$ events with a photon from QED final-state radiation.

The SM background samples were passed through a full ATLAS detector simulation [46] based on GEANT4 [47]. The SUSY signal samples were passed through ATLFast-II [48], a fast simulation of the ATLAS detector response based on a parametrization of the performance of the ATLAS EM and hadronic calorimeters [49] and on GEANT4 elsewhere. MC events are reconstructed with the same algorithms used for data. An event-by-event reweighting is applied to all MC samples to realistically model the LHC conditions during data collection. This reweighting matches the simulated distribution of the number of inelastic pp collisions per bunch crossing (pile-up) to the one observed in data. The effect of pile-up was modelled by overlaying each hard-scattering event with simulated inelastic pp collisions generated by PYTHIA 8.186 [50] using the NNPDF2.3_{LO} set of PDFs [51] and the A3 tune [52]. The simulations are further corrected with efficiency scale factors and a smearing of the energy scale of photons, leptons and jets, to better describe the data.

Table 1 presents a summary of the signal and background samples used in the analysis.

Table 1: Details of the MC samples considered in this analysis as GGM signal and SM backgrounds.

Process	Generators	PDF sets	Order
GGM signals	MADGRAPH 5 / PYTHIA 8	NNPDF2.3 _{LO}	LO
$t\bar{t}\gamma$	MG5_aMC@NLO / PYTHIA 8	NNPDF2.3 _{LO}	NLO
$W/Z\gamma$	SHERPA 2.2.2	NNPDF3.0 _{NNLO}	0,1j@NLO + 2,3j@LO
γ + jets	SHERPA 2.2.2	NNPDF3.0 _{NNLO}	1,2j@NLO + 3,4j@LO
$\gamma\gamma/W\gamma\gamma/Z\gamma\gamma$	SHERPA 2.2.4	NNPDF3.0 _{NNLO}	0,1,2,3j@LO

4 Reconstruction of candidates and observables

This analysis is performed using the full Run-2 dataset of LHC pp collisions at $\sqrt{s} = 13$ TeV collected by the ATLAS detector between 2015 and 2018, corresponding to an integrated luminosity of 139 fb^{-1} after the application of beam, detector and data quality requirements [53].

The data sample selected by a single-photon trigger with a transverse momentum (p_T) threshold of 140 GeV consists of events with at least one photon satisfying the ‘loose’ identification criteria [54]. This trigger is the lowest-threshold unprescaled trigger (considering the complete data-taking period) and is fully efficient for photons with $p_T > 145$ GeV accepted by the signal selection requirements described in Ref. [55].

The vertex with the highest sum of the squared transverse momenta of its associated tracks that is reconstructed from at least two good-quality tracks with $p_T > 0.5$ GeV is defined as the primary vertex [56]. After the trigger selection, events are removed from the data sample if they contain jets likely to be produced by beam-induced backgrounds, cosmic rays, or detector noise. Photon, lepton, and jet candidates are selected with baseline requirements as described below. Those used to define the different control, validation and signal regions are required to fulfil extra requirements, and are called ‘signal-region candidates’ in the following.

In the offline selection, photon candidates are required to satisfy the ‘tight’ identification criteria for the lateral and longitudinal shower shape [55], have $p_T > 25$ GeV and $|\eta| < 2.37$, and are removed if they are within the electromagnetic calorimeter (ECAL) barrel–endcap transition region defined by $1.37 < |\eta| < 1.52$. An extra requirement of $p_T > 50$ GeV is imposed on signal-region photons.³

To reduce the background from jets that can be misidentified as photons, both track and calorimetric isolation requirements are applied to signal-region photon candidates. The calorimetric isolation energy, E_T^{iso} , is computed as the sum of the topological cluster transverse energies [57] calibrated at the electromagnetic (EM) scale within a cone of size $\Delta R = 0.4$ around the cluster barycentre. This E_T^{iso} is required to be less than $2.45 \text{ GeV} + 0.022p_T$, where p_T is that of the photon. The track isolation variable, p_T^{iso} , is obtained as the scalar sum of the transverse momenta of good-quality tracks inside a cone of size $\Delta R = 0.2$ around the candidate, and is required to be less than $0.05p_T$.

Electron candidates are required to have $p_T > 10$ GeV and $|\eta| < 2.47$, and to originate from the primary vertex in both the r – z and r – ϕ planes. A ‘loose’ set of identification criteria are imposed [55] and these are based on the characteristics of the EM shower development, the quality of the associated reconstructed track, and the angular proximity of the track to the calorimeter energy deposition. Signal-region electrons must satisfy ‘loose’ isolation criteria, have $p_T > 25$ GeV and not be within the ECAL barrel–endcap transition region.

Muons are reconstructed by combining compatible track information from the MS and the ID. Muon candidates are required to have $p_T > 10$ GeV and $|\eta| < 2.7$, to satisfy the ‘medium’ quality criteria [58] and to originate from the primary vertex in both the r – z and r – ϕ planes. Signal-region muons must have $p_T > 25$ GeV and satisfy a ‘loose’ isolation requirement.

Jets are reconstructed using the anti- k_t algorithm [59, 60] with a radius parameter $R = 0.4$ and are seeded by the energy in topological clusters of calorimeter cells [57]. The expected average energy contribution from pile-up interactions is subtracted using a factor that depends on the jet area. Track-based selection requirements are applied to reject jets with $p_T < 120$ GeV and $|\eta| < 2.4$ that originate from pile-up

³ In the final selection the leading photon is always required to have $p_T > 145$ GeV to be in the maximal efficiency region.

interactions [61]. Except for the E_T^{miss} computation (defined in the following), where a requirement of $|\eta| < 4.5$ is applied, jets are kept only if they are in the central region of the detector and have $p_T > 20$ GeV. Signal-region jets must have $p_T > 30$ GeV and $|\eta| < 2.5$.

Although jets containing b -hadrons, called b -jets from now on, are not explicitly used in the analysis selection, they are used in the definition of control regions from which the $W\gamma$ and $t\bar{t}\gamma$ MC normalization is extracted, as is described in Section 5. These b -jets are selected with the same p_T requirement of jets within the ID acceptance ($|\eta| < 2.5$) and identified by the MV2 algorithm, which uses the long lifetime, high decay multiplicity, hard fragmentation and large mass of b -hadrons to distinguish them from light-flavour jets (jets originated from light quarks and gluons) [62]. The b -tagging algorithm has a nominal efficiency of 77% for b -jets in simulated $t\bar{t}$ events and the corresponding probability of misidentifying light-flavour jets is below 1%.

Due to possible final-state object misidentification, a single object can be reconstructed as more than one object and thus effectively counted multiple times. A procedure to remove these overlaps is applied to preselected objects before the corresponding isolation requirements are imposed. The basic strategy and the order of removal is described in Refs. [63, 64].

The missing transverse momentum is computed with an object-based algorithm considering objects passing baseline requirements. Calorimeter energy deposits are matched to high- p_T objects in the following order: electrons, photons, jets and muons. Primary-vertex tracks not associated with any such objects are included in the so-called soft term [65] contribution to E_T^{miss} . The E_T^{miss} is computed from the negative vector sum of the transverse momenta of calibrated reconstructed physical objects and the soft term.

5 Event selection

The analysis is designed to compare the event yields observed in three signal regions for strong production (named as SRL, SRM and SRH) with the predictions of the rates of SM processes. The SRL region targets the phase space with large mass differences between the gluino and the neutralino, resulting in events characterized by high jet multiplicity and hadronic activity but moderate missing transverse momentum. The SRH region is optimized for the compressed scenarios, near the diagonal in the gluino–neutralino mass plane, giving events with high E_T^{miss} , higher- p_T photons, and lower jet multiplicity and hadronic activity than SRL. Finally, the SRM region is defined for the intermediate phase space between SRL and SRH.

Given the high mass of the gluinos produced in the GGM model-space explored, the total visible transverse momentum is expected to be large. This results in a large value for the variable H_T , defined as the scalar sum of the transverse momenta of all individual signal jets and the leading photon in the final state. The selection of signal events includes a requirement on H_T as well as on E_T^{miss} . In SRL, SRM and SRH, events must contain at least one isolated photon with E_T above 145 GeV, 300 GeV or 400 GeV, respectively, and zero leptons in order to remove SM $V\gamma$ events where the vector boson decays leptonically. In addition, more than four jets are required in SRL and SRM, while more than two jets are required in SRH.

In events characterized by large reconstructed E_T^{miss} without a significant contribution from non-interacting particles or arising from instrumental sources and poorly reconstructed physics objects, the E_T^{miss} vector tends to be aligned with either the photon or one of the two leading jets. A selection based on the angular separation between these objects and the E_T^{miss} vector, i.e. $\Delta\phi(\text{jet}, E_T^{\text{miss}})$ and $\Delta\phi(\gamma, E_T^{\text{miss}})$, removes most events from these background processes.

SUSY signals considered in this analysis are characterized by high- p_T multijet events in a wide region of the parameter space. The sub-leading jets have comparatively larger p_T than those in SM background events. Consequently, for signal processes with high- p_T jets, R_T^4 (defined as the ratio of the scalar sum of the p_T of the four highest- p_T signal-region jets to the scalar sum of the p_T of all signal-region jets in the event) takes values less than one, while for SM backgrounds with fewer and softer jets, R_T^4 is typically closer to unity [11, 66]. No R_T^4 selection is applied for SRH because fewer jets are required in this region.

The event selection for all the signal regions is summarized in Table 2.

Table 2: Selection for SRL, SRM and SRH regions.

	SRL	SRM	SRH
N_{photons}	≥ 1	≥ 1	≥ 1
$p_T^{\text{leading-}\gamma}$	$> 145 \text{ GeV}$	$> 300 \text{ GeV}$	$> 400 \text{ GeV}$
N_{leptons}	0	0	0
N_{jets}	≥ 5	≥ 5	≥ 3
$\Delta\phi(\text{jet}, E_T^{\text{miss}})$	> 0.4	> 0.4	> 0.4
$\Delta\phi(\gamma, E_T^{\text{miss}})$	> 0.4	> 0.4	> 0.4
E_T^{miss}	$> 250 \text{ GeV}$	$> 300 \text{ GeV}$	$> 600 \text{ GeV}$
H_T	$> 2000 \text{ GeV}$	$> 1600 \text{ GeV}$	$> 1600 \text{ GeV}$
R_T^4	< 0.90	< 0.90	-

6 Background estimation

Several SM processes can give final states with real photons and E_T^{miss} from the presence of neutrinos. Other SM processes can emulate the targeted topologies if a jet or an electron is misidentified as a photon. The estimation of these backgrounds in the different SRs is therefore essential.

The dominant SM background contributions to the SRs are expected to be from $W\gamma$ and $t\bar{t}\gamma$ production, followed by prompt photon production with instrumental (fake) E_T^{miss} . These three contributions are determined using MC simulations constrained by the number of data events observed in dedicated control regions through the estimation of normalization factors. The smaller backgrounds, from $W\gamma\gamma$, $Z\gamma$, $Z\gamma\gamma$ and $\gamma\gamma$, are estimated directly from MC simulation. The backgrounds with misidentified jets or electrons are determined with data-driven techniques as described in the following.

Control regions labeled CRW, CRT, and CRQ are used to obtain the MC normalization for the $W\gamma$, $t\bar{t}\gamma$, and QCD γ + jets events, respectively. The selection criteria for the CRs associated with the SRs are presented in Table 3. CRs were designed to be orthogonal but still kinematically similar to SRs, and enhanced in the background process of interest, with negligible signal contamination. Looser E_T^{miss} requirements are applied in the CRs to increase the yields. No R_T^4 requirement is applied for the same reason. An upper bound is placed on E_T^{miss} in CRW and CRT to reduce the signal contamination.

The selection for CRQ is based on SRL but applies a lower E_T^{miss} requirement ($> 100 \text{ GeV}$), a similar H_T selection and an inverted $\Delta\phi(\text{jet}, E_T^{\text{miss}})$ selection to increase the fraction of γ + jets in the control sample.

The CRW sample is defined by requiring a photon, a lepton and $100 \text{ GeV} < E_T^{\text{miss}} < 200 \text{ GeV}$. A b -jet veto requirement is applied to reduce the contamination from $t\bar{t}\gamma$.

The CRT sample is defined by requiring a photon, a lepton, jets and $50 \text{ GeV} < E_T^{\text{miss}} < 200 \text{ GeV}$. At least two b -tagged jets are required in order to increase the sample's purity in $t\bar{t}\gamma$ events.

A further set of event selections define validation regions (VRs) used to check the results of the background estimation procedure. They were designed to be kinematically between the signal regions and the control regions, but with one or more criteria inverted or modified to reduce possible signal contamination. The VRL regions were designed to be enriched in $W\gamma$ and $t\bar{t}\gamma$ backgrounds. No b -jets requirement is applied, so contributions from both backgrounds are expected. The four regions (VRL1–4) cover different parts of the parameter space between the control regions and signal regions by varying the E_T^{miss} and H_T requirements. A signal-region-like VRQ is designed to be orthogonal to the SR only because of a reduced requirement on E_T^{miss} . The VRM regions are built to validate the extrapolation of the γ + jets background from the CR to the SR. Two sets of VRMs were specifically designed to select either events with low jet multiplicity and a high- p_T leading photon (VRM1H and VRM2H) or events with high jet multiplicity and a less energetic photon (VRM1L and VRM2L), in order to validate the background estimation in regions closer to SRH or SRL respectively. By selecting different ranges in E_T^{miss} , VRM2L is included in VRM1L, and VRM2H is included in VRM1H. A summary of the different selection criteria is shown in Table 3.

Table 3: Selection criteria for the control regions and the validation regions used to validate the γ + jets, $W\gamma$, $t\bar{t}\gamma$ and $e \rightarrow \gamma$ fakes backgrounds.

Regions	N_{photons}	$p_T^{\text{leading-}\gamma}$ [GeV]	N_{leptons}	N_{jets}	$N_{b\text{-jets}}$	$\Delta\phi(\text{jet}, E_T^{\text{miss}})$	$\Delta\phi(\gamma, E_T^{\text{miss}})$	E_T^{miss} [GeV]	H_T [GeV]	R_T^4
CRQ	≥ 1	> 145	0	≥ 3	-	< 0.4	> 0.4	> 100	> 1600	-
CRW	≥ 1	> 145	≥ 1	≥ 1	0	> 0.4	-	[100, 200]	> 400	-
CRT	≥ 1	> 145	≥ 1	≥ 2	≥ 2	> 0.4	-	[50, 200]	> 400	-
VRL1	≥ 1	> 145	≥ 1	≥ 2	-	> 0.4	-	[50, 200]	> 800	-
VRL2	≥ 1	> 145	≥ 1	≥ 2	-	> 0.4	-	[50, 200]	> 1300	-
VRL3	≥ 1	> 145	≥ 1	≥ 2	-	> 0.4	-	> 200	[600, 1600]	-
VRL4	≥ 1	> 145	≥ 1	≥ 2	-	< 0.4	-	> 200	> 1100	-
VRQ	≥ 1	> 145	0	≥ 3	-	> 0.4	> 0.4	[100, 200]	> 1600	-
VRM1L	≥ 1	> 145	0	≥ 5	-	> 0.4	> 0.4	[100, 200]	> 1600	< 0.90
VRM2L	≥ 1	> 145	0	≥ 5	-	> 0.4	> 0.4	[150, 200]	> 1600	< 0.90
VRM1H	≥ 1	> 300	0	≥ 3	-	> 0.4	> 0.4	[100, 200]	> 1600	-
VRM2H	≥ 1	> 300	0	≥ 3	-	> 0.4	> 0.4	[150, 200]	> 1600	-
VRE	≥ 1	> 145	-	≥ 1	≥ 1	> 0.4	< 0.4	> 200	[100, 1600]	-

Jets can be misidentified as photons (called ‘fake photons’) if they contain mostly π^0 mesons (or any other neutral hadrons) carrying most of the jet energy and decaying into a pair of collimated photons, resulting in an electromagnetic object resembling a single, highly energetic photon. This background arises primarily from QCD multijets, W +jets and semileptonic $t\bar{t}$ events. The ‘tight’ identification criteria applied to photon candidates reduce this background. After applying this selection, the data sample is expected to contain real photons with moderate jet contamination. As this misidentification rate is not expected to be modelled accurately in MC simulation, a data-driven sideband counting method [64] is used. The so-called ABCD method makes use of the different isolation profiles expected for real photons and misidentified jets [67]. Two variables are considered simultaneously in order to include both tracking and calorimetric isolation of the photon candidate, as defined in Section 4. The ‘tight’ offline identification is by design tighter than the photon trigger used to collect the data, so it is expected that some photon candidates from misidentified jets will fail the ‘tight’ selection but satisfy an intermediate selection. These photon-like jets, hereinafter

called non-tight photons, are defined as those passing the loose identification and satisfying the ‘tight’ selection requirements, except at least one of four selections associated with energy deposits in the EM calorimeter [64], chosen to be largely uncorrelated with the isolation variables. In this manner, the use of non-tight photons enhances the ‘jets faking photons’ contribution, as needed by the ABCD method. In the identification–isolation plane, the method defines a signal region A consisting of isolated photon candidates that satisfy the ‘tight’ identification, and three control regions, namely B , C and D , with photon candidates being non-isolated and ‘tight’, isolated and non-tight, and non-isolated and non-tight, respectively.

A possible residual correlation between the photon identification and the isolation is estimated using MC simulations, and so is the contamination of the background regions by real photons. These effects are included as part of the computation of the contribution of misidentified jets in all the regions used in the analysis. The systematic uncertainties of the method are evaluated by varying the definition of the non-tight objects, and considering the differences introduced by the residual correlation between the regions.

Significant contamination in the signal regions from SM processes such as W/Z + jets and $t\bar{t}$ events is expected in cases where one high- p_T electron is misidentified as a photon. This background is estimated by weighting the number of electron events observed in an electron control sample by the electron-to-photon fake rate. These electron control samples come from the same control, validation and signal regions as in the analysis, but the photon kinematic selections are applied to electrons, and then a high- p_T isolated electron is required and signal photons are vetoed. To estimate the electron-to-photon fake rate, a method based on a sample of $Z(\rightarrow ee)$ data events is used [63, 64]. Since the Z boson cannot decay directly into an electron and a photon, the electron–photon events appearing under the Z peak most likely correspond to misidentified electrons. However, the same applies to other particles decaying into pairs of electrons. Therefore, a background subtraction technique is applied, and this also takes into account the contamination from random combinatorics background. The electron-to-photon fake factor is then estimated as the ratio of the number of electron–photon pairs to the number of electron–electron pairs found under the Z peak when fitting the invariant mass distribution. This fit uses a double-sided Crystal Ball (DSCB) function (a Gaussian core with asymmetric non-Gaussian power-law tails) to model the Z peak, and a Gaussian distribution to model the small non-resonant backgrounds to $Z(\rightarrow ee)$ production. Only the pairs within a defined invariant mass window are selected to compute the electron-to-photon fake factor. This window is defined as $\pm 3\sigma$ around the centre of the peak in the DSCB function, where σ is the width of the peak. Only events with $E_T^{\text{miss}} < 40$ GeV are selected, to avoid electrons from the W decays.

A dedicated validation region (VRE) is designed with the event selection described in Table 3, to validate the accuracy of the corresponding electron-to-photon background predictions based on the calculated fake factors. The set of requirements mostly selects $W(e\nu)$ + jets events, where a boosted W boson (including those coming from top quarks) decays into a neutrino (giving high E_T^{miss}) and an almost collinear high- p_T electron (misidentified as a photon).

Likelihood fits [68] are performed assuming i) a background-only hypothesis to estimate the total background in the SRs and VRs; ii) a model-dependent signal plus background hypothesis where the fit is performed in the CRs and SRs simultaneously; and iii) a model-independent signal plus background hypothesis, where both the CRs and SRs are used in the same manner as for the model-dependent signal fit with the number of signal events in the SRs added as a parameter to the fit. This approach constrains the expected background to the yields observed in the data using the CRs and to reduce the systematic uncertainties. Figure 2 shows the contributions of the backgrounds in all the different control and validation regions. They are obtained with a ‘background-only maximum-likelihood fit’, constraining the normalizations of the dominant backgrounds and including those estimated using data-driven techniques. The lower panel shows

the differences, in standard deviations, between the observed and expected yields [69]. Good agreement is found between data and SM background predictions in all the validation regions.




Figure 2: The observed and expected (post-fit) yields in the control and validation regions. The lower panel shows the difference, in standard deviations, between the observed and expected yields, considering both the systematic and statistical uncertainties of the background expectation.

7 Systematic uncertainties and yields

All background processes estimated either by making use of MC simulations or by data-driven methods, as well as MC signal predictions, are affected by systematic uncertainties which mainly originate from two kinds of sources: experimental and theoretical ones. These systematic uncertainties can impact the expected event yields in both the control and signal regions.

The uncertainty in the combined 2015–2018 integrated luminosity is 1.7% [70], obtained using the LUCID-2 detector [71] for the primary luminosity measurements. The uncertainty on the pile-up reweighting is also considered.

The systematic uncertainties due to the photon identification and isolation efficiencies are estimated following the prescriptions in Ref. [55]. They are evaluated by varying the correction factors for the photon selection efficiencies in MC simulation by the corresponding uncertainties. The photon energy scale is determined using samples of $Z \rightarrow ee$ events, varying the scale corrections and resolutions upwards and downwards by one standard deviation.

For electrons [55] and muons [72], similarly to photons, the uncertainties from the identification efficiency, energy scale and resolution were determined from $Z \rightarrow \ell^+\ell^-$ and $W^\pm \rightarrow \ell^\pm\nu$ control samples.

For jets, the energy scale and resolution uncertainties are derived following the procedure described in Ref. [73], where a simplified scheme with 38 parameters is used. A set of b -tagging uncertainties are also

considered, taking an envelope around the nominal jet weight for the selection of different flavour jets [62].

For E_T^{miss} , the uncertainties associated with all underlying objects from which it is constructed are propagated through the calculation, and additional uncertainties accounting for the scale and resolution of the soft term [65] are considered. For the fake-photon backgrounds (jet $\rightarrow \gamma$ fakes and $e \rightarrow \gamma$ fakes), there are two different kinds of uncertainties affecting their estimations: the systematic uncertainty from the method used to estimate the fake factors and the statistical uncertainty of the control sample.

For each of the main simulated background samples, a theoretical uncertainty is assessed by considering different sources of systematic uncertainty. Each sample contains several internal weights representing the effect of varying different parameters of the theory. The systematic variations considered for each sample are variations of the renormalization and factorization scales μ_r and μ_f at generator level, and variations of the PDFs [74] and the strong coupling constant (α_s). For μ_r and μ_f , three independent nuisance parameters are used, two constructed to keep each of the scales constant while varying the other one, and one as a coherent variation of both scales. The PDF uncertainty is taken from an envelope of the nominal PDF (NNPDF3.0) and the variations. Finally, uncertainties associated with α_s determination and truncation are considered. The PDF and α_s -related uncertainties are added in quadrature. The total theoretical systematic uncertainty in the signal regions is between 15% and 30% depending on the MC sample.

The relative impact of each systematic uncertainty on the SM background expectation after the background-only fit applied to the CRs is presented in Table 4. One of the largest experimental systematic uncertainties is related to the jet energy scale and resolution (except for SRH where it is smaller because of the lower jet multiplicity and hadronic activity). Theoretical systematic uncertainties are close to 3% for SRL and SRM, and are the largest for SRH, reaching the 10% level.

Table 4: Summary of the different systematic uncertainties in the SM background expectation (in %) for the different SRs after the background-only fit applied to the CRs. The individual uncertainties can be correlated and do not necessarily add in quadrature to equal the total (stat. + syst.) uncertainty.

	SRL [%]	SRM [%]	SRH [%]
Total (stat. + syst.) uncertainty	28	25	17
Statistical uncertainty	20	15	12
Jet energy scale and resolution	18	19	4.1
b -tagging calibration	3.2	4.3	3.6
Fake photons from jets	2.1	2.5	2.3
MC theory	3.6	3.1	10
Fake photons from e	1.4	1.9	< 1
Electron/photon energy resolution and scale	5.5	1.1	4.1
Muon reconstruction and identification	2.6	1.8	< 1
Photon identification and isolation	2.6	2.1	1.1
Pile-up reweighting	< 1	1.2	1.0
E_T^{miss} soft-term scale and resolution	< 1	< 1	< 1
Luminosity	< 1	< 1	< 1

8 Results

The background-only fit is based on the SRs and CRs listed in Tables 2 and 3 and takes into account all the systematic uncertainties discussed in Section 7, treated as Gaussian-distributed nuisance parameters. When fitting the CRs and SRs simultaneously, common normalization factors for each of the $W\gamma$, $t\bar{t}\gamma$ and QCD γ + jets events are implemented in order to correctly take into account the other background contributions. Each experimental uncertainty is treated as fully correlated across the CRs and the corresponding SR, and the physics processes considered. The theoretical systematic uncertainties are treated as correlated across the different regions but uncorrelated across the background samples.

Table 5: Observed events and background estimates (post-fit) in the SRL, SRM and SRH signal regions. The uncertainties in the SM background are both systematic and statistical.

	SRL	SRM	SRH
Observed events	2	0	5
Expected SM events	2.67 ± 0.75	2.55 ± 0.64	2.55 ± 0.44
$t\bar{t}\gamma$	0.70 ± 0.18	0.87 ± 0.18	0.22 ± 0.05
$W\gamma$	0.55 ± 0.37	0.70 ± 0.42	1.08 ± 0.21
γ + jets	0.49 ± 0.29	0.17 ± 0.10	0.07 ± 0.01
$Z(\rightarrow \nu\nu)\gamma$	0.31 ± 0.11	0.35 ± 0.12	0.94 ± 0.28
$\gamma\gamma/W\gamma\gamma/Z\gamma\gamma$	0.23 ± 0.11	0.25 ± 0.10	0.08 ± 0.01
Fake photons from e	0.22 ± 0.08	0.04 ± 0.03	0.06 ± 0.04
Fake photons from jets	0.15 ± 0.09	0.14 ± 0.09	0.09 ± 0.07
$Z(\rightarrow \ell\ell)\gamma$	0.03 ± 0.03	0.03 ± 0.01	–

The E_T^{miss} distributions observed in the signal regions SRL, SRM and SRH are shown in Figure 3, compared to the background predictions. The predicted distributions for selected signals with gluino and neutralino masses near the expected sensitivity of the analysis are also shown for comparison. In each plot, all the SR selection requirements are applied except for the one on E_T^{miss} .

The number of data events in each SR and the expected contributions from the different SM backgrounds after the background-only fit applied to the CRs are shown in Table 5. Since no significant excess above the SM background is observed in the SRs, these are used to set limits on the number of new-physics events (model-independent limits), and on the GGM signal model parameters described in Section 1.

The background-only fit applied to the CRs in previous sections to estimate the background can be extended to include the SRs and perform hypothesis tests, using a profile log-likelihood ratio (LLR) approach [75], to assess the compatibility of the observed number of events with the SM, to set limits on the visible cross sections, and to set exclusion limits on specific SUSY models.

The model-independent limits on the number of events from non-SM processes in each SR are listed in Table 6, together with the discovery p -value (p_0), defined as the probability of observing at least the observed event yield when assuming that no signal is present, and the corresponding Gaussian significance Z . Also shown is the 95% confidence level (CL) upper limit on the visible cross section $\sigma \times A \times \epsilon$, obtained by normalizing the upper limit on the number of signal events to the integrated luminosity, where σ is the production cross section for a beyond-the-SM (BSM) signal, A is the acceptance (fraction of events

with objects passing all the kinematic selections at particle level) and ϵ is the efficiency (fraction of those events that would be observed after the detector reconstruction). For SRL and SRM, p_0 is capped at 0.5




Figure 3: Observed (points with error bars) and expected background (solid histograms) distributions for E_T^{miss} in the signal region (a) SRL, (b) SRM and (c) SRH after the background-only fit applied to the CRs. The predicted signal distributions for the two models with a gluino mass of 2000 GeV and neutralino mass of 250 GeV (SRL), 1050 GeV (SRM) or 1950 GeV (SRH) are also shown for comparison. The uncertainties in the SM background are only statistical.

because the predictions exceed the data. For SRH, the discovery p -value is 0.09, so these observations are compatible with the SM-only hypothesis. The number of observed events and the background expectation in each SR is used to set a 95% CL upper limit on the number of events from any BSM physics scenario [76]. The most stringent observed limit is from SRM, where visible cross sections greater than 0.022 fb are excluded.

Table 6: Summary of the model-independent limits results, with the 95% CL upper limits on the visible cross section ($\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$) and on the number of signal events (S_{obs}^{95}). The values of $\langle\epsilon\sigma\rangle_{\text{exp}}^{95}$ and S_{exp}^{95} are the expected 95% CL upper limits on the visible cross section and the number of signal events, given the expected number (and $\pm 1\sigma$ excursions of the expectation) of background events. Finally, the p -value (p_0) and the corresponding Gaussian significance Z for the three signal regions are shown.

Signal Region	$\langle\epsilon\sigma\rangle_{\text{obs}}^{95}$ [fb]	$\langle\epsilon\sigma\rangle_{\text{exp}}^{95}$ [fb]	S_{obs}^{95}	S_{exp}^{95}	p_0 (Z)
SRL	0.034	$0.034^{+0.016}_{-0.009}$	4.7	$4.7^{+2.2}_{-1.2}$	0.50 (0.00)
SRM	0.022	$0.033^{+0.013}_{-0.008}$	3	$4.6^{+1.8}_{-1.1}$	0.50 (0.00)
SRH	0.054	$0.035^{+0.014}_{-0.010}$	7.6	$4.8^{+1.9}_{-1.4}$	0.09 (1.32)

The exclusion limit for a specific SUSY signal model is based on the profile LLR test statistic, and it is obtained from a simultaneous fit to the contributions from SM processes and the targeted model in a given signal region and its associated background control regions, which are all by design statistically independent. These one-sided limits are set at the 95% CL using the CL_s prescription [76]. The observed exclusion limit is calculated with signal yields corresponding to the nominal cross section $\pm 1\sigma$ of the SUSY theoretical uncertainty. The combined exclusion limits are shown in Figure 4, for each of the two signal models considered. These are obtained with pseudo-data experiments, and using the signal region with the best expected sensitivity at each point. The black dashed line corresponds to the expected limits at 95% CL, with the light (yellow) bands indicating the $\pm 1\sigma$ exclusions due to experimental and background-theory uncertainties. The observed limits are indicated by medium (red) curves, the solid contour represents the nominal limit, and the dotted lines are obtained by varying the signal cross section by the theoretical scale and PDF uncertainties. The discontinuity in the transition from high to moderate NLSP masses is due to the number of events observed in SRH (SRM) being higher (lower) than the expected value.

For the γ/Z signal model, the lower limits on the gluino mass in this paper are between 200 and 400 GeV higher than those obtained in the previous search [11]. For the γ/h signal model, the previous search [10] was performed in Run-1 data with a slightly different mass-plane coverage and set a lower limit around 1.2 TeV for the gluino mass. In the present study, the lower limits on the gluino mass in this model are almost 1 TeV higher. For both models, the most stringent lower limit on the gluino mass is set at 2.4 TeV for a neutralino mass of 1.3–1.4 TeV. Furthermore, an overall lower limit on the gluino mass of 2.2 TeV is obtained for all neutralino masses except those below 150 GeV, which are regions where the analysis is expected to have low signal acceptance, due to trigger constraints and large $E_{\text{T}}^{\text{miss}}$ requirements in the SR.




Figure 4: Observed and expected exclusion limits in the gluino–neutralino mass plane at 95% CL for the full Run-2 dataset corresponding to an integrated luminosity of 139 fb^{-1} , for the (a) γ/Z and (b) γ/h signal models. They are obtained by combining limits from the signal region with the best expected sensitivity at each point. The dashed (black) line corresponds to the expected limits at 95% CL, with the light (yellow) band indicating the $\pm 1\sigma$ excursions due to experimental and background-theory uncertainties. The observed limits are indicated by medium (red) curves: the solid contour represents the nominal limit, and the dotted lines are obtained by varying the signal cross section by the theoretical scale and PDF uncertainties.

9 Conclusions

Based on proton–proton collision data at $\sqrt{s} = 13 \text{ TeV}$ corresponding to an integrated luminosity of 139 fb^{-1} recorded by the ATLAS detector at the LHC in Run 2, a search has been performed for the experimental signature of at least one isolated photon with high transverse momentum, jets and a large amount of missing transverse momentum. Three signal regions are defined, one with a prediction of 2.67 ± 0.75 background events and 2 events observed, another with 2.55 ± 0.64 background events predicted and no events observed, and the third with 2.55 ± 0.44 background events predicted and 5 events observed. These results are compatible with no significant excess of events over the SM background expectation. Model-dependent 95% CL upper limits are set on possible contributions from new physics in a GGM scenario with a NLSP neutralino that is a mixture of higgsino and bino. Pair-produced gluinos with masses up to 2200 GeV are excluded for most of the NLSP masses investigated, giving the most stringent limits obtained by ATLAS. Model-independent 95% CL upper limits are set on the visible cross section for contributions from new physics for each of the defined signal regions. The most stringent observed limit is from SRM, where visible cross sections greater than 0.022 fb are excluded.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN;

ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MEiN, Poland; FCT, Portugal; MNE/IFA, Romania; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DSI/NRF, South Africa; MICINN, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; MOST, Taiwan; TENMAK, Türkiye; STFC, United Kingdom; DOE and NSF, United States of America. In addition, individual groups and members have received support from BCKDF, CANARIE, Compute Canada and CRC, Canada; PRIMUS 21/SCI/017 and UNCE SCI/013, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir IDEX and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; Norwegian Financial Mechanism 2014-2021, Norway; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [77].

References

- [1] M. Dine and W. Fischler, *A phenomenological model of particle physics based on supersymmetry*, *Phys. Lett. B* **110** (1982) 227.
- [2] L. Alvarez-Gaumé, M. Claudson and M. B. Wise, *Low-energy supersymmetry*, *Nucl. Phys. B* **207** (1982) 96.
- [3] C. R. Nappi and B. A. Ovrut, *Supersymmetric extension of the $SU(3) \times SU(2) \times U(1)$ model*, *Phys. Lett. B* **113** (1982) 175.
- [4] C. Cheung, A. L. Fitzpatrick and D. Shih, *(Extra)ordinary gauge mediation*, *JHEP* **07** (2008) 054, arXiv: [0710.3585](https://arxiv.org/abs/0710.3585) [[hep-ph](#)].
- [5] P. Meade, N. Seiberg and D. Shih, *General Gauge Mediation*, *Prog. Theor. Phys. Suppl.* **177** (2009) 143, arXiv: [0801.3278](https://arxiv.org/abs/0801.3278) [[hep-ph](#)].
- [6] J. Ellis, J. Hagelin, D. V. Nanopoulos, K. A. Olive and M. Srednicki, *Supersymmetric relics from the big bang*, *Nucl. Phys. B* **238** (1984) 453.
- [7] M. Viel, J. Lesgourgues, M. G. Haehnelt, S. Matarrese and A. Riotto, *Constraining warm dark matter candidates including sterile neutrinos and light gravitinos with WMAP and the Lyman- α forest*, *Phys. Rev. D* **71** (2005), arXiv: [astro-ph/0501562](https://arxiv.org/abs/astro-ph/0501562) [[astro-ph](#)].
- [8] A. Kamada, M. Shirasaki and N. Yoshida, *Weighing the light gravitino mass with weak lensing surveys*, *JHEP* **2014** (2014) 162, arXiv: [1311.4323](https://arxiv.org/abs/1311.4323) [[hep-ph](#)].
- [9] G. R. Farrar and P. Fayet, *Phenomenology of the production, decay, and detection of new hadronic states associated with supersymmetry*, *Phys. Lett. B* **76** (1978) 575.
- [10] ATLAS Collaboration, *Search for photonic signatures of gauge-mediated supersymmetry in 8 TeV pp collisions with the ATLAS detector*, *Phys. Rev. D* **92** (2015) 072001, arXiv: [1507.05493](https://arxiv.org/abs/1507.05493) [[hep-ex](#)].
- [11] ATLAS Collaboration, *Search for photonic signatures of gauge-mediated supersymmetry in 13 TeV pp collisions with the ATLAS detector*, *Phys. Rev. D* **97** (2018) 092006, arXiv: [1802.03158](https://arxiv.org/abs/1802.03158) [[hep-ex](#)].
- [12] CMS Collaboration, *Search for supersymmetry in final states with photons and missing transverse momentum in proton–proton collisions at 13 TeV*, *JHEP* **06** (2019) 143, arXiv: [1903.07070](https://arxiv.org/abs/1903.07070) [[hep-ex](#)].
- [13] CMS Collaboration, *Search for supersymmetry in events with a photon, jets, b -jets, and missing transverse momentum in proton–proton collisions at 13 TeV*, *Eur. Phys. J. C* **79** (2019) 444, arXiv: [1901.06726](https://arxiv.org/abs/1901.06726) [[hep-ex](#)].
- [14] CMS Collaboration, *Combined search for supersymmetry with photons in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Lett. B* **801** (2020) 135183, arXiv: [1907.00857](https://arxiv.org/abs/1907.00857) [[hep-ex](#)].
- [15] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [16] ATLAS Collaboration, *ATLAS Insertable B-Layer: Technical Design Report*, ATLAS-TDR-19; CERN-LHCC-2010-013, 2010, URL: <https://cds.cern.ch/record/1291633>, Addendum: ATLAS-TDR-19-ADD-1; CERN-LHCC-2012-009, 2012, URL: <https://cds.cern.ch/record/1451888>.

- [17] B. Abbott et al., *Production and integration of the ATLAS Insertable B-Layer*, *JINST* **13** (2018) T05008, arXiv: [1803.00844 \[physics.ins-det\]](#).
- [18] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: [1611.09661 \[hep-ex\]](#).
- [19] ATLAS Collaboration, *The ATLAS Collaboration Software and Firmware*, ATL-SOFT-PUB-2021-001, 2021, URL: <https://cds.cern.ch/record/2767187>.
- [20] S. P. Martin, *A Supersymmetry primer*, *Adv. Ser. Direct. High Energy Phys.* **18** (1998) 1, arXiv: [9709356 \[hep-ex\]](#).
- [21] J. Ruderman and D. Shih, *General neutralino NLSPs at the early LHC*, *JHEP* **08** (2012) 159, arXiv: [1103.6083 \[hep-ex\]](#).
- [22] A. Djouadi, J.-L. Kneur and G. Moultaka, *SuSpect: A Fortran code for the Supersymmetric and Higgs particle spectrum in the MSSM*, *Comput. Phys. Commun.* **176** (2007) 426.
- [23] M. Mühlleitner, A. Djouadi and Y. Mambrini, *SDECAY: a Fortran code for the decays of the supersymmetric particles in the MSSM*, *Comput. Phys. Commun.* **168** (2005) 46, arXiv: [hep-ph/0311167 \[hep-ph\]](#).
- [24] A. Djouadi, J. Kalinowski and M. Spira, *HDECAY: a program for Higgs boson decays in the Standard Model and its supersymmetric extension*, *Comput. Phys. Commun.* **108** (1998) 56, arXiv: [hep-ph/9704448 \[hep-ph\]](#).
- [25] A. Djouadi, M. Muhlleitner and M. Spira, *Decays of supersymmetric particles: The Program SUSY-HIT (SuSpect-SdecaY-Hdecay-Interface)*, *Acta Phys. Polon. B* **38** (2007) 635, arXiv: [hep-ph/0609292 \[hep-ph\]](#).
- [26] W. Beenakker, R. Höpker, M. Spira and P. Zerwas, *Squark and gluino production at hadron colliders*, *Nucl. Phys. B* **492** (1997) 51, arXiv: [hep-ph/9610490](#).
- [27] A. Kulesza and L. Motyka, *Threshold Resummation for Squark-Antisquark and Gluino-Pair Production at the LHC*, *Phys. Rev. Lett.* **102** (2009) 111802, arXiv: [0807.2405 \[hep-ph\]](#).
- [28] A. Kulesza and L. Motyka, *Soft gluon resummation for the production of gluino-gluino and squark-antisquark pairs at the LHC*, *Phys. Rev. D* **80** (2009) 095004, arXiv: [0905.4749 \[hep-ph\]](#).
- [29] W. Beenakker et al., *Soft-gluon resummation for squark and gluino hadroproduction*, *JHEP* **12** (2009) 041, arXiv: [0909.4418 \[hep-ph\]](#).
- [30] W. Beenakker et al., *Squark and gluino hadroproduction*, *Int. J. Mod. Phys. A* **26** (2011) 2637, arXiv: [1105.1110 \[hep-ph\]](#).
- [31] C. Borschensky et al., *Squark and gluino production cross sections in pp collisions at $\sqrt{s} = 13, 14, 33$ and 100 TeV*, *Eur. Phys. J. C* **74** (2014) 3174, arXiv: [1407.5066 \[hep-ph\]](#).
- [32] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [33] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [34] The NNPDF Collaboration, R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).

- [35] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [36] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127](https://arxiv.org/abs/1905.09127) [[hep-ph](#)].
- [37] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039, arXiv: [0808.3674](https://arxiv.org/abs/0808.3674) [[hep-ph](#)].
- [38] F. Buccioni et al., *OpenLoops 2*, *Eur. Phys. J. C* **79** (2019) 866, arXiv: [1907.13071](https://arxiv.org/abs/1907.13071) [[hep-ph](#)].
- [39] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering Amplitudes with Open Loops*, *Phys. Rev. Lett.* **108** (2012) 111601, arXiv: [1111.5206](https://arxiv.org/abs/1111.5206) [[hep-ph](#)].
- [40] A. Denner, S. Dittmaier and L. Hofer, *COLLIER: A fortran-based complex one-loop library in extended regularizations*, *Comput. Phys. Commun.* **212** (2017) 220, arXiv: [1604.06792](https://arxiv.org/abs/1604.06792) [[hep-ph](#)].
- [41] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, *JHEP* **03** (2008) 038, arXiv: [0709.1027](https://arxiv.org/abs/0709.1027) [[hep-ph](#)].
- [42] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049, arXiv: [1111.1220](https://arxiv.org/abs/1111.1220) [[hep-ph](#)].
- [43] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, *JHEP* **04** (2013) 027, arXiv: [1207.5030](https://arxiv.org/abs/1207.5030) [[hep-ph](#)].
- [44] S. Catani, F. Krauss, B. R. Webber and R. Kuhn, *QCD Matrix Elements + Parton Showers*, *JHEP* **11** (2001) 063, arXiv: [hep-ph/0109231](https://arxiv.org/abs/hep-ph/0109231).
- [45] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219](https://arxiv.org/abs/0903.1219) [[hep-ph](#)].
- [46] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568](https://arxiv.org/abs/1005.4568) [[physics.ins-det](#)].
- [47] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [48] ATLAS Collaboration, *The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim*, ATL-PHYS-PUB-2010-013, 2010, URL: <https://cds.cern.ch/record/1300517>.
- [49] ATLAS Collaboration, *Performance of the Fast ATLAS Tracking Simulation (FATRAS) and the ATLAS Fast Calorimeter Simulation (FastCaloSim) with single particles*, ATL-SOFT-PUB-2014-001, 2014, URL: <https://cds.cern.ch/record/1669341>.
- [50] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: [0710.3820](https://arxiv.org/abs/0710.3820) [[hep-ph](#)].
- [51] NNPDF Collaboration, R. D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: [1207.1303](https://arxiv.org/abs/1207.1303) [[hep-ph](#)].
- [52] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [53] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632](https://arxiv.org/abs/1911.04632) [[physics.ins-det](#)].
- [54] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47, arXiv: [1909.00761](https://arxiv.org/abs/1909.00761) [[hep-ex](#)].

- [55] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [56] ATLAS Collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026, 2015, URL: <https://cds.cern.ch/record/2037717>.
- [57] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, *Eur. Phys. J. C* **77** (2017) 490, arXiv: [1603.02934 \[hep-ex\]](#).
- [58] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2020) 578, arXiv: [2012.00578 \[hep-ex\]](#).
- [59] M. Cacciari, G. P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).
- [60] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [61] ATLAS Collaboration, *Performance of pile-up mitigation techniques for jets in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 581, arXiv: [1510.03823 \[hep-ex\]](#).
- [62] ATLAS Collaboration, *ATLAS b -jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **79** (2019) 970, arXiv: [1907.05120 \[hep-ex\]](#).
- [63] ATLAS Collaboration, *Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at the LHC using the ATLAS detector*, *Eur. Phys. J. C* **76** (2016) 517, arXiv: [1606.09150 \[hep-ex\]](#).
- [64] ATLAS Collaboration, *Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **02** (2021) 226, arXiv: [2011.05259 \[hep-ex\]](#).
- [65] ATLAS Collaboration, *E_T^{miss} performance in the ATLAS detector using 2015–2016 LHC pp collisions*, ATLAS-CONF-2018-023, 2018, URL: <https://cds.cern.ch/record/2625233>.
- [66] M. Guchait and D. Sengupta, *Event-shape selection cuts for supersymmetry searches at the LHC with 7 TeV energy*, *Phys. Rev. D* **84** (2011) 055010, arXiv: [1102.4785 \[hep-ex\]](#).
- [67] ATLAS Collaboration, *Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Phys. Rev. D* **83** (2011) 052005, arXiv: [1012.4389 \[hep-ex\]](#).
- [68] M. Baak et al., *HistFitter software framework for statistical data analysis*, *Eur. Phys. J. C* **75** (2015) 153, arXiv: [1410.1280 \[hep-ex\]](#).
- [69] G. Choudalakis and D. Casadei, *Plotting the differences between data and expectation*, *Eur. Phys. J. Plus* **127** (2012) 25, arXiv: [1111.2062 \[physics.data-an\]](#).
- [70] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, ATLAS-CONF-2019-021, 2019, URL: <https://cds.cern.ch/record/2677054>.
- [71] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.

- [72] ATLAS Collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292, arXiv: [1603.05598 \[hep-ex\]](#).
- [73] ATLAS Collaboration, *Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002, arXiv: [1703.09665 \[hep-ex\]](#).
- [74] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, *J. Phys. G* **43** (2016) 023001, arXiv: [1510.03865 \[hep-ph\]](#).
- [75] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554, arXiv: [1007.1727 \[physics.data-an\]](#), Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [76] A. L. Read, *Presentation of search results: the CL_S technique*, *J. Phys. G* **28** (2002) 2693.
- [77] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2021-003, 2021, URL: <https://cds.cern.ch/record/2776662>.

The ATLAS Collaboration

G. Aad ¹⁹⁹, B. Abbott ¹¹⁷, D.C. Abbott ¹⁰⁰, A. Abed Abud ³⁴, K. Abeling ⁵³,
D.K. Abhayasinghe ⁹², S.H. Abidi ²⁷, A. Aboulhorma ^{33e}, H. Abramowicz ¹⁴⁸, H. Abreu ¹⁴⁷,
Y. Abulaiti ⁵, A.C. Abusleme Hoffman ^{134a}, B.S. Acharya ^{66a,66b,p}, B. Achkar ⁵³, L. Adam ⁹⁷,
C. Adam Bourdarios ⁴, L. Adamczyk ^{82a}, L. Adamek ¹⁵², S.V. Addepalli ²⁴, J. Adelman ¹¹²,
A. Adiguzel ^{11c,ac}, S. Adorni ⁵⁴, T. Auyeub ¹³¹, A.A. Affolder ¹³³, Y. Afik ³⁴, C. Agapopoulou ⁶⁴,
M.N. Agaras ¹², J. Agarwala ^{70a,70b}, A. Aggarwal ¹¹⁰, C. Agheorghiesei ^{25c},
J.A. Aguilar-Saavedra ^{127f,127a,ab}, A. Ahmad ³⁴, F. Ahmadov ^{36,z}, W.S. Ahmed ¹⁰¹, X. Ai ⁴⁶,
G. Aielli ^{73a,73b}, I. Aizenberg ¹⁶⁵, S. Akatsuka ⁸⁴, M. Akbiyik ⁹⁷, T.P.A. Åkesson ⁹⁵,
A.V. Akimov ³⁵, K. Al Khoury ³⁹, G.L. Alberghi ^{21b}, J. Albert ¹⁶¹, P. Albicocco ⁵¹,
M.J. Alconada Verzini ⁸⁷, S. Alderweireldt ⁵⁰, M. Aleksa ³⁴, I.N. Aleksandrov ³⁶, C. Alexa ^{25b},
T. Alexopoulos ⁹, A. Alfonsi ¹¹¹, F. Alfonsi ^{21b}, M. Alhroob ¹¹⁷, B. Ali ¹²⁹, S. Ali ¹⁴⁵,
M. Aliev ³⁵, G. Alimonti ^{68a}, C. Allaire ³⁴, B.M.M. Allbrooke ¹⁴³, P.P. Allport ¹⁹,
A. Aloisio ^{69a,69b}, F. Alonso ⁸⁷, C. Alpigiani ¹³⁵, E. Alunno Camelia ^{73a,73b}, M. Alvarez Estevez ⁹⁶,
M.G. Alvigi ^{69a,69b}, Y. Amaral Coutinho ^{79b}, A. Ambler ¹⁰¹, L. Ambroz ¹²³, C. Amelung ³⁴,
D. Amidei ¹⁰³, S.P. Amor Dos Santos ^{127a}, S. Amoroso ⁴⁶, K.R. Amos ¹⁵⁹, C.S. Amrouche ⁵⁴,
V. Ananiev ¹²², C. Anastopoulos ¹³⁶, N. Andari ¹³², T. Andeen ¹⁰, J.K. Anders ¹⁸,
S.Y. Andreev ^{45a,45b}, A. Andreatta ^{68a,68b}, S. Angelidakis ⁸, A. Angerami ³⁹, A.V. Anisenkov ³⁵,
A. Annovi ^{71a}, C. Antel ⁵⁴, M.T. Anthony ¹³⁶, E. Antipov ¹¹⁸, M. Antonelli ⁵¹,
D.J.A. Antrim ^{16a}, F. Anulli ^{72a}, M. Aoki ⁸⁰, J.A. Aparisi Pozo ¹⁵⁹, M.A. Aparo ¹⁴³,
L. Aperio Bella ⁴⁶, N. Aranzabal ³⁴, V. Araujo Ferraz ^{79a}, C. Arcangeletti ⁵¹, A.T.H. Arce ⁴⁹,
E. Arena ⁸⁹, J-F. Arguin ¹⁰⁵, S. Argyropoulos ⁵², J.-H. Arling ⁴⁶, A.J. Armbruster ³⁴,
A. Armstrong ¹⁵⁶, O. Arnaez ¹⁵², H. Arnold ³⁴, Z.P. Arrubarrena Tame ¹⁰⁶, G. Artoni ¹²³,
H. Asada ¹⁰⁸, K. Asai ¹¹⁵, S. Asai ¹⁵⁰, N.A. Asbah ⁵⁹, E.M. Asimakopoulou ¹⁵⁷, L. Asquith ¹⁴³,
J. Assahsah ^{33d}, K. Assamagan ²⁷, R. Astalos ^{26a}, R.J. Atkin ^{31a}, M. Atkinson ¹⁵⁸, N.B. Atlay ¹⁷,
H. Atmani ^{60b}, P.A. Atlasiddha ¹⁰³, K. Augsten ¹²⁹, S. Auricchio ^{69a,69b}, V.A. Austrup ¹⁶⁷,
G. Avner ¹⁴⁷, G. Avolio ³⁴, M.K. Ayoub ^{13c}, G. Azuelos ^{105,aj}, D. Babal ^{26a}, H. Bachacou ¹³²,
K. Bachas ¹⁴⁹, A. Bachiu ³², F. Backman ^{45a,45b}, A. Badea ⁵⁹, P. Bagnaia ^{72a,72b},
H. Bahrasemani ¹³⁹, A.J. Bailey ¹⁵⁹, V.R. Bailey ¹⁵⁸, J.T. Baines ¹³¹, C. Bakalis ⁹, O.K. Baker ¹⁶⁸,
P.J. Bakker ¹¹¹, E. Bakos ¹⁴, D. Bakshi Gupta ⁷, S. Balaji ¹⁴⁴, R. Balasubramanian ¹¹¹,
E.M. Baldin ³⁵, P. Balek ¹³⁰, E. Ballabene ^{68a,68b}, F. Balli ¹³², W.K. Balunas ¹²³, J. Balz ⁹⁷,
E. Banas ⁸³, M. Bandieramonte ¹²⁶, A. Bandyopadhyay ²², S. Bansal ²², L. Barak ¹⁴⁸,
E.L. Barberio ¹⁰², D. Barberis ^{55b,55a}, M. Barbero ⁹⁹, G. Barbour ⁹³, K.N. Barends ^{31a},
T. Barillari ¹⁰⁷, M-S. Barisits ³⁴, J. Barkeloo ¹²⁰, T. Barklow ¹⁴⁰, B.M. Barnett ¹³¹,
R.M. Barnett ^{16a}, A. Baroncelli ^{60a}, G. Barone ²⁷, A.J. Barr ¹²³, L. Barranco Navarro ^{45a,45b},
F. Barreiro ⁹⁶, J. Barreiro Guimarães da Costa ^{13a}, U. Barron ¹⁴⁸, S. Barsov ³⁵, F. Bartels ^{61a},
R. Bartoldus ¹⁴⁰, G. Bartolini ⁹⁹, A.E. Barton ⁸⁸, P. Bartos ^{26a}, A. Basalaeu ⁴⁶, A. Basan ⁹⁷,
M. Baselga ⁴⁶, I. Bashta ^{74a,74b}, A. Bassalat ^{64,af}, M.J. Basso ¹⁵², C.R. Basson ⁹⁸, R.L. Bates ⁵⁷,
S. Batlamous ^{33e}, J.R. Batley ³⁰, B. Batool ¹³⁸, M. Battaglia ¹³³, M. Bause ^{72a,72b}, F. Bauer ^{132,*},
P. Bauer ²², H.S. Bawa ²⁹, A. Bayirli ^{11c}, J.B. Beacham ⁴⁹, T. Beau ¹²⁴, P.H. Beauchemin ¹⁵⁵,
F. Becherer ⁵², P. Bechtel ²², H.P. Beck ^{18,r}, K. Becker ¹⁶³, C. Becot ⁴⁶, A.J. Beddall ^{11a},
V.A. Bednyakov ³⁶, C.P. Bee ¹⁴², T.A. Beermann ³⁴, M. Begalli ^{79b}, M. Beger ²⁷, A. Behera ¹⁴²,
J.K. Behr ⁴⁶, C. Beirao Da Cruz E Silva ³⁴, J.F. Beirer ^{53,34}, F. Beisiegel ²², M. Belfkir ⁴,
G. Bella ¹⁴⁸, L. Bellagamba ^{21b}, A. Bellerive ³², P. Bellos ¹⁹, K. Beloborodov ³⁵,
K. Belotskiy ³⁵, N.L. Belyaev ³⁵, D. Bencheekroun ^{33a}, Y. Benhammou ¹⁴⁸, D.P. Benjamin ²⁷,

M. Benoit ²⁷, J.R. Bensinger ²⁴, S. Bentvelsen ¹¹¹, L. Beresford ³⁴, M. Beretta ⁵¹, D. Berge ¹⁷,
E. Bergeaas Kuutmann ¹⁵⁷, N. Berger ⁴, B. Bergmann ¹²⁹, L.J. Bergsten ²⁴, J. Beringer ^{16a},
S. Berlendis ⁶, G. Bernardi ¹²⁴, C. Bernius ¹⁴⁰, F.U. Bernlochner ²², T. Berry ⁹², P. Berta ¹³⁰,
A. Berthold ⁴⁸, I.A. Bertram ⁸⁸, O. Bessidskaia Bylund ¹⁶⁷, S. Bethke ¹⁰⁷, A. Betti ⁴²,
A.J. Bevan ⁹¹, S. Bhatta ¹⁴², D.S. Bhattacharya ¹⁶², P. Bhattarai ²⁴, V.S. Bhopatkar ⁵, R. Bi ¹²⁶,
R.M. Bianchi ¹²⁶, O. Biebel ¹⁰⁶, R. Bielski ¹²⁰, N.V. Biesuz ^{71a,71b}, M. Biglietti ^{74a},
T.R.V. Billoud ¹²⁹, M. Bindi ⁵³, A. Bingul ^{11d}, C. Bini ^{72a,72b}, S. Biondi ^{21b,21a}, A. Biondini ⁸⁹,
C.J. Birch-sykes ⁹⁸, G.A. Bird ^{19,131}, M. Birman ¹⁶⁵, T. Bisanz ³⁴, D. Biswas ^{166,k},
A. Bitadze ⁹⁸, C. Bittrich ⁴⁸, K. Bjørke ¹²², I. Bloch ⁴⁶, C. Blocker ²⁴, A. Blue ⁵⁷,
U. Blumenschein ⁹¹, J. Blumenthal ⁹⁷, G.J. Bobbink ¹¹¹, V.S. Bobrovnikov ³⁵, M. Boehler ⁵²,
D. Bogavac ¹², A.G. Bogdanchikov ³⁵, C. Bohm ^{45a}, V. Boisvert ⁹², P. Bokan ⁴⁶, T. Bold ^{82a},
M. Bomben ¹²⁴, M. Bona ⁹¹, M. Boonekamp ¹³², C.D. Booth ⁹², A.G. Borbély ⁵⁷,
H.M. Borecka-Bielska ¹⁰⁵, L.S. Borgna ⁹³, G. Borissov ⁸⁸, D. Bortoletto ¹²³, D. Boscherini ^{21b},
M. Bosman ¹², J.D. Bossio Sola ³⁴, K. Bouaouda ^{33a}, J. Boudreau ¹²⁶, E.V. Bouhova-Thacker ⁸⁸,
D. Boumediene ³⁸, R. Bouquet ¹²⁴, A. Boveia ¹¹⁶, J. Boyd ³⁴, D. Boye ²⁷, I.R. Boyko ³⁶,
A.J. Bozson ⁹², J. Bracinik ¹⁹, N. Brahimy ^{60d,60c}, G. Brandt ¹⁶⁷, O. Brandt ³⁰, F. Braren ⁴⁶,
B. Brau ¹⁰⁰, J.E. Brau ¹²⁰, W.D. Breaden Madden ⁵⁷, K. Brendlinger ⁴⁶, R. Brenner ¹⁶⁵,
L. Brenner ³⁴, R. Brenner ¹⁵⁷, S. Bressler ¹⁶⁵, B. Brickwedde ⁹⁷, D.L. Briglin ¹⁹, D. Britton ⁵⁷,
D. Britzger ¹⁰⁷, I. Brock ²², R. Brock ¹⁰⁴, G. Brooijmans ³⁹, W.K. Brooks ^{134f}, E. Brost ²⁷,
P.A. Bruckman de Renstrom ⁸³, B. Brüers ⁴⁶, D. Bruncko ^{26b,*}, A. Bruni ^{21b}, G. Bruni ^{21b},
M. Bruschi ^{21b}, N. Bruscinò ^{72a,72b}, L. Bryngemark ¹⁴⁰, T. Buanes ¹⁵, Q. Buat ¹⁴²,
P. Buchholz ¹³⁸, A.G. Buckley ⁵⁷, I.A. Budagov ^{36,*}, M.K. Bugge ¹²², O. Bulekov ³⁵,
B.A. Bullard ⁵⁹, S. Burdin ⁸⁹, C.D. Burgard ⁴⁶, A.M. Burger ¹¹⁸, B. Burghgrave ⁷,
J.T.P. Burr ⁴⁶, C.D. Burton ¹⁰, J.C. Burzynski ¹³⁹, E.L. Busch ³⁹, V. Büscher ⁹⁷, P.J. Bussey ⁵⁷,
J.M. Butler ²³, C.M. Buttar ⁵⁷, J.M. Butterworth ⁹³, W. Buttinger ¹³¹, C.J. Buxo Vazquez ¹⁰⁴,
A.R. Buzykaev ³⁵, G. Cabras ^{21b}, S. Cabrera Urbán ¹⁵⁹, D. Caforio ⁵⁶, H. Cai ¹²⁶,
V.M.M. Cairo ¹⁴⁰, O. Cakir ^{3a}, N. Calace ³⁴, P. Calafiura ^{16a}, G. Calderini ¹²⁴, P. Calfayan ⁶⁵,
G. Callea ⁵⁷, L.P. Caloba ^{79b}, D. Calvet ³⁸, S. Calvet ³⁸, T.P. Calvet ⁹⁹, M. Calvetti ^{71a,71b},
R. Camacho Toro ¹²⁴, S. Camarda ³⁴, D. Camarero Munoz ⁹⁶, P. Camarri ^{73a,73b},
M.T. Camerlingo ^{74a,74b}, D. Cameron ¹²², C. Camincher ¹⁶¹, M. Campanelli ⁹³, A. Camplani ⁴⁰,
V. Canale ^{69a,69b}, A. Canesse ¹⁰¹, M. Cano Bret ⁷⁷, J. Cantero ¹¹⁸, Y. Cao ¹⁵⁸, F. Capocasa ²⁴,
M. Capua ^{41b,41a}, A. Carbone ^{68a,68b}, R. Cardarelli ^{73a}, J.C.J. Cardenas ⁷, F. Cardillo ¹⁵⁹,
T. Carli ³⁴, G. Carlino ^{69a}, B.T. Carlson ¹²⁶, E.M. Carlson ^{161,153a}, L. Carminati ^{68a,68b},
M. Carnesale ^{72a,72b}, R.M.D. Carney ¹⁴⁰, S. Caron ¹¹⁰, E. Carquin ^{134f}, S. Carrá ⁴⁶,
G. Carratta ^{21b,21a}, J.W.S. Carter ¹⁵², T.M. Carter ⁵⁰, D. Casadei ^{31c}, M.P. Casado ^{12,h},
A.F. Casha ¹⁵², E.G. Castiglia ¹⁶⁸, F.L. Castillo ^{61a}, L. Castillo Garcia ¹², V. Castillo Gimenez ¹⁵⁹,
N.F. Castro ^{127a,127e}, A. Catinaccio ³⁴, J.R. Catmore ¹²², A. Cattai ³⁴, V. Cavaliere ²⁷,
N. Cavalli ^{21b,21a}, V. Cavalinì ^{71a,71b}, E. Celebi ^{11b}, F. Celli ¹²³, M.S. Centonze ^{67a,67b},
K. Cerny ¹¹⁹, A.S. Cerqueira ^{79a}, A. Cerri ¹⁴³, L. Cerrito ^{73a,73b}, F. Cerutti ^{16a}, A. Cervelli ^{21b},
S.A. Cetin ^{11b}, Z. Chadi ^{33a}, D. Chakraborty ¹¹², M. Chala ^{127f}, J. Chan ¹⁶⁶, W.S. Chan ¹¹¹,
W.Y. Chan ⁸⁹, J.D. Chapman ³⁰, B. Chargeishvili ^{146b}, D.G. Charlton ¹⁹, T.P. Charman ⁹¹,
M. Chatterjee ¹⁸, S. Chekanov ⁵, S.V. Chekulaev ^{153a}, G.A. Chelkov ^{36,a}, A. Chen ¹⁰³,
B. Chen ¹⁴⁸, B. Chen ¹⁶¹, C. Chen ^{60a}, C.H. Chen ⁷⁸, H. Chen ^{13c}, H. Chen ²⁷, J. Chen ^{60c},
J. Chen ²⁴, S. Chen ¹²⁵, S.J. Chen ^{13c}, X. Chen ^{60c}, X. Chen ^{13b,ai}, Y. Chen ^{60a}, Y-H. Chen ⁴⁶,
C.L. Cheng ¹⁶⁶, H.C. Cheng ^{62a}, A. Cheplakov ³⁶, E. Cheremushkina ⁴⁶, E. Cherepanova ³⁶,
R. Cherkaoui El Moursli ^{33e}, E. Cheu ⁶, K. Cheung ⁶³, L. Chevalier ¹³², V. Chiarella ⁵¹,
G. Chiarelli ^{71a}, G. Chiodini ^{67a}, A.S. Chisholm ¹⁹, A. Chitan ^{25b}, Y.H. Chiu ¹⁶¹,

M.V. Chizhov [ID 36,s](#), K. Choi [ID 10](#), A.R. Chomont [ID 72a,72b](#), Y. Chou [ID 100](#), E.Y.S. Chow [ID 111](#),
T. Chowdhury [ID 31f](#), L.D. Christopher [ID 31f](#), M.C. Chu [ID 62a](#), X. Chu [ID 13a,13d](#), J. Chudoba [ID 128](#),
J.J. Chwastowski [ID 83](#), D. Cieri [ID 107](#), K.M. Ciesla [ID 83](#), V. Cindro [ID 90](#), I.A. Cioară [ID 25b](#), A. Ciocio [ID 16a](#),
F. Cirotto [ID 69a,69b](#), Z.H. Citron [ID 165,1](#), M. Citterio [ID 68a](#), D.A. Ciubotaru [ID 25b](#), B.M. Ciungu [ID 152](#),
A. Clark [ID 54](#), P.J. Clark [ID 50](#), J.M. Clavijo Columbie [ID 46](#), S.E. Clawson [ID 98](#), C. Clement [ID 45a,45b](#),
L. Clissa [ID 21b,21a](#), Y. Coadou [ID 99](#), M. Cobal [ID 66a,66c](#), A. Coccaro [ID 55b](#), J. Cochran [ID 78](#),
R.F. Coelho Barrue [ID 127a](#), R. Coelho Lopes De Sa [ID 100](#), S. Coelli [ID 68a](#), H. Cohen [ID 148](#),
A.E.C. Coimbra [ID 34](#), B. Cole [ID 39](#), J. Collot [ID 58](#), P. Conde Muiño [ID 127a,127h](#), S.H. Connell [ID 31c](#),
I.A. Connelly [ID 57](#), E.I. Conroy [ID 123](#), F. Conventi [ID 69a,ak](#), H.G. Cooke [ID 19](#), A.M. Cooper-Sarkar [ID 123](#),
F. Cormier [ID 160](#), L.D. Corpe [ID 34](#), M. Corradi [ID 72a,72b](#), E.E. Corrigan [ID 95](#), F. Corriveau [ID 101,y](#),
M.J. Costa [ID 159](#), F. Costanza [ID 4](#), D. Costanzo [ID 136](#), B.M. Cote [ID 116](#), G. Cowan [ID 92](#), J.W. Cowley [ID 30](#),
K. Cranmer [ID 114](#), S. Crépe-Renaudin [ID 58](#), F. Crescioli [ID 124](#), M. Cristinziani [ID 138](#),
M. Cristoforetti [ID 75a,75b,c](#), V. Croft [ID 155](#), G. Crosetti [ID 41b,41a](#), A. Cueto [ID 34](#),
T. Cuhadar Donszelmann [ID 156](#), H. Cui [ID 13a,13d](#), A.R. Cukierman [ID 140](#), W.R. Cunningham [ID 57](#),
F. Curcio [ID 41b,41a](#), P. Czodrowski [ID 34](#), M.M. Czurylo [ID 61b](#), M.J. Da Cunha Sargedas De Sousa [ID 60a](#),
J.V. Da Fonseca Pinto [ID 79b](#), C. Da Via [ID 98](#), W. Dabrowski [ID 82a](#), T. Dado [ID 47](#), S. Dahbi [ID 31f](#), T. Dai [ID 103](#),
C. Dallapiccola [ID 100](#), M. Dam [ID 40](#), G. D'amen [ID 27](#), V. D'Amico [ID 74a,74b](#), J. Damp [ID 97](#),
J.R. Dandoy [ID 125](#), M.F. Daneri [ID 28](#), M. Danninger [ID 139](#), V. Dao [ID 34](#), G. Darbo [ID 55b](#), S. Darmora [ID 5](#),
A. Dattagupta [ID 120](#), S. D'Auria [ID 68a,68b](#), C. David [ID 153b](#), T. Davidek [ID 130](#), D.R. Davis [ID 49](#),
B. Davis-Purcell [ID 32](#), I. Dawson [ID 91](#), K. De [ID 7](#), R. De Asmundis [ID 69a](#), M. De Beurs [ID 111](#),
S. De Castro [ID 21b,21a](#), N. De Groot [ID 110](#), P. de Jong [ID 111](#), H. De la Torre [ID 104](#), A. De Maria [ID 13c](#),
D. De Pedis [ID 72a](#), A. De Salvo [ID 72a](#), U. De Sanctis [ID 73a,73b](#), M. De Santis [ID 73a,73b](#), A. De Santo [ID 143](#),
J.B. De Vivie De Regie [ID 58](#), D.V. Dedovich [ID 36](#), J. Degens [ID 111](#), A.M. Deiana [ID 42](#), J. Del Peso [ID 96](#),
Y. Delabat Diaz [ID 46](#), F. Deliot [ID 132](#), C.M. Delitzsch [ID 6](#), M. Della Pietra [ID 69a,69b](#), D. Della Volpe [ID 54](#),
A. Dell'Acqua [ID 34](#), L. Dell'Asta [ID 68a,68b](#), M. Delmastro [ID 4](#), P.A. Delsart [ID 58](#), S. Demers [ID 168](#),
M. Demichev [ID 36](#), S.P. Denisov [ID 35](#), L. D'Eramo [ID 112](#), D. Derendarz [ID 83](#), J.E. Derkaoui [ID 33d](#),
F. Derue [ID 124](#), P. Dervan [ID 89](#), K. Desch [ID 22](#), K. Dette [ID 152](#), C. Deutsch [ID 22](#), P.O. Deviveiros [ID 34](#),
F.A. Di Bello [ID 72a,72b](#), A. Di Ciaccio [ID 73a,73b](#), L. Di Ciaccio [ID 4](#), A. Di Domenico [ID 72a,72b](#),
C. Di Donato [ID 69a,69b](#), A. Di Girolamo [ID 34](#), G. Di Gregorio [ID 71a,71b](#), A. Di Luca [ID 75a,75b](#),
B. Di Micco [ID 74a,74b](#), R. Di Nardo [ID 74a,74b](#), C. Diaconu [ID 99](#), F.A. Dias [ID 111](#), T. Dias Do Vale [ID 127a](#),
M.A. Diaz [ID 134a,134b](#), F.G. Diaz Capriles [ID 22](#), J. Dickinson [ID 16a](#), M. Didenko [ID 159](#), E.B. Diehl [ID 103](#),
J. Dietrich [ID 17](#), S. Díez Cornell [ID 46](#), C. Diez Pardos [ID 138](#), A. Dimitrievska [ID 16a](#), W. Ding [ID 13b](#),
J. Dingfelder [ID 22](#), I-M. Dinu [ID 25b](#), S.J. Dittmeier [ID 61b](#), F. Dittus [ID 34](#), F. Djama [ID 99](#), T. Djobava [ID 146b](#),
J.I. Djuvsland [ID 15](#), M.A.B. Do Vale [ID 79c](#), D. Dodsworth [ID 24](#), C. Doglioni [ID 95](#), J. Dolejsi [ID 130](#),
Z. Dolezal [ID 130](#), M. Donadelli [ID 79d](#), B. Dong [ID 60c](#), J. Donini [ID 38](#), A. D'Onofrio [ID 13c](#), M. D'Onofrio [ID 89](#),
J. Dopke [ID 131](#), A. Doria [ID 69a](#), M.T. Dova [ID 87](#), A.T. Doyle [ID 57](#), E. Drechsler [ID 139](#), E. Dreyer [ID 139](#),
T. Dreyer [ID 53](#), A.S. Drobac [ID 155](#), D. Du [ID 60a](#), T.A. du Pree [ID 111](#), F. Dubinin [ID 35](#), M. Dubovsky [ID 26a](#),
A. Dubreuil [ID 54](#), E. Duchovni [ID 165](#), G. Duckeck [ID 106](#), O.A. Ducu [ID 34,25b](#), D. Duda [ID 107](#), A. Dudarev [ID 34](#),
M. D'uffizi [ID 98](#), L. Dufлот [ID 64](#), M. Dührssen [ID 34](#), C. Dülsen [ID 167](#), A.E. Dumitriu [ID 25b](#), M. Dunford [ID 61a](#),
S. Dungs [ID 47](#), K. Dunne [ID 45a,45b](#), A. Duperrin [ID 99](#), H. Duran Yildiz [ID 3a](#), M. Düren [ID 56](#),
A. Durglishvili [ID 146b](#), B. Dutta [ID 46](#), B.L. Dwyer [ID 112](#), G.I. Dyckes [ID 16a](#), M. Dyndal [ID 82a](#), S. Dysch [ID 98](#),
B.S. Dziedzic [ID 83](#), B. Eckerova [ID 26a](#), M.G. Eggleston [ID 49](#), E. Egidio Purcino De Souza [ID 79b](#),
L.F. Ehrke [ID 54](#), T. Eifert [ID 7](#), G. Eigen [ID 15](#), K. Einsweiler [ID 16a](#), T. Ekelof [ID 157](#), Y. El Ghazali [ID 33b](#),
H. El Jarrari [ID 33e](#), A. El Moussaouy [ID 33a](#), V. Ellajosyula [ID 157](#), M. Ellert [ID 157](#), F. Ellinghaus [ID 167](#),
A.A. Elliot [ID 91](#), N. Ellis [ID 34](#), J. Elmsheuser [ID 27](#), M. Elsing [ID 34](#), D. Emelianov [ID 131](#), A. Emerman [ID 39](#),
Y. Enari [ID 150](#), J. Erdmann [ID 47](#), A. Ereditato [ID 18](#), P.A. Erland [ID 83](#), M. Errenst [ID 167](#), M. Escalier [ID 64](#),
C. Escobar [ID 159](#), O. Estrada Pastor [ID 159](#), E. Etzion [ID 148](#), G. Evans [ID 127a](#), H. Evans [ID 65](#), M.O. Evans [ID 143](#),

A. Ezhilov ³⁵, F. Fabbri ⁵⁷, L. Fabbri ^{21b,21a}, G. Facini ¹⁶³, V. Fadeyev ¹³³,
 R.M. Fakhruddinov ³⁵, S. Falciano ^{72a}, P.J. Falke ²², S. Falke ³⁴, J. Faltova ¹³⁰, Y. Fan ^{13a},
 Y. Fang ^{13a,13d}, G. Fanourakis ⁴⁴, M. Fanti ^{68a,68b}, M. Faraj ^{60c}, A. Farbin ⁷, A. Farilla ^{74a},
 E.M. Farina ^{70a,70b}, T. Farooque ¹⁰⁴, S.M. Farrington ⁵⁰, P. Farthouat ³⁴, F. Fassi ^{33e},
 D. Fassouliotis ⁸, M. Faucci Giannelli ^{73a,73b}, W.J. Fawcett ³⁰, L. Fayard ⁶⁴, O.L. Fedin ^{35,a},
 M. Feickert ¹⁵⁸, L. Feligioni ⁹⁹, A. Fell ¹³⁶, C. Feng ^{60b}, M. Feng ^{13b}, M.J. Fenton ¹⁵⁶,
 A.B. Fenyuk ³⁵, S.W. Ferguson ⁴³, J. Ferrando ⁴⁶, A. Ferrari ¹⁵⁷, P. Ferrari ¹¹¹, R. Ferrari ^{70a},
 D. Ferrere ⁵⁴, C. Ferretti ¹⁰³, F. Fiedler ⁹⁷, A. Filipčič ⁹⁰, F. Filthaut ¹¹⁰,
 M.C.N. Fiolhais ^{127a,127c,b}, L. Fiorini ¹⁵⁹, F. Fischer ¹³⁸, W.C. Fisher ¹⁰⁴, T. Fitschen ¹⁹,
 I. Fleck ¹³⁸, P. Fleischmann ¹⁰³, T. Flick ¹⁶⁷, B.M. Flierl ¹⁰⁶, L. Flores ¹²⁵, M. Flores ^{31d,ae},
 L.R. Flores Castillo ^{62a}, F.M. Follega ^{75a,75b}, N. Fomin ¹⁵, J.H. Foo ¹⁵², B.C. Forland ⁶⁵,
 A. Formica ¹³², F.A. Förster ¹², A.C. Forti ⁹⁸, E. Fortin ⁹⁹, M.G. Foti ¹²³, L. Fountas ^{8,i},
 D. Fournier ⁶⁴, H. Fox ⁸⁸, P. Francavilla ^{71a,71b}, S. Francescato ⁵⁹, M. Franchini ^{21b,21a},
 S. Franchino ^{61a}, D. Francis ³⁴, L. Franco ⁴, L. Franconi ¹⁸, M. Franklin ⁵⁹, G. Frattari ^{72a,72b},
 A.C. Freegard ⁹¹, P.M. Freeman ¹⁹, W.S. Freund ^{79b}, E.M. Freundlich ⁴⁷, D. Froidevaux ³⁴,
 J.A. Frost ¹²³, Y. Fu ^{60a}, M. Fujimoto ¹¹⁵, E. Fullana Torregrosa ^{159,*}, J. Fuster ¹⁵⁹,
 A. Gabrielli ^{21b,21a}, A. Gabrielli ³⁴, P. Gadow ⁴⁶, G. Gagliardi ^{55b,55a}, L.G. Gagnon ^{16a},
 G.E. Gallardo ¹²³, E.J. Gallas ¹²³, B.J. Gallop ¹³¹, R. Gamboa Goni ⁹¹, K.K. Gan ¹¹⁶,
 S. Ganguly ¹⁵⁰, J. Gao ^{60a}, Y. Gao ⁵⁰, Y.S. Gao ^{29,n}, F.M. Garay Walls ^{134a}, C. García ¹⁵⁹,
 J.E. García Navarro ¹⁵⁹, J.A. García Pascual ^{13a}, M. Garcia-Sciveres ^{16a}, R.W. Gardner ³⁷,
 D. Garg ⁷⁷, R.B. Garg ^{140,q}, S. Gargiulo ⁵², C.A. Garner ¹⁵², V. Garonne ¹²², S.J. Gasiorowski ¹³⁵,
 P. Gaspar ^{79b}, G. Gaudio ^{70a}, P. Gauzzi ^{72a,72b}, I.L. Gavrilenko ³⁵, A. Gavrilyuk ³⁵, C. Gay ¹⁶⁰,
 G. Gaycken ⁴⁶, E.N. Gazis ⁹, A.A. Geanta ^{25b}, C.M. Gee ¹³³, C.N.P. Gee ¹³¹, J. Geisen ⁹⁵,
 M. Geisen ⁹⁷, C. Gemme ^{55b}, M.H. Genest ⁵⁸, S. Gentile ^{72a,72b}, S. George ⁹², W.F. George ¹⁹,
 T. Geralis ⁴⁴, L.O. Gerlach ⁵³, P. Gessinger-Befurt ³⁴, M. Ghasemi Bostanabad ¹⁶¹,
 M. Ghneimat ¹³⁸, A. Ghosh ¹⁵⁶, A. Ghosh ⁷⁷, B. Giacobbe ^{21b}, S. Giagu ^{72a,72b},
 N. Giangiacomi ¹⁵², P. Giannetti ^{71a}, A. Giannini ^{69a,69b}, S.M. Gibson ⁹², M. Gignac ¹³³,
 D.T. Gil ^{82b}, B.J. Gilbert ³⁹, D. Gillberg ³², G. Gilles ¹¹¹, N.E.K. Gillwald ⁴⁶,
 D.M. Gingrich ^{2,aj}, M.P. Giordani ^{66a,66c}, P.F. Giraud ¹³², G. Giugliarelli ^{66a,66c}, D. Giugni ^{68a},
 F. Giuli ^{73a,73b}, I. Gkialas ^{8,i}, P. Gkoutoumis ⁹, L.K. Gladilin ³⁵, C. Glasman ⁹⁶,
 G.R. Gledhill ¹²⁰, M. Glisic ¹²⁰, I. Gnesi ^{41b,e}, M. Goblirsch-Kolb ²⁴, D. Godin ¹⁰⁵, S. Goldfarb ¹⁰²,
 T. Golling ⁵⁴, D. Golubkov ³⁵, J.P. Gombas ¹⁰⁴, A. Gomes ^{127a,127b}, R. Goncalves Gama ⁵³,
 R. Gonçalves ^{127a,127c}, G. Gonella ¹²⁰, L. Gonella ¹⁹, A. Gongadze ³⁶, F. Gonnella ¹⁹,
 J.L. Gonski ³⁹, R.Y. González Andana ^{134a}, S. González de la Hoz ¹⁵⁹, S. Gonzalez Fernandez ¹²,
 R. Gonzalez Lopez ⁸⁹, C. Gonzalez Renteria ^{16a}, R. Gonzalez Suarez ¹⁵⁷, S. Gonzalez-Sevilla ⁵⁴,
 G.R. Gonzalvo Rodriguez ¹⁵⁹, L. Goossens ³⁴, N.A. Gorasia ¹⁹, P.A. Gorbounov ³⁵, B. Gorini ³⁴,
 E. Gorini ^{67a,67b}, A. Gorišek ⁹⁰, A.T. Goshaw ⁴⁹, M.I. Gostkin ³⁶, C.A. Gottardo ¹¹⁰,
 M. Goughri ^{33b}, V. Goumarre ⁴⁶, A.G. Goussiou ¹³⁵, N. Govender ^{31c}, C. Goy ⁴,
 I. Grabowska-Bold ^{82a}, K. Graham ³², E. Gramstad ¹²², S. Grancagnolo ¹⁷, M. Grandi ¹⁴³,
 V. Gratchev ^{35,*}, P.M. Gravila ^{25f}, F.G. Gravili ^{67a,67b}, H.M. Gray ^{16a}, C. Grefe ²², I.M. Gregor ⁴⁶,
 P. Grenier ¹⁴⁰, K. Grevtsov ⁴⁶, C. Grieco ¹², N.A. Grieser ¹¹⁷, A.A. Grillo ¹³³, K. Grimm ^{29,m},
 S. Grinstein ^{12,u}, J.-F. Grivaz ⁶⁴, S. Groh ⁹⁷, E. Gross ¹⁶⁵, J. Grosse-Knetter ⁵³, C. Grud ¹⁰³,
 A. Grummer ¹⁰⁹, J.C. Grundy ¹²³, L. Guan ¹⁰³, W. Guan ¹⁶⁶, C. Gubbels ¹⁶⁰, J. Guenther ³⁴,
 J.G.R. Guerrero Rojas ¹⁵⁹, F. Guescini ¹⁰⁷, R. Gugel ⁹⁷, A. Guida ⁴⁶, T. Guillemin ⁴,
 S. Guindon ³⁴, J. Guo ^{60c}, L. Guo ⁶⁴, Y. Guo ¹⁰³, R. Gupta ⁴⁶, S. Gurbuz ²², G. Gustavino ¹¹⁷,
 M. Guth ⁵⁴, P. Gutierrez ¹¹⁷, L.F. Gutierrez Zagazeta ¹²⁵, C. Gutschow ⁹³, C. Guyot ¹³²,
 C. Gwenlan ¹²³, C.B. Gwilliam ⁸⁹, E.S. Haaland ¹²², A. Haas ¹¹⁴, M. Habedank ⁴⁶,

C. Haber ^{16a}, H.K. Hadavand ⁷, A. Hadeef ⁹⁷, S. Hadzic ¹⁰⁷, M. Haleem ¹⁶², J. Haley ¹¹⁸,
 J.J. Hall ¹³⁶, G. Halladjian ¹⁰⁴, G.D. Hallewell ⁹⁹, L. Halser ¹⁸, K. Hamano ¹⁶¹,
 H. Hamdaoui ^{33e}, M. Hamer ²², G.N. Hamity ⁵⁰, K. Han ^{60a}, L. Han ^{13c}, L. Han ^{60a},
 S. Han ^{16a}, Y.F. Han ¹⁵², K. Hanagaki ⁸⁰, M. Hance ¹³³, M.D. Hank ³⁷, R. Hankache ⁹⁸,
 E. Hansen ⁹⁵, J.B. Hansen ⁴⁰, J.D. Hansen ⁴⁰, M.C. Hansen ²², P.H. Hansen ⁴⁰, K. Hara ¹⁵⁴,
 T. Harenberg ¹⁶⁷, S. Harkusha ³⁵, Y.T. Harris ¹²³, P.F. Harrison ¹⁶³, N.M. Hartman ¹⁴⁰,
 N.M. Hartmann ¹⁰⁶, Y. Hasegawa ¹³⁷, A. Hasib ⁵⁰, S. Hassani ¹³², S. Haug ¹⁸, R. Hauser ¹⁰⁴,
 M. Havranek ¹²⁹, C.M. Hawkes ¹⁹, R.J. Hawkins ³⁴, S. Hayashida ¹⁰⁸, D. Hayden ¹⁰⁴,
 C. Hayes ¹⁰³, R.L. Hayes ¹⁶⁰, C.P. Hays ¹²³, J.M. Hays ⁹¹, H.S. Hayward ⁸⁹, S.J. Haywood ¹³¹,
 F. He ^{60a}, Y. He ¹⁵¹, Y. He ¹²⁴, M.P. Heath ⁵⁰, V. Hedberg ⁹⁵, A.L. Heggelund ¹²²,
 N.D. Hehir ⁹¹, C. Heidegger ⁵², K.K. Heidegger ⁵², W.D. Heidorn ⁷⁸, J. Heilman ³²,
 S. Heim ⁴⁶, T. Heim ^{16a}, B. Heinemann ^{46,ag}, J.G. Heinlein ¹²⁵, J.J. Heinrich ¹²⁰, L. Heinrich ³⁴,
 J. Hejbal ¹²⁸, L. Helary ⁴⁶, A. Held ¹¹⁴, S. Hellesund ¹²², C.M. Helling ¹³³, S. Hellman ^{45a,45b},
 C. Helsens ³⁴, R.C.W. Henderson ⁸⁸, L. Henkelmann ³⁰, A.M. Henriques Correia ³⁴, H. Herde ¹⁴⁰,
 Y. Hernández Jiménez ¹⁴², H. Herr ⁹⁷, M.G. Herrmann ¹⁰⁶, T. Herrmann ⁴⁸, G. Herten ⁵²,
 R. Hertenberger ¹⁰⁶, L. Hervás ³⁴, N.P. Hessey ^{153a}, H. Hibi ⁸¹, S. Higashino ⁸⁰,
 E. Higón-Rodríguez ¹⁵⁹, K.H. Hiller ⁴⁶, S.J. Hillier ¹⁹, M. Hils ⁴⁸, I. Hinchliffe ^{16a},
 F. Hinterkeuser ²², M. Hirose ¹²¹, S. Hirose ¹⁵⁴, D. Hirschbuehl ¹⁶⁷, B. Hiti ⁹⁰, O. Hladik ¹²⁸,
 J. Hobbs ¹⁴², R. Hobincu ^{25e}, N. Hod ¹⁶⁵, M.C. Hodgkinson ¹³⁶, B.H. Hodgkinson ³⁰,
 A. Hoecker ³⁴, J. Hofer ⁴⁶, D. Hohn ⁵², T. Holm ²², T.R. Holmes ³⁷, M. Holzbock ¹⁰⁷,
 L.B.A.H. Hommels ³⁰, B.P. Honan ⁹⁸, J. Hong ^{60c}, T.M. Hong ¹²⁶, Y. Hong ⁵³, J.C. Honig ⁵²,
 A. Hönle ¹⁰⁷, B.H. Hooberman ¹⁵⁸, W.H. Hopkins ⁵, Y. Horii ¹⁰⁸, L.A. Horyn ³⁷, S. Hou ¹⁴⁵,
 J. Howarth ⁵⁷, J. Hoya ⁸⁷, M. Hrabovsky ¹¹⁹, A. Hrynevich ³⁵, T. Hryn'ova ⁴, P.J. Hsu ⁶³,
 S.-C. Hsu ¹³⁵, Q. Hu ³⁹, S. Hu ^{60c}, Y.F. Hu ^{13a,13d,al}, D.P. Huang ⁹³, X. Huang ^{13c},
 Y. Huang ^{60a}, Y. Huang ^{13a}, Z. Hubacek ¹²⁹, F. Hubaut ⁹⁹, M. Huebner ²², F. Hügging ²²,
 T.B. Huffman ¹²³, M. Huhtinen ³⁴, S.K. Huiberts ¹⁵, R. Hulsken ⁵⁸, N. Huseynov ^{36,z},
 J. Huston ¹⁰⁴, J. Huth ⁵⁹, R. Hyneman ¹⁴⁰, S. Hyrych ^{26a}, G. Iacobucci ⁵⁴, G. Iakovidis ²⁷,
 I. Ibragimov ¹³⁸, L. Iconomidou-Fayard ⁶⁴, P. Iengo ³⁴, R. Iguchi ¹⁵⁰, T. Iizawa ⁵⁴,
 Y. Ikegami ⁸⁰, A. Ilg ¹⁸, N. Ilic ¹⁵², H. Imam ^{33a}, T. Ingebretsen Carlson ^{45a,45b},
 G. Introzzi ^{70a,70b}, M. Iodice ^{74a}, V. Ippolito ^{72a,72b}, M. Ishino ¹⁵⁰, W. Islam ¹⁶⁶, C. Issever ^{17,46},
 S. Istin ^{11c,am}, J.M. Iturbe Ponce ^{62a}, R. Iuppa ^{75a,75b}, A. Ivina ¹⁶⁵, J.M. Izen ⁴³, V. Izzo ^{69a},
 P. Jacka ¹²⁸, P. Jackson ¹, R.M. Jacobs ⁴⁶, B.P. Jaeger ¹³⁹, C.S. Jagfeld ¹⁰⁶, G. Jäkel ¹⁶⁷,
 K. Jakobs ⁵², T. Jakoubek ¹⁶⁵, J. Jamieson ⁵⁷, K.W. Janas ^{82a}, G. Jarlskog ⁹⁵, A.E. Jaspan ⁸⁹,
 N. Javadov ^{36,z}, T. Javůrek ³⁴, M. Javurkova ¹⁰⁰, F. Jeanneau ¹³², L. Jeanty ¹²⁰, J. Jejelava ^{146a,aa},
 P. Jenni ^{52,f}, S. Jézéquel ⁴, J. Jia ¹⁴², Z. Jia ^{13c}, Y. Jiang ^{60a}, S. Jiggins ⁵⁰, J. Jimenez Pena ¹⁰⁷,
 S. Jin ^{13c}, A. Jinaru ^{25b}, O. Jinnouchi ¹⁵¹, H. Jivan ^{31f}, P. Johansson ¹³⁶, K.A. Johns ⁶,
 C.A. Johnson ⁶⁵, D.M. Jones ³⁰, E. Jones ¹⁶³, R.W.L. Jones ⁸⁸, T.J. Jones ⁸⁹, J. Jovicevic ¹⁴,
 X. Ju ^{16a}, J.J. Junggeburth ³⁴, A. Juste Rozas ^{12,u}, S. Kabana ^{134e}, A. Kaczmarska ⁸³,
 M. Kado ^{72a,72b}, H. Kagan ¹¹⁶, M. Kagan ¹⁴⁰, A. Kahn ³⁹, A. Kahn ¹²⁵, C. Kahra ⁹⁷, T. Kaji ¹⁶⁴,
 E. Kajomovitz ¹⁴⁷, C.W. Kalderon ²⁷, A. Kamenshchikov ³⁵, M. Kaneda ¹⁵⁰, N.J. Kang ¹³³,
 S. Kang ⁷⁸, Y. Kano ¹⁰⁸, D. Kar ^{31f}, K. Karava ¹²³, M.J. Kareem ^{153b}, I. Karkanas ¹⁴⁹,
 S.N. Karpov ³⁶, Z.M. Karpova ³⁶, V. Kartvelishvili ⁸⁸, A.N. Karyukhin ³⁵, E. Kasimi ¹⁴⁹,
 C. Kato ^{60d}, J. Katzy ⁴⁶, K. Kawade ¹³⁷, K. Kawagoe ⁸⁶, T. Kawaguchi ¹⁰⁸, T. Kawamoto ¹³²,
 G. Kawamura ⁵³, E.F. Kay ¹⁶¹, F.I. Kaya ¹⁵⁵, S. Kazakos ¹², V.F. Kazanin ³⁵, Y. Ke ¹⁴²,
 J.M. Keaveney ^{31a}, R. Keeler ¹⁶¹, J.S. Keller ³², D. Kelsey ¹⁴³, J.J. Kempster ¹⁹, J. Kendrick ¹⁹,
 K.E. Kennedy ³⁹, O. Kepka ¹²⁸, S. Kersten ¹⁶⁷, B.P. Kerševan ⁹⁰, S. Ketabchi Haghighat ¹⁵²,
 M. Khandoga ¹²⁴, A. Khanov ¹¹⁸, A.G. Kharlamov ³⁵, T. Kharlamova ³⁵, E.E. Khoda ¹³⁵,

T.J. Khoo ¹⁷, G. Khoraiuli ¹⁶², J. Khubua ^{146b}, S. Kido ⁸¹, M. Kiehn ³⁴, A. Kilgallon ¹²⁰, E. Kim ¹⁵¹, Y.K. Kim ³⁷, N. Kimura ⁹³, A. Kirchhoff ⁵³, D. Kirchmeier ⁴⁸, C. Kirfel ²², J. Kirk ¹³¹, A.E. Kiryunin ¹⁰⁷, T. Kishimoto ¹⁵⁰, D.P. Kisliuk ¹⁵², C. Kitsaki ⁹, O. Kivernyk ²², T. Klapdor-Kleingrothaus ⁵², M. Klassen ^{61a}, C. Klein ³², L. Klein ¹⁶², M.H. Klein ¹⁰³, M. Klein ⁸⁹, U. Klein ⁸⁹, P. Klimek ³⁴, A. Klimentov ²⁷, F. Klimpel ¹⁰⁷, T. Klingl ²², T. Klioutchnikova ³⁴, F.F. Klitzner ¹⁰⁶, P. Kluit ¹¹¹, S. Kluth ¹⁰⁷, E. Kneringer ⁷⁶, T.M. Knight ¹⁵², A. Knue ⁵², D. Kobayashi ⁸⁶, R. Kobayashi ⁸⁴, M. Kobel ⁴⁸, M. Kocian ¹⁴⁰, T. Kodama ¹⁵⁰, P. Kodyš ¹³⁰, D.M. Koeck ¹⁴³, P.T. Koenig ²², T. Koffas ³², N.M. Köhler ³⁴, M. Kolb ¹³², I. Koletsou ⁴, T. Komarek ¹¹⁹, K. Köneke ⁵², A.X.Y. Kong ¹, T. Kono ¹¹⁵, V. Konstantinides ⁹³, N. Konstantinidis ⁹³, B. Konya ⁹⁵, R. Kopeliansky ⁶⁵, S. Koperny ^{82a}, K. Korcyl ⁸³, K. Kordas ¹⁴⁹, G. Koren ¹⁴⁸, A. Korn ⁹³, S. Korn ⁵³, I. Korolkov ¹², E.V. Korolkova ¹³⁶, N. Korotkova ³⁵, B. Kortman ¹¹¹, O. Kortner ¹⁰⁷, S. Kortner ¹⁰⁷, W.H. Kostecka ¹¹², V.V. Kostyukhin ^{138,35}, A. Kotsokechagia ⁶⁴, A. Kotwal ⁴⁹, A. Koulouris ³⁴, A. Kourkoumeli-Charalampidi ^{70a,70b}, C. Kourkoumelis ⁸, E. Kourlitis ⁵, O. Kovanda ¹⁴³, R. Kowalewski ¹⁶¹, W. Kozanecki ¹³², A.S. Kozhin ³⁵, V.A. Kramarenko ³⁵, G. Kramberger ⁹⁰, P. Kramer ⁹⁷, D. Krasnopevtsev ^{60a}, M.W. Krasny ¹²⁴, A. Krasznahorkay ³⁴, J.A. Kremer ⁹⁷, J. Kretschmar ⁸⁹, K. Kreul ¹⁷, P. Krieger ¹⁵², F. Krieter ¹⁰⁶, S. Krishnamurthy ¹⁰⁰, A. Krishnan ^{61b}, M. Krivos ¹³⁰, K. Krizka ^{16a}, K. Kroeninger ⁴⁷, H. Kroha ¹⁰⁷, J. Kroll ¹²⁸, J. Kroll ¹²⁵, K.S. Krowpman ¹⁰⁴, U. Kruchonak ³⁶, H. Krüger ²², N. Krumnack ⁷⁸, M.C. Kruse ⁴⁹, J.A. Krzysiak ⁸³, A. Kubota ¹⁵¹, O. Kuchinskaia ³⁵, S. Kuday ^{3a}, D. Kuechler ⁴⁶, J.T. Kuechler ⁴⁶, S. Kuehn ³⁴, T. Kuhl ⁴⁶, V. Kukhtin ³⁶, Y. Kulchitsky ^{35,a}, S. Kuleshov ^{134d}, M. Kumar ^{31f}, N. Kumari ⁹⁹, M. Kuna ⁵⁸, A. Kupco ¹²⁸, T. Kupfer ⁴⁷, O. Kuprash ⁵², H. Kurashige ⁸¹, L.L. Kurchaninov ^{153a}, Y.A. Kurochkin ³⁵, A. Kurova ³⁵, M.G. Kurth ^{13a,13d}, E.S. Kuwertz ³⁴, M. Kuze ¹⁵¹, A.K. Kvam ¹³⁵, J. Kvita ¹¹⁹, T. Kwan ¹⁰¹, K.W. Kwok ^{62a}, C. Lacasta ¹⁵⁹, F. Lacava ^{72a,72b}, H. Lacker ¹⁷, D. Lacour ¹²⁴, N.N. Lad ⁹³, E. Ladygin ³⁶, R. Lafaye ⁴, B. Laforge ¹²⁴, T. Lagouri ^{134e}, S. Lai ⁵³, I.K. Lakomic ^{82a}, N. Lalloue ⁵⁸, J.E. Lambert ¹¹⁷, S. Lammers ⁶⁵, W. Lampl ⁶, C. Lampoudis ¹⁴⁹, E. Lançon ²⁷, U. Landgraf ⁵², M.P.J. Landon ⁹¹, V.S. Lang ⁵², J.C. Lange ⁵³, R.J. Langenberg ¹⁰⁰, A.J. Lankford ¹⁵⁶, F. Lanni ²⁷, K. Lantzsch ²², A. Lanza ^{70a}, A. Lapertosa ^{55b,55a}, J.F. Laporte ¹³², T. Lari ^{68a}, F. Lasagni Manghi ^{21b}, M. Lassnig ³⁴, V. Latonova ¹²⁸, T.S. Lau ^{62a}, A. Laudrain ⁹⁷, A. Laurier ³², M. Lavorgna ^{69a,69b}, S.D. Lawlor ⁹², Z. Lawrence ⁹⁸, M. Lazzaroni ^{68a,68b}, B. Le ⁹⁸, B. Leban ⁹⁰, A. Lebedev ⁷⁸, M. LeBlanc ³⁴, T. LeCompte ⁵, F. Ledroit-Guillon ⁵⁸, A.C.A. Lee ⁹³, G.R. Lee ¹⁵, L. Lee ⁵⁹, S.C. Lee ¹⁴⁵, S. Lee ⁷⁸, L.L. Leeuw ^{31c}, B. Lefebvre ^{153a}, H.P. Lefebvre ⁹², M. Lefebvre ¹⁶¹, C. Leggett ^{16a}, K. Lehmann ¹³⁹, N. Lehmann ¹⁸, G. Lehmann Miotto ³⁴, W.A. Leight ⁴⁶, A. Leisos ^{149,t}, M.A.L. Leite ^{79d}, C.E. Leitgeb ⁴⁶, R. Leitner ¹³⁰, K.J.C. Leney ⁴², T. Lenz ²², S. Leone ^{71a}, C. Leonidopoulos ⁵⁰, A. Leopold ¹²⁴, C. Leroy ¹⁰⁵, R. Les ¹⁰⁴, C.G. Lester ³⁰, M. Levchenko ³⁵, J. Levêque ⁴, D. Levin ¹⁰³, L.J. Levinson ¹⁶⁵, D.J. Lewis ¹⁹, B. Li ^{13b}, B. Li ^{60b}, C. Li ^{60a}, C-Q. Li ^{60c,60d}, H. Li ^{60a}, H. Li ^{60b}, H. Li ^{60b}, J. Li ^{60c}, K. Li ¹³⁵, L. Li ^{60c}, M. Li ^{13a,13d}, Q.Y. Li ^{60a}, S. Li ^{60d,60c,d}, T. Li ^{60b}, X. Li ⁴⁶, Y. Li ⁴⁶, Z. Li ^{60b}, Z. Li ¹²³, Z. Li ¹⁰¹, Z. Li ⁸⁹, Z. Liang ^{13a}, M. Liberatore ⁴⁶, B. Liberti ^{73a}, K. Lie ^{62c}, J. Lieber Marin ^{79b}, K. Lin ¹⁰⁴, R.A. Linck ⁶⁵, R.E. Lindley ⁶, J.H. Lindon ², A. Linss ⁴⁶, E. Lipeles ¹²⁵, A. Lipniacka ¹⁵, T.M. Liss ^{158,ah}, A. Lister ¹⁶⁰, J.D. Little ⁷, B. Liu ^{13a}, B.X. Liu ¹³⁹, J.B. Liu ^{60a}, J.K.K. Liu ³⁷, K. Liu ^{60d,60c}, M. Liu ^{60a}, M.Y. Liu ^{60a}, P. Liu ^{13a}, X. Liu ^{60a}, Y. Liu ⁴⁶, Y. Liu ^{13c,13d}, Y.L. Liu ¹⁰³, Y.W. Liu ^{60a}, M. Livan ^{70a,70b}, J. Llorente Merino ¹³⁹, S.L. Lloyd ⁹¹, E.M. Lobodzinska ⁴⁶, P. Loch ⁶, S. Loffredo ^{73a,73b}, T. Lohse ¹⁷, K. Lohwasser ¹³⁶, M. Lokajicek ^{128,*}, J.D. Long ¹⁵⁸, I. Longarini ^{72a,72b}, L. Longo ³⁴, R. Longo ¹⁵⁸, I. Lopez Paz ¹², A. Lopez Solis ⁴⁶,























J. Lorenz ^{id106}, N. Lorenzo Martinez ^{id4}, A.M. Lory ^{id106}, A. Lösle ^{id52}, X. Lou ^{id45a,45b}, X. Lou ^{id13a,13d}, A. Lounis ^{id64}, J. Love ^{id5}, P.A. Love ^{id88}, J.J. Lozano Bahilo ^{id159}, G. Lu ^{id13a,13d}, M. Lu ^{id60a}, S. Lu ^{id125}, Y.J. Lu ^{id63}, H.J. Lubatti ^{id135}, C. Luci ^{id72a,72b}, F.L. Lucio Alves ^{id13c}, A. Lucotte ^{id58}, F. Luehring ^{id65}, I. Luise ^{id142}, L. Luminari ^{id72a}, O. Lundberg ^{id141}, B. Lund-Jensen ^{id141}, N.A. Luongo ^{id120}, M.S. Lutz ^{id148}, D. Lynn ^{id27}, H. Lyons ^{id89}, R. Lysak ^{id128}, E. Lytken ^{id95}, F. Lyu ^{id13a}, V. Lyubushkin ^{id36}, T. Lyubushkina ^{id36}, H. Ma ^{id27}, L.L. Ma ^{id60b}, Y. Ma ^{id93}, D.M. Mac Donell ^{id161}, G. Maccarrone ^{id51}, C.M. Macdonald ^{id136}, J.C. MacDonald ^{id136}, R. Madar ^{id38}, W.F. Mader ^{id48}, M. Madugoda Ralalage Don ^{id118}, N. Madysa ^{id48}, J. Maeda ^{id81}, T. Maeno ^{id27}, M. Maerker ^{id48}, V. Magerl ^{id52}, J. Magro ^{id66a,66c}, D.J. Mahon ^{id39}, C. Maidantchik ^{id79b}, A. Maio ^{id127a,127b,127d}, K. Maj ^{id82a}, O. Majersky ^{id26a}, S. Majewski ^{id120}, N. Makovec ^{id64}, V. Maksimovic ^{id14}, B. Malaescu ^{id124}, Pa. Malecki ^{id83}, V.P. Maleev ^{id35}, F. Malek ^{id58}, D. Malito ^{id41b,41a}, U. Mallik ^{id77}, C. Malone ^{id30}, S. Maltezos ^{id9}, S. Malyukov ^{id36}, J. Mamuzic ^{id159}, G. Mancini ^{id51}, J.P. Mandalia ^{id91}, I. Mandić ^{id90}, L. Manhaes de Andrade Filho ^{id79a}, I.M. Maniatis ^{id149}, M. Manisha ^{id132}, J. Manjarres Ramos ^{id48}, K.H. Mankinen ^{id95}, A. Mann ^{id106}, A. Manousos ^{id76}, B. Mansoulie ^{id132}, I. Manthos ^{id149}, S. Manzoni ^{id111}, A. Marantis ^{id149,t}, G. Marchiori ^{id124}, M. Marcisovsky ^{id128}, L. Marcoccia ^{id73a,73b}, C. Marcon ^{id95}, M. Marjanovic ^{id117}, Z. Marshall ^{id16a}, S. Marti-Garcia ^{id159}, T.A. Martin ^{id163}, V.J. Martin ^{id50}, B. Martin dit Latour ^{id15}, L. Martinelli ^{id72a,72b}, M. Martinez ^{id12,u}, P. Martinez Agullo ^{id159}, V.I. Martinez Outschoorn ^{id100}, S. Martin-Haugh ^{id131}, V.S. Martoiu ^{id25b}, A.C. Martyniuk ^{id93}, A. Marzin ^{id34}, S.R. Maschek ^{id107}, L. Masetti ^{id97}, T. Mashimo ^{id150}, J. Masik ^{id98}, A.L. Maslennikov ^{id35}, L. Massa ^{id21b}, P. Massarotti ^{id69a,69b}, P. Mastrandrea ^{id71a,71b}, A. Mastroberardino ^{id41b,41a}, T. Masubuchi ^{id150}, D. Matakias ^{id27}, T. Mathisen ^{id157}, A. Matic ^{id106}, N. Matsuzawa ^{id150}, J. Maurer ^{id25b}, B. Maček ^{id90}, D.A. Maximov ^{id35}, R. Mazini ^{id145}, I. Maznas ^{id149}, S.M. Mazza ^{id133}, C. Mc Ginn ^{id27}, J.P. Mc Gowan ^{id101}, S.P. Mc Kee ^{id103}, T.G. McCarthy ^{id107}, W.P. McCormack ^{id16a}, E.F. McDonald ^{id102}, A.E. McDougall ^{id111}, J.A. Mcfayden ^{id143}, G. Mchedlize ^{id146b}, M.A. McKay ^{id42}, K.D. McLean ^{id161}, S.J. McMahon ^{id131}, P.C. McNamara ^{id102}, R.A. McPherson ^{id161,y}, J.E. Mdhluli ^{id31f}, Z.A. Meadows ^{id100}, S. Meehan ^{id34}, T. Megy ^{id38}, S. Mehlhase ^{id106}, A. Mehta ^{id89}, B. Meirose ^{id43}, D. Melini ^{id147}, B.R. Mellado Garcia ^{id31f}, A.H. Melo ^{id53}, F. Meloni ^{id46}, A. Melzer ^{id22}, E.D. Mendes Gouveia ^{id127a}, A.M. Mendes Jacques Da Costa ^{id19}, H.Y. Meng ^{id152}, L. Meng ^{id34}, S. Menke ^{id107}, M. Mentink ^{id34}, E. Meoni ^{id41b,41a}, C. Merlassino ^{id123}, P. Mermod ^{id54,*}, L. Merola ^{id69a,69b}, C. Meroni ^{id68a}, G. Merz ^{id103}, O. Meshkov ^{id35}, J.K.R. Meshreki ^{id138}, J. Metcalfe ^{id5}, A.S. Mete ^{id5}, C. Meyer ^{id65}, J-P. Meyer ^{id132}, M. Michetti ^{id17}, R.P. Middleton ^{id131}, L. Mijović ^{id50}, G. Mikenberg ^{id165}, M. Mikestikova ^{id128}, M. Mikuž ^{id90}, H. Mildner ^{id136}, A. Milic ^{id152}, C.D. Milke ^{id42}, D.W. Miller ^{id37}, L.S. Miller ^{id32}, A. Milov ^{id165}, D.A. Milstead ^{id45a,45b}, T. Min ^{id13c}, A.A. Minaenko ^{id35}, I.A. Minashvili ^{id146b}, L. Mince ^{id57}, A.I. Mincer ^{id114}, B. Mindur ^{id82a}, M. Mineev ^{id36}, Y. Minegishi ^{id150}, Y. Mino ^{id84}, L.M. Mir ^{id12}, M. Miralles Lopez ^{id159}, M. Mironova ^{id123}, T. Mitani ^{id164}, V.A. Mitsou ^{id159}, M. Mittal ^{id60c}, O. Miu ^{id152}, P.S. Miyagawa ^{id91}, Y. Miyazaki ^{id86}, A. Mizukami ^{id80}, J.U. Mjörnmark ^{id95}, T. Mkrtchyan ^{id61a}, M. Mlynarikova ^{id112}, T. Moa ^{id45a,45b}, S. Mobius ^{id53}, K. Mochizuki ^{id105}, P. Moder ^{id46}, P. Mogg ^{id106}, A.F. Mohammed ^{id13a,13d}, S. Mohapatra ^{id39}, G. Mokgatitwane ^{id31f}, B. Mondal ^{id138}, S. Mondal ^{id129}, K. Mönig ^{id46}, E. Monnier ^{id99}, L. Monsonis Romero ^{id159}, A. Montalbano ^{id139}, J. Montejo Berlingen ^{id34}, M. Montella ^{id116}, F. Monticelli ^{id87}, N. Morange ^{id64}, A.L. Moreira De Carvalho ^{id127a}, M. Moreno Llácer ^{id159}, C. Moreno Martinez ^{id12}, P. Morettini ^{id55b}, S. Morgenstern ^{id163}, D. Mori ^{id139}, M. Morii ^{id59}, M. Morinaga ^{id150}, V. Morisbak ^{id122}, A.K. Morley ^{id34}, A.P. Morris ^{id93}, L. Morvaj ^{id34}, P. Moschovakos ^{id34}, B. Moser ^{id111}, M. Mosidze ^{id146b}, T. Moskalets ^{id52}, P. Moskvitina ^{id110}, J. Moss ^{id29,o}, E.J.W. Moyses ^{id100}, S. Muanza ^{id99}, J. Mueller ^{id126}, D. Muenstermann ^{id88}, R. Müller ^{id18}, G.A. Mullier ^{id95}, J.J. Mullin ^{id125}, D.P. Mungo ^{id68a,68b}, J.L. Munoz Martinez ^{id12}, F.J. Munoz Sanchez ^{id98}, M. Murin ^{id98}, P. Murin ^{id26b}, W.J. Murray ^{id163,131}, A. Murrone ^{id68a,68b},

J.M. Muse ¹¹⁷, M. Muškinja ^{16a}, C. Mwewa ²⁷, A.G. Myagkov ^{35,a}, A.J. Myers ⁷, A.A. Myers ¹²⁶,
 G. Myers ⁶⁵, M. Myska ¹²⁹, B.P. Nachman ^{16a}, O. Nackenhorst ⁴⁷, A. Nag ⁴⁸, K. Nagai ¹²³,
 K. Nagano ⁸⁰, J.L. Nagle ²⁷, E. Nagy ⁹⁹, A.M. Nairz ³⁴, Y. Nakahama ¹⁰⁸, K. Nakamura ⁸⁰,
 H. Nanjo ¹²¹, F. Napolitano ^{61a}, R. Narayan ⁴², E.A. Narayanan ¹⁰⁹, I. Naryshkin ³⁵,
 M. Naseri ³², C. Nass ²², T. Naumann ⁴⁶, G. Navarro ^{20a}, J. Navarro-Gonzalez ¹⁵⁹,
 R. Nayak ¹⁴⁸, P.Y. Nechaeva ³⁵, F. Nechansky ⁴⁶, T.J. Neep ¹⁹, A. Negri ^{70a,70b}, M. Negrini ^{21b},
 C. Nellist ¹¹⁰, C. Nelson ¹⁰¹, K. Nelson ¹⁰³, S. Nemecek ¹²⁸, M. Nessi ^{34,g}, M.S. Neubauer ¹⁵⁸,
 F. Neuhaus ⁹⁷, J. Neundorf ⁴⁶, R. Newhouse ¹⁶⁰, P.R. Newman ¹⁹, C.W. Ng ¹²⁶, Y.S. Ng ¹⁷,
 Y.W.Y. Ng ¹⁵⁶, B. Ngair ^{33e}, H.D.N. Nguyen ¹⁰⁵, R.B. Nickerson ¹²³, R. Nicolaidou ¹³²,
 D.S. Nielsen ⁴⁰, J. Nielsen ¹³³, M. Niemeyer ⁵³, N. Nikiforou ¹⁰, V. Nikolaenko ^{35,a},
 I. Nikolic-Audit ¹²⁴, K. Nikolopoulos ¹⁹, P. Nilsson ²⁷, H.R. Nindhito ⁵⁴, A. Nisati ^{72a},
 N. Nishu ², R. Nisius ¹⁰⁷, T. Nitta ¹⁶⁴, T. Nobe ¹⁵⁰, D.L. Noel ³⁰, Y. Noguchi ⁸⁴,
 I. Nomidis ¹²⁴, M.A. Nomura ²⁷, M.B. Norfolk ¹³⁶, R.R.B. Norisam ⁹³, J. Novak ⁹⁰, T. Novak ⁴⁶,
 O. Novgorodova ⁴⁸, L. Novotny ¹²⁹, R. Novotny ¹⁰⁹, L. Nozka ¹¹⁹, K. Ntekas ¹⁵⁶, E. Nurse ⁹³,
 F.G. Oakham ^{32,aj}, J. Ocariz ¹²⁴, A. Ochi ⁸¹, I. Ochoa ^{127a}, J.P. Ochoa-Ricoux ^{134a}, S. Oda ⁸⁶,
 S. Odaka ⁸⁰, S. Oerdek ¹⁵⁷, A. Ogrodnik ^{82a}, A. Oh ⁹⁸, C.C. Ohm ¹⁴¹, H. Oide ¹⁵¹,
 R. Oishi ¹⁵⁰, M.L. Ojeda ⁴⁶, Y. Okazaki ⁸⁴, M.W. O'Keefe ⁸⁹, Y. Okumura ¹⁵⁰, A. Olariu ^{25b},
 L.F. Oleiro Seabra ^{127a}, S.A. Olivares Pino ^{134e}, D. Oliveira Damazio ²⁷, D. Oliveira Goncalves ^{79a},
 J.L. Oliver ¹⁵⁶, M.J.R. Olsson ¹⁵⁶, A. Olszewski ⁸³, J. Olszowska ^{83,*}, Ö.O. Öncel ²²,
 D.C. O'Neil ¹³⁹, A.P. O'Neill ¹²³, A. Onofre ^{127a,127e}, P.U.E. Onyisi ¹⁰, R.G. Oreamuno Madriz ¹¹²,
 M.J. Oreglia ³⁷, G.E. Orellana ⁸⁷, D. Orestano ^{74a,74b}, N. Orlando ¹², R.S. Orr ¹⁵²,
 V. O'Shea ⁵⁷, R. Ospanov ^{60a}, G. Otero y Garzon ²⁸, H. Otono ⁸⁶, P.S. Ott ^{61a}, G.J. Ottino ^{16a},
 M. Ouchrif ^{33d}, J. Ouellette ²⁷, F. Ould-Saada ¹²², A. Ouraou ^{132,*}, Q. Ouyang ^{13a}, M. Owen ⁵⁷,
 R.E. Owen ¹³¹, K.Y. Oyulmaz ^{11c}, V.E. Ozcan ^{11c}, N. Ozturk ⁷, S. Ozturk ^{11c}, J. Pacalt ¹¹⁹,
 H.A. Pacey ³⁰, K. Pachal ⁴⁹, A. Pacheco Pages ¹², C. Padilla Aranda ¹², S. Pagan Griso ^{16a},
 G. Palacino ⁶⁵, S. Palazzo ⁵⁰, S. Palestini ³⁴, M. Palka ^{82b}, P. Palni ^{82a}, D.K. Panchal ¹⁰,
 C.E. Pandini ⁵⁴, J.G. Panduro Vazquez ⁹², P. Pani ⁴⁶, G. Panizzo ^{66a,66c}, L. Paolozzi ⁵⁴,
 C. Papadatos ¹⁰⁵, S. Parajuli ⁴², A. Paramonov ⁵, C. Paraskevopoulos ⁹,
 D. Paredes Hernandez ^{62b}, S.R. Paredes Saenz ¹²³, B. Parida ¹⁶⁵, T.H. Park ¹⁵², A.J. Parker ²⁹,
 M.A. Parker ³⁰, F. Parodi ^{55b,55a}, E.W. Parrish ¹¹², J.A. Parsons ³⁹, U. Parzefall ⁵²,
 L. Pascual Dominguez ¹⁴⁸, V.R. Pascuzzi ^{16a}, F. Pasquali ¹¹¹, E. Pasqualucci ^{72a}, S. Passaggio ^{55b},
 F. Pastore ⁹², P. Pasuwan ^{45a,45b}, J.R. Pater ⁹⁸, A. Pathak ¹⁶⁶, J. Patton ⁸⁹, T. Pauly ³⁴,
 J. Pearkes ¹⁴⁰, M. Pedersen ¹²², L. Pedraza Diaz ¹¹⁰, R. Pedro ^{127a}, T. Peiffer ⁵³,
 S.V. Peleganchuk ³⁵, O. Penc ¹²⁸, C. Peng ^{62b}, H. Peng ^{60a}, M. Penzin ³⁵, B.S. Peralva ^{79a},
 A.P. Pereira Peixoto ^{127a}, L. Pereira Sanchez ^{45a,45b}, D.V. Perepelitsa ²⁷, E. Perez Codina ^{153a},
 M. Perganti ⁹, L. Perini ^{68a,68b,*}, H. Pernegger ³⁴, S. Perrella ³⁴, A. Perrevoort ¹¹¹, K. Peters ⁴⁶,
 R.F.Y. Peters ⁹⁸, B.A. Petersen ³⁴, T.C. Petersen ⁴⁰, E. Petit ⁹⁹, V. Petousis ¹²⁹, C. Petridou ¹⁴⁹,
 P. Petroff ⁶⁴, F. Petrucci ^{74a,74b}, A. Petrukhin ¹³⁸, M. Pettee ¹⁶⁸, N.E. Pettersson ³⁴,
 K. Petukhova ¹³⁰, A. Peyaud ¹³², R. Pezoa ^{134f}, L. Pezzotti ³⁴, G. Pezzullo ¹⁶⁸, T. Pham ¹⁰²,
 P.W. Phillips ¹³¹, M.W. Phipps ¹⁵⁸, G. Piacquadio ¹⁴², E. Pianori ^{16a}, F. Piazza ^{68a,68b},
 A. Picazio ¹⁰⁰, R. Piegaia ²⁸, D. Pietreanu ^{25b}, J.E. Pilcher ³⁷, A.D. Pilkington ⁹⁸,
 M. Pinamonti ^{66a,66c}, J.L. Pinfold ², C. Pitman Donaldson ⁹³, D.A. Pizzi ³², L. Pizzimento ^{73a,73b},
 A. Pizzini ¹¹¹, M.-A. Pleier ²⁷, V. Plesanovs ⁵², V. Pleskot ¹³⁰, E. Plotnikova ³⁶, P. Podberezko ³⁵,
 R. Poettgen ⁹⁵, R. Poggi ⁵⁴, L. Poggioli ¹²⁴, I. Pogrebnyak ¹⁰⁴, D. Pohl ²², I. Pokharel ⁵³,
 G. Polesello ^{70a}, A. Poley ^{139,153a}, A. Policicchio ^{72a,72b}, R. Polifka ¹³⁰, A. Polini ^{21b},
 C.S. Pollard ¹²³, Z.B. Pollock ¹¹⁶, V. Polychronakos ²⁷, D. Ponomarenko ³⁵, L. Pontecorvo ³⁴,
 S. Popa ^{25a}, G.A. Popeneciu ^{25d}, L. Portales ⁴, D.M. Portillo Quintero ^{153a}, S. Pospisil ¹²⁹,

P. Postolache ^{id25c}, K. Potamianos ^{id123}, I.N. Potrap ^{id36}, C.J. Potter ^{id30}, H. Potti ^{id1}, T. Poulsen ^{id46},
 J. Poveda ^{id159}, T.D. Powell ^{id136}, G. Pownall ^{id46}, M.E. Pozo Astigarraga ^{id34}, A. Prades Ibanez ^{id159},
 P. Pralavorio ^{id99}, M.M. Prapa ^{id44}, S. Prell ^{id78}, D. Price ^{id98}, M. Primavera ^{id67a},
 M.A. Principe Martin ^{id96}, M.L. Proffitt ^{id135}, N. Proklova ^{id35}, K. Prokofiev ^{id62c}, S. Protopopescu ^{id27},
 J. Proudfoot ^{id5}, M. Przybycien ^{id82a}, D. Pudzha ^{id35}, P. Puzo ^{id64}, D. Pyatiizbyantseva ^{id35}, J. Qian ^{id103},
 Y. Qin ^{id98}, T. Qiu ^{id91}, A. Quadt ^{id53}, M. Queitsch-Maitland ^{id34}, G. Rabanal Bolanos ^{id59},
 F. Ragusa ^{id68a,68b}, J.A. Raine ^{id54}, S. Rajagopalan ^{id27}, K. Ran ^{id13a,13d}, D.F. Rassloff ^{id61a},
 D.M. Rauch ^{id46}, S. Rave ^{id97}, B. Ravina ^{id57}, I. Ravinovich ^{id165}, M. Raymond ^{id34}, A.L. Read ^{id122},
 N.P. Readioff ^{id136}, D.M. Rebuzzi ^{id70a,70b}, G. Redlinger ^{id27}, K. Reeves ^{id43}, D. Reikher ^{id148}, A. Reiss ^{id97},
 A. Rej ^{id138}, C. Rembser ^{id34}, A. Renardi ^{id46}, M. Renda ^{id25b}, M.B. Rendel ^{id107}, A.G. Rennie ^{id57},
 S. Resconi ^{id68a}, M. Ressegotti ^{id55b,55a}, E.D. Resseguie ^{id16a}, S. Rettie ^{id93}, B. Reynolds ^{id116},
 E. Reynolds ^{id19}, M. Rezaei Estabragh ^{id167}, O.L. Rezanova ^{id35}, P. Reznicek ^{id130}, E. Ricci ^{id75a,75b},
 R. Richter ^{id107}, S. Richter ^{id46}, E. Richter-Was ^{id82b}, M. Ridel ^{id124}, P. Rieck ^{id107}, P. Riedler ^{id34},
 O. Rifki ^{id46}, M. Rijssenbeek ^{id142}, A. Rimoldi ^{id70a,70b}, M. Rimoldi ^{id46}, L. Rinaldi ^{id21b,21a},
 T.T. Rinn ^{id158}, M.P. Rinnagel ^{id106}, G. Ripellino ^{id141}, I. Riu ^{id12}, P. Rivadeneira ^{id46},
 J.C. Rivera Vergara ^{id161}, F. Rizatdinova ^{id118}, E. Rizvi ^{id91}, C. Rizzi ^{id54}, B.A. Roberts ^{id163},
 B.R. Roberts ^{id16a}, S.H. Robertson ^{id101,y}, M. Robin ^{id46}, D. Robinson ^{id30}, C.M. Robles Gajardo ^{id134f},
 M. Robles Manzano ^{id97}, A. Robson ^{id57}, A. Rocchi ^{id73a,73b}, C. Roda ^{id71a,71b}, S. Rodriguez Bosca ^{id61a},
 A. Rodriguez Rodriguez ^{id52}, A.M. Rodríguez Vera ^{id153b}, S. Roe ^{id34}, A.R. Roepke-Gier ^{id117},
 J. Roggel ^{id167}, O. Røhne ^{id122}, R.A. Rojas ^{id161}, B. Roland ^{id52}, C.P.A. Roland ^{id65}, J. Roloff ^{id27},
 A. Romaniouk ^{id35}, M. Romano ^{id21b}, A.C. Romero Hernandez ^{id158}, N. Rompotis ^{id89}, M. Ronzani ^{id114},
 L. Roos ^{id124}, S. Rosati ^{id72a}, B.J. Rosser ^{id125}, E. Rossi ^{id152}, E. Rossi ^{id4}, E. Rossi ^{id69a,69b},
 L.P. Rossi ^{id55b}, L. Rossini ^{id46}, R. Rosten ^{id116}, M. Rotaru ^{id25b}, B. Rottler ^{id52}, D. Rousseau ^{id64},
 D. Rousso ^{id30}, G. Rovelli ^{id70a,70b}, A. Roy ^{id10}, A. Rozanov ^{id99}, Y. Rozen ^{id147}, X. Ruan ^{id31f},
 A.J. Ruby ^{id89}, T.A. Ruggeri ^{id1}, F. Rühr ^{id52}, A. Ruiz-Martinez ^{id159}, A. Rummler ^{id34}, Z. Rurikova ^{id52},
 N.A. Rusakovich ^{id36}, H.L. Russell ^{id34}, L. Rustige ^{id38}, J.P. Rutherford ^{id6}, E.M. Rüttinger ^{id136},
 M. Rybar ^{id130}, E.B. Rye ^{id122}, A. Ryzhov ^{id35}, J.A. Sabater Iglesias ^{id46}, P. Sabatini ^{id159},
 L. Sabetta ^{id72a,72b}, H.F.W. Sadrozinski ^{id133}, F. Safai Tehrani ^{id72a}, B. Safarzadeh Samani ^{id143},
 M. Safdari ^{id140}, S. Saha ^{id101}, M. Sahinsoy ^{id107}, A. Sahu ^{id167}, M. Saimpert ^{id132}, M. Saito ^{id150},
 T. Saito ^{id150}, D. Salamani ^{id34}, G. Salamanna ^{id74a,74b}, A. Salnikov ^{id140}, J. Salt ^{id159},
 A. Salvador Salas ^{id12}, D. Salvatore ^{id41b,41a}, F. Salvatore ^{id143}, A. Salzburger ^{id34}, D. Sammel ^{id52},
 D. Sampsonidis ^{id149}, D. Sampsonidou ^{id60d,60c}, J. Sánchez ^{id159}, A. Sanchez Pineda ^{id4},
 V. Sanchez Sebastian ^{id159}, H. Sandaker ^{id122}, C.O. Sander ^{id46}, I.G. Sanderswood ^{id88},
 J.A. Sandesara ^{id100}, M. Sandhoff ^{id167}, C. Sandoval ^{id20b}, D.P.C. Sankey ^{id131}, M. Sannino ^{id55b,55a},
 A. Sansoni ^{id51}, C. Santoni ^{id38}, H. Santos ^{id127a,127b}, S.N. Santpur ^{id16a}, A. Santra ^{id165},
 K.A. Saoucha ^{id136}, J.G. Saraiva ^{id127a,127d}, J. Sardain ^{id99}, O. Sasaki ^{id80}, K. Sato ^{id154}, C. Sauer ^{id61b},
 F. Sauerburger ^{id52}, E. Sauvan ^{id4}, P. Savard ^{id152,aj}, R. Sawada ^{id150}, C. Sawyer ^{id131}, L. Sawyer ^{id94},
 I. Sayago Galvan ^{id159}, C. Sbarra ^{id21b}, A. Sbrizzi ^{id21b,21a}, T. Scanlon ^{id93}, J. Schaarschmidt ^{id135},
 P. Schacht ^{id107}, D. Schaefer ^{id37}, U. Schäfer ^{id97}, A.C. Schaffer ^{id64}, D. Schaile ^{id106},
 R.D. Schamberger ^{id142}, E. Schanet ^{id106}, C. Scharf ^{id17}, N. Scharmberg ^{id98}, V.A. Schegelsky ^{id35},
 D. Scheirich ^{id130}, F. Schenck ^{id17}, M. Schernau ^{id156}, C. Schiavi ^{id55b,55a}, L.K. Schildgen ^{id22},
 Z.M. Schillaci ^{id24}, E.J. Schioppa ^{id67a,67b}, M. Schioppa ^{id41b,41a}, B. Schlag ^{id97}, K.E. Schleicher ^{id52},
 S. Schlenker ^{id34}, K. Schmieden ^{id97}, C. Schmitt ^{id97}, S. Schmitt ^{id46}, L. Schoeffel ^{id132},
 A. Schoening ^{id61b}, P.G. Scholer ^{id52}, E. Schopf ^{id123}, M. Schott ^{id97}, J. Schovancova ^{id34},
 S. Schramm ^{id54}, F. Schroeder ^{id167}, H-C. Schultz-Coulon ^{id61a}, M. Schumacher ^{id52}, B.A. Schumm ^{id133},
 Ph. Schune ^{id132}, A. Schwartzman ^{id140}, T.A. Schwarz ^{id103}, Ph. Schwemling ^{id132}, R. Schwienhorst ^{id104},
 A. Sciandra ^{id133}, G. Sciolla ^{id24}, F. Scuri ^{id71a}, F. Scutti ^{id102}, C.D. Sebastiani ^{id89}, K. Sedlaczek ^{id47},

P. Seema [ID17](#), S.C. Seidel [ID109](#), A. Seiden [ID133](#), B.D. Seidlitz [ID27](#), T. Seiss [ID37](#), C. Seitz [ID46](#),
 J.M. Seixas [ID79b](#), G. Sekhniaidze [ID69a](#), S.J. Sekula [ID42](#), L. Selem [ID4](#), N. Semprini-Cesari [ID21b,21a](#),
 S. Sen [ID49](#), C. Serfon [ID27](#), L. Serin [ID64](#), L. Serkin [ID66a,66b](#), M. Sessa [ID74a,74b](#), H. Severini [ID117](#),
 S. Sevova [ID140](#), F. Sforza [ID55b,55a](#), A. Sfyrla [ID54](#), E. Shabalina [ID53](#), R. Shaheen [ID141](#),
 J.D. Shahinian [ID125](#), N.W. Shaikh [ID45a,45b](#), D. Shaked Renous [ID165](#), L.Y. Shan [ID13a](#), M. Shapiro [ID16a](#),
 A. Sharma [ID34](#), A.S. Sharma [ID1](#), S. Sharma [ID46](#), P.B. Shatalov [ID35](#), K. Shaw [ID143](#), S.M. Shaw [ID98](#),
 P. Sherwood [ID93](#), L. Shi [ID93](#), C.O. Shimmin [ID168](#), Y. Shimogama [ID164](#), J.D. Shinner [ID92](#),
 I.P.J. Shipsey [ID123](#), S. Shirabe [ID54](#), M. Shiyakova [ID36,w](#), J. Shlomi [ID165](#), M.J. Shochet [ID37](#),
 J. Shojaii [ID102](#), D.R. Shope [ID141](#), S. Shrestha [ID116](#), E.M. Shrif [ID31f](#), M.J. Shroff [ID161](#), E. Shulga [ID165](#),
 P. Sicho [ID128](#), A.M. Sickles [ID158](#), E. Sideras Haddad [ID31f](#), O. Sidiropoulou [ID34](#), A. Sidoti [ID21b](#),
 F. Siegert [ID48](#), Dj. Sijacki [ID14](#), J.M. Silva [ID19](#), M.V. Silva Oliveira [ID34](#), S.B. Silverstein [ID45a](#), S. Simion [ID64](#),
 R. Simoniello [ID34](#), N.D. Simpson [ID95](#), S. Simsek [ID11b](#), P. Sinervo [ID152](#), V. Sinetckii [ID35](#), S. Singh [ID139](#),
 S. Singh [ID152](#), S. Sinha [ID46](#), S. Sinha [ID31f](#), M. Sioli [ID21b,21a](#), I. Siral [ID120](#), S.Yu. Sivoklov [ID35,*](#),
 J. Sjölin [ID45a,45b](#), A. Skaf [ID53](#), E. Skorda [ID95](#), P. Skubic [ID117](#), M. Slawinska [ID83](#), K. Sliwa [ID155](#),
 V. Smakhtin [ID165](#), B.H. Smart [ID131](#), J. Smiesko [ID130](#), S.Yu. Smirnov [ID35](#), Y. Smirnov [ID35](#),
 L.N. Smirnova [ID35,a](#), O. Smirnova [ID95](#), E.A. Smith [ID37](#), H.A. Smith [ID123](#), M. Smizanska [ID88](#),
 K. Smolek [ID129](#), A. Smykiewicz [ID83](#), A.A. Snesev [ID35](#), H.L. Snoek [ID111](#), S. Snyder [ID27](#),
 R. Sobie [ID161,y](#), A. Soffer [ID148](#), F. Sohns [ID53](#), C.A. Solans Sanchez [ID34](#), E.Yu. Soldatov [ID35](#),
 U. Soldevila [ID159](#), A.A. Solodkov [ID35](#), S. Solomon [ID52](#), A. Soloshenko [ID36](#), O.V. Solovyanov [ID35](#),
 V. Solovyev [ID35](#), P. Sommer [ID136](#), H. Son [ID155](#), A. Sonay [ID12](#), W.Y. Song [ID153b](#), A. Sopczak [ID129](#),
 A.L. Sopio [ID93](#), F. Sopkova [ID26b](#), S. Sottocornola [ID70a,70b](#), R. Soualah [ID66a,66c](#), Z. Soumami [ID33e](#),
 D. South [ID46](#), S. Spagnolo [ID67a,67b](#), M. Spalla [ID107](#), M. Spangenberg [ID163](#), F. Spanò [ID92](#), D. Sperlich [ID52](#),
 T.M. Spieker [ID61a](#), G. Spigo [ID34](#), M. Spina [ID143](#), D.P. Spiteri [ID57](#), M. Spousta [ID130](#), A. Stabile [ID68a,68b](#),
 R. Stamen [ID61a](#), M. Stamenkovic [ID111](#), A. Stampekis [ID19](#), M. Standke [ID22](#), E. Stanecka [ID83](#),
 B. Stanislaus [ID34](#), M.M. Stanitzki [ID46](#), M. Stankaityte [ID123](#), B. Stapf [ID46](#), E.A. Starchenko [ID35](#),
 G.H. Stark [ID133](#), J. Stark [ID99,ad](#), D.M. Starko [ID153b](#), P. Staroba [ID128](#), P. Starovoitov [ID61a](#), S. Stärz [ID101](#),
 R. Staszewski [ID83](#), G. Stavropoulos [ID44](#), P. Steinberg [ID27](#), A.L. Steinhebel [ID120](#), B. Stelzer [ID139,153a](#),
 H.J. Stelzer [ID126](#), O. Stelzer-Chilton [ID153a](#), H. Stenzel [ID56](#), T.J. Stevenson [ID143](#), G.A. Stewart [ID34](#),
 M.C. Stockton [ID34](#), G. Stoicea [ID25b](#), M. Stolarski [ID127a](#), S. Stonjek [ID107](#), A. Straessner [ID48](#),
 J. Strandberg [ID141](#), S. Strandberg [ID45a,45b](#), M. Strauss [ID117](#), T. Strebler [ID99](#), P. Strizenec [ID26b](#),
 R. Ströhmer [ID162](#), D.M. Strom [ID120](#), L.R. Strom [ID46](#), R. Stroynowski [ID42](#), A. Strubig [ID45a,45b](#),
 S.A. Stucci [ID27](#), B. Stugu [ID15](#), J. Stupak [ID117](#), N.A. Styles [ID46](#), D. Su [ID140](#), S. Su [ID60a](#),
 W. Su [ID60d,135,60c](#), X. Su [ID60a](#), K. Sugizaki [ID150](#), V.V. Sulin [ID35](#), M.J. Sullivan [ID89](#), D.M.S. Sultan [ID54](#),
 L. Sultanaliyeva [ID35](#), S. Sultansoy [ID3c](#), T. Sumida [ID84](#), S. Sun [ID103](#), S. Sun [ID166](#), X. Sun [ID98](#),
 O. Sunneborn Gudnadottir [ID157](#), C.J.E. Suster [ID144](#), M.R. Sutton [ID143](#), M. Svatos [ID128](#),
 M. Swiatlowski [ID153a](#), T. Swirski [ID162](#), I. Sykora [ID26a](#), M. Sykora [ID130](#), T. Sykora [ID130](#), D. Ta [ID97](#),
 K. Tackmann [ID46,v](#), A. Taffard [ID156](#), R. Tafirout [ID153a](#), R.H.M. Taibah [ID124](#), R. Takashima [ID85](#),
 K. Takeda [ID81](#), T. Takeshita [ID137](#), E.P. Takeva [ID50](#), Y. Takubo [ID80](#), M. Talby [ID99](#), A.A. Talyshev [ID35](#),
 K.C. Tam [ID62b](#), N.M. Tamir [ID148](#), A. Tanaka [ID150](#), J. Tanaka [ID150](#), R. Tanaka [ID64](#), J. Tang [ID60c](#), Z. Tao [ID160](#),
 S. Tapia Araya [ID78](#), S. Tapprogge [ID97](#), A. Tarek Abouelfadl Mohamed [ID104](#), S. Tarem [ID147](#),
 K. Tariq [ID60b](#), G. Tarna [ID25b](#), G.F. Tartarelli [ID68a](#), P. Tas [ID130](#), M. Tasevsky [ID128](#), E. Tassi [ID41b,41a](#),
 G. Tateno [ID150](#), Y. Tayalati [ID33e](#), G.N. Taylor [ID102](#), W. Taylor [ID153b](#), H. Teagle [ID89](#), A.S. Tee [ID166](#),
 R. Teixeira De Lima [ID140](#), P. Teixeira-Dias [ID92](#), H. Ten Kate [ID34](#), J.J. Teoh [ID111](#), K. Terashi [ID150](#),
 J. Terron [ID96](#), S. Terzo [ID12](#), M. Testa [ID51](#), R.J. Teuscher [ID152,y](#), N. Themistokleous [ID50](#),
 T. Thevenaux-Pelzer [ID17](#), O. Thielmann [ID167](#), D.W. Thomas [ID92](#), J.P. Thomas [ID19](#), E.A. Thompson [ID46](#),
 P.D. Thompson [ID19](#), E. Thomson [ID125](#), E.J. Thorpe [ID91](#), Y. Tian [ID53](#), V. Tikhomirov [ID35,a](#),
 Yu.A. Tikhonov [ID35](#), S. Timoshenko [ID35](#), P. Tipton [ID168](#), S. Tisserant [ID99](#), S.H. Tlou [ID31f](#), A. Tnourji [ID38](#),

K. Todome ^{21b,21a}, S. Todorova-Nova ¹³⁰, S. Todt⁴⁸, M. Togawa ⁸⁰, J. Tojo ⁸⁶, S. Tokár ^{26a},
 K. Tokushuku ⁸⁰, E. Tolley ¹¹⁶, R. Tombs ³⁰, M. Tomoto ^{80,108}, L. Tompkins ^{140,q},
 P. Tornambe ¹⁰⁰, E. Torrence ¹²⁰, H. Torres ⁴⁸, E. Torró Pastor ¹⁵⁹, M. Toscani ²⁸, C. Tosciri ³⁷,
 J. Toth ^{99,x}, D.R. Tovey ¹³⁶, A. Traeet¹⁵, C.J. Treado ¹¹⁴, T. Trefzger ¹⁶², A. Tricoli ²⁷,
 I.M. Trigger ^{153a}, S. Trincaz-Duvoid ¹²⁴, D.A. Trischuk ¹⁶⁰, B. Trocmé ⁵⁸, A. Trofymov ⁶⁴,
 C. Troncon ^{68a}, F. Trovato ¹⁴³, L. Truong ^{31c}, M. Trzebinski ⁸³, A. Trzupek ⁸³, F. Tsai ¹⁴²,
 A. Tsiamis ¹⁴⁹, P.V. Tsiareshka^{35,a}, A. Tsirigotis ^{149,t}, V. Tsiskaridze ¹⁴², E.G. Tskhadadze^{146a},
 M. Tsopoulou ¹⁴⁹, Y. Tsujikawa ⁸⁴, I.I. Tsukerman ³⁵, V. Tsulaia ^{16a}, S. Tsuno ⁸⁰, O. Tsur¹⁴⁷,
 D. Tsybychev ¹⁴², Y. Tu ^{62b}, A. Tudorache ^{25b}, V. Tudorache ^{25b}, A.N. Tuna ³⁴, S. Turchikhin ³⁶,
 I. Turk Cakir ^{3a}, R.J. Turner¹⁹, R. Turra ^{68a}, P.M. Tuts ³⁹, S. Tzamarias ¹⁴⁹, P. Tzanis ⁹,
 E. Tzovara ⁹⁷, K. Uchida¹⁵⁰, F. Ukegawa ¹⁵⁴, P.A. Ulloa Poblete ^{134d}, G. Unal ³⁴, M. Unal ¹⁰,
 A. Undrus ²⁷, G. Unel ¹⁵⁶, F.C. Ungaro ¹⁰², K. Uno ¹⁵⁰, J. Urban ^{26b}, P. Urquijo ¹⁰², G. Usai ⁷,
 R. Ushioda ¹⁵¹, M. Usman ¹⁰⁵, Z. Uysal ^{11d}, V. Vacek ¹²⁹, B. Vachon ¹⁰¹, K.O.H. Vadla ¹²²,
 T. Vafeiadis ³⁴, C. Valderanis ¹⁰⁶, E. Valdes Santurio ^{45a,45b}, M. Valente ^{153a},
 S. Valentinetti ^{21b,21a}, A. Valero ¹⁵⁹, R.A. Vallance ¹⁹, A. Vallier ^{99,ad}, J.A. Valls Ferrer ¹⁵⁹,
 T.R. Van Daalen ¹³⁵, P. Van Gemmeren ⁵, S. Van Stroud ⁹³, I. Van Vulpen ¹¹¹, M. Vanadia ^{73a,73b},
 W. Vandelli ³⁴, M. Vandenbroucke ¹³², E.R. Vandewall ¹¹⁸, D. Vannicola ¹⁴⁸, L. Vannoli ^{55b,55a},
 R. Vari ^{72a}, E.W. Varnes ⁶, C. Varni ^{16a}, T. Varol ¹⁴⁵, D. Varouchas ⁶⁴, K.E. Varvell ¹⁴⁴,
 M.E. Vasile ^{25b}, L. Vaslin³⁸, G.A. Vasquez ¹⁶¹, F. Vazeille ³⁸, D. Vazquez Furelos ¹²,
 T. Vazquez Schroeder ³⁴, J. Veatch ⁵³, V. Vecchio ⁹⁸, M.J. Veen ¹¹¹, I. Veliscek ¹²³,
 L.M. Veloce ¹⁵², F. Veloso ^{127a,127c}, S. Veneziano ^{72a}, A. Ventura ^{67a,67b}, A. Verbytskyi ¹⁰⁷,
 M. Verducci ^{71a,71b}, C. Vergis ²², M. Verissimo De Araujo ^{79b}, W. Verkerke ¹¹¹,
 A.T. Vermeulen ¹¹¹, J.C. Vermeulen ¹¹¹, C. Vernieri ¹⁴⁰, P.J. Verschuuren ⁹², M. Vessella ¹⁰⁰,
 M.L. Vesterbacka ¹¹⁴, M.C. Vetterli ^{139,aj}, A. Vgenopoulos ¹⁴⁹, N. Viaux Maira ^{134f},
 T. Vickey ¹³⁶, O.E. Vickey Boeriu ¹³⁶, G.H.A. Viehhauser ¹²³, L. Vigani ^{61b}, M. Villa ^{21b,21a},
 M. Villaplana Perez ¹⁵⁹, E.M. Villhauer⁵⁰, E. Vilucchi ⁵¹, M.G. Vincter ³², G.S. Virdee ¹⁹,
 A. Vishwakarma ⁵⁰, C. Vittori ^{21b,21a}, I. Vivarelli ¹⁴³, V. Vladimirov¹⁶³, E. Voevodina ¹⁰⁷,
 M. Vogel ¹⁶⁷, P. Vokac ¹²⁹, J. Von Ahnen ⁴⁶, E. Von Toerne ²², V. Vorobel ¹³⁰, K. Vorobev ³⁵,
 M. Vos ¹⁵⁹, J.H. Vossebeld ⁸⁹, M. Vozak ⁹⁸, L. Vozdecky ⁹¹, N. Vranjes ¹⁴,
 M. Vranjes Milosavljevic ¹⁴, V. Vrba^{129,*}, M. Vreeswijk ¹¹¹, R. Vuillermet ³⁴, O. Vujanovic ⁹⁷,
 I. Vukotic ³⁷, S. Wada ¹⁵⁴, C. Wagner¹⁰⁰, W. Wagner ¹⁶⁷, S. Wahdan ¹⁶⁷, H. Wahlberg ⁸⁷,
 R. Wakasa ¹⁵⁴, M. Wakida ¹⁰⁸, V.M. Walbrecht ¹⁰⁷, J. Walder ¹³¹, R. Walker ¹⁰⁶, S.D. Walker⁹²,
 W. Walkowiak ¹³⁸, A.M. Wang ⁵⁹, A.Z. Wang ¹⁶⁶, C. Wang ^{60a}, C. Wang ^{60c}, H. Wang ^{16a},
 J. Wang ^{62a}, P. Wang ⁴², R.-J. Wang ⁹⁷, R. Wang ⁵⁹, R. Wang ¹¹², S.M. Wang ¹⁴⁵,
 S. Wang ^{60b}, T. Wang ^{60a}, W.T. Wang ⁷⁷, W.X. Wang ^{60a}, X. Wang ^{13c}, X. Wang ¹⁵⁸,
 X. Wang ^{60c}, Y. Wang ^{60a}, Z. Wang ¹⁰³, C. Wanotayaroj ³⁴, A. Warburton ¹⁰¹, C.P. Ward ³⁰,
 R.J. Ward ¹⁹, N. Warrack ⁵⁷, A.T. Watson ¹⁹, M.F. Watson ¹⁹, G. Watts ¹³⁵, B.M. Waugh ⁹³,
 A.F. Webb ¹⁰, C. Weber ²⁷, M.S. Weber ¹⁸, S.A. Weber ³², S.M. Weber ^{61a}, C. Wei^{60a},
 Y. Wei ¹²³, A.R. Weidberg ¹²³, J. Weingarten ⁴⁷, M. Weirich ⁹⁷, C. Weiser ⁵², T. Wenaus ²⁷,
 B. Wendland ⁴⁷, T. Wengler ³⁴, S. Wenig ³⁴, N. Wermes ²², M. Wessels ^{61a}, K. Whalen ¹²⁰,
 A.M. Wharton ⁸⁸, A.S. White ⁵⁹, A. White ⁷, M.J. White ¹, D. Whiteson ¹⁵⁶,
 L. Wickremasinghe ¹²¹, W. Wiedenmann ¹⁶⁶, C. Wiel ⁴⁸, M. Wielers ¹³¹, N. Wieseotte⁹⁷,
 C. Wiglesworth ⁴⁰, L.A.M. Wiik-Fuchs ⁵², D.J. Wilbern¹¹⁷, H.G. Wilkens ³⁴, L.J. Wilkins ⁹²,
 D.M. Williams ³⁹, H.H. Williams¹²⁵, S. Williams ³⁰, S. Willocq ¹⁰⁰, P.J. Windischhofer ¹²³,
 I. Wingerter-Seez ⁴, F. Winklmeier ¹²⁰, B.T. Winter ⁵², M. Wittgen ¹⁴⁰, M. Wobisch ⁹⁴,
 A. Wolf ⁹⁷, R. Wölker ¹²³, J. Wollrath¹⁵⁶, M.W. Wolter ⁸³, H. Wolters ^{127a,127c}, V.W.S. Wong ¹⁶⁰,
 A.F. Wongel ⁴⁶, S.D. Worm ⁴⁶, B.K. Wosiek ⁸³, K.W. Woźniak ⁸³, K. Wraight ⁵⁷, J. Wu ^{13a,13d},

S.L. Wu , X. Wu , Y. Wu , Z. Wu , J. Wuerzinger , T.R. Wyatt ,
B.M. Wynne , S. Xella , L. Xia , M. Xia , J. Xiang , X. Xiao , M. Xie ,
X. Xie , I. Xiotidis¹⁴³, D. Xu , H. Xu^{60a}, H. Xu , L. Xu , R. Xu , T. Xu ,
W. Xu , Y. Xu , Z. Xu , Z. Xu , B. Yabsley , S. Yacoob , N. Yamaguchi ,
Y. Yamaguchi , M. Yamatani¹⁵⁰, H. Yamauchi , T. Yamazaki , Y. Yamazaki , J. Yan ,
S. Yan , Z. Yan , H.J. Yang , H.T. Yang , S. Yang , T. Yang , X. Yang ,
X. Yang , Y. Yang , Z. Yang , W-M. Yao , Y.C. Yap , H. Ye , J. Ye ,
S. Ye , I. Yeletsikh , M.R. Yexley , P. Yin , K. Yorita , K. Yoshihara ,
C.J.S. Young , C. Young , R. Yuan , X. Yue , M. Zaazoua , B. Zabinski ,
G. Zacharis , E. Zaid⁵⁰, T. Zakareishvili , N. Zakharchuk , S. Zambito , D. Zanzi ,
S.V. Zeißner , C. Zeitnitz , J.C. Zeng , D.T. Zenger Jr , O. Zenin , T. Ženiš ,
S. Zenz , S. Zerradi , D. Zerwas , B. Zhang , D.F. Zhang , G. Zhang ,
J. Zhang , K. Zhang , L. Zhang , M. Zhang , R. Zhang , S. Zhang ,
X. Zhang , X. Zhang , Z. Zhang , P. Zhao , Y. Zhao , Z. Zhao ,
A. Zhemchugov , Z. Zheng , D. Zhong , B. Zhou¹⁰³, C. Zhou , H. Zhou ,
N. Zhou , Y. Zhou⁶, C.G. Zhu , C. Zhu , H.L. Zhu , H. Zhu , J. Zhu ,
Y. Zhu , X. Zhuang , K. Zhukov , V. Zhulanov , D. Zieminska , N.I. Zimine ,
S. Zimmermann , J. Zinsser , M. Ziolkowski , L. Živković , A. Zoccoli ,
K. Zoch , T.G. Zorbas , O. Zormpa , W. Zou , L. Zwalinski .

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Istanbul Aydin University, Application and Research Center for Advanced Studies, Istanbul; (^c)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁶Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁷Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁸Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

⁹Physics Department, National Technical University of Athens, Zografou; Greece.

¹⁰Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹¹(^a)Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul; (^b)Istanbul Bilgi University, Faculty of Engineering and Natural Sciences, Istanbul; (^c)Department of Physics, Bogazici University, Istanbul; (^d)Department of Physics Engineering, Gaziantep University, Gaziantep; Türkiye.

¹²Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹³(^a)Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (^b)Physics Department, Tsinghua University, Beijing; (^c)Department of Physics, Nanjing University, Nanjing; (^d)University of Chinese Academy of Science (UCAS), Beijing; China.

¹⁴Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁵Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁶(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (^b)University of California, Berkeley CA; United States of America.

¹⁷Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

¹⁸Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

- ¹⁹School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.
- ²⁰(^a)Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;(^b)Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²¹(^a)Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;(^b)INFN Sezione di Bologna; Italy.
- ²²Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²³Department of Physics, Boston University, Boston MA; United States of America.
- ²⁴Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁵(^a)Transilvania University of Brasov, Brasov;(^b)Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;(^c)Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;(^d)National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;(^e)University Politehnica Bucharest, Bucharest;(^f)West University in Timisoara, Timisoara; Romania.
- ²⁶(^a)Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;(^b)Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ²⁷Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ²⁸Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ²⁹California State University, CA; United States of America.
- ³⁰Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³¹(^a)Department of Physics, University of Cape Town, Cape Town;(^b)iThemba Labs, Western Cape;(^c)Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;(^d)National Institute of Physics, University of the Philippines Diliman (Philippines);(^e)University of South Africa, Department of Physics, Pretoria;(^f)School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³²Department of Physics, Carleton University, Ottawa ON; Canada.
- ³³(^a)Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca;(^b)Faculté des Sciences, Université Ibn-Tofail, Kénitra;(^c)Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;(^d)LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;(^e)Faculté des sciences, Université Mohammed V, Rabat;(^f)Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁴CERN, Geneva; Switzerland.
- ³⁵Affiliated with an institute covered by a cooperation agreement with CERN.
- ³⁶Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ³⁷Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ³⁸LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ³⁹Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴⁰Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴¹(^a)Dipartimento di Fisica, Università della Calabria, Rende;(^b)INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴²Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴³Physics Department, University of Texas at Dallas, Richardson TX; United States of America.
- ⁴⁴National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁵(^a)Department of Physics, Stockholm University;(^b)Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁶Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁴⁷Fakultät Physik , Technische Universität Dortmund, Dortmund; Germany.

- ⁴⁸Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁴⁹Department of Physics, Duke University, Durham NC; United States of America.
- ⁵⁰SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵¹INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵²Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵³II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁴Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁵(^a) Dipartimento di Fisica, Università di Genova, Genova; (^b) INFN Sezione di Genova; Italy.
- ⁵⁶II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁵⁷SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁵⁸LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁵⁹Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶⁰(^a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d) Tsung-Dao Lee Institute, Shanghai; China.
- ⁶¹(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶²(^a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b) Department of Physics, University of Hong Kong, Hong Kong; (^c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶³Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁴IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁵Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁶⁶(^a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b) ICTP, Trieste; (^c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁶⁷(^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁶⁸(^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁶⁹(^a) INFN Sezione di Napoli; (^b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷⁰(^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷¹(^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷²(^a) INFN Sezione di Roma; (^b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷³(^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- ⁷⁴(^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁵(^a) INFN-TIFPA; (^b) Università degli Studi di Trento, Trento; Italy.
- ⁷⁶Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁷⁷University of Iowa, Iowa City IA; United States of America.
- ⁷⁸Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁷⁹(^a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (^b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (^c) Universidade Federal de São João del Rei (UFSJ), São João del Rei; (^d) Instituto de Física, Universidade de São Paulo, São Paulo; Brazil.
- ⁸⁰KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.

- ⁸¹Graduate School of Science, Kobe University, Kobe; Japan.
- ⁸²(^a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (^b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.
- ⁸³Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.
- ⁸⁴Faculty of Science, Kyoto University, Kyoto; Japan.
- ⁸⁵Kyoto University of Education, Kyoto; Japan.
- ⁸⁶Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.
- ⁸⁷Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.
- ⁸⁸Physics Department, Lancaster University, Lancaster; United Kingdom.
- ⁸⁹Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.
- ⁹⁰Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.
- ⁹¹School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.
- ⁹²Department of Physics, Royal Holloway University of London, Egham; United Kingdom.
- ⁹³Department of Physics and Astronomy, University College London, London; United Kingdom.
- ⁹⁴Louisiana Tech University, Ruston LA; United States of America.
- ⁹⁵Fysiska institutionen, Lunds universitet, Lund; Sweden.
- ⁹⁶Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.
- ⁹⁷Institut für Physik, Universität Mainz, Mainz; Germany.
- ⁹⁸School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.
- ⁹⁹CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.
- ¹⁰⁰Department of Physics, University of Massachusetts, Amherst MA; United States of America.
- ¹⁰¹Department of Physics, McGill University, Montreal QC; Canada.
- ¹⁰²School of Physics, University of Melbourne, Victoria; Australia.
- ¹⁰³Department of Physics, University of Michigan, Ann Arbor MI; United States of America.
- ¹⁰⁴Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.
- ¹⁰⁵Group of Particle Physics, University of Montreal, Montreal QC; Canada.
- ¹⁰⁶Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.
- ¹⁰⁷Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.
- ¹⁰⁸Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.
- ¹⁰⁹Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.
- ¹¹⁰Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.
- ¹¹¹Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.
- ¹¹²Department of Physics, Northern Illinois University, DeKalb IL; United States of America.
- ¹¹³(^a) New York University Abu Dhabi, Abu Dhabi; (^b) United Arab Emirates University, Al Ain; (^c) University of Sharjah, Sharjah; United Arab Emirates.
- ¹¹⁴Department of Physics, New York University, New York NY; United States of America.
- ¹¹⁵Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹¹⁶Ohio State University, Columbus OH; United States of America.
- ¹¹⁷Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹¹⁸Department of Physics, Oklahoma State University, Stillwater OK; United States of America.

- ¹¹⁹Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²⁰Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²¹Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²²Department of Physics, University of Oslo, Oslo; Norway.
- ¹²³Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹²⁴LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹²⁵Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹²⁶Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹²⁷(^a) Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; (^b) Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; (^c) Departamento de Física, Universidade de Coimbra, Coimbra; (^d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; (^e) Departamento de Física, Universidade do Minho, Braga; (^f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); (^g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica; (^h) Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹²⁸Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹²⁹Czech Technical University in Prague, Prague; Czech Republic.
- ¹³⁰Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³¹Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³²IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³³Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹³⁴(^a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (^b) Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; (^c) Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; (^d) Universidad Andres Bello, Department of Physics, Santiago; (^e) Instituto de Alta Investigación, Universidad de Tarapacá, Arica; (^f) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹³⁵Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹³⁶Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹³⁷Department of Physics, Shinshu University, Nagano; Japan.
- ¹³⁸Department Physik, Universität Siegen, Siegen; Germany.
- ¹³⁹Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴⁰SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴¹Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴²Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁴³Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁴⁴School of Physics, University of Sydney, Sydney; Australia.
- ¹⁴⁵Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁴⁶(^a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (^b) High Energy Physics Institute, Tbilisi State University, Tbilisi; (^c) University of Georgia, Tbilisi; Georgia.
- ¹⁴⁷Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁴⁸Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁴⁹Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁰International Center for Elementary Particle Physics and Department of Physics, University of Tokyo,

Tokyo; Japan.

¹⁵¹Department of Physics, Tokyo Institute of Technology, Tokyo; Japan.

¹⁵²Department of Physics, University of Toronto, Toronto ON; Canada.

¹⁵³(^a)TRIUMF, Vancouver BC; (^b)Department of Physics and Astronomy, York University, Toronto ON; Canada.

¹⁵⁴Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.

¹⁵⁵Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.

¹⁵⁶Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.

¹⁵⁷Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.

¹⁵⁸Department of Physics, University of Illinois, Urbana IL; United States of America.

¹⁵⁹Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.

¹⁶⁰Department of Physics, University of British Columbia, Vancouver BC; Canada.

¹⁶¹Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.

¹⁶²Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.

¹⁶³Department of Physics, University of Warwick, Coventry; United Kingdom.

¹⁶⁴Waseda University, Tokyo; Japan.

¹⁶⁵Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.

¹⁶⁶Department of Physics, University of Wisconsin, Madison WI; United States of America.

¹⁶⁷Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.

¹⁶⁸Department of Physics, Yale University, New Haven CT; United States of America.

^a Also Affiliated with an institute covered by a cooperation agreement with CERN.

^b Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.

^c Also at Bruno Kessler Foundation, Trento; Italy.

^d Also at Center for High Energy Physics, Peking University; China.

^e Also at Centro Studi e Ricerche Enrico Fermi; Italy.

^f Also at CERN, Geneva; Switzerland.

^g Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.

^h Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.

ⁱ Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.

^j Also at Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

^k Also at Department of Physics and Astronomy, University of Louisville, Louisville, KY; United States of America.

^l Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva; Israel.

^m Also at Department of Physics, California State University, East Bay; United States of America.

ⁿ Also at Department of Physics, California State University, Fresno; United States of America.

^o Also at Department of Physics, California State University, Sacramento; United States of America.

^p Also at Department of Physics, King's College London, London; United Kingdom.

^q Also at Department of Physics, Stanford University, Stanford CA; United States of America.

^r Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.

^s Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.

^t Also at Hellenic Open University, Patras; Greece.

- ^u Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^v Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^w Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^x Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest; Hungary.
- ^y Also at Institute of Particle Physics (IPP); Canada.
- ^z Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{aa} Also at Institute of Theoretical Physics, Iliia State University, Tbilisi; Georgia.
- ^{ab} Also at Instituto de Fisica Teorica, IFT-UAM/CSIC, Madrid; Spain.
- ^{ac} Also at Istanbul University, Dept. of Physics, Istanbul; Türkiye.
- ^{ad} Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.
- ^{ae} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{af} Also at Physics Department, An-Najah National University, Nablus; Palestine.
- ^{ag} Also at Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ^{ah} Also at The City College of New York, New York NY; United States of America.
- ^{ai} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{aj} Also at TRIUMF, Vancouver BC; Canada.
- ^{ak} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{al} Also at University of Chinese Academy of Sciences (UCAS), Beijing; China.
- ^{am} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased