







Measurement of the W and Z cross section in pp collisions at $\sqrt{s} = 13.6$ TeV [arXiv:2403.12902]

Mihaela Marinescu, on behalf of the ATLAS collaboration 24-31 March 2024

Introduction



- Measuring the W and Z boson cross sections provides a benchmark for our understanding of QCD and EW processes
- Test theoretical predictions at the new centre-of-mass energy of 13.6 TeV
- Large cross sections and easily identifiable leptonic decays of the W and Z bosons provide a clean experimental signature
 - Important for early validation of detector performance and software





Analysis overview



Measurement of the W and Z production cross-sections and their ratios at 13.6 TeV

- 29 fb⁻¹ of data (from 2022)
- Z-boson fiducial cross section published (PLB 848 (2024) 138376) together with ttbar
 - ttbar results used to measure ttbar/W ratio presented here

Event selection

- Electrons and muons: $p_{\tau}^{-1} > 27$ GeV, tight isolation
- **Z-boson selection:** 2 opposite sign, same flavour leptons, $66 < m_{\parallel} < 116 \text{ GeV}$ **W-boson selection:** only 1 lepton, $E_{\tau}^{\text{miss}} > 25 \text{ GeV}$, $m_{\tau}^{\text{W}} > 50 \text{ GeV}$

Background modelling

- Electroweak and top backgrounds evaluated using MC simulation
- Multijet background estimated using data-driven method

Cross-section measurement

- Fiducial cross sections are extracted with **binned profile likelihood fits** using 8 channels: 2 Z-boson channels (ee and $\mu\mu$), 4 W-boson channels (e⁺v, e⁻v, $\mu^+ v$ and $\mu^- v$) and 2 ttbar channels (e μ with 1 b-jet and e μ with 2 b-jets)
- The total cross section: $\sigma^{tot} = \sigma^{fid}/A$, where A is the detector acceptance



MoriondEW 2024

mutu [GeV]

Multijet background





- Multijet templates derived from control regions requiring leptons to fail isolation
- Several multijet templates created from several
 isolation slices in control regions
- Multijet normalisation from profile-likelihood fits in a fitting region
 - Extract normalisation using multijet templates from 4 isolation slices and 2 discriminating variables (E_T^{miss} and m_T^{W}) in each channel
- Perform extrapolation in track isolation in order to reduce isolation bias on final multijet yield
 - Central value obtained from quadratic fit result with difference between linear and quadratic fit results as additional uncertainty

Results: W and Z fiducial cross sections

- UNIVERSITY^{OF} BIRMINGHAM
- Fiducial cross sections compared to theoretical predictions calculated with different PDFs
 - Theoretical predictions are calculated to NNLO + NNLL QCD accuracy and NLO EW accuracy
 - Good agreement between results and SM predictions



Channel	$\sigma^{\rm fid} \pm \delta \sigma_{\rm stat.+syst.}$ [pb]
$Z \rightarrow e^+ e^-$	740 ± 22
$Z \rightarrow \mu^+ \mu^-$	747 ± 23
$Z \to \ell^+ \ell^-$	744 ± 20
$W^- \rightarrow e^- \bar{\nu}$	3380 ± 170
$W^- ightarrow \mu^- ar{ u}$	3310 ± 130
$W^- ightarrow \ell^- ar{ u}$	3310 ± 120
$W^+ \rightarrow e^+ \nu$	4350 ± 200
$W^+ ightarrow \mu^+ \nu$	4240 ± 160
$W^+ \to \ell^+ \nu$	4250 ± 150
$W^{\pm} \rightarrow \ell^{\pm} \nu$	7560 + 270

- Dominant sources of uncertainties:
 - W[±]: luminosity, jet and multi-jet background
 - Z: luminosity, lepton efficiency

MoriondEW 2024

Results: cross-section ratios





- Cross-section ratios benefit from cancellations of some of the experimental uncertainties
- Good agreement between W/Z results and SM predictions
 - ttbar/W[±] ratio shows slight deviations from Ο the theoretical predictions but consistent with the ttbar result
 - Dominant sources of uncertainties:
 - W⁺/W⁻: multi-jet background
 - W^{\pm}/Z : jet related uncertainty
 - ttbar/W[±]: ttbar modelling, jet and multi-jet background

Mihaela Marinescu

MoriondEW 2024

12.5

Conclusion



- Results for vector boson cross sections and their ratios at $\sqrt{s} = 13.6$ TeV are presented using 29 fb⁻¹ collected in 2022
 - Important for testing the SM at the new centre-of mass energy and providing early validation for detector performance
 - First ttbar/W[±] cross-section ratio measurement using the same dataset in ATLAS
- Good agreement between results and theoretical predictions for W/Z measurements
 - ttbar/W[±] ratio shows slight deviations from the theoretical predictions but consistent with the ttbar result







- Dominant sources of uncertainty are channel dependent
- Table shows the observed impact of the different sources of uncertainty on the measured W/Z cross sections and their ratios
- For the cross-section ratios, dominant experimental uncertainties mostly cancel out

Category	$\sigma(Z \rightarrow ee)$	$\sigma(Z \to \mu \mu)$	$\sigma(Z \to \ell$	ℓ) $\sigma(W^-)$	$\sigma(W^- \rightarrow e^- \bar{\nu})$		$v^+ \rightarrow e^+ v$)	$\sigma(W^- \to \mu^- \bar{\nu})$		$\sigma(W^+\to\mu$	$\iota^+ \nu)$
Luminosity	2.2	2.2	2.2		2.5		2.5	2.5		2.4	
Pile-up	1.2	0.3	0.8		1.1		1.1	0.3		0.4	
MC statistics	< 0.2	< 0.2	< 0.2 < 0.2		< 0.2		0.4	< 0.2		0.4	
Lepton trigger	0.2	0.4	0.2		1.2		1.3	1.0		1.0	
Electron reconstruction	1.4	-	0.9		0.7		0.8	-		-	
Muon reconstruction	-	2.1	2.1 1.4		-		-	1.0		1.0	
Multi-jet	-	-			2.9		2.4	1.3		1.1	
Other background modelling	< 0.2	< 0.2	< 0.2 < 0.2		< 0.2		< 0.2	0.5		0.4	
Jet energy scale	-	-	-		1.4		1.4	1.3		1.4	
Jet energy resolution	-	-	-		< 0.2		0.3	0.	2	0.2	
Jet vertex tagger	-	-	-		1.6		1.5	1.3		1.3	
$E_{\rm T}^{\rm miss}$ track soft term	-	-	- <		: 0.2	0.4		< 0.2		< 0.2	
PDF	0.2	0.2	< 0.2 0.8		0.8	0.8		0.6		0.5	
QCD scale (ME and PS)	0.6	< 0.2	0.3		1.3 1.2		1.2	0.6		0.6	
Flavour tagging	-	-	-		-		-	-			
$t\bar{t}$ modelling	-	-	-		-		-	-		-	
Total systematic impact	3.0	3.1	2.7		5.0		4.5	3.8		3.6	
Statistical impact	0.04	0.03	0.02	(0.02	0.01		0.01		0.01	
Category		$\sigma(W^- \rightarrow \ell^-)$	\bar{v}) $\sigma(W$	$\ell^+ \to \ell^+ \nu$	$\sigma(W^{\pm} -$	$ + \ell v) $	$R_{W^{+}/W^{-}}$	$R_{W^{\pm}/Z}$	$R_{t\bar{t}/W^{\pm}}$	-	
Lum	inosity	2.5		2.4	2.4		< 0.2	0.3	< 0.2	-	
Pile-up		0.5		0.7	7 0.6		< 0.2	< 0.2	< 0.2		
MC statistics		< 0.2		0.2	< 0.2		< 0.2	< 0.2	< 0.2		
Lepton trigger		1.0		0.9	0.9		< 0.2	0.7	0.8		
Electron reconstruction		0.4		0.5	0.4		< 0.2	0.5	0.4		
Muon reconstruction		0.6		0.6	6 0.6		0.2		0.6		
Multi-jet		1.2		1.2	2 1.2		1.6		1.0		
Other background modelling		g 0.4		0.4	0.4		< 0.2	0.3	0.9		
Jet energy scale		1.3		1.3	1.3		< 0.2	1.3	1.3		
Jet energy resolution		< 0.2		0.2	< 0.2		< 0.2	< 0.2	< 0.2		
Jet vertex tagger		1.4		1.3		1.3 < 0.2		1.3	< 0.2		
$E_{\rm T}^{\rm miss}$ track soft term		< 0.2		0.3		0.3		0.3	0.3		
PDF		0.5		0.5	0.3		0.5	0.2	0.4		
QCD scale (ME and PS)		0.8		0.7		0.6		0.7	0.7		
Flavour tagging		-				-		-	< 0.2		
tī modelling		-		-	-		-	-	1.1	_	
Total systematic impact		3.7		3.5	5 3.5		1.7	2.4	2.5		
Statistical impact		0.01		0.01	0.01		0.01	0.02	0.32		