

Traceable Policy-Based Signatures with Delegation

Ismail Afia^[0000–0002–7669–8762] and Riham AlTawy^[0000–0002–4734–3700]

University of Victoria, Victoria, BC, Canada
iafia@uvic.ca raltawy@uvic.ca

Abstract. In PKC 2014, a policy-based signature (PBS) scheme was proposed by Bellare and Fuchsbaauer in which a signer can only sign messages conforming to some policy specified by an issuing authority and the produced signatures are verified under the issuer’s public key. PBS construction supports the delegation of signing policy keys with possible restrictions to the original policy. Although the PBS scheme is meant to limit the signing privileges of the scheme’s users, signers could easily abuse their signing rights without being held accountable since PBS does not have a tracing capability, and a signing policy key defines a policy that should be satisfied by the message only. In this work, we build on PBS and propose a traceable policy-based signature scheme (TPBS) where we employ a rerandomizable signature scheme, a digital signature scheme, and a zero-knowledge proof system as its building blocks. TPBS introduces the notion of identity keys that are used with the policy keys for signing. Thus it achieves traceability without compromising the delegatability feature of the PBS scheme. Additionally, TPBS ensures non-frameability under the assumption of a corrupted tracing authority. We define and formally prove the security notions of the generic TPBS scheme. Finally, we propose an instantiation of TPBS utilizing the Pointcheval-Sanders rerandomizable signature scheme, Abe *et al.*’s structure-preserving signature scheme, and Groth-Sahai NIZK system, and analyze its efficiency.

Keywords: policy-based signatures · attribute-based signatures · rerandomizable signatures · group signatures.

1 Introduction

In policy-based signature (PBS) schemes, a signer can produce a valid signature of a message only if the message satisfies a specific hidden policy [4]. PBS schemes allow an issuer to delegate signing rights to specific signers under a particular policy (by sharing a signing policy key). Yet, the produced signature is verifiable under the issuer’s public key. Besides unforgeability, the standard security notion for signature schemes, the privacy of the PBS scheme ensures that signatures do not reveal the policy under which they were created. Generally speaking, PBS schemes aim to extend the functionality of digital signature schemes by offering some form of delegation of signing rights under the issuer’s policy signing key. Although there exist some primitives that offer signing rights delegation, such as group signatures (GS) [5] and attribute-based signatures (ABS) [15, 3], PBS

introduces some distinct features that other primitives do not fulfill. For instance, in GS schemes, a member signs any message on behalf of the whole group. However, PBS schemes give the issuer fine-grained control over who is allowed to sign which messages. On the other hand, in ABS schemes, the produced signature attests to a specific claim predicate (public policy) regarding certified attributes that the signer possesses. Additionally, ABS schemes do not impose any restrictions on the messages to be signed. PBS fulfills these gaps by hiding the policy under which the signature is created and requiring that the signed message conforms to the hidden policy.

Bellare and Fuchsbaauer show that the PBS framework allows delegation, where a signer holding a key for some policy can delegate such a key to another signer with possible restrictions on the associated policy. Delegation enables the signing of messages that satisfy both the original and restricted policies which suites applications in hierarchical settings. For instance, if an issuer in a certain organization granted one of the managers the signing rights of contracts with clients X, Y, and Z, such a manager can delegate these signing rights to a team leader in his unit. Furthermore, the manager may restrict such rights and limit the team leader to signing contracts with client Z only.

The standard security requirements of PBS schemes are unforgeability and privacy [4]. Unforgeability ensures that an adversary cannot create a valid signature without having a policy key where the signed message conforms to such a policy. Privacy guarantees that a signature does not reveal the policy associated with the key. Privacy also implies unlinkability, where an adversary cannot decide whether two signatures were created using the same policy key. Although the PBS privacy definition ensures full signer anonymity, it permits key misuse without accountability. For instance, a signer of a given message may deny their responsibility for such a signature, especially in a delegatable setting where signers delegate their signing keys to others, signing accountability becomes of a vital value. Furthermore, policy key holders (delegated or not) may share their keys with anyone which authorizes them to sign messages under the issuer's name without any sort of liability over the signed message. Note, a straightforward way to overcome the latter problem could be by defining very restrictive policies and the issuer can keep track of all the generated policy keys, messages to be signed, and the identities of users who receive such keys. In case of a dispute, the issuer uses such information to determine who received the keys used in the signature generation of such a specific message. However, in this approach, the issuer can only identify the policy key receiver and not the signer. Also, the issuer is not able to prove such a claim, thus, unframeability is not ensured.

In an attempt to tackle the aforementioned problem, Xu *et al.* have proposed a traceable policy-based signature scheme [18]. In their proposal, the user's identity is attached to the policy. More precisely, the issuer generates signing keys for the user ensuring that the user's identity is part of the key, i.e. generating the signing keys for $id||p$, where id denotes the user identity and p , denotes the policy under which the signer is allowed to sign a specific message. To sign a message, the signer first encrypts their identity under the public key of an opener and

provides a Non-Interactive Zero Knowledge (NIZK) proof of the issuer signature on $id||p$ such that p permits the message and id has been correctly encrypted to the given ciphertext. The generated signature contains the ciphertext in addition to the resulting NIZK proof. To trace a message to its original signer, the opener decrypts the ciphertext using its decryption key to reveal the signer’s identity. Although Xu *et al.*’s proposal provides traceability, it does not protect against frameability because the issuer generates the signing keys of the scheme users. Moreover, attaching user identities to the policy seems counter-intuitive to the original goal of PBS schemes, where the signing rights are granted to users who have access to a policy key which allows them to sign messages that conform to the policy. Consequently, the issuer has to issue multiple signing keys to each scheme user to include their identities for the same policy. According to Xu *et al.* [18], a direct consequence of such an approach for traceability, is that the proposed scheme does not support policy key delegation because the policy is tied to a specific identity. More precisely, if a key holder delegates their key in the form $p' = id||p_1||p_2$ the signature generated with p' will always be traced back to the original key holder id .

Our Contributions. We propose a Traceable Policy-Based Signature (TPBS) scheme that supports delegation. TPBS extends the functionality of the original PBS scheme by adding a tracing mechanism to enforce accountability. We design TPBS where the generated signature of a given message does not reveal the policy nor the identity used in the signing process. The user’s signing key in TPBS consists of an identity key and a policy key which are generated independently; thus, TPBS supports policy key delegation similar to the PBS scheme. In TPBS, each user generates a secret key which is used in an interactive protocol with the TA to generate the user’s identity key. However, the user’s secret key is never exchanged with the TA preventing a misbehaving tracing authority or any party intercepting the user’s communication with the TA from framing such a user. We formally define the extractability, simulatability, non-framability, and traceability security notions for TPBS. Moreover, we propose a generic construction for TPBS employing a rerandomizable digital signature (RDS) scheme and a simulation-sound extractable non-interactive zero-knowledge (SE-NIZK) proof system. Then we prove that the generic construction achieves the defined security notions. Finally, we give a concrete instantiation for TPBS with Pointcheval-Sanders rerandomizable signature scheme and Groth-Sahai zero-knowledge proof system and analyze its efficiency.

2 Preliminaries and Building Blocks

Sampling x uniformly at random from \mathbb{Z}_q is denoted by $x \xleftarrow{\$} \mathbb{Z}_p$. We denote by i an identity from the identity universe \mathbb{I} , $i \in \mathbb{I}$. Let $\lambda \in \mathbb{N}$ denotes our security parameter, then a function $\epsilon(\lambda) : \mathbb{N} \rightarrow [0, 1]$ denotes the negligible function if for any $c \in \mathbb{N}$, $c > 0$ there exists $\lambda_c \in \mathbb{N}$ s.t. $\epsilon(\lambda) < \lambda^{-c}$ for all $\lambda > \lambda_c$. We use $f(\cdot)$ to denote a one-way function with a domain denoted by \mathcal{F} , and we use $\text{PoK}(x : C = f(x))$ to denote an interactive perfect zero-knowledge proof of knowledge of x such that $C = f(x)$ [11]. Let a policy checker (PC) denote an

NP-relation $PC : \{0, 1\}^* \{0, 1\}^* \leftarrow \{0, 1\}$, where the first input is a pair (p, m) representing a policy $p \in \{0, 1\}^*$ and a message $m \in \{0, 1\}^*$, while the second input is a witness $w_p \in \{0, 1\}^*$. The signing of m is permitted under policy p if (p, m, w_p) is PC-valid such that $PC((p, m), w_p) = 1$ [4].

2.1 Rerandomizable Digital Signature Scheme (RDS)

RDS schemes are digital signature algorithms that allow rerandomizing a signature such that the rerandomized version of the signature is still verifiable under the verification key of the signer [19, 16, 17, 10]. An RDS scheme is a tuple of five polynomial-time algorithms, $RDS = \{pp_{RDS} \leftarrow \text{ppGenRDS}(1^\lambda), (sk_{RDS}, pk_{RDS}) \leftarrow \text{KeyGenRDS}(pp_{RDS}), \sigma_{RDS} \leftarrow \text{SignRDS}(sk_{RDS}, m), \sigma'_{RDS} \leftarrow \text{RandomizeRDS}(\sigma_{RDS}), \{\top, \perp\} \leftarrow \text{VerifyRDS}(pk_{RDS}, m, \sigma_{RDS})\}$. Some RDS schemes include a $\sigma_{RDS} \leftarrow \text{SignComRDS}(sk_{RDS}, C)$ procedure that enables the signing of a commitment C of a hidden message m such that the resulting σ_{RDS} is verifiable for m . Note that if σ_{RDS} is generated using SignComRDS , it could not be verified without the knowledge of m or some trapdoor information generated from m [9, 16]. RDS schemes ensure existential unforgeability under chosen message attacks (EUF-CMA) and unlinkability where it is infeasible for adversaries to link a rerandomized version of a signature to its original one. RDS unlinkability also implies the indistinguishability of rerandomized signatures. The formal definition of such security notions and their associated experiments are given in [16, 19] and in Appendix A.1.

2.2 Simulation-Sound Extractable NIZK (SE-NIZK)

A SE-NIZK system enables a prover with a witness w to prove non-interactively the truthfulness of a statement x to a verifier without conveying why [13]. For x in an NP-language \mathcal{L} such that (x, w) in a relation \mathbb{R} associated with \mathcal{L} , a SE-NIZK is a tuple of six polynomial-time algorithms, $\text{NIZK} = \{crs \leftarrow \text{SetupNIZK}(1^\lambda), (crs, tr_{\text{NIZK}}) \leftarrow \text{SimSetupNIZK}(1^\lambda), \pi_{\text{NIZK}} \leftarrow \text{ProveNIZK}(crs, x, w), \pi_{\text{NIZK}} \leftarrow \text{SimProveNIZK}(crs, x, tr_{\text{NIZK}}), \{\top, \perp\} \leftarrow \text{VerifyNIZK}(crs, x, \pi_{\text{NIZK}}), w \leftarrow \text{ExtrNIZK}(crs, x, \pi_{\text{NIZK}})\}$. SE-NIZK schemes ensure zero-knowledge which ensures a negligible success of an adversary that can distinguish between a proof for a statement x using a witness w from a simulated one. They also provide simulation-extractability which implies that it is hard for an adversary to output a verifiable proof for a statement x using a witness w such that $\mathbb{R}(x, w) = 0$. The formal definitions of such security notions are given in [4] and in Appendix A.2.

2.3 Digital Signature Schemes

A digital signature scheme is a tuple of four polynomial-time algorithms, $\text{Sig} = \{pp_{\text{Sig}} \leftarrow \text{ppGenSig}(1^\lambda), (pk_{\text{Sig}}, sk_{\text{Sig}}) \leftarrow \text{KeyGenSig}(pp_{\text{Sig}}), \sigma_{\text{Sig}} \leftarrow \text{SignSig}(sk_{\text{Sig}}, m), \{\top, \perp\} \leftarrow \text{VerifySig}(pk_{\text{Sig}}, m, \sigma_{\text{Sig}})\}$. The standard security notion of a digital signature scheme is EUF-CMA [1] (see Appendix A.3).

3 Traceable Policy-Based Signatures (TPBS)

We build on PBS and present a Traceable Policy-Based Signatures (TPBS) scheme. The main idea of our scheme is that in addition to the PBS issuer's policy key, we require the use of an identity key for signing a message that satisfies the policy defined by the issuer in the policy key. Hence, we introduce a

Tracing Authority (TA) where every scheme user registers with to generate an identity key. The user then uses the identity key in addition to the policy key to sign a message that conforms to the policy set by the issuer. The produced signature allows the TA to trace it to the registration information acquired from the user during identity key generation. Note that contrary to the issuer's policy key, which could be shared among users allowed by the issuer to sign a specific message, the identity key is generated by individual users and is not shared with any other entity in the system. In what follows, we give the black box definitions of the proposed construction.

TPBS is a tuple of ten polynomial-time algorithms, $\text{TPBS} = \{\text{ppGen}, \text{TASetup}, \text{IssuerSetup}, \text{UserKeyGen}, \text{IDKeyGen}, \text{PolicyKeyGen}, \text{Sign}, \text{Verify}, \text{Trace}, \text{Judge}\}$ which are defined as follows.

- **ppGen.** This algorithm outputs the public parameters of the scheme, which become an implicit input to all the other algorithms, $pp_{\text{TPBS}} \leftarrow \text{ppGen}(1^\lambda)$
- **TASetup.** This algorithm generates the TA's public secret key pair $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA})$, initializes a private empty registry Reg , and defines the identity universe \mathbb{I} such that $|\mathbb{I}| = |Reg|$, $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}, Reg) \leftarrow \text{TASetup}(pp_{\text{TPBS}})$
- **IssuerSetup.** This algorithm generates the issuer's public key secret key pair, $(pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^{Issuer}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}})$
- **UserKeyGen.** For user identity $i \in \mathbb{I}$, this algorithm generates the user's secret public key pair (sk_i, pk_i) . We assume that pk_i is authentically associated with i in a public registry \mathcal{D} such that $\mathcal{D}[i] = pk_i$, a PKI system may be used for such a purpose. Moreover, this algorithm outputs the registration information ID_i generated from sk_i using a one-way function, $(pk_i, sk_i, ID_i) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}}, i)$
- **IDKeyGen.** This two-party interactive procedure runs between a scheme user and the TA to generate the user's identity key. The inputs of the user's routine are $(i, (sk_i))$, and the inputs to the TA's routine are $((sk_{\text{TPBS}}^{TA}), i, ID_i)$, where i and ID_i are sent to the TA by the user. At the end of the interaction, the user obtains the TA's signature σ_{ID}^i over their hidden secret sk_i . Finally, the user sets $sk_{\text{TPBS}}^i = (sk_i, \sigma_{ID}^i)$ whereas the TA obtains some registration information $Reg[i] = ID_i$, $((Reg[i]), (sk_{\text{TPBS}}^i)) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA}) \xrightarrow[\sigma_{ID}^i]{(i, ID_i)} (sk_i))$ where the first (resp. second) $(.)$ in the input and output of IDKeyGen contains values that are only known to the TA (resp. user).
- **PolicyKeyGen.** The issuer runs this procedure to generate a secret key for a specific policy $p \in \{0, 1\}^*$, $sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{Issuer}, p)$
- **Sign.** On input of a message m , a witness $w_p \in \{0, 1\}^*$ that m conforms to a specific policy p , the secret signing key sk_{TPBS}^p , the user identity key sk_{TPBS}^i , this procedure generates a signature σ_m , $\sigma_m \leftarrow \text{Sign}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^i, m, p, w_p)$

- **Verify.** This algorithm verifies the signature σ_m over m using the issuer's and TA's public keys, $\{\top, \perp\} \leftarrow \text{Verify}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m, \sigma_m)$

- **Trace.** This algorithm is run by the TA to trace a signature σ_m over m to its original signer and returns the signer identity along with proof confirming such a claim, $(i, \pi_{\text{Trace}}) \leftarrow \text{Trace}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{TA}, \text{Reg}, m, \sigma_m)$

- **Judge.** This algorithm verifies the output of the tracing algorithm, $\{\top, \perp\} \leftarrow \text{Judge}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m, \sigma_m, i, \pi_{\text{Trace}})$

TPBS Correctness for the correctness of TPBS, we require that for all $\lambda \in \mathbb{N}$, all $pp_{\text{TPBS}} \leftarrow \text{ppGen}(1^\lambda)$, for all $(pk_{\text{TPBS}}^{TA}, (sk_{\text{TPBS}}^{TA}, \text{Reg})) \leftarrow \text{TASetup}(pp_{\text{TPBS}})$, for all $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}})$, for all $i \in \mathbb{I}$, for all $(pk_i, sk_i, ID_i) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}})$, for all $((\text{Reg}[i]), (sk_{\text{TPBS}}^i)) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA}) \xrightarrow[\sigma_{iD}^i]{(i, ID_i)} (sk_i))$, for all $sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$, and for all $(m, p, w_p) \in \{0, 1\}^*$ s.t $\text{PC}((p, m), w_p) = 1$, we have $\sigma_m \leftarrow \text{Sign}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^i, m, p, w_p)$ such that $\top \leftarrow \text{Verify}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m, \sigma_m)$. Moreover, we have $(i, \pi_{\text{Trace}}) \leftarrow \text{Trace}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, \text{Reg}, m, \sigma_m)$ such that $\top \leftarrow \text{Judge}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m, \sigma_m, i, \pi_{\text{Trace}})$.

To prevent a misbehaving TA or any party who has access to the policy key sk_{TPBS}^p from framing a user, we ensure that sk_{TPBS}^i contains sk_i which is generated by individual users and not shared with any entity in the scheme. Moreover, since our scheme segregates the identity keys from the policy keys, the delegatability of policy keys becomes a natural extension for our scheme and could be achieved seamlessly by applying the same technique of Bellare and Fuchsbauer [4]. Moreover, segregating the issuer and TA rules make our scheme a perfect fit for decentralized environments where multiple issuers may coexist.

3.1 TPBS Security Definitions

The security notions of PBS are privacy (policy-indistinguishability) and unforgeability [4]. Privacy of the policy ensures that a signature reveals neither the policy associated with the policy key nor the witness that was used in creating such a signature. Unforgeability is defined as the infeasibility of creating a valid signature for a message m without holding a policy key for some policy p and a witness w_p such that $\text{PC}((p, m), w_p) = 1$. In the same context, Bellare and Fuchsbauer have defined simulatability and extractability as stronger versions of the aforementioned security notions [4]. The main reason behind introducing such stronger notions is that the traditional notions of policy privacy and unforgeability are insufficient for all applications. For instance, a PBS scheme with a policy checker PC such that for every message m , there is only one policy p where $\text{PC}((p, m_i), w_i) = 1$ for $i \in \{0, \dots, n\}$, such a scheme does not hide the policy, yet still satisfies indistinguishability.

Since TPBS signing requires the user's identity key and the produced signatures are traceable by the TA, we extend the definition of privacy to include user anonymity in addition to policy-privacy. Moreover, we define non-frameability and traceability to capture the newly introduced traceability feature. We also

define simulatability and extractability as the stronger notions of privacy and unforgeability. Note that our definition of simulatability and extractability differs from those in PBS in that they include the newly introduced signer identity and tracing feature. In what follows, we give the formal definitions of the TPBS security notions. The oracles used in the security experiments are defined in Fig. 1 in which the lists, \mathcal{U} contains all the honest users' identities in the system, \mathcal{T} tracks all dishonest users in the system where the adversary has access to their identity secret key, and \mathcal{L} tracks all the policies that the adversary has access to their policy keys. \mathcal{Q}_i is a key-value pair matrix that contains the honestly generated identity keys defined by the user identity i . \mathcal{Q}_p is a key-value pair matrix that contains the honestly generated policy keys defined by the policy p . \mathcal{M} and \mathcal{M}' are used to track signatures generated by the signing oracles.

Note that $\mathcal{OKeyGen}$ is set up to generate the signer identity key from scratch and return it to the adversary along with the policy key. Such a setup allows the adversary to corrupt as many users as it wants without engaging with the oracle interactively.

3.2 Privacy

TPBS ensures privacy if it guarantees signer anonymity and policy-privacy, which are defined as follows.

Signer anonymity. Anonymity is modeled by the indistinguishability experiment in Fig. 2, where the adversary has access to $\mathcal{OKeyGen}(\cdot)$, $\mathcal{OUSign}(\cdot)$, $\mathcal{OIdLoRSign}$, and $\mathcal{OTrace}(\cdot)$ oracles. The challenge oracle $\mathcal{OIdLoRSign}$ is initialized with a random bit $b \in \{0, 1\}$. The adversary inputs to $\mathcal{OIdLoRSign}$ are (i_0, i_1, m, p, w_p) where the adversary chooses i_0, i_1 from a predefined list of users \mathcal{U} that it has no access to their signing keys. After verifying that $\text{PC}((p, m), w_p) = 1$ and $i_0, i_1 \in \mathcal{U}$, the oracle generates σ_{m_b} for the message m using $(sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^{i_b})$. Finally, the oracle returns σ_{m_b} to the adversary. The adversary wins if it can determine the bit b with more than the negligible probability. The adversary has access to $\mathcal{OUSign}(\cdot)$ oracle, which on input $(i \in \mathcal{U}, m, p, w_p)$, it obtains a signature on message m under the identity key of $i \in \mathcal{U}$ and any policy of its choice. Furthermore, $\mathcal{OUSign}(\cdot)$ returns the TA signature σ_{ID}^i of the user i to simulate the case where σ_{ID}^i is leaked without the knowledge of sk_i . Furthermore, we give the adversary access to $sk_{\text{TPBS}}^{\text{Issuer}}$ to simulate the case of a corrupt issuer. Note, to prevent trivial attacks, the queries to $\mathcal{OKeyGen}(\cdot)$ are limited to users' identities not in \mathcal{U} which models the set of honest users. Also, the adversary cannot query the \mathcal{OTrace} with the output of $\mathcal{OIdLoRSign}$.

Anonymity is defined in a selfless setting where we do not provide the adversary with access to the identity keys of the two signers, $sk_{\text{TPBS}}^{i_0}$ and $sk_{\text{TPBS}}^{i_1}$, involved in the query to $\mathcal{OIdLoRSign}$ [8]. This models the case where an internal adversary should not be able to distinguish between two signatures generated under two identities different than its own, even if both signatures are generated using the same policy key. Such a restriction is essential to construct a significantly more efficient scheme [6].

$\mathcal{O}KeyGen(i, p)$

if $i \in \mathcal{U}$ return \perp
 $(pk_i, sk_i, ID_i) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}})$
 $((\text{Reg}[i]), (sk_{\text{TPBS}}^i)) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA} \xrightarrow{\sigma_{ID}^i} (sk_i)))$

$sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$
 $\mathcal{T} = \mathcal{T} \cup \{i, sk_i\}; \quad \mathcal{L} = \mathcal{L} \cup \{p\}$

return $(sk_{\text{TPBS}}^i, sk_{\text{TPBS}}^p)$

$\mathcal{O}USign(i_j, m, p, w_p)$

if $\text{PC}((p, m), w_p) = 0 \vee i_j \notin \mathcal{U}$
return \perp

$(sk_{\text{TPBS}}^{i_j}) = (sk_{i_j}, \sigma_{ID}^{i_j}) \leftarrow \mathcal{Q}_i[i_j]$
 $sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$
 $\sigma_m \leftarrow \text{Sign}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^{i_j}, m, p, w_p)$
 $\mathcal{M} = \mathcal{M} \cup \sigma_m$

return $(\sigma_m, \sigma_{ID}^{i_j}, sk_{\text{TPBS}}^p)$

$\mathcal{O}OldLoRSig(i_{j_0}, i_{j_1}, m, p, w_p)$

if $\text{PC}((p, m), w_p) = 0 \vee i_{j_0}, i_{j_1} \notin \mathcal{U}$
return \perp

$(sk_{\text{TPBS}}^{i_{j_0}}) \leftarrow \mathcal{Q}_i[j_0][1]; \quad (sk_{\text{TPBS}}^{i_{j_1}}) \leftarrow \mathcal{Q}_i[j_1][1]$
 $sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$
 $\sigma_{m_b} \leftarrow \text{Sign}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^{i_b}, m, p, w_p)$
 $\mathcal{M}' = \mathcal{M}' \cup (m, \sigma_{m_b})$

return σ_{m_b}

$\mathcal{O}Sign(m, i, p, w_p)$

if $i \in \mathcal{T} \wedge p \in \mathcal{L}$
return \perp

if $i \notin \mathcal{Q}_i \quad (pk_i, sk_i, ID_i) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}})$
 $((\text{Reg}[i]), (sk_{\text{TPBS}}^i)) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA} \xrightarrow{\sigma_{ID}^i} (sk_i)))$

$\mathcal{Q}_i[i] = sk_{\text{TPBS}}^i$
else $sk_{\text{TPBS}}^i = \mathcal{Q}_i[i]$

if $p \notin \mathcal{Q}_p \quad sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$
 $\mathcal{Q}_p[p] = sk_{\text{TPBS}}^p$
else $sk_{\text{TPBS}}^p = \mathcal{Q}_p[p]$

$\sigma_m \leftarrow \text{Sign}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^i, m, p, w_p)$
 $\mathcal{M} = \mathcal{M} \cup (m, \sigma_m)$

return σ_m

$\mathcal{O}PLoRSig(i, m, p_0, w_{p_0}, p_1, w_{p_1})$

if $\text{PC}((p_0, m), w_{p_0}) = 0 \vee \text{PC}((p_1, m), w_{p_1}) = 0$
return \perp

$(pk_i, sk_i, ID_i) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}})$
 $((\text{Reg}[i]), (sk_{\text{TPBS}}^i)) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA} \xrightarrow{\sigma_{ID}^i} (sk_i)))$

$sk_{\text{TPBS}}^{p_0} \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p_0)$
 $sk_{\text{TPBS}}^{p_1} \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p_1)$
 $\sigma_{m_b} \leftarrow \text{Sign}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{p_b}, sk_{\text{TPBS}}^i, m, p_b, w_{p_b})$
 $\mathcal{M} = \mathcal{M} \cup \{m, \sigma_m\}$

return σ_{m_b}

$\mathcal{O}Sim\text{-or-Sig}(i_j, p, m, w_p)$

if $\text{PC}((p, m), w_p) = 1$
 $(sk_{\text{TPBS}}^{i_j}) \leftarrow \mathcal{Q}_i[i_j]$
 $sk_{\text{TPBS}}^p \leftarrow \text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$
 $\sigma_{m_0} \leftarrow \text{Sign}(pk_{\text{TPBS}_0}^{TA}, pk_{\text{TPBS}_0}^{\text{Issuer}}, sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^{i_j}, m, w_p)$
 $\sigma_{m_1} \leftarrow \text{SimSign}(tr_{\text{NIZK}}, pk_{\text{TPBS}_1}^{TA}, pk_{\text{TPBS}_1}^{\text{Issuer}}, m)$
 $\mathcal{M}' = \mathcal{M}' \cup \{m, \sigma_{m_b}\}$

return σ_{m_b}

return \perp

$\mathcal{O}Trace(m, \sigma_m)$

if $\sigma_m \in \mathcal{M}'$ return \perp
 $(i, \pi_{\text{Trace}}) \leftarrow \text{Trace}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{TA}, \text{Reg}, m, \sigma_m)$

return (i, π_{Trace})

Fig. 1: TPBS Security Oracles

Definition 1. (*TPBS Anonymity*) The TPBS scheme is anonymous if for any PPT adversary \mathcal{A} , $|\Pr[\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Anonymity}}(\lambda) = \top] - \frac{1}{2}| \leq \epsilon(\lambda)$, where $\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Anonymity}}$ is defined in Fig. 2.

Policy-privacy. Policy-privacy is modeled by the indistinguishability experiment in Fig. 3, where the adversary has access to $\mathcal{O}KeyGen(\cdot)$ and $\mathcal{O}PLoRSig$ oracles. The challenge oracle $\mathcal{O}PLoRSig$ is initialized with a random bit $b \in \{0, 1\}$. The adversary inputs to $\mathcal{O}PLoRSig$ oracle are $(i, m, p_0, w_{p_0}, p_1, w_{p_1})$. After verifying that $\text{PC}((p_0, m), w_{p_0}) = 1$, and $\text{PC}((p_1, m), w_{p_1}) = 1$, the ora-

Exp _{\mathcal{A}, TPBS} ^{Anonymity}(λ)

$b \stackrel{\$}{\leftarrow} \{0, 1\}, \mathcal{U} = \{0, \dots, n\}, \mathcal{M}' = \{\}, \mathcal{Q}_i = [], pp_{\text{TPBS}} \leftarrow \text{ppGen}(1^\lambda)$
 $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}) \leftarrow \text{TASetup}(pp_{\text{TPBS}})$
 $(pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^{Issuer}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}})$
foreach $i_j \in \mathcal{U}$
 $(pk_{i_j}, sk_{i_j}, ID_{i_j}) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}})$
 $((\text{Reg}[i_j]), (sk_{\text{TPBS}}^{i_j})) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA}) \xrightarrow[\sigma_{ID}^{i_j}]{(i, ID_{i_j})} (sk_{i_j}))$
 $\mathcal{Q}_i[i_j] = sk_{\text{TPBS}}^{i_j}$
 $b' \leftarrow \mathcal{A}^{\text{OKeyGen}(\cdot), \text{OSign}(\cdot), \text{OTrace}(\cdot), \text{OIdLoRSign}(\cdot, b)}(\mathcal{U}, pp_{\text{TPBS}}, pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^{Issuer})$
if $b = b'$
return \top
return \perp

Fig. 2: TPBS Anonymity Experiment

cle generates sk_{TPBS}^i and sk_{TPBS}^{pb} for $b \in \{0, 1\}$. It then signs m using $(sk_{\text{TPBS}}^{pb}, sk_{\text{TPBS}}^i)$ and returns σ_{m_b} . The adversary wins if it can determine the bit b with a probability better than the random guess. Note that we give the adversary access to sk_{TPBS}^{TA} and $sk_{\text{TPBS}}^{Issuer}$ to simulate the case of a corrupt TA and/or issuer.

Definition 2. (TPBS Policy-privacy) *The TPBS scheme is policy-private if for any PPT adversary \mathcal{A} , $|\Pr[\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Policy-privacy}}(\lambda) = \top] - \frac{1}{2}| \leq \epsilon(\lambda)$, where $\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Policy-privacy}}$ is defined in Fig. 3.*

Exp _{\mathcal{A}, TPBS} ^{Policy-privacy}(λ)

$b \stackrel{\$}{\leftarrow} \{0, 1\}, pp_{\text{TPBS}} \leftarrow \text{ppGen}(1^\lambda)$
 $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}) \leftarrow \text{TASetup}(pp_{\text{TPBS}})$
 $(pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^{Issuer}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}})$
 $b' \leftarrow \mathcal{A}^{\text{OKeyGen}(\cdot), \text{OPLoRSign}(\cdot, b)}(pp_{\text{TPBS}}, pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{Issuer})$
if $b = b'$
return \top
return \perp

Fig. 3: TPBS Policy-privacy Experiment

Consider a PBS scheme where for every message m there is only one policy p such that $\text{PC}((p, m), w_p) = 1$; then the aforementioned policy-privacy definition can not hide the associated policy. It has been proven that simulatability is a stronger notion of policy-privacy that remedies the aforementioned limitation [4]. Since the same limitation is inherited in TPBS, thus, we also define simulatability, and we prove that our definition implies the privacy of TPBS, which is defined as both anonymity and policy-privacy.

Simulatability. This security notion requires the existence of a simulator that can create simulated signatures without having access to any of the users' signing keys or witnesses. Yet, such signatures are indistinguishable from real signatures. Thus, we assume that for every TPBS procedure, there exists a simulated procedure whose output is indistinguishable from the non-simulated one. We denote such a procedure with the Sim prefix. More precisely, we require the following al-

gorithms, SimppGen, SimTASetup, SimIssuerSetup, SimUserKeyGenTPBS, SimID-
KeyGen, SimPolicyKeyGen, SimSign, and SimTraceTPBS. Note that SimppGen,
SimTASetup, and SimIssuerSetup also output the trapdoor information tr_{TPBS} ,
 tr_{TA} , and tr_{Issuer} , respectively. Such trapdoor outputs are used as inputs to
the other relevant simulated procedures instead of the secret inputs. We give
the definitions of the simulated procedures in Fig 9 after we present the generic
construction.

We formally define simulatability in a selfless setting by the experiment in
Fig. 4, in which the adversary has access to $\mathcal{O}\text{KeyGen}(\cdot)$, $\mathcal{O}\text{USign}(\cdot)$, $\mathcal{O}\text{Trace}(\cdot)$,
and $\mathcal{O}\text{Sim-or-Sign}(\cdot)$ oracles. $\mathcal{O}\text{Sim-or-Sign}(\cdot)$ is its challenge oracle which on the
input of some i_j from a predefined list of honest users identities \mathcal{U} , a message m ,
a policy p , and a witness w_p that m conforms to p , the oracle outputs a signature
 σ_m . The adversary wins if it can determine whether σ_m is generated using i_j
identity key and p policy key or it is a simulated signature. To prevent trivial
attacks, the adversary cannot query the $\mathcal{O}\text{Trace}(\cdot)$ with the signatures generated
by the challenging oracle.

Definition 3. (TPBS Simulatability) *The TPBS scheme is simulatable if for
any PPT adversary \mathcal{A} , $|\Pr[\mathbf{Exp}_{\mathcal{A},\text{TPBS}}^{\text{SIM}}(\lambda) = \top] - \frac{1}{2}| \leq \epsilon(\lambda)$, where the
 $\mathbf{Exp}_{\mathcal{A},\text{TPBS}}^{\text{SIM}}$ is defined in Fig. 4.*

Exp $_{\mathcal{A},\text{TPBS}}^{\text{SIM}}(\lambda)$

$b \xleftarrow{\$} \{0,1\}, \mathcal{U} = \{0, \dots, n\}, \mathcal{M}' = \{\}, \mathcal{Q}_i = []$

$pp_{\text{TPBS}_0} \leftarrow \text{ppGen}(1^\lambda), (pp_{\text{TPBS}_1}, tr_{\text{TPBS}}) \leftarrow \text{SimppGen}(1^\lambda)$

$(pk_{\text{TPBS}_0}^{TA}, sk_{\text{TPBS}_0}^{TA}) \leftarrow \text{TASetup}(pp_{\text{TPBS}_0})$

$(pk_{\text{TPBS}_0}^{\text{Issuer}}, sk_{\text{TPBS}_0}^{\text{Issuer}}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}_0})$

$(pk_{\text{TPBS}_1}^{TA}, sk_{\text{TPBS}_1}^{TA}, tr_{TA}) \leftarrow \text{SimTASetup}(pp_{\text{TPBS}_1})$

$(pk_{\text{TPBS}_1}^{\text{Issuer}}, sk_{\text{TPBS}_1}^{\text{Issuer}}, tr_{\text{Issuer}}) \leftarrow \text{SimIssuerSetup}(pp_{\text{TPBS}_1})$

foreach $i_j \in \mathcal{U}$

$(pk_{i_j}, sk_{i_j}, ID_{i_j}) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}})$

$((\text{Reg}[i_j]), (sk_{\text{TPBS}}^{i_j})) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA}) \xleftarrow[\sigma_{ID}^{i_j}]{(i, ID_{i_j})} (sk_{i_j}))$

$\mathcal{Q}_i[i_j] = sk_{\text{TPBS}}^{i_j}$

$b' \leftarrow \mathcal{A}^{\mathcal{O}\text{KeyGen}(\cdot), \mathcal{O}\text{USign}(\cdot), \mathcal{O}\text{Trace}(\cdot), \mathcal{O}\text{Sim-or-Sign}(\cdot)}(\mathcal{U}, pp_{\text{TPBS}_b}, pk_{\text{TPBS}_b}^{TA}, sk_{\text{TPBS}_b}^{TA}, pk_{\text{TPBS}_b}^{\text{Issuer}}, sk_{\text{TPBS}_b}^{\text{Issuer}})$

if $b = b'$ **return** \top

return \perp

Fig. 4: TPBS Simulatability Experiment

3.3 Unforgeability

Intuitively unforgeability is the infeasibility of creating a valid signature on a
message m without holding the policy key for policy p to which m conforms. To
model users' corruption and collusion attacks where users could combine their
policy keys to sign messages non of them is authorized to, Bellare and Fuchsbauer
have defined the unforgeability of the PBS scheme by an experiment where the
adversary is allowed to query a key generation oracle to generate user keys and
gain access to some of them. However, in their definition, it becomes hard to

efficiently determine if an adversary has won the unforgeability experiment by producing a valid signature such that $\text{PC}((p, m), w_p) = 1$ using a queried policy key or not since policy-privacy requires hiding the policy and witness used in generating a specific signature. To overcome the aforementioned limitation, they defined extractability as a strengthened version of unforgeability and proved that extractability implies unforgeability [4]. Since TPBS privacy requires hiding the policy, witness, and signer's identity used in generating signatures over m , we define extractability and adapt it to imply the unforgeability for TPBS.

Extractability. We formally define TPBS extractability by the experiment in Fig. 5, where we assume the existence of an extractor algorithm Extr which upon inputting a valid message signature pair (m, σ_m) in addition to trapdoor information tr_{TPBS} , it outputs the tuple $(p, sk_i, sk_{\text{TPBS}}^p, w_p)$. An adversary \mathcal{A} who has access to $\mathcal{O}\text{KeyGen}$ and $\mathcal{O}\text{Sign}$ oracles (Fig. 1) wins $\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Ext}}$ if it outputs a valid message signature pair (m^*, σ_{m^*}) such that either i) it does not hold some $sk_{\text{TPBS}}^{i^*}$ that is obtained from $\mathcal{O}\text{KeyGen}$ oracle or for all p , it obtained sk_{TPBS}^p by querying $\mathcal{O}\text{KeyGen}$ oracle, ii) it does not hold an $sk_{\text{TPBS}}^{p^*}$ corresponds to p^* such that $\text{PC}((p^*, m^*), w_{p^*}) = 1$ or iii) $\text{PC}((p^*, m^*), w_{p^*}) = 0$. Note that since tr_{TPBS} is required by Extr algorithm, the extractability experiment is initialized using $\text{SimpGen}(1^\lambda)$ algorithm rather than $\text{ppGen}(1^\lambda)$, and all other algorithms are kept the same.

Definition 4. (TPBS Extractability) a TPBS scheme is extractable if for any PPT adversary \mathcal{A} , $\Pr[\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Ext}}(\lambda) = \top] \leq \epsilon(\lambda)$, where $\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Ext}}$ is defined in Fig. 5.

```


$$\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Ext}}(\lambda)$$



---


 $(pp_{\text{TPBS}}, tr_{\text{TPBS}}) \leftarrow \text{SimpGen}(1^\lambda)$ 
 $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}, Reg) \leftarrow \text{TASetup}(pp_{\text{TPBS}})$ 
 $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}})$ 
 $\mathcal{Q}_i = \mathcal{Q}_p = \{\}$ 
 $\mathcal{T} = \mathcal{L} = \mathcal{M} = \{\}$ 
 $(m^*, \sigma_{m^*}) \leftarrow \mathcal{A}^{\mathcal{O}\text{KeyGen}(\cdot), \mathcal{O}\text{Sign}(\cdot)}(pp_{\text{TPBS}}, pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}})$ 
if  $(m^*, \sigma_{m^*}) \in \mathcal{M} \vee \text{Verify}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m^*, \sigma_{m^*}) = \perp$ 
  return  $\perp$ 
 $(p^*, sk_{i^*}^*, sk_{\text{TPBS}}^{p^*}, w_{p^*}) \leftarrow \text{Extr}(tr_{\text{TPBS}}, m^*, \sigma_{m^*})$ 
if  $sk_{i^*}^* \notin \mathcal{T} \vee p^* \notin \mathcal{L} \vee \text{PC}((p^*, m^*), w_{p^*}) = 0$ 
  return  $\top$ 
return  $\perp$ 

```

Fig. 5: TPBS Extractability Experiment

3.4 Non-frameability

This property ensures that even if the tracing authority, issuer, and all corrupt users in the scheme collude together, they cannot produce a valid signature that is traced back to an honest user. TPBS non-frameability is modeled by the experiment defined in Fig. 6, in which the adversary has access to both TA and issuer secret keys $(sk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{\text{Issuer}})$, in addition to $\mathcal{O}\text{KeyGen}$, $\mathcal{O}\text{USign}$, and $\mathcal{O}\text{Trace}$ oracles. The adversary wins if it outputs a verifiable (m^*, σ_{m^*}) that has not been

queried to $\mathcal{O}\text{USign}$ and when (m^*, σ_{m^*}) is traced back to its signer, the tracing algorithm outputs an identity of one of the honest users in \mathcal{U} . Additionally, the output of $\mathcal{O}\text{Trace}$ oracle should be verifiable using the Judge algorithm.

Definition 5. (TPBS Non-frameability) a TPBS scheme is non-frameable if for any PPT adversary \mathcal{A} , $\Pr[\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Non-frameability}}(\lambda) = \top] \leq \epsilon(\lambda)$, where the non-frameability experiment is defined in Fig. 6.

$$\begin{array}{l} \mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Non-frameability}}(\lambda) \\ \hline \mathcal{U} = \{0, \dots, n\}, \mathcal{M} = \{\}, \mathcal{Q}_i = [], pp_{\text{TPBS}} \leftarrow pp\text{Gen}(1^\lambda) \\ (pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}) \leftarrow \text{TASetup}(pp_{\text{TPBS}}), (pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}}) \\ \text{foreach } i_j \in \mathcal{U} \\ \quad (pk_{i_j}, sk_{i_j}, ID_{i_j}) \leftarrow \text{UserKeyGen}(pp_{\text{TPBS}}) \\ \quad ((\text{Reg}[i_j]), (sk_{\text{TPBS}}^{i_j})) \leftarrow \text{IDKeyGen}((sk_{\text{TPBS}}^{TA}) \xrightarrow[\sigma_{i_j}^{i_j}]{(i, ID_{i_j})} (sk_{i_j})) \\ \quad \mathcal{Q}_i[i_j] = sk_{\text{TPBS}}^{i_j} \\ (m^*, \sigma_{m^*}) \leftarrow \mathcal{A}^{\mathcal{O}\text{KeyGen}(\cdot), \mathcal{O}\text{USign}(\cdot), \mathcal{O}\text{Trace}(\cdot)}(\mathcal{U}, pp_{\text{TPBS}}, pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{TA}) \\ \text{if } (m^*, \sigma_{m^*}) \in \mathcal{M} \vee \text{Verify}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m^*, \sigma_{m^*}) = \perp \\ \quad \text{return } \perp \\ (i^*, \pi_{\text{Trace}}^*) \leftarrow \text{Trace}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{TA}, \text{Reg}, m, \sigma_m) \\ \text{if } i^* \notin \mathcal{U} \\ \quad \text{return } \perp \\ \text{return Judge}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m^*, \sigma_{m^*}, i^*, \pi_{\text{Trace}}^*) \end{array}$$

Fig. 6: TPBS Non-Frameability Experiment

3.5 Traceability

Traceability requires that even if all scheme users collude together, they cannot produce a signature that cannot be traced. We require the tracing authority to be honest, as knowing the secret key of the tracing authority would allow the adversary to sign a dummy sk_i under the tracing authority's secret key resulting in an untraceable signature. TPBS traceability is modeled by the experiment defined in Fig. 7, in which the adversary has access to $\mathcal{O}\text{KeyGen}$ and $\mathcal{O}\text{Trace}$ procedures. We omit the adversarial access to $\mathcal{O}\text{Sign}$ oracle since the adversary could corrupt as many users as it wants and get access to their keys. Hence it could use the signing algorithm directly $\text{Sign}(\cdot)$ to produce signatures. The Adversary wins if it outputs a verifiable (m^*, σ_{m^*}) , which when traced, the tracing algorithm Trace outputs \perp .

Definition 6. (TPBS Traceability) a TPBS scheme is traceable if for any PPT adversary \mathcal{A} , $\Pr[\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Traceability}}(\lambda) = \top] \leq \epsilon(\lambda)$, where the traceability experiment is defined in Fig. 7.

4 TPBS Generic Construction

The main building blocks of the new construction are a EUF-CMA RDS scheme capable of signing a commitment on a secret message, a SE-NIZK proof system, and a digital signature scheme. Figure 8 depicts the complete generic construction of TPBS.

User setup. The general idea of the new scheme is that in addition to the policy key sk_{TPBS}^p that is generated by the issuer using PolicyKeyGen and shared with

Exp $_{\mathcal{A}, \text{TPBS}}^{\text{Traceability}}(\lambda)$

$(pp_{\text{TPBS}}) \leftarrow \text{ppGen}(1^\lambda), (pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}) \leftarrow \text{TASetup}(pp_{\text{TPBS}})$
 $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}}) \leftarrow \text{IssuerSetup}(pp_{\text{TPBS}})$
 $(m^*, \sigma_{m^*}) \leftarrow \mathcal{A}^{\text{OKeyGen}(\cdot), \text{OTrace}(\cdot)}(pp_{\text{TPBS}}, pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}})$
if $\text{Verify}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, m^*, \sigma_{m^*})$
 $(i^*, \pi_{\text{Trace}}^*) \leftarrow \text{Trace}(pk_{\text{TPBS}}^{TA}, pk_{\text{TPBS}}^{\text{Issuer}}, \text{Reg}, m^*, \sigma_{m^*})$
if $i = \perp$
return \top
return \perp

Fig. 7: TPBS Traceability Experiment

any user who is allowed to sign a message m conforming to p , each user has to run an interactive algorithm IDKeyGen with the TA to obtain an identity key sk_{TPBS}^i . Prior to engaging in IDKeyGen , the user runs the algorithm UserKeyGen where it selects some $sk_i \xleftarrow{\$} \mathcal{F}$ and generates the user's registration information ID_i . More precisely, ID_i contains $C_i = f(sk_i)$ and the user's digital signature τ_i over C_i . During the execution of IDKeyGen , the user obtains the TA's RDS signature σ_{ID}^i on the user-chosen secret value sk_i . However, to ensure non-framability, the TA uses the special form of RDS signing scheme SignComRDS to generate $\sigma_{ID}^i \leftarrow \text{SignComRDS}(sk_{\text{RDS}}^{TA}, C)$ where the generated RDS signature is verifiable over sk_i without being shared with the TA. At the end of the interaction, the user stores σ_{ID}^i along with sk_i as the user's identity key sk_{TPBS}^i and the TA keeps track of users' registration information ID_i in a secret registry Reg .

Signing. To sign a message m , the user generates a rerandomized version of the TA signature σ_{ID}^i along with a SE-NIZK proof π_m for the relation \mathbb{R}'_{NP} that is given by

$$((pk_{\text{TPBS}}^{TA}, \sigma_{ID}^i, pk_{\text{TPBS}}^{\text{Issuer}}, m), (sk_i, p, sk_{\text{TPBS}}^p, w_p)) \in \mathbb{R}'_{\text{NP}} \Leftrightarrow \text{VerifyRDS}(pk_{\text{TPBS}}^{TA}, sk_i, \sigma_{ID}^i) = 1 \quad (1a)$$

$$\wedge \text{VerifySig}(pk_{\text{TPBS}}^{\text{Issuer}}, p, sk_{\text{TPBS}}^p) = 1 \quad (1b)$$

$$\wedge \text{PC}((p, m), w_p) = 1 \quad (1c)$$

whose statements $X = (pk_{\text{TPBS}}^{TA}, \sigma_{ID}^i, pk_{\text{TPBS}}^{\text{Issuer}}, m)$ with witnesses $W = (sk_i, p, sk_{\text{TPBS}}^p, w_p)$. Intuitively, π_m proves that a) σ_{ID}^i is the TA signature over some signer-generated secret value sk_i , b) the user holds the issuer's signature over some policy p , and c) the message m conforms the policy p under some witness w_p , i.e. $\text{PC}((p, m), w) = 1$.

Verifying and tracing. Signature verification is done by verifying π_m over the statements X . To trace a signature to its signer, the TA associates σ_{ID}^i in the signature to the original signer registration information in Reg . However, since the user's secret chosen value sk_i is never shared with the TA, the TA uses a tracing trapdoor C'_i for $f(sk_i)$ which is generated during the execution of the UserKeyGen algorithm and shared with the TA as part of ID_i which is held secretly in Reg by the TA. To prove successful tracing, the TA produces a NIZK proof π for the relation \mathbb{T}_{NP} given by

$$((pk_{RDS}^{TA}, \sigma_{ID}^i, C_i), (C'_i)) \in \mathbb{T}_{NP} \Leftrightarrow \text{VerifyRDS}(pk_{RDS}^{TA}, C'_i, \sigma_{ID}^i) = 1 \quad (2a)$$

$$\wedge C_i \mapsto C'_i \quad (2b)$$

whose statements $X' = (pk_{RDS}^{TA}, \sigma_{ID}^i, C_i)$ with witnesses $W' = C'_i$. Intuitively, π proves that a) σ_{ID}^i is verifiable under the TA public key using the trapdoor information C'_i , and b) C_i and C'_i are generated using the same secret value sk_i i.e., $C_i \mapsto C'_i$. One advantage of using a sign-rerandomize-proof paradigm rather than a sign-encrypt-proof paradigm is that the former paradigm produces a significantly more efficient signature than the latter [16, 6]. On the other hand, the tracing algorithm becomes a linear operation in the number of scheme users and requires a memory size linear in the number of scheme users as well, which is considered an affordable price since tracing is an infrequent operation and is run by a computationally powerful TA [6].

Note that in Fig. 8, we use two different instances of the digital signature scheme. The issuer uses one to sign a policy p in `PolicyKeyGen`, and the scheme users use the other to sign the output of the one-way function to generate ID_i in `UserKeyGen`. We label the latter with the subscript Σ . We also need different CRSs for each relation, \mathbb{R}'_{NP} (1) and \mathbb{T}_{NP} (2). However, we keep the description short, thus, we do not make it explicit.

In Fig. 9, we show how `SimppGen(.)`, `SimSign(.)`, `Extr(.)` are constructed in accordance with the concrete construction in Fig. 8. Since tr_{TA} , and tr_{Issuer} is equal to sk_{TPBS}^{TA} and sk_{TPBS}^{Issuer} , respectively, we omit the details of `SimTASetup(.)`, `SimIssuerSetup(.)`, `SimUserKeyGenTPBS(.)`, `SimIDKeyGen(.)`, `SimPolicyKeyGen(.)`, and `SimTrace(.)` which are defined in the same way as `TASetup(.)`, `IssuerSetup(.)`, `IDKeyGen(.)`, `PolicyKeyGen(.)`, and `Trace(.)`, respectively, .

5 TPBS Security

The definition of extractability of TPBS (see Def. 4) implies its unforgeability. The privacy of TPBS includes policy privacy and anonymity. Accordingly, we first prove that simulatability implies both anonymity and policy-privacy. Then we present a security proof for simulatability (implies privacy), extractability (implies unforgeability), non-frameability, and traceability. Note that due to the page limit, we only give proof sketch for theorem 2. The corresponding formal proof is provided in the full version of the paper and in Appendix B.

Theorem 1. *Simulatability implies both anonymity and policy-privacy*

Proof. Assuming an adversary \mathcal{A} against TPBS anonymity in $\mathbf{Exp}_{\mathcal{A}, TPBS}^{Anonymity}$ in Fig. 2 (resp. policy-privacy in $\mathbf{Exp}_{\mathcal{A}, TPBS}^{Policy-privacy}$ in Fig. 3), we can construct an adversary \mathcal{B} (resp. \mathcal{B}') against the simulatability of TPBS. \mathcal{B} receives $(\mathcal{U}, pp_{TPBS_b}, pk_{TPBS_b}^{TA}, sk_{TPBS_b}^{TA}, pk_{TPBS_b}^{Issuer}, sk_{TPBS_b}^{Issuer})$ from its challenger in the $\mathbf{Exp}_{\mathcal{A}, TPBS}^{SIM}$ in Fig. 4, chooses $d \xleftarrow{\$} \{0, 1\}$, and runs \mathcal{A} on $(\mathcal{U}, pp_{TPBS_b}, pk_{TPBS_b}^{TA}, pk_{TPBS_b}^{Issuer}, sk_{TPBS_b}^{Issuer})$. Whenever \mathcal{A} queries its challenging oracle



Fig. 8: Generic Construction of TPBS




Fig. 9: TPBS Simulated algorithms

OldLoRSign with $(i_{j_0}, i_{j_1}, m, p, w_p)$, if $\text{PC}((p, m), w_p) = 0$ or $i_{j_0}, i_{j_1} \notin \mathcal{U}, \mathcal{B}$ returns \perp , otherwise it queries its challenger in the simulatability game with (i_{j_d}, m, p, w_p) and returns σ_{m_b} to \mathcal{A} . When \mathcal{A} outputs b' , \mathcal{B} outputs 0 if $(b' = d)$, indicating that \mathcal{A} returned the identity \mathcal{B} queried $\mathcal{OSim}\text{-or}\text{-Sign}$ with; thus σ_{m_b}

is not a simulated signature. \mathcal{B} outputs 1 otherwise. \mathcal{B}' could be constructed similarly as follows. It receives $(\mathcal{U}, pp_{\text{TPBS}_b}, pk_{\text{TPBS}_b}^{TA}, sk_{\text{TPBS}_b}^{TA}, pk_{\text{TPBS}_b}^{\text{Issuer}}, sk_{\text{TPBS}_b}^{\text{Issuer}})$ its challenger in the simulatability game in Fig. 4, chooses $d \xleftarrow{\$} \{0, 1\}$, and runs \mathcal{A} on $(pp_{\text{TPBS}_b}, pk_{\text{TPBS}_b}^{TA}, sk_{\text{TPBS}_b}^{TA}, pk_{\text{TPBS}_b}^{\text{Issuer}}, sk_{\text{TPBS}_b}^{\text{Issuer}})$. Whenever \mathcal{A} queries its challenge oracle OPLoRSign with $(i, m, p_0, w_{p_0}, p_1, w_{p_1})$, if $\text{PC}((p_0, m), w_{p_0}) = 0$ or $\text{PC}((p_1, m), w_{p_1}) = 0$ or $i \notin \mathcal{U}$, \mathcal{B}' returns \perp , otherwise it queries its challenger in the simulatability game with (i, m, p_d, w_{p_d}) and returns σ_{m_b} to \mathcal{A} . When \mathcal{A} outputs b' , \mathcal{B}' outputs 0 if $(b' = d)$ and 1 otherwise. In either case, if in $\text{Exp}_{\mathcal{B}, \text{TPBS}}^{\text{SIM}}(\lambda)$ (resp. $\text{Exp}_{\mathcal{B}', \text{TPBS}}^{\text{SIM}}(\lambda)$) the challenger's bit is 0 indicating a signed signature, then \mathcal{B} (resp. \mathcal{B}') perfectly simulates $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Anonymity}}(\lambda)$ (resp. $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Policy-privacy}}(\lambda)$) for \mathcal{A} . However, if the bit is 1 indicating a simulated signature, then the bit d chosen by \mathcal{B} (resp. \mathcal{B}') has no relation to \mathcal{A} 's response. Hence, \mathcal{B} outputs 1 with probability $\frac{1}{2}$. Therefore, the success probability of \mathcal{B} (resp. \mathcal{B}') is half that of \mathcal{A} in the anonymity (resp. policy-privacy) experiment.

Theorem 2. *Given a zero-knowledge simulation-sound extractable NIZK system, an unlinkable RDS scheme, an unforgeable RDS scheme, an unforgeable digital signature scheme, a one-way function, and an interactive perfect zero-knowledge proof of knowledge, the traceable policy-based signature scheme in Fig. 8 is simulatable, extractable, non-frameable, and traceable.*

Proof. (Sketch) Simulatability follows from the zero-knowledge property of the underlying SE-NIZK proof system, and the unlinkability of the used RDS scheme. Extractability directly follows from the unforgeability of both the used RDS scheme and digital signature scheme and the simulation-extractability of the underlying SE-NIZK proof system. Likewise, non-frameability follows from the unforgeability of the used digital signature scheme, and the zero-knowledge property of the underlying SE-NIZK proof system given a one-way function $f(\cdot)$, and an interactive perfect zero-knowledge proof of knowledge PoK. Finally, traceability follows from the unforgeability of the used RDS scheme and the simulation-extractability of the underlying SE-NIZK proof system.

6 TPBS Instantiation and Performance

We instantiate TPBS with Pointcheval-Sanders (PS) RDS Scheme [16, 17]¹ because of its short signature size and low signing cost in addition to its ability to sign a hiding commitment over a message using a special form of its signing algorithm. we consider the One-way function $f(\cdot)$ over a type-3 bilinear group map defined by $(p, \mathbb{G}, \tilde{\mathbb{G}}, \mathbb{G}_T, e)$ where the SDH assumption holds to be simply the function $f(sk_i) = (g^{sk_i}, \tilde{g}^{sk_i})$ for $(g, \tilde{g}) \in (\mathbb{G}, \tilde{\mathbb{G}})$ and $sk_i \in \mathbb{Z}_p^*$. We instantiate the issuer digital signature algorithm with the structure-preserving signature scheme in of Abe *et al.* [2]. We instantiate the SE-NIZK scheme with the Groth-Sahai proof system [14]. Any digital signature scheme can be utilized in TPBS,

¹ PS scheme has two variants one is based interactive assumption to prove its security [16] and a slightly modified one [17] where its security is proved based on the SDH assumption both could be used to instantiate our scheme

we keep it as a black box since it is not utilized in TPBS signature generation or verification. Finally, we instantiate the PoK with the four-move perfect zero-knowledge protocol of Cramer *et al.* [11]. We keep the original definition of Bellare and Fuchsbauer for a policy p that defines a set of Pairing Product Equations (PPEs) (E_1, \dots, E_n) , such that the policy checker $\text{PC}((p, m), w_p) = 1$ iff $E_j((p, m), w_p) = 1$ for all $j \in [n]$. The complete specifications of the algorithms used in instantiating TPBS are depicted in Appendix C. In what follows, we give the concrete description of TPBS's instantiated procedures.

ppGen. for a security parameter λ , let $(p, \mathbb{G}, \tilde{\mathbb{G}}, \mathbb{G}_T, e, g, \tilde{g})$ defines a type-3 bilinear group map that is generated by (g, \tilde{g}) that is used by all the scheme algorithms, Run $pp_{Sig} \leftarrow \text{ppGenAbe}(1^\lambda)$, $pp_{Sig\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$, $pp_{RDS} \leftarrow \text{ppGenPS}(1^\lambda)$, and $crs \leftarrow \text{SetupGS}$. Set $pp_{\text{TPBS}} = \{crs, pp_{RDS}, pp_{Sig}, pp_{Sig\Sigma}\}$, where pp_{TPBS} becomes an implicit input for all TPBS algorithms.

TASetup. $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}) \leftarrow \text{KeyGenPS}(pp_{RDS})$ such that $pk_{\text{TPBS}}^{TA} = (g_1, \tilde{A}, \tilde{B})$, $sk_{\text{TPBS}}^{TA} = (a, b)$. Setup an empty $Reg = []$.

IssuerSetup. $(pk_{\text{TPBS}}^{Issuer}, sk_{\text{TPBS}}^{Issuer}) \leftarrow \text{KeyGenAbe}(pp_{Abe})$ such that $pk_{\text{TPBS}}^{Issuer} = (U, V, H, Z)$, and $sk_{\text{TPBS}}^{Issuer} = (u, v, h, z)$ for $U \in \mathbb{G}$, $(V, H, Z) \in \tilde{\mathbb{G}}$ and $(u, v, h, z) \in \mathbb{Z}_p^*$

UserKeyGen. Generates $(pk_{Sig\Sigma}^i, sk_{Sig\Sigma}^i) \leftarrow \text{KeyGenSig}(pp_{Sig\Sigma})$, sets $\mathcal{D}[i] = (pk_{Sig\Sigma}^i)$, picks $sk_i \xleftarrow{\$} \mathbb{Z}_p^*$, calculates $C_i = (C_i, C'_i) = (g_1^{sk_i}, \tilde{B}^{sk_i})$, generates $\tau_i \leftarrow \text{SignSig}(C_i, sk_{Sig\Sigma}^i)$, sets $ID_i = \{C_i, \tau_i\}$, finally return (pk_i, sk_i, ID_i) .

IDKeyGen. The user sends (i, ID_i) to the TA, the TA parses ID_i as $\{(C_i, C'_i), \tau_i\}$ and obtains an authentic copy of $pk_{Sig\Sigma}^i$, if $Reg[i] = \emptyset \wedge \text{VerifySig}(pk_{Sig\Sigma}^i, C_i, \tau_i) \wedge e(C_i, \tilde{B}) = e(g_1, C'_i)$, the TA engages with the user to start the interactive zero-knowledge protocol $\text{PoK}(sk_i : C_i = g_1^{sk_i})$, if TA verifies that the user knows sk_i such that the relation of PoK holds, the TA generates $\sigma_{ID}^i \leftarrow \text{SignComPS}(sk_{\text{TPBS}}^{TA}, C_i)$ as follows, the TA picks $r \xleftarrow{\$} \mathbb{Z}_p^*$ and generates $\sigma_{ID}^i = (\sigma_{ID_1}^i, \sigma_{ID_2}^i) \leftarrow (g_1^r, (g_1^a(C_i)^b)^r)$, finally the TA sets $Reg[i] = ID_i$ and the user set his scheme identity key as $sk_{\text{TPBS}}^i = (sk_i, \sigma_{ID}^i)$.

PolicyKeyGen. For policy $p \in \{0, 1\}^*$, which is presented by a set of PPE equations (E_1, \dots, E_n) for a number of secret group elements $(M, \tilde{N}) \in \mathbb{G}^{k_M} \times \tilde{\mathbb{G}}^{k_N}$, the issuer generates $sk_{\text{TPBS}}^p \leftarrow \text{SignAbe}(sk_{\text{TPBS}}^{Issuer}, (M, \tilde{N}))$ such that $sk_{\text{TPBS}}^p = (R, S, T)$.

Sign. To sign a message m , the signer first generates a rerandomized version of σ_{ID}^i , $\sigma'^i_{ID} \leftarrow \text{RandomizePS}(\sigma_{ID}^i)$, along with a SE-NIZK proof π_m for relation \mathbb{R}'_{NP} that is defined in 1 as follows

$$((pk_{\text{TPBS}}^{TA}, \sigma'^i_{ID}, pk_{\text{TPBS}}^{Issuer}, m), (sk_i, p, sk_{\text{TPBS}}^p, w_p)) \in \mathbb{R}'_{\text{NP}} \Leftrightarrow$$

$$e(\sigma'_{ID_1}, \tilde{A})e(\sigma'_{ID_2}, \tilde{B}^{sk_i}) = e(\sigma_{ID_2}, \tilde{g}) \wedge e(g, \tilde{B}^{sk_i}) = e(g^{sk_i}, \tilde{B}) \quad (1a)$$

$$\wedge e(R, V)e(S, \tilde{g})e(M, H) = e(g, Z) \wedge e(R, T)e(U, N) = e(g, \tilde{g}) \quad (1b)$$

$$\wedge E_j(((M, \tilde{N}), m), (W_p, \tilde{W}_p)) = 1 \forall j \in [n] \quad (1c)$$

Verify. To verify a message signature pair (m, σ_m) , the verifier parses (σ'_{ID}, π_m) from σ_m and runs $\text{VerifyNIZK}(crs, (pk_{\text{TPBS}}^{TA}, \sigma'_{ID}, pk_{\text{TPBS}}^{\text{Issuer}}, m), \pi_m)$. Finally, the verifier outputs \top in case of verification success and \perp otherwise.

Trace. To trace a message signature pair (m, σ_m) to its original signer, the TA verifies such pair. If the verification succeeds, it parses (σ'_{ID}, π_m) from σ_m and exhaustively searches Reg for a matching i as follows.

```

foreach  $C'_i \in Reg$ 
  if  $e(\sigma'_{ID_2}, \tilde{g})e(\sigma'_{ID_1}, \tilde{A})^{-1} = e(\sigma'_{ID_1}, C'_i)$ 
     $(i, ID_i) = Reg[i]$ 
     $\pi \leftarrow \text{ProveNIZK}(crs, (C_i, \sigma'_{ID}), C'_i) \ni e(\sigma'_{ID_2}, \tilde{g})e(\sigma'_{ID_1}, \tilde{A})^{-1} = e(\sigma'_{ID_1}, C'_i)$ 
       $\wedge e(C_i, \tilde{B}) = e(g_1, C'_i)$ 
     $\pi_{Trace} \leftarrow (C_i, \tau_i, \pi)$ 
return  $(i, \pi_{Trace})$ 

```

Judge. After verifying (m, σ_m) , parses (C_i, τ_i, π) from π_{Trace} and outputs \top if $\text{VerifySig}(pk_{\text{Sig}_{\Sigma}}^i, C_i, \tau_i) \wedge \text{VerifyNIZK}(crs, (C_i, \sigma'_{ID}), \pi)$ or \perp otherwise.

Performance Analysis. Let TPBS be initialized with n users and the policy p be expressed in 1 PPE uniquely defined by $(M, \tilde{N}) \in \mathbb{G} \times \tilde{\mathbb{G}}$ group elements. To sign a message m that conforms to p , The proposed instantiation produces a total signature size of 14 elements in $\mathbb{G} + 16$ elements in $\tilde{\mathbb{G}}$, where σ'_{ID} is a PS signature of size 2 elements in \mathbb{G} , and π_m is a Groth-Sahai proof of knowledge of size 12 elements in $\mathbb{G} + 16$ elements $\tilde{\mathbb{G}}$. Signing costs two exponentiations in \mathbb{G} to generate σ'_{ID} and approximately 40 exponentiations in $\mathbb{G} + 70$ exponentiations in $\tilde{\mathbb{G}}$ to produce π_m . Verifying a given TPBS message signature pair costs approximately a total of 100 pairing operations to verify π_m ². For tracing a signature, the TA performs at most $n + 2$ pairing operations and produces a proof π of size 16 group elements in $\tilde{\mathbb{G}}$, which costs around 10 exponentiations in \mathbb{G} and 20 exponentiations in $\tilde{\mathbb{G}}$. To verify the output of the tracing algorithm, the Judge performs around 40 pairing operations to verify π in addition to the verification cost of the TPBS signature and the verification cost of the signature τ_i of the user on the registration information.

7 Comparisson with PBS and Xu *et al.*'s Schemes

TPBS builds on PBS and further provides traceability and non-frameability. Accordingly, in addition to the issuer in PBS, TPBS has a TA that can trace signatures back to their signers. Non-frameability of TPBS holds under the assumption of a misbehaving TA. TPBS black-box construction has four new algorithms when compared to PBS. Namely, **UserKeyGen**, and **IDKeyGen**, where the latter is run interactively between each scheme user and the TA to generate such user's identity key, Furthermore, we introduce the **Trace**, and **Judge** algorithms. where **Trace** algorithm is used by the TA to trace a signature to its original signer and **Judge** algorithm is used to verify the output of the **Trace** algorithm. The security

² The verification cost of Groth-Sahai proofs could be enhanced using batch verification [7]

model of TPBS differs from that of PBS in that it includes formal definitions for traceability and non-frameability and, the definitions of simulatability and extractability capture the introduced notion of signer anonymity and identity features.

Xu *et al.* also builds on PBS by attaching the user’s identity to the hidden policy and utilizing a sign-encrypt-proof paradigm to provide the traceability feature. On the other hand, TPBS utilizes sign-rerandomize-proof which produces more efficient signatures than the sign-encrypt-proof paradigm used in Xu *et al.*’s proposal. TPBS separates identity keys from policy keys, thus it supports the delegation of policy keys in the same way as PBS which is not applicable in Xu *et al.*’s proposal. The issuer Xu *et al.*’s scheme generates the signing keys of the user, thus, it does not ensure non-frameability. However, in TPBS the scheme users generate their identity keys using an interactive protocol with the TA, hence TPBS provides non-frameability. Xu *et al.*’s proposal does not give a formal definition for traceability.

Table 1 summarizes the comparison between TPBS, PBS, and Xu *et al.*’s proposal. We consider the utilized building blocks and the availability of the traceability feature. If traceability is ensured by a scheme, then we contrast the schemes in terms of how the signer identity is utilized. We also consider the structure of the TA, whether a scheme enables the delegation of signing keys, and finally what security definitions are considered in the scheme’s security model.

Table 1: Comparison between TPBS, PBS and Xu *et al.*’s proposal. N/A denotes an unavailable feature/entity.

	TPBS(this work)	PBS [4]	Xu <i>et al.</i> [18]
Building blocks	RDS		encryption scheme
	SE-NIZK	SE-NIZK	SE-NIZK
	digital Sig.	digital Sig.	digital Sig.
Traceability	yes	no	yes
Identity	identity key	N/A	attached to the policy
Tracing Authority	standalone	N/A	issuer acts as the TA*
Delegatability	yes	yes	no
Security definitions	simulatability		
	extractability	simulatability	simulatability
	traceability	extractability	extractability
	non-frameability		

*Although the scheme defines two different entities issuer and opener, the issuer has to participate in the opening process since it generates policy keys that contain the users’ identities.

8 Conclusion

We have proposed TPBS, a traceable policy-based signature scheme that supports delegatability. Our scheme fills the gap in the original policy-based schemes by linking a signature to the identity of its signer when needed, thus holding the signer of a specific message accountable for the produced signature. We have analyzed the security of TPBS and proved that it is an anonymous, policy-private, unforgeable, traceable, and non-frameable signature scheme. Moreover, we provided a concrete instantiation of TPBS using the Pointcheval-Sanders rerandomizable signature scheme, the structure-preserving signature scheme of

Abe *et al.*, and the Groth-Sahai NIZK system and analyzed its efficiency. Following policy-based signature schemes which can be used in the construction of mesh signatures, ring signatures, etc., TPBS can be adapted for signature schemes that require traceability such as sanitizable and accountable redactable signatures.

References

1. Abe, M., Fuchsbauer, G., Groth, J., Haralambiev, K., Ohkubo, M.: Structure-preserving signatures and commitments to group elements. In: Annual Cryptology Conference. pp. 209–236. Springer (2010)
2. Abe, M., Groth, J., Haralambiev, K., Ohkubo, M.: Optimal structure-preserving signatures in asymmetric bilinear groups. In: Annual Cryptology Conference. pp. 649–666. Springer (2011)
3. Afia, I., AlTawy, R.: Unlinkable policy-based sanitizable signatures. In: Cryptographers’ Track at the RSA Conference. pp. 191–221. Springer (2023)
4. Bellare, M., Fuchsbauer, G.: Policy-based signatures. In: International Workshop on Public Key Cryptography. pp. 520–537. Springer (2014)
5. Bellare, M., Micciancio, D., Warinschi, B.: Foundations of group signatures: Formal definitions, simplified requirements, and a construction based on general assumptions. In: International conference on the theory and applications of cryptographic techniques. pp. 614–629. Springer (2003)
6. Bichsel, P., Camenisch, J., Neven, G., Smart, N.P., Warinschi, B.: Get shorty via group signatures without encryption. In: International Conference on Security and Cryptography for Networks. pp. 381–398. Springer (2010)
7. Blazy, O., Fuchsbauer, G., Izabachene, M., Jambert, A., Sibert, H., Vergnaud, D.: Batch groth–sahai. In: International Conference on Applied Cryptography and Network Security. pp. 218–235. Springer (2010)
8. Boneh, D., Shacham, H.: Group signatures with verifier-local revocation. In: Proceedings of the 11th ACM conference on Computer and communications security. pp. 168–177 (2004)
9. Camenisch, J., Lysyanskaya, A.: An efficient system for non-transferable anonymous credentials with optional anonymity revocation. In: International conference on the theory and applications of cryptographic techniques. pp. 93–118. Springer (2001)
10. Camenisch, J., Lysyanskaya, A.: Signature schemes and anonymous credentials from bilinear maps. In: Annual international cryptology conference. pp. 56–72. Springer (2004)
11. Cramer, R., Damgård, I., MacKenzie, P.: Efficient zero-knowledge proofs of knowledge without intractability assumptions. In: International Workshop on Public Key Cryptography. pp. 354–372. Springer (2000)
12. Galbraith, S.D., Paterson, K.G., Smart, N.P.: Pairings for cryptographers. *Discrete Applied Mathematics* **156**(16), 3113–3121 (2008)
13. Groth, J.: Simulation-sound nizk proofs for a practical language and constant size group signatures. In: International Conference on the Theory and Application of Cryptology and Information Security. pp. 444–459. Springer (2006)
14. Groth, J., Sahai, A.: Efficient noninteractive proof systems for bilinear groups. *SIAM Journal on Computing* **41**(5), 1193–1232 (2012)
15. Maji, H., Prabhakaran, M., Rosulek, M.: Attribute-based signatures: Achieving attribute-privacy and collusion-resistance. *Cryptology ePrint Archive, Report 2008/328* (2008), <https://ia.cr/2008/328>

16. Pointcheval, D., Sanders, O.: Short randomizable signatures. In: Cryptographers' Track at the RSA Conference. pp. 111–126. Springer (2016)
17. Pointcheval, D., Sanders, O.: Reassessing security of randomizable signatures. In: Cryptographers' Track at the RSA Conference. pp. 319–338. Springer (2018)
18. Xu, Y., Safavi-Naini, R., Nguyen, K., Wang, H.: Traceable policy-based signatures and instantiation from lattices. *Information Sciences* **607**, 1286–1310 (2022). <https://doi.org/https://doi.org/10.1016/j.ins.2022.06.031>, <https://www.sciencedirect.com/science/article/pii/S0020025522006211>
19. Zhou, S., Lin, D.: Unlinkable randomizable signature and its application in group signature. vol. 2007, p. 213 (08 2007). https://doi.org/10.1007/978-3-540-79499-8_26

A Building Blocks Security Definitions

A.1 RDS Schemes Security

In what follows, we give the formal definitions of the security properties of RDS schemes that are required to prove the security of TPBS.

Existential Unforgeability under Chosen Message Attack (EUF-CMA). This security notion implies that given access to a signing oracle $\mathcal{OSignRDS}$ (see Fig. A.10), it is hard for an adversary \mathcal{A} who does not have access to the signing keys to output a valid message signature pair (m^*, σ_{RDS}^*) for which m^* was never queried to the signing oracle [16].

```

 $\mathcal{OSignRDS}(m)$ 
 $\sigma_{RDS} \leftarrow \text{SignRDS}(sk_{RDS}, m)$ 
 $\mathcal{M} = \mathcal{M} \cup \{m, \sigma_{RDS}\}$ 
return  $\sigma_{RDS}$ 


---


 $\mathcal{OSignRDS}(C)$ 
 $j = j + 1$ 
 $(\sigma_{RDS}) \leftarrow \text{SignComRDS}(sk_{RDS}, C)$ 
 $C[j][0] = C; C[j][1] = \sigma_{RDS}$ 
return  $\sigma_{RDS}$ 


---


 $\mathcal{OLoRRDS}(j)$ 
 $(\sigma'_{RDS_0}) \leftarrow \text{RandomizeRDS}(C[j][1])$ 
 $m \xleftarrow{\$} \mathbb{Z}_p^*$ 
 $(\sigma_{RDS_1}) \leftarrow \text{SignRDS}(sk_{RDS}, m)$ 
return  $(\sigma'_{RDS_b})$ 
return 0

```

Fig. A.10: RDS security experiments oracles

Definition 7. (*RDS EUF-CMA*) *The RDS scheme is EUF-CMA secure if the for any PPT adversary \mathcal{A} , $\Pr[\mathbf{Exp}_{\mathcal{A}, RDS}^{EUF-CMA}(\lambda) = \top] \leq \epsilon(\lambda)$, where the RDS EUF-CMA experiment is defined in Fig. A.11.*

```

 $\mathbf{Exp}_{\mathcal{A}, RDS}^{EUF-CMA}(\lambda)$ 


---


 $\mathcal{M} = \{\}$ 
 $pp_{RDS} \leftarrow \text{ppGenRDS}(1^\lambda)$ 
 $(pk_{RDS}, sk_{RDS}) \leftarrow \text{KeyGenRDS}(pp_{RDS})$ 
 $(m^*, \sigma_{RDS}^*) \leftarrow \mathcal{A}^{\mathcal{OSignRDS}(\cdot)}(pk_{RDS})$ 
if  $(m^*, \sigma_{RDS}^*) \notin \mathcal{M}$ 
return  $\text{VerifyRDS}(pk_{RDS}, m^*, \sigma_{RDS}^*)$ 
return 0

```

Fig. A.11: RDS EUF-CMA experiment.

Unlinkability. Unlinkability of RDS schemes is the infeasibility of linking a rerandomized version of a signature over a message m to the original signature

it has been created from if one does not explicitly know m [17]. Unlinkability is formally defined by the experiment in Fig. A.12, where an adversary \mathcal{A} is given access $\mathcal{OCSign}(\cdot)$ and $\mathcal{OLoRRDS}(\cdot)$ oracles, which are defined in Fig. A.10. the adversary \mathcal{A} constructs a list \mathcal{C} of RDS signatures over some commitments C it does not know their corresponding openings using $\mathcal{OCSign}(\cdot)$ then asks $\mathcal{OLoRRDS}(\cdot)$ to rerandomize one of two signatures in \mathcal{C} of its choice. The oracle $\mathcal{OLoRRDS}(\cdot)$ is initialized with a secret random bit $b \in \{0, 1\}$, depending on b , the oracle calls RandomizeRDS on either the left or right input signature and outputs σ'_{RDS_b} . The adversary wins if it can determine which signature is used in the rerandomization process with probability better than the random guess [19].

Definition 8. (*RDS Unlinkability*) *The RDS scheme is unlinkable if for any PPT adversary \mathcal{A} , $|\Pr[\mathbf{Exp}_{\mathcal{A}, RDS}^{\text{Unlinkability}}(\lambda) = \top] - \frac{1}{2}| \leq \epsilon(\lambda)$, where the unlinkability experiment is defined in Fig. A.12.*

$\mathbf{Exp}_{\mathcal{A}, RDS}^{\text{Unlinkability}}(\lambda)$

```

ppRDS ← ppGenRDS(1λ)
(pkRDS, skRDS) ← KeyGenRDS(ppRDS)
j ← 0; C = []
b  $\stackrel{\$}{\leftarrow}$  {0, 1}
a ←  $\mathcal{A}^{\mathcal{OCSignRDS}(\cdot), \mathcal{OLoRRDS}(\cdot, b)}(pk_{RDS})$ 
if a = b
    return 1
return 0

```

Fig. A.12: RDS unlinkability experiment.

A.2 SE-NIZK Schemes Security

In what follows, we give the formal definitions of the security properties of SE-NIZK schemes that are required for proving the security of TPBS. **Zero knowledge.** This security notion implies that given access to a prove oracle $\mathcal{OSim}\text{-or}\text{-ProveNIZK}$ (see Fig. A.13), it is hard for adversary \mathcal{A} to distinguish between a proof for a statement x using a witness w from a simulated one.

```

 $\mathcal{OSim}\text{-or}\text{-ProveNIZK}(x, w)$ 
 $\pi_{NIZK_0} \leftarrow \text{ProveNIZK}(crs, x, w)$ 
if  $\mathbb{R}(x, w) = 1$ 
     $\pi_{NIZK_1} \leftarrow \text{SimProveNIZK}(crs, x, tr_{NIZK})$ 
    else return  $\perp$ 
return  $\pi_{NIZK_b}$ 

```

```

 $\mathcal{OSimNIZK}(x)$ 
 $\pi_{NIZK} \leftarrow \text{SimProveNIZK}(crs, x, tr_{NIZK})$ 
 $\mathcal{M} = \mathcal{M} \cup (x, \pi_{NIZK})$ 
return  $\pi_{NIZK}$ 

```

Fig. A.13: NIZK system security experiments oracles

Definition 9. (*NIZK Zero-knowledge*) *The NIZK system is zero-knowledge if for any PPT adversary \mathcal{A} , $|\Pr[\mathbf{Exp}_{\mathcal{A},\text{NIZK}}^{\text{ZK}}(\lambda) = \top] - \frac{1}{2}| \leq \epsilon(\lambda)$, where the zero-knowledge experiment is defined in Fig. A.14.*

$$\begin{array}{l} \text{Exp}_{\mathcal{A},\text{NIZK}}^{\text{ZK}}(\lambda) \\ \hline \text{crs}_0 \leftarrow \text{SetupNIZK}(1^\lambda) \\ (\text{crs}_1, \text{tr}_{\text{NIZK}}) \leftarrow \text{SimSetupNIZK}(1^\lambda) \\ b \xleftarrow{\$} \{0, 1\} \\ a \leftarrow \mathcal{A}^{\mathcal{O}\text{Sim-or-ProveNIZK}(\cdot, \text{tr}_{\text{NIZK}})}(\text{crs}_b) \\ \text{if } a = b \\ \quad \text{return 1} \\ \text{return 0} \end{array}$$

Fig. A.14: NIZK system zero-knowledge experiment.

Simulation-extractability. This security notion implies that given access to a simulated prove oracle $\mathcal{O}\text{SimNIZK}$ (see Fig. A.13), it is hard for adversary \mathcal{A} to output a verifiable proof for a statement x using a witness w where $\mathbb{R}(x, w) = 0$.

Definition 10. (*NIZK Simulation-extractability*) *The NIZK system is simulation-extractable if for any PPT adversary \mathcal{A} , $\Pr[\text{Exp}_{\mathcal{A},\text{NIZK}}^{\text{Sim-Extr}}(\lambda) = \top] \leq \epsilon(\lambda)$, where the NIZK simulation-extractability experiment is defined in Fig. A.15.*

$$\begin{array}{l} \text{Exp}_{\mathcal{A},\text{NIZK}}^{\text{Sim-Extr}}(\lambda) \\ \hline (\text{crs}, \text{tr}_{\text{NIZK}}) \leftarrow \text{SimSetupNIZK}(1^\lambda) \\ \mathcal{M} = \{\} \\ (x^*, \pi_{\text{NIZK}}^*) \leftarrow \mathcal{A}^{\mathcal{O}\text{SimNIZK}(\cdot, \text{tr}_{\text{NIZK}})}(\text{crs}) \\ \text{if } (x^*, \pi_{\text{NIZK}}^*) \notin \mathcal{M} \wedge \text{VerifyNIZK}(\text{crs}, x^*, \pi_{\text{NIZK}}^*) \\ \quad w \leftarrow \text{Extr}(\text{tr}_{\text{NIZK}}, x^*, \pi_{\text{NIZK}}^*) \\ \quad \text{if } \mathbb{R}(x, w) = 0 \\ \quad \quad \text{return 1} \\ \text{return 0} \end{array}$$

Fig. A.15: NIZK system simulation-extractability experiment.

A.3 Digital Signature Schemes Security

In what follows, we give the formal definition of Existential Unforgeability under Chosen Message Attack (EUF-CMA) of digital signature schemes that are required for proving the security of TPBS.

Existential Unforgeability under Chosen Message Attack (EUF-CMA). This security notion implies that given access to a signing oracle $\mathcal{O}\text{SignSig}$ (see Fig. A.16), it is hard for an adversary \mathcal{A} who does not have access to the signing keys to output a valid message signature pair $(m^*, \sigma_{\text{Sig}}^*)$ for which m^* was never queried to the signing oracle.


```

 $\mathcal{O}\text{SignSig}(m)$ 
 $\sigma_{Sig} \leftarrow \text{SignSig}(sk_{Sig}, m)$ 
 $\mathcal{M} = \mathcal{M} \cup \{m, \sigma_{Sig}\}$ 
return  $\sigma_{Sig}$ 

```

Fig. A.16: Digital signature security experiments oracles

Definition 11. (*Digital signature scheme EUF-CMA*) The digital signature scheme is EUF-CMA secure, if the for any PPT adversary \mathcal{A} , $\Pr[\mathbf{Exp}_{\mathcal{A}, Sig}^{EUF-CMA}(\lambda) = \top] \leq \epsilon(\lambda)$, where the EUF-CMA experiment is defined in Fig. A.17.

```

 $\mathbf{Exp}_{\mathcal{A}, Sig}^{EUF-CMA}(\lambda)$ 


---


 $\mathcal{M} = \{\}$ 
 $pp_{Sig} \leftarrow \text{ppGenSig}(1^\lambda)$ 
 $(pk_{Sig}, sk_{Sig}) \leftarrow \text{KeyGenSig}(pp_{Sig})$ 
 $(m^*, \sigma_{Sig}^*) \leftarrow \mathcal{A}^{\mathcal{O}\text{SignSig}(\cdot)}(pk_{Sig})$ 
if  $(m^*, \sigma_{Sig}^*) \notin \mathcal{M}$ 
  return  $\text{VerifySig}(pk_{Sig}, m^*, \sigma_{Sig}^*)$ 

```

Fig. A.17: Digital signature scheme EUF-CMA experiment.

B Proof of Theorem 2

In this section, we present the proof of the Theorem 2.

Proof. We prove each security property individually.

B.1 Simulatability

Recall that for an adversary \mathcal{A} to win the simulatability game $\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Sim}}$ in Fig. 4, it has to guess the bit ‘ b ’ that $\mathcal{O}\text{Sim-or-Sign}(\cdot)$ is initialized with. In other words, \mathcal{A} wins if it can determine whether the output signature σ_m of $\mathcal{O}\text{Sim-or-Sign}(\cdot)$ is generated using the secret keys or it is a simulated signature. By contradiction, We show that if there exists an adversary \mathcal{A} that wins $\mathbf{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Sim}}$, we can construct an adversary \mathcal{B} that wins the NIZK Zero-knowledge game $\mathbf{Exp}_{\mathcal{B}, \text{NIZK}}^{\text{ZK}}$ of the underlying NIZK system in Fig. A.14 or \mathcal{B}' that wins the unlinkability game $\mathbf{Exp}_{\mathcal{B}', \text{RDS}}^{\text{Unlinkability}}$ of the underlying RDS scheme in Fig. A.12, by linking the rerandomized version of σ_{ID}^i produced by the challenging oracle to a one that \mathcal{B}' obtained from querying $\mathcal{O}\text{USign}$ for the same identity i .

\mathcal{B} is constructed as follows. \mathcal{B} receives crs from its challenger in $\mathbf{Exp}_{\mathcal{B}, \text{NIZK}}^{\text{ZK}}$ in Fig. A.14, generates the following: $pp_{\text{RDS}} \leftarrow \text{ppGenRDS}(1^\lambda)$, $pp_{Sig} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{Sig_\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$. \mathcal{B} sets $pp_{\text{TPBS}} \leftarrow (crs, pp_{\text{RDS}}, pp_{Sig}, pp_{Sig_\Sigma})$. Then \mathcal{B} runs $\text{TASetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{\text{TA}}, sk_{\text{TPBS}}^{\text{TA}}, \text{Reg})$, $\text{IssuerSetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}})$. For $i_j \in \mathcal{U}$, \mathcal{B} runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain $(sk_{\text{TPBS}}^{i_j})$ and sets $\mathcal{Q}_i[i_j] = sk_{\text{TPBS}}^{i_j} = (sk_{i_j})$.

To simulate \mathcal{A} calls to $\mathcal{O}\text{KeyGen}$ oracle for $i \notin \mathcal{U}$, \mathcal{B} runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and the algorithm $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p and returns $(sk_{\text{TPBS}}^i, sk_{\text{TPBS}}^p)$ to \mathcal{A} . To simulate \mathcal{A} calls to $\mathcal{O}\text{USign}$ oracle, \mathcal{B} runs $\text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$ to obtain sk_{TPBS}^p , and $\text{Sign}(sk_{\text{TPBS}}^p, \mathcal{Q}_i[i_j], m, p, w_p)$ to obtain σ_m . To simulate \mathcal{A} calls to $\mathcal{O}\text{Trace}$ oracle, \mathcal{B} simply runs the Trace algorithm on Reg . To simulate \mathcal{A} calls to $\mathcal{O}\text{Sim-or-Sign}$ oracle, \mathcal{B} parses $(sk_{i_j}, \sigma_{ID}^{i_j}) \leftarrow \mathcal{Q}_i[i_j][1]$ rerandomizes $\sigma_{ID}^{i_j}$ to obtain $\sigma'^{i_j}_{ID}$ then forwards $(pk_{\text{TPBS}}^{\text{TA}}, pk_{\text{TPBS}}^{\text{Issuer}}, \sigma'^{i_j}_{ID}, m, p, sk_i, w_p)$ to $\mathcal{O}\text{Sim-or-ProveNIZK}$ challenge oracle in $\text{Exp}_{\mathcal{B}, \text{NIZK}}^{\text{ZK}}(\lambda)$ to obtain π_m , then \mathcal{B}' forwards $\sigma_m = (\sigma'^{i_j}_{ID}, \pi_m)$ to \mathcal{A} . Once \mathcal{A} outputs b' , \mathcal{B} copies it to its challenger in $\text{Exp}_{\mathcal{B}, \text{NIZK}}^{\text{ZK}}(\lambda)$, and stops.

\mathcal{B}' is constructed as follows. \mathcal{B}' receives pp_{RDS} and pk_{RDS} from its challenger in the unlinkability game $\text{Exp}_{\mathcal{B}, \text{RDS}}^{\text{Unlinkability}}$ in Fig. A.12, generates the following; $(crs, tr_{\text{NIZK}}) \leftarrow \text{SimSetupNIZK}(1^\lambda)$, $pp_{\text{Sig}} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{\text{Sig}\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$. \mathcal{B}' sets $pp_{\text{TPBS}} \leftarrow (crs, pp_{\text{RDS}}, pp_{\text{Sig}}, pp_{\text{Sig}\Sigma})$, $pk_{\text{TPBS}}^{\text{TA}} \leftarrow pk_{\text{RDS}}$ and initializes an empty Reg . Then \mathcal{B}' runs $\text{IssuerSetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}})$. For $j \in \mathcal{U}$, \mathcal{B}' uses $\text{UserKeyGen}(pp_{\text{TPBS}})$ to generate $(pk_{i_j}, sk_{i_j}, ID_{i_j})$, sets $\text{Reg}[i_j] = ID_{i_j}$, parses $ID_{i_j} = ((C_{i_j}, C'_{i_j}), \tau_{i_j})$, queries $\mathcal{O}\text{CSignRDS}(C_{i_j})$ in $\text{Exp}_{\mathcal{B}, \text{RDS}}^{\text{Unlinkability}}$ to obtain $\sigma_{ID}^{i_j}$, and finally sets $\mathcal{Q}_i[i_j] = sk_{\text{TPBS}}^{i_j} = (sk_{i_j}, \sigma_{ID}^{i_j})$. To simulate \mathcal{A} calls to $\mathcal{O}\text{KeyGen}$ oracle $i \notin \mathcal{U}$, \mathcal{B}' uses $\text{UserKeyGen}(pp_{\text{TPBS}})$ to generate (pk_i, sk_i, ID_i) , sets $\text{Reg}[i] = ID_i$, parses $ID_i = ((C_i, C'_i), \tau_i)$, queries $\mathcal{O}\text{CSignRDS}(C_i)$ in $\text{Exp}_{\mathcal{B}, \text{RDS}}^{\text{Unlinkability}}$ to obtain σ_{ID}^i , sets $sk_{\text{TPBS}}^i = (sk_i, \sigma_{ID}^i)$, and finally runs $\text{PolicyKeyGen}(sk_{\text{TPBS}}^{\text{Issuer}}, p)$ to obtain sk_{TPBS}^p . To simulate \mathcal{A} calls to $\mathcal{O}\text{Trace}$ oracle, \mathcal{B} simply runs the Trace algorithm on Reg . To simulate \mathcal{A} calls to $\mathcal{O}\text{Sim-or-Sign}$ oracle, \mathcal{B}' invokes its RDS challenging oracle in $\text{Exp}_{\mathcal{B}, \text{RDS}}^{\text{Unlinkability}}$ on (i_j) to obtain σ'_{ID_b} , and $\pi_m \leftarrow \text{SimProveNIZK}(crs, (pk_{\text{TPBS}}^{\text{TA}}, \sigma'_{ID_b}, pk_{\text{TPBS}}^{\text{Issuer}}, m), tr_{\text{NIZK}})$, sets $\sigma_m = (\sigma'_{ID_b}, \pi_m)$ and finally returns σ_m to \mathcal{A} . When \mathcal{A} outputs b' , \mathcal{B}' copies it to its RDS unlinkability challenger and exits.

B.2 Extractability

Recall that for adversary \mathcal{A} to win the extractability game $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Ext}}$ in Fig. 5, it has to output a verifiable (m^*, σ_{m^*}) where m^* has never been queried to the $\mathcal{O}\text{Sign}$ oracle and when the Extr algorithm is run over (m^*, σ_{m^*}) using the trapdoor information tr_{TPBS} , the returned $(p^*, sk_i^*, sk_{\text{TPBS}}^{p^*}, w_{p^*})$ satisfies any of the following conditions: i) $sk_i^* \notin \mathcal{T}$, which implies that the adversary has never obtained some sk_{TPBS}^i through $\mathcal{O}\text{KeyGen}$ where $sk_i = sk_i^*$, or ii) $p^* \notin \mathcal{L}$, which implies that the adversary has not queried $\mathcal{O}\text{KeyGen}$ with p^* or iii) $\text{PC}((p^*, m^*), w_{p^*}) = 0$. Thus we distinguish between three different types of adversaries that may win the extractability game in Fig. 5, i) \mathcal{A} is of type-1 if $\text{VerifyRDS}(pk_{\text{TPBS}}^{\text{TA}}, sk_i^*, \sigma'^{i^*}_{ID}) = 1$ and for all $i \in \mathcal{T}$, $C_i^* \neq f(sk_i^*)$ ii) \mathcal{A} is of type-2 if $\text{VerifySig}(pk_{\text{TPBS}}^{\text{Issuer}}, p, sk_{\text{TPBS}}^p) = 1$ and $p^* \notin \mathcal{L}$ iii) \mathcal{A} is of type-3 if $\text{VerifyRDS}(pk_{\text{TPBS}}^{\text{TA}}, sk_i^*, \sigma'^{i^*}_{ID}) = 0$ or $\text{VerifySig}(pk_{\text{TPBS}}^{\text{Issuer}}, p^*, sk_{\text{TPBS}}^{p^*}) = 0$ or $\text{PC}((p^*, m^*), w_{p^*}) = 0$. By contradiction, we show that if there exists an adversary \mathcal{A} of type-1, type-2, and type-3 that wins $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Ext}}$, we can construct

an adversary \mathcal{B} that wins the EUF-CMA game $\mathbf{Exp}_{\mathcal{B},RDS}^{EUF-CMA}$ of the underlying RDS scheme in Fig. A.11, an adversary \mathcal{B}' that wins the EUF-CMA game $\mathbf{Exp}_{\mathcal{B}',Sig}^{EUF-CMA}$ of the underlying signature scheme in Fig. A.17, and an adversary \mathcal{B}'' that wins the $\mathbf{Exp}_{\mathcal{B}'',NIZK}^{Sim-Extr}$ game of the underlying NIZK system in Fig. A.15, respectively.

For a type-1 \mathcal{A} adversary, \mathcal{B} is constructed as follows. \mathcal{B} receives pp_{RDS} , and pk_{RDS} from its challenger in EUF-CMA game $\mathbf{Exp}_{\mathcal{B},RDS}^{EUF-CMA}$ in Fig. A.11, generates the following: $(crs, tr_{NIZK}) \leftarrow \text{SimSetupNIZK}(1^\lambda)$, $pp_{Sig} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{Sig\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$. Then \mathcal{B} sets $pp_{TPBS} \leftarrow (crs, pp_{RDS}, pp_{Sig}, pp_{Sig\Sigma})$, $\mathcal{T} = \{\}$ and $pk_{TPBS}^{TA} = pk_{RDS}$. Next, \mathcal{B} runs $\text{IssuerSetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{Issuer}, sk_{TPBS}^{Issuer})$. To simulate \mathcal{A} calls to $\mathcal{OKeyGen}$ oracle, \mathcal{B} uses $\text{UserKeyGen}(pp_{TPBS})$ to generate (pk_i, sk_i, ID_i) , queries $\mathcal{OSignRDS}(sk_i)$ in $\mathbf{Exp}_{\mathcal{B},RDS}^{EUF-CMA}$ to obtain σ_{ID}^i , sets $sk_{TPBS}^i = (sk_i, \sigma_{ID}^i)$, Sets $\mathcal{T} = \mathcal{T} \cup \{i, sk_i\}$, runs $\text{PolicyKeyGen}(sk_{TPBS}^{Issuer}, p)$ to obtain sk_{TPBS}^p and finally returns $(sk_{TPBS}^p, sk_{TPBS}^i)$ to \mathcal{A} . To simulate \mathcal{A} calls to \mathcal{OSign} oracle, if $i \notin \mathcal{T}$, \mathcal{B} uses $\text{UserKeyGen}(pp_{TPBS})$ to generate (pk_i, sk_i, ID_i) , queries $\mathcal{OSignRDS}(sk_i)$ in $\mathbf{Exp}_{\mathcal{B},RDS}^{EUF-CMA}$ to obtain σ_{ID}^i , sets $sk_{TPBS}^i = (sk_i, \sigma_{ID}^i)$, runs $\text{PolicyKeyGen}(sk_{TPBS}^{Issuer}, p)$ to obtain sk_{TPBS}^p , and runs Sign directly over the message m using the generated keys. Once \mathcal{A} outputs (m^*, σ_{m^*}) , \mathcal{B} parses $(\sigma_{ID}^{i^*}, \pi_m^*) \leftarrow \sigma_{m^*}$, and runs $\text{Extr}_{NIZK}(tr_{NIZK}, pk_{TPBS}^{Issuer}, pk_{TPBS}^{TA}, m^*, \pi_m^*)$ to obtain $(p^*, sk_i^*, sk_{TPBS}^p, w_{p^*})$, if $sk_i^* \notin \mathcal{T}$, it forwards $(sk_i^*, \sigma_{ID}^{i^*})$ to its challenger in $\mathbf{Exp}_{\mathcal{B},RDS}^{EUF-CMA}$, which constitutes a forgery over sk_i^* .

For a type-2 \mathcal{A} adversary, \mathcal{B}' is constructed as follows. \mathcal{B}' receives pp_{Sig} , and pk_{Sig} from its challenger in EUF-CMA game $\mathbf{Exp}_{\mathcal{B}',Sig}^{EUF-CMA}$ Fig. A.17, generates the following: $(crs, tr_{NIZK}) \leftarrow \text{SimSetupNIZK}(1^\lambda)$, $pp_{Sig\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{RDS} \leftarrow \text{ppGenRDS}(1^\lambda)$. \mathcal{B}' sets $pp_{TPBS} \leftarrow (crs, pp_{RDS}, pp_{Sig}, pp_{Sig\Sigma})$, $\mathcal{L} = \{\}$, and $pk_{TPBS}^{Issuer} \leftarrow pk_{Sig}$. Then \mathcal{B}' runs $\text{TASetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{TA}, sk_{TPBS}^{TA})$. To simulate \mathcal{A} calls to $\mathcal{OKeyGen}$ oracle, \mathcal{B}' runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and forwards p to $\mathcal{OSignSig}(\cdot)$ oracle in $\mathbf{Exp}_{\mathcal{B}',Sig}^{EUF-CMA}$ to obtain sk_{TPBS}^p and returns $(sk_{TPBS}^p, sk_{TPBS}^i)$ to \mathcal{A} . To simulate \mathcal{A} calls to \mathcal{OSign} oracle, if $p \notin \mathcal{L}$, \mathcal{B}' runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and forwards p to $\mathcal{OSignSig}(\cdot)$ oracle in $\mathbf{Exp}_{\mathcal{B}',Sig}^{EUF-CMA}$ to obtain sk_{TPBS}^p and runs Sign directly over the message m using the generated keys. Once \mathcal{A} outputs (m^*, σ_{m^*}) , \mathcal{B}' parses $(\sigma_{ID}^{i^*}, \pi_m^*) \leftarrow \sigma_{m^*}$, and runs $\text{Extr}_{NIZK}(tr_{NIZK}, pk_{TPBS}^{Issuer}, pk_{TPBS}^{TA}, m^*, \pi_m^*)$ to obtain $(p^*, sk_i^*, sk_{TPBS}^p, w_{p^*})$, if $p \notin \mathcal{L}$, it forwards (p^*, sk_{TPBS}^p) to its challenger in $\mathbf{Exp}_{\mathcal{B}',Sig}^{EUF-CMA}(\lambda)$, which constitutes a forgery over p^* .

For a type-3 \mathcal{A} adversary, \mathcal{B}'' is constructed as follows. \mathcal{B}'' receives crs from its challenger in $\mathbf{Exp}_{\mathcal{B}'',NIZK}^{Sim-Extr}$ in Fig. A.15, generates the following: $pp_{Sig} \leftarrow \text{ppGenSig}(1^\lambda)$, $pp_{Sig\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{RDS} \leftarrow \text{ppGenRDS}(1^\lambda)$. \mathcal{B}'' sets $pp_{TPBS} \leftarrow (crs, pp_{RDS}, pp_{Sig}, pp_{Sig\Sigma})$. Then \mathcal{B}'' runs $\text{TASetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{TA}, sk_{TPBS}^{TA})$, $\text{IssuerSetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{Issuer}, sk_{TPBS}^{Issuer})$. To simulate \mathcal{A} calls to $\mathcal{OKeyGen}$ oracle, \mathcal{B}'' runs the al-

algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and the algorithm $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p and returns $(sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^i)$ to \mathcal{A} . To simulate \mathcal{A} calls to $\mathcal{O}\text{Sign}$ oracle, \mathcal{B}' runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and the algorithm $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p , parses $(sk_i, \sigma_{ID}^i) \leftarrow (sk_{\text{TPBS}}^i)$, generates $\sigma_{ID}^i \leftarrow \text{RandomizeRDS}(\sigma_{ID}^i)$, sends $((pk_{\text{TPBS}}^{TA}, \sigma_{ID}^i, pk_{\text{TPBS}}^{\text{Issuer}}, m), (sk_i, p, sk_{\text{TPBS}}^p, w_p))$ to $\mathcal{O}\text{SimNIZK}$ oracle in $\text{Exp}_{\mathcal{B}', \text{NIZK}}^{\text{Sim-Extr}}$ to obtain π_m , then \mathcal{B}' forwards $\sigma_m = (\sigma_{ID}^i, \pi_m)$ to \mathcal{A} . Once \mathcal{A} outputs (m^*, σ_{m^*}) , \mathcal{B}' parses $(\sigma_{ID}^{i^*}, \pi_m^*) \leftarrow \sigma_m$, and sends $((pk_{\text{TPBS}}^{TA}, \sigma_{ID}^{i^*}, pk_{\text{TPBS}}^{\text{Issuer}}, m), \pi_m^*)$ to its challenger in $\text{Exp}_{\mathcal{B}', \text{NIZK}}^{\text{Sim-Extr}}$, which constitutes a winning condition where the relation $\mathbb{R}'_{\text{NIP}}((pk_{\text{TPBS}}^{TA}, \sigma_{ID}^i, pk_{\text{TPBS}}^{\text{Issuer}}, m^*), (sk_i^*, p, sk_{\text{TPBS}}^{p*}, w_{p^*})) = 0$.

B.3 Non-frameability

Recall that for an adversary \mathcal{A} to win $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Non-Frameability}}$ in Fig. 6; it has to output (m^*, σ_{m^*}) when it is traced back, the tracing result $(i^*, \pi_{\text{Trace}}^*)$ points to some honest signer whose signing keys were not shared with \mathcal{A} and yet such tracing result is accepted by Judge algorithm. Without loss of generality, let an adversary \mathcal{A} win $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Non-Frameability}}$ for user identity $i_z \in \mathcal{U}$. Here we distinguish between two tracing results; i) $i^* = i_z$ and $ID_{i^*} = \text{Reg}[i_z]$, which implies that \mathcal{A} has successfully revealed sk_{i_z} from an earlier signature by the user i_z , and ii) $i^* = i_z$ however $ID_{i^*} \neq \text{Reg}[i_z]$ that the honest user i_z has used in $\text{IDKeyGen}(\cdot)$ algorithm which implies \mathcal{A} has manipulated Reg . Given a one-way function $f(\cdot)$, and an interactive perfect zero-knowledge proof of knowledge PoK , by contradiction, We show that if there exists an adversary \mathcal{A} who wins $\text{Exp}_{\mathcal{A}, \text{TPBS}}^{\text{Non-Frameability}}$, we can construct an adversary \mathcal{B} who wins $\text{Exp}_{\mathcal{B}, \text{NIZK}}^{\text{ZK}}$ of the underlying NIZK scheme in Fig. A.14 or we can construct a successful adversary \mathcal{B}' against $\text{Exp}_{\mathcal{B}', \text{Sig}}^{\text{EUF-CMA}}$ of the underlying user digital signature scheme in Fig. A.17.

\mathcal{B} is constructed as follows. \mathcal{B} receives crs from its challenger in Fig. A.14. \mathcal{B} generates $pp_{\text{RDS}} \leftarrow \text{ppGenRDS}(1^\lambda)$, $(pp_{\text{Sig}}) \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{\text{Sig}_\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$. Then \mathcal{B} sets $pp_{\text{TPBS}} \leftarrow (crs, pp_{\text{RDS}}, pp_{\text{Sig}}, pp_{\text{Sig}_\Sigma})$. \mathcal{B} runs $\text{TASetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{TA}, sk_{\text{TPBS}}^{TA}, \text{Reg})$, and $\text{IssuerSetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}})$. For $j \in \mathcal{U}$, \mathcal{B} uses $\text{UserKeyGen}(pp_{\text{TPBS}})$ to generate $(pk_{i_j}, sk_{i_j}, ID_{i_j})$, generates $((\text{Reg}[i_j]), (sk_{\text{TPBS}}^{i_j})) \Leftrightarrow \text{IDKeyGen}(\cdot)$ and sets $Q_i[i_j] \leftarrow sk_{\text{TPBS}}^{i_j}$. To simulate \mathcal{A} calls to $\mathcal{O}\text{KeyGen}$ oracle for $i \notin \mathcal{U}$, \mathcal{B} runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and the algorithm $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p and returns $(sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^i)$ to \mathcal{A} .

To simulate \mathcal{A} calls to $\mathcal{O}\text{USign}$ oracle, \mathcal{B} runs $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p . For $j \in \mathcal{U} \wedge j \neq z$, \mathcal{B} runs $\text{Sign}(sk_{\text{TPBS}}^p, Q_i[i_j], m, p, w_p)$ to obtain σ_m . For user i_z , \mathcal{B} parses $\sigma_{ID}^i \leftarrow Q_i[z][1]$, calculates $\sigma_{ID}^i \leftarrow \text{RandomizeRDS}(\sigma_{ID}^i)$, and sends $(pk_{\text{TPBS}}^{TA}, \sigma_{ID}^i, pk_{\text{TPBS}}^{\text{Issuer}}, m), (sk_i, p, sk_{\text{TPBS}}^p, w_p)$ to its challenging oracle $\mathcal{O}\text{Sim-or-ProveNIZK}(\cdot)$ in Fig. A.14 to obtain π_m and finally outputs $\sigma_m = (\sigma_{ID}^i, \pi_m)$ to \mathcal{A} . To simulate \mathcal{A} calls to $\mathcal{O}\text{Trace}$ oracle, \mathcal{B} simply runs the Trace algorithm on Reg since all identity keys are generated using the $\text{IDKeyGen}(\cdot)$ algorithm. When \mathcal{A} outputs (m^*, σ_{m^*}) , which passes the winning conditions de-

fined in the experiment Fig. 6, \mathcal{B} runs $(i_z^*, \pi_{Trace}^*) \leftarrow \text{Trace}(Reg, m^*, \sigma_{m^*})$, if $ID_{i^*} = ID_{i_z}$, it outputs 0 to its challenger oracle in Fig. A.14 and 1 otherwise.

On the other hand, \mathcal{B}' could be constructed as follows. $pp_{Sig_\Sigma}, pk_{Sig_\Sigma}$ from its challenger in Fig. A.17. \mathcal{B}' sets $\mathcal{D}[i_z] \leftarrow pk_{Sig_\Sigma}$ and generates $(crs) \leftarrow \text{SetupNIZK}(1^\lambda)$, $pp_{RDS} \leftarrow \text{ppGenRDS}(1^\lambda)$, and $pp_{Sig} \leftarrow \text{ppGenSig}(1^\lambda)$. \mathcal{B}' sets $pp_{TPBS} \leftarrow (crs, pp_{RDS}, pp_{Sig}, pp_{Sig_\Sigma})$. Then \mathcal{B}' runs $\text{TASetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{TA}, sk_{TPBS}^{TA}, Reg)$, and $\text{IssuerSetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{Issuer}, sk_{TPBS}^{Issuer})$. For $j \in \mathcal{U} \wedge j \neq z$, \mathcal{B}' uses $\text{UserKeyGen}(pp_{TPBS})$ to generate $(pk_{i_j}, sk_{i_j}, ID_{i_j})$, generates $((Reg[i_j]), (sk_{TPBS}^{i_j})) \Leftrightarrow \text{IDKeyGen}(\cdot)$ and sets $\mathcal{Q}_i[i_j] \leftarrow sk_{TPBS}^{i_j}$. For i_z , \mathcal{B}' picks $sk_{i_z} \xleftarrow{\$} \mathbb{Z}_p^*$, calculates $C_{i_z} = (c_{i_z}, \tilde{c}_{i_z}) \xleftarrow{\$} f(sk_{i_j})$, sends c_{i_z} to its challenger signing oracle $\mathcal{OSignSig}$ in Fig. A.17 to obtain τ_{i_z} , constructs ID_{i_z} and generates $\sigma_{ID}^{i_z} \leftarrow \text{SignComRDS}(sk_{RDS}^{TA}, c_{i_z})$ and sets $\mathcal{Q}_i[i_z] \leftarrow sk_{TPBS}^{i_z} = (sk_{i_z}, \sigma_{ID}^{i_z})$ and $Reg[i_z] = ID_{i_z}$. To simulate \mathcal{A} calls to \mathcal{OUSign} oracle, \mathcal{B}' runs $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p , and runs $\text{Sign}(sk_{TPBS}^p, \mathcal{Q}_i[i_j], m, p, w_p)$ to obtain σ_m . To simulate \mathcal{A} calls to \mathcal{OTrace} oracle, \mathcal{B}' simply run the Trace algorithm on Reg . When \mathcal{A} outputs (m^*, σ_{m^*}) , which passes the winning conditions defined in the experiment Fig. 6, \mathcal{B}' runs $(i_z^*, \pi_{Trace}^*) \leftarrow \text{Trace}(Reg, m^*, \sigma_{m^*})$, parses $\{C_{i_z}^*, \tau_{i_z}^*\} \leftarrow ID_{i_z}^*$ and sends $\{c_{i_z}^*, \tau_{i_z}^*\}$ to its challenger oracle in Fig. A.17, which constitutes a winning condition since $c_{i_z}^* \neq c_{i_z}$ such that $ID_{i_z} = (c_{i_z}, \tilde{c}_{i_z}, \tau_{i_z})$.

B.4 Traceability

Recall that for an adversary to win $\mathbf{Exp}_{\mathcal{A}, TPBS}^{Traceability}$ in Fig. 7; it has to output (m^*, σ_{m^*}) where the produced signature cannot be traced to some signer whose signing keys are obtained through $\mathcal{OKeyGen}(\cdot)$ oracle. In other words, for adversary \mathcal{A} to win, it should have access to a verifiable σ_{ID}^i under pk_{TPBS}^{TA} that has been obtained without calling the $\mathcal{OKeyGen}(\cdot)$ oracle or adversary \mathcal{A} has succeeded in generating NIZK proof for a false statement such that $\text{VerifyRDS}(pk_{TPBS}^{TA}, sk_i^*, \sigma_{ID}^{i*}) = 0$. Thus we distinguish between two different types of adversaries that may win the traceability experiment in Fig. 7, i) \mathcal{A} is of type-1 if $\text{VerifyRDS}(pk_{TPBS}^{TA}, sk_i^*, \sigma_{ID}^{i*}) = 1$ and $Reg[i] = \emptyset$ ii) \mathcal{A} is of type-2 if $\text{VerifyRDS}(pk_{TPBS}^{TA}, sk_i^*, \sigma_{ID}^{i*}) = 0$. We show by contradiction that if an adversary \mathcal{A} of type-1 or type-2 wins in $\mathbf{Exp}_{\mathcal{A}, TPBS}^{Traceability}$, we can construct an adversary \mathcal{B} that wins the $\mathbf{Exp}_{\mathcal{B}, RDS}^{EUF-CMA}$ in Fig. A.11 or an adversary \mathcal{B}' that wins the $\mathbf{Exp}_{\mathcal{B}', NIZK}^{Sim-Extr}$ in Fig. A.15, respectively.

For \mathcal{A} of type-1, \mathcal{B} is constructed as follows, \mathcal{B} receives pp_{RDS} , and pk_{RDS} from its challenger in $\mathbf{Exp}_{\mathcal{B}, RDS}^{EUF-CMA}$ Fig. A.11, generates the following: $(crs, tr_{NIZK}) \leftarrow \text{SimSetupNIZK}(1^\lambda)$, $pp_{Sig} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{Sig_\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$. \mathcal{B} sets $pp_{TPBS} \leftarrow (crs, pp_{RDS}, pp_{Sig}, pp_{Sig_\Sigma})$, and $pk_{TPBS}^{TA} \leftarrow pk_{RDS}$ and initializes an empty Reg . Then \mathcal{B} runs $\text{IssuerSetup}(pp_{TPBS})$ to obtain $(pk_{TPBS}^{Issuer}, sk_{TPBS}^{Issuer})$. To simulate \mathcal{A} calls to $\mathcal{OKeyGen}$ oracle, \mathcal{B} uses $\text{UserKeyGen}(pp_{TPBS})$ to generate (pk_i, sk_i, ID_i) , queries $\mathcal{OSignRDS}(sk_i)$ in $\mathbf{Exp}_{\mathcal{B}, RDS}^{EUF-CMA}$ to obtain σ_{ID}^i , sets $sk_{TPBS}^i = (sk_i, \sigma_{ID}^i)$, $Reg[i] = ID_i$, runs $\text{PolicyKeyGen}(sk_{TPBS}^{Issuer}, p)$ to obtain sk_{TPBS}^p and finally returns $(sk_{TPBS}^p, (sk_{TPBS}^i))$ to \mathcal{A} . To simulate \mathcal{A} calls to the \mathcal{OTrace} oracle, \mathcal{B} simply runs the Trace algorithm on Reg . Once \mathcal{A} outputs (m^*, σ_{m^*}) , \mathcal{B} parses $(\sigma_{ID}^{i*}, \pi_m^*) \leftarrow \sigma_{m^*}$, and runs

$\text{Extr}_{\text{NIZK}}(tr_{\text{NIZK}}, pk_{\text{TPBS}}^{\text{Issuer}}, pk_{\text{TPBS}}^{\text{TA}}, \sigma_{\text{ID}}^{i*}, m^*, \pi_m^*)$ to obtain $(p^*, sk_i^*, sk_{\text{TPBS}}^p, w_{p^*})$, and forwards $(sk_i^*, \sigma_{\text{ID}}^{i*})$ to its challenger in $\mathbf{Exp}_{\mathcal{B}, \text{RDS}}^{\text{EUF-CMA}}$, which constitutes a forgery over sk_i^* .

For a type-2 \mathcal{A} adversary, \mathcal{B}' is constructed as follows. \mathcal{B}' receives crs from its challenger in $\mathbf{Exp}_{\mathcal{B}', \text{NIZK}}^{\text{Sim-Extr}}$ in Fig. A.15, generates the following: $pp_{\text{Sig}} \leftarrow \text{ppGenSig}(1^\lambda)$, $pp_{\text{Sig}_\Sigma} \leftarrow \text{ppGenSig}(1^\lambda)$, and $pp_{\text{RDS}} \leftarrow \text{ppGenRDS}(1^\lambda)$. \mathcal{B}' sets $pp_{\text{TPBS}} \leftarrow (crs, pp_{\text{RDS}}, pp_{\text{Sig}}, pp_{\text{Sig}_\Sigma})$. Then \mathcal{B}' runs $\text{TASetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{\text{TA}}, (sk_{\text{TPBS}}^{\text{TA}}, \text{Reg}))$, $\text{IssuerSetup}(pp_{\text{TPBS}})$ to obtain $(pk_{\text{TPBS}}^{\text{Issuer}}, sk_{\text{TPBS}}^{\text{Issuer}})$. To simulate \mathcal{A} calls to $\mathcal{O}\text{KeyGen}$ oracle, \mathcal{B}' runs the algorithms $\text{UserKeyGen}(\cdot)$ and $\text{IDKeyGen}(\cdot)$ to obtain (sk_{TPBS}^i) and the algorithm $\text{PolicyKeyGen}(\cdot)$ to obtain sk_{TPBS}^p and returns $(sk_{\text{TPBS}}^p, sk_{\text{TPBS}}^i)$ to \mathcal{A} . To simulate \mathcal{A} calls to $\mathcal{O}\text{Trace}$ oracle, \mathcal{B}' simply run the Trace algorithm on Reg . Once \mathcal{A} outputs (m^*, σ_{m^*}) , \mathcal{B}' parses $(\sigma_{\text{ID}}^{i*}, \pi_m^*) \leftarrow \sigma_{m^*}$, and sends $(m, \sigma_{\text{ID}}^{i*}, \pi_m^*)$ to its challenger in $\mathbf{Exp}_{\mathcal{B}', \text{NIZK}}^{\text{Sim-Extr}}$ which constitutes a winning condition for statement (1a) in relation \mathbb{R}_{NP} that is defined in (1).

C Protocols Used in Instantiating TPBS

C.1 Pointcheval-Sanders (PS) RDS Scheme

PS is a pairing-based RDS scheme that enables the produced signature to be rerandomized and still be verifiable using the verification keys of the signer [16]. It also allows signing a commitment on a hidden message such that the resulting signature is verifiable for the message itself. The PS scheme specifies the following six procedures.

- **ppGenPS**. The algorithm outputs the public parameters of the scheme such that $pp_{\text{PS}} = (p, \mathbb{G}, \tilde{\mathbb{G}}, \mathbb{G}_T, e)$ where $(p, \mathbb{G}, \tilde{\mathbb{G}}, \mathbb{G}_T, e)$ defines a type-3 bilinear group map [12].
- **KeyGenPS**. This procedure returns the signer's secret and public key pair, the signer picks $g_1 \xleftarrow{\$} \mathbb{G}$, $\tilde{g}_1 \xleftarrow{\$} \tilde{\mathbb{G}}$ and $(a, b) \xleftarrow{\$} \mathbb{Z}_p^*$, sets $sk_{\text{PS}}^{\text{signer}} = (a, b)$ and computes $(\tilde{A}, \tilde{B}) \leftarrow (\tilde{g}_1^a, \tilde{g}_1^b)$, sets $pk_{\text{PS}}^{\text{signer}} = (g_1, \tilde{g}_1, \tilde{A}, \tilde{B})$.
- **SignPS**. This algorithm outputs the digital signature σ_{PS} for a message $m \in \mathbb{Z}_p$ by randomly choosing $h \xleftarrow{\$} \mathbb{G}_1 \setminus \{1_{\mathbb{G}_1}\}$ and sets $\sigma_{\text{PS}} = (\sigma_{\text{PS1}}, \sigma_{\text{PS2}}) \leftarrow (h, h^{(a+b \cdot m)})$.
- **RandomizePS**. This algorithm rerandomizes the digital signature on a message m and outputs σ'_{PS} by randomly choosing $r' \xleftarrow{\$} \mathbb{G}_1 \setminus \{1_{\mathbb{G}_1}\}$ and computing $\sigma'_{\text{PS}} \leftarrow (\sigma_{\text{PS1}}^{r'}, \sigma_{\text{PS2}}^{r'}) \leftarrow (h^{r'}, h^{r'(a+b \cdot m)})$.
- **VerifyPS**. This algorithm verifies the signature σ_{PS} over m by verifying $e(\sigma_{\text{PS1}}, \tilde{A}\tilde{B}^m) = e(\sigma_{\text{PS2}}, \tilde{g}_1)$ and outputs $\{\top, \perp\}$.
- **SignComPS**: This a special form of **SignPS** algorithm that allows the signer to generate a signature over a message m by only knowing a commitment of the message g_1^m by randomly choosing $r \xleftarrow{\$} \mathbb{Z}_p^*$ and computing $\sigma_{\text{PS}} \leftarrow (\sigma_{\text{PS1}}, \sigma_{\text{PS2}}) \leftarrow (g_1^r, (g_1^a (g_1^m)^b)^r)$, $\sigma_{\text{PS}} \leftarrow \text{SignComPS}(sk_{\text{PS}}^{\text{signer}}, g_1^m)$.

C.2 Abe *et al.* Optimal Structure-Preserving Signatures

Abe *et al.* demonstrated that the lower bounds for a structure-preserving signature scheme to protect against random message attack as i) it must use at least two pairing product equations to verify a signature, and ii) the signature size must be at least 3 group elements [2]. Moreover, they presented a structure-preserving signature scheme that matches such lower bounds to sign a pair of group elements $(M, N) \in \mathbb{G} \times \tilde{\mathbb{G}}$ as follows:

- **ppGenAbe.** This algorithm outputs the public parameters of the system such that $pp_{Abe} = (p, \mathbb{G}, \tilde{\mathbb{G}}, \mathbb{G}_T, e, g, \tilde{g})$ where $(p, \mathbb{G}, \tilde{\mathbb{G}}, \mathbb{G}_T, e)$ defines a type-3 bilinear group map [12] which is generated by (g, \tilde{g}) .

- **KeyGenAbe.** picks $u, v, h, z \xleftarrow{\$} \mathbb{Z}_p^*$ and computes $U = g^u, V = \tilde{g}^v, H = \tilde{g}^h, Z = \tilde{g}^z$ ($pk_{Abe}, sk_{Abe} = ((U, V, H, Z), (u, v, h, z))$).

- **SignAbe.** On input of a message m in the form of $(M, N) \in \mathbb{G} \times \tilde{\mathbb{G}}$, the signer picks $r \xleftarrow{\$} \mathbb{Z}_p^*$ and computes $R = g^r, S = z^{-rv} \cdot M^{-h}, T = (\tilde{g} \cdot N^{-u})^{\frac{1}{r}}$ and outputs $\sigma_{Abe} = (R, S, T)$.

- **VerifyAbe.** This algorithm accepts σ_{Abe} over m if $M, R, S \in \mathbb{G}$ and $N, T \in \tilde{\mathbb{G}}$ and

$$e(R, V)e(S, \tilde{g})e(M, H) = e(g, Z) \wedge e(R, T)e(U, N) = e(g, \tilde{g})$$

Finally, the authors showed how the above scheme could be extended to sign messages in $\mathbb{G}^{k_M} \times \tilde{\mathbb{G}}^{k_N}$

C.3 Groth-Sahai Zero-knowledge Proof System

In what follows, we introduce Groth-Sahai (GS) pairing-based Non-interactive zero-knowledge system as one of the TPBS building blocks. Groth-Sahai enables a prover to convince a verifier that a set of variables $X_i \in \mathbb{G}_1, \tilde{Y}_j \in \mathbb{G}_2, x_i, y_j \in \mathbb{Z}_p$ simultaneously satisfy a set of equations [14]. Groth and Sahai presented four general equations that can be used to represent the statement to be proved.

Pairing-product equation. For known $A_j \in \mathbb{G}_1, \tilde{B}_i \in \mathbb{G}_2$ and $\gamma_{ij} \in \mathbb{Z}_p$

$$\prod_{j=1}^n e(A_j, \tilde{Y}_j) \prod_{i=1}^m e(X_i, \tilde{B}_i) \prod_{i=1}^m \prod_{j=1}^n e(X_i, \tilde{Y}_j)^{\gamma_{ij}} = 1$$

Multi-exponentiation equation in \mathbb{G}_1 . For known $A_j, T \in \mathbb{G}_1$ and $b_i, \gamma_{ij} \in \mathbb{Z}_p$ (Can be written for \mathbb{G}_2 as well)

$$\prod_{j=1}^n A_j^{y_j} \prod_{i=1}^m X_i^{b_i} \prod_{i=1}^m \prod_{j=1}^n X_i^{y_j \gamma_{ij}} = T$$

Quadratic Equation. For known $a_j, b_i, \gamma_{ij}, t \in \mathbb{Z}_p$

$$\sum_{j=1}^n a_j y_j \sum_{i=1}^m x_i b_i \sum_{i=1}^m \sum_{j=1}^n x_i \gamma_{ij} y_j = t$$

The Groth-Sahai NIZK system is defined by the following three procedures:

- **SetupGS**. The algorithm outputs the Common Reference String (CRS) parameters of the system either in hiding or binding setting, $CRS_{GS} \leftarrow \text{CRSGenGS}(1^\lambda)$.
- **ProveGS**. The prover uses this algorithm to generate the proof elements π_{GS} and θ_{GS} . $\{\pi_{GS}, \theta_{GS}\} \leftarrow \text{ProveGS}(CRS_{GS}, X_i, \tilde{Y}_j, x_i, y_j, C, D)$ where (C, D) are the commitments of the secret variables $X_i \in \mathbb{G}_1, \tilde{Y}_j \in \mathbb{G}_2$, and $x_i, y_j \in \mathbb{Z}_p$ either in a hiding or a binding setting.
- **VerifyGS**. The verifier uses this algorithm to verify the proof elements π and θ satisfy the prover statement and outputs $\{\top, \perp\} \leftarrow \text{VerifyGS}(CRS_{GS}, C_{GS}, D_{GS}, \pi_{GS}, \theta_{GS})$.