

Actual checklist of Tardigrada species

(2009-2024, 43rd Edition: 01-07-2024)

PETER DEGMA¹ ROBERTO GUIDETTI²

¹*Department of Zoology, Comenius University in Bratislava, Mlynska dolina, Ilkovicova 6/B-1,
84215 Bratislava, Slovakia; e-mail: peter.degma@uniba.sk*

²*Department of Life Sciences, University of Modena and Reggio Emilia, via Campi 213/D, 41100
Modena, Italy; e-mail: roberto.guidetti@unimore.it*

Introduction

More than one thousand Tardigrada species were included in the published checklist (**Guidetti, R. & Bertolani, R. 2005. Tardigrade taxonomy: an updated check list of the taxa and a list of characters for their identification. Zootaxa, 845, 1–46.**) plus the additions and corrections to this checklist (**Degma, P. & Guidetti, R. 2007. Notes to the current checklist of Tardigrada. Zootaxa, 1579, 41–53.**). For practical reasons, we have joined these two papers (without comments added to particular taxa as well as without references published in these papers) into an accurate combined version of the checklists. We incorporated all taxonomical novelties in the current edition of the Checklist even if they were published just online. Then, following the International Code of Zoological Nomenclature, we corrected the year of a taxon description in its print edition. This checklist is free for all users, but utilization of it requires the citation of the two original papers. This checklist is the platform for occasional upgrades (date of latest upgrade is in the title). The changes respect to the previous version of the checklist have yellow background.

If you also use these changes, please also cite this checklist (**Degma, P. & Guidetti, R. Actual checklist of Tardigrada species. DOI: 10.25431/11380_1178608. Accessed date**).

This checklist collects the taxonomic and systematic information available in the bibliography, so the authors do not necessarily share what is reported in the articles used for the composition of this list.

Currently there are 3336 families, 459160 genera, 44641488 species and 2417 additional subspecies included in the checklist.

Please write us if you find any mistake or missing data in this checklist. Your help in its improvement will be acknowledged.

Acknowledgements

We thank to Professor Clark Beasley (McMurry University, Abilene, Texas, U.S.A.) for his suggestions as well as for help with improving the English in the **first version of this Checklist**. We are very grateful to Emeritus Professor Roberto Bertolani (University of Modena and Reggio Emilia, Italy) who created this list with us and helped keep it updated until its 41th edition. We also thank to Nigel Marley (University of Plymouth, U.K.), Gary Grothman (St. Mary's University, Calgary, Canada), Paulo Fontoura (University of Porto, Portugal), Harry Meyer (McNeese State University, Lake Charles, Louisiana, U.S.A.), Sandra McInnes (British Antarctic

Survey, U.K.), Erica DeMilio (National University of Ireland Galway), Łukasz Kaczmarek (Adam Mickiewicz University in Poznań, Poland), Neil Redgate (Northern Highlands Ecological Research Centre, Castletown, U.K.), Myles O'Reilly (Scottish Environment Protection Agency, Holytown, U.K.), Shinta Fujimoto (Tohoku University, Aomori, Japan), Łukasz Michalczyk (Jagiellonian University, Kraków, Poland), Diane Nelson (East Tennessee State University, Johnson City, Tennessee, U.S.A.), Denis Tumanov (Saint-Petersburg State University, Russia), Jesper Guldberg Hansen (Natural History Museum of Denmark, Copenhagen, Denmark), Piotr Gąsiorek (Jagiellonian University, Kraków, Poland), Hieronymus Dastych (Universität Hamburg, Germany), Daniel Stec (Institute of Systematics and Evolution of Animals, Polish Academy of Sciences, Kraków, Poland) and David Nicolson (ITIS, US Geological Survey, and the Smithsonian Institution NMNH, Washington, DC, USA) for their valuable comments to this checklist.

This study was partly supported by the Slovak Research and Development Agency under the contract APVV-19-0076 Slovak Scientific Grant Agency (VEGA) (grant No. 1/3265/06 and 1/0294/09 to PD) and by the National Recovery and Resilience Plan (NRRP), Mission 4 Component 2 Investment 1.4 – Call for tender No. 3138 of 16 December 2021, rectified by Decree n. 3175 of 18 December 2021 of Italian Ministry of University and Research funded by the European Union – NextGenerationEU. Project Code CN_00000033, Concession Decree No. 1034 of 17 June 2022 adopted by the Italian Ministry of University and Research, CUP E93C22001090001, Project title “National Biodiversity Future Center – NBFC” to, by University of Modena and Reggio Emilia (50% FAR) and by Fondazione Cassa di Risparmio di Modena (MoDNA project: Morphology and DNA) to RB and RG.

Checklist of Tardigrada

(The assignment of synonyms are reported within square parenthesis '[]'. Amendments and changes of taxa are reported within angle brackets '< >'. Comments are reported within brace parenthesis '{ }'. The species written in bold characters are the genus *type species*)

Phylum: TARDIGRADA Doyère, 1840

Class: HETEROTARDIGRADA Marcus, 1927

Order: ARTHROTARDIGRADA Marcus, 1927

<Order invalid according to Grollmann *et al.* 2023>

Family: Anisognathidae Møbjerg, Jørgensen & Kristensen, 2019

Anisognathes Pollock, 1975

<Amended by Bartels *et al.* 2018>

<Amended and transferred from Echiniscoididae by Møbjerg *et al.* 2019>

Anisognathes deliquus Chang & Rho, 1998

Anisognathes diakidius Pollock, 1975 <Amended by Bartels *et al.* 2018>

Anisognathes eleutherensis Bartels, Fontoura & Nelson, 2018

Anisognathes mauritianus Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia & Daddabbo, 1987

Family: Archechiniscidae Binda, 1978
[Archechiniscinae in Grimaldi de Zio & D'Addabbo Gallo, 1987]
{Jørgensen *et al.* 2010 reconsider valid the family}

Archechiniscus Schulz, 1953

- Archechiniscus bahamensis* Bartels, Fontoura & Nelson, 2018
Archechiniscus biscaynei Miller, Clark & C. Miller, 2012
Archechiniscus marci Schulz, 1953
Archechiniscus minutus Grimaldi de Zio & D'Addabbo Gallo, 1987
Archechiniscus murilloi Bartels & Fontoura, 2021 {in Bartels *et al.* 2021}
Archechiniscus symbalanus Chang & Rho, 1998

Family: Batillipedidae Ramazzotti, 1962
[Discopodidae Marcus, 1934]

Batillipes Richters, 1909

- Batillipes acaudatus* Pollock, 1971
Batillipes acuticauda Menechella, Bulnes & Cazzaniga, 2015
Batillipes adriaticus Grimaldi de Zio, Morone De Lucia, D'Addabbo Gallo & Grimaldi, 1979
Batillipes africanus Morone De Lucia, D'Addabbo Gallo & Grimaldi de Zio, 1988
Batillipes algharbensis E. Santos, Rubal, Veiga, da Rocha & Fontoura, 2018
Batillipes amblypyge Menechella, Bulnes & Cazzaniga, 2017
Batillipes annulatus de Zio, 1962
Batillipes brasiliensis E. Santos, da Rocha, Gomes Jr. & Fontoura, 2017
Batillipes bullacaudatus McGinty & Higgins, 1968
Batillipes carnonensis Fize, 1957
Batillipes chandrayaani Vishnudattan, Rubal & Bijoy Nandan, 2024
Batillipes crassipes Tchesunov & Mokievsky, 1995
Batillipes dandarae E. Santos, da Rocha, Gomes Jr. & Fontoura, 2017
Batillipes dicrocercus Pollock, 1970
Batillipes friaufi Riggin, 1962
Batillipes gilmartini McGinty, 1969
Batillipes homocercus Bartels & Fontoura, 2021 {in Bartels *et al.* 2021}
Batillipes ichthyocercus Bartels & Fontoura, 2021 {in Bartels *et al.* 2021}
Batillipes kalami Vishnudattan, Rubal & Bijoy Nandan, 2023
Batillipes lesteri Kristensen & Mackness, 2000
Batillipes lingularum Menechella, Bulnes & Cazzaniga, 2017
Batillipes littoralis Renaud-Debyser, 1959
Batillipes longispinosus Chang & Rho, 1997
Batillipes lusitanus Santos, Rubal, Veiga, da Rocha & Fontoura, 2018
Batillipes marcelli Morone De Lucia, D'Addabbo Gallo & Grimaldi de Zio, 1988
Batillipes minius Rubal, Veiga, Fontoura & Sousa-Pinto, 2016
Batillipes mirus Richters, 1909 [*Batillipes caudatus* Hay, 1917]
Batillipes noerrevangi Kristensen, 1978
Batillipes orientalis Chang & Rho, 1997
Batillipes pennaki Marcus, 1946
Batillipes philippinensis Chang & Rho, 1997

Batillipes phreaticus Renaud Debyser, 1959 [*Batillipes littoralis submersus* D'Hondt, 1970]
Batillipes potiguarensis E. Santos, da Rocha, Gomes Jr. & Fontoura, 2017
Batillipes roscoffensis Kristensen, 1978
Batillipes rotundiculus Rho & Chang, 1999 {in Rho *et al.* 1999}
Batillipes similis Schulz, 1955
Batillipes solitarius Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014
Batillipes spinicauda Gallo D'Addabbo, Sandulli & de Zio Grimaldi, 2005
Batillipes tridentatus Pollock, 1989
Batillipes tubernatis Pollock, 1971

Family: Coronarctidae Renaud-Mornant, 1974
<Amended by Hansen 2007>

Coronarctus Renaud-Mornant, 1974
<Amended by Hansen 2007>

Coronarctus disparilis Renaud-Mornant, 1987
Coronarctus dissimilis Gomes-Júnior, E. Santos, da Rocha, P.J.P. Santos & Fontoura, 2020
Coronarctus fastigatus Renaud-Mornant, 1987
Coronarctus laubieri Renaud-Mornant, 1987
Coronarctus mexicus Romano III, Gallo, D'Addabbo, Accogli, Baguley & Montagna, 2011
Coronarctus neptunus Gomes-Júnior, E. Santos, da Rocha, P.J.P. Santos & Fontoura, 2020
Coronarctus sonne Saulenko, Maiorova, Martínez Arbizu & Mordukhovich, 2022
Coronarctus stylisetus Renaud-Mornant, 1987
Coronarctus tenellus Renaud-Mornant, 1974
Coronarctus verrucatus Hansen, 2007
Coronarctus yurupari Gomes-Júnior, E. Santos, da Rocha, P.J.P. Santos & Fontoura, 2020

Trogloarctus Villora-Moreno, 1996

Trogloarctus trionyches Villora-Moreno, 1996

Family: Halechiniscidae Thulin, 1928
<Amended by Fujimoto *et al.* 2017>

Subfamily: Dipodarctinae Pollock, 1995
<Amended by Jørgensen *et al.* 2014>

Dipodarctus Pollock, 1995
<Amended by Jørgensen *et al.* 2014>

Dipodarctus anaholiensis Pollock, 1995
Dipodarctus australiensis Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014
Dipodarctus borrori Pollock, 1995 [*Hemitanarctus chimaera* de Zio Grimaldi, D'Addabbo Gallo, Morone De Lucia & Troccoli, 1995/96 according to de Zio Grimaldi *et al.* 2003]
Dipodarctus subterraneus (Renaud-Debyser, 1959)
Dipodarctus susannae Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Subfamily: Euclavarctinae Renaud-Mornant, 1983

Clavarctus Renaud-Mornant, 1983

Clavarctus falculus Renaud-Mornant, 1983

Euclavarctus Renaud-Mornant, 1975

<Amended by Renaud-Mornant 1983>

Euclavarctus convergens Renaud-Mornant, 1983

Euclavarctus thieli Renaud-Mornant, 1975

Exoclavarctus Renaud-Mornant, 1983

Exoclavarctus dineti Renaud-Mornant, 1983

Moebjergarctus Bussau, 1992

Moebjergarctus clarionclippertonensis Bai, X. Wang, Zhou, Lin, Meng & Fontoura, 2020

Moebjergarctus manganicus Bussau, 1992

Moebjergarctus okhotensis Saulenko, Maiorova, Martínez Arbizu & Mordukhovich, 2022

Parmursa Renaud-Mornant, 1984

<Amended by Hansen 2007>

Parmursa fimbriata Renaud-Mornant, 1984

Parmursa torquata Hansen, 2007

Proclavarctus Renaud-Mornant, 1983

Proclavarctus fragilis Renaud-Mornant, 1983

Subfamily: *Florarctinae* Renaud-Mornant, 1982

<Amended by Kristensen 1984 and Hansen & Kristensen 2021>

Florarctus Delamare Deboutteville & Renaud-Mornant, 1965

Florarctus acer Renaud-Mornant, 1989

Florarctus antillensis Van der Land, 1968

Florarctus asper Renaud-Mornant, 1989

Florarctus bellahelenae Gąsiorek, D. Kristensen & Kristensen, 2021

Florarctus cinctus Renaud-Mornant, 1976

Florarctus glareolus Noda, 1987

Florarctus heimi Delamare Deboutteville & Renaud-Mornant, 1965 [*Florarctus cervinus*

Renaud-Mornant, 1987 according to Gąsiorek *et al.* 2021a]

Florarctus hulingsi Renaud-Mornant, 1976

Florarctus kwoni Chang & Rho, 1997

Florarctus pulcher Grimaldi de Zio, Lamarca, D'addabbo Gallo & Pietanza, 1999

Florarctus salvati Delamare Deboutteville & Renaud-Mornant, 1965

Florarctus stellatus Renaud-Mornant, 1989

Florarctus vulcanius Renaud-Mornant, 1987

Florarctus wunai Fujimoto, 2015

Florarctus yucatanensis Anguas-Escalante, de Jesus-Navarrete, DeMilio, Pérez-Pech & Hansen, 2020

Higginsarctus Hansen & Kristensen, 2021

Higginsarctus alatus (Gomes-Júnior, E. Santos, da Rocha, P.J.P. Santos & Fontoura, 2018)

<Transferred from *Ligiarctus* by Hansen & Kristensen 2021>

Higginsarctus lassei Hansen & Kristensen, 2021

Higginsarctus laurae Hansen & Kristensen, 2021

Higginsarctus martini Hansen & Kristensen, 2021

Higginsarctus shintai Hansen & Kristensen, 2021

Higginsarctus signae Hansen & Kristensen, 2021

Ligiarctus Renaud-Mornant, 1982

<Amended by Gomes-Júnior *et al.* 2018 and Hansen & Kristensen 2021>

Ligiarctus eastwardi Renaud-Mornant, 1982

Wingstrandarctus Kristensen, 1984

Wingstrandarctus corallinus Kristensen, 1984

Wingstrandarctus crypticus Renaud-Mornant, 1989

Wingstrandarctus intermedius (Renaud-Mornant, 1967) <Amended by Renaud-Mornant 1989>

Wingstrandarctus stinae Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Wingstrandarctus unsculptus Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Subfamily: *Halechiniscinae* Thulin, 1928

<Amended by Grimaldi de Zio *et al.* 1990>

Chrysoarctus Renaud-Mornant, 1984

Chrysoarctus briandi Renaud-Mornant, 1984

Chrysoarctus flabellatus (Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia, Vaccarella & Grimaldi, 1982)

Halechiniscus Richters, 1908

Halechiniscus chafarinensis Grimaldi de Zio & Villora Moreno, 1995

Halechiniscus churakaagii Fujimoto, 2015

Halechiniscus greveni Renaud-Mornant & Deroux, 1976

Halechiniscus guiteli Richters, 1908

Halechiniscus janus Bai, X. Wang, Gao, Y. Li & Fontoura, 2022

Halechiniscus jejuensis Chang & Rho, 2002

Halechiniscus macrocephalus Grimaldi de Zio, D'Addabbo Gallo & Morone De Lucia, 1988

Halechiniscus paratuleari Grimaldi de Zio, D'Addabbo Gallo & Morone De Lucia, 1988

Halechiniscus perfectus Schulz, 1955

Halechiniscus remanei remanei Schulz, 1955

Halechiniscus remanei antillensis Renaud-Mornant, 1984

Halechiniscus tuleari Renaud-Mornant, 1979

Halechiniscus yanakaagii Fujimoto, 2015

Subfamily: *Orzeliscinae* Schulz, 1963

<Amended by Gross *et al.* 2014>

Mutaparadoxipus Gross, Miller & Hochberg, 2014

Mutaparadoxipus duodigifinis Gross, Miller & Hochberg, 2014

Opydorscus Renaud-Mornant, 1989

Opydorscus fonsecae Renaud-Mornant, 1989

Orzeliscus du Bois-Reymond Marcus, 1952

Orzeliscus asiaticus Lee, Rho & Chang, 2017

Orzeliscus belopus du Bois-Reymond Marcus, 1952 [*Orzeliscus septentrionalis* Schulz, 1953 according to Pollock 1982]

Paradoxipus Kristensen & Higgins, 1989

<Transferred from Halechiniscinae by Gross *et al.* 2014>

Paradoxipus orzeliscoides Kristensen & Higgins, 1989

Subfamily: Quisarctinae Fujimoto, 2015

Quisarctus Fujimoto, 2015

Quisarctus yasumurai Fujimoto, 2015

Family: Neoarctidae (de Zio Grimaldi, D'Addabbo Gallo & Morone De Lucia, 1992)

<Former subfamily of Stygarctidae elevated to family level and amended by Bello & Grimaldi de Zio 1998>

Neoarcutus de Zio Grimaldi, D'Addabbo Gallo & Morone De Lucia, 1992

Neoarcutus primigenius de Zio Grimaldi, D'Addabbo Gallo & Morone De Lucia, 1992

Family: Neostygarctidae Grimaldi de Zio, D'Addabbo Gallo & De Lucia Morone, 1987

{Not more valid according to Hansen *et al.* 2012, Fontoura *et al.* 2017 and Tchesunov 2018;

Considered valid and amended by Fujimoto & Miyazaki 2013 (however the authors were not aware of Hansen *et al.* 2012 publication); Amended by Kristensen *et al.* 2015}

Neostygarctus Grimaldi de Zio, D'Addabbo Gallo & Morone De Lucia, 1982

<Transferred to Renaudarctidae by Kristensen & Higgins 1984b; Elevated to family level and amended by Grimaldi de Zio *et al.* 1987; Transferred from Neostygarctidae into Stygarctidae by Hansen *et al.* 2012; Re-transferred by Kristensen *et al.* 2015>

Neostygarctus acanthophorus Grimaldi de Zio, D'Addabbo Gallo & Morone De Lucia, 1982

Neostygarctus grossmeteori Tchesunov, 2018

Neostygarctus lovedeluxe Fujimoto & Miyazaki, 2013 {Species described in Neostygarctidae by Fujimoto & Miyazaki 2013}

Neostygarctus oceanopolis Kristensen, Sørensen, Hansen & Zeppilli, 2015

Family: Renaudarctidae Kristensen & Higgins, 1984

<Amended by Hansen *et al.* 2012 and by Fujimoto & Yamasaki 2017>

Nodarctus Fujimoto & Yamasaki, 2017

Nodarctus hallucis Fujimoto & Yamasaki, 2017

Renaudarctus Kristensen & Higgins, 1984

<Amended by Hansen *et al.* 2012>

Renaudarctus fossorius Hansen, Kristensen & Jørgensen, 2012

Renaudarctus psammocryptus Kristensen & Higgins, 1984

Family: Stygarctidae Schulz, 1951

<Amended by Hansen *et al.* 2012>

Subfamily: Megastygarctidinae Bello & de Zio Grimaldi, 1998

<Amended by Hansen & Kristensen 2006>

Megastygarctides McKirdy, Schmidt & McGinty-Bayly, 1976

Megastygarctides christinae Hansen & Kristensen, 2006

Megastygarctides gerdae Hansen & Kristensen, 2006

Megastygarctides isounguis Renaud-Mornant, 1981

Megastygarctides orbiculatus McKirdy, Schmidt & McGinty-Bayly, 1976

Megastygarctides setoloso Morgan & O'Reilly, 1989

Megastygarctides sezginii Ürkmez, Ostrowska, Roszkowska, Gawlak, Zawierucha, Kristensen & Kaczmarek, 2017

Subfamily: Stygarctinae Schulz, 1951

Faroestygarctus Hansen, Kristensen & Jørgensen, 2012

Faroestygarctus dezioae Hansen, Kristensen & Jørgensen, 2012

Hansenarctus Fujimoto & Ohtsuka, 2019

Hansenarctus toyoshimaruae Fujimoto & Ohtsuka, 2019

Mesostygarctus Renaud-Mornant, 1979

<Amended and reconsidered valid as genus by Hansen *et al.* 2012>

Mesostygarctus intermedius Renaud-Mornant, 1979 <Transferred from *Pseudostygarctus* by Hansen *et al.* 2012>

Mesostygarctus spiralis Hansen, Kristensen & Jørgensen, 2012

Parastygarctus Renaud-Debyser, 1965

<Amended by Hansen *et al.* 2012>

Parastygarctus biungulatus Morone De Lucia, Grimaldi de Zio & D'Addabbo Gallo, 1984

Parastygarctus higginsi Renaud-Debyser, 1965

Parastygarctus mediterranicus Gallo D'Addabbo, Grimaldi de Zio & Sandulli, 2001

Parastygarctus renaudae Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia & Daddabbo, 1987

Parastygarctus robustus Hansen, Kristensen & Jørgensen, 2012

Parastygarctus sterreri Renaud-Mornant, 1970

Parastygarctus svennevigi Hansen, Kristensen & Jørgensen, 2012

Prostygarctus Rubal, Veiga, Fontoura & Sousa-Pinto, 2013

Prostygarctus aculeatus Rubal, Veiga, Fontoura & Sousa-Pinto, 2013

Pseudostygarctus McKirdy, Schmidt & McGinty-Bayly, 1976

<Amended by Hansen *et al.* 2012>

Pseudostygarctus apuliae Gallo D'Addabbo, de Zio Grimaldi & D'Addabbo, 2000

Pseudostygarctus galloae Hansen, Kristensen & Jørgensen, 2012

Pseudostygarctus mirabilis de Zio Grimaldi, D'Addabbo Gallo & Morone De Lucia, 1998

Pseudostygarctus rugosus Gallo D'Addabbo, de Zio Grimaldi & Sandulli, 2001

Pseudostygarctus triungulatus McKirdy, Schmidt & McGinty-Bayly, 1976 <Amended by

Hansen *et al.* 2012>

Stygarctus Schulz, 1951

Stygarctus abornatus McKirdy, Schmidt & McGinty-Bayly, 1976

Stygarctus ayatori Fujimoto, 2014

Stygarctus bradypterus Schulz, 1951

Stygarctus gourbaultae Renaud-Mornant, 1981

Stygarctus granulatus Pollock, 1970

Stygarctus keralensis Vishnudattan, Bijoy Nandan, Hansen & Jayachandran, 2021

Stygarctus lambertii Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia & Daddabbo, 1987

Stygarctus spinifer Hiruta, 1985

Family: Styraconyxidae Kristensen & Renaud-Mornant, 1983

<Amended by Jørgensen *et al.* 2014; Former subfamily of Halechiniscidae elevated to family level and amended by Fujimoto *et al.* 2017>

Angursa Pollock, 1979

<Amended by Fujimoto & Hansen 2019>

Angursa abyssalis Renaud-Mornant, 1981 <Amended by Fujimoto & Hansen 2019 who consider *Angursa bicuspis abyssalis* to be a valid species> {For taxonomic status of the subspecies see Kaczmarek *et al.* 2015}

Angursa antarctica Villora-Moreno, 1998 <Amended by Fujimoto & Hansen 2019>

Angursa bicuspis Pollock, 1979 <Amended by Fujimoto & Hansen 2019>

Angursa capsula Bussau, 1992

Angursa clavifera Noda, 1985 <*A. bicuspis clavifera* elevated to species level by Bussau 1992>

Angursa lanceolata Renaud-Mornant, 1981 <Amended by Fujimoto & Hansen 2019>

Angursa lingua Bussau, 1992

Angursa seisuumaruae Fujimoto & Hansen, 2019

Bathyechiniscus Steiner, 1926

Bathyechiniscus tetricus Steiner, 1926 <Amended by Pollock 1983>

Cyaegharctus Fujimoto & Jimi, 2020

Cyaegharctus kitamurai Fujimoto & Jimi, 2020

Lepoarctus Kristensen & Renaud-Mornant, 1983

Lepoarctus coniferus (Renaud-Mornant, 1975)

Paratanarctus D'Addabbo Gallo, Grimaldi de Zio, Morone De Lucia & Troccoli, 1992

Paratanarctus kristenseni D'Addabbo Gallo, Grimaldi de Zio, Morone De Lucia & Troccoli,

1992

Pleocola Cantacuzène, 1951

Pleocola limnoriae Cantacuzène, 1951

Raiarctus Renaud-Mornant, 1981

<Amended by Jørgensen et al. 2014>

Raiarctus aureolatus Renaud-Mornant, 1981

Raiarctus colurus Renaud-Mornant, 1981

Raiarctus jesperi Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Raiarctus katrinae Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Raiarctus variabilis D'Addabbo Gallo, Grimaldi de Zio & Morone De Lucia, 1986

Rhomboarctus Renaud-Mornant, 1984

Rhomboarctus aslaki Hansen, Gallo D'Addabbo & de Zio Grimaldi, 2003

Rhomboarctus dupliciticaudatus Hansen, Gallo D'Addabbo & de Zio Grimaldi, 2003

Rhomboarctus thomassini Renaud-Mornant, 1984

Styraconyx Thulin, 1942

Styraconyx craticuliformis Chang & Rho, 1998

Styraconyx craticulus (Pollock, 1983)

Styraconyx hallasi Kristensen, 1977

Styraconyx haploceros Thulin, 1942

Styraconyx kristensi Renaud-Mornant, 1981

Styraconyx kristensi neocalledonensis Renaud-Mornant, 1981

Styraconyx nanoqsunguak Kristensen & Higgins, 1984

Styraconyx paulae Robotti, 1971

Styraconyx qivitoq Kristensen & Higgins, 1984

Styraconyx robertoi Pérez-Pech, de Jesús-Navarrate, DeMilio, Anguas-Escalante & Hansen, 2020

Styraconyx sardiniae D'Addabbo Gallo, Morone De Lucia & Grimaldi de Zio, 1989

Styraconyx sargassi Thulin, 1942

Styraconyx takeshii Fujimoto, Suzuki, Ito, Tamura & Tsujimoto, 2020

Styraconyx testudo D'Addabbo Gallo, Grimaldi de Zio & Morone De Lucia, 1984

Styraconyx turbinarium Bartels, Fontoura & Nelson, 2015

Styraconyx tyrrhenus D'Addabbo Gallo, Morone De Lucia & Grimaldi de Zio, 1989

Styraconyx vargas Bartels & Fontoura, 2021 {in Bartels et al. 2021}

Tetrakentron Cuénnot, 1892

Tetrakentron synaptae Cuénnot, 1892

Tholoarctus Kristensen & Renaud-Mornant, 1983

<Amended by Jørgensen et al. 2014>

Tholoarctus natans Kristensen & Renaud-Mornant, 1983

Tholoarctus natans pedunculatus D'Addabbo Gallo, de Zio Grimaldi, Morone De Lucia & Troccoli, 1992

Tholoarctus oleseni Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Family: Tanarctidae Renaud-Mornant, 1980
<Former subfamily of Halechiniscidae elevated to family level and amended by Fujimoto *et al.*
2017>

Actinarctus Schulz, 1935

Actinarctus doryphorus doryphorus Schulz, 1935

Actinarctus doryphorus ocellatus Renaud-Mornant, 1971

Actinarctus lyrophorus Renaud-Mornant, 1979

Actinarctus neretinus Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia, Vaccarella &
Grimaldi, 1982

Actinarctus physophorus Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia, Vaccarella &
Grimaldi, 1982

Tanarctus Renaud-Debyser, 1959

Tanarctus arborspinosus Lindgren, 1971

Tanarctus breedyae Bartels & Fontoura, 2021 {in Bartels *et al.* 2021}

Tanarctus bubulubus Jørgensen & Kristensen, 2001

Tanarctus dendriticus Renaud-Mornant, 1980

Tanarctus diplocerus Fujimoto, Miyazaki & Suzuki, 2013

Tanarctus gracilis Renaud-Mornant, 1980

Tanarctus helleouetae Renaud-Mornant, 1984

Tanarctus heterodactylus Renaud-Mornant, 1980

Tanarctus hirsutospinosus Jørgensen, Boesgaard, Møbjerg & Kristensen, 2014

Tanarctus ittanmomen Fujimoto, 2018

Tanarctus longisetosus Grimaldi de Zio, D'Addabbo Gallo, Morone De Lucia, Vaccarella &
Grimaldi, 1982

Tanarctus minotauricus Renaud-Mornant, 1984

Tanarctus ramazzottii Renaud-Mornant, 1975

Tanarctus tauricus Renaud-Debyser, 1959

Tanarctus velatus McKirdy, Schmidt & McGinty-Bayly, 1976

Zioella Renaud-Mornant, 1987

Zioella pavonina Renaud-Mornant, 1987

Order: ECHINISCOIDEA Richters, 1926

Family: Echiniscoididae Kristensen & Hallas, 1980

<Amended by Møbjerg *et al.* 2020>

Subfamily: Echiniscoidinae Kristensen & Hallas, 1980

<Amended by Møbjerg *et al.* 2020>

Echiniscoides Plate, 1888

Echiniscoides andamanensis Chang & Rho, 1998

Echiniscoides basalticus Gąsiorek & Kristensen, 2022

Echiniscoides bruni D'Addabbo Gallo, Grimaldi de Zio, Morone De Lucia & Troccoli, 1992

Echiniscoides bufocephalus Gąsiorek & Kristensen, 2022

Echiniscoides costaricensis Bartels & Fontoura, 2021 {in Bartels *et al.* 2021}
Echiniscoides galliensis Kristensen & Hallas, 1980 <*E. sigismundi galliensis* elevated to species level by Gąsiorek & Kristensen 2022>
Echiniscoides groenlandicus Kristensen & Hallas, 1980 <*E. sigismundi groenlandicus* elevated to species level by Gąsiorek & Kristensen 2022>
Echiniscoides hispaniensis Kristensen & Hallas, 1980 <*E. sigismundi hispaniensis* elevated to species level and amended by Gąsiorek & Kristensen 2022>
Echiniscoides hoepneri Kristensen & Hallas, 1980
Echiniscoides lichenophilus Gąsiorek & Kristensen, 2022
Echiniscoides mediterranicus Kristensen & Hallas, 1980 <*E. sigismundi mediterranicus* elevated to species level by Gąsiorek & Kristensen 2022>
Echiniscoides musa Gąsiorek & Kristensen, 2022
Echiniscoides polynesiensis Renaud-Mornant, 1976 <*E. sigismundi polynesiensis* elevated to species level by Gąsiorek & Kristensen 2022>
Echiniscoides porphyrae Grimaldi de Zio, Gallo D'Addabbo & Pietanza, 2000 <*E. sigismundi porphyrae* elevated to species level by Gąsiorek & Kristensen 2022>
Echiniscoides ritavargasae Bartels, Fontoura, Mioduchowska & Kaczmarek, 2021 {in Bartels *et al.* 2021}
Echiniscoides rugostellatus Perry, Rawson, Ameral, Miller, J.D. Miller, 2018
Echiniscoides sigismundi (M. Schultze, 1865)
Echiniscoides travei Bellido & Bertrand, 1981
Echiniscoides trichosus Gąsiorek & Kristensen, 2022
Echiniscoides verrucariae Grimaldi de Zio, Gallo D'Addabbo & Pietanza, 2000 <*E. sigismundi verrucariae* elevated to species level by Gąsiorek & Kristensen 2022>
Echiniscoides wyethi Perry & Miller, 2015

Neoechiniscoides Møbjerg, Jørgensen & Kristensen, 2019

Neoechiniscoides aski Møbjerg, Jørgensen & Kristensen, 2019
Neoechiniscoides horningi (Miller & Kristensen, 1999) <Transferred from *Echiniscoides* by Møbjerg *et al.* 2019>
Neoechiniscoides pollocki (Hallas & Kristensen, 1982) <Transferred from *Echiniscoides* by Møbjerg *et al.* 2019>

Subfamily: Isoechiniscoidinae Møbjerg, Kristensen & Jørgensen, 2016

Isoechiniscoides Møbjerg, Kristensen & Jørgensen, 2016

Isoechiniscoides higginsi (Hallas & Kristensen, 1982) <Transferred from *Echiniscoides* by Møbjerg *et al.* 2016>
Isoechiniscoides sifae Møbjerg, Kristensen & Jørgensen, 2016

Family: Carphanidae Binda & Kristensen, 1986

Carphania Binda, 1978

Carphania fluviatilis Binda, 1978

Family: Oreellidae Ramazzotti, 1962 (*sensu* Puglia unpublished thesis 1959)
<Amended by Binda & Kristensen 1986 and Dastych *et al.* 1998>

Oreella Murray, 1910

Oreella chugachii Calloway, Miller, Johansson & Whiting, 2011

Oreella mollis Murray, 1910 [*Oreella minor* Ramazzotti, 1964]

Oreella vilucensis Rahm, 1931 *species inquirenda* [*Oreella bonnensis* Rahm, 1932]

Family: Echiniscidae Thulin, 1928

{Guil *et al.* 2019 proposed subfamilies Echiniscinae Thulin, 1928, Parechiniscinae Guil, Jørgensen & Kristensen, 2019 and Pseudechiniscinae Guil, Jørgensen & Kristensen, 2019 as well as tribes Anthechiniscini Guil, Jørgensen & Kristensen, 2019, Bryodelphaxini Guil, Jørgensen & Kristensen, 2019, Cornechiniscini Guil, Jørgensen & Kristensen, 2019, Echiniscini Thulin, 1928, Novechiniscini Guil, Jørgensen & Kristensen, 2019, Parechiniscini Guil, Jørgensen & Kristensen, 2019 and Pseudechiniscini Guil, Jørgensen & Kristensen, 2019 - all these taxa were later suppressed by Gąsiorek & Michalczyk 2020b}

Acanthechiniscus Vecchi, Cesari, Bertolani, Jönsson, Rebecchi & Guidetti, 2016a

Acanthechiniscus distinctus (Mihelčič, 1951) <Transferred from *Pseudechiniscus* by Vecchi *et al.* 2016a>

Acanthechiniscus goedeni (Grigarick, Mihelčič & Schuster, 1964) <Transferred from *Pseudechiniscus* by Vecchi *et al.* 2016a>

Acanthechiniscus islandicus (Richters, 1904) <Transferred from *Pseudechiniscus* by Vecchi *et al.* 2016a>

Acanthechiniscus sinensis (Rahm, 1937) <Transferred from *Pseudechiniscus* by Vecchi *et al.* 2016a>

Acanthechiniscus victor (Ehrenberg, 1853) [*Pseudechiniscus tridentifer* Bartoš, 1935]
<Transferred from *Pseudechiniscus* by Vecchi *et al.* 2016a>

Antechiniscus Kristensen, 1987

Antechiniscus conversus (Horning & Schuster, 1983)

Antechiniscus jermani Rossi & Claps, 1989

Antechiniscus lateromamillatus (Ramazzotti, 1964)

Antechiniscus moscali Claxton, 2001

Antechiniscus parvisentus (Horning & Schuster, 1983)

Antechiniscus perplexus (Horning & Schuster, 1983)

Antechiniscus pulcher (Murray, 1910) <Transferred from *Pseudechiniscus* by Gąsiorek *et al.* 2021c>

Barbaria Michalczyk, Gąsiorek, Morek & Stec, 2019 {in Gąsiorek *et al.* 2019d}

Barbaria bigranulata (Richters, 1907) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Barbaria charrua (Claps & Rossi, 1997) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2022a>

Barbaria danieli (Meyer, Tsaliki & Sorgée, 2017) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Barbaria ganczareki (Michalczyk & Kaczmarek, 2007) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Barbaria hannaee (Roszkowska, Gawlak, Draga & Kaczmarek, 2019) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Barbaria jenningsi (Dastych, 1984) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Barbaria madonnae (Michalczyk & Kaczmarek, 2006) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Barbaria ollantaytamboensis (Nickel, Miller & Marley, 2001) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Barbaria paucigranulata Wilamowski, Vončina, Gąsiorek & Michalczyk, 2022 {in Gąsiorek et al. 2022a}
Barbaria quitensis (Pilato, 2007) <Transferred from *Echiniscus* by Gąsiorek et al. 2022a>
Barbaria ranzii (Ramazzotti, 1964) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Barbaria rufoviridis (du Bois-Reymond Marcus, 1944) <Transferred from *Echiniscus* to *Viridiscus* by Gąsiorek et al. 2019d and from *Viridiscus* to *Barbaria* by Rocha et al. 2023>
Barbaria weglarskae Gąsiorek, Wilamowski, Vončina & Michalczyk, 2022

Bryochoerus Marcus, 1936
<Amended by DeMilio et al. 2022a>

Bryochoerus intermedius intermedius (Murray, 1910)
Bryochoerus intermedius hawaiicus (Thulin, 1928)
Bryochoerus intermedius laevis (Marcus, 1936)
Bryochoerus liupanensis Xue, X. Li, L. Wang, Xian, H. Chen, 2017

Bryodelphax Thulin, 1928
<Amended by DeMilio et al. 2022a>

Bryodelphax aaseae Kristensen, Michalczyk & Kaczmarek, 2010 <Amended by DeMilio et al. 2022a>
Bryodelphax alzirae (du Bois-Reymond Marcus, 1944)
Bryodelphax amphoterus (Durante Pasa & Maucci, 1975)
Bryodelphax arenosus Gąsiorek, 2018
Bryodelphax asiaticus Kaczmarek & Michalczyk, 2004
Bryodelphax atlantis Fontoura, Pilato & Lisi, 2008
Bryodelphax australasiaticus Gąsiorek, Vončina, Degma & Michalczyk, 2020a
Bryodelphax beniowskii Bartylak, Kayastha, Roszkowska & Kaczmarek, 2022 {in Bartylak et al. 2022}
Bryodelphax brevidentatus Kaczmarek, Michalczyk & Degma, 2005
Bryodelphax crossotus Grigarick, Schuster & Nelson, 1983
Bryodelphax decoratus Gąsiorek, Vončina, Degma & Michalczyk, 2020a
Bryodelphax dominicanus (Schuster & Toftner, 1982)
Bryodelphax instabilis Gąsiorek & Degma, 2018
Bryodelphax iohannis Bertolani, Guidi & Rebecchi, 1996
Bryodelphax kristensi Lisi, Daza, Londoño & Quiroga, 2017
Bryodelphax lijiangensis Yang, 2002
Bryodelphax maculatus Gąsiorek, Stec, Morek, Marnissi & Michalczyk, 2017
Bryodelphax mareki Kayastha, Roszkowska, Mioduchowska, Gawlak & Kaczmarek, 2021
Bryodelphax mateusi (Fontoura, 1982)
Bryodelphax meronensis Pilato, Lisi & Binda, 2010
Bryodelphax nigripunctatus Degma, Gąsiorek, Vončina & Michalczyk, 2020 {in Gąsiorek et al. 2020a}
Bryodelphax olszanowskii Kaczmarek, Parnikoza, Gawlak, Esefeld, Peter, Kozeretska & Roszkowska, 2018

Bryodelphax ortholineatus (Bartoš, 1963)
Bryodelphax parvulus Thulin, 1928
Bryodelphax parvuspolaris Kaczmarek, Zawierucha, Smykla & Michalczyk, 2012 <Amended by DeMilio et al. 2022a>
Bryodelphax pucapetricolus DeMilio, Tumanov, Lawton, Kristensen & Hansen, 2022
Bryodelphax sinensis (Pilato, 1974)
Bryodelphax tatreensis (Węglarska, 1959)
Bryodelphax wallacearthuri DeMilio, Tumanov, Lawton, Kristensen & Hansen, 2022
Bryodelphax weglarskae (Pilato, 1972)

Claxtonia Gąsiorek & Michalczyk, 2019 {in Gąsiorek et al. 2019d}
 <Amended by Degma et al. 2021>
Claxtonia aliquantilla (Grigarick, Schuster & Nelson, 1983) <Transferred from *Echiniscus* by Degma et al. 2021>
Claxtonia barbara (Kaczmarek & Michalczyk, 2002) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia capillata (Ramazzotti, 1956) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia corrugicaudata (McInnes, 2010) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia goni Degma, Meyer & Hinton, 2021
Claxtonia malpighii (Biserov, 1994) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia marginopora (Grigarick, Schuster & Nelson, 1983) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia mauccii (Ramazzotti, 1956) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia molluscorum (Fox & Garcia-Moll, 1962) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia moniliata (Iharos, 1967) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia mosaica (Grigarick, Schuster & Nelson, 1983) <Transferred from *Echiniscus* by Degma et al. 2021>
Claxtonia nigripustula (Horning, Schuster & Grigarick, 1978) <Transferred from *Echiniscus* by Degma et al. 2021>
Claxtonia pardalis (Degma & Schill, 2015) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d> {nomen inquirendum according to Gąsiorek et al. 2019d}
Claxtonia pseudowendti (Dastych, 1984) <Transferred from *Echiniscus* to *Barbaria* by Gąsiorek et al. 2019d; Transferred from *Barbaria* by Gąsiorek et al. 2022a>
Claxtonia vincula (Horning, Schuster & Grigarick, 1978) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>
Claxtonia wendti (Richters, 1903) [*Echiniscus dearmatus* Bartoš, 1935 according to Gąsiorek et al. 2019d, *Echiniscus szaboi* Iharos, 1973 as it was already synonymized with *E. dearmatus*] <*E. wendti* and *E. dearmatus* transferred from *Echiniscus* by Gąsiorek et al. 2019d; Redescribed and neotype (from original type locality Svalbard, Norway) designated by Gąsiorek et al. 2024>

Cornechiniscus Maucci & Ramazzotti, 1981
 <Amended by Gąsiorek 2022>
Cornechiniscus brachycornutus Maucci, 1987 <Amended by Gąsiorek & Michalczyk 2020b>
Cornechiniscus ceratophorus (Maucci, 1973) <Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus cornutus (Richters, 1907) [*Pseudechiniscus intermedius* Mihelčič, 1970]

<Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus holmeni (Petersen, 1951) <Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus imperfectus Gąsiorek & Michalczyk, 2020

Cornechiniscus lobatus (Ramazzotti, 1943) [*Pseudechiniscus cornutus* Mihelčič, 1966]

<Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus madagascariensis Maucci, 1993 <Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus mystacinus Gąsiorek, 2022

Cornechiniscus schrammi (Dastych, 1979) <Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus subcornutus Maucci & Ramazzotti, 1981 <Amended by Gąsiorek & Michalczyk 2020b>

Cornechiniscus tibetanus (Maucci, 1979) <Amended by Gąsiorek & Michalczyk 2020b>

Diploechiniscus Vicente, Fontoura, Cesari, Rebecchi, Guidetti, Serrano & Bertolani, 2013

Diploechiniscus laterosetosus (Ito, 1993) <Transferred from *Echiniscus* by Gąsiorek 2023>

Diploechiniscus oihonnae (Richters, 1903) [*Echiniscus multispinosus* da Cunha, 1944 according to Vicente *et al.* 2013; *Echiniscus horningi* Schuster & Grigarick, 1971 according to Kaczmarek *et al.* 2021] <Amended and neotype (from Geiranger, Norway) designated by Kaczmarek *et al.* 2021 (original type locality Svalbard, Norway)>

Diploechiniscus polygonalis (Ito, 1993) <Transferred from *Echiniscus* by Gąsiorek 2023>

Echiniscus C.A.S. Schultze, 1840

<Amended by Gąsiorek *et al.* 2017b, Gąsiorek *et al.* 2021f and Gąsiorek 2023>

Echiniscus africanus Murray, 1907 <Amended by Gąsiorek *et al.* 2022b>

Echiniscus angolensis da Cunha & do Nascimento Ribeiro, 1964

Echiniscus aonikenk Gąsiorek, Bochnak, Vončina & Michalczyk, 2021

Echiniscus apuanus M. Bertolani, 1946 {*nomen dubium* according to Gąsiorek & Vončina 2023}

Echiniscus arcangelii Maucci, 1973-74

Echiniscus arctomys Ehrenberg, 1853 {*nomen inquirendum* according to Gąsiorek *et al.* 2019d}

Echiniscus arthuri Pilato, Binda & Lisi, 2005

Echiniscus attenboroughi Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}

Echiniscus azoricus Fontoura, Pilato & Lisi, 2008

Echiniscus baius Marcus, 1928

Echiniscus baloghi Iharos, 1973

Echiniscus batramiae Iharos, 1936 {see *Echiniscus merokensis*}

Echiniscus becki Schuster & Grigarick, 1966 {Based on type material, additional characters to the original description were added by Gąsiorek 2023}

Echiniscus belloporos Gąsiorek & Kristensen, 2018

Echiniscus bisculptus Maucci, 1983

Echiniscus blumi Richters, 1903 [*Echiniscus ramazzottii* Binda & Pilato, 1969; *Echiniscus bisetosus* Heinis, 1908 according to Gąsiorek *et al.* 2019d; *Echiniscus mediantus* Marcus, 1930 according to Gąsiorek *et al.* 2019d; *Echiniscus blumi schizofilus* Bartoš, 1941 according to Gąsiorek & Vončina 2023; *Echiniscus trojanus* Maucci, 1973 according to Gąsiorek & Vončina 2023]

Echiniscus blumi schizofilus Bartoš, 1941 {see *Echiniscus blumi*}

Echiniscus brunus Dey, Gąsiorek & Michalczyk, 2023

- Echiniscus calcaratus* Richters, 1908
- Echiniscus calvus* Marcus, 1931
- Echiniscus canadensis* Murray, 1910 [*Echiniscus punctulatus* Mihelčič, 1955; *Echiniscus bellus* Mihelčič, 1967]
- Echiniscus canedoi* da Cunha & do Nascimento Ribeiro, 1962
- Echiniscus capensis* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek et al. 2022b}
- Echiniscus carusoi* Pilato, 1972 {see *Echiniscus spinulosus*}
- Echiniscus cavagnaroi* Schuster & Grigarick, 1966 <Amended by Meyer 2016>
- Echiniscus cervicornis* Murray, 1906
- Echiniscus cheonyoungi* Moon & Kim, 1994
- Echiniscus clevelandi* Beasley, 1999
- Echiniscus columinis* Murray, 1911 {see *Echiniscus merokensis*}
- Echiniscus crassispinosus* *crassispinosus* Murray, 1907 <Amended by Gąsiorek et al. 2022b>
- Echiniscus crassispinosus* *fasciatus* Marcus, 1928 {nomen dubium according to Gąsiorek et al. 2022b}
- Echiniscus curiosus* Claxton, 1996
- Echiniscus darienae* Miller, Horning & Dastych, 1995
- Echiniscus dentatus* Vončina, Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek et al. 2022b}
- Echiniscus dikenli* Maucci, 1973
- Echiniscus diploglyptus* Durante Pasa & Maucci, 1975
- Echiniscus divergens* Marcus, 1936
- Echiniscus draconis* Vončina, Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek et al. 2022b}
- Echiniscus dreyfusi* de Barros, 1942
- Echiniscus duboisi* Richters, 1902 {nomen inquirendum according to Gąsiorek et al. 2022b}
- Echiniscus egnatiae* Durante Pasa & Maucci, 1979 {see *Echiniscus granulatus*}
- Echiniscus ehrenbergi* Dastych & Kristensen, 1995
- Echiniscus elaeinae* Pilato, Binda & Lisi, 2005
- Echiniscus evelinae* de Barros, 1942 <Amended by Gąsiorek et al. 2021f based on Argentinian population>
- Echiniscus gracilis* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek et al. 2022b}
- Echiniscus granulatus* (Doyère, 1840) [*Echiniscus crassus* Richters, 1904; *Echiniscus fortis* Bartoš, 1935; *Echiniscus abanti* Maucci, 1973; *Echiniscus egnatiae* Durante Pasa & Maucci, 1979 according to Gąsiorek & Vončina 2023; *Echiniscus heterospinosus* Maucci, 1954 according to Gąsiorek & Vončina 2023; *Echiniscus inocelatus* Mihelčič, 1938 according to Gąsiorek & Vončina 2023 - consequently also *Echiniscus inocellatus* Mihelčič, 1964 which is synonymous with *E. inocelatus* according to Degma & Guidetti 2007] <Redescribed and neotype (from Saint-Maur-des-Fossés, France) designated by Gąsiorek & Vončina 2023 (original type locality Paris, France)>
- Echiniscus heterospinosus* Maucci, 1954 {see *Echiniscus granulatus*}
- Echiniscus hexacanthus* Maucci, 1973 {see *Echiniscus militaris*}
- Echiniscus hoonsooii* Moon & Kim, 1990
- Echiniscus imitans* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek et al. 2022b}
- Echiniscus inocelatus* Mihelčič, 1938 [*Echiniscus inocellatus* Mihelčič, 1964] {see *Echiniscus granulatus*}
- Echiniscus insuetus* Mihelčič, 1967 {species dubia according to Gąsiorek et al. 2019d}
- Echiniscus insularis* Gąsiorek, Vončina & Kiosya, 2021 {in Kiosya et al. 2021}
- Echiniscus intricatus* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek et al. 2022b}

- Echiniscus irroratus* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus jagodici* Mihelčič, 1951 {*nomen dubium* according to Dastych 2015} {see *Echiniscus merokensis*}
- Echiniscus jamesi* Claxton, 1996
- Echiniscus kerguelensis* Richters, 1904
- Echiniscus knowltoni* Schuster & Grigarick, 1971
- Echiniscus kosickii* Kaczmarek & Michalczyk, 2010
- Echiniscus lapponicus* Thulin, 1911 <Redescribed by Gąsiorek & Vončina 2023 based on Norwegian population>
- Echiniscus laterosetosus* Ito, 1993 {see *Diploechiniscus*}
- Echiniscus laterospinosus* Rudescu, 1964 {see *Echiniscus merokensis*}
- Echiniscus latruncularis* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus lentiferus* Claxton & Dastych, 2017
- Echiniscus lichenorum* Maucci, 1983 <Amended by Gąsiorek *et al.* 2022b based on South African population> {*nomen inquirendum* according to Gąsiorek *et al.* 2019d; Valid species according to Kaczmarek *et al.* 2022a and Gąsiorek *et al.* 2022b}
- Echiniscus lineatus* Pilato, Fontoura, Lisi & Beasley, 2008 [*Echiniscus dariae* Kaczmarek & Michalczyk, 2010 in Gąsiorek *et al.* 2019b]
- Echiniscus longispinosus* Murray, 1907 <Redescribed and neotype (from Western Cape, Tradouw Pass Republic of South Africa) designated by Gąsiorek *et al.* 2022b (original type locality Cape Colony, Republic of South Africa)>
- Echiniscus loxophthalmus* Richters, 1911 {*species dubia* according to Gąsiorek *et al.* 2019d}
- Echiniscus manuelae* da Cunha & do Nascimento Ribeiro, 1962
- Echiniscus marcusi* Pilato, Claxton & Binda, 1989
- Echiniscus marginatus* Binda & Pilato, 1994
- Echiniscus marleyi* X. Li, 2007 {*nomen inquirendum* according to Gąsiorek & Vončina 2023}
- Echiniscus masculinus* Gąsiorek, Vončina & Michalczyk, 2020
- Echiniscus meridionalis* (Murray, 1906) <Transferred to *Testechiniscus* by Kristensen 1987; Re-transferred to *Echiniscus* and redescribed by Gąsiorek 2023 based on South Shetland Islands population>
- Echiniscus merokensis merokensis* Richters, 1904 [*Echiniscus iharosi* Rudescu, 1964; *Echiniscus simba* Marcus, 1928 according to Gąsiorek *et al.* 2019d; *Echiniscus batramiae* Iharos, 1936 according to Gąsiorek & Vončina 2023; *Echiniscus columninis* Murray, 1911 according to Gąsiorek & Vončina 2023; *Echiniscus jagodici* Mihelčič, 1951 according to Gąsiorek & Vončina 2023; *Echiniscus laterospinosus* Rudescu, 1964 according to Gąsiorek & Vončina 2023; *Echiniscus merokensis suecicus* Thulin, 1911 according to Gąsiorek & Vončina 2023]
- Echiniscus merokensis suecicus* Thulin, 1911 {see *Echiniscus merokensis*}
- Echiniscus migiurtinus* Franceschi, 1957
- Echiniscus militaris* Murray, 1911 [*Echiniscus hexacanthus* Maucci, 1973 according to Gąsiorek & Vončina 2023]
- Echiniscus minutus* Gąsiorek & Michalczyk, 2024
- Echiniscus mongoliensis* Iharos, 1973 <*E. filamentosus* mongoliensis elevated to species level by Gąsiorek *et al.* 2017b>
- Echiniscus montanus* Iharos, 1982
- Echiniscus murrayi* Iharos, 1969

- Echiniscus nelsonae* X. Li, L. Wang & Yu, 2007
- Echiniscus nepalensis* Dastych, 1975
- Echiniscus oreas* Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus ornamentatus* Gąsiorek & Kristensen, 2018
- Echiniscus osellai* Maueci, 1975 {see *Echiniscus trisetosus*}
- Echiniscus pajstunensis* Bartoš, 1941 {*nomen dubium* according to Gąsiorek & Vončina 2023}
- Echiniscus pellucidus* Gąsiorek, Bochnak, Vončina & Michalczyk, 2021
- Echiniscus perarmatus* Murray, 1907 [*Echiniscus maesi* Séméria, 1985 according to Gąsiorek *et al.* 2019d] <Redescribed and neotype (from KwaZulu-Natal, Republic of South Africa) designated by Gąsiorek *et al.* 2022b (original type locality Cape Colony, Republic of South Africa)>
- Echiniscus polygonalis* Ito, 1993 {see *Diploechiniscus*}
- Echiniscus pooensis* Rodriguez-Roda, 1948
- Echiniscus porabrus* Horning, Schuster & Grigarick, 1978
- Echiniscus postojnensis* Mihelčič, 1967 [*Echiniscus loxophtalmus* Mihelčič, 1939] {*nomen dubium* according to Dastych 2015}
- Echiniscus punctus* McInnes, 1995 {*nomen inquirendum* according to Gąsiorek & Vončina 2023}
- Echiniscus pusae* Marcus, 1928
- Echiniscus quadrispinosus* Richters, 1902 [*Echiniscus scrofa* Richters, 1902; *E. quadrispinosus brachyspinosus* Bartoš, 1934, *E. quadrispinosus cribrosus* Murray, 1907 and *E. quadrispinosus fissispinosus* Murray, 1907 according to Kaczmarek *et al.* 2022a] <Redescribed and neotype (from the original type locality Taunus Mountain Range, Germany) designated by Kaczmarek *et al.* 2022a>
- Echiniscus rackae* Dastych, 1986
- Echiniscus regularis* Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus reymondi* Marcus, 1928
- Echiniscus robertsi* Schuster & Grigarick, 1965
- Echiniscus rodnae* Claxton, 1996
- Echiniscus rugospinosus* Marcus, 1928
- Echiniscus scabrocirrosus* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus scabrospinosis* Fontoura, 1982 <Amended by Pilato *et al.* 2008b>
- Echiniscus semifoveolatus* Ito, 1993 {*nomen inquirendum* according to Gąsiorek & Michalczyk 2024}
- Echiniscus setaceus* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus shaanxiensis* X. Li, L. Wang & Yu, 2007
- Echiniscus siegristi* Heinis, 1911
- Echiniscus similaris* Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
- Echiniscus siticulosus* Gąsiorek & Michalczyk, 2020
- Echiniscus speciosus* Mihelčič, 1967 [*Echiniscus roseus* Mihelčič, 1967] {*species dubia* according to Gąsiorek *et al.* 2019d}
- Echiniscus spiculifer* Schaudinn, 1901 {*species dubia* according to Gąsiorek *et al.* 2019d}
- Echiniscus spiniger* Richters, 1904
- Echiniscus spinulosus* (Doyère, 1840) [*Echiniscus carusoi* Pilato, 1972 according to Gąsiorek & Vončina 2023] <Redescribed and neotype (from Andalucia, Spain) designated by Gąsiorek & Vončina 2023 (original type locality Saint-Maur-des-Fossés, France)>
- Echiniscus succineus* Gąsiorek & Vončina, 2019

Echiniscus sylvanus Murray, 1910
Echiniscus taibaiensis L. Wang & X. Li, 2005
Echiniscus tamus Mehlen, 1969 <Amended by Miller & Mehlen 2007>
Echiniscus tantulus Gąsiorek, Bochnak, Vončina & Kristensen, 2020 {in Bochnak *et al.* 2020}
Echiniscus tenuis Marcus, 1928 {Probably *Bryodelphax* according to Gąsiorek *et al.* 2019d}
Echiniscus testudo (Doyère, 1840) [*Echiniscus bellermannii* C.A.S. Schultze, 1840; *Echiniscus inermis* Richters, 1902; *Echiniscus trifilis* Rahm, 1924; *Echiniscus testudo quadrifilis* according to Gąsiorek *et al.* 2017b; *Echiniscus filamentosus* Plate, 1888 according to Gąsiorek *et al.* 2017b; *Echiniscus glaber* Bartoš, 1937 according to Gąsiorek *et al.* 2017b; *Echiniscus peruvianus* Binda & Pilato, 1994 according to Gąsiorek *et al.* 2021f] <Amended Redescribed and neotype (from original type locality Paris, France) designated by Gąsiorek *et al.* 2017b>
Echiniscus tetraspinosus Gąsiorek, Vončina, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
Echiniscus trisetosus Cuénot, 1932 [*Echiniscus storkani* Bartoš, 1940 according to Gąsiorek *et al.* 2019d; *Echiniscus osellai* Maucci, 1975 according to Gąsiorek & Vončina 2023]
Echiniscus tristis Gąsiorek & Kristensen, 2018
Echiniscus trojanus Maucci, 1973 {see *Echiniscus blumi*}
Echiniscus tropicalis Binda & Pilato, 1995
Echiniscus tympanista Murray, 1911
Echiniscus velaminis Murray, 1910
Echiniscus virginicus Riggin, 1962 <Amended by Christenberry & Mason 1979>
Echiniscus weisseri Maucci, 1978
Echiniscus zetotrymus Horning, Schuster & Grigarick, 1978

Hypechiniscus Thulin, 1928

Hypechiniscus africanus Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}
Hypechiniscus cataractus Gąsiorek, Oczkowski, Kristensen & Michalczyk, 2021 {in Gąsiorek *et al.* 2021d}
Hypechiniscus crassus Gąsiorek, Vončina, Kristensen & Michalczyk, 2021
Hypechiniscus daedalus Gąsiorek, Oczkowski, Bartels, Nelson, Kristensen & Michalczyk, 2021 {in Gąsiorek *et al.* 2021d}
Hypechiniscus exarmatus (Murray, 1907) [*Oreella breviclava* Grigarick, Schuster & Nelson, 1983]
Hypechiniscus fengi X.-Z. Sun & X. Li, 2013 <Amended by Gąsiorek *et al.* 2021d>
Hypechiniscus flavus Gąsiorek, Oczkowski, Suzuki, Kristensen & Michalczyk, 2021 {in Gąsiorek *et al.* 2021d}
Hypechiniscus geminus Gąsiorek, Oczkowski, Suzuki, Kristensen & Michalczyk, 2021 {in Gąsiorek *et al.* 2021d}
Hypechiniscus gladiator (Murray, 1905) [*Parechiniscus unispinosus* da Cunha, 1947]<Amended, the subspecies *bigladii* and the form *fissigladii* suppressed, the form *spinulosa* considered invalid (all three previously described by Iharos 1973) by Gąsiorek *et al.* 2021d>
Hypechiniscus papillifer (Robotti, 1972) {Amended by Gąsiorek *et al.* 2021d}

Kristenseniscus Gąsiorek, Morek, Stec & Michalczyk, 2019
Kristenseniscus exanthema Gąsiorek & Michalczyk, 2024

Kristenseniscus kofordi (Schuster & Grigarick, 1966) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>

Kristenseniscus limai (da Cunha & do Nascimento Ribeiro, 1964) {nomen inquirendum according to Gąsiorek et al. 2019d} <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>

Kristenseniscus tessellatus (Murray, 1910) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>

Kristenseniscus walteri (Pilato & Lisi, 2003) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>

Mopsechiniscus du Bois-Reymond Marcus, 1944

Mopsechiniscus franciscae Guidetti, Rebecchi, Cesari & McInnes, 2014

Mopsechiniscus frenoti Dastych, 1999

Mopsechiniscus granulosus Mihelčič, 1967

Mopsechiniscus imberbis (Richters, 1907/1908)

Mopsechiniscus schusteri Dastych, 1999

Mopsechiniscus tasmanicus Dastych & Moscal, 1992

Multipseudechiniscus Schulte & Miller, 2011

<Amended by Miller et al. 2012>

Multipseudechiniscus raneyi (Grigarick, Mihelčič & Schuster, 1964) <Transferred from *Pseudechiniscus* by Schulte & Miller, 2011>

Nebularmis Gąsiorek & Michalczyk, 2019 {in Gąsiorek et al. 2019d}

<Amended by Gąsiorek et al. 2021b>

Nebularmis auratus Gąsiorek & Michalczyk, 2021 {in Gąsiorek et al. 2021b}

Nebularmis bhutanensis Veloso, Fontoura & Gąsiorek, 2021 {in Gąsiorek et al. 2021b}

Nebularmis burmensis Gąsiorek & Vončina, 2021 {in Gąsiorek et al. 2021b}

Nebularmis carsicus (Mihelčič, 1966) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d> {species *dubia* according to Gąsiorek et al. 2019d}

Nebularmis cirinoi (Binda & Pilato, 1993) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d>

Nebularmis crebraclava (X.-Z. Sun, X. Li & Feng, 2014) <Transferred from *Echiniscus* to *Claxtonia* by Gąsiorek et al. 2019d; Transferred from *Claxtonia* by Gąsiorek et al. 2021b>

Nebularmis indicus Gąsiorek, Ciosek & Michalczyk, 2021 {in Gąsiorek et al. 2021b}

Nebularmis japonicus (Morikawa, 1951) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d> {nomen inquirendum according to Gąsiorek et al. 2019a, c}

Nebularmis markezi (Mihelčič, 1971/72) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d> {nomen inquirendum according to Gąsiorek et al. 2019a}

Nebularmis nobilis (Mihelčič, 1967) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d> {nomen dubium according to Dastych 2015; species *dubia* according to Gąsiorek et al. 2019d}

Nebularmis phocae (du Bois-Reymond Marcus, 1944) <Transferred from *Echiniscus* by Gąsiorek et al. 2019d> {nomen inquirendum according to Gąsiorek et al. 2019a, d}

Nebularmis reticulatus (Murray, 1905) [Nebularmis mihelcici (Tharos, 1973) according to Gąsiorek et al. 2019a] <Transferred from *Echiniscus* by Gąsiorek et al. 2019d; Redescribed and neotype (from original type locality Loch Ness shore, Scotland, UK) designated by

Gąsiorek *et al.* 2019a; *Nebularmis mihelcici* transferred from *Echiniscus* by Gąsiorek *et al.* 2019d> {*Nebularmis mihelcici* - *species dubia* according to Gąsiorek *et al.* 2019d}
Nebularmis tardus (Mihelčič, 1951) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>
{*nomen dubium* according to Dastych 2015; *species dubia* according to Gąsiorek *et al.* 2019d}

Novechiniscus Kristensen, 1987

Novechiniscus armadilloides (R.O. Schuster, 1975)

Parechiniscus Cuénot, 1926

<Amended by DeMilio *et al.* 2022b>

Parechiniscus chitonides Cuénot, 1926

Proechiniscus Kristensen, 1987

Proechiniscus hanneae (Petersen, 1951)

Pseudechiniscus Thulin, 1911

<Amended by Vecchi *et al.* 2016a>

Subgenus: *Pseudechiniscus* Thulin, 1911 {in Gąsiorek *et al.* 2021c}

Pseudechiniscus (Pseudechiniscus) alberti Dastych, 1987

Pseudechiniscus (Pseudechiniscus) aquatilis Vončina, Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}

Pseudechiniscus (Pseudechiniscus) asper Abe, Utsugi & Takeda, 1998 <Amended by Vončina *et al.* 2020>

Pseudechiniscus (Pseudechiniscus) beasleyi X. Li, L. Wang & Yu, 2007

Pseudechiniscus (Pseudechiniscus) bidenticulatus Bartoš, 1963

Pseudechiniscus (Pseudechiniscus) brevimontanus Kendall-Fite & Nelson, 1996

Pseudechiniscus (Pseudechiniscus) chengi Xue, X. Li, L. Wang, Xian, H. Chen, 2017

Pseudechiniscus (Pseudechiniscus) clavatus Mihelčič, 1955 {*species dubia* according to Gąsiorek *et al.* 2021c}

Pseudechiniscus (Pseudechiniscus) dicrani Mihelčič, 1938 {*nomen dubium* according to Dastych 2015}

Pseudechiniscus (Pseudechiniscus) ehrenbergi Roszkowska, Grobys, Bartylak & Kaczmarek, 2020 {in Roszkowska *et al.* 2020}

Pseudechiniscus (Pseudechiniscus) facettalis Petersen, 1951 [*Pseudechiniscus pseudoconifer facettalis* Maucci, 1954]

Pseudechiniscus (Pseudechiniscus) formosus Gąsiorek, Vončina, Kristensen & Michalczyk, 2021

Pseudechiniscus (Pseudechiniscus) insolitus Maucci, 1991

Pseudechiniscus (Pseudechiniscus) jubatus Biserov, 1990

Pseudechiniscus (Pseudechiniscus) lacyformis Roszkowska, Grobys, Bartylak & Kaczmarek, 2020 {in Roszkowska *et al.* 2020}

Pseudechiniscus (Pseudechiniscus) lalitae Kayastha, Bartylak, Gawlak & Kaczmarek, 2020

Pseudechiniscus (Pseudechiniscus) linnaei Vončina, Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}

Pseudechiniscus (Pseudechiniscus) marinae Bartoš, 1934 {Synonymized to *Pseudechiniscus novaezeelandiae*, accepting it as *P. novaezeelandiae* forma *marinae* by Marcus 1936} <re-

- elevated to species level by Tumanov 2020a>
- Pseudechiniscus (Pseudechiniscus) megacephalus* Mihelčič, 1951 {nomen dubium according to Dastych 2015 and Gąsiorek *et al.* 2021c}
- Pseudechiniscus (Pseudechiniscus) nataliae* Biserov & Maucci, 1986 {in Biserov 1986}
- Pseudechiniscus (Pseudechiniscus) occultus* Dastych, 1980
- Pseudechiniscus (Pseudechiniscus) papillosum* X. Li, L. Wang, Y. Liu & Su, 2005
- Pseudechiniscus (Pseudechiniscus) pseudoconifer* Ramazzotti, 1943
- Pseudechiniscus (Pseudechiniscus) ramazzottii ramazzottii* Maucci, 1952
- Pseudechiniscus (Pseudechiniscus) ramazzottii facettalis* Iharos, 1964 [*Pseudechiniscus ramazzottii lineatus* Maucci, 1973-74]
- Pseudechiniscus (Pseudechiniscus) scorteccii* Franceschi, 1952
- Pseudechiniscus (Pseudechiniscus) shintai* Vončina, Kristensen & Gąsiorek, 2020
- Pseudechiniscus (Pseudechiniscus) suillus*** (Ehrenberg, 1853) [*Echiniscus mutabilis* Murray, 1905] <Amended Redescribed and neotype (from the original type locality Monte Rosa mountain massif, Aosta Valley, Italy) designated by Grobys *et al.* 2020>
- Pseudechiniscus (Pseudechiniscus) toto* Gąsiorek, Vončina, Kristensen & Michalczyk, 2021
- Pseudechiniscus (Pseudechiniscus) xiai* L. Wang, Xue & X. Li, 2018
- Subgenus: *Meridioniscus* Gąsiorek, Vončina & Michalczyk, 2023 {in Gąsiorek *et al.* 2021c} {First proposed by Gąsiorek *et al.* (2021c) without the ZooBank registration number required for works issued and distributed electronically, consequently the name *Meridioniscus* was not made officially available until its new establishment by Gąsiorek *et al.* 2023b}
- Pseudechiniscus (Meridioniscus) angelusalas* Roszkowska, Grobys, Bartylak & Kaczmarek, 2020 {in Roszkowska *et al.* 2020}
- Pseudechiniscus (Meridioniscus) bartkei* Węglarska, 1962
- Pseudechiniscus (Meridioniscus) celebesiensis*** Gąsiorek & Michalczyk, 2024
- Pseudechiniscus (Meridioniscus) conifer* (Richters, 1904)
- Pseudechiniscus (Meridioniscus) dastychi* Roszkowska, Grobys, Bartylak & Kaczmarek, 2020 {in Roszkowska *et al.* 2020}
- Pseudechiniscus (Meridioniscus) dreyeri* Gąsiorek, Vončina, Kristensen & Michalczyk, 2021
- Pseudechiniscus (Meridioniscus) indistinctus* Roszkowska, Grobys, Bartylak & Kaczmarek, 2020 {in Roszkowska *et al.* 2020}
- Pseudechiniscus (Meridioniscus) juanitae* de Barros, 1939 [*Pseudechiniscus suillus franciscae* de Barros, 1942]
- Pseudechiniscus (Meridioniscus) mascarenensis* Kiosya, Vončina & Gąsiorek, 2021
- Pseudechiniscus (Meridioniscus) novaezeelandiae novaezeelandiae* (Richters, 1908)
- Pseudechiniscus (Meridioniscus) novaezeelandiae forma aspinosa* Iharos, 1963 {nomen dubium according to Tumanov 2020a}
- Pseudechiniscus (Meridioniscus) novaezeelandiae forma dorsospinosa* Iharos, 1963 {nomen dubium according to Tumanov 2020a}
- Pseudechiniscus (Meridioniscus) novaezeelandiae forma laterospinosa* Iharos, 1963 {nomen dubium according to Tumanov 2020a}
- Pseudechiniscus (Meridioniscus) quadrilobatus* Iharos, 1969 [*Pseudechiniscus gullii* Pilato & Lisi, 2006 according to Gąsiorek *et al.* 2021c, *Pseudechiniscus pilatoi* X. Li, 2007 according to Gąsiorek *et al.* 2021c]
- Pseudechiniscus (Meridioniscus) saltensis* Rocha, Doma, Gonzales Reyes & Lisi, 2020
- Pseudechiniscus (Meridioniscus) santomensis* Fontoura, Pilato & Lisi, 2010

Pseudechiniscus (Meridioniscus) spinerectus Pilato, Binda, Napolitano & Moncada, 2001
Pseudechiniscus (Meridioniscus) titianae Vecchi, Cesari, Bertolani, Jönsson, Rebecchi & Guidetti, 2016a
Pseudechiniscus (Meridioniscus) yunnanensis L. Wang, 2009
Pseudechiniscus (Meridioniscus) wallacei Vončina, Gąsiorek, Morek & Michalczyk, 2022 {in Gąsiorek *et al.* 2022b}

not included in any subgenus {in Gąsiorek *et al.* 2021c}

Pseudechiniscus bispinosus (Murray, 1907) {Probably belongs in a different genus according to Gąsiorek *et al.* 2021c}

Pseudechiniscus jiroveci Bartoš, 1963 {*nomen dubium* according to Tumanov 2020a}

Pseudechiniscus shilinensis Yang, 2002 {*nomen dubium* according to Gąsiorek *et al.* 2021c}

Pseudechiniscus transsylvanicus Iharos, 1936 {Probably belongs in a different genus according to Gąsiorek *et al.* 2021c}

Stellariscus Gąsiorek, Suzuki, Kristensen & Michalczyk, 2018 {in Gąsiorek *et al.* 2018c}

Stellariscus elegans (Richters, 1907) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2018c>

Stellariscus latifasciatus (Dudichev & Biserov, 2000) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2018c>

Stellariscus pseudelegans (Séméria, 1994) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2018c>

Testechiniscus Kristensen, 1987

<Amended by Gąsiorek *et al.* 2018b and Gąsiorek 2023>

Testechiniscus laterculus (Schuster, Grigarick & Toftner, 1980) <Amended by Gąsiorek *et al.* 2018b>

Testechiniscus macronyx (Richters, 1907) <Transferred from *Echiniscus* by McInnes 1994>

Testechiniscus meridionalis (Murray, 1906) {see *Echiniscus*}

Testechiniscus spitsbergensis (Scourfield, 1897) [*Echiniscus clavisetosus* Mihelčič, 1958; *Echiniscus marinellae* Bartoš, 1935; *Echiniscus melanophthalmus* Bartoš, 1936; *Echiniscus menzeli* Heinis, 1917; *Echiniscus rosaliae* Mihelčič, 1951; *Echiniscus spinuloides* Murray, 1907] <Amended by Gąsiorek *et al.* 2018b>

Testechiniscus spitsbergensis tropicalis Gąsiorek, Stec, Zawierucha, Kristensen & Michalczyk, 2018

Viridiscus Gąsiorek & Michalczyk, 2019 {in Gąsiorek *et al.* 2019d}

Viridiscus celatus Momeni, Gąsiorek, Nelson & Michalczyk, 2023 {in Momeni *et al.* 2023}

Viridiscus clavispinosus (Fontoura, Pilato & Lisi, 2011) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d> {*nomen inquirendum* according to Momeni *et al.* 2023}

Viridiscus perviridis (Ramazzotti, 1959) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Viridiscus rufoviridis (du Bois-Reymond Mareus, 1944) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d> {see *Barbaria*}

Viridiscus viridianus (Pilato, Fontoura & Lisi, 2007) <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d; Redescribed by Momeni *et al.* 2023 based on populations from Alabama and Florida, USA>

Viridiscus viridis (Murray, 1910) <Amended by Pilato *et al.* 2008a; Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Viridiscus viridissimus (Péterfi, 1956) [*Viridiscus miraviridis* Nelson, Adkins Fletcher, Guidetti, Roszkowska, Grobys & Kaczmarek, 2021 according to Gąsiorek *et al.* 2021e] <Transferred from *Echiniscus* by Gąsiorek *et al.* 2019d>

Zealandiscus Kaczmarek & Roszkowska, 2021

Zealandiscus palmai (Dastych, 1997) <Transferred from *Echiniscus* by Kaczmarek & Roszkowska 2021>

Class: MESOTARDIGRADA Rahm, 1937 {*nomen dubium* according to Grothman *et al.* 2017}

Order: THERMOZODIA Ramazzotti & Maucci, 1983

Family: Thermoziidae Rahm, 1937

Thermozodium Rahm, 1937

Thermozodium esakii Rahm, 1937

Class: EUTARDIGRADA Richters, 1926

{Guil *et al.* 2019 proposed new class APOTARDIGRADA Guil, Jørgensen & Kristensen, 2019 for the order APOCHELA, suppressed order PARACHELA and replaced it with class EUTARDIGRADA and elevated superfamilies Eohypsibioidea, Hypsibioidea, Isohypsicbioidea and Macrobiotoidea to orders. Morek *et al.* 2020b suppressed all these taxonomic acts}

Order: APOCHELA Schuster, Nelson, Grigarick & Christenberry, 1980
<Amended by Morek *et al.* 2020b>

Family: Milnesiidae Ramazzotti, 1962
<Amended by Morek *et al.* 2020b>

Bergtrollus Dastych, 2011

Bergtrollus dzimbowski Dastych, 2011

Limmenius Horning, Schuster & Grigarick, 1978

Limmenius porcellus Horning, Schuster & Grigarick, 1978

Milnesioides Claxton, 1999

Milnesioides exsertum Claxton, 1999

Milnesium Doyère, 1840

<Amended by Morek *et al.* 2020b>

Milnesium alabamae Wallendorf & Miller, 2009

Milnesium almatyense Tumanov, 2006 <Amended by Morek *et al.* 2020a>

Milnesium alpinum Ehrenberg, 1853 <Redescribed and neotype (from the original type locality Monte Rosa mountain massif, Aosta Valley, Italy) designated by Morek *et al.* 2019b>
{Valid according to Morek *et al.* 2016}

Milnesium antarcticum Tumanov, 2006

Milnesium argentinum Roszkowska, Ostrowska & Kaczmarek, 2015

- Milnesium asiaticum* Tumanov, 2006
- Milnesium barbadosense* Meyer & Hinton, 2012
- Milnesium beasleyi* Kaczmarek, Jakubowska & Michalczyk, 2012
- Milnesium beatae* Roszkowska, Ostrowska & Kaczmarek, 2015
- Milnesium berladnicorum* Ciobanu, Zawierucha, Moglan & Kaczmarek, 2014
- Milnesium boholeberi* Bartels, Nelson, Kaczmarek & Michalczyk, 2014
- Milnesium brachyungue* Binda & Pilato, 1990
- Milnesium burgessi* Schlabach, Donaldson, Hobelman, Miller & Lowman, 2018
- Milnesium cassandrae* Moreno-Talamantes, Roszkowska, García-Aranda, Flores-Maldonado & Kaczmarek, 2019
- Milnesium decorum* Morek, Wałach & Michalczyk, 2022
- Milnesium dornensis* Ciobanu, Roszkowska & Kaczmarek, 2015
- Milnesium dujiangensis* Yang, 2003 {*nomen dubium* according to Morek *et al.* 2016}
- Milnesium eurystomum* Maucci, 1991 <Amended by Michalczyk *et al.* 2012>
- Milnesium fridae* Moreno-Talamantes, León-Espinosa, García-Aranda, Flores-Maldonado & Kaczmarek, 2020
- Milnesium granulatum* Ramazzotti, 1962 <*M. tardigradum granulatum* amended and elevated to species level by Michalczyk *et al.* 2012>
- Milnesium guanyinensis* Yuan, Q. Liu, Y. Wang, L. Liu, Y. Chen & X. Li, 2023
- Milnesium inceptum* Morek, Suzuki, Schill, Georgiev, Yankova, Marley & Michalczyk, 2019
- Milnesium iniquum* Brotto-Guidetti, Morek & Garraffoni, 2024
- Milnesium irenae* Rocha, González-Reyes, Ostertag & Lisi, 2022
- Milnesium jacobi* Meyer & Hinton, 2010
- Milnesium katarzynae* Kaczmarek, Michalczyk & Beasley, 2004
- Milnesium kogui* Londoño, Daza, Caicedo, Quiroga & Kaczmarek, 2015
- Milnesium krzysztofi* Kaczmarek & Michalczyk, 2007
- Milnesium lagniappe* Meyer, Hinton & Dupré, 2013
- Milnesium longiungue* Tumanov, 2006
- Milnesium matheusi* Kaczmarek, Grobys, Kulpa, Bartylak, Kmita, M. Kepel, A. Kepel & Roszkowska, 2019
- Milnesium minutum* Pilato & Lisi, 2016
- Milnesium pacificum* Sugiura, Minato, Matsumoto & Suzuki, 2020
- Milnesium pelufforum* Rocha, González-Reyes, Ostertag & Lisi, 2022
- Milnesium pentapapillatum* Ciosek, Morek & Michalczyk, 2020 {in Morek *et al.* 2020b}
- Milnesium pseudotardigradum* Surmacz, Morek & Michalczyk, 2019
- Milnesium quadrifidum* Nederström, 1919 {Valid according to Morek *et al.* 2016}
- Milnesium quiranae* Rocha, González-Reyes, Ostertag & Lisi, 2022
- Milnesium rastrum* Suzuki, Sugiura, Tsujimoto & McInnes, 2023 {in Suzuki *et al.* 2023}
- Milnesium reductum* Tumanov, 2006 <Amended by Morek *et al.* 2020a>
- Milnesium reticulatum* Pilato, Binda & Lisi, 2002 <Amended by Morek *et al.* 2022>
- Milnesium sandrae* Pilato & Lisi, 2016
- Milnesium shilohae* Meyer, 2015
- Milnesium swansonii* Young, Chappell, Miller & Lowman, 2016
- Milnesium swolenskyi* Bertolani & Grimaldi, 2000 {fossil species}
- Milnesium tardigradum tardigradum* Doyère, 1840 <Amended Redescribed and neotype (from Zeesen, Wildau, Germany) designated by Michalczyk *et al.* 2012 (original type locality Saint-Maur-des-Fossés, France); and Amended by Morek *et al.* 20182019a>

Milnesium tardigradum trispinosa Rahm, 1931 {nomen dubium according to Morek *et al.* 2016;
Not valid according to Suzuki 2016}

Milnesium tetralamellatum Pilato & Binda, 1991

Milnesium tumanovi Pilato, Sabella & Lisi, 2016

Milnesium validum Pilato, Sabella, D'Urso & Lisi, 2017

Milnesium variefidum Morek, Gąsiorek, Stec, Blagden & Michalczyk, 2016

Milnesium vorax Pilato, Sabella & Lisi, 2016

Milnesium wrightae Kaczmarek, Grobys, Kulpa, Bartylak, Kmita, M. Kepel, A. Kepel & Roszkowska, 2019

Milnesium zsalakoae Meyer & Hinton, 2010

Order: PARACHELA Schuster, Nelson, Grigarick & Christenberry, 1980

Superfamily: Eohypsibioidea Bertolani & Kristensen, 1987 {in Marley *et al.* 2011}

Family: Eohypsibiidae Bertolani & Kristensen, 1987

[Amphibolidae Bertolani, 1981]

<Amended by Trygvadóttir & Kristensen 2011>

Austeruseus Trygvadóttir & Kristensen, 2011

Austeruseus balduri Trygvadóttir & Kristensen 2011

Austeruseus faeroensis Trygvadóttir & Kristensen 2011

Austeruseus rokuri Trygvadóttir & Kristensen 2011

Bertolanius Özdkmen, 2008

[*Amphibolus* Bertolani, 1981 according to Özdkmen 2008]

<Amended by Trygvadóttir & Kristensen 2011>

Bertolanius birnae Hansen, Kristensen, Bertolani & Guidetti, 2016

Bertolanius mahunkai (Iharos, 1971)

Bertolanius markevichi (Biserov, 1992)

Bertolanius nebulosus (Dastych, 1983)

Bertolanius portucalensis Fontoura, Pilato, Lisi & Morais, 2009

Bertolanius smreczynskii (Węglarska, 1970)

Bertolanius volubilis (Durante Pasa & Maucci, 1975)

Bertolanius weglarskae (Dastych, 1972)

Eohypsibius Kristensen, 1982

<Amended by Trygvadóttir & Kristensen 2011>

Eohypsibius nadjae Kristensen, 1982

Eohypsibius terrestris Ito, 1988

Superfamily: Hypsibioidea Pilato, 1969 {in Marley *et al.* 2011}

<Amended by Bertolani *et al.* 2014 and by Gąsiorek *et al.* 2018a>

Family: Acutuncidae Vecchi, Tsvetkova, Stec, Ferrari, Calhim & Tumanov, 2023

Acutuncus Pilato & Binda, 1997

<Transferred from Hypsibiinae to *incerta subfamilia* within Hypsibiidae by Bertolani *et al.* 2014;
Transferred from Hypsibiidae and amended by Vecchi *et al.* 2023b>

- Acutuncus antarcticus*** (Richters, 1904) [*Hypsibius simoizumii* Sudzuki, 1964]
Acutuncus giovanniniae Vecchi, Tsvetkova, Stec, Ferrari, Calhim & Tumanov, 2023
Acutuncus mariae Zawierucha, 2020 {in Zawierucha *et al.* 2020}
Acutuncus mecnuffi Vecchi, Tsvetkova, Stec, Ferrari, Calhim & Tumanov, 2023

Family: Calohypsibiidae Pilato, 1969
<Amended by Bertolani *et al.* 2014 and by Gąsiorek *et al.* 2019c>

Calohypsibius Thulin, 1928

- Calohypsibius maliki* Michalczyk & Kaczmarek, 2005
Calohypsibius ornatus (Richters, 1900) [*Hypsibius (Calohypsibius) armatus* Bartoš, 1938;
Hypsibius (Calohypsibius) intermedius Mihelčič, 1939]
Calohypsibius schusteri Nelson & McGlothlin, 1996

Family: Hypsibiidae Pilato, 1969
<Amended by Bertolani *et al.* 2014 and by Gąsiorek *et al.* 2018a>

Subfamily: Diphasconinae Dastych, 1992

<Amended by Bertolani *et al.* 2014 and by Gąsiorek & Michalczyk 2020a>

Diphascon Plate, 1888

<Amended by Bertolani *et al.* 2014>

- Diphascon alpinum* Murray, 1906 {*nomen dubium* according to Dastych 2015 and Tumanov & Tsvetkova 2023}

Diphascon australianum Pilato & Binda, 1998

Diphascon bicorne (Mihelčič, 1971) {*nomen dubium* according to Dastych 2015}

Diphascon bidropion Ito, 1995

Diphascon birklehofi Rolf Schuster, 1999

Diphascon chilenense Plate, 1888 {*nomen dubium* according to Dastych 2015}

Diphascon claxtonae Pilato & Binda, 1998

Diphascon coniferens (Bartoš, 1960)

Diphascon dastychi Pilato & Binda, 1999

Diphascon dolomiticum Pilato & Bertolani, 2005

Diphascon faialense Fontoura & Pilato, 2007

Diphascon greveni (Dastych, 1984) <Transferred to *Adropion* by Bertolani *et al.* 2014; Re-transferred to *Diphascon* by Tumanov & Tsvetkova 2023; Amended by Gąsiorek *et al.* 2023a>

Diphascon halapiense (Iharos, 1964) <Transferred to *Pilatobius* by Bertolani *et al.* 2014; Re-transferred to *Diphascon* by Tumanov 2018>

Diphascon higginsi Binda, 1971

Diphascon humicus Bertolani, Guidetti & Rebecchi, 1994

Diphascon hydrophilum Pilato, Binda, Bertolani & Lisi, 2005

Diphascon iharosi Vargha, 1995

Diphascon langhovdense (Sudzuki, 1964)

Diphascon marcuzzii (Mihelčič, 1971)

Diphascon mariae (Mihelčič, 1951) {nomen dubium according to Dastych 2015}
Diphascon mauccii (Dastych & McInnes, 1996) <Transferred to *Adropion* by Bertolani *et al.* 2014; Re-transferred to *Diphascon* by Tumanov & Tsvetkova 2023>
Diphascon mirabilis Dastych, 1984
Diphascon mitrense Pilato, Binda & Qualtieri, 1999
Diphascon nelsonae Pilato, Binda, Bertolani & Lisi, 2005
Diphascon nobilei (Binda, 1969)
Diphascon ongulense (Morikawa, 1962)
Diphascon pingue pingue (Marcus, 1936)
Diphascon pingue brunsvicense Argue, 1972
Diphascon pinguiforme Pilato & Binda, 1997/98
Diphascon platyungue Pilato, Binda, Bertolani & Lisi, 2005
Diphascon polare Pilato & Binda, 1999
Diphascon puchalskii Kaczmarek, Parnikoza, Gawlak, Esefeld, Peter, Kozeretska & Roszkowska, 2018
Diphascon punctatum (Iharos, 1962)
Diphascon puniceum (Jennings, 1976)
Diphascon rivulare (Mihelčič, 1967) {nomen dubium according to Dastych 2015}
Diphascon rudnickii Kaczmarek, Parnikoza, Gawlak, Esefeld, Peter, Kozeretska & Roszkowska, 2018
Diphascon sanae Dastych, Ryan & Watkins, 1990
Diphascon serratum Pilato, Binda, Bertolani & Lisi, 2005
Diphascon speciosum (Mihelčič, 1971) {nomen dubium according to Dastych 2015}
Diphascon stappersi Richters, 1911
Diphascon tenue Thulin, 1928 {see *Arctodiphascon*, Itaquasconidae}
Diphascon victoriae Pilato & Binda, 1999
Diphascon wuyingensis X.-L. Sun, J.-Y. Zhang, N. Wang, Zhao & Luo, 2020 {see *Arctodiphascon*, Itaquasconidae }
Diphascon zaniewi Kaczmarek & Michalczyk, 2004

Kararehius Zawierucha, Stec & Shain, 2023 {in Zawierucha *et al.* 2023}
Kararehius behanae (Dastych, 1987) <Transferred from *Adropion* by Zawierucha *et al.* 2023>
Kararehius gregorii Zawierucha, 2023 {in Zawierucha *et al.* 2023}
Kararehius tricuspidatum (Binda & Pilato, 2000) <Transferred from *Adropion* by Zawierucha *et al.* 2023>
Kararehius triodon (Maucci, 1996) <Transferred from *Adropion* by Zawierucha *et al.* 2023>

Kopakaius Zawierucha & Shain, 2023 {in Zawierucha *et al.* 2023}
Kopakaius nicolae Zawierucha, 2023 {in Zawierucha *et al.* 2023}

Subfamily: Hypsibiinae Pilato, 1969
<Amended by Bertolani *et al.* 2014>

Borealisbius Pilato, Guidetti, Rebecchi, Lisi, Hansen & Bertolani, 2006
Borealisbius zetlandicus (Murray, 1907)

Cryobiotus Dastych, 2019

Cryobiotus janetscheki (Ramazzotti, 1968) <Transferred from *Hypsibius* by Dastych 2019>

Cryobiotus klebelsbergi (Mihelčič, 1959) <Transferred from *Hypsibius* by Dastych 2019>

Cryobiotus thaleri (Dastych, 2004) <Transferred from *Hypsibius* by Dastych 2019>

Cryobiotus roswithae Dastych, 2019

Hypsibius Ehrenberg, 1848

<Amended by Gąsiorek *et al.* 2018a>

Hypsibius allisoni Horning, Schuster & Grigarick, 1978

Hypsibius antonovae (Biserov, 1990)

Hypsibius biscuitiformis Bartoš, 1960

Hypsibius calcaratus Bartoš, 1935

Hypsibius camelopardalis Ramazzotti & Maucci, 1983

Hypsibius choucoutiensis Rahm, 1937

Hypsibius convergens (Urbanowicz, 1925)

Hypsibius conwentzii Kaczmarek, Parnikoza, Gawlak, Esefeld, Peter, Kozeretska & Roszkowska, 2018

Hypsibius dujardini (Doyère, 1840) [*Macrobiotus palustris* Dujardin, 1851; *Macrobiotus lacustris* Dujardin, 1851; *Macrobiotus tetradactylus* Lance, 1896; *Macrobiotus samoanus* Richters, 1908; *Macrobiotus breckneri* Richters, 1910; *Macrobiotus ursellus* Della Valle, 1915; *Hypsibius murrayi* Marcus, 1929] <Amended by Gąsiorek *et al.* 2018a>

Hypsibius exemplaris Gąsiorek, Stec, Morek & Michalczyk, 2018

Hypsibius fuhrmanni (Heinis, 1914) {Subjectively invalid according to Gąsiorek *et al.* 2018a}

Hypsibius giusepparamazzotti Sudzuki, 1975

Hypsibius hypostomus Bartoš, 1935

Hypsibius iskandarovi Tumanov, 1997

Hypsibius kunmingensis Yang, 2002

Hypsibius macrocalcaratus Beasley, 1988

Hypsibius maculatus Iharos, 1969

Hypsibius marcelli Pilato, 1990

Hypsibius microps Thulin, 1928 <Amended by Kaczmarek & Michalczyk 2009>

Hypsibius montanus Iharos, 1940 [*Hypsibius iharosi* Bartoš, 1941 according to Degma & Guidetti 2007]

Hypsibius morikawai Ito, 1995

Hypsibius multituberculatus Pilato, Binda & Lisi, 2003

Hypsibius murrayi (Richters, 1907) [*Hypsibius heardensis* Miller, McInnes & Bergstrom, 2005 according to Dastych 2018] <Redescribed by Dastych 2018 based on type specimens and additional material from South Georgia and Kerguelen>

Hypsibius nivalis Ono, Takeuchi & Zawierucha, 2022

Hypsibius novaezeelandiae Pilato & Binda, 1997

Hypsibius pachyunguis Maucci, 1996

Hypsibius pallidus Thulin, 1911 <Amended by Kaczmarek & Michalczyk 2009>

Hypsibius pedrottii Bertolani, Manicardi & Gibertoni, 1987

Hypsibius pradellii Bertolani & Rebecchi, 1996

Hypsibius ragonesei Binda & Pilato, 1985

Hypsibius repentinus Tumanov & Avdeeva, 2021

Hypsibius roanensis Nelson & McGlothlin, 1993

Hypsibius runae Bartoš, 1941

Hypsibius scabropygus Cuénot, 1929
Hypsibius septulatus Pilato, Binda, Napolitano & Moncada, 2004
Hypsibius seychellensis Pilato, Binda & Lisi, 2006
Hypsibius shaanxiensis H. Li & X. Li, 2008
Hypsibius stiliferus Abe, 2004
Hypsibius valentinae Pilato, Kiosya, Lisi & Sabella, 2012
Hypsibius vaskelae Tumanov, 2018

Incota subfamilia {according to Bertolani *et al.* 2014}

Acutuncus Pilato & Binda, 1997 {see Acutuncidae}
<Transferred from Hypsibiinae by Bertolani *et al.* 2014>
Acutuncus antarcticus (Richters, 1904) [*Hypsibius simoizumii* Sudzuki, 1964]
Acutuncus mariae Zawierucha, 2020 {in Zawierucha *et al.* 2020}

Mixibius Pilato, 1992
<Transferred from Isohypsiidae by Bertolani *et al.* 2014>
{To be confirmed in the family Isohypsiidae, see Marley *et al.* 2011}
Mixibius felix Pilato, Sabella, D'Urso & Lisi, 2017
Mixibius fueginus Pilato & Binda, 1996
Mixibius gibbosus Lisi, Daza, Londoño & Quiroga, 2022
Mixibius ninguidus Biserov, 1999
Mixibius ornatus Pilato, Binda, Napolitano & Moncada, 2002
Mixibius parvus Lisi, Sabella & Pilato, 2014
Mixibius pilatoi L. Wang, 2009
Mixibius saracenus (Pilato, 1973)
Mixibius schnurae Pilato, Lisi & Binda, 2010
Mixibius sutirae Pilato, Binda & Lisi 2004
Mixibius tibetanus H. Li & X. Li, 2008

Family: Itaquasconidae Bartoš {in Rudescu, 1964}
<Amended by Bertolani *et al.* 2014 and by Gąsiorek & Michalczyk 2020a; Elevated from the
subfamily level in Hypsibiidae by Tumanov & Tsvetkova 2023>
{Rudescu (1964) first published the name of the family Itaquasconidae based on draft of the
monograph by Bartoš (1967) which he lent to Rudescu and which was finally published later than
it was planned}

Adropion Pilato, 1987
<Subgenus *Adropion* of the genus *Diphascon* elevated to genus level and transferred from
Diphasconinae by Bertolani *et al.* 2014; Amended by Gąsiorek & Michalczyk 2020a>
Adropion afroglacialis Zawierucha, Gąsiorek & Buda, 2018 {in Zawierucha *et al.* 2018a}
Adropion belgicae (Richters, 1911) [*Fujiscon diphasconiellum* Ito, 1991]<Amended by Bernard
1977 and by Gąsiorek *et al.* 2023a>
Adropion camtchaticum Tumanov & Kalimullin, 2024
Adropion diphasconiellum (Ito, 1991) <*Fujiscon diphasconiellum* Ito, 1991 was synonymized
with *Adropion belgicae* by Maucci 1996; Gąsiorek *et al.* 2023a considered it as a valid
species>

Adropion gani (X.-Z. Sun, X. Li & Feng, 2014) {*nomen inquirendum* according to Gąsiorek et al. 2023a}

Adropion gordoniense (Pilato, Claxton & Horning, 1991)

Adropion greveni (Dastych, 1984) {see *Diphascon*}

Adropion linzhiensis (X. Li, 2007)

Adropion marcusii (Rudescu, 1964) <Transferred from *Mesocrista* by Gąsiorek et al. 2016>
{*nomen dubium* according to Dastych 2015; *species dubia* according to Gąsiorek et al. 2016; For taxonomic status of the species see Gąsiorek et al. 2016}

Adropion ommatophorum (Thulin, 1911) <*Adropion scoticum ommatophorum* elevated to species level by Gąsiorek et al. 2023a>

Adropion maueci (Dastych & McInnes, 1996) {see *Diphascon*}

Adropion onorei (Pilato, Binda, Napolitano & Moncada, 2002)

Adropion scoticum seoticum (Murray, 1905) [*Diphascon crozetense* Richters, 1907]
<Redescribed and neotype (from Drum Castle, Drumoak Scotland) designated by Gąsiorek et al. 2023a (original type locality areas around Edinburgh, Scotland); *Adropion scoticum qinlingensis* (X. Li & Y. Liu, 2005) suppressed by Gąsiorek et al. 2023a>

Adropion scoticum ommatophorum (Thulin, 1911) {see *Adropion ommatophorum*}

Adropion scoticum qinlingensis (X. Li & Y. Liu, 2005) {see *Adropion scoticum*}

Arctodiphascon Tumanov & Tsvetkova, 2023

Arctodiphascon tenue (Thulin, 1928) <Transferred from *Diphascon* by Tumanov & Tsvetkova 2023> {Based on type material, additional character to the original description was added by Tumanov & Tsvetkova 2023}

Arctodiphascon wuyingensis (X.-L. Sun, J.-Y. Zhang, N. Wang, Zhao & Luo, 2020) <Tentatively transferred from *Diphascon* by Tumanov & Tsvetkova 2023>

Astatumen Pilato, 1997

<Amended by Tumanov & Tsvetkova 2023>

Astatumen bartosi (Węglarska, 1959)

Astatumen tamaensis (Suzuki, 1975)

Astatumen tamurai (Ito, 1990)

Astatumen trinacriae (Arcidiacono, 1962) [*Itaquascon ramazzottii* Iharos, 1966]

Bindius Pilato, 2009

<Transferred from *Diphasconinae* by Bertolani et al. 2014>

Bindius triquetrus Pilato, 2009

Guidettion Gąsiorek & Michalczyk, 2020

Guidettion arduifrons (Thulin, 1928) <Transferred from *Adropion* by Gąsiorek & Michalczyk 2020a> {*nomen inquirendum* according to Gąsiorek et al. 2023a}

Guidettion carolae (Binda & Pilato, 1969) <Transferred from *Adropion* by Gąsiorek & Michalezyk 2020a> {see *Guidettion prorsirostre*}

Guidettion clavatum (Bartoš, 1935) <Transferred from *Adropion* by Gąsiorek & Michalczyk 2020a>

Guidettion modestum (Binda, Pilato & Dastych, 1984) <Transferred from *Adropion* by Gąsiorek & Michalczyk 2020a>

Guidettion montigenum (Pilato & Dastych, 1974) <Transferred from *Adropion* by Gąsiorek &

Michalczyk 2020a>

Guidettion prorsirostre (Thulin, 1928) [*Guidettion carolae* (Binda & Pilato, 1969), previously transferred from *Adropion* by Gąsiorek & Michalczyk 2020a, synonym according to Gąsiorek *et al.* 2023a] <Transferred from *Adropion* by Gąsiorek & Michalczyk 2020a; Redescribed and neotype (from Bennachie, Little Oxen Craig, Scotland) designated by Gąsiorek *et al.* 2023a (original type localities Killin (Scotland), Notteryd (Sweden), Mecklenburg (Germany))>

Guidettion vexatum (Pilato, Sabella, D'Urso & Lisi, 2017) <Transferred from *Adropion* by Gąsiorek & Michalczyk 2020a> {*nomen inquirendum* according to Gąsiorek *et al.* 2023a}

Insulobius Gąsiorek & Michalczyk, 2020

Insulobius orientalis Gąsiorek & Michalczyk, 2020

Itaquascon de Barros, 1939

<Amended by Gąsiorek & Michalczyk 2020a and by Massa *et al.* 2021>

Itaquascon biserovi Pilato, Binda & Moncada, 1999

Itaquascon cambewarrense Pilato, Binda & Claxton, 2002

Itaquascon enckelli (Mihelčič, 1971/72) {*nomen dubium* according to Gąsiorek *et al.* 2023a}

Itaquascon magnussoni Massa, Guidetti, Cesari, Rebecchi & Jönsson, 2021

Itaquascon mongolicus Kaczmarek, Michalczyk & Węglarska, 2002

Itaquascon pilatoi Lisi, Londoño & Quiroga, 2014

Itaquascon pisoniae Pilato & Lisi, 2009

Itaquascon placophorum Maucci, 1973

Itaquascon serratulum Gąsiorek & Michalczyk, 2023 {in Gąsiorek *et al.* 2023a}

Itaquascon simplex (Mihelčič, 1971) {*nomen dubium* according to Gąsiorek *et al.* 2023a}

Itaquascon umbellinae de Barros, 1939

Itaquascon unguiculum Pilato, Binda & Claxton, 2002

Meplitumen Lisi, Daza, Londoño, Quiroga & Pilato, 2019 {see *Platicrista*}

Meplitumen aluna Lisi, Daza, Londoño, Quiroga & Pilato, 2019 {see *Platicrista*}

Meplitumen itaquasconoide (Durante Pasa & Maucci, 1975) <Transferred from *Platicrista* by Massa *et al.* 2021> {see *Platicrista*}

Mesocrista Pilato, 1987

Mesocrista revelata Gąsiorek, Stec, Morek, Zawierucha, Kaczmarek, Lachowska-Cierlik & Michalczyk, 2016

Mesocrista spitzbergensis (Richters, 1903) <Amended by Gąsiorek *et al.* 2016>

Parascon Pilato & Binda, 1987

*Parascon nichollsa*e Pilato & Lisi, 2004

Parascon schusteri Pilato & Binda, 1987

Platicrista Pilato, 1987

[*Meplitumen* Lisi, Daza, Londoño, Quiroga & Pilato, 2019 according to Tumanov & Tsvetkova 2023]

<Amended by Scheirer *et al.* 2024>

Platicrista affine (Mihelčič, 1951) {Objectively invalid according to Gąsiorek *et al.* 2023a}

Platicrista aluna (Lisi, Daza, Londoño, Quiroga & Pilato, 2019) <Transferred from *Meplitumen* by Tumanov & Tsvetkova 2023>

Platicrista angustata (Murray, 1905) <Redescribed and neotype (from Hill of Foudland, Scotland) designated by Gąsiorek *et al.* 2023a (original type locality Loch Ness shore, Scotland)>

Platicrista borneensis Gąsiorek & Michalczyk, 2023 {in Gąsiorek *et al.* 2023a}

Platicrista brunsoni Miller & J.D. Miller, 2021 <Amended by Gąsiorek *et al.* 2023a based on material from Wyoming, USA>

Platicrista carpathica Gąsiorek, 2023 {in Gąsiorek *et al.* 2023a}

Platicrista cheleusis Kathman, 1990 [*Diphascon craigi* Beasley, 1990]

Platicrista horribilis Kaczmarek & Michalczyk, 2003 <Amended by Gąsiorek *et al.* 2023a based on material from Montenegro>

Platicrista itaquasconoide (Durante Pasa & Maucci, 1975) <Transferred from *Platicrista* to *Meplitumen* by Massa *et al.* 2021; Re-transferred from *Meplitumen* by Tumanov & Tsvetkova 2023> {*nomen inquirendum* according to Gąsiorek *et al.* 2023a}

Platicrista loloensis Scheirer, Miller & J.D. Miller, 2024

Platicrista nivea Gąsiorek, 2023 {in Gąsiorek *et al.* 2023a}

Platicrista ramsayi Marley, 2006

Raribius Gąsiorek & Michalczyk, 2020

Raribius globuliferus (Abe & Ito, 1994) <Transferred from *Itaquascon* by Gąsiorek & Michalczyk 2020a>

Raribius minutissimus Gąsiorek & Michalczyk, 2023 {in Gąsiorek *et al.* 2023a}

Raribius pawlowskii (Węglarska, 1973) <Transferred from *Itaquascon* by Gąsiorek & Michalczyk 2020a> {not mentioned as type species by Gąsiorek & Michalczyk 2020; listed as type species in Zoobank}

Sarascon Guil, Rodrigo & Machordom, 2014

Sarascon hortensiae Guil, Rodrigo & Machordom, 2014

Family: Microhypibiidae Pilato, 1998
<Amended by Gąsiorek *et al.* 2019c>

Microhypsbius Thulin, 1928

Microhypsbius bertolani Kristensen, 1982

Microhypsbius japonicus Ito, 1991

Microhypsbius minimus Kristensen, 1982

Microhypsbius truncatus Thulin, 1928

Family: Pilatobiidae Bertolani, Guidetti, Marchioro, Altiero, Rebecchi & Cesari, 2014
<Amended by Gąsiorek & Michalczyk 2020a; Elevated from the subfamily level in Hypsibiidae by Tumanov & Tsvetkova 2023>

Degmion Gąsiorek, Morek & Michalczyk, 2023 {in Gąsiorek *et al.* 2023a}

Degmion burti (Nelson, 1991) <Transferred from *Diphascon* to *Pilatobius* by Bertolani *et al.* 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a>

Degmion nodulosum (Ramazzotti, 1957) <Transferred from *Diphascon* to *Pilatobius* by

Bertolani *et al.* 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a>
Degmion nuominensis (X.-L. Sun, J.-Y. Zhang, N. Wang, Zhao & Luo, 2021) <Transferred from
Pilatobius by Gąsiorek *et al.* 2023a>
Degmion oculatum *m oculatus* (Murray, 1906) <Transferred from *Diphascon* to *Pilatobius* by
Bertolani *et al.* 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a; Redescribed
and neotype (from Oxen Craig, Aberdeenshire, Scotland, UK) designated by Gąsiorek *et al.*
2023a (original type locality Hopetoun Wood, Broxburn, Scotland, UK); *Pilatobius*
oculatus alpium (Mihelčič, 1964) {*nomen dubium* according to Dastych 2015} and
Pilatobius oculatus canadensis (Murray, 1910) {*nomen dubium* according to Gąsiorek *et al.*
2023a} [synonym *Hypsibius vancouverensis* Thulin, 1911] - both transferred from
Diphascon by Bertolani *et al.* 2014 and suppressed by Gąsiorek *et al.* 2023a>
Degmion opisthoglyptum (Maucci, 1987) <Transferred from *Diphascon* to *Pilatobius* by
Tumanov 2018; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a>
Degmion rugocaudatum (Rodriguez Roda, 1952) <Transferred from *Diphascon* to *Pilatobius* by
Bertolani *et al.* 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a> {*nomen*
inquirendum according to Gąsiorek *et al.* 2023a}

Fontourion Gąsiorek, Morek & Michalczyk, 2023 {in Gąsiorek *et al.* 2023a}
Fontourion borealis (Biserov, 1996) <Transferred from *Diphascon* to *Pilatobius* by Bertolani *et*
al. 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a>
Fontourion brevipes (Marcus, 1936) <Transferred from *Diphascon* to *Pilatobius* by Bertolani *et*
al. 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a>
Fontourion glacialis (Zawierucha, Buda & Gąsiorek, 2020) {in Zawierucha *et al.* 2020}
<Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a>
Fontourion islandicum (Buda & Zawierucha, 2018) {in Buda *et al.* 2018} <Transferred from
Pilatobius by Gąsiorek *et al.* 2023a>
Fontourion recamieri (Richters, 1911) <Transferred from *Diphascon* to *Pilatobius* by Bertolani
et al. 2014; Amended by Gąsiorek *et al.* 2017a; Transferred from *Pilatobius* by Gąsiorek *et*
al. 2023a>
Fontourion secchii (Bertolani & Rebecchi, 1996) <Transferred from *Diphascon* to *Pilatobius* by
Bertolani *et al.* 2014; Transferred from *Pilatobius* by Gąsiorek *et al.* 2023a> {*nomen*
inquirendum according to Gąsiorek *et al.* 2017a}

Notahypsibius Tumanov, 2020
Notahypsibius arcticus (Murray, 1907) [*Macrobiotus heinisi* Richters, 1907] <Transferred from
Hypsibius to *Ramazzottius* by Gąsiorek *et al.* 2018a; transferred from *Ramazzottius* by
Tumanov 2020b>
Notahypsibius pallidoides (Pilato, Kiosya, Lisi, Inshina & Biserov, 2011) <Amended and
transferred from *Hypsibius* by Tumanov 2020b>
Notahypsibius scaber (Maucci, 1987) <Transferred from *Hypsibius* by Tumanov 2020b>

Pilatobius Bertolani, Guidetti, Marchioro, Altiero, Rebecchi & Cesari, 2014
<Amended by Tumanov 2020b>
Pilatobius aculeatus (Maucci, 1951-1952) <Transferred from *Diphascon* by Bertolani *et al.*
2014>
Pilatobius bisbullatus (Iharos, 1964) <Transferred from *Diphascon* by Bertolani *et al.* 2014>
Pilatobius borealis (Biserov, 1996) <Transferred from *Diphascon* by Bertolani *et al.* 2014> {see

- Fontourion}*
- Pilatobius brevipes* (Marcus, 1936) <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Fontourion*}
- Pilatobius bullatus* (Murray, 1905) [*Pilatobius trachydorsatus* (Bartoš, 1937), previously transferred from *Diphaseon* by Bertolani et al. 2014, synonym according to Gąsiorek et al. 2023a] <Transferred from *Diphaseon* by Bertolani et al. 2014; Amended by Gąsiorek et al. 2023a>
- Pilatobius burti* (Nelson, 1991) <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Degmion*}
- Pilatobius elongatus* (Mihelčič, 1959) {*nomen dubium* according to Dastych 2015} <Transferred from *Diphaseon* by Bertolani et al. 2014>
- Pilatobius gerdae* (Mihelčič, 1951) <Transferred from *Diphaseon* by Bertolani et al. 2014> {*nomen dubium* according to Dastych 2015}
- Pilatobius glacialis* Zawierucha, Buda & Gąsiorek, 2020 {in Zawierucha et al. 2020} {see *Fontourion*}
- Pilatobius granifer* (Greven, 1972) <Transferred from *Diphaseon* by Bertolani et al. 2014>
- Pilatobius iltisi* (Schuster & Grigarick, 1965) <Transferred from *Diphaseon* by Bertolani et al. 2014; Amended by Gąsiorek et al. 2023a based on material from North Korea and Russia>
- Pilatobius islandicus* Buda & Zawierucha {in Buda et al. 2018} {see *Fontourion*}
- Pilatobius latipes* (Mihelčič, 1955) <Transferred from *Diphaseon* by Bertolani et al. 2014> {*nomen dubium* according to Dastych 2015}
- Pilatobius nodulosus* (Ramazzotti, 1957) <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Degmion*}
- Pilatobius nonbullatus* (Mihelčič, 1951) <Transferred from *Diphaseon* by Bertolani et al. 2014> {*nomen dubium* according to Dastych 2015}
- Pilatobius nuominensis* X. L. Sun, J. Y. Zhang, N. Wang, Zhao & Luo, 2021 {see *Degmion*}
- Pilatobius oculatus* oculatus (Murray, 1906) <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Degmion*}
- Pilatobius oculatus* alpinum (Mihelčič, 1964) {*nomen dubium* according to Dastych 2015} <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Degmion oculatum*}
- Pilatobius oculatus* canadensis (Murray, 1910) [*Hypsibius vancouverensis* Thulin, 1911] <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Degmion oculatum*}
- Pilatobius opisthoglyptus* (Maucci, 1987) <Transferred from *Diphaseon* by Tumanov 2018> {see *Degmion*}
- Pilatobius patanei* (Binda & Pilato, 1971) <Transferred from *Diphaseon* by Bertolani et al. 2014>
- Pilatobius procerus* (Pilato, Sabella & Lisi, 2014) <Transferred from *Diphaseon* by Tumanov 2018>
- Pilatobius ramazzottii* (Robotti, 1970) <Transferred from *Diphaseon* by Bertolani et al. 2014>
- Pilatobius recamieri* (Richters, 1911) <Transferred from *Diphaseon* by Bertolani et al. 2014> <Amended by Gąsiorek et al. 2017a> {see *Fontourion*}
- Pilatobius rugocaudatus* (Rodríguez Röda, 1952) <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Degmion*}
- Pilatobius rugosus* (Bartoš, 1935) <Transferred from *Diphaseon* by Bertolani et al. 2014>
- Pilatobius seccii* (Bertolani & Rebecchi, 1996) {*nomen inquirendum* according to Gąsiorek et al. 2017a} <Transferred from *Diphaseon* by Bertolani et al. 2014> {see *Fontourion*}
- Pilatobius sexbullatus* (Ito, 1995) <Transferred from *Diphaseon* by Bertolani et al. 2014>

Pilatobius trachydorsatus (Bartoš, 1937) <Transferred from *Diphaseon* by Bertolani *et al.* 2014>
{see *P. bullatus*}

Pilatobius ziliense (Lisi, Sabella & Pilato, 2014) <Transferred from *Diphaseon* by Tumanov 2018>

Family: Ramazzottiidae Sands, McInnes, Marley, Goodall-Copestake, Convey & Linse, 2008
{Sands *et al.* 2008 reported as taxon name Ramazzottidae but the correct name is Ramazzottiidae in compliance with the International Code of Zoological Nomenclature}

Cryoconicus Zawierucha, Stec, Lachowska-Cierlik, Takeuchi, Z. Li & Michalczyk, 2018
<Amended by Guidetti *et al.* 2019b>

Cryoconicus antiarktos Guidetti, Massa, Bertolani, Rebecchi & Cesari, 2019

Cryoconicus cataphractus (Maucci, 1974) <Transferred from *Ramazzottius* by Zawierucha *et al.* 2018b; Amended by Guidetti *et al.* 2019b>

Cryoconicus kaczmareki Zawierucha, Stec, Lachowska-Cierlik, Takeuchi, Z. Li & Michalczyk, 2018

Cryoconicus ljudmilae (Biserov, 1997/98) <Amended and transferred from *Ramazzottius* by Guidetti *et al.* 2019b>

Hebesuncus Pilato, 1987

Hebesuncus conjungens (Thulin, 1911)

Hebesuncus mollispinus Pilato, McInnes & Lisi, 2012

Hebesuncus ryani Dastych & Harris, 1994 <Amended by Guidetti *et al.* 2019b>

Hebesuncus schusteri (Dastych, 1984)

Ramazzottius Binda & Pilato, 1986

Ramazzottius affinis Bertolani, Guidetti & Rebecchi, 1994

Ramazzottius agannae Dastych, 2011

Ramazzottius andreevi Biserov, 1997/98

Ramazzottius anomalus (Ramazzotti, 1962)

Ramazzottius baumanni (Ramazzotti, 1962)

Ramazzottius belubellus Bartels, Nelson, Kaczmarek & Michalczyk, 2011

Ramazzottius bunikowskae Kaczmarek, Michalczyk & Diduszko, 2006

Ramazzottius caucasicus Biserov, 1997/98

Ramazzottius conifer (Mihelčič, 1938) <Transferred from *Hypsibius* by Gąsiorek *et al.* 2018a>

Ramazzottius edmondabouti Séméria, 1993 {species *dubia* according to Guidetti *et al.* 2022a}

Ramazzottius groenlandensis Kihm, Zawierucha, Rho & Park, 2023

Ramazzottius horningi Binda & Pilato, 1994

Ramazzottius kretschmanni Guidetti, Cesari, Giovannini, Ebel, Förschler & Schill, 2022

Ramazzottius libycus Pilato, D'Urso & Lisi, 2013

Ramazzottius littoreus Fontoura, Rubal & Veiga, 2017

Ramazzottius montivagus (Dastych, 1983)

Ramazzottius nivalis Dastych, 2006 <Amended by Guidetti *et al.* 2019b>

Ramazzottius novemcinctus (Marcus, 1936) {nomen dubium according to Stec *et al.* 2018}

Ramazzottius oberhaeuseri (Doyère, 1840) <Amended by Stec *et al.* 2018>

Ramazzottius rupeus Biserov, 1999

Ramazzottius sabatiniae Guidetti, Massa, Bertolani, Rebecchi & Cesari, 2019

Ramazzottius saltensis (Claps & Rossi, 1984)
Ramazzottius semisculptus Pilato & Rebecchi, 1992
Ramazzottius subanomalous (Biserov, 1985)
Ramazzottius szeptycki (Dastych, 1980) <Amended by Dastych 2009>
Ramazzottius theroni Dastych, 1993
Ramazzottius thulini (Pilato, 1970)
Ramazzottius tribulosus Bertolani & Rebecchi, 1988
Ramazzottius valaamis Biserov & Tumanov, 1993
Ramazzottius varieornatus Bertolani & Kinchin, 1993

Superfamily: Isohypsibioidea Sands, McInnes, Marley, Goodall & Copestake, Convey & Linse, 2008
<Amended by Bertolani *et al.* 2014 and by Gąsiorek *et al.* 2019e>

Family: Doryphoribiidae Gąsiorek, Stec, Morek & Michalczyk, 2019

Apodibius Dastych, 1983
<Transferred from 'incertae sedis' to Isohypsibiidae by Dabert *et al.* 2013; Transferred from Isohypسibiidae by Gąsiorek *et al.* 2019e>
Apodibius confusus Dastych, 1983
Apodibius nuntius Binda, 1984 [*Apodibius serventyi* Morgan & Nicholls, 1986]
Apodibius richardi Vargha, 1995

Doryphoribus Pilato, 1969
<Transferred from Isohypsibiidae by Gąsiorek *et al.* 2019e>
Doryphoribus amazzonicus Lisi, 2011
Doryphoribus barbara Beasley & Miller, 2012
Doryphoribus bertolanii Beasley & Pilato, 1987
Doryphoribus bindae Lisi, 2011
Doryphoribus cephalogibbosus Rocha, Doma, Gonzales Reyes & Lisi, 2020
Doryphoribus chetumalensis Pérez-Pech, Anguas-Escalante, Cutz-Pool & Guidetti, 2017
Doryphoribus dawkinsi Michalczyk & Kaczmarek, 2010
Doryphoribus doryphorus (Binda & Pilato, 1969)
Doryphoribus dupliglobulatus Ito, 1995
Doryphoribus elleneddiei Haefke, Spiers, Miller & Lowman, 2014
Doryphoribus evelinae (Marcus, 1928)
Doryphoribus flavus (Iharos, 1966) [*Doryphoribus citrinus* (Maucci, 1973)] <Amended by Lisi 2011>
Doryphoribus gibber Beasley & Pilato, 1987 {Based on type material analysis, additional character to the original description was added by Pilato & Lisi 2006}
Doryphoribus huangguoshuensis H. Wang, L. Wang & X. Li, 2007
Doryphoribus koreanus Moon, Kim & Bertolani, 1994
Doryphoribus korganovae Biserov, 1994
Doryphoribus longistipes Bartels, Nelson, Kaczmarek & Michalczyk, 2008
Doryphoribus macrodon Binda, Pilato & Dastych, 1980
Doryphoribus maasaimarensis Fontoura, Lisi & Pilato, 2013
Doryphoribus maranguensis Binda & Pilato, 1995

Doryphoribius mariae Pilato & Binda, 1990
Doryphoribius mcinnesae Meng, X.-Z. Sun & X. Li, 2014
Doryphoribius mexicanus Beasley, Kaczmarek & Michalczyk, 2008
Doryphoribius minimus Bartels, Nelson, Kaczmarek & Michalczyk, 2008
Doryphoribius monstruosus (Maucci, 1991) <Transferred from *Isohypsibius* by Gąsiorek et al.
2019e>
Doryphoribius neglectus Pilato & Lisi, 2004
Doryphoribius niedbalai Zawierucha, Michalczyk & Kaczmarek, 2012
Doryphoribius picoensis Fontoura, Pilato & Lisi, 2008
Doryphoribius pilatoi Bertolani, 1984
Doryphoribius polynettae Biserov, 1988
Doryphoribius qinlingense X. Li, Su & Yu, 2004
Doryphoribius quadritungulatus Kaczmarek & Michalczyk, 2004
Doryphoribius rosanae Daza, Caicedo, Lisi & Quiroga, 2017
Doryphoribius smokiensis Bartels, Nelson, Kaczmarek & Michalczyk, 2007
Doryphoribius solidunguis Lisi, 2011
Doryphoribius taiwanus X. Li & H. Li, 2008
Doryphoribius tergumrudis Bartels, Nelson, Kaczmarek & Michalczyk, 2008
Doryphoribius tessellatus Meyer, 2011
Doryphoribius turmenicus Biserov, 1999
Doryphoribius vietnamensis (Iharos, 1969)
Doryphoribius zappalai Pilato, 1971
Doryphoribius zyxiglobus (Horning, Schuster & Grigarick, 1978) <Amended by Claxton et al.
2010>

Grevenius Gąsiorek, Stec, Morek & Michalczyk, 2019
Grevenius annulatus annulatus (Murray, 1905) <Transferred from *Isohypsibius* by Gąsiorek et al.
2019e>
Grevenius annulatus minor (Ramazzotti, 1945) <Transferred from *Isohypsibius* by Gąsiorek et al.
2019e>
Grevenius asper (Murray, 1906) [*Isohypsibius tetradactyloides* (Richters, 1907)] <Dastych 2016
amended *I. tetradactyloides* and synonymized it with *I. asper*; Transferred from
Isohypsibius by Gąsiorek et al. 2019e>
Grevenius baicalensis (Ramazzotti, 1966) <Transferred from *Isohypsibius* by Gąsiorek et al.
2019e>
Grevenius baldii (Ramazzotti, 1945) <Transferred from *Isohypsibius* by Gąsiorek et al. 2019e>
Grevenius baldioides (Tumanov, 2003) <Transferred from *Isohypsibius* by Gąsiorek et al.
2019e>
Grevenius brevitubulatus (Rho, Chang & Kim, 1997) {in Rho et al. 1997} <Transferred from
Isohypsibius by Gąsiorek et al. 2019e>
Grevenius cryophilus Zawierucha, Buda, Novotna Jaromerska & Gąsiorek, 2020 {in Zawierucha
et al. 2020}
Grevenius deconincki (Pilato, 1971) <Transferred from *Isohypsibius* by Gąsiorek et al. 2019e>
Grevenius deflexus (Mihelčič, 1960) <Transferred from *Isohypsibius* by Gąsiorek et al. 2019e>
Grevenius fuscus (Mihelčič, 1971/72) {nomen inquirendum according to Gąsiorek et al. 2019e}
<Transferred from *Isohypsibius* by Gąsiorek et al. 2019e>
Grevenius granditintinus (Chang & Rho, 1996) <Transferred from *Isohypsibius* by Gąsiorek et

- al.* 2019e>
- Grevenius granulifer*** (Thulin, 1928) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius hydrogogianus*** (Ito & Tagami, 1993) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius karenae*** (Zawierucha, 2013) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius kenodontis*** (Kendall-Fite & Nelson, 1996) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius koreanensis*** (Iharos, 1971) <*Isohypsistius granulifer koreanensis* elevated to species level and transferred by Gąsiorek *et al.* 2019e> {*nomen inquirendum* according to Gąsiorek *et al.* 2019e}
- Grevenius kотовae*** (Tumanov, 2003) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius kristensenii*** (Pilato, Catanzaro & Binda, 1989) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius ladogensis*** (Tumanov, 2003) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius laevis*** (McInnes, 1995) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius lineatus*** (Mihelčič, 1969) {*nomen dubium* according to Dastych 2015; *nomen inquirendum* according to Gąsiorek *et al.* 2019e} <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius longiunguis*** (Pilato, 1974) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius malawiensis*** (Jørgensen, 2001) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius marii*** (Bertolani, 1982) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius monoicus*** (Bertolani, 1982) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius myrops*** (du Bois-Reymond Marcus, 1944) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius nipponicus*** (Suzuki, 1975) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e> {*nomen inquirendum* according to Gąsiorek *et al.* 2019e}
- Grevenius pulcher*** (Mihelčič, 1971/72) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e> {*nomen inquirendum* according to Gąsiorek *et al.* 2019e}
- Grevenius pushkini*** (Tumanov, 2003) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius rugosus*** (Guidi & Grabowski, 1996) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e> {*nomen inquirendum* according to Gąsiorek *et al.* 2019e}
- Grevenius rusticus*** (Pilato, Sabella & Lisi, 2015) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius sismicus*** (Maucci, 1978) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius tubereticulatus*** (Pilato & Catanzaro, 1989) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius verae*** (Pilato & Catanzaro, 1989) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>
- Grevenius zappalai*** (Pilato, Sabella & Lisi, 2015) <Transferred from *Isohypsistius* by Gąsiorek *et al.* 2019e>

Paradiphascon Dastych, 1992

<Transferred from Diphasconinae to Isohypsistidae by Bertolani *et al.* 2014; Transferred from Isohypsistidae by Gąsiorek *et al.* 2019e>

Paradiphascon manningi Dastych, 1992

Paradoryphoribus Mapalo, Robin, Boudinot, Ortega-Hernández & Barden, 2021

Paradoryphoribus chronocaribbeus Mapalo, Robin, Boudinot, Ortega-Hernández & Barden, 2021 {fossil species}

Pseudobiotus Nelson, 1980 {in Schuster *et al.* 1980}

<Transferred from Isohypsiidae by Gąsiorek *et al.* 2019e>

Pseudobiotus hirsutellus Pilato, Lisi & Binda, 2010

Pseudobiotus kathmanae Nelson, Marley & Bertolani, 1999

Pseudobiotus longiunguis (Iharos, 1968) {species dubia according to Gąsiorek *et al.* 2019e}

Pseudobiotus matici (Pilato, 1971)

Pseudobiotus megalonyx (Thulin, 1928)

Pseudobiotus spinifer Chang, Kaczmarek, Lee & Michalczyk, 2007

Pseudobiotus vladimiri Biserov, Dudichev & Biserova, 2001 <Amended by Chang *et al.* 2007>

Thulinius Bertolani, 2003

[*Thulinia* Bertolani, 1982]

<Transferred from Isohypsiidae by Gąsiorek *et al.* 2019e>

Thulinius augusti (Murray, 1907) [*Macrobiotus lacustris* Wenck, 1914]

Thulinius gustavi Massa, Guidetti, Cesari, Rebecchi & Jönsson, 2021

Thulinius itoi (Tsurusaki, 1980)

Thulinius romanoi Bertolani, Bartels, Guidetti, Cesari & Nelson, 2014

Thulinius ruffoi (Bertolani, 1982)

Thulinius salturus (Schuster, Toftner & Grigarick, 1978) <Amended and transferred from *Isohypsius* by Kaczmarek *et al.* 2010>

Thulinius stephaniae (Pilato, 1974)

Family: Halobiidae Gąsiorek, Stec, Morek & Michalczyk, 2019

Halobiotus Kristensen, 1982

<Transferred from Isohypsiidae by Gąsiorek *et al.* 2019e>

Halobiotus appelloefi (Richters, 1908) <Transferred from *Macrobiotus* by Gąsiorek *et al.* 2019e>
{nomen inquirendum according to Gąsiorek *et al.* 2019e}

Halobiotus arcturulus Crisp & Kristensen, 1983

Halobiotus crispae Kristensen, 1982

Halobiotus geddesi (Hallas, 1971) <Transferred from *Hypsibius* by Gąsiorek *et al.* 2019e>
{nomen inquirendum according to Gąsiorek *et al.* 2019e}

Halobiotus stenostomus (Richters, 1908)

Family: Hexapodibiidae Cesari, Vecchi, Palmer, Bertolani, Pilato, Rebecchi & Guidetti, 2016

<Amended by Gąsiorek *et al.* 2019e>

Haplohexapodibius Pilato & Beasley, 1987

<Transferred from Calohypsibiidae to Isohypsiidae by Bertolani *et al.* 2014; Transferred from Isohypsiidae by Cesari *et al.* 2016>

Haplohexapodibius seductor Pilato & Beasley, 1987 [*Hexapodibius beasleyi* Maucci, 1988]

Haplomacrobiotus May, 1948

<Transferred from Calohypsibiidae to Isohypisibiidae by Bertolani *et al.* 2014; Transferred from Isohypisibiidae by Cesari *et al.* 2016>

Haplomacrobiotus hermosillensis May, 1948

Haplomacrobiotus utahensis Pilato & Beasley, 2005

Hexapodibius Pilato, 1969

<Transferred from Calohypsibiidae to Isohypisibiidae by Bertolani *et al.* 2014; Transferred from Isohypisibiidae by Cesari *et al.* 2016>

Hexapodibius bindae Pilato, 1982

Hexapodibius boothi Dastych & McInnes, 1994

Hexapodibius christenberryae Pilato & Binda, 2003

Hexapodibius micronyx Pilato, 1969

Hexapodibius pseudomicronyx Robotti, 1972

Hexapodibius reginae Vargha, 1995

Parhexapodibius Pilato, 1969

<Transferred from Calohypsibiidae to Isohypisibiidae by Bertolani *et al.* 2014; Transferred from Isohypisibiidae by Cesari *et al.* 2016>

Parhexapodibius bactrianus Biserov, 1999

Parhexapodibius castrii (Ramazzotti, 1964)

Parhexapodibius lagrecai (Binda & Pilato, 1969)

Parhexapodibius pilatoi (Bernard, 1977)

Parhexapodibius ramazzottii Manicardi & Bertolani, 1987

Family: Isohypsibiidae Sands, McInnes, Marley, Goodall-Copestake, Convey & Linse, 2008

<Amended by Gąsiorek *et al.* 2019e>

Dastychius Pilato, 2013

Dastychius improvisus (Dastych, 1984) <Transferred from *Isohypsibius* by Pilato 2013;
Amended by Mioduchowska *et al.* 2021>

Dianeae Gąsiorek, Stec, Morek & Michalczyk, 2019

Dianeae acuminata Gąsiorek, Stec, Morek & Michalczyk, 2019 {This species correspond to

Isohypsibius papillifer indicus (Iharos, 1969) elevated to species level and renamed by
Gąsiorek *et al.* 2019e as the name *Dianeae indica* was already occupied by *Dianeae indica*
(Murray, 1907)}

Dianeae basalovoi (Durante & Maucci, 1973) <Transferred from *Isohypsibius* by Gąsiorek *et al.*
2019e>

Dianeae bella (Mihelčič, 1971) <Transferred from *Isohypsibius* by Gąsiorek *et al.* 2019e> {*nomen
dubium* according to Dastych 2015; *species dubia* according to Gąsiorek *et al.* 2019e}

Dianeae belliforma (Mihelčič, 1971) <Transferred from *Isohypsibius* by Gąsiorek *et al.* 2019e>
{*nomen dubium* according to Dastych 2015; *species dubia* according to Gąsiorek *et al.*
2019e}

Dianeae brevispinosa (Iharos, 1966) <Transferred from *Isohypsibius* by Gąsiorek *et al.* 2019e>
{*species dubia* according to Gąsiorek *et al.* 2019e}

- Dianeae costata* (Mihelčič, 1971) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015; species *dubia* according to Gąsiorek et al. 2019e}
- Dianeae effusa* (Mihelčič, 1971) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015; species *dubia* according to Gąsiorek et al. 2019e}
- Dianeae franzii* (Mihelčič, 1951) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015; species *dubia* according to Gąsiorek et al. 2019e}
- Dianeae helenae* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e> {nomen inquirendum according to Gąsiorek et al. 2019e}
- Dianeae indica* (Murray, 1907) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e> {nomen inquirendum according to Gąsiorek et al. 2019e}
- Dianeae mammillosa* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {species *dubia* according to Gąsiorek et al. 2019e}
- Dianeae papillifera* (Murray, 1905) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e;
Isohypsistius papillifer bulbosus (Marcus, 1928) suppressed by Gąsiorek et al. 2019e>
- Dianeae rahmi* (X. Li & L. Wang, 2006) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Dianeae sattleri* (Richters, 1902) [*Hypsibius bakonyiensis* Iharos, 1964] <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Dianeae tuberculoides* (Mihelčič, 1951) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015; species *dubia* according to Gąsiorek et al. 2019e}
- Dianeae vejvodovskyi* (Bartoš, 1939) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}

Eremobiotus Biserov, 1992

- Eremobiotus alicatai* (Binda, 1969)
- Eremobiotus ginevrae* Lisi, Binda & Pilato, 2016
- Eremobiotus ovezovae* Biserov, 1992

Fractonotus Pilato, 1998

<Amended and transferred from Microhypsistidae by Gąsiorek et al. 2019c>

- Fractonotus caelatus* (Marcus, 1928)

Fractonotus gilvus (Biserov, 1986) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019c>

Fractonotus verrucosus (Richters, 1900) [*Macrobiotus scabrosus* Murray, 1911 according to Marcus 1928, *Calohypsistius placophorus* (da Cunha, 1943) according to Gąsiorek et al. 2019c] <Amended and transferred from *Calohypsistius* by Gąsiorek et al. 2019c>

Isohypsistius Thulin, 1928

<Amended by Gąsiorek et al. 2019e>

Isohypsistius arbiter Binda, 1980

Isohypsistius archangajensis Kaczmarek & Michalczuk, 2004

Isohypsistius arcuatus (Bartoš, 1934)

Isohypsistius barbara Pilato & Binda, 2002

Isohypsistius borkini Tumanov, 2003

- Isohypsistius brulloi* Pilato & Pennisi, 1976
- Isohypsistius cambreensis* (Morgan, 1976) <*I. prosostomus cambreensis* elevated to species level by Gąsiorek et al. 2019e>
- Isohypsistius campbellensis* Pilato, 1996
- Isohypsistius canadensis* (Murray, 1910) {species dubia according to Gąsiorek et al. 2019e}
- Isohypsistius ceciliae* Pilato & Binda, 1987
- Isohypsistius changbaiensis* Yang, 1999 {species dubia according to Gąsiorek et al. 2019e}
- Isohypsistius chiarae* Maucci, 1987 [*Isohypsistius bertolanii* Manicardi, 1989]
- Isohypsistius condorcanquii* Kaczmarek, Cytan, Zawierucha, Diduszko & Michalczyk, 2014
- Isohypsistius coulsoni* Kaczmarek, Zawierucha, Smykla & Michalczyk, 2012
- Isohypsistius damxungensis* Yang, 2007 {species dubia according to Gąsiorek et al. 2019e}
- Isohypsistius dastychi* Pilato, Bertolani & Binda, 1982
- Isohypsistius glazovi* Biserov, 1999
- Isohypsistius hadzii* (Mihelčič, 1938) {nomen dubium according to Dastych 2015; species dubia according to Gąsiorek et al. 2019e}
- Isohypsistius jakieli* Dastych, 1984
- Isohypsistius jingshanensis* Yang, 2003 {species dubia according to Gąsiorek et al. 2019e}
- Isohypsistius jinhouensis* Yang, 2007 {species dubia according to Gąsiorek et al. 2019e}
- Isohypsistius liae* X. Li & L. Wang, 2006 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Isohypsistius macrodactylus* (Maucci, 1978) [*Isohypsistius zierhofferi* Dastych, 1980]
- Isohypsistius marcellinoi* Binda & Pilato, 1971
- Isohypsistius occultus* Pilato, D'Urso, Sabella & Lisi, 2019
- Isohypsistius palmai* Pilato, 1996
- Isohypsistius panovi* Tumanov, 2005
- Isohypsistius pauper* (Mihelčič, 1971) {nomen dubium according to Dastych 2015; nomen inquirendum according to Gąsiorek et al. 2019e}
- Isohypsistius prosostomus*** Thulin, 1928
- Isohypsistius pseudundulatus* (da Cunha & do Nascimento Ribeiro, 1964)
- Isohypsistius reticulatus* Pilato, 1973
- Isohypsistius sabellai* Pilato, Binda, Napolitano & Moncada, 2004
- Isohypsistius schaudinni* (Richters, 1909) {nomen inquirendum according to Gąsiorek et al. 2019e}
- Isohypsistius sculptus* (Ramazzotti, 1962)
- Isohypsistius sellnicki* (Mihelčič, 1962) {nomen dubium according to Dastych 2015}
- Isohypsistius solidus* (Mihelčič, 1971) {nomen dubium according to Dastych 2015}
- Isohypsistius taibaiensis* X. Li & L. Wang, 2005
- Isohypsistius tuberculatus* (Plate, 1888) {nomen dubium according to Dastych 2015; nomen inquirendum according to Gąsiorek et al. 2019e}
- Isohypsistius undulatus* Thulin, 1928
- Isohypsistius verrucosus* (Della Valle, 1915) [*Isohypsistius gibbus* (Marcus, 1928) according to Degma & Guidetti 2007] {nomen inquirendum according to Gąsiorek et al. 2019e}
- Isohypsistius wilsoni* (Horning, Schuster & Grigarick, 1978)
- Isohypsistius yunnanensis* Yang, 2002 {species dubia according to Gąsiorek et al. 2019e}

Ursulinius Gąsiorek, Stec, Morek & Michalczyk, 2019

Ursulinius austriacus (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

- Ursulinus bartosi* (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {*species dubia* according to Gąsiorek et al. 2019e}
- Ursulinus bulbifer* (Mihelčič, 1957) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015; *species dubia* according to Gąsiorek et al.
 2019e}
- Ursulinus cameruni* (Iharos, 1969) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus cyrilli* (Mihelčič, 1951) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015}
- Ursulinus dudichi* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus duranteae* (Maucci, 1978) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus elegans* (Binda & Pilato, 1971) <Transferred from *Isohypsistius* by Gąsiorek et al.
 2019e>
- Ursulinus eplenyiensis* (Iharos, 1970) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus glaber* (Durante Pasa & Maucci, 1979) <Transferred from *Isohypsistius* by Gąsiorek et
 al. 2019e>
- Ursulinus gracilis* (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Ursulinus gyulai* (Mihelčič, 1971) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015; *species dubia* according to Gąsiorek et al.
 2019e}
- Ursulinus hypostomoides* (Mihelčič, 1971) <Transferred from *Isohypsistius* by Gąsiorek et al.
 2019e> {nomen dubium according to Dastych 2015}
- Ursulinus josephi* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus latiunguis* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Ursulinus leithaicus* (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus lunulatus* (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Ursulinus mihelcici* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Ursulinus montanus* (Mihelčič, 1938) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Ursulinus neoundulatus* (Durante Pasa & Maucci, 1975) <Transferred from *Isohypsistius* by
 Gąsiorek et al. 2019e>
- Ursulinus nodosus* (Murray, 1907) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen dubium according to Dastych 2015}
- Ursulinus novaeguineae* (Iharos, 1967) <Transferred from *Isohypsistius* by Gąsiorek et al.
 2019e>
- Ursulinus pappi* (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus pilatoi* (Durante Pasa & Maucci, 1979) <Transferred from *Isohypsistius* by Gąsiorek et
 al. 2019e>
- Ursulinus pratensis* (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
 {nomen inquirendum according to Gąsiorek et al. 2019e}
- Ursulinus qinlingensis* (X. Li, L. Wang & Yu, 2005) <Transferred from *Isohypsistius* by
 Gąsiorek et al. 2019e>
- Ursulinus roberti* (Biserov, 1996) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>
- Ursulinus ronsisvallei* (Binda & Pilato, 1969) <Transferred from *Isohypsistius* by Gąsiorek et al.

2019e>

Ursulinius rudescui (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

Ursulinius septentrionalis (Thulin, 1928) <Transferred from *Isohypsistius* by Gąsiorek et al.

2019e>

Ursulinius silvicola (Iharos, 1966) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

{*nomen inquirendum* according to Gąsiorek et al. 2019e}

Ursulinius theresiae (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

{*nomen inquirendum* according to Gąsiorek et al. 2019e}

Ursulinius torulosus (Mihelčič, 1959) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

{*nomen dubium* according to Dastych 2015}

Ursulinius truncorum (Iharos, 1964) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

Ursulinius tucumanensis (Claps & Rossi, 1984) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

Ursulinius woodsae (Kathman, 1990) <Transferred from *Isohypsistius* by Gąsiorek et al. 2019e>

Vladimirobius Kaczmarek, Bartylak & Roszkowska, 2020

Vladimirobius irregibilis (Biserov, 1992) <Transferred from *Isohypsistius* to *Grevenius* by

Gąsiorek et al. 2019e> <Transferred from *Grevenius* by Kaczmarek et al. 2020a>

Weglarskobius Kaczmarek, Bartylak & Roszkowska, 2020

Weglarskobius altai (Kaczmarek & Michalczyk, 2006) <Transferred from *Isohypsistius* by

Kaczmarek et al. 2020a>

Ramajendidae Tumanov, 2022

Ramajendas Pilato & Binda, 1990

<Transferred from Ramazzottiidae to Isohypsistidae by Zawierucha et al. 2018b; Transferred from Isohypsistidae to *Incertae sedis* by Gąsiorek et al. 2019e; Transferred from *Incertae sedis* by Tumanov 2022>

{Probably belongs to the family Ramazzottiidae according to Bertolani et al. 2014}

Ramajendas dastychi Kaczmarek, Janko, Smykla & Michalczyk, 2013

Ramajendas frigidus Pilato & Binda, 1990

Ramajendas heatwolei Miller, Horning & Dastych, 1995

Ramajendas renaudi (Ramazzotti, 1972)

Incertae sedis

{according to Gąsiorek et al. 2019e}

Thalerius Dastych, 2009

<Transferred from Ramazzottiidae to Isohypsistidae by Zawierucha et al. 2018b; Transferred from Isohypsistidae to *Incertae sedis* by Gąsiorek et al. 2019e>

{To be confirmed in the family Isohypsistidae, see Marley et al. 2011; Probably belongs to the family Ramazzottiidae according to Bertolani et al. 2014}

Thalerius konradi Dastych, 2009

Superfamily: Macrobiotoidea Thulin, 1928 {in Marley et al. 2011}

Family: Adorybiotidae Stec, Vecchi & Michalczyk, 2020 {in Stec *et al.* 2020f}

Adorybiotus Maucci & Ramazzotti, 1981

<Transferred from *Macrobiotidae* to *Richtersiidae* by Guidetti *et al.* 2016; Transferred from *Richtersiidae* by Stec *et al.* 2020f; Belonging to *Richtersiusidae* according to Guidetti *et al.* 2021>

Adorybiotus granulatus (Richters, 1903)

Crenubiotus Lisi, Londoño & Quiroga, 2020

<Transferred from *Macrobiotidae* to *Richtersiidae* by Lisi *et al.* 2020; Transferred from *Richtersiidae* by Stec *et al.* 2020f; Belonging to *Richtersiusidae* according to Guidetti *et al.* 2021>

Crenubiotus crenulatus (Richters, 1904) [*Macrobiotus dentatus* Binda, 1974] <Redescribed, neotype (from Palabione, Valtellina, Italy) designated and transferred from *Macrobiotus* by Lisi *et al.* 2020; amended Redescribed and new neotype (from the original type locality Svalbard, Norway) designated by Stec *et al.* 2020f >

Crenubiotus revelator Lisi, Londoño & Quiroga, 2020

Crenubiotus ruhesteini Guidetti, Schill, Giovannini, Massa, Goldoni, Ebel, Förschler, Rebecchi & Cesari, 2021

Crenubiotus salishani Vecchi, Choong & Calhim, 2022

Family: Macrobiotidae Thulin, 1928

Biserovus Guidetti & Pilato, 2003

Biserovus bindae (Christenberry & Higgins, 1979)

Calcarobiotus Dastych, 1993

Subgenus: *Calcarobiotus* Dastych, 1993

<Amended by Kaczmarek *et al.* 2006>

Calcarobiotus (*Calcarobiotus*) *digeronimo* Pilato, Binda & Lisi, 2004

Calcarobiotus (*Calcarobiotus*) *filmeri* Dastych, 1993

Calcarobiotus (*Calcarobiotus*) *gildae* (Maucci & Durante Pasa, 1980)

Calcarobiotus (*Calcarobiotus*) *hainanensis* X. Li, D. Wang & L. Wang, 2008

Calcarobiotus (*Calcarobiotus*) *imperialis* Abe & Takeda, 2000

Calcarobiotus (*Calcarobiotus*) *longinoi* Kaczmarek, Michalczyk & Guidetti, 2006

Calcarobiotus (*Calcarobiotus*) *occultus* Dastych, 1993

Calcarobiotus (*Calcarobiotus*) *pariscalcar* Pilato & Lisi, 2009

Subgenus: *Discrepunguis* Guidetti & Bertolani, 2001

Calcarobiotus (*Discrepunguis*) *polygonatus* (Binda & Guglielmino, 1991) [*Macrobiotus eugranulatus* Maucci, 1993]

Calcarobiotus (*Discrepunguis*) *tetrannulatus* Pilato, Binda & Lisi, 2004

Famelobiota Pilato, Binda & Lisi, 2004

Famelobiota scalicui Pilato, Binda & Lisi, 2004

Insuetifurca Guidetti & Pilato, 2003

Insuetifurca arrowsmithi (Kathman & Nelson, 1989)

Insuetifurca austronipponica Abe, 2005

Insuetifurca fijiense (Ito, 1997)

Insuetifurca xiae (X. Li, Su & Yu, 2004) <Amended and transferred from *Biserovus* by Li 2009>

Macrobiotus C.A.S. Schultze, 1834

<Amended by Stec et al. 2021a>

Macrobiotus acadianus (Meyer & Domingue, 2011) <Transferred from *Minibiotus* by Stec et al. 2015>

Macrobiotus almadai Fontoura, Pilato & Lisi, 2008

Macrobiotus alvaroi Pilato & Kaczmarek, 2007

Macrobiotus anderssoni Richters, 19071908

Macrobiotus andinus Maucci, 1988

Macrobiotus anemone Meyer, Domingue & Hinton, 2014

Macrobiotus annae Richters, 1908 {nomen inquirendum according to Stec et al. 2021a}

Macrobiotus annewintersae Vecchi & Stec, 2021

Macrobiotus ariekammensis ariekammensis Węglarska, 1965 [*Macrobiotus adelges* Dastych, 1977]

Macrobiotus ariekammensis groenlandicus Stec, Vončina, Kristensen & Michalczyk, 2022

Macrobiotus artipharyngis Iharos, 1940 {nomen dubium according to Stec et al. 2021a}

Macrobiotus ascensionis Richters, 1908 {nomen inquirendum according to Stec et al. 2021a}

Macrobiotus azzunae Ben Marnissi, Cesari, Rebecchi & Bertolani, 2021

Macrobiotus basiatus Nelson, Adkins Fletcher, Guidetti, Roszkowska, Grobys & Kaczmarek, 2021

Macrobiotus birendrai Kayastha, Roszkowska, Mioduchowska, Gawlak & Kaczmarek, 2021

Macrobiotus biserovi Bertolani, Guidi & Rebecchi, 1996

Macrobiotus brevipes Mihelčič, 1971/72 {nomen inquirendum according to Stec et al. 2021a}

Macrobiotus caelestis Coughlan, Michalczyk & Stec, 2019

Macrobiotus canaricus Stec, Krzywański & Michalczyk, 2018

Macrobiotus carsicus Maucci, 1954 {nomen inquirendum according to Stec et al. 2021a}

Macrobiotus caymanensis Meyer, 2011

Macrobiotus crustulus Stec, Dudziak & Michalczyk, 2020

Macrobiotus dariae Pilato & Bertolani, 2004

Macrobiotus deceptor Meyer, Hinton, Gladney & Klumpp, 2017

Macrobiotus denticulus Dastych, 2002

Macrobiotus diversus Biserov, 1990

Macrobiotus dolosus Bertolani, Cesari, Giovannini, Rebecchi, Guidetti, Kaczmarek & Pilato, 2022

Macrobiotus drakensbergi Dastych, 1993

Macrobiotus dulciporus Roszkowska, Gawlak, Draga & Kaczmarek, 2019

Macrobiotus echinogenitus Richters, 1903

Macrobiotus engbergi Stec, Tumanov & Kristensen, 2020

Macrobiotus euxinus (Pilato, Kiosya, Lisi, Inshina & Biserov, 2011) <Transferred from *Xerobiotus* by Stec et al. 2021a> {see also *Xerobiotus*}

Macrobiotus evelinae de Barros, 1938 {nomen inquirendum according to Stec et al. 2021a}

Macrobiotus fontourai Bertolani, Cesari, Giovannini, Rebecchi, Guidetti, Kaczmarek & Pilato,

2022

- Macrobiotus gemmatus* Bartoš, 1963 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus glebkai* Biserov, 1990
- Macrobiotus gretae* (Massa, Guidetti, Cesari, Rebecchi & Jönsson, 2021) <Transferred from *Xerobiotus* by Stec et al. 2022> {see also *Xerobiotus*}
- Macrobiotus halophilus* Fontoura, Rubal & Veiga, 2017
- Macrobiotus hannaee* Nowak & Stec, 2018
- Macrobiotus hibiscus* de Barros, 1942 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus horningi* Kaczmarek & Michalczyk, 2017
- Macrobiotus hufelandi* C.A.S. Schultze, 1834 [*Macrobiotus schultzei* Greeff, 1866 according to Marcus 1928]
- Macrobiotus humilis* Binda & Pilato, 2001
- Macrobiotus hupingensis* Yuan, Y. Wang, Q. Liu, L. Liu & X. Li, 2022
- Macrobiotus hyperboreus* Biserov, 1990
- Macrobiotus hyperoncus* (Meyer, Domingue & Hinton, 2014) <Transferred from *Murrayon* by Guidetti et al. 2022b>
- Macrobiotus iharosi* Pilato, Binda & Catanzaro, 1991
- Macrobiotus inermis* Binda & Pilato, 1971 <Synonymized with *Macrobiotus pseudohufelandi* Iharos, 1966 by Pilato 1973 but considered as bona species by Vincenzi et al. 2024> {see also *Xerobiotus*}
- Macrobiotus insignis* Bartoš, 1963 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus insularis* Pilato, 2006
- Macrobiotus joannae* Pilato & Binda, 1983
- Macrobiotus julianae* (Meyer, 2012) <Transferred from *Minibiotus* by Stec et al. 2015>
- Macrobiotus kamilae* Coughlan & Stec, 2019
- Macrobiotus kathyae* Massa & Vecchi, 2024
- Macrobiotus kazmierskii* Kaczmarek & Michalczyk, 2009
- Macrobiotus kirghizicus* Tumanov, 2005
- Macrobiotus kolleri* Mihelčić, 1951 {nomen dubium according to Dastych 2015; nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus komareki* Bartoš, 1939 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus kosmali* Kayastha, Mioduchowska, Gawlik, Ślugocki, Araújo, Gonçalves Silva & Kaczmarek, 2023
- Macrobiotus kristensenii* Guidetti, Peluffo, Rocha, Cesari & Moly de Peluffo, 2013
- Macrobiotus kurasi* Dastych, 1981
- Macrobiotus kyoukenus* Cesari, Giovannini, Altiero, Guidetti, Cornette, Kikawada & Rebecchi, 2022
- Macrobiotus lissostomus* Durante Pasa & Maucci, 1979
- Macrobiotus longipes* Mihelčić, 1971/72 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus macrocalix* Bertolani & Rebecchi, 1993
- Macrobiotus maculatus* Iharos, 1973 <*M. hufelandi* *maculatus* amended and elevated to species level by Kaczmarek & Michalczyk 2017>
- Macrobiotus madagassus* Maucci, 1993
- Macrobiotus mandalaae* Pilato, 1974
- Macrobiotus margoae* Stec, Vecchi & Bartels, 2021 {in Stec et al. 2021b}
- Macrobiotus marlenae* Kaczmarek & Michalczyk, 2004
- Macrobiotus martini* Bartels, Pilato, Lisi & Nelson, 2009

- Macrobiotus mileri* Stec, 2024
- Macrobiotus modestus* Pilato & Lisi, 2009
- Macrobiotus muralis* Bertolani, Cesari, Giovannini, Rebecchi, Guidetti, Kaczmarek & Pilato, 2022
- Macrobiotus naginae* Vecchi, Stec, Vuori, Ryndov, Chartrain & Calhim, 2022 {see *Xerobiotus*}
- Macrobiotus naskreckii* Bąkowski, Roszkowska, Gawlak & Kaczmarek, 2016
- Macrobiotus nebrodensis* Pilato, Sabella, D'Urso & Lisi, 2017
- Macrobiotus nelsonae* Guidetti, 1998
- Macrobiotus noemiae* Roszkowska & Kaczmarek, 2019
- Macrobiotus noongaris* Coughlan & Stec, 2019
- Macrobiotus norvegicus* Mihelčič, 1971/72 {nomen dubium according to Stec et al. 2021a}
- Macrobiotus occidentalis occidentalis* Murray, 1910 {see *Diaforobiota*}
- Macrobiotus occidentalis striatus* Dastych, 1974 {Massa et al. (2024) proposed the elevation of *Macrobiotus occidentalis striatus* Dastych, 1974 to species level, renaming it as *Macrobiotus occidentalis* Dastych, 1974 because of validity of *Macrobiotus striatus* Mihelčič, 1949}
- Macrobiotus ocotensis* Pilato, 2006
- Macrobiotus ovidii* Bartoš, 1937 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus ovovillosus* Baumann, 1960 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus ovoittatus* Stec, 2024
- Macrobiotus pallarii* Maucci, 1954 [*Macrobiotus aviglianae* Robotti, 1970] {Incorrectly transferred to *Mesobiota* due to an error during the printing process of Vecchi et al. 2016a; corrected in Vecchi et al. 2016b}
- Macrobiotus papei* Stec, Kristensen & Michalczyk, 2018
- Macrobiotus papillosum* Iharos, 1963 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus patagonicus* Maucci, 1988
- Macrobiotus paulinae* Stec, Smolak, Kaczmarek & Michalczyk, 2015
- Macrobiotus persimilis* Binda & Pilato, 1972
- Macrobiotus personatus* Bisarov, 1990
- Macrobiotus pisacensis* Kaczmarek, Cyran, Zawierucha, Diduszko & Michalczyk, 2014
- Macrobiotus polonicus* Pilato, Kaczmarek, Michalczyk & Lisi, 2003
- Macrobiotus polyopus* Marcus, 1928
- Macrobiotus polypiformis* Roszkowska, Ostrowska, Stec, Janko & Kaczmarek, 2017
- Macrobiotus porifini* Kuzdrowska, Mioduchowska, Gawlak, Bartylak, A. Kepel, M. Kepel & Kaczmarek, 2021
- Macrobiotus porteri* Rahm, 1931 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus potockii* Węglarska, 1968 {nomen inquirendum according to Stec et al. 2021a}
- Macrobiotus primitivae* de Barros, 1942
- Macrobiotus psephus* du Bois-Reymond Marcus, 1944
- Macrobiotus pseudohufelandi* Iharos, 1966 [*Macrobiotus inermis* Binda & Pilato, 1971] <Re-transferred from *Xerobiotus* by Stec et al. 2021a> {see also *Xerobiotus*}
- Macrobiotus pseudopallarii* Stec, Vecchi & Michalczyk, 2021 {in Stec et al. 2021b}
- Macrobiotus punctillus* Pilato, Binda & Azzaro, 1990
- Macrobiotus ragonesei* Binda, Pilato, Moncada & Napolitano, 2001
- Macrobiotus ramoli* Dastych, 2005
- Macrobiotus rawsoni* Horning, Schuster & Grigarick, 1978 <Amended by Kaczmarek & Michalczyk 2017>

- Macrobiotus rebecchii* Stec, 2022
- Macrobiotus recens* Cuénot, 1932
- Macrobiotus ripperi* Stec, Vecchi & Michalczyk, 2021 {in Stec et al. 2021b}
- Macrobiotus rollei* Heinis, 1920 {*nomen inquirendum* according to Stec et al. 2021a}
- Macrobiotus rubens* Murray, 1907 {*nomen dubium* according to Stec et al. 2021a}
- Macrobiotus rybaki* Stec & Vecchi, 2021 {in Vecchi & Stec 2021}
- Macrobiotus sandrae* Bertolani & Rebecchi, 1993
- Macrobiotus santoroi* Pilato & D'Urso, 1976
- Macrobiotus sapiens* Binda & Pilato, 1984
- Macrobiotus scoticus* Stec, Morek, Gąsiorek, Blagden & Michalczyk, 2017
- Macrobiotus semmelweisi* Pilato, Binda & Lisi, 2006
- Macrobiotus serratus* Bertolani, Guidi & Rebecchi, 1996
- Macrobiotus seychellensis* Biserov, 1994
- Macrobiotus shennongensis* Yang, 1999 {*nomen dubium* according to Stec et al. 2021a}
- Macrobiotus shonaicus* Stec, Arakawa & Michalczyk, 2018
- Macrobiotus siderophilus* Bertolani, Cesari, Giovannini, Rebecchi, Guidetti, Kaczmarek & Pilato, 2022
- Macrobiotus sottilei* Pilato, Kiosya, Lisi & Sabella, 2012
- Macrobiotus stanislausi* Kaczmarek, Rutkowski, Zacharyasiewicz, Surmacki, Osiejuk & Kayastha, 2023
- Macrobiotus striatus* Mihelčič, 1949 {*nomen dubium* according to Dastych 2015; *nomen inquirendum* according to Stec et al. 2021a}
- Macrobiotus terminalis* Bertolani & Rebecchi, 1993
- Macrobiotus terricola* Mihelčič, 1951 {*nomen dubium* according to Dastych 2015; *nomen inquirendum* according to Stec et al. 2021a}
- Macrobiotus tetraplacoides* Fontoura, 1981 {*nomen inquirendum* according to Stec et al. 2021a}
- Macrobiotus topali* Iharos, 1969 {*nomen inquirendum* according to Stec et al. 2021a}
- Macrobiotus trunovae* Biserov, Pilato & Lisi, 2011
- Macrobiotus virgatus* Murray, 1910 {*nomen inquirendum* according to Stec et al. 2021a}
- Macrobiotus vladimiri* Bertolani, Biserov, Rebecchi & Cesari, 2011
- Macrobiotus wandae* Kayastha, Berdi, Miaduchowska, Gawlak, Łukasiewicz, Gołdyn & Kaczmarek, 2020
- Macrobiotus xerophilus* Dastych, 1978 <Re-transferred from *Xerobiotus* by Stec et al. 2021a>
{see also *Xerobiotus*}
- Macrobiotus yunshanensis* Yang, 2002 {*nomen dubium* according to Stec et al. 2021a}
- Mesobiota* Vecchi, Cesari, Bertolani, Jönsson, Rebecchi & Guidetti, 2016a
- Mesobiota altitudinalis* (Biserov, 1997/98) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiota anastasiae* Tumanov, 2020
- Mesobiota aradasi* (Binda, Pilato & Lisi, 2005) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiota arguei* (Pilato & Sperlinga, 1975) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiota armatus* (Pilato & Binda, 1996) <Transferred from *Macrobiotus* by Vecchi et al. 2016a> {*species inquirenda* according to Roszkowska et al. 2017}
- Mesobiota australis* (Pilato & D'Urso, 1976) <Transferred from *Macrobiotus* by Vecchi et al.

- 2016a>
Mesobiotus baltatus (McInnes, 1991) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus barabanovi (Tumanov, 2005) <Transferred from *Macrobiotus* by Vecchi *et al.*
- 2016a>
*Mesobiotus barbara*e (Kaczmarek, Michalczyk & Degma, 2007) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus binieki (Kaczmarek, Gołdyn, Prokop & Michalczyk, 2011) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus blocki (Dastych, 1984) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus contii (Pilato & Lisi, 2006) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus coronatus (de Barros, 1942) <Amended by Pilato *et al.* 2000; Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus creber (Pilato & Lisi, 2009) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus datanlanicus Stec, 2019
Mesobiotus diegoi Stec, 2022
Mesobiotus diffusus (Binda & Pilato, 1987) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus diguensis (Pilato & Lisi, 2009) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus dilimanensis Itang, Stec, Mapalo, Mirano-Bascos & Michalczyk, 2020
Mesobiotus dimentmani (Pilato, Lisi & Binda, 2010) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus divergens (Binda, Pilato & Lisi, 2005) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus emiliae Massa, Guidetti, Cesari, Rebecchi & Jönsson, 2021
Mesobiotus erminiae (Binda & Pilato, 1999) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus ethiopicus Stec & Kristensen, 2017
Mesobiotus fiedleri Kaczmarek, Bartylak, Stec, Kulpa, M. Kepel, A. Kepel & Roszkowska, 2020
Mesobiotus furciger (Murray, 1907) [*Macrobiotus ehrenbergi* Heinis, 1921; *Macrobiotus furcatus* Murray, 1906] <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus harmsworthi (Murray, 1907) [*Mesobiotus harmsworthi obscurus* (Dastych, 1985) according to Kaczmarek *et al.* 2018] <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a; Redescribed by Kaczmarek *et al.* 2018 based on *Macrobiotus harmsworthi obscurus* paratypes>
Mesobiotus helenae Tumanov & Pilato, 2019
Mesobiotus hieronimi (Pilato & Claxton, 1988) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus hilariae Vecchi, Cesari, Bertolani, Jönsson, Rebecchi & Guidetti, 2016a
Mesobiotus huecoensis Vecchi, McDaniel & Walsh, 2023 {in Vecchi *et al.* 2023a}
Mesobiotus imperialis Stec, 2021
Mesobiotus insanis Mapalo, Stec, Mirano-Bascos & Michalczyk, 2017
Mesobiotus insuetus (Pilato, Sabella & Lisi, 2014) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus joenssoni Guidetti, Gneuss, Cesari, Altiero & Schill, 2020
Mesobiotus kovalevi (Tumanov, 2004) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>

- Mesobiotus krynauwi* (Dastych & Harris, 1995) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus liviae* (Ramazzotti, 1962) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus lusitanicus* (Maucci & Durante Pasa, 1984) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus maklowiczi* Stec, 2022
- Mesobiotus mandalori*** Erdmann, Kosicki, Kayastha, Mioduchowska & Kaczmarek, 2024
- Mesobiotus marmoreus* Stec, 2021
- Mesobiotus mauccii* (Pilato, 1974) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus meridionalis* (Richters, 1909) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus montanus* (Murray, 1910) [*Macrobiotus morulatus* Bartoš, 1936] <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus mottai* (Binda & Pilato, 1994) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus neuquensis* (Rossi, Claps & Ardochain, 2009) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus nikolaevae* Tumanov, 2018
- Mesobiotus nuragicus* (Pilato & Sperlinga, 1975) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus occultatus* Kaczmarek, Zawierucha, Buda, Stec, Gawlak, Michalczyk & Roszkowska, 2018
- Mesobiotus orcadensis* (Murray, 1907) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus ovostriatus* (Pilato & Patanè, 1998) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus patiens* (Pilato, Binda, Napolitano & Moncada, 2000) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus perfidus* (Pilato & Lisi, 2009) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus peterseni* (Maucci, 1991) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus philippinicus* Mapalo, Stec, Mirano-Bascos & Michalczyk, 2016
- Mesobiotus pilatoi* (Binda & Rebecchi, 1992) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus polaris* (Murray, 1910) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus pseudoblocki* Roszkowska, Stec, Ciobanu & Kaczmarek, 2016
- Mesobiotus pseudocoronatus* (Pilato, Binda & Lisi, 2006) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus pseudoliviae* (Pilato & Binda, 1996) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus pseudonuragicus* (Pilato, Binda & Lisi, 2004) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus pseudopatiens* Kaczmarek & Roszkowska, 2016
- Mesobiotus radiatus* (Pilato, Binda & Catanzaro, 1991) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus reinhardti* (Michalczyk & Kaczmarek, 2003) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>
- Mesobiotus rigidus* (Pilato & Lisi, 2006) <Transferred from *Macrobiotus* by Vecchi et al. 2016a>

Mesobiotus romani Roszkowska, Stec, Gawlak & Kaczmarek, 2018
Mesobiotus siamensis (Tumanov, 2006) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus sicheli (Binda, Pilato & Lisi, 2005) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus simulans (Pilato, Binda, Napolitano & Moncada, 2000) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus skorackii Kaczmarek, Zawierucha, Buda, Stec, Gawlak, Michalczyk & Roszkowska, 2018
Mesobiotus snaresensis (Horning, Schuster & Grigarick, 1978) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus stellaris (du Bois-Reymond Marcus, 1944) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus szeptyckii (Kaczmarek & Michalczyk, 2009) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus tehuelchensis (Rossi, Claps & Ardohain, 2009) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus wuzhishanensis (Yin, L. Wang & X. Li, 2011) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>
Mesobiotus zhejiangensis (Yin, L. Wang & X. Li, 2011) <Transferred from *Macrobiotus* by Vecchi *et al.* 2016a>

Minibiotus R.O. Schuster, 1980 {in Schuster *et al.* 1980}

Minibiotus acontistus (de Barros, 1942)
Minibiotus aculeatus (Murray, 1910) [*Macrobiotus intermedius subjulietae* Horning, Schuster & Grigarick, 1978]
Minibiotus africanus Binda & Pilato, 1995
Minibiotus allani (Murray, 1913)
Minibiotus aquatilis Claxton, 1998
Minibiotus asteris Claxton, 1998
Minibiotus bernhardi R. Schuster, 2021
Minibiotus bisoctus (Horning, Schuster & Grigarick, 1978)
Minibiotus citlalium Dueñas-Cedillo & García-Román, 2020 {in Dueñas-Cedillo *et al.* 2020}
Minibiotus claxtonae Rossi, Claps & Ardohain, 2009
Minibiotus constellatus Michalczyk & Kaczmarek, 2003
Minibiotus continuus Pilato & Lisi, 2006
Minibiotus crassidens (Murray, 1907)
Minibiotus decrescens Binda & Pilato, 1995
Minibiotus diphasconides (Iharos, 1969)
Minibiotus diversus Ciobanu, Roszkowska & Kaczmarek, 2015
Minibiotus eichhorni Michalczyk & Kaczmarek, 2004
Minibiotus ethelae Claxton, 1998
Minibiotus fallax Pilato, Claxton & Binda, 1989
Minibiotus floriparus Claxton, 1998
Minibiotus formosus Zawierucha, Dziamecki, Jakubowska, Michalczyk & Kaczmarek, 2014
Minibiotus furcatus (Ehrenberg, 1859) [nec *Macrobiotus furcatus* Murray, 1906] <Transferred to *Macrobiotus* by Bertolani *et al.* 2014; Re-transferred back to *Minibiotus* by Stec *et al.* 2021a>

Minibiotus granatai (Pardi, 1941)
Minibiotus gumersindoii Guil & Guidetti, 2005
Minibiotus harrylewisi Meyer & Hinton, 2009
Minibiotus hispidus Claxton, 1998
Minibiotus hufelandioides (Murray, 1910)
***Minibiotus intermedius* (Plate, 1888) <Redescribed and neotype (from Marburg, Germany)**
designated by Kaczmarek et al. 2022b (original type locality in Chile and Marburg,
Germany)>
Minibiotus ioculator Stec, Kristensen & Michalczyk, 2020
Minibiotus jonesorum Meyer, Lyons, Nelson & Hinton, 2011
Minibiotus julietae (de Barros, 1942)
Minibiotus keppelensis Claxton, 1998
Minibiotus lazzaroi (Maucci, 1986) [*Macrobiotus spallanzanii* Maucci, 1973] <Transferred from
Macrobiotus by Stec et al. 2021a>
Minibiotus maculartus Pilato & Claxton, 1988
Minibiotus marcusii (de Barros, 1942)
Minibiotus milleri Claxton, 1998
Minibiotus orthofasciatus Fontoura, Pilato, Lisi & Morais, 2009
Minibiotus pentannulatus Londoño, Daza, Lisi & Quiroga, 2017 <Amended by Stec et al.
2020b>
Minibiotus pilatus Claxton, 1998
Minibiotus poricinctus Claxton, 1998
Minibiotus pseudofurcatus (Pilato, 1972) <Transferred from *Macrobiotus* by Stec et al. 2021a>
Minibiotus pseudostellarus Roszkowska, Stec, Ciobanu & Kaczmarek, 2016
Minibiotus pustulatus (Ramazzotti, 1959)
Minibiotus ramazzottii Binda & Pilato, 1992
Minibiotus scopulus Claxton, 1998
Minibiotus sidereus Pilato, Binda & Lisi, 2003
Minibiotus spertii (Ramazzotti, 1957) <Transferred from *Macrobiotus* by Stec et al. 2021a>
Minibiotus stuckenbergi (Dastych, Ryan & Watkins, 1990) <Transferred from *Macrobiotus* by
Dastych & Drummond 1996>
Minibiotus subintermedius (Ramazzotti, 1962)
Minibiotus taiti Claxton, 1998
Minibiotus vinciguerrae Binda & Pilato, 1992
Minibiotus weglarskiae Michalczyk, Kaczmarek & Claxton, 2005
Minibiotus weinerorum (Dastych, 1984) <Transferred from *Macrobiotus* by Miller et al. 1994>
Minibiotus wuzhishanensis X. Li, D. Wang & L. Wang, 2008
Minibiotus xavieri Fontoura, Pilato, Morais & Lisi, 2009

Minilentus Guidetti & Pilato, 2003

Minilentus dubius (Schuster & Toftner, 1982)

Paramacrobiotus Guidetti, Schill, Bertolani, Dandekar & Wolf, 2009
<Amended by Kaczmarek et al. 2017>

{The genus was split into two subgenera named *Paramacrobiotus* Guidetti et al., 2009 and
Amicrobiotus Marley et al., 2018 by Kaczmarek et al. 2017 and Marley et al. 2018; The two
subgenera are not valid according to Guidetti et al. 2019a}

Paramacrobiotus alekseevi (Tumanov, 2005) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009; Some characters amended by Stec *et al.* 2020e>

Paramacrobiotus arduus Guidetti, Cesari, Bertolani, Altiero & Rebecchi, 2019

Paramacrobiotus areolatus (Murray, 1907) [*Paramacrobiotus crenatus* (Maucci, 1991), previously transferred from *Macrobiotus* by Guidetti *et al.* 2009, according to Stec *et al.* 2020c] <Transferred from *Macrobiotus* by Guidetti *et al.* 2009; Amended by Stec *et al.* 2020c>

Paramacrobiotus bengalensis Basu, Babu, Siddique & Purushothaman, 2023

Paramacrobiotus beotiae (Durante Pasa & Maucci, 1979) {*species dubia*; Guidetti *et al.* 2009}

Paramacrobiotus bifrons Brandoli, Cesari, Massa, Vecchi, Rebecchi & Guidetti, 2024

Paramacrobiotus celsus Guidetti, Cesari, Bertolani, Altiero & Rebecchi, 2019

Paramacrobiotus centesimus (Pilato, 2000) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus chieregoi (Maucci & Durante Pasa, 1980) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus corgatensis (Pilato, Binda & Lisi, 2002) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus csotiensis (Iharos, 1966) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009; Amended by Kaczmarek *et al.* 2017>

Paramacrobiotus danielae (Pilato, Binda, Napolitano & Moncada, 2001) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus danielisae (Pilato, Binda & Lisi, 2006) <Transferred from *Macrobiotus* by Degma 2013>

Paramacrobiotus depressus Guidetti, Cesari, Bertolani, Altiero & Rebecchi, 2019

Paramacrobiotus derkai (Degma, Michalczyk & Kaczmarek, 2008) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus experimentalis Kaczmarek, Mioduchowska, Poprawa & Roszkowska, 2020 {in Kaczmarek *et al.* 2020b}

Paramacrobiotus fairbanksi Schill, Förster, Dandekar & Wolf, 2010 <Amended by Guidetti *et al.* 2019a> {The species had been initially diagnosed based on genetic data only and no morphological difference from *Paramacrobiotus richtersi* had been found}

Paramacrobiotus filipi Dudziak, Stec & Michalczyk 2020 {in Stec *et al.* 2020e}

Paramacrobiotus gadabouti Kayastha, Stec, Mioduchowska & Kaczmarek, 2023 {in Kayastha *et al.* 2023}

Paramacrobiotus garynahi (Kaczmarek, Michalczyk & Diduszko, 2005) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus gerlachae (Pilato, Binda & Lisi, 2004) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus halei (Bartels, Pilato, Lisi & Nelson, 2009) <Transferred from *Macrobiotus* by Bartels & Nelson 2012>

Paramacrobiotus hapukuensis (Pilato, Binda & Lisi, 2006) <Transferred from *Macrobiotus* by Degma 2013>

Paramacrobiotus huziori (Michalczyk & Kaczmarek, 2006) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>

Paramacrobiotus intii Kaczmarek, Cytan, Zawierucha, Diduszko & Michalczyk, 2014

- Paramacrobiotus kenianus* Schill, Förster, Dandekar & Wolf, 2010 {The species has been diagnosed based on genetic data only and no morphological difference from *Paramacrobiotus richtersi* has been found}
- Paramacrobiotus klymenki* Pilato, Kiosya, Lisi & Sabella, 2012
- Paramacrobiotus lachowskae* Stec, Roszkowska, Kaczmarek & Michalczyk, 2018
- Paramacrobiotus lorenae* (Biserov, 1996) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>
- Paramacrobiotus magdalenae* (Michalczyk & Kaczmarek, 2006) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>
- Paramacrobiotus metropolitanus* Sugiura, Matsumoto & Kunieda, 2022
- Paramacrobiotus palaui* Schill, Förster, Dandekar & Wolf, 2010 {The species has been diagnosed based on genetic data only and no morphological difference from *Paramacrobiotus richtersi* has been found}
- Paramacrobiotus peteri* (Pilato, Claxton & Binda, 1989) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>
- Paramacrobiotus pius* Lisi, Binda & Pilato, 2016
- Paramacrobiotus priviterae* (Binda, Pilato, Moncada & Napolitano, 2001) <Transferred from *Macrobiotus* by Degma 2013>
- Paramacrobiotus richtersi* (Murray, 1911) [*Macrobiotus schultzei* Cuénot, 1932 according to Marcus 1936] <Transferred from *Macrobiotus* by Guidetti *et al.* 2009; Amended by Guidetti *et al.* 2019a>
- Paramacrobiotus rioplatensis* (Claps & Rossi, 1997) <Transferred from *Macrobiotus* but doubly attributed to the genus by Guidetti *et al.* 2009>
- Paramacrobiotus sagani* Daza, Caicedo, Lisi & Quiroga, 2017
- Paramacrobiotus savai* (Binda & Pilato, 2001) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>
- Paramacrobiotus sklodowskae* (Michalczyk, Kaczmarek & Węglarska, 2006) <Transferred from *Macrobiotus* by Degma 2013>
- Paramacrobiotus spatialis* Guidetti, Cesari, Bertolani, Altiero & Rebecchi, 2019
- Paramacrobiotus spinosus* Kaczmarek, Gawlak, Bartels, Nelson & Roszkowska, 2017
- Paramacrobiotus submorulatus* (Iharos, 1966) <Amended and transferred from *Macrobiotus* by Kaczmarek *et al.* 2017>
- Paramacrobiotus tonollii* (Ramazzotti, 1956) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>
- Paramacrobiotus vanescens* (Pilato, Binda & Catanzaro, 1991) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009> {Based on type material, additional characters to the original description were added by Binda & Pilato 2001 and Pilato *et al.* 2001}
- Paramacrobiotus walteri* (Biserov, 1997/98) <Transferred from *Macrobiotus* by Guidetti *et al.* 2009>
- Paramacrobiotus wauensis* (Iharos, 1973) <Amended and transferred from *Macrobiotus* by Kaczmarek *et al.* 2017> {*nomen dubium* according to Kaczmarek *et al.* 2017}
- Pseudodiphascon* Ramazzotti, 1965 {*genus dubium* according to Guidetti & Pilato 2003}
- Pseudodiphascon inflexum* (Arcidiacono, 1964)

Pseudohexapodibius Bertolani & Biserov, 1996

Pseudohexapodibius degenerans (Biserov, 1990)

Schusterius Kaczmarek & Michalczyk, 2006

Schusterius tridigitus (R.O. Schuster, 1983)

Sisubiotus Stec, Vecchi, Calhim & Michalczyk, 2021

<Amended by Vecchi *et al.* 2022>

Sisubiotus grandis (Richters, 1911) <Transferred from *Macrobiotus* by Stec *et al.* 2021a>

Sisubiotus hakaiensis Vecchi, Choong & Calhim, 2022

Sisubiotus spectabilis (Thulin, 1928) <Transferred from *Macrobiotus* by Stec *et al.* 2021a>

Sisubiotus wuyishanensis (P. Zhang & X.-Z. Sun, 2014) <Transferred from *Macrobiotus* by Stec *et al.* 2021a> {species inquirenda according to Stec *et al.* 2021a}

Tenuibiotus Pilato & Lisi, 2011

<Amended by Stec & Morek 2022>

Tenuibiotus bondavallii (Manicardi, 1989) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus bozhkae Pilato, Kiosya, Lisi, Inshina & Bisarov, 2011

Tenuibiotus ciprianoi (Guil, Guidetti & Machordom, 2007) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus danilovi (Tumanov, 2007) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus higginsi (Maucci, 1987) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus hystricogenitus (Maucci, 1978) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus kozharai (Bisarov, 1999) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus mongolicus (Maucci, 1988) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus tenuiformis (Tumanov, 2007) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus tenuis (Binda & Pilato, 1972) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus voronkovi (Tumanov, 2007) <Transferred from *Macrobiotus* by Pilato & Lisi 2011; Amended by Zawierucha *et al.* 2016 and Stec *et al.* 2020d>

Tenuibiotus willardi (Pilato, 1977) <Transferred from *Macrobiotus* by Pilato & Lisi 2011>

Tenuibiotus yeliseii Tsvetkova & Tumanov, 2024

Tenuibiotus zandrae Stec, Tumanov & Kristensen, 2020

Xerobiotus Bertolani & Bisarov, 1996

{Proposed to be suppressed with the transfer (for *X. euxinus*, *X. gretae*) and re-transfer (for *X. pseudohufelandi*, *X. xerophilus*) of its species to *Macrobiotus* by Stec *et al.* 2021a, 2022, but considered valid by Massa *et al.* 2021 and Vincenzi *et al.* 2024; for this reason the species are reported for both genera}

Xerobiotus arenosum Vincenzi, Cesari, Kaczmarek, Roszkowska, Mioduchowska, Rebecchi, Kiosya & Guidetti, 2024

Xerobiotus euxinus Pilato, Kiosya, Lisi, Inshina & Bisarov, 2011 <Transferred from *Xerobiotus* to *Macrobiotus* by Stec *et al.* 2021a> {Based on type material, additional characters to the original description were added by Vincenzi *et al.* 2024} {see also *Macrobiotus*}

Xerobiotus gretae Massa, Guidetti, Cesari, Rebecchi & Jönsson, 2021 <Transferred from *Xerobiotus* to *Macrobiotus* by Stec *et al.* 2022> {see also *Macrobiotus*}

Xerobiotus inermis (Binda & Pilato, 1971) <*Macrobiotus inermis* Binda & Pilato, 1971
synonymized with *Macrobiotus pseudohufelandi* Iharos, 1966 by Pilato 1973 but
considered as *bona species* and transferred from *Macrobiotus* by Vincenzi *et al.* 2024> {see
also *Macrobiotus*}

Xerobiotus litus Vincenzi, Cesari, Kaczmarek, Roszkowska, Mioduchowska, Rebecchi, Kiosya &
Guidetti, 2024

Xerobiotus naginae (Vecchi, Stec, Vuori, Ryndov, Chartrain & Calhim, 2022) <Transferred from
Macrobiotus by Vincenzi *et al.* 2024>

Xerobiotus pseudohufelandi (Iharos, 1966) [*Macrobiotus inermis* Binda & Pilato, 1971] {see
also *Macrobiotus*} <Re-transferred from *Xerobiotus* to *Macrobiotus* by Stec *et al.* 2021a>

Xerobiotus reductus Vincenzi, Cesari, Kaczmarek, Roszkowska, Mioduchowska, Rebecchi,
Kiosya & Guidetti, 2024

Xerobiotus xerophilus (Dastych, 1978) <Re-transferred from *Xerobiotus* to *Macrobiotus* by Stec
et al. 2021a> {see also *Macrobiotus*}

Family: Murrayidae Guidetti, Rebecchi & Bertolani, 2000

Dactylobiotus R.O. Schuster, 1980 {in Schuster *et al.* 1980}

Dactylobiotus ambiguus (Murray, 1907)

Dactylobiotus ampullaceus (Thulin, 1911)

Dactylobiotus aquatilis Yang, 1999 {*nomen dubium* according to Pogwizd & Stec 2020}

Dactylobiotus caldarella Pilato & Binda, 1994

Dactylobiotus dervizi Biserov, 1998

Dactylobiotus dispar (Murray, 1907)

Dactylobiotus grandipes (Schuster, Toftner & Grigarick, 1978) <Amended by Kaczmarek &
Michalczyk 2010>

Dactylobiotus haplonyx Maucci, 1981

Dactylobiotus henanensis Yang, 2002 {*nomen dubium* according to Pogwizd & Stec 2020}

Dactylobiotus kansae Beasley, Miller & Shively, 2009 {*nomen dubium* according to Pogwizd &
Stec 2020}

Dactylobiotus lombardoi Binda & Pilato, 1999

Dactylobiotus luci Kaczmarek, Michalczyk & Eggermont, 2008

Dactylobiotus macronyx (Dujardin, 1851) {*nomen dubium* according to Dastych 2015 and
Pogwizd & Stec 2020}

Dactylobiotus octavi Guidetti, Altiero & Hansen, 2006

Dactylobiotus ovimutans Kihm, Kim, McInnes, Zawierucha, Rho, Kang & Park, 2020

Dactylobiotus parthenogeneticus Bertolani, 1982

Dactylobiotus selenicus Bertolani, 1982

Dactylobiotus vulcanus Kaczmarek, Schabetsberger, Litwin & Michalczyk, 2012

Macroversum Pilato & Catanzaro, 1988

Macroversum mirum Pilato & Catanzaro, 1988

Murrayon Bertolani & Pilato, 1988
<Amended by Guidetti *et al.* 2022b>

Murrayon hastatus (Murray, 1907)

Murrayon nocentiniae (Ramazzotti, 1961) {Based on type material, additional characters to the

original description were added by Guidetti *et al.* 2022b}
Murrayon ovoglabellus (Biserov, 1988) {Based on type material, additional characters to the original description were added by Guidetti *et al.* 2022b}
Murrayon pullari (Murray, 1907)

Paramurrayon Guidetti, Giovannini, Del Papa, Ekrem, Nelson, Rebecchi & Cesari, 2022
Paramurrayon dianeae (Kristensen, 1982) <Transferred from *Murrayon* by Guidetti *et al.* 2022b>
Paramurrayon hibernicus (Murray, 1911) <Transferred from *Murrayon* by Guidetti *et al.* 2022b>
{*nomen dubium* according to Guidetti *et al.* 2022b}
Paramurrayon meieri Guidetti, Giovannini, Del Papa, Ekrem, Nelson, Rebecchi & Cesari, 2022
Paramurrayon stellatus (Guidetti, 1998) <Transferred from *Murrayon* by Guidetti *et al.* 2022b>

Family: Richtersiusidae Guidetti, Schill, Giovannini, Massa, Goldoni, Ebel, Förschler, Rebecchi & Cesari, 2021
[Richtersiidae Guidetti, Rebecchi, Bertolani, Jönsson, Kristensen & Cesari, 2016]
<Amended by Lisi *et al.* 2020, Guidetti *et al.* 2021, Stec 20222023 and by Massa *et al.* 2024>

Diaforobiotus Guidetti, Rebecchi, Bertolani, Jönsson, Kristensen & Cesari, 2016
Diaforobiotus caelicola (Kathman, 1990) <Transferred from *Macrobiotus* by Stec *et al.* 2021a>
Diaforobiotus hyperonyx (Maucci, 1983) <Transferred from *Macrobiotus* to *Tenuibiotus* by Pilato & Lisi 2011; Transferred from *Tenuibiotus* and amended by Stec & Morek 2022 >
Diaforobiotus islandicus islandicus (Richters, 1904) [*Macrobiotus ruffoi* Maucci, 1973]
<Transferred from *Macrobiotus* by Guidetti *et al.* 2016; Redescribed and neotype (from Grindavík, Iceland) designated by Stec 20222023 (original type locality Faskends-Fjord, eastern Iceland)>
Diaforobiotus islandicus nicaraguensis (Séméria, 1985) <Transferred from *Macrobiotus* by Guidetti *et al.* 2016> {*nomen inquirendum* according to Stec 20222023}
Diaforobiotus occidentalis (Murray, 1910) <Transferred from *Macrobiotus* by Massa *et al.* 2024>
Diaforobiotus svalbardicus Stec, 20222023

Richtersius Pilato & Binda, 1989
[*Richtersia* Pilato & Binda, 1987]
<Transferred from *Macrobiotidae* by Guidetti *et al.* 2016>
Richtersius coronifer (Richters, 1903) <Redescribed by Stec *et al.* 2020a; neotype (from one of the original type locality Klaas Billen Bay, Svalbard, Norway) designated by Stec & Michalczyk 2020>
Richtersius mazepi Kiosya & Stec, 2022
Richtersius tertius Pogwizd & Stec, 2022
Richtersius ziemowiti Kayastha, Berdi, Miaduchowska, Gawlak, Łukasiewicz, Gołdyn, Jędrzejewski & Kaczmarek, 2020

Incertae sedis

{The placement of the following taxa into any superfamily remains still unclear, see Marley *et al.* 2011}

Family: Beornidae Cooper, 1964

Beorn Cooper, 1964

Beorn leggi Cooper, 1964 {fossil species}

Family: Necopinatidae Ramazzotti & Maucci, 1983

Necopinatum Pilato, 1971

Necopinatum mirabile Pilato, 1971

References

- Bartels, P.J. & Nelson, D.R. (2012) An online key and field guide to the tardigrades of the Great Smoky Mountains National Park (North Carolina & Tennessee, USA, North America) with taxonomic revisions of two species. *Zootaxa*, 3249, 67–68.
- Bartels, P.J., Fontoura, P. & Nelson, D.R. (2018) Marine tardigrades of the Bahamas with the description of two new species and updated keys to the species of *Anisonyches* and *Archechiniscus*. *Zootaxa*, 4420(1), 43–70.
- Bartels, P.J., Fontoura, P., Nelson, D.R., Orozco-Cubero, S., Mioduchowska, M., Gawlak, M., Kaczmarek, Ł. & Cortés, J. (2021) A trans-isthmus survey of marine tardigrades from Costa Rica (Central America) with descriptions of seven new species. *Marine Biology Research*; <https://doi.org/10.1080/17451000.2021.1901936>, 17 (2), 120–166.
- Bartoš, E. (1967) Želvusky-Tardigrada. In: Bartoš, E., Šlais, J. (eds.) *Fauna ČSSR*, Prague: Československá Akademie, 17, 1–190.
- Bartylak, T., Kayastha, P., Roszkowska, M., Kepel, A., Kepel, M. & Kaczmarek, Ł. (2022) Tardigrades of the Ivohibory forest (south-central Madagascar) with a description of a new *Bryodelphax* species. *The European Zoological Journal*, 89, 423–436.
- Bello, G. & de Zio Grimaldi, S. (1998) Phylogeny of the genera of the Stygarctidae and related families (Tardigrada: Heterotardigrada). *Zoologischer Anzeiger*, 237, 171–183.
- Bernard, E.C. (1977) A new species of *Hexapodibius* from North America, with a redescription of *Diphascon belgicae* (Tardigrada). *Transactions of the American Microscopical Society*, 96(4), 476–482.
- Bertolani, R., Guidetti, R., Marchioro, T., Altiero, T., Rebecchi, L. & Cesari, M. (2014) Phylogeny of Eutardigrada: New molecular data and their morphological support lead to the identification of new evolutionary lineages. *Molecular Phylogenetics and Evolution*, 76, 110–126.
- Binda, M.G. & Kristensen, R.M. (1986) Notes on the genus *Oreella* (Oreellidae) and the systematic position of *Carphania fluviatilis* Binda, 1978 (Carphanidae fam. nov., Heterotardigrada). *Animalia*, 13 (1/3), 9–20.
- Binda, M.G. & Pilato, G. (2001) *Macrobiotus savai* and *Macrobiotus humilis*, two new species of tardigrades from Sri Lanka. *Bollettino dell'Accademia Gioenia di Scienze Naturali*, 34 (360), 101–111.
- Biserov, V.I. (1986) Terrestrial water bears from the north Caucasus. 1. Heterotardigrada. *Zoologicheskiy Zhurnal*, 65 (5), 747–756. [in Russian]
- Bochnak, M., Vončina, K., Kristensen, R.M. & Gąsiorek, P. (2020) Continued exploration of Tanzanian rainforests reveals a new echiniscid species (Heterotardigrada). *Zoological Studies*, 59:18 (2020) doi:10.6620/ZS.2020.59-18

- Buda, J., Olszanowski, Z., Wierzgoń, M. & Zawierucha, K. (2018) Tardigrades and oribatid mites in bryophytes from geothermally active lava fields (Krafla, Iceland) and the description of *Pilatobius islandicus* sp. nov. (Eutardigrada). *Polish Polar Research*, 39(3), 425–453.
- Cesari, M., Vecchi, M., Palmer, A., Bertolani, R., Pilato, G., Rebecchi, L. & Guidetti, R. (2016) What if the claws are reduced? Morphological and molecular phylogenetic relationships of the genus *Haplomacrobiotus* May, 1948 (Eutardigrada, Parachela). *Zoological Journal of the Linnean Society*, 178, 819–827.
- Chang, C.Y., Kaczmarek, Ł., Lee, J.M. & Michalczyk, Ł. (2007) *Pseudobiotus spinifer*, a new tardigrade species (Eutardigrada: Hypsibiidae) from Nakdong River, South Korea, with a redescription of *P. vladimiri* Biserov, Dudichev & Biserova. *Zoological Science*, 24, 623–629.
- Christenberry, D. & Mason W.H. (1979) Redescription of *Echiniscus virginicus* Riggins (Tardigrada) with notes on life history, range, and geographic variation. *Journal of the Alabama Academy of Science*, 50, 47–61.
- Claxton, S.K., Beasley, C.W., Kaczmarek, L. & Michalczyk, L. (2010) Redescription of *Doryphoribus zyxiglobus* (Horning, Schuster & grigarick 1978) (Eutardigrada: Hypsibiidae) and extension of its geographic range. *New Zealand Journal of Zoology*, 37, 243–253.
- Dabert, M., Dastych, H., Hohberg, K. & Dabert, J. (2013) Phylogenetic position of the enigmatic clawless eutardigrade genus *Apodibius* Dastych, 1983 (Tardigrada), based on 18S and 28S rRNA sequence data from its type species *A. confusus*. *Molecular Phylogenetics and Evolution*, 70, 70–75.
- Dastych, H. (2009) Notes on the African limno-terrestrial tardigrade *Ramazzottius szeptycki* (Dastych, 1980) (Tardigrada). *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg*, 15, 87–91.
- Dastych, H. (2015) Tardigrada. In: Schuster R. (ed.) *Checklisten der Fauna Österreichs*, 8, 1–25.
- Dastych, H. (2016) Redescription and taxonomic status of the Antarctic water-bear *Isohypsibus tetradactyloides* (Richters, 1907), as concluded from the rediscovered type material (Tardigrada). *Acta Biologica Benrodis*, 18, 21–43.
- Dastych, H. (2018) Redescription and revalidation of the sub-Antarctic tardigrade *Hypsibus murrayi* (Richters, 1907) based on the rediscovered type material (Tardigrada, Panarthropoda). *Entomologie heute*, 30, 95–115.
- Dastych, H. (2019) *Cryobiotus roswithae* gen. n., sp. n., a new genus and species of glacier-dwelling tardigrades from northern Norway (Tardigrada, Panarthropoda). *Entomologie heute*, 31, 95–111.
- Dastych, H. & Drummond, A.E. (1996) Notes on limnic water-bears (Tardigrada) from the Robertskollen nunataks, Dronning Maud Land, Antarctica. *Entomologische Mitteilungen aus dem Zoologischen Museum Hamburg*, 12(154), 111–117.
- Dastych, H., McInnes, S.J. & Claxton, S.K. (1998) *Oreella mollis* Murray, 1910 (Tardigrada): a redescription and revision of Oreella. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut*, 95, 89–113.
- Degma, P. (2013) Notes to the species composition of the genus *Paramacrobiotus* Guidetti *et al.*, 2009 (Tardigrada, Eutardigrada, Macrobiotidae). *Zootaxa*, 3681(1), 96–98.
- Degma, P. & Guidetti, R. (2007) Notes to the current checklist of Tardigrada. *Zootaxa*, 1579, 41–53.**
- Degma, P., Meyer, H.A. & Hinton, J.G. (2021) *Claxtonia goni*, a new species of Tardigrada (Heterotardigrada, Echiniscidae) from the island of Maui (Hawaiian Islands, U.S.A., North

- Pacific Ocean), with notes to the genus *Claxtonia* Gąsiorek & Michalczyk, 2019. *Zootaxa*, 4933(4), 527–542.
- DeMilio, E., Tumanov, D.V., Lawton, C., Kristensen, R.M. & Hansen, J.G. (2022a) Two new *Bryodelphax* Thulin, 1928 species (Heterotardigrada: Echiniscidae) from the Republic of Ireland with comments on the ‘weglarskae group’ and other heterotardigrade taxa, including the controversial genus *Bryochoerus* Marcus, 1936. *Journal of Animal Diversity*, 4 (2), 1–52.
- DeMilio, E., Tumanov, D.V., Lawton, C. & Hansen, J.G. (2022b) Observations of Irish *Parechiniscus* Cuénot, 1926 (Heterotardigrada: Echiniscidae) convey new information (and questions) about the genus. *Biology and Environment: Proceedings of the Royal Irish Academy*, 122 (3), 161–179.
- de Zio Grimaldi, S., Gallo D'Addabbo, M., Sandulli, R. & D'Addabbo, R. (2003) Checklist of the Italian marine Tardigrada. *Meiofauna Marina*, 12, 97–135.
- Dueñas-Cedillo, A., Evelyn Martínez-Méndez, E., García-Román, J., Armendáriz-Toledano, F. & Alejandro Ruiz, E. (2020) Tardigrades from Iztaccíhuatl volcano (Trans-Mexican Volcanic Belt), with the description of *Minibiotus citlalium* sp. nov. (Eutardigrada: Macrobiotidae). *Diversity*, 12, 271. doi:10.3390/d12070271
- Fontoura, P., Bartels, P.J., Jørgensen, A., Kristensen, R.M. & Hansen, J.G. (2017) A dichotomous key to the genera of the marine Heterotardigrades (Tardigrada). *Zootaxa*, 4294, 1–45.
- Fujimoto, S. & Hansen, J.G. (2019) Revision of *Angursa* (Arthrotardigrada: Styraconyidae) with the description of a new species from Japan. *European Journal of Taxonomy*, 510, 1–19. <https://doi.org/10.5852/ejt.2019.510>
- Fujimoto, S. & Miyazaki, K. (2013) *Neostygarctus lovedeluxe* n. sp. from the Miyako Islands, Japan: The First Record of Neostygarctidae (Heterotardigrada: Arthrotardigrada) from the Pacific. *Zoological Science*, 30(5), 414–419.
- Fujimoto, S. & Yamasaki, H. (2017) A new genus and species of Renaudarctidae (Heterotardigrada: Arthrotardigrada) from Ryukyu Archipelago, Japan. *Marine Biology Research*, 13(3), 288–299.
- Fujimoto, S., Jørgensen, A. & Hansen, J.G. (2017) A molecular approach to arthrotardigrade phylogeny (Heterotardigrada, Tardigrada). *Zoologica Scripta*, 46, 496–505.
- Gąsiorek, P. (2022) Water bear with barbels of a catfish: A new Asian *Cornechiniscus* (Heterotardigrada: Echiniscidae) illuminates evolution of the genus. *Zoologischer Anzeiger*, 300, 47–64.
- Gąsiorek, P. (2023) Eventually tested: Phylogenetic position of “*Testechiniscus*” *meridionalis* (Murray, 1906) (Heterotardigrada) revealed. *Zoologischer Anzeiger*, 304, 49–60.
- Gąsiorek, P. & Kristensen, R.M. (2022) New marine heterotardigrade lineages (Echiniscoididae) from the tropics. *The European Zoological Journal*, 89 (1), 719–754.
- Gąsiorek, P. & Michalczyk, Ł. (2020a) Phylogeny of Itaquasconinae in the light of the evolution of the flexible pharyngeal tube in Tardigrada. *Zoologica Scripta*, 49 (4), 499–515. <https://doi.org/10.1111/zsc.12424>
- Gąsiorek, P. & Michalczyk, Ł. (2020b) Revised *Cornechiniscus* (Heterotardigrada) and new phylogenetic analyses negate echiniscid subfamilies and tribes. *Royal Society Open Science*, 7: 200581.
- Gąsiorek, P. & Michalczyk, Ł. (2024) Novel integrative data for Indomalayan echiniscids (Heterotardigrada): new species and old problems. *Organisms Diversity & Evolution* <https://doi.org/10.1007/s13127-023-00628-5>
- Gąsiorek, P. & Vončina, K. (2023) Atlas of the Echiniscidae (Heterotardigrada) of the World—

- part I: West Palaearctic *Echiniscus* species. *Zootaxa*, 5344 (1): 1–72.
- Gąsiorek, P., Stec, D., Morek, W., Zawierucha, K., Kaczmarek, Ł., Lachowska-Cierlik, D. & Michalczyk, Ł. (2016) An integrative revision of *Mesocrista* Pilato, 1987 (Tardigrada: Eutardigrada: Hypsibiidae). *Journal of Natural History*, 50(45–46), 2803–2828.
- Gąsiorek, P., Zawierucha, K., Stec, D. & Michalczyk, Ł. (2017a) Integrative redescription of a common Arctic water bear *Pilatobius recamieri* (Richters, 1911). *Polar Biology*, 40, 2239–2252. DOI 10.1007/s00300-017-2137-9
- Gąsiorek, P., Stec, D., Morek, W. & Michalczyk, Ł. (2017b) An integrative redescription of *Echiniscus testudo* (Doyère, 1840), the nominal taxon for the class Heterotardigrada (Ecdysozoa: Panarthropoda: Tardigrada). *Zoologischer Anzeiger*, 270, 107–122.
- Gąsiorek, P., Stec, D., Morek, W. & Michalczyk, Ł. (2018a) An integrative redescription of *Hypsibius dujardini* (Doyère, 1840), the nominal taxon for Hypsibioidea (Tardigrada: Eutardigrada). *Zootaxa*, 4415(1), 45–75.
- Gąsiorek, P., Stec, D., Zawierucha, K., Kristensen, R.M. & Michalczyk, Ł. (2018b) Revision of *Testechiniscus* Kristensen, 1987 (Heterotardigrada: Echiniscidae) refutes the polar-temperate distribution of the genus. *Zootaxa*, 4472(2), 261–297.
- Gąsiorek, P., Suzuki, A.C., Kristensen, R.M., Lachowska-Cierlik, D. & Michalczyk, Ł. (2018c) Untangling the *Echiniscus* Gordian knot: *Stellariscus* gen. nov. (Heterotardigrada : Echiniscidae) from Far East Asia. *Invertebrate Systematics*, 32, 1234–1247.
- Gąsiorek, P., Blagden, B. & Michalczyk, Ł. (2019a) Towards a better understanding of echiniscid intraspecific variability: A redescription of *Nebularmis reticulatus* (Murray, 1905) (Heterotardigrada: Echiniscoidea). *Zoologischer Anzeiger*, 283, 242–255.
- Gąsiorek, P., Jackson, K.J., Meyer, H.A., Zajac, K., Nelson, D.R., Kristensen, R.M. & Michalczyk, Ł. (2019b) *Echiniscus virginicus* complex: the first case of pseudocryptic allopatry and pantropical distribution in tardigrades. *Biological Journal of the Linnean Society*, 20, 128 (4), 789–805. <https://academic.oup.com/biolinnean/article/128/4/789/5611049>
- Gąsiorek, P., Morek, W., Stec, D., Blagden, B. & Michalczyk, Ł. (2019c) Revisiting Calohypsibiidae and Microhypibiidae: *Fractonotus* Pilato, 1998 and its phylogenetic position within Isohypibiidae (Eutardigrada: Parachela). *Zoosystema*, 41 (6), 71–89.
- Gąsiorek, P., Morek, W., Stec, D. & Michalczyk, Ł. (2019d) Untangling the *Echiniscus* Gordian knot: paraphyly of the “*arctomys* group” (Heterotardigrada: Echiniscidae). *Cladistics*, 35, 633–653.
- Gąsiorek, P., Stec, D., Morek, W. & Michalczyk, Ł. (2019e) Deceptive conservatism of claws: distinct phyletic lineages concealed within Isohypobiidea (Eutardigrada) revealed by molecular and morphological evidence. *Contributions to Zoology*, 88, 78–132.
- Gąsiorek, P., Vončina, K., Degma, P. & Michalczyk, Ł. (2020a) Small is beautiful: the first phylogenetic analysis of *Bryodelphax* Thulin, 1928 (Heterotardigrada, Echiniscidae). *Zoosystematics and Evolution*, 96, 217–236.
- Gąsiorek, P., Kristensen, D.M. & Kristensen, R.M. (2021a) Extreme secondary sexual dimorphism in the genus *Florarctus* (Heterotardigrada: Halechiniscidae). *Marine Biodiversity* 51:52; <https://doi.org/10.1007/s12526-021-01183-y>
- Gąsiorek, P., Vončina, K., Ciosek, J., Veloso, M., Fontoura, P. & Michalczyk, Ł. (2021b) New Indomalayan *Nebularmis* species (Heterotardigrada: Echiniscidae) provoke a discussion on its intrageneric diversity. *Zoological Letters* 7:6; <https://doi.org/10.1186/s40851-021-00172-0>

- Gąsiorek, P., Vončina, K., Zajac, K. & Michalczyk, Ł. (2021c) Phylogeography and morphological evolution of *Pseudechiniscus* (Heterotardigrada: Echiniscidae). *Scientific Reports* 11:7606; <https://doi.org/10.1038/s41598-021-84910-6>
- Gąsiorek, P., Oczkowski, A., Blagden, B., Kristensen, R.M., Bartels, P.J., Nelson, D.R., Suzuki, A.C. & Michalczyk, Ł. (2021d) New Asian and Nearctic *Hypechiniscus* species (Heterotardigrada: Echiniscidae) signalize a pseudocryptic horn of plenty. *Zoological Journal of the Linnean Society*, 20, 1–59192 (3), 794–852.
- Gąsiorek, P., Vončina, K., Nelson, D.R. & Michalczyk, Ł. (2021e) The importance of being integrative: a remarkable case of synonymy in the genus *Viridiscus* (Heterotardigrada: Echiniscidae). *Zoological Letters*, 7:13. <https://doi.org/10.1186/s40851-021-00181-z>
- Gąsiorek, P., Bochnak, M., Vončina, K. & Michalczyk, Ł. (2021f) Phenotypically exceptional *Echiniscus* species (Heterotardigrada: Echiniscidae) from Argentina (Neotropics). *Zoologischer Anzeiger*, 294 (2021) 210e228, 210–228.
- Gąsiorek, P., Wilamowski, A., Vončina, K. & Michalczyk, Ł. (2022a) Neotropical jewels in the moss: biodiversity, distribution and evolution of the genus *Barbaria* (Heterotardigrada: Echiniscidae). *Zoological Journal of the Linnean Society*, XX, 1–30195(4), 1037–1066.
- Gąsiorek, P., Vončina, K., Bochnak, M., Surmacz, B., Morek, W. & Michalczyk, Ł. (2022b) Echiniscidae (Heterotardigrada) of South Africa. *Zootaxa*, 5156 (1), 001–238.
- Gąsiorek, P., Blagden, B., Morek, W. & Michalczyk, Ł. (2023a) What is a ‘strong’ synapomorphy? Redescriptions of Murray’s type species and descriptions of new taxa challenge the systematics of Hypsibiidae (Eutardigrada: Parachela). *Zoological Journal of the Linnean Society*, zlad151, <https://doi.org/10.1093/zoolinnean/zlad151>
- Gąsiorek, P., Vončina, K. & Michalczyk, Ł. (2023b) *Meridioniscus* Gąsiorek, Vončina & Michalczyk, subgen. nov. (Heterotardigrada: Echiniscidae). *Zootaxa*, 5361 (3), 449–450.
- Gąsiorek, P., Degma, P. & Michalczyk, Ł. (2024) Hiding in the Arctic and in mountains: a (dis)entangled classification of *Claxtonia* (Heterotardigrada: Echiniscidae). *Zoological Journal of the Linnean Society*, 200, 60–86. <https://doi.org/10.1093/zoolinnean/zlad029>
- Gomes-Júnior, E., Santos, É., da Rocha, C.M.C., Santos, P.J.P. & Fontoura, P. (2018) A new species of *Ligiarctus* (Tardigrada, Arthrotardigrada) from the Brazilian continental shelf, Southwestern Atlantic Ocean. *Marine Biodiversity*, 48, 5–12.
- Grimaldi de Zio, S., D'Addabbo Gallo, M. & Morone De Lucia, M.R. (1990) Revision of the genus *Halechiniscus* (Halechiniscidae, Arthrotardigrada). *Cahiers de Biologie Marine*, 31, 271–279.
- Grimaldi de Zio, S., D'Addabbo Gallo, M. & Morone De Lucia, M. R. (1987) Adaptive radiation and phylogenesis in marine Tardigrada and the establishment of Neostygarctidae, a new family of Heterotardigrada. *Bulletino di Zoologia*, 54, 27–33.
- Grollmann, M.M., Jørgensen, A. & Møbjerg, N. (2023) *Actinarctus doryphorus* (Tanarctidae) DNA barcodes and phylogenetic reinvestigation of Arthrotardigrada with new *A. doryphorus* and Echiniscoididae sequences. *Zootaxa*, 5284 (2), 351–363.
- Grobys, D., Roszkowska, M., Gawlak, M., Kmita, H., Kepel, A., Kepel, M., Parnikoza, I., Bartylak, T. & Kaczmarek, Ł. (2020) High diversity in the *Pseudechiniscus suillus-facettalis* complex (Heterotardigrada: Echiniscidae) with remarks on the morphology of the genus *Pseudechiniscus*. *Zoological Journal of the Linnean Society*, 188, 733–752.
- Gross, V., Miller, W.R. & Hochberg, R. (2014) A new tardigrade, *Mutaparadoxipus duodigitinus* gen. nov., sp. nov. (Heterotardigrada: Arthrotardigrada), from the Southeastern United States. *Zootaxa*, 3835(2), 263–272.
- Grothman, G.T., Johansson, C., Chilton, G., Kagoshima, H., Tsujimoto, M. & Suzuki, A.C.

- (2017) Gilbert Rahm and the status of Mesotardigrada Rahm, 1937. *Zoological Science*, 34, 5–10.
- Guidetti, R., Schill, R.O., Bertolani, R., Dandekar, T. & Wolf, M. (2009) New molecular data for tardigrade phylogeny, with the erection of *Paramacrobiotus* gen. n. *Journal of Zoological Systematics and Evolutionary Research* ([doi: 10.1111/j.1439-0469.2009.00526.x](https://doi.org/10.1111/j.1439-0469.2009.00526.x)), 47 (4), 315–321.
- Guidetti, R., Rebecchi, L., Bertolani, R., Jönsson, K.I., Kristensen, R.M. & Cesari, M. (2016) Morphological and molecular analyses on *Richtersius* (Eutardigrada) diversity reveal its new systematic position and lead to the establishment of a new genus and a new family within Macrobiotoidea. *Zoological Journal of the Linnean Society*, 178, 834–845.
- Guidetti, R., Cesari, M., Bertolani, R., Altiero, T. & Rebecchi, L. (2019a) High diversity in species, reproductive modes and distribution within the *Paramacrobiotus richtersi* complex (Eutardigrada, Macrobiotidae). *Zoological Letters*, 5:1.
<https://doi.org/10.1186/s40851-018-0113-z>
- Guidetti, R., Massa, E., Bertolani, R., Rebecchi, L. & Cesari, M. (2019b) Increasing knowledge of Antarctic biodiversity: new endemic taxa of tardigrades (Eutardigrada; Ramazzottiidae) and their evolutionary relationships. *Systematics and Biodiversity* 17 (6): 573–593.
<https://dx.doi.org/10.1080/14772000.2019.1649737>
- Guidetti, R., Schill, R.O., Giovannini, I., Massa, E., Goldoni, S.E., Ebel, Ch., Förschler, M.I., Rebecchi, L. & Cesari, M. (2021) When DNA sequence data and morphological results fit together: Phylogenetic position of *Crenubiotus* within Macrobiotoidea (Eutardigrada) with description of *Crenubiotus ruhesteini* sp. nov. *Journal of Zoological Systematics and Evolutionary Research* (<https://doi.org/10.1111/jzs.12449>), 59 (3), 576–587.
- Guidetti, R., Cesari, M., Giovannini, I., Ebel, C., Förschler, M.I., Rebecchi, L. & Schill, R.O. (2022a) Morphology and taxonomy of the genus *Ramazzottius* (Eutardigrada; Ramazzottiidae) with the integrative description of *Ramazzottius kretschmanni* sp. nov. *The European Zoological Journal*, 89, 339–363.
- Guidetti, R., Giovannini, I., Del Papa, V., Ekrem, T., Nelson, D.R., Rebecchi, L. & Cesari, M. (2022b) Phylogeny of the asexual lineage Murrayidae (Macrobiotoidea, Eutardigrada) with the description of *Paramurrayon* gen. nov. and *Paramurrayon meieri* sp. nov. *Invertebrate Systematics*, 36(12), 1099–1117.
- Guil, N., Jørgensen, A. & Kristensen, R. (2019) An upgraded comprehensive multilocus phylogeny of the Tardigrada tree of life. *Zoologica Scripta*, 48 (1), 120–137.
- Hansen, J.G. (2007) The deep sea elements of the Faroe Bank tardigrade fauna with a description of two new species. Proceedings of the Tenth International Symposium on Tardigrada. *Journal of Limnology*, 66 (Suppl. 1), 12–20.
- Hansen, J.G. & Kristensen, R.M. (2006) The ‘hyena female’ of tardigrades and description of two new species of *Megastygarctides* (Arthrotardigrada: Stygarctidae) from Saudi Arabia. *Hydrobiologia*, 558, 81–101.
- Hansen, J.G. & Kristensen, R.M. (2021) A new genus and five new species of the subfamily Florarctinae (Tardigrada, Arthrotardigrada). *European Journal of Taxonomy*, 762, 149–184.
- Hansen, J.G., Kristensen, R.M. & Jørgensen, A. (2012) The armoured marine tardigrades (Arthrotardigrada, Tardigrada). *Scientia Danica*, series B Biologica 2, The Royal Danish Academy of Sciences and Letters, pp. 91.
- Iharos G. (1973) Angaben zur geographischen Verbreitung der Tardigraden. *Opuscula Zoologica, Budapest*, 12, 73–86.
- Jørgensen A., Faurby, S., Hansen, J.G., Møbjerg, N. & Kristensen R.M. (2010) Molecular

- phylogeny of Arthrotardigrada (Tardigrada). *Molecular Phylogenetics and Evolution*, 54, 1006–1015.
- Jørgensen, A., Boesgaard, T.M., Møbjerg, N. & Kristensen, R.M. (2014) The tardigrade fauna of Australian marine caves: With descriptions of nine new species of Arthrotardigrada. *Zootaxa*, 3802(4), 401–443.
- Kaczmarek, Ł. & Michalczyk, Ł. (2009) Redescription of *Hypsibius microps* Thulin, 1928 and *H. pallidus* Thulin, 1911 (Eutardigrada: Hypsibiidae) based on the type material from the Thulin collection. *Zootaxa*, 2275, 60–68.
- Kaczmarek, Ł. & Michalczyk, Ł. (2010) Redescription of *Dactylobiotus grandipes* (Schuster, Toftner & Grigarick, 1978), the type species for the genus *Dactylobiotus* (Tardigrada: Macrobiotidae). *Genus*, 21, 155–162.
- Kaczmarek, Ł. & Michalczyk, Ł. (2017) A description of *Macrobiotus horningi* sp. nov. and redescriptions of *M. maculatus* comb. nov. Iharos, 1973 and *M. rawsoni* Horning *et al.*, 1978 (Tardigrada: Eutardigrada: Macrobiotidae: *hufelandi* group). *Zootaxa*, 4363 (1), 79–100.
- Kaczmarek, Ł. & Roszkowska, M. (2021) *Zealandiscus* gen. nov., a new genus erected in the family Echiniscidae Thulin, 1928 (Heterotardigrada). *Annales Zoologici (Warszawa)*, 71(3), 651–659.
- Kaczmarek, Ł., Michalczyk, Ł. & Guidetti, R. (2006) Description of the new species *Calcarobiotus (C.) longinoi* sp. nov. (Eutardigrada, Macrobiotidae) from Costa Rica with the diagnostic key to the genus *Calcarobiotus*. *Italian Journal of Zoology* 73 (3), 247–253.
- Kaczmarek, Ł., Bertolani, R. & Nędzyńska-Stygarc, M. (2010) *Thulinius salturus* comb. nov.: a new systematic position for *Isohypsibius salturus* Schuster, Toftner & Grigarick, 1978 (Eutardigrada: Hypsibiidae) and a key for the genus *Thulinius*. *Zootaxa*, 2483, 58–64.
- Kaczmarek, Ł., Bartels, P.J., Roszkowska, M. & Nelson, D.R. (2015) The zoogeography of marine Tardigrada. *Zootaxa*, 4037, 1–189.
- Kaczmarek, Ł., Gawlak, M., Bartels, P.J., Nelson, D.R. & Roszkowska, M. (2017) Revision of the genus *Paramacrobiotus* Guidetti *et al.*, 2009 with the decription of a new species, re-descriptions and a key. *Annales Zoologici (Warszawa)*, 67(4), 627–656.
- Kaczmarek, Ł., Zawierucha, K., Buda, J., Stec, D., Gawlak, M., Michalczyk, Ł. & Roszkowska, M. (2018) An integrative redescription of the nominal taxon for the *Mesobiotus harmsworthi* group (Tardigrada: Macrobiotidae) leads to descriptions of two new *Mesobiotus* species from Arctic. *PLoS ONE* 13(10): e0204756. <https://doi.org/10.1371/journal.pone.0204756>
- Kaczmarek, Ł., Bartylak, T. & Roszkowska, M. (2020a) Two new genera of long clawed Isohypsibioidea Guil, Jørgensen & Kristensen, 2019. *Zootaxa* 4729, 293–299.
- Kaczmarek, Ł., Roszkowska, M., Poprawa, I., Janelt, K., Kmita, H., Gawlak, M., Fiałkowska, E. & Mioduchowska, M. (2020b) Integrative description of bisexual *Paramacrobiotus experimentalis* sp. nov. (Macrobiotidae) from republic of Madagascar (Africa) with microbiome analysis. *Molecular Phylogenetics and Evolution* 145, 106730; <https://doi.org/10.1016/j.ympev.2019.106730>
- Kaczmarek, Ł., Kayastha, P., Gawlak, M., Mioduchowska, M. & Roszkowska, M. (2021) An integrative description of *Diploechiniscus oihonnae* (Richters, 1903) population from near the original type locality in Merok (Norway). *Zootaxa*, 4964 (1), 83–102.
- Kaczmarek, Ł., Kayastha, P., Gawlak, M., Mioduchowska, M. & Roszkowska, M. (2022a) An integrative redescription of *Echiniscus quadrispinosus quadrispinosus* Richters, 1902 (Heterotardigrada, Echiniscidae) from the terra typica in Taunus Mountain Range (Europe;

- Germany). *European Journal of Taxonomy*, 823, 102–124.
- Kaczmarek, Ł., Kayastha, P., Roszkowska, M., Gawlak, M. & Mioduchowska, M. (2022b) Integrative Redescription of the *Minibiotus intermedius* (Plate, 1888)—The Type Species of the Genus *Minibiotus* R.O. Schuster, 1980. *Diversity*, 14 (5), 356. <https://doi.org/10.3390/d14050356>
- Kayastha, P., Stec, D., Slugocki, Ł., Gawlak, M., Mioduchowska, M. & Kaczmarek, Ł. (2023) Integrative taxonomy reveals new, widely distributed tardigrade species of the genus *Paramacrobiotus* (Eutardigrada: Macrobiotidae). *Scientific Reports*, 13:2196. <https://doi.org/10.1038/s41598-023-28714-w>
- Kristensen, R.M. (1984) On the biology of *Wingstrandarctus corallinus* nov. gen. et spec., with notes on the symbiotic bacteria in the subfamily Florarctinae (Arthrotardigrada). *Videnskabelige Meddelelser fra Dansk Naturhistorisk Forening*, 145, 201–218.
- Kristensen, R.M. (1987) Generic revision of the Echiniscidae (Heterotardigrada), with a discussion of the origin of the family. *Biology of Tardigrades*, R. Bertolani (ed.). *Selected Symposia and Monographs U.Z.I.*, 1, Mucchi, Modena: 261–335.
- Kristensen, R.M. & Higgins, R.P. (1984b) A new family of Arthrotardigrada (Tardigrada: Heterotardigrada) from the Atlantic coast of Florida, U. S. A. *Transactions of the American Microscopical Society*, 103 (3), 295–311.
- Kristensen, R.M., Sørensen, M.V., Hansen, J.G. & Zeppilli, D. (2015) A new species of *Neostygarctus* (Arthrotardigrada) from the Condor Seamount in the Azores, Northeast Atlantic. *Marine Biodiversity*, 45, 453–467.
- Kiosya, Y., Vončina, K. & Gąsiorek, P. (2021) Echiniscidae in the Mascarenes: the wonders of Mauritius. *Evolutionary Systematics*, 5, 93–120.
- Li, X. (2009) Revision of *Biserovus xiae* Li, Su and Yu, 2004 (Tardigrada: Macrobiotidae). *Zootaxa*, 2076, 63–68.
- Lisi, O. (2011) Remarks on *Doryphoribus flatus* (Iharos, 1966), and description of three new species (Tardigrada, Hypsibiidae). *Zootaxa*, 2834, 17–32.
- Lisi, O., Londoño, R. & Quiroga, S. (2020) Description of a new genus and species (Eutardigrada: Richtersiidae) from Colombia, with comments on the family Richtersiidae. *Zootaxa*, 4822 (4): 531–550.
- Marcus, E. (1936) Tardigrada. *Das Tierreich*, Berlin & Leipzig, 66, 1–341.
- Marley, N.J., McInnes, S.J. & Sands, C.J. (2011) Phylum Tardigrada: A re-evaluation of the Parachela. *Zootaxa*, 2819, 51–64.
- Marley, N.J., Kaczmarek, Ł., Gawlak, M., Bartels, P.J., Nelson, D.R., Roszkowska, M., Stec, D. & Degma, P. (2018) A clarification for the subgenera of *Paramacrobiotus* Guidetti, Schill, Bertolani, Dandekar and Wolf, 2009, with respect to the International Code of Zoological Nomenclature. *Zootaxa*, 4407(1), 130–134.
- Maucci, W. (1996) Tardigrada of the Arctic tundra with descriptions of two new species. *Zoological Journal of the Linnean Society*, 116, 185–204.
- Massa, E., Guidetti, R., Cesari, M., Rebecchi, L. & Jönsson, K.I. (2021) Tardigrades of Kristianstads Vattenrike Biosphere Reserve with description of four new species from Sweden. *Scientific Reports*, 11:4861. <https://doi.org/10.1038/s41598-021-83627-w>
- Massa, E., Vecchi, M., Calhim, S. & Choong, H. (2024) First records of limnoterrestrial tardigrades (Tardigrada) from Haida Gwaii, British Columbia, Canada. *The European Zoological Journal*, 91, 1–20. <https://doi.org/10.1080/24750263.2023.2288824>
- McInnes, S.J. (1994) Rediscovery of the species *Echiniscus macronyx* Richters, 1907 on South Georgia, South Atlantic, its new systematic position and redescription within the genus

Testechiniscus. *Bollettino di Zoologia*, 61, 83–87.

- Meyer, H.A. (2016) Re-description of *Echiniscus cavagnaroi* Schuster & Grigarick, 1966 (Tardigrada: Heterotardigrada: Echiniscoidea: Echiniscidae) from type material, with new records from Hawaii and Bermuda. *Zootaxa*, 4121(5), 575–582.
- Michalczyk, Ł., Wełnicz, W., Frohme M. & Kaczmarek, Ł. (2012) Redescriptions of three *Milnesium* Doyère, 1840 taxa (Tardigrada: Eutardigrada: Milnesiidae), including the nominal species for the genus. *Zootaxa* 3154, 1–20.
- Miller, W.R. & Mehlen, R.H. (2007) Tardigrades of North America: re-description of *Echiniscus tamus* Mehlen, 1969 (Tardigrada: Heterotardigrada: Echiniscoidae: Echiniscidae). *Proceedings of the Biological Society of Washington*, 120(2), 184–188.
- Miller, W.R., Heatwole, H., Pidgeon, R.W.J. & Gardiner, G.R. (1994) Tardigrades of the Australian Antarctic Territories: the Larsemann Hills, East Antarctica. *Transactions of the American Microscopical Society*, 113(2), 142–160.
- Miller, W.R., Schulte, R. & Johansson, C. (2012) Tardigrades of North America: further description of the genus *Multipseudechiniscus* Schulte and Miller, 2011 (Heterotardigrada: Echiniscoidea: Echiniscidae) from California. *Proceedings of the Biological Society of Washington*, 125(2), 153–164.
- Mioduchowska, M., Kačarević, U., Miamin, V., Giginiak, Y., Parnikoza, I., Roszkowska, M. & Kaczmarek, Ł. (2021) Redescription of Antarctic eutardigrade *Dastychius improvisus* (Dastych, 1984) and some remarks on phylogenetic relationships within Isohypsibioidea. *The European Zoological Journal*, 88, 117–131. <https://doi.org/10.1080/24750263.2020.1854877>
- Møbjerg, N., Kristensen, R.M. & Jørgensen, A. (2016) Data from new taxa infer *Isoechiniscoides* gen. nov. and increase the phylogenetic and evolutionary understanding of echiniscoidid tardigrades (Echiniscoidea: Tardigrada). *Zoological Journal of the Linnean Society*, 178, 804–818.
- Møbjerg, N., Jørgensen, A. & Kristensen, R.M. (2020) Ongoing revision of Echiniscoididae (Heterotardigrada: Echiniscoidea), with the description of a new interstitial species and genus with unique anal structures. *Zoological Journal of the Linnean Society*, 188 (3), 663–680.
- Momeni, S., Gąsiorek, P., Loeffelholz, J., Chtarbanova, S., Nelson, D.R., Fletcher, R.A., Michalczyk, Ł. & Pienaar, J. (2023) Green armoured tardigrades (Echiniscidae: *Viridiscus*), including a new species from the Southern Nearctic, exemplify problems with tardigrade variability research. *Scientific Reports*, 13:16329. <https://doi.org/10.1038/s41598-023-40609-4>
- Morek, W., Gąsiorek, P., Stec, D., Blagden, B. & Michalczyk, Ł. (2016) Experimental taxonomy exposes ontogenetic variability and elucidates the taxonomic value of claw configuration in *Milnesium* Doyère, 1840 (Tardigrada: Eutardigrada: Apochela). *Contributions to Zoology*, 85, 173–200.
- Morek, W., Stec, D., Gąsiorek, P., Surmacz, B. & Michalczyk, Ł. (20182019a) *Milnesium tardigradum* Doyère, 1840: The first integrative study of interpopulation variability in a tardigrade species. *Journal of Zoological Systematics and Evolutionary Research*. DOI: [10.1111/jzs.12233](https://doi.org/10.1111/jzs.12233), 57 (1), 1–23.
- Morek, W., Suzuki, A.C., Schill, R.O., Georgiev, D., Yankova, M., Marley, N.J. & Michalczyk, Ł. (2019b) Redescription of *Milnesium alpigenum* Ehrenberg, 1853 (Tardigrada: Apochela) and a description of *Milnesium inceptum* sp. nov., a tardigrade laboratory model. *Zootaxa*, 4586(1), 35–64.

- Morek, W., Surmacz, B. & Michalczyk, Ł. (2020a) Novel integrative data for two *Milnesium* Doyère, 1840 (Tardigrada: Apochela) species from Central Asia. *Zoosystematics and Evolution*, 96, 499–514.
- Morek, W., Ciosek, J.A. & Michalczyk, Ł. (2020b) Description of *Milnesium pentapapillatum* sp. nov., with an amendment of the diagnosis of the order Apochela and abolition of the class Apotardigrada (Tardigrada). *Zoologischer Anzeiger*, 288, 107–117.
- Morek, W., Wałach, K. & Michalczyk, Ł. (2022) Rough backs: taxonomic value of epicuticular sculpturing in the genus *Milnesium* Doyère, 1840 (Tardigrada: Apochela). *Scientific Reports* 12:9857. <https://doi.org/10.1038/s41598-022-10758-z>
- Özdikmen, H. (2008) *Bertolanius* nom. nov., a replacement name for the genus *Amphibolus* Bertolani, 1981 (Tardigrada: Parachela) with type species designation. *Munis Entomology & Zoology*, 3(1), 330–332.
- Pilato, G. (1973) Precisazioni e rettifiche alla descrizione di alcune specie di Tardigradi e considerazioni su alcuni problemi inerenti al loro studio. *Bulletino delle sedute dell'Accademia gioenia di scienze naturali in Catania*, serie 4, 12 (1-2), 157–175.
- Pilato, G. (2013) The taxonomic value of the structures for the insertion of the stylet muscles in the Eutardigrada, and description of a new genus. *Zootaxa*, 3721(4), 365–378.
- Pilato, G. & Lisi, O. (2006) Notes on some tardigrades from southern Mexico with description of three new species. *Zootaxa*, 1236, 53–68.
- Pilato, G. & Lisi, O. (2011) *Tenuibiotus*, a new genus of Macrobiotidae (Tardigrada). *Zootaxa*, 2761, 34–40.
- Pilato, G., Binda, M.G., Napolitano, A. & Moncada, E. (2001) Notes on South American tardigrades with the description of two new species: *Pseudechiniscus spinerectus* and *Macrobiotus danielae*. *Tropical Zoology*, 14, 223–231.
- Pilato, G., Fontoura, P. & Lisi, O. (2008a) New description of *Echiniscus viridis* Murray, 1910 and remarks on the *viridis* group. *New Zealand Journal of Zoology*, 35, 85–92.
- Pilato, G., Fontoura, P., Lisi, O. & Beasley, C. (2008b) New description of *Echiniscus scabrospinosis* Fontoura, 1982, and description of a new species of *Echiniscus* (Heterotardigrada) from China. *Zootaxa*, 1856, 41–54 and *Zootaxa*, 1931, 68.
- Pogwizd J. & Stec D. (2020) New records of *Dactylobiotus parthenogeneticus* Bertolani, 1982 provide insight into its genetic variability and geographic distribution. *Folia Biologica (Kraków)*, 68(2), 57–72.
- Pollock, L.W. (1982) A closer look at some marine Heterotardigrada. I. The morphology and taxonomy of *Orzeliscus*. Proceedings of the Third International Symposium on the Tardigrada, Johnson City, Tennessee, USA: 193–201.
- Pollock, L.W. (1983) A closer look at some marine Heterotardigrada, II: The morphology and taxonomy of *Bathyechiniscus*, with a description of *B. craticulus* n. sp. from the Caribbean. *Bulletin of Marine Science*, 33 (1), 109–117.
- Renaud-Mornant, J. (1983) Tardigrades abyssaux nouveaux de la sous-famille des Euclavarctinae n. subfam. (Arthrotardigrada, Halechiniscidae). *Bulletin du Muséum national d'histoire naturelle, Paris*, 5, 201–219.
- Renaud-Mornant, J. (1989) Espèces nouvelles de Florarctinae de l'Atlantique Nord-Est et du Pacifique Sud (Tardigrada, Arthrotardigrada). *Bulletin du Musée d'Histoire Naturelle de Paris*, 11, 571–592.
- Rho, H.S., Moon, S.Y., Chang, C.Y. & Kim, W. (1997) Four freshwater eutardigrades from Korea with description of *Isohypsibus brevitubulatus* n. sp. *Korean Journal of Biological Science*, 1, 271–279.

- Rho, H.S., Min, B.H. & Chang, C.Y. (1999) Taxonomic study of marine tardigrades from Korea I. Genus *Batillipes* (Heterotardigrada: Batillipedidae). *Korean Journal of Systematic Zoology*, 15, 107–118.
- Rocha, A., Camarda, D., Ostertag, B., Doma, I., Meier, F. & Lisi, O. (2023) Actual state of knowledge of the limno-terrestrial tardigrade fauna of the Republic of Argentina and new genus assignment for *Viridiscus rufoviridis* (du Bois-Reymond Marcus, 1944). *Diversity*, 15, 222. <https://doi.org/10.3390/d1502022>
- Roszkowska, M., Ostrowska, M., Stec, D., Janko, K. & Kaczmarek, Ł. (2017) *Macrobiotus polypiformis* sp. nov., a new tardigrade (Macrobiotidae; *hufelandi* group) from the Ecuadorian Pacific coast, with remarks on the claw abnormalities in eutardigrades. *European Journal of Taxonomy*, 327, <https://doi.org/10.5852/ejt.2017.327>
- Roszkowska, M., Grobys, D., Bartylak, T., Gawlak, M., Kmita, H., Kepel, A., Kepel, M., Parnikoza, I. & Kaczmarek, Ł. (2020) Integrative description of five *Pseudechiniscus* species (Heterotardigrada: Echiniscidae: the *suillus-facettalis* complex). *Zootaxa*, 4763 (4): 451–484.
- Rudescu, L. (1964) Tardigrada. *Fauna Republicii Populare Romîne*, 4, 1–308.
- Scheirer, C.N., Miller, W.R. & Miller, J.D. (2024) Tardigrades of North America: Additions to Montana's Biodiversity Including a New Species, *Platycrista loloensis* nov. sp. (Parachela, Hypsibioidea, Itaquasconinae). *Diversity*, 16, 334. <https://doi.org/10.3390/d16060334>
- Stec, D. (2022) Integrative taxonomy helps to revise systematics and questions the purported cosmopolitan nature of the type species within the genus *Diaforobiota* (Eutardigrada: Richtersiusidae). *Organisms Diversity & Evolution*, 23 (2), 309–328. <https://doi.org/10.1007/s13127-022-00592-6>
- Stec, D. & Michalczyk, Ł. (2020) *Macrobiotus coronifer* Richters, 1903 (type species for *Richtersius* Pilato & Binda, 1989): designating a new neotype from the original type locality described within the integrative taxonomy framework. *Zootaxa*, 4858 (2), 292–294.
- Stec, D. & Morek, W. (2022) Reaching the monophyly: Re-evaluation of the enigmatic species *Tenuibiotus hyperonyx* (Maucci, 1983) and the genus *Tenuibiotus* (Eutardigrada). *Animals*, 12 (3), 404. <https://doi.org/10.3390/ani12030404>
- Stec, D., Smolak, R., Kaczmarek, Ł. & Michalczyk, Ł. (2015) An integrative description of *Macrobiotus paulinae* sp. nov. (Tardigrada: Eutardigrada: Macrobiotidae: *hufelandi* group) from Kenya. *Zootaxa*, 4052, 501–526.
- Stec, D., Morek, W., Gąsiorek, P. & Michalczyk, Ł. (2018) Unmasking hidden species diversity within the *Ramazzottius oberhaeuseri* complex, with an integrative redescription of the nominal species for the family Ramazzottiidae (Tardigrada: Eutardigrada: Parachela) *Systematics and Biodiversity*, 16(4), 357–376.
- Stec, D., Krzywański, Ł., Arakawa, K. & Michalczyk, Ł. (2020a) A new redescription of *Richtersius coronifer*, supported by transcriptome, provides resources for describing concealed species diversity within the monotypic genus *Richtersius* (Eutardigrada). *Zoological Letters* 6:2 <https://doi.org/10.1186/s40851-020-0154-y>
- Stec, D., Kristensen, R.M. & Michalczyk, Ł. (2020b) An integrative description of *Minibiotus ioculator* sp. nov. from the Republic of South Africa with notes on *Minibiotus pentannulatus* Londoño et al., 2017 (Tardigrada: Macrobiotidae). *Zoologischer Anzeiger*, 286, 117–134.
- Stec, D., Krzywański, Ł., Zawierucha, K. & Michalczyk, Ł. (2020c) Untangling systematics of the *Paramacrobiotus areolatus* species complex by an integrative redescription of the nominal species for the group, with multilocus phylogeny and species delineation in the

- genus *Paramacrobiotus*. *Zoological Journal of the Linnean Society*, 2019, XX188 (3), 694–716.
- Stec, D., Tumanov, D.V. & Kristensen, R.M. (2020d) Integrative taxonomy identifies two new tardigrade species (Eutardigrada: Macrobiotidae) from Greenland. *European Journal of Taxonomy*, 614, 1–40.
- Stec, D., Dudziak, M., & Michalczyk, Ł. (2020e) Integrative descriptions of two new Macrobiotidae species (Tardigrada: Eutardigrada: Macrobiotoidea) from French Guiana and Malaysian Borneo. *Zoological Studies*, 59:23. doi:10.6620/ZS.2020.59-23.
- Stec, D., Vecchi, M., Maciejowski, W. & Michalczyk, Ł. (2020f) Resolving the systematics of Richtersiidae by multilocus phylogeny and an integrative redescription of the nominal species for the genus *Crenubiotus* (Tardigrada). *Scientific Reports*, 10:19418; <https://doi.org/10.1038/s41598-020-75962-1>
- Stec, D., Vecchi, M., Calhim, S. & Michalczyk, Ł. (2021a) New multilocus phylogeny reorganises the family Macrobiotidae (Eutardigrada) and unveils complex morphological evolution of the *Macrobiotus hufelandi* group. *Molecular Phylogenetics and Evolution*, 160: 106987
- Stec, D., Vecchi, M., Dudziak, M., Bartels, P.J., Calhim, S. & Michalczyk, Ł. (2021b) Integrative taxonomy resolves species identities within the *Macrobiotus pallarii* complex (Eutardigrada: Macrobiotidae). *Zoological Letters*, 7: 9; <https://doi.org/10.1186/s40851-021-00176-w>
- Stec, D., Vončina, K., Kristensen, R.M. & Michalczyk, Ł. (2022) The *Macrobiotus ariekammensis* species complex provides evidence for parallel evolution of claw elongation in macrobiotid tardigrades. *Zoological Journal of the Linnean Society*, XX195 (4), 1–331067–1099.
- Suzuki, A.C. (2016) Specimens with an artifact appearing as ‘three spines’ in *Milnesium tardigradum* var. *trispinosa* Rahm, 1931 (Tardigrada). *Zoological Science*, 33, 431–433.
- Suzuki, A.C., Sugiura, K., Tsujimoto, M., Nakai, R., McInnes, S.J., Kagoshima, H. & Imura, S. (2023) A new species of bisexual *Milnesium* (Eutardigrada: Apochela) having aberrant claws from Innihovde, Dronning Maud Land, East Antarctica. *Zoological Science*, 40(3). <https://doi.org/10.2108/zs220085>
- Tchesunov, A.V. (2018) A new tardigrade species of the genus *Neostygarcus* Grimaldi de Zio *et al.*, 1982 (Tardigrada, Arthrotardigrada) from the Great Meteor Seamount, Northeast Atlantic. *European Journal of Taxonomy*, 479, 1–17.
- Trygvadóttir, B.V. & Kristensen, R.M. (2011) Eohypsibiidae (Eutardigrada, Tardigrada) from the Faroe Islands with the description of a new genus containing three new species. *Zootaxa*, 2886, 39–62.
- Tumanov, D.V. (2018) Notes on the taxonomic position of several species of the genus *Diphascon* (Tardigrada, Hypsibiidae). *Zootaxa*, 4399(1), 127–130.
- Tumanov, D.V. (2020a) Analysis of non-morphometric morphological characters used in the taxonomy of the genus *Pseudechiniscus* (Tardigrada: Echiniscidae). *Zoological Journal of the Linnean Society*, 188, 753–775.
- Tumanov, D.V. (2020b) Integrative redescription of *Hypsibius pallidoides* Pilato *et al.*, 2011 (Eutardigrada: Hypsibioidea) with the erection of a new genus and discussion on the phylogeny of Hypsibiidae. *European Journal of Taxonomy*, 681, 1–37. <https://doi.org/10.5852/ejt.2020.681>

Tumanov, D.V. (2022) End of a mystery: Integrative approach reveals the phylogenetic position of an enigmatic Antarctic tardigrade genus *Ramajendas* (Tardigrada, Eutardigrada). *Zoologica Scripta*, 51(2), 217–231.

Tumanov, D.V. & Tsvetkova, A.Yu. (2023) Some have drops and some do not, but can we rely on that? Re-investigation of *Diphascon tenue* (Tardigrada: Eutardigrada) with discussion of the phylogeny and taxonomy of the superfamily Hypsibioidea. *Zoosystematica Rossica*, 32, 50–74.

Vecchi, M. & Stec, D. (2021) Integrative descriptions of two new *Macrobiotus* species (Tardigrada, Eutardigrada, Macrobiotidae) from Mississippi (USA) and Crete (Greece). *Zoosystematics and Evolution*, 97, 281–306.

Vecchi, M., Cesari, M., Bertolani, R., Jönsson, K.I., Rebecchi, L. & Guidetti, R. (2016a) Integrative systematic studies on tardigrades from Antarctica identify new genera and new species within Macrobiotoidea and Echiniscoidea. *Invertebrate Systematics*, 30, 303–322.

Vecchi, M., Cesari, M., Bertolani, R., Jönsson, K.I., Rebecchi, L. & Guidetti, R. (2016b) Corrigendum to: Integrative systematic studies on tardigrades from Antarctica identify new genera and new species within Macrobiotoidea and Echiniscoidea. *Invertebrate Systematics*, 30, 521–521.

Vecchi, M., Choong, H. & Calhim, S. (2022) *Sisubiotus hakaiensis* sp. nov. (Tardigrada, Macrobiotidae), a new tardigrade species from Calvert Island (British Columbia, Canada). *European Journal of Taxonomy*, 823, 64–81.

Vecchi, M., McDaniel, J.L., Chartrain, J., Vuori, T., Walsh, E.J. & Calhim, S. (2023a) Morphology, phylogenetic position, and mating behaviour of a new *Mesobiotus* (Tardigrada) species from a rock pool in the Socorro Box Canyon (New Mexico, USA). *The European Zoological Journal*, 90 (2), 708–725.

Vecchi, M., Tsvetkova, A., Stec, D., Ferrari, C., Calhim, S. & Tumanov, D. (2023b) Expanding *Acutuncus*: Phylogenetics and morphological analyses reveal a considerably wider distribution for this tardigrade genus. *Molecular Phylogenetics and Evolution*, 180, 107707.

Vicente, F., Fontoura, P., Cesari, M., Rebecchi, L., Guidetti, R., Serrano, A. & Bertolani, R. (2013) integrative taxonomy allows the identification of synonymous species and the erection of a new genus of Echiniscidae (Tardigrada, Heterotardigrada). *Zootaxa*, 3613(6), 557–572.

Vincenzi, J., Cesari, M., Kaczmarek, Ł., Roszkowska, M., Mioduchowska, M., Rebecchi, L., Kiosya, Y. & Guidetti, R. (2024) The xerophilic genera *Xerobiotus* and *Pseudohexapodibus* (Macrobiotidae; Tardigrada): biodiversity, biogeography and phylogeny. *Zoological Journal of the Linnean Society*, 200, 111–141. <https://doi.org/10.1093/zoolinnean/zlad129>

Vončina, K., Kristensen, R.M. & Gąsiorek, P. (2020) *Pseudechiniscus* in Japan: re-description of *Pseudechiniscus asper* Abe et al., 1998 and description of *Pseudechiniscus shintai* sp. nov. *Zoosystematics and Evolution*, 96, 527–536.

Zawierucha, K., Kolicka, M. & Kaczmarek, Ł. (2016) Re-description of the Arctic tardigrade *Tenuibiotus voronkovi* (Tumanov, 2007) (Eutardigrada; Macrobiotidae), with the first molecular data for the genus. *Zootaxa*, 4196(4), 498–510.

Zawierucha, K., Gąsiorek, P., Buda, J., Uetake, J., Janko, K. & Fontaneto, D. (2018a) Tardigrada and Rotifera from moss microhabitats on a disappearing Ugandan glacier, with the description of a new species of water bear. *Zootaxa*, 4392(2), 311–328.

Zawierucha, K., Stec, D., Lachowska-Cierlik, D., Takeuchi, N., Li, Z. & Michalczyk, Ł. (2018b) High mitochondrial diversity in a new water bear species (Tardigrada: Eutardigrada) from

- mountain glaciers in central Asia, with the erection of a new genus *Cryoconicus*. *Annales Zoologici (Warszawa)*, 68(1), 179–201.
- Zawierucha, K., Buda, J., Novotna Jaromerska, T., Janko, K. & Gąsiorek, P. (2020) Integrative approach reveals new species of water bears (*Pilatobius*, *Grevenius*, and *Acutuncus*) from Arctic cryoconite holes, with the discovery of hidden lineages of *Hypsibius*. *Zoologischer Anzeiger*, 289, 141–165.
- Zawierucha, K., Stec, D., Dearden, P.K. & Shain, D.H. (2023) Two new tardigrade genera from New Zealand's Southern Alp glaciers display morphological stasis and parallel evolution. *Molecular Phylogenetics and Evolution* 178, 107634. <https://doi.org/10.1016/j.ympev.2022.107634>