CORRECTION Open Access

Check for updates

Correction: IVF laboratory management through workflow-based RFID tag witnessing and real-time information entry

Man-Xi Jiang^{1*}, Lei Guo¹, Sen Li¹, Xiao-Feng Xiao², Wei Chen², Shao-Qing Chen¹, Nan-Qiao Chen¹, Yuan-Yuan Sun¹, Guang-Li Zhang¹, Xiao-Hai Zeng¹, Yan-Mei Xiao¹ and Li-Hua Fan¹

Correction: Reprod Biol Endocrinol 22, 96 (2024) https://doi.org/10.1186/s12958-024-01267-x

Following publication of the original article [1], the authors identified an error in affiliation 1.

Incorrect:

Center for Reproductive Medicine, **Guangdong Provincial Second General Hospital**, Guangzhou 510317, People's Republic of China.

Correct:

Center for Reproductive Medicine, **Guangdong Second Provincial General Hospital**, Guangzhou 510317, People's Republic of China.

The original article [1] has been updated.

Published online: 04 September 2024

References

 Jiang, MX., Guo, L., Li, S. et al. IVF laboratory management through workflowbased RFID tag witnessing and real-time information entry. Reprod Biol Endocrinol. 2024;22(1):96. https://doi.org/10.1186/s12958-024-01267-x

Publisher's note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at https://doi.org/10.1186/s12958-024-01267-x.

*Correspondence:
Man-Xi Jiang
manxijiang@yahoo.com

¹Center for Reproductive Medicine, Guangdong Second Provincial
General Hospital, Guangzhou 510317, People's Republic of China

²Wuhan Huchuang Union Technology Co., Ltd., Wuhan
430070, People's Republic of China



© The Author(s) 2024. **Open Access** This article is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License, which permits any non-commercial use, sharing, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if you modified the licensed material. You do not have permission under this licence to share adapted material derived from this article or parts of it. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.