



SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2008



**VOLUME I
ANNUAL VITAL STATISTICS SERIES**


Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201

SOUTH CAROLINA COUNTIES AND PUBLIC HEALTH REGIONS



PROMOTE PROTECT PROSPER
South Carolina Department of Health
and Environmental Control

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS 2008



VOLUME I ANNUAL VITAL STATISTICS SERIES

**Division of Biostatistics
Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
Columbia, South Carolina 29201**

February, 2011

Contributors

Division of Biostatistics SC DHEC

Shae R. Sutton, Director

Biostatistics and Data Quality Branch

Daniela Nitcheva, Manager

Fushun Zhang, Statistician

Bo Yan, Statistician

Thomas Pinner, Statistical and Research Analyst

This and other reports on South Carolina vital statistics are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on Data under Topics. Scroll to bottom of page and see links under the Vital Statistics heading.

More data are available on SCAN: <http://scangis.dhec.sc.gov/scan/>

Please forward any suggestions, comments or requests concerning this report to:

South Carolina Department of Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, SC 29201
803-898-3649 phone 803-898-3661 fax

<http://www.scdhec.gov>

INTRODUCTION

This report contains vital statistics data for South Carolina events that occurred in 2008. The purpose of this report is to provide basic reference data for a variety of users. Vital Statistics certificates filed with the Office of Public Health Statistics and Information Services of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, marriages, divorces and annulments, and reports of fetal deaths and abortions. Data are presented for South Carolina and its 46 counties. Live births, fetal deaths and deaths occurring out-of-state to South Carolina residents are also included in this report. Event information is re-allocated to the state of residence through an agreement of interstate transcript exchange.

Note: In 2008 not all abortions occurring in NC to residents of SC have been reported to NC. Based on previous years numbers we estimate that **in 2008 between 1,000 and 1,500 abortions occurring in NC to residents of SC were not reported.**

In South Carolina fetal death and death certificates are filed by hospitals, physicians, coroners, midwives and funeral directors in the county health department where the event occurred. Each county health department forwards the certificates weekly to the Office of Vital Records. In 2004, South Carolina established the Web Birth system. This allows hospitals to file all birth certificate information via secured internet connection. Marriage and divorce certificates are transmitted to this office from the County Probate Court and Clerk of Court, respectively.

Population estimates for the intercensal years were provided by the National Center for Health Statistics.

This and other reports on South Carolina vital statistics including Death Supplement are available on the internet at the web address listed below. Click on the Health tab to the right of DHEC Home. Then click on Data under Topics. Scroll to bottom of page and see links under the Vital Statistics heading.

More data are available on South Carolina Community Assessment Network (<http://scangis.dhec.sc.gov/scan/>); our interactive data query website.

Requests for more detailed statistical data pertaining to vital events, suggestions and comments may be submitted to:

South Carolina Department Health and Environmental Control
Office of Public Health Statistics and Information Services
Division of Biostatistics
2600 Bull Street
Columbia, South Carolina 29201
Phone: (803) 898-3649
Fax: (803) 898-3661

<http://www.scdhec.gov>

TABLE OF CONTENTS

Section A.	Summary of Vital Events.....	1
Section B.	Population	7
Section C.	Birth.....	11
	Fertility Patterns.....	16
	Gender Ratio.....	17
	Multiple Births.....	18
	Attendant at Birth.....	33
	Age of Mother.....	35
	Live Births to Unmarried Mothers.....	45
	Live Births by Birthweight.....	51
	Low Weight Live Births.....	58
Section D.	Teen Pregnancy.....	76
	Age 10-19.....	76
	Age 10-14.....	79
	Age 14-17.....	82
	Age 15-17.....	85
	Age 18-19.....	88
Section E.	Abortion.....	91
	By County of Residence.....	92
	By County of Occurrence.....	95
Section F.	Mortality.....	96
	Infant Mortality.....	97
	Neonatal Mortality.....	102
	Postneonatal Mortality.....	105
	Fetal Mortality.....	108
	Perinatal Mortality.....	112
	Causes of Maternal Death.....	113
Section G.	Death.....	115
	Leading Causes of Death.....	117
	Death by Age and Race.....	119
	Malignant Neoplasms by Site and Gender.....	123
	Accidental Deaths by Gender.....	124
	Death Rates by Race.....	125
	Deaths by Burial Disposition.....	129
	Deaths by Certifier.....	132
	Major Causes of Accidental Deaths.....	134
	Deaths Due to Suicide.....	136
	Deaths Due to Homicide.....	137
	Death Rates from Selected Causes by Race and Gender.....	138
Section H.	Marriages and Divorces.....	142
	Trends in Marriages and Devorces.....	142
	Marriages.....	143
	Divorces and Annulments.....	150

TABLE OF CONTENTS (continued)

Section J.	Technical Notes.....	155
	Registration of Vital Events.....	155
	Revision of Certificates.....	156
	Allocation of Events by Residence or Occurrence.....	157
	Definitions of Terms.....	158
	Interpretation of Data.....	160
	Implementation of the International Classification of Diseases (ICD).....	164
	Formulae.....	165
	Grams Weight Conversion Chart.....	166
	Symbols Used in Tables.....	166

Section K .	Appendix.....
-------------	---------------

Figures

Figure B-1.	South Carolina Estimated Population by County, 2008.....	7
Figure C-1.	Live Birth Rates by County: South Carolina, 2008 (Residence Data).....	11
Figure C-2.	Live Birth Rates by Race of Mother: South Carolina, 1984-2008 (Residence Data).....	12
Figure C-3.	Multiple Births Rate by Race South Carolina, 1994-2008 (Residence Data).....	18
Figure C-4.	Percent of Live Births to Women Age 35 and Over by Race South Carolina, 1999-2008 (Residence Data).....	35
Figure C-5.	Mean Age of Mother at First Time Birth by Race South Carolina, 1994-2008 (Residence Data).....	36
Figure C-6.	Percent Distribution of Live Births to Unmarried Mothers by Age South Carolina, 2008 (Residence Data).....	45
Figure C-7.	Percent Distribution of Live Births by Birthweight (in grams) and Race of Mother: South Carolina, 2008 (Residence Data).....	51
Figure C-8.	Percent of Live Births Less Than 2,500 Grams by Age and Race of Mother: South Carolina, 2008 (Residence Data).....	58
Figure E-1.	Abortion Rates by Race South Carolina, 1999-2008 (Residence Data).....	91
Figure F-1.	Three-Year Infant Mortality Rates by County: South Carolina, 2006-2008 (Residence Data).....	96
Figure F-2.	Infant Mortality Rates by Race: South Carolina, 1984-2008 (Residence Data).....	97
Figure F-3.	Percent of Infant Deaths by Age at Death: South Carolina, 2008 (Residence Data).....	98
Figure G-1.	Death Rates by County: South Carolina, 2008 (Residence Data).....	115
Figure G-2.	Death Rates by Race: South Carolina, 1984-2008(Residence Data).....	116

TABLE OF CONTENTS (continued)

Figures

Figure G-3.	Percent Distribution for the Ten Leading Causes of Death by Gender, South Carolina, 2008 (Residence Data).....	117
Figure H-1.	Marriage and Divorce Rates: South Carolina, 1984-2008 (Occurrence Data).....	142
Figure H-2.	Marriage Rates by Race: South Carolina, 1984-2008 (Occurrence Data).....	144
Figure H-3.	Divorce Rates by Race: South Carolina, 1984-2008 (Occurrence Data).....	151

TABLES

Vital Events

Table A-1.	Population, Live Births, Deaths, Marriages and Divorces with Rates by Race: South Carolina, 1989-2008 (Residence Data).....	3
Table A-2.	Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 Year and Under 28 Days and Maternal Deaths with Rates by Race: South Carolina, 1989-2008 (Residence Data).....	4
TableA- 3.	Live Births South Carolina and Each County, 1997-2008 (Residence Data).....	5
Table A-4.	Deaths South Carolina and Each County, 1997-2008 (Residence Data).....	6

Population

Table B-1.	Percent of Population by Age Group South Carolina, 1990 and 2000.....	8
Table B-2.	Population, Live Births, Deaths and Natural Increase South Carolina, 1987-2008 (Residence Data).....	9
Table B-3.	Estimated Population and Percents by Race South Carolina and Each County, 2008	10

Births

Table C-1.	Live Births and Birth Rates by Race of Mother South Carolina, 1984-2008 (Residence Data).....	12
Table C-2.	Live Births and Percent of Live Births by Marital Status, Age and Race of Mother: South Carolina, 2008 (Residence Data).....	13
Table C-3.	Live Births and Births Rates by Race of Mother South Carolina and Each County, 2008 (Residence Data)	14
Table C-4.	Live Births and Births Rates by Race of Mother South Carolina and Each County, 2008 (Occurrence Data)	15
Table C-5.	Fertility Rates by Race South Carolina and Each County, 1994-2008 (Residence Data).....	16

TABLE OF CONTENTS (continued)

Births

Table C-6.	Population of Females Age 15-44 by Race South Carolina and Each County, 1994-2008(Residence Data).....	16
Table C-7.	Gender Ratio of Males per 100 Females South Carolina, 2004-2008 (Residence Data).....	17
Table C-8.	Number and Rates of Multiple Births by Race South Carolina, 1994-2008 (Residence Data).....	18
Table C-9.	Live Births by County of Occurrence by County of Residence South Carolina, 2008.....	19
Table C-10.	Live Births by Number of Prenatal Care Visits South Carolina and Each County, 2008 (Residence Data).....	21
Table C-10A.	Live Births by Number of Prenatal Care Visits and Race of Mother South Carolina and Each County, 2008 (Residence Data).....	22
Table C-11.	Live Births By Kotelchuck Index South Carolina and Each County, 2008 (Residence Data).....	25
Table C-11A.	Live Births By Kotelchuck Index and Race of Mother South Carolina and Each County, 2008 (Residence Data).....	26
Table C-12.	Live Births by Education of Mother South Carolina and Each County, 2008 (Residence Data).....	29
Table C-12A.	Live Births by Education and Race of Mother South Carolina and Each County, 2008 (Residence Data).....	30
Table C-13.	Live Births by Attendant by Place of Delivery South Carolina, 2008 (Occurrence Data).....	33
Table C-14.	Live Births by Place of Delivery South Carolina, 1999-2008 (Occurrence Data).....	33
Table C-15.	Live Births by Attendant South Carolina and Each County, 2008 (Occurrence Data).....	34
Table C-16.	Percent Distribution of Live Births by Age of Mother South Carolina, 2004-2008 (Residence Data).....	35
Table C-17.	Mean Age of Mother at First Time Birth by Race South Carolina, 1994-2008 (Residence Data).....	36
Table C-18.	Live Births by Age of Mother: South Carolina and Each County, 2008 (Residence Data).....	37
Table C-18A.	Live Births by Age and Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	38
Table C-19.	Live Births to Mothers Less than 20 Years Old South Carolina and Each County, 2008 (Residence Data).....	41
Table C-19A.	Live Births to Mothers Less than 20 Years Old By Race of Mother South Carolina and Each County, 2008 (Residence Data).....	42

TABLE OF CONTENTS (continued)

Births

Table C-20	Percent Distribution of Live Births to Unmarried Mothers by Age South Carolina, 2004-2008 (Residence Data).....	45
Table C-21	Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	46
Table C-22.	Live Births to Unmarried Mothers by Age Group South Carolina and Each County 2008 (Residence Data).....	47
Table C-22A.	Live Births to Unmarried Mothers by Age Group and Race of Mother South Carolina and Each County 2008 (Residence Data).....	48
Table C-23.	Live Births by Birthweight Groups by Race of Mother South Carolina, 2008 (Residence Data).....	51
Table C-24.	Live Births by Birthweight, Age and Race of Mother: South Carolina, 2008 (Residence Data).....	52
Table C-25.	Live Births by Birthweight and Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	53
Table C-26.	Percent of Live Births Less Than 2,500 Grams by Age and Race of Mother: South Carolina, 2008 (Residence Data).....	58
Table C-27.	Low Weight Live Births and Percent of Low Weight Live Births by Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	59
Table C-28.	Low Weight Live Births by Age of Mother South Carolina and Each County, 2008 (Residence Data).....	60
Table C-28A.	Low Weight Live Births by Age of Mother South Carolina and Each County, 2008 (Residence Data).....	61
Table C-29.	Very Low Weight Live Births and Percent of Very Low Weight Live Births by Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	64
Table C-30.	Live Births and Number of Births with Congenital Anomalies by Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	65
Table C-31.	Live Births by Gestational Age South Carolina and Each County, 2008 (Residence Data).....	66
Table C-31A.	Live Births by Gestational Age by Race of Mother South Carolina and Each County, 2008 (Residence Data).....	67
Table C-32.	Live Births to Mothers who Breastfed by Race South Carolina and Each County, 2008 (Residence Data).....	70
Table C-33.	Live Births to Mothers with Infectious Diseases South Carolina and Each County, 2008 (Residence Data).....	71
Table C-33A.	Live Births to Mothers with Infectious Diseases by Race of Mother South Carolina and Each County, 2008 (Residence Data).....	72
Table C-34.	Number of Mothers who received WIC Services during Pregnancy by Race of Mother: South Carolina and Each County, 2008 (Residence Data).....	75

TABLE OF CONTENTS (continued)

Teen Pregnancy

Table D-1.	Reported Teen Pregnancy for Females Age 10-19 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	76
Table D-1A.	Reported Teen Pregnancy for Females Age 10-19 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	77
Table D-2.	Reported Teen Pregnancy for Females Age 10-14 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	79
Table D-2A.	Reported Teen Pregnancy for Females Age 10-14 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	80
Table D-3.	Reported Teen Pregnancy for Females Age 14-17 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	82
Table D-3A.	Reported Teen Pregnancy for Females Age 14-17 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	83
Table D-4.	Reported Teen Pregnancy for Females Age 15-17 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	85
Table D-4A.	Reported Teen Pregnancy for Females Age 15-17 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	86
Table D-5.	Reported Teen Pregnancy for Females Age 18-19 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	88
Table D-5A.	Reported Teen Pregnancy for Females Age 18-19 by Race Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates: South Carolina and Each County, 2008 (Residence Data).....	89

Abortions

Table E-1.	Abortions and Abortion Rates by Race: South Carolina, 1999-2008 (Residence Data).....	91
Table E-2.	Abortions by Age Group: South Carolina and Each County, 2008 (Residence Data).....	92
Table E-2A.	Abortions by Age Group and Race South Carolina and Each County, 2008 (Residence Data).....	93
Table E-3.	Abortions by Age Group and Race of Mother South Carolina and Selected Counties 2008 (Occurrence Data).....	95

Perinatal

Table F-1.	Infant Mortality and Infant Mortality Rates by race: South Carolina, 1984-2008 (Residence Data)	97
Table F-2.	Leading Causes of Infant Death by Age at Death: South Carolina, 2008 (Residence Data).....	98

TABLE OF CONTENTS (continued)

Perinatal

Table F-3.	Infant Mortality and Infant Mortality Rates: South Carolina and Each County, 2008, 2006-2008, 2003-2005 (Residence Data).....	99
Table F-3A.	Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 2008, 2006-2008, 2003-2005 (Residence Data).....	100
Table F-4.	Neonatal Mortality and Neonatal Mortality Rates: South Carolina and Each County, 2008, 2006-2008, 2003-2005 (Residence Data).....	102
Table F-4A.	Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 2008, 2006-2008, 2003-2005 (Residence Data).....	103
Table F-5.	Postneonatal Mortality and Postneonatal Mortality Rates: South Carolina and Each County, 2008, 2006-2008, 2003-2005 (Residence Data).....	105
Table F-5A.	Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 2008, 2006-2008, 2003-2005 (Residence Data).....	106
Table F-6.	Fetal Mortality and Fetal Mortality Rates by Race of Mother South Carolina and Each County, 2008 (Residence Data).....	108
Table F-7.	Fetal Deaths by Age of Mother South Carolina and Each County, 2008 (Residence Data).....	109
Table F-7A.	Fetal Deaths by Age and Race of Mother South Carolina and Each County, 2008 (Residence Data).....	110
Table F-8.	Perinatal Mortality and Perinatal Mortality Rates by Race South Carolina and Each County, 2008 (Residence Data).....	112
Table F-9.	Causes of Maternal Death by Age Group of Mother South Carolina and Each County, 2008 (Residence Data).....	113
Table F-9A.	Causes of Maternal Death by Race and Age Group of Mother South Carolina and Each County, 2008 (Residence Data).....	114

Deaths

Table G-1.	Deaths and Death Rates by Race: South Carolina, 1984-2008 (Residence Data).....	116
Table G-2.	Mortality From Ten Leading Causes of Death by Race: South Carolina, 2008 (Residence Data).....	117
Table G-2A.	Mortality From Ten Leading Causes of Death by Race and Gender South Carolina, 2008 (Residence Data).....	118
Table G-3.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 2008 (Residence Data).....	119
Table G-3A.	Mortality From Five Leading Causes of Death in Specified Age Groups by Race and Gender: South Carolina, 2008 (Residence Data).....	120

TABLE OF CONTENTS (continued)

Deaths

Table G-4.	Percent Distribution of Deaths by Race and Age South Carolina, 1988, 1998 and 2008 (Residence Data).....	122
Table G-5.	Deaths from Major Cardiovascular Diseases South Carolina, 2008 (Residence Data).....	122
Table G-6.	Distribution of Malignant Neoplasms by Site and Gender South Carolina, 2008 (Residence Data).....	123
Table G-7.	Types of Accidental Deaths by Gender: South Carolina, 2008 (Residence Data).....	124
Table G-8.	Methods of Suicidal Deaths by Gender South Carolina, 2008 (Residence Data).....	124
Table G-9.	Methods of Homicidal Deaths by Gender South Carolina, 2008 (Residence Data).....	124
Table G-10.	Deaths and Death Rates by Race South Carolina and Each County, 2008 (Residence Data)	125
Table G-11.	Deaths and Death Rates by Race South Carolina and Each County, 2008 (Occurrence Data)	126
Table G-12.	Deaths by Race and Gender South Carolina and Each County, 2008 (Residence Data).....	127
Table G-13.	Deaths by Race and Gender South Carolina and Each County, 2008 (Occurrence Data).....	128
Table G-14.	Deaths by Burial Disposition South Carolina and Each County, 2008 (Occurrence Data).....	129
Table G-14A.	Deaths by Burial Disposition by Race South Carolina and Each County, 2008 (Occurrence Data).....	130
Table G-15.	Deaths by Certifier South Carolina and Each County, 2008 (Occurrence Data).....	132
Table G-15A.	Deaths by Certifier by Race South Carolina and Each County, 2008 (Occurrence Data).....	133
Table G-16.	Major Causes of Accidental Death South Carolina and Each County, 2008 (Residence Data).....	134
Table G-17.	Major Causes of Accidental Death South Carolina and Each County, 2008 (Occurrence Data).....	135
Table G-18.	Deaths Due to Suicide by Method South Carolina and Each County, 2008 (Residence Data).....	136
Table G-19.	Deaths Due to Homicide by Method South Carolina and Each County, 2008 (Residence Data).....	137
Table G-20.	Deaths and Death Rates from Selected Causes by Race and Gender South Carolina, 2008 (Residence Data).....	138

TABLE OF CONTENTS (continued)

Marriages, Divorces and Annulments

Table H-1.	Marriages by Race of Bride and Groom South Carolina, 2008 (Occurrence Data).....	143
Table H-2.	Marriages and Marriage Rates by Race South Carolina, 1984-2008 (Occurrence Data).....	144
Table H-3.	Marriages by Age of Bride and Age of Groom South Carolina, 2008 (Occurrence Data).....	145
Table H-4.	Marriages by Race, Residential Status and Age of Bride South Carolina, 2008 (Occurrence Data).....	146
Table H-5.	Marriages by Race, Residential Status and Age of Groom South Carolina, 2008 (Occurrence Data).....	147
Table H-6.	Marriages by County in Which License Was Issued by Residential Status South Carolina and Each County, 2008 (Occurrence Data).....	148
Table H-7.	Marriages by Residential Status and County of Marriage South Carolina, 2008 (Occurrence Data).....	149
Table H-8.	Divorces by Age Group and Race South Carolina, 2008 (Occurrence Data).....	150
Table H-9.	Divorces and Divorce Rates by Race South Carolina, 1984-2008 (Occurrence Data).....	151
Table H-10.	Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree South Carolina, 2008 (Occurrence Data).....	152
Table H-11.	Divorces by Plaintiff and Legal Grounds of Decree South Carolina and Each County, 2008 (Occurrence Data).....	153
Table H-12.	Divorces and Annulments by Number of Children Involved and Race South Carolina and Each County, 2008 (Occurrence Data).....	154


SUMMARY OF VITAL EVENTS

“The State Flag”



Officially adopted by the General Assembly in 1861

On an Average Day in South Carolina, 2008



DID YOU KNOW THAT IN 2008:

The Most Common First Names by Gender and Race for South Carolina

Male

All Races	White	Black & Other
William	William	Jayden
Joshua	Jacob	Jordan
Christopher	Ethan	Joshua
Jayden	John	Christopher
Ethan	James	Elijah
James	Jackson	Cameron
Jacob	Michael	Jeremiah
Michael	Noah	Christian
John	Christopher	Jaden
Jackson	Joshua	Michael
Noah	Landon	Anthony
Elijah	Andrew	Isaiah
Matthew	Matthew	Jaylen
Caleb	Daniel	Zion
Christian	Caleb	James

Female

All Races	White	Black & Other
Madison	Emma	Destiny
Emma	Emily	Madison
Emily	Madison	Jada
Abigail	Abigail	Trinity
Olivia	Isabella	Aaliyah
Isabella	Olivia	Nevaeh
Ava	Elizabeth	Jayla
Elizabeth	Ava	Makayla
Anna	Anna	Taylor
Addison	Addison	Jasmine
Sarah	Sarah	Gabrielle
Hannah	Caroline	Mariah
Taylor	Sophia	Jordan
Caroline	Hannah	Morgan
Alyssa	Alyssa	Serenity

BIRTHS

The month with the most births: July (5,578)
Youngest Mother: 12 years old

Least Births: November (4,891)
Oldest Mother: 54 years old

DEATHS

The month with the most deaths: December (3,613) Least deaths: September (3,027)
The oldest person that died: 112 years old

MARRIAGES

The youngest bride: 14 years old The youngest groom: 16 years old
 The oldest bride: 95 years old The oldest groom: 93 years old
 The month with the most marriages: May (3,841) Least marriages: January (1,411)

DIVORCES

The youngest bride to divorce: 17 years old The youngest groom to divorce: 18 years old
 The oldest bride to divorce: 87 years old The oldest groom to divorce: 91 years old
 The month with the most divorces: September (1,244) Least divorces: December (860)

Table A-1.
 Population¹, Live Births, Deaths, Marriages², and Divorces³, with Rates⁴ by Race⁵
 South Carolina, 1989-2008
 (Residence Data)

YEAR	RACE	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		MARRIAGES		DIVORCES	
			NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1989	TOTAL	3,518,760	57,239 *	16.3	29,576 *	8.4	54,693 *	15.5	15,115 *	4.3
	WHITE	2,400,650	34,153	14.2	20,032	8.3	41,704	17.4	12,173	5.1
	NONWHITE	1,118,110	23,076	20.6	9,544	8.5	12,985	11.6	2,889	2.6
1990	TOTAL	3,486,703	58,461 *	16.8	29,621 *	8.5	55,754	15.8	16,182 *	4.6
	WHITE	2,414,178	35,491	14.7	20,192	8.4	42,314	17.5	12,858	5.3
	BLACK/OTHER	1,072,525	22,963	21.4	9,427	8.8	13,440	12.5	3,257	3.0
1991	TOTAL	3,559,600	57,517 *	16.2	29,851 *	8.4	53,747	15.1	15,187	4.3
	WHITE	2,457,300	34,560	14.1	20,364	8.3	41,004	16.7	12,233	5.0
	BLACK/OTHER	1,102,300	22,949	20.8	9,482	8.6	12,743	11.6	2,954	2.7
1992	TOTAL	3,603,430	56,102 *	15.6	30,565 *	8.5	53,320 *	14.8	15,365 *	4.3
	WHITE	2,487,960	33,890	13.6	20,945	8.4	40,726	16.4	12,179	4.9
	BLACK/OTHER	1,115,480	22,206	19.9	9,617	8.6	12,592	11.3	3,103	2.8
1993	TOTAL	3,629,550	53,715 *	14.8	31,943 *	8.8	53,223 *	14.7	15,141 *	4.2
	WHITE	2,509,200	32,571	13.0	21,939	8.7	40,655	16.2	11,825	4.7
	BLACK/OTHER	1,120,340	21,134	18.9	10,002	8.9	12,559	11.2	3,275	2.9
1994	TOTAL	3,664,100	51,907 *	14.2	32,223 *	8.8	51,564 *	14.1	15,802 *	4.3
	WHITE	2,533,520	31,899	12.6	22,295	8.8	38,750	15.3	12,404	4.9
	BLACK/OTHER	1,130,580	19,996	17.7	9,927	8.8	12,808	11.3	3,394	3.0
1995	TOTAL	3,669,400	50,913 *	13.9	33,500 *	9.1	45,347	12.4	15,171 *	4.1
	WHITE	2,541,610	31,830	12.5	23,342	9.2	33,812	13.3	11,824	4.7
	BLACK/OTHER	1,127,780	19,068	16.9	10,152	9.0	11,535	10.2	3,346	3.0
1996	TOTAL	3,698,670	51,105 *	13.8	34,035 *	9.2	43,439	11.7	15,319 *	4.1
	WHITE	2,565,340	32,309	12.6	23,585	9.2	32,198	12.6	11,838	4.6
	BLACK/OTHER	1,133,330	18,788	16.6	10,448	9.2	11,241	9.9	3,436	3.0
1997	TOTAL	3,760,180	52,205 *	13.9	33,660 *	9.0	43,411 *	11.5	15,780 *	4.2
	WHITE	2,588,240	33,011	12.8	23,363	9.0	32,290	12.5	12,226	4.7
	BLACK/OTHER	1,171,940	19,192	16.4	10,276	8.8	11,121	9.5	3,483	3.0
1998	TOTAL	3,835,960	53,833 *	14.0	34,781 *	9.1	42,380 *	11.0	15,083 *	3.9
	WHITE	2,645,080	34,065	12.9	24,428	9.2	31,372	11.9	11,653	4.4
	BLACK/OTHER	1,190,880	19,757	16.6	10,333	8.7	11,007	9.2	3,358	2.8
1999	TOTAL	3,885,740	54,706 *	14.1	35,972 *	9.3	43,664 *	11.2	15,115 *	3.9
	WHITE	2,683,590	34,683	12.9	25,432	9.5	32,012	11.9	11,647	4.3
	BLACK/OTHER	1,202,150	20,004	16.6	10,523	8.8	11,645	9.7	3,380	2.8
2000	TOTAL	4,012,010	55,964 *	13.9	38,816 *	9.2	41,592 *	10.4	15,196 *	3.8
	WHITE	2,749,510	35,146	12.8	26,013	9.5	30,858	11.2	11,608	4.2
	BLACK/OTHER	1,262,510	20,803	16.5	10,785	8.5	10,718	8.5	3,519	2.8
2001	TOTAL	4,063,010	55,748 *	13.7	36,576 *	9.0	40,128	9.9	14,657 *	3.6
	WHITE	2,788,650	35,731	12.8	25,781	9.2	30,112	10.8	11,372	4.1
	BLACK/OTHER	1,274,370	20,008	15.7	10,782	8.5	10,016	7.9	3,250	2.6
2002	TOTAL	4,107,180	54,453 *	13.3	37,679	9.2	38,207	9.3	13,956	3.4
	WHITE	2,803,950	35,152	12.5	26,740	9.5	28,303	10.1	10,712	3.8
	BLACK/OTHER	1,303,240	19,294	14.8	10,924	8.4	9,899	7.6	3,250	2.5
2003	TOTAL	4,147,150	55,461 *	13.4	37,920	9.1	37,186	9.0	13,609	3.3
	WHITE	2,823,650	36,001	12.7	27,043	9.6	27,845	9.9	10,535	3.7
	BLACK/OTHER	1,323,500	19,451	14.7	10,865	8.2	9,341	7.1	3,048	2.3
2004	TOTAL	4,198,070	56,543	13.5	37,152	8.8	35,942	8.6	13,839	3.3
	WHITE	2,886,440	36,872	12.8	26,353	9.1	27,224	9.4	10,734	3.7
	BLACK/OTHER	1,311,630	19,616	15.0	10,783	8.2	8,721	6.6	3,055	2.3
2005	TOTAL	4,255,080	57,538 *	13.5	38,585 *	9.1	35,357	8.3	12,948 *	3.0
	WHITE	2,929,360	37,367	12.8	27,755	9.5	26,829	9.2	9,980	3.4
	BLACK/OTHER	1,325,720	20,080	15.1	10,810	8.2	8,527	6.4	2,927	2.2
2006	TOTAL	4,321,250	62,191 *	14.4	38,723 *	9.0	34,253	7.9	13,164 *	3.0
	WHITE	2,979,810	39,950	13.4	27,662	9.3	25,875	8.7	10,055	3.4
	BLACK/OTHER	1,341,440	22,127	16.5	11,030	8.2	8,373	6.2	3,063	2.3
2007	TOTAL	4,407,709	62,933 *	14.3	39,418 *	8.9	34,859 *	7.9	13,233 *	3.0
	WHITE	3,047,237	40,641	13.3	28,233	9.3	26,524	8.7	10,176	3.3
	BLACK/OTHER	1,360,472	22,259	16.4	11,126	8.2	8,331	6.1	2,978	2.2
2008	TOTAL	4,479,800	63,077 *	14.1	40,197 *	9.0	33,293 *	7.4	12,836 *	2.9
	WHITE	3,104,369	40,713	13.1	29,015	9.3	25,359	8.2	9,815	3.2
	BLACK/OTHER	1,375,431	22,321	16.2	10,965	8.0	7,933	5.8	2,911	2.1

¹ ACTUAL CENSUS COUNTS FOR 1990, 2000; ESTIMATED POPULATION FOR INTERCENSAL YEARS

² FIGURES REPRESENT ALL REPORTED MARRIAGES WHERE LICENSE WAS ISSUED IN SOUTH CAROLINA BY RACE OF GROOM

³ FIGURES REPRESENT ALL REPORTED DIVORCES AND ANNULMENTS GRANTED IN SOUTH CAROLINA BY RACE OF HUSBAND

⁴ RATE PER 1,000 POPULATION

⁵ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"

* INCLUDES UNKNOWN RACE

Table A-2.

Live Births to Unmarried Mothers, Low Weight Births, Fetal Deaths, Infant Deaths Under 1 year and Under 28 Days
and Maternal Deaths with Rates by Race¹
South Carolina, 1989-2008
(Residence Data)

YEAR	RACE	LIVE BIRTHS TO UNMARRIED MOTHERS		LOW WEIGHT LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS UNDER 1 YEAR		INFANT DEATHS UNDER 28 DAYS		MATERNAL DEATHS	
		NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ⁴	NUMBER	RATE ²	NUMBER	RATE ²	NUMBER	RATE ³
1989	TOTAL	18,198	314.2	5,266	92.0	631	11.0	731	12.8	466	8.1	6	1.0
	WHITE	4,760	135.9	2,215	64.9	223	6.5	310	9.1	199	5.8	1	0.3
	NONWHITE	13,438	587.5	3,051	132.2	408	17.7	421	18.2	267	11.6	5	2.2
1990	TOTAL	19,097 *	326.7	5,109	87.4	614	10.5	679	11.6	461	7.9	6	1.0
	WHITE	5,174	145.8	2,179	61.4	267	7.5	291	8.2	200	5.6	1	0.3
	BLACK/OTHER	13,922	606.3	2,930	127.6	347	15.1	388	16.9	261	11.4	5	2.2
1991	TOTAL	19,974	347.3	5,278	91.8	599	10.4	644	11.2	399	6.9	8	1.4
	WHITE	5,472	158.3	2,192	63.4	265	7.7	279	8.1	168	4.9	3	0.9
	BLACK/OTHER	14,502	631.9	3,086	134.5	334	14.6	365	15.9	231	10.1	5	2.2
1992	TOTAL	19,903 *	354.8	5,071	90.4	599	10.7	588	10.5	388	6.9	9	1.6
	WHITE	5,672	167.4	2,143	63.2	252	7.4	243	7.2	162	4.8	7	2.1
	BLACK/OTHER	14,229	640.8	2,928	131.9	347	15.6	345	15.5	226	10.2	2	0.9
1993	TOTAL	19,335	360.0	5,020	93.5	585	10.9	544	10.1	368	6.9	-	0.7
	WHITE	5,698	174.9	2,184	67.1	245	7.5	218	6.7	143	4.4	4	0
	BLACK/OTHER	13,637	645.3	2,835	134.1	339	16.0	326	15.4	225	10.6	4	1.9
1994	TOTAL	19,134 *	368.6	4,760	91.7	561*	10.7	486	9.4	336	6.5	5	1.0
	WHITE	5,972	187.2	2,143	67.2	255	7.9	211	6.6	141	4.4	-	0
	BLACK/OTHER	13,160	658.1	2,617	130.9	305	15.0	275	13.8	195	9.8	5	2.5
1995	TOTAL	19,060 *	374.4	4,742*	93.1	497	9.7	480	9.4	328	6.4	4	0.8
	WHITE	6,360	199.8	2,170	68.2	202	6.3	212	6.7	139	4.4	-	0
	BLACK/OTHER	12,699	666.0	2,570	134.8	295	15.5	268	14.1	189	9.9	4	2.1
1996	TOTAL	19,059	372.9	4,704	92.0	521	10.2	424	8.3	286	5.6	4	0.8
	WHITE	6,470	200.3	2,262	70.0	198	6.1	179	5.5	111	3.4	3	1
	BLACK/OTHER	12,589	670.1	2,442	130.0	323	17.2	245	13.0	175	9.3	1	0.5
1997	TOTAL	19,851	380.3	4,803	92.0	556*	10.5	494	9.5	352	5.6	4	0.8
	WHITE	6,849	207.5	2,235	67.7	226	6.8	207	6.3	149	4.5	2	0.6
	BLACK/OTHER	13,002	677.5	2,568	133.8	329	16.9	287	15.0	203	10.6	2	1.0
1998	TOTAL	20,891 *	388.1	5,142	95.5	512	9.4	511	9.5	358	6.7	4	0.7
	WHITE	7,502	220.2	2,417	71.0	198	5.8	204	6.0	132	3.9	1	0.3
	BLACK/OTHER	13,388	677.6	2,725	137.9	314	15.6	307	15.5	226	11.4	3	1.5
1999	TOTAL	21,379 *	390.8	5,393	98.6	526	9.5	564	10.3	394	7.2	10	1.8
	WHITE	7,716	222.5	2,506	72.3	207	5.9	236	6.8	154	4.4	2	0.6
	BLACK/OTHER	13,662	683.0	2,887	144.3	319	15.7	328	16.4	240	12.0	8	4.0
2000	TOTAL	22,278 *	398.1	5,412*	96.7	573*	10.1	488	8.7	340	6.1	9	1.6
	WHITE	8,056	229.2	2,539	72.2	246	7.0	192	5.5	135	3.8	4	1.1
	BLACK/OTHER	14,218	683.5	2,872	138.1	324	15.3	296	14.2	205	9.9	5	2.4
2001	TOTAL	22,331	400.6	5,349	96.0	559	9.9	496	8.9	337	6.0	7	1.3
	WHITE	8,551	239.3	2,606	72.9	231	6.4	206	5.8	135	3.8	2	0.6
	BLACK/OTHER	13,780	688.7	2,743	137.1	328	16.1	290	14.5	202	10.1	5	2.5
2002	TOTAL	21,989 *	403.8	5,453	100.1	523*	9.5	507*	9.3	346*	6.4	3	0.6
	WHITE	8,702	247.6	2,651	75.4	243	6.9	208	5.9	134	3.8	2	0.6
	BLACK/OTHER	13,285	688.6	2,802	145.2	279	14.3	298	15.4	211	10.9	1	0.5
2003	TOTAL	22,786 *	410.8	5,586	100.7	537	9.6	463	8.3	328	5.9	6	1.1
	WHITE	9,275	257.6	2,739	76.1	216	6.0	211	5.9	141	3.9	2	0.6
	BLACK/OTHER	13,508	694.5	2,846	146.3	320	16.2	252	13.0	187	9.6	4	2.1
2004	TOTAL	23,600 *	417.4	5,769	102.0	494	8.7	524	9.3	363	6.4	3	0.5
	WHITE	9,876	267.8	2,837	76.9	211	5.7	236	6.4	165	4.5	1	0.3
	BLACK/OTHER	13,702	698.5	2,924	149.1	281	14.1	288	14.7	198	10.1	2	1.0
2005	TOTAL	24,984 *	434.2	5,895 *	102.5	525 *	9.0	549 *	9.5	341 *	5.9	12	1.9
	WHITE	10,732	287.2	2,882	77.1	225	5.9	261	7.0	161	4.3	6	1.5
	BLACK/OTHER	14,212	707.8	2,991	149.0	294	14.4	286	14.2	179	8.9	6	2.7
2006	TOTAL	28,195 *	453.4	6,312 *	101.5	617 *	9.8	520 *	8.4	342	5.5	8	1.3
	WHITE	12,227	306.1	3,016	75.5	284	7.1	231	5.8	146	3.7	5	1.3
	BLACK/OTHER	15,933	720.1	3,284	148.4	330	14.7	288	13.0	195	8.8	3	1.4
2007	TOTAL	29,187 *	463.8	6,401	101.7	579	9.1	538	8.5	357	5.7	17	2.7
	WHITE	12,927	318.1	3,104	76.4	225	5.5	243	6.0	162	4.0	9	2.2
	BLACK/OTHER	16,247	729.9	3,287	147.7	352	15.6	295	13.3	195	8.8	7	3.1
2008	TOTAL	29,797 *	472.4	6,238	98.9	542	8.5	504	8.0	310	4.9	20	3.2
	WHITE	13,199	324.2	3,065	75.3	245	6.0	242	5.9	146	3.6	6	1.5
	BLACK/OTHER	16,586	743.1	3,167	141.9	295	13.0	241	10.8	146	6.5	13	5.8

¹ BEGINNING IN 1990, "NONWHITE" CHANGED TO "BLACK AND OTHER"² RATE PER 1,000 LIVE BIRTHS³ RATE PER 10,000 LIVE BIRTHS⁴ FETAL DEATHS: RATES PER 1,000 LIVE BIRTHS; AS OF 1992 RATES PER 1,000 DELIVERIES (LIVE BIRTHS PLUS FETAL DEATHS)

* INCLUDES UNKNOWN RACE

Table A-3.
Live Births
South Carolina and Each County, 1997-2008
(Residence Data)


County of Residence	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
South Carolina	52,205	53,833	54,706	55,964	55,748	54,453	55,461	56,543	57,538	62,191	62,933	63,077
Abbeville	326	364	339	336	371	322	331	304	269	329	282	287
Aiken	1,872	1,797	1,831	1,852	1,889	1,804	1,777	1,895	1,847	2,118	2,041	1,978
Allendale	160	177	169	174	181	182	162	150	147	138	142	149
Anderson	2,103	2,145	2,194	2,217	2,247	2,143	2,235	2,206	2,248	2,485	2,397	2,439
Bamberg	217	208	222	233	211	187	184	176	191	231	180	184
Barnwell	356	338	344	330	339	347	327	342	311	313	336	336
Beaufort	1,607	1,668	1,746	1,887	1,945	1,970	2,103	2,147	2,244	2,356	2,340	2,355
Berkeley	1,961	2,017	2,191	2,114	2,188	2,103	2,104	2,210	2,196	2,458	2,482	2,722
Calhoun	174	168	166	193	161	178	176	156	167	175	160	192
Charleston	4,187	4,403	4,487	4,586	4,575	4,536	4,655	4,764	4,798	5,094	5,192	5,191
Cherokee	743	686	722	784	692	716	710	639	672	678	740	711
Chester	476	476	453	514	434	455	416	421	427	477	466	463
Chesterfield	568	550	579	619	573	526	523	526	534	612	600	592
Clarendon	370	409	408	440	449	412	403	432	387	406	433	392
Colleton	536	519	550	589	608	496	508	499	543	599	588	543
Darlington	956	907	950	953	943	886	842	902	841	879	859	851
Dillon	467	489	456	519	476	519	483	479	447	480	527	496
Dorchester	1,144	1,152	1,119	1,228	1,231	1,254	1,339	1,469	1,565	1,785	1,915	1,878
Edgefield	279	265	316	288	278	274	254	252	248	242	242	259
Fairfield	316	335	307	342	319	286	304	306	309	287	275	264
Florence	1,728	1,867	1,886	1,866	1,906	1,844	1,964	1,842	1,952	1,942	2,045	1,937
Georgetown	770	736	819	770	806	701	746	704	704	726	731	722
Greenville	4,920	5,176	5,361	5,388	5,526	5,400	5,538	5,732	5,876	6,255	6,605	6,695
Greenwood	915	963	933	954	915	857	849	849	907	973	1013	996
Hampton	287	311	294	302	316	274	298	255	293	313	302	283
Horry	2,064	2,324	2,346	2,569	2,588	2,530	2,681	2,800	2,903	3,345	3,457	3,287
Jasper	289	280	267	284	339	300	301	320	375	365	438	390
Kershaw	676	665	717	729	694	688	698	703	763	844	840	857
Lancaster	768	809	800	830	804	778	763	800	759	935	932	985
Laurens	840	864	870	823	802	798	817	803	770	949	885	863
Lee	246	258	262	264	284	249	263	262	244	264	245	224
Lexington	2,935	3,028	2,969	2,999	2,940	3,024	3,168	3,108	3,170	3,379	3,386	3,459
McCormick	93	83	78	96	80	78	78	77	77	92	98	93
Marion	497	478	501	527	497	464	485	495	434	505	512	478
Marlboro	424	433	434	434	400	356	338	352	366	375	368	388
Newberry	444	523	476	497	523	473	461	512	516	555	532	534
Oconee	752	796	796	768	786	772	801	846	788	880	815	829
Orangeburg	1,194	1,265	1,366	1,310	1,263	1,214	1,259	1,270	1,354	1,384	1,412	1,385
Pickens	1,301	1,379	1,345	1,329	1,356	1,257	1,260	1,265	1,309	1,374	1,349	1,378
Richland	4,156	4,286	4,361	4,460	4,247	4,375	4,430	4,605	4,791	5,048	5,082	5,201
Saluda	257	256	255	257	267	234	213	253	259	285	291	260
Spartanburg	3,223	3,288	3,262	3,344	3,443	3,434	3,414	3,481	3,411	3,889	3,793	4,004
Sumter	1,641	1,699	1,674	1,744	1,609	1,570	1,652	1,626	1,656	1,717	1,688	1,694
Union	380	369	396	376	368	384	312	323	317	354	348	340
Williamsburg	490	502	553	543	540	468	453	515	451	439	492	459
York	2,094	2,122	2,136	2,301	2,339	2,334	2,378	2,457	2,701	2,860	3,076	3,053
Unknown	3	-	-	2	-	1	5	13	1	2	1	1

Table A-4.
Deaths
South Carolina and Each County, 1997-2008
(Residence Data)

County of Residence	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
South Carolina	33,660	34,781	35,972	36,816	36,576	37,679	37,920	37,152	38,585	38,723	39,418	40,197
Abbeville	220	232	235	229	239	271	271	244	218	284	271	271
Aiken	1,183	1,233	1,287	1,305	1,426	1,409	1,438	1,390	1,389	1,406	1,453	1,555
Allendale	129	114	121	109	118	100	132	118	137	127	139	133
Anderson	1,521	1,623	1,719	1,693	1,744	1,766	1,833	1,822	1,865	1,791	1,931	1,848
Bamberg	189	183	186	209	154	177	159	156	194	169	187	188
Barnwell	222	238	258	222	249	251	255	225	249	219	229	247
Beaufort	857	819	907	914	969	1,051	1,041	1,026	1,055	1,076	1,063	1,174
Berkeley	816	859	835	877	957	988	961	937	1039	993	1038	1,021
Calhoun	133	151	156	157	155	165	171	168	163	160	133	172
Charleston	2,483	2,414	2,553	2,894	2,682	2,869	2,724	2,686	2,745	2,779	2,859	2,814
Cherokee	450	485	527	528	560	569	596	619	555	567	572	599
Chester	329	323	327	338	344	329	351	345	374	352	311	394
Chesterfield	422	458	456	422	377	442	420	438	472	730	471	488
Clarendon	309	337	310	329	332	339	342	337	345	336	332	388
Colleton	341	385	390	386	391	394	414	388	408	419	453	477
Darlington	732	708	749	738	716	720	746	696	732	739	709	770
Dillon	322	323	307	315	325	360	356	358	294	341	335	323
Dorchester	687	684	716	713	680	725	796	726	739	790	771	818
Edgefield	189	196	210	197	239	211	202	205	209	225	218	218
Fairfield	285	249	268	322	248	275	295	283	281	310	259	255
Florence	1,311	1,265	1,278	1,325	1,279	1,326	1,266	1,362	1,353	1,342	1,351	1,391
Georgetown	515	499	552	532	537	584	534	595	599	583	629	611
Greenville	2,900	3,102	3,229	3,346	3,365	3,353	3,335	3,148	3,398	3,387	3,559	3,620
Greenwood	674	699	658	700	658	680	690	660	700	689	700	706
Hampton	171	211	181	227	212	191	216	220	185	202	223	258
Horry	1,562	1,678	1,803	1,924	1,873	1,918	2,021	1,998	2,211	2,239	2,278	2,321
Jasper	156	157	190	142	147	184	164	173	181	194	173	221
Kershaw	433	458	496	518	517	492	512	512	505	531	532	568
Lancaster	561	563	638	619	572	583	568	571	552	573	636	687
Laurens	682	695	733	711	713	738	739	722	746	740	718	743
Lee	179	232	205	188	217	206	227	226	321	228	196	221
Lexington	1,435	1,581	1,611	1,692	1,720	1,732	1,840	1,791	1,830	1,885	1,942	1,912
McCormick	97	130	122	97	115	128	123	115	125	135	135	105
Marion	373	400	405	416	358	373	373	349	381	396	392	406
Marlboro	334	377	366	354	349	359	306	304	320	332	289	323
Newberry	321	365	383	355	411	424	421	386	450	379	401	406
Oconee	557	606	628	635	618	654	687	684	732	741	736	760
Orangeburg	929	943	960	932	924	969	975	948	947	1076	1023	987
Pickens	815	855	918	895	873	924	910	873	971	942	954	1,008
Richland	2,391	2,412	2,536	2,600	2,505	2,582	2,598	2,450	2,636	2,632	2,708	2,570
Saluda	179	196	208	201	188	215	216	193	209	174	193	208
Spartanburg	2,377	2,420	2,434	2,599	2,610	2,524	2,573	2,613	2,687	2,522	2,565	2,724
Sumter	828	885	909	945	906	924	942	927	984	991	972	932
Union	419	366	354	356	334	355	384	378	376	373	374	371
Williamsburg	386	407	386	360	383	415	424	392	367	420	426	401
York	1,251	1,261	1,270	1,236	1,285	1,435	1,370	1,386	1,476	1,504	1,578	1,583
Unknown	5	4	2	14	2	-	-	9	-	-	1	1

The State Fruit


“The Peach”



Officially adopted by the General Assembly in 1984

POPULATION

Figure B-1.
South Carolina Census Population by County
2008



SUMMARY OF POPULATION

The estimated population of South Carolina for 2008 was 4,479,800; an increase of 72,091 from the 2007 estimated population of 4,407,709. The 2008 population showed an increase of 16.8 percent over the 1998 estimated population of 3,835,960.

1990 and 2000 CENSUS OF POPULATION

Population Density: In 1990, the population density (number of person per square mile of land area) of South Carolina was approximately 115.8. Based on the 2000 census count, the population density had increased to 133.2, a 15.0 percent increase. Approximately 67.4 percent of the 46 counties in South Carolina had population densities less than that of the state in 1990, and 7 of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1990, there were 2,414,178 white and 1,072,525 black and other persons residing in South Carolina. The 2000 census count, modified by race, recorded a 13.9 percent increase in white population and a 17.7 percent increase in the black and other population. In South Carolina, blacks make up 95.8 percent of the black and other population. As shown below, of the ten-year population change from 1990 to 2000, the 45-54 years age group showed the greatest percentage increase. Only three age groups, under 1 year, 20-24 and 25-34 showed a decrease in population from 1990 to 2000. The age distribution and the percent change in the number of residents from 1990 to 2000 are as follows:

Table B-1.
Percent of Population by Age Group
South Carolina 1990 and 2000

Age Groups	1990		2000		Percent Change 1990-2000
	Total	Percent	Total	Percent	
Total	3,486,703	100.0	4,012,012	100.0	15.1
Under 1 Year	55,708	1.6	53,947	1.3	-3.2
1-4 Years	207,448	5.9	210,732	5.3	1.6
5-9 Years	255,303	7.3	285,243	7.1	11.7
10-14 Years	253,035	7.2	290,479	7.2	14.8
15-19 Years	278,416	8.0	295,377	7.3	6.1
20-24 Years	284,400	8.2	281,714	7.0	-0.9
25-34 Years	591,191	16.6	560,831	14.0	-5.1
35-44 Years	521,761	15.0	625,124	15.6	19.8
45-54 Years	352,866	10.1	550,321	13.7	56.0
55-64 Years	292,526	8.4	372,911	9.3	27.5
65-74 Years	244,985	7.0	270,048	6.7	10.2
75 and Over	149,064	4.3	215,285	5.4	44.4

Table B-2.
Population, Live Births, Deaths, and Natural Increase
South Carolina 1987-2008
(Residence Data)

Year	Population	Resident Births		Resident Deaths		Natural Increase (Births minus Death)
		Number	Rate*	Number	Rate*	
1987	3,423,400	52,774	15.4	28,470	8.3	24,304
1988	3,519,770	55,090	15.7	29,397	8.4	25,693
1989	3,518,760	57,239	16.3	29,576	8.4	27,663
1990	3,486,703	58,461	16.8	29,621	8.5	28,840
1991	3,559,600	57,517	16.2	29,851	8.4	27,666
1992	3,603,430	56,102	15.6	30,565	8.5	25,537
1993	3,629,550	53,715	14.8	31,943	8.8	21,772
1994	3,664,100	51,907	14.2	32,223	8.8	19,684
1995	3,669,400	50,913	13.9	33,500	9.1	17,413
1996	3,698,670	51,105	13.8	34,035	9.2	17,070
1997	3,760,180	52,205	13.9	33,659	9.0	18,546
1998	3,835,960	53,833	14.3	34,781	9.1	19,052
1999	3,885,740	54,706	14.1	35,972	9.3	18,734
2000	4,012,012	55,964	13.9	36,816	9.2	19,148
2001	4,063,010	55,748	13.7	36,576	9.0	19,172
2002	4,107,180	54,453	13.3	37,679	9.2	16,774
2003	4,147,150	55,461	13.4	37,920	9.1	17,541
2004	4,198,070	56,543	13.5	37,152	8.8	19,391
2005	4,255,080	57,538	13.5	38,585	9.1	18,953
2006	4,321,250	62,191	14.4	38,723	9.0	23,468
2007	4,407,709	62,933	14.3	39,418	8.9	23,515
2008	4,479,800	63,077	14.1	40,197	9.0	22,880

* Rate per 1,000 population


Table B-3.
Estimated Population and Percents by Race
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total	Estimated					
		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
		Number	Percent	Number	Percent	Number	Percent
South Carolina	4,479,800	2,943,815	65.7	1,352,004	30.2	183,981	4.1
Abbeville	25,404	17,632	69.4	7,497	29.5	275	1.1
Aiken	154,071	106,867	69.4	41,660	27.0	5,544	3.6
Allendale	10,447	2,800	26.8	7,385	70.7	262	2.5
Anderson	182,825	146,292	80.0	32,591	17.8	3,942	2.2
Bamberg	15,307	5,628	36.8	9,491	62.0	188	1.2
Barnwell	22,872	12,208	53.4	10,246	44.8	418	1.8
Beaufort	150,415	103,069	68.5	32,350	21.5	14,996	10.0
Berkeley	169,327	112,424	66.4	49,927	29.5	6,976	4.1
Calhoun	14,583	7,605	52.1	6,674	45.8	304	2.1
Charleston	348,046	220,474	63.3	114,284	32.8	13,288	3.8
Cherokee	54,394	41,128	75.6	11,709	21.5	1,557	2.9
Chester	32,618	19,688	60.4	12,524	38.4	406	1.2
Chesterfield	42,882	26,729	62.3	14,737	34.4	1,416	3.3
Clarendon	33,149	15,523	46.8	16,740	50.5	886	2.7
Colleton	39,019	21,927	56.2	16,248	41.6	844	2.2
Darlington	67,031	37,602	56.1	28,503	42.5	926	1.4
Dillon	30,698	14,781	48.1	15,041	49.0	876	2.9
Dorchester	127,133	87,375	68.7	35,696	28.1	4,062	3.2
Edgefield	25,546	14,589	57.1	10,229	40.0	728	2.8
Fairfield	23,435	9,661	41.2	13,405	57.2	369	1.6
Florence	132,800	74,630	56.2	56,062	42.2	2,108	1.6
Georgetown	60,731	38,317	63.1	20,593	33.9	1,821	3.0
Greenville	438,119	315,335	72.0	91,099	20.8	31,685	7.2
Greenwood	68,549	42,769	62.4	22,450	32.8	3,330	4.9
Hampton	21,075	8,722	41.4	11,691	55.5	662	3.1
Horry	257,380	205,064	79.7	40,610	15.8	11,706	4.5
Jasper	22,330	8,766	39.3	10,911	48.9	2,653	11.9
Kershaw	58,901	41,686	70.8	15,739	26.7	1,476	2.5
Lancaster	75,913	52,856	69.6	20,220	26.6	2,837	3.7
Laurens	69,681	49,269	70.7	18,072	25.9	2,340	3.4
Lee	19,891	6,887	34.6	12,359	62.1	645	3.2
Lexington	248,518	197,724	79.6	41,332	16.6	9,462	3.8
McCormick	10,093	5,210	51.6	4,792	47.5	91	0.9
Marion	33,843	13,988	41.3	18,815	55.6	1,040	3.1
Marlboro	28,704	12,170	42.4	16,225	56.5	309	1.1
Newberry	37,823	22,635	59.8	12,020	31.8	3,168	8.4
Oconee	71,274	62,425	87.6	6,173	8.7	2,676	3.8
Orangeburg	90,336	31,905	35.3	57,167	63.3	1,264	1.4
Pickens	116,915	103,213	88.3	10,264	8.8	3,438	2.9
Richland	364,001	171,456	47.1	178,308	49.0	14,237	3.9
Saluda	18,625	10,785	57.9	5,157	27.7	2,683	14.4
Spartanburg	280,738	202,185	72.0	64,352	22.9	14,201	5.1
Sumter	104,148	50,136	48.1	51,378	49.3	2,634	2.5
Union	27,672	18,592	67.2	8,807	31.8	273	1.0
Williamsburg	35,090	11,052	31.5	23,660	67.4	378	1.1
York	217,448	162,036	74.5	46,811	21.5	8,601	4.0

Note: Races and Counties may not sum to total due to rounding

The State Bird


“The Wren”




Officially adopted by the General Assembly in 1948

**B
I
R
T
H**

Figure C-1.
Live Birth Rates* by County
South Carolina, 2008
(Residence Data)



Live Birth Rates



*Rates calculated per 1,000 population

Map Source:
Division of Informatics, PHSIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SCDHEC

Table C-1.
Live Births and Birth Rates¹ by Race of Mother
South Carolina, 1984-2008
(Residence Data)

Year	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1984	50,561	15.3	30,607	13.5	19,954	19.2		
1985	51,846	15.4	31,543	13.7	20,303	19.1		
1986	51,726	15.1	31,202	13.4	20,524	18.9		
1987	52,774	15.4	31,982	13.7	20,792	19.2		
1988	55,090	*	33,100	13.8	21,986	19.6		
1989	57,239	*	34,153	14.2	23,076	20.6		
1990	58,461	*	35,491	14.7	22,963	21.4		
1991	57,517	*	34,560	14.1	22,949	20.8		
1992	56,102	*	33,890	13.6	22,206	19.9		
1993	53,715	*	32,571	13.0	21,134	18.9		
1994	51,907	*	31,899	12.6	19,996	17.7		
1995	50,913	*	31,830	12.5	19,068	16.9		
1996	51,105	*	32,309	12.6	18,788	16.6		
1997	52,205	*	33,011	12.8	19,192	16.4		
1998	53,883	*	34,065	12.9	19,757	16.6		
1999	54,706	*	34,683	12.9	20,004	16.6		
2000	55,964	*	35,146	12.8	20,803	16.5		
2001	55,748	*	35,731	12.7	20,008	15.7		
2002	54,453	*	32,150	11.9	19,072	14.8	3,188	29.2
2003	55,461	*	32,553	12.0	19,184	14.6	3,671	32.1
2004	56,543	*	32,743	11.8	19,443	15.0	4,332	33.2
2005	57,538	*	32,680	11.7	19,845	15.1	4,970	35.6
2006	62,191	*	34,388	12.1	21,910	16.6	5,863	38.8
2007	62,933	*	34,710	12.0	21,953	16.4	6,237	36.9
2008	63,077	*	34,711	11.8	22,094	16.3	6,229	33.9

*Includes unknown race

¹Rate per 1,000 population

Figure C-2
Live Birth Rates by Race of Mother
South Carolina, 1984-2008
(Residence Data)




Table C-2.
Live Births and Percent of Live Births by Marital Status, Age and Race of Mother
South Carolina, 2008
(Residence Data)

Age of Mother	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total Live Births by Age of Mother¹								
All Ages	63,077 *	100.0	34,711	100.0	22,094	100.0	6,229	100.0
<15	108	0.2	28	0.1	63	0.3	17	0.3
15-19	8,309 *	13.2	3,516	10.1	4,052	18.3	739	11.9
20-24	18,336 *	29.1	8,732	25.2	7,570	34.3	2,023	32.5
25-29	17,655 *	28.0	10,217	29.4	5,584	25.3	1,841	29.6
30-34	11,931 *	18.9	7,801	22.5	3,073	13.9	1,046	16.8
35-39	5,619 *	8.9	3,731	10.7	1,417	6.4	469	7.5
40-44	1,049 *	1.7	642	1.8	316	1.4	89	1.4
45+	69 *	0.1	43	0.1	19	0.1	5	0.1
Not Stated	1	0.0	1	0.0	-	0	-	0
Live Births by Age of Married Mother								
All Ages	32,874 *	100.0	24,203	100.0	5,536	100.0	3,113	100.0
<15	3	0.0	2	0.0	-	0	1	0.0
15-19	883 *	2.7	613	2.5	72	1.3	197	6.3
20-24	6,315 *	19.2	4,518	18.7	889	16.1	904	29.0
25-29	11,039 *	33.6	8,144	33.6	1,885	34.0	1,003	32.2
30-34	9,266 *	28.2	6,988	28.9	1,613	29.1	660	21.2
35-39	4,494 *	13.7	3,346	13.8	853	15.4	293	9.4
40-44	820 *	2.5	554	2.3	212	3.8	53	1.7
45+	54 *	0.2	38	0.2	12	0.2	2	0.1
Not Stated	-	0	-	0	-	0	-	0
Live Births by Age of Unmarried Mother without Paternal Acknowledgment								
All Ages	14,658 *	100.0	3,795	100.0	9,764	100.0	1,094	100.0
<15	85	0.6	20	0.5	54	0.6	11	1.0
15-19	3,724	25.4	1,054	27.8	2,429	24.9	241	22.0
20-24	5,863 *	40.0	1,477	38.9	3,987	40.8	397	36.3
25-29	3,115 *	21.3	791	20.8	2,082	21.3	240	21.9
30-34	1,263 *	8.6	293	7.7	837	8.6	132	12.1
35-39	492	3.4	129	3.4	305	3.1	58	5.3
40-44	110	0.8	30	0.8	66	0.7	14	1.3
45+	6	0.0	1	0.0	4	0.0	1	0.1
Not Stated	1	0.0	-	0	1	0.0	-	0
Live Births by Age of Unmarried Mother with Paternal Acknowledgment								
All Ages	15,139 *	100.0	6,490	100.0	6,682	100.0	1,960	100.0
<15	18	0.1	4	0.1	9	0.1	5	0.3
15-19	3,639 *	24.0	1,817	28.0	1,528	22.9	293	14.9
20-24	6,022 *	39.8	2,657	40.9	2,661	39.8	701	35.8
25-29	3,411 *	22.5	1,237	19.1	1,590	23.8	582	29.7
30-34	1,340 *	8.9	487	7.5	609	9.1	243	12.4
35-39	592	3.9	233	3.6	247	3.7	112	5.7
40-44	109	0.7	51	0.8	36	0.5	22	1.1
45+	8	0.1	4	0.1	2	0.0	2	0.1
Not Stated	-	0	-	0	-	0	-	0

* Includes unknown race

¹ Includes unknown marital status

Table C-3.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	63,077 *	14.1	34,711	11.8	22,094	16.3	6,229	33.9
Abbeville	287	11.3	185	10.5	99	13.2	3	10.9
Aiken	1,978 *	12.8	1,174	11.0	642	15.4	153	27.6
Allendale	149	14.3	26	9.3	118	16.0	5	19.1
Anderson	2,439	13.3	1,806	12.3	511	15.7	122	30.9
Bamberg	184	12.0	47	8.4	126	13.3	11	58.5
Barnwell	336	14.7	137	11.2	191	18.6	8	19.1
Beaufort	2,355 *	15.7	1,101	10.7	658	20.3	592	39.5
Berkeley	2,722 *	16.1	1,696	15.1	752	15.1	273	39.1
Calhoun	192	13.2	86	11.3	95	14.2	11	36.2
Charleston	5,191 *	14.9	2,498	11.3	2,027	17.7	663	49.9
Cherokee	711	13.1	455	11.1	211	18.0	45	28.9
Chester	463	14.2	233	11.8	225	18.0	5	12.3
Chesterfield	592 *	13.8	318	11.9	245	16.6	28	19.8
Clarendon	392	11.8	150	9.7	228	13.6	14	15.8
Colleton	543	13.9	274	12.5	244	15.0	25	29.6
Darlington	851	12.7	380	10.1	457	16.0	14	15.1
Dillon	496	16.2	191	12.9	284	18.9	21	24.0
Dorchester	1,878 *	14.8	1,196	13.7	550	15.4	129	31.8
Edgefield	259 *	10.1	125	8.6	121	11.8	11	15.1
Fairfield	264	11.3	74	7.7	187	14.0	3	8.1
Florence	1,937	14.6	837	11.2	1,038	18.5	62	29.4
Georgetown	722	11.9	318	8.3	341	16.6	63	34.6
Greenville	6,695 *	15.3	4,109	13.0	1,581	17.4	1,001	31.6
Greenwood	996	14.5	494	11.6	366	16.3	136	40.8
Hampton	283	13.4	96	11.0	179	15.3	8	12.1
Horry	3,287 *	12.8	2,139	10.4	658	16.2	489	41.8
Jasper	390	17.5	110	12.5	167	15.3	113	42.6
Kershaw	857 *	14.5	564	13.5	249	15.8	43	29.1
Lancaster	985	13.0	611	11.6	294	14.5	80	28.2
Laurens	863	12.4	509	10.3	263	14.6	91	38.9
Lee	224	11.3	52	7.6	169	13.7	3	4.7
Lexington	3,459 *	13.9	2,430	12.3	640	15.5	388	41.0
McCormick	93	9.2	32	6.1	59	12.3	2	22.0
Marion	478	14.1	152	10.9	305	16.2	21	20.2
Marlboro	388	13.5	140	11.5	244	15.0	4	12.9
Newberry	534	14.1	235	10.4	178	14.8	121	38.2
Oconee	829	11.6	676	10.8	77	12.5	76	28.4
Orangeburg	1,385 *	15.3	354	11.1	981	17.2	49	38.8
Pickens	1,378 *	11.8	1,165	11.3	138	13.4	74	21.5
Richland	5,201 *	14.3	1,845	10.8	2,957	16.6	391	27.5
Saluda	260	14.0	93	8.6	75	14.5	92	34.3
Spartanburg	4,004	14.3	2,496	12.3	1,062	16.5	446	31.4
Sumter	1,694 *	16.3	706	14.1	902	17.6	85	32.3
Union	340	12.3	212	11.4	121	13.7	7	25.6
Williamsburg	459	13.1	127	11.5	322	13.6	10	26.5
York	3,053 *	14.0	2,056	12.7	757	16.2	238	27.7
Unknown	1	0.0	1	0.0	-	0	-	0

* Includes unknown race

¹ Rates per 1,000 estimated population

Table C-4.
Live Births and Birth Rates¹ by Race of Mother
South Carolina and Each County, 2008
(Occurrence Data)

County of Occurrence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	60,404 *	13.5	32,708	11.1	21,480	15.9	6,194	33.7
Abbeville	103	4.1	50	2.8	51	6.8	2	7.3
Aiken	1,334	8.7	600	5.6	572	13.7	162	29.2
Allendale	7	0.7	1	0.4	5	0.7	1	3.8
Anderson	2,211	12.1	1,624	11.1	509	15.6	78	19.8
Bamberg	64	4.2	23	4.1	32	3.4	9	47.9
Barnwell	2	0.1	-	0	2	0.2	-	0
Beaufort	2,657	17.7	1,119	10.9	846	26.2	692	46.1
Berkeley	6	0.0	4	0.0	2	0.0	-	0
Calhoun	1	0.1	1	0.1	-	0	-	0
Charleston	9,364 *	26.9	5,004	22.7	3,272	28.6	1,083	81.5
Cherokee	430	7.9	246	6.0	149	12.7	35	22.5
Chester	2	0.1	1	0.1	1	0.1	-	0
Chesterfield	195 *	4.5	85	3.2	104	7.1	5	3.5
Clarendon	888	26.8	338	21.8	477	28.5	73	82.4
Colleton	459	11.8	173	7.9	253	15.6	33	39.1
Darlington	647	9.7	246	6.5	385	13.5	16	17.3
Dillon	385	12.5	108	7.3	243	16.2	34	38.8
Dorchester	1,089 *	8.6	741	8.5	328	9.2	19	4.7
Edgefield	-	0	-	0	-	0	-	0
Fairfield	-	0	-	0	-	0	-	0
Florence	3,108	23.4	1,469	19.7	1,602	28.6	37	17.6
Georgetown	1,025	16.9	607	15.8	354	17.2	64	35.1
Greenville	8,814 *	20.1	5,841	18.5	1,824	20.0	1,146	36.2
Greenwood	1,538	22.4	757	17.7	580	25.8	201	60.4
Hampton	4	0.2	-	0	4	0.3	-	0
Horry	2,883 *	11.2	1,771	8.6	645	15.9	466	39.8
Jasper	1	0.0	-	0	1	0.1	-	0
Kershaw	429	7.3	266	6.4	158	10.0	5	3.4
Lancaster	774	10.2	414	7.8	339	16.8	21	7.4
Laurens	433	6.2	219	4.4	151	8.4	63	26.9
Lee	2	0.1	-	0	2	0.2	-	0
Lexington	3,435	13.8	2,358	11.9	932	22.5	145	15.3
McCormick	-	0	-	0	-	0	-	0
Marion	382	11.3	110	7.9	262	13.9	10	9.6
Marlboro	170	5.9	43	3.5	125	7.7	2	6.5
Newberry	413	10.9	113	5.0	143	11.9	157	49.6
Oconee	512	7.2	387	6.2	51	8.3	74	27.7
Orangeburg	1,425 *	15.8	336	10.5	1,032	18.1	56	44.3
Pickens	582	5.0	486	4.7	45	4.4	51	14.8
Richland	6,754 *	18.6	2,734	15.9	3,318	18.6	693	48.7
Saluda	-	0	-	0	-	0	-	0
Spartanburg	4,094	14.6	2,532	12.5	1,169	18.2	393	27.7
Sumter	1,278 *	12.3	453	9.0	725	14.1	99	37.6
Union	112	4.0	69	3.7	42	4.8	1	3.7
Williamsburg	3	0.1	1	0.1	2	0.1	-	0
York	2,389	11.0	1,378	8.5	743	15.9	268	31.2
Unknown	-	0	-	0	-	0	-	0

* Includes Unknown Race

¹ Rates per 1,000 estimated population

FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the population exposed to the chance of having a birth since it is based on both sexes in population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. When the event of birth is related to the population exposed at risk, that is, to females of childbearing ages 15-44, a more specific rate is completed.

Table C-5.
Fertility Rates* by Race: South Carolina, 1994-2008
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1994	61.5	56.0	72.6	
1995	58.9	54.3	68.1	
1996	57.7	54.0	65.1	
1997	57.5	54.3	63.8	
1998	60.4	58.4	64.2	
1999	60.9	59.0	64.4	
2000	61.9	59.9	65.5	
2001	63.0	60.7	67.1	
2002	60.6	57.5	60.7	126.4
2003	62.7	59.4	61.6	149.1
2004	63.6	59.0	63.6	152.2
2005	64.3	58.7	64.5	164.9
2006	69.6	61.9	71.5	182.3
2007	70.0	62.1	71.6	184.0
2008	69.7	61.9	71.7	175.2

* Rate per 1,000 Population of Females Aged 15-44 Years

Table C-6.
Population of Females Age 15-44 by Race
South Carolina, 1994-2008
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1994	881,319	587,647	293,672	
1995	881,993	589,105	292,888	
1996	888,920	594,535	294,385	
1997	864,721	565,567	299,154	
1998	879,477	575,366	304,021	
1999	884,147	578,968	305,179	
2000	884,317	577,081	307,236	
2001	895,462	585,292	310,170	
2002	898,778	559,463	314,092	25,223
2003	884,115	547,896	311,603	24,616
2004	889,545	555,345	305,742	28,458
2005	894,523	556,866	307,514	30,143
2006	893,609	555,095	306,348	32,166
2007	899,262	558,565	306,803	33,894
2008	904,492	560,871	308,066	35,555

GENDER RATIO

Out of the total 63,077 live births occurring to South Carolina residents in 2008, male births numbered 32,136 and female births numbered 30,941 giving a ratio of 103.9 males per 100 females. Table C-7 shows the ratio of males to females for the past five years.

Table C-7.
Gender Ratio of Males per 100 Females
South Carolina, 2004-2008
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
2004	105.3	107.1	103.1	102.2
2005	104.8	106.8	101.2	106.5
2006	104.9	105.1	104.0	107.7
2007	103.9	105.3	100.9	106.5
2008	103.9	104.7	101.9	106.5

MULTIPLE BIRTHS

During 2008, a total of 2,123 live births were multiple births. Of that numbers, 2,071 were twins (not sets), 51 were triplets (not sets), and 1 was a quadruplet. The 2,123 multiple births result in a ratio of 1 multiple birth per 30 live births.

Table C-8.
Number and Rates of Multiple Births by Race ¹
South Carolina, 1994-2008
(Residence Data)

Year	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1994	1320	25.4	777	24.8	534	26.8		
1995	1316	25.8	776	24.9	516	27.2		
1996	1343	26.3	814	25.9	499	26.7		
1997	1414	27.1	883	27.6	511	26.8		
1998	1593	29.6	1,006	30.6	563	28.7		
1999	1744	31.9	1,046	31.6	664	33.6		
2000	1687	30.1	1,046	31.6	587	28.6		
2001	1787	32.1	1,082	32.9	656	33.2		
2002	1703	31.3	1,025	31.9	619	32.5	59	18.5
2003	1857	33.5	1,118	34.3	661	34.5	76	20.7
2004	1900	33.6	1,187	36.3	636	32.7	61	14.1
2005	1833	31.9	1,060	32.4	642	32.4	114	22.9
2006	2080	33.4	1,163	33.8	793	36.2	115	19.6
2007	2149	34.1	1,229	35.4	768	35.0	150	24.0
2008	2123	33.7	1,230	35.4	757	34.3	134	21.5

¹ The number of live births in multiple deliveries per 1,000 live births

Figure C-3
Multiple Births Rate by Race
South Carolina, 1994-2008
(Residence Data)




Table C-9.
Live Births by County of Occurrence by County of Residence
South Carolina, 2008

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																						
	ABBEVILLE	AIKEN	ALLENDALE	ANDERSON	BAMBERG	BARNWELL	BEAUFORT	BERKELEY	CALHOUN	CHARLESTON	CHEROKEE	CHESTER	CHESTERFIELD	CLARENDON	COLLETION	DARLINGTON	DILLON	DORCHESTER	EDGEFIELD	FAIRFIELD	FLORENCE	GEORGETOWN	GREENVILLE
Abbeville	70	-	-	7	-	6	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	19
Aiken	-	949	57	-	1,812	32	4	1	1	1	1	1	1	1	1	1	1	1	71	-	-	-	-
Allendale	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Anderson	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	23	5
Bamberg	-	2	1	-	-	2	2,142	-	-	3	-	-	-	-	-	16	-	-	-	-	-	-	
Barnwell	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Beaufort	-	1	10	-	1	2	2,142	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Berkeley	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Charleston	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cherokee	-	3	4	4	3	1	86	2,408	3	4,986	-	-	-	-	187	1	1	1,241	-	-	5	142	
Chester	-	-	-	-	-	-	-	-	-	403	-	-	-	-	-	-	-	-	-	-	-	9	
Chesterfield	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	
Clarendon	-	-	-	-	-	-	-	-	-	-	162	-	-	-	-	2	-	-	-	-	-	-	
Colleton	-	-	-	-	-	-	-	6	1	1	-	1	284	-	1	-	-	-	1	34	3	-	
Darlington	-	1	37	-	1	4	1	-	2	-	-	-	1	288	-	-	13	-	-	1	-	-	
Dillon	-	-	-	-	-	-	-	1	-	-	-	-	143	-	362	-	1	-	10	-	-	1	
Dorchester	-	-	-	-	-	-	-	-	279	-	161	-	-	-	40	1	319	-	-	2	-	-	
Edgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	467	99	586	-	-	-	-	-	
Florence	-	-	-	-	-	-	1	-	-	-	88	43	1	467	99	2	-	1,842	17	-	-	-	
Georgetown	-	-	-	-	-	-	-	2	-	2	-	1	-	1	-	1	-	8	526	-	-	-	
Greenville	4	-	-	545	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	-	6,482	16	
Greenwood	170	2	-	15	-	2	-	-	-	1	-	-	-	-	-	-	-	28	-	-	-	11	
Horry	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Jasper	-	1	-	1	-	1	-	-	1	-	-	1	-	-	-	1	-	-	2	27	1	-	
Kershaw	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	
Lancaster	-	-	-	-	-	-	-	-	-	125	70	-	-	-	-	-	1	-	8	-	-	-	
Laurens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	5	
Lexington	-	68	-	-	3	6	-	-	25	1	-	1	3	-	-	-	4	21	-	-	3	1	
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	70	-	-	-	-	-	-	
Marlboro	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	
Newberry	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	
Oconee	-	-	-	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Orangeburg	-	6	14	-	114	57	-	2	117	1	1	-	-	1	5	-	17	-	-	-	1	2	
Pickens	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	
Richland	-	32	13	2	21	14	1	6	43	6	1	7	3	15	3	6	1	5	1	225	15	3	
Spartanburg	-	1	-	5	-	-	-	-	-	285	9	-	-	45	1	5	-	-	-	-	-	94	
Sumter	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	13	-	-	-	
Union	-	-	-	-	-	-	-	-	-	-	1	286	2	-	-	-	-	-	-	-	-	-	
York	-	-	-	1	-	-	-	-	26	14	32	115	-	1	2	6	8	154	-	4	1	-	
Out-of-State	1	911	6	2	3	44	121	11	-	26	14	32	115	-	1	2	6	8	154	-	2	1	

Table C-9. (continued)
Live Births by County of Occurrence by County of Residence
South Carolina, 2008

COUNTY OF OCCURRENCE	COUNTY OF RESIDENCE																						
	HAMPTON	HORRY	JASPER	KERSHAW	LANCASTER	LAURENS	LEE	LEXINGTON	MCCORMICK	MARION	MARLBORO	NEWBERRY	OCONEE	ORANGEBURG	PICKENS	RICHLAND	SALUDA	SPARTANBURG	SUMTER	UNION	WILLIAMSBURG	YORK	OUT-OF-STATE
Abbeville	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Aiken	2	-	-	-	-	-	-	6	1	-	-	-	-	13	-	2	10	1	1	-	-	13	
Allendale	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Anderson	-	-	-	-	-	1	-	-	-	-	-	150	1	84	-	-	2	-	-	-	-	90	
Bamberg	-	-	-	-	-	-	-	-	-	-	-	18	-	-	-	-	-	-	-	-	-	1	
Beaufort	126	-	341	-	-	1	1	6	-	2	1	1	3	92	-	7	-	5	8	-	11	1	31
Charleston	28	65	16	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-	-	-	-	-	
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15	-	1	-	2	2	9	
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Clarendon	-	7	-	-	-	-	12	1	-	2	-	-	4	-	5	-	1	369	-	155	-	-	
Colleton	100	-	5	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	2	
Darlington	-	-	-	9	1	-	108	-	-	8	-	-	-	-	1	-	2	-	-	-	-	-	
Dillon	-	4	-	-	-	-	-	1	-	14	8	-	-	16	-	-	1	1	-	-	-	38	
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	31	-	2	-	-	1	
Florence	-	58	-	4	2	-	33	1	-	165	56	-	-	-	-	3	-	1	170	-	-	24	
Georgetown	-	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71	-	3	
Greenville	-	-	-	-	-	257	-	2	-	-	-	201	1	707	3	1	551	-	3	1	3	32	
Greenwood	-	-	-	-	-	164	-	1	68	-	-	17	1	1	105	3	-	2	-	-	-	3	
Hampton	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horry	-	2,692	-	-	-	-	-	1	-	14	-	-	-	-	1	-	-	-	-	-	3	3	133
Jasper	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kershaw	-	-	-	366	21	-	17	2	-	-	-	-	1	-	7	-	11	-	-	-	-	-	
Lancaster	-	-	-	-	18	521	-	394	-	-	-	-	-	-	2	-	-	1	-	1	23	6	
Laurens	-	-	-	-	-	-	-	-	-	-	-	9	-	1	1	13	-	-	-	-	1	-	
Lee	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lexington	-	1	-	51	2	1	1	2,181	-	278	3	-	72	1	53	829	89	2	8	1	-	3	6
Marion	-	23	-	-	-	-	-	-	-	165	-	-	340	-	1	4	35	1	-	8	-	2	
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	449	-	42	-	5	-	-	-	-	-	
Newberry	-	-	-	-	-	-	4	-	13	-	-	-	-	1,057	-	42	-	-	-	-	-	1	
Oconee	-	-	-	-	-	-	-	-	9	-	-	-	-	-	4	-	5	-	-	-	-	4	
Orangeburg	10	-	-	-	-	-	-	-	9	-	1	-	-	-	1,057	-	5	-	-	-	-	5	
Pickens	-	-	-	-	-	-	-	-	-	-	-	-	4	-	524	-	1	-	-	-	-	1	
Richland	1	6	2	377	8	2	19	1,214	1	1	4	87	2	121	2	4,301	16	7	110	-	6	8	24
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Spartanburg	-	-	-	-	-	1	36	-	1	-	-	4	-	-	6	1	1	3,378	-	216	-	2	54
Sumter	-	-	-	25	-	-	31	-	1	-	-	2	-	-	5	-	1,143	-	5	-	-	4	
Union	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	106	-	-	2	-	
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	
York	-	1	-	-	2	160	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1,878	49	
Out-of-State	13	22	25	5	268	3	1	20	17	1	111	2	17	3	11	21	3	20	10	1	31	1,129	13

Table C-10.
Live Births by Number of Prenatal Care Visits
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	63,077 *	736	3,146	1,525	19,096	28,179	9,985	410
Abbeville	287	-	14	4	57	121	91	-
Aiken	1,978 *	16	83	43	658	739	337	102
Allendale	149	3	9	8	63	39	24	3
Anderson	2,439	21	66	27	590	1,221	507	7
Bamberg	184	1	19	2	69	68	23	2
Barnwell	336	3	24	7	118	127	50	7
Beaufort	2,355 *	28	173	120	952	829	216	37
Berkeley	2,722 *	16	114	50	753	1,265	502	22
Calhoun	192	2	15	7	63	80	25	-
Charleston	5,191 *	94	287	108	1,572	2,214	874	42
Cherokee	711	11	14	12	102	319	253	-
Chester	463	4	48	15	200	183	12	1
Chesterfield	592 *	11	14	10	126	264	165	2
Clarendon	392	-	10	8	86	184	101	3
Colleton	543	5	16	6	126	258	128	4
Darlington	851	9	23	15	135	341	327	1
Dillon	496	12	4	11	64	110	294	1
Dorchester	1,878 *	13	74	22	475	936	344	14
Edgefield	259 *	3	15	5	96	77	43	20
Fairfield	264	2	22	8	81	111	39	1
Florence	1,937	32	62	29	457	944	413	-
Georgetown	722	11	38	19	237	327	78	12
Greenville	6,695 *	61	369	203	2,730	2,860	447	25
Greenwood	996	7	34	18	208	419	306	4
Hampton	283	3	14	8	103	109	41	5
Horry	3,287 *	76	170	82	841	1,431	678	9
Jasper	390	10	27	11	155	142	38	7
Kershaw	857 *	8	37	12	280	427	93	-
Lancaster	985	9	26	11	392	500	46	1
Laurens	863	10	59	35	237	379	141	2
Lee	224	4	12	7	46	83	72	-
Lexington	3,459 *	49	156	71	1,046	1,704	428	5
McCormick	93	-	9	-	25	31	24	4
Marion	478	10	9	7	99	188	162	3
Marlboro	388	5	12	4	76	78	213	-
Newberry	534	3	30	10	120	239	130	2
Oconee	829	11	29	14	242	444	84	5
Orangeburg	1,385 *	22	122	54	512	486	187	2
Pickens	1,378 *	9	31	22	327	631	353	5
Richland	5,201 *	61	215	136	1,544	2,611	615	19
Saluda	260	3	10	11	84	110	42	-
Spartanburg	4,004	36	178	98	1,085	2,058	542	7
Sumter	1,694 *	16	159	60	618	701	130	10
Union	340	4	13	3	86	147	87	-
Williamsburg	459	4	27	11	123	211	79	4
York	3,053 *	18	254	100	1,037	1,433	201	10
Unknown	1	-	-	1	-	-	-	-

* Includes unknown race

Table C-10A.
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	34,711	220	1,067	554	9,730	17,143	5,756	241
Abbeville	185	-	7	1	35	82	60	-
Aiken	1,174	8	17	20	372	466	221	70
Allendale	26	1	1	1	9	9	5	-
Anderson	1,806	13	38	17	413	939	380	6
Bamberg	47	-	4	2	14	24	3	-
Barnwell	137	-	4	-	44	58	25	6
Beaufort	1,101	4	57	57	433	410	112	28
Berkeley	1,696	4	48	17	477	823	313	14
Calhoun	86	-	6	3	21	46	10	-
Charleston	2,498	9	61	28	816	1,173	397	14
Cherokee	455	3	7	8	62	216	159	-
Chester	233	1	15	6	96	110	4	1
Chesterfield	318	3	7	4	63	145	95	1
Clarendon	150	-	3	1	24	83	38	1
Colleton	274	1	7	2	59	133	70	2
Darlington	380	4	5	4	40	165	162	-
Dillon	191	6	-	3	23	52	106	1
Dorchester	1,196	9	29	12	292	613	236	5
Edgefield	125	-	1	2	41	45	22	14
Fairfield	74	-	4	1	14	40	15	-
Florence	837	9	13	7	156	452	200	-
Georgetown	318	2	11	3	99	163	34	6
Greenville	4,109	23	148	62	1,600	1,953	306	17
Greenwood	494	2	13	3	70	210	193	3
Hampton	96	-	5	3	39	33	15	1
Horry	2,139	24	90	45	505	1,000	469	6
Jasper	110	-	5	5	45	45	7	3
Kershaw	564	3	17	4	174	300	66	-
Lancaster	611	4	2	5	217	349	34	-
Laurens	509	3	24	15	120	251	95	1
Lee	52	1	2	1	9	23	16	-
Lexington	2,430	24	75	35	645	1,317	331	3
McCormick	32	-	2	-	11	11	6	2
Marion	152	3	3	2	29	68	46	1
Marlboro	140	-	1	1	28	43	67	-
Newberry	235	1	5	3	45	116	63	2
Oconee	676	5	16	8	189	380	73	5
Orangeburg	354	2	17	7	132	147	48	1
Pickens	1,165	6	26	19	275	524	313	2
Richland	1,845	12	44	28	442	1,111	201	7
Saluda	93	-	1	2	25	44	21	-
Spartanburg	2,496	22	71	36	571	1,387	403	6
Sumter	706	2	39	21	223	355	62	4
Union	212	1	4	1	43	101	62	-
Williamsburg	127	-	-	1	28	73	25	-
York	2,056	5	112	47	662	1,055	167	8
Unknown	1	-	-	1	-	-	-	-

Table C-10A. (continued)
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Non-Hispanic Black and Other

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	22,094	318	1,411	698	6,913	8,865	3,754	135
Abbeville	99	-	7	3	21	37	31	-
Aiken	642	5	36	12	210	238	112	29
Allendale	118	2	7	7	52	30	17	3
Anderson	511	5	19	5	131	232	118	1
Bamberg	126	1	13	-	50	41	19	2
Barnwell	191	3	19	5	72	67	24	1
Beaufort	658	13	66	42	278	192	62	5
Berkeley	752	5	41	22	189	340	149	6
Calhoun	95	2	7	3	38	31	14	-
Charleston	2,027	24	136	52	564	819	409	23
Cherokee	211	7	6	4	28	83	83	-
Chester	225	3	32	9	100	73	8	-
Chesterfield	245	7	5	5	53	107	67	1
Clarendon	228	-	7	6	59	96	58	2
Colleton	244	2	7	3	60	115	55	2
Darlington	457	4	18	9	89	173	163	1
Dillon	284	6	3	8	37	53	177	-
Dorchester	550	3	30	9	147	263	92	6
Edgefield	121	3	12	2	49	29	21	5
Fairfield	187	2	18	7	65	70	24	1
Florence	1,038	21	47	21	272	468	209	-
Georgetown	341	3	19	15	117	142	39	6
Greenville	1,581	21	112	73	628	637	105	5
Greenwood	366	5	13	11	86	149	101	1
Hampton	179	2	9	5	63	72	24	4
Horry	658	17	29	21	169	264	157	1
Jasper	167	7	9	4	68	53	23	3
Kershaw	249	2	16	8	85	113	25	-
Lancaster	294	2	3	3	133	141	11	1
Laurens	263	6	16	13	72	111	44	1
Lee	169	3	10	6	37	57	56	-
Lexington	640	12	48	22	223	255	78	2
McCormick	59	-	7	-	13	20	17	2
Marion	305	6	5	5	66	112	109	2
Marlboro	244	5	9	3	48	34	145	-
Newberry	178	1	8	3	41	76	49	-
Oconee	77	3	8	5	19	36	6	-
Orangeburg	981	18	97	46	365	317	137	1
Pickens	138	2	4	2	35	67	26	2
Richland	2,957	45	151	92	958	1,314	390	7
Saluda	75	1	1	3	17	38	15	-
Spartanburg	1,062	10	63	32	339	498	120	-
Sumter	902	12	109	38	364	316	58	5
Union	121	3	8	2	42	44	22	-
Williamsburg	322	4	26	10	91	135	53	3
York	757	10	95	42	270	307	32	1
Unknown	-	-	-	-	-	-	-	-

Table C-10A. (continued)
 Live Births by Number of Prenatal Care Visits and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Hispanic

County of Residence	Total Births	Number of Prenatal Care Visits						
		No Visits	1-4 Visits	5 Visits	6-10 Visits	11-15 Visits	16+ Visits	Unknown
South Carolina	6,229	198	666	273	2,442	2,155	472	23
Abbeville	3	-	-	-	1	2	-	-
Aiken	153	3	30	11	73	32	4	-
Allendale	5	-	1	-	2	-	2	-
Anderson	122	3	9	5	46	50	9	-
Bamberg	11	-	2	-	5	3	1	-
Barnwell	8	-	1	2	2	2	1	-
Beaufort	592	11	50	21	239	226	41	4
Berkeley	273	7	25	11	86	102	40	2
Calhoun	11	-	2	1	4	3	1	-
Charleston	663	61	90	28	192	221	68	3
Cherokee	45	1	1	-	12	20	11	-
Chester	5	-	1	-	4	-	-	-
Chesterfield	28	1	2	1	10	12	2	-
Clarendon	14	-	-	1	3	5	5	-
Colleton	25	2	2	1	7	10	3	-
Darlington	14	1	-	2	6	3	2	-
Dillon	21	-	1	-	4	5	11	-
Dorchester	129	1	15	1	35	58	16	3
Edgefield	11	-	2	1	6	2	-	-
Fairfield	3	-	-	-	2	1	-	-
Florence	62	2	2	1	29	24	4	-
Georgetown	63	6	8	1	21	22	5	-
Greenville	1,001	17	109	68	501	268	36	2
Greenwood	136	-	8	4	52	60	12	-
Hampton	8	1	-	-	1	4	2	-
Horry	489	35	50	16	167	167	52	2
Jasper	113	3	13	2	42	44	8	1
Kershaw	43	3	3	-	21	14	2	-
Lancaster	80	3	21	3	42	10	1	-
Laurens	91	1	19	7	45	17	2	-
Lee	3	-	-	-	-	3	-	-
Lexington	388	13	33	14	178	131	19	-
McCormick	2	-	-	-	1	-	1	-
Marion	21	1	1	-	4	8	7	-
Marlboro	4	-	2	-	-	1	1	-
Newberry	121	1	17	4	34	47	18	-
Oconee	76	3	5	1	34	28	5	-
Orangeburg	49	2	8	1	14	22	2	-
Pickens	74	1	1	1	17	40	14	-
Richland	391	4	20	16	142	182	24	3
Saluda	92	2	8	6	42	28	6	-
Spartanburg	446	4	44	30	175	173	19	1
Sumter	85	2	11	1	31	30	9	1
Union	7	-	1	-	1	2	3	-
Williamsburg	10	-	1	-	4	3	1	1
York	238	3	47	11	105	70	2	-
Unknown	-	-	-	-	-	-	-	-

Table C-11.
Live Births By Kotelchuck Index
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	63,077 *	12,799	4,565	18,357	26,828	528
Abbeville	287	49	8	73	157	-
Aiken	1,978 *	357	167	528	765	161
Allendale	149	56	15	28	47	3
Anderson	2,439	382	123	757	1,169	8
Bamberg	184	40	33	49	60	2
Barnwell	336	75	32	96	124	9
Beaufort	2,355 *	600	381	630	702	42
Berkeley	2,722 *	475	184	769	1,269	25
Calhoun	192	46	22	55	69	-
Charleston	5,191 *	1,126	428	1,402	2,191	44
Cherokee	711	110	19	99	483	-
Chester	463	134	30	184	114	1
Chesterfield	592 *	127	15	151	297	2
Clarendon	392	75	15	92	207	3
Colleton	543	103	19	117	300	4
Darlington	851	147	23	131	549	1
Dillon	496	116	9	37	333	1
Dorchester	1,878 *	318	100	495	950	15
Edgefield	259 *	50	20	73	85	31
Fairfield	264	56	24	69	114	1
Florence	1,937	371	62	453	1,050	1
Georgetown	722	182	43	169	316	12
Greenville	6,695 *	1,391	736	2,592	1,946	30
Greenwood	996	183	27	168	613	5
Hampton	283	71	29	68	108	7
Horry	3,287 *	817	153	718	1,589	10
Jasper	390	111	37	109	126	7
Kershaw	857 *	139	53	295	369	1
Lancaster	985	108	120	526	228	3
Laurens	863	185	49	192	434	3
Lee	224	59	10	24	131	-
Lexington	3,459 *	620	228	1,182	1,423	6
McCormick	93	27	4	17	41	4
Marion	478	124	16	71	263	4
Marlboro	388	51	35	45	257	-
Newberry	534	101	24	139	268	2
Oconee	829	153	32	285	354	5
Orangeburg	1,385 *	362	187	373	459	4
Pickens	1,378 *	180	84	383	725	6
Richland	5,201 *	942	286	1,596	2,355	22
Saluda	260	78	13	59	110	-
Spartanburg	4,004	854	246	1,109	1,788	7
Sumter	1,694 *	442	140	549	548	15
Union	340	73	16	67	184	-
Williamsburg	459	104	21	112	216	6
York	3,053 *	628	247	1,221	942	15
Unknown	1	1	-	-	-	-

* Include unknown race

Table C-11A.
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	34,711	4,707	2,573	11,424	15,698	309
Abbeville	185	22	5	55	103	-
Aiken	1,174	137	102	333	487	115
Allendale	26	7	3	7	9	-
Anderson	1,806	230	87	590	893	6
Bamberg	47	6	10	17	14	-
Barnwell	137	19	11	46	55	6
Beaufort	1,101	200	199	310	360	32
Berkeley	1,696	227	136	504	812	17
Calhoun	86	10	9	30	37	-
Charleston	2,498	283	282	859	1,059	15
Cherokee	455	54	16	75	310	-
Chester	233	46	15	100	71	1
Chesterfield	318	50	6	93	168	1
Clarendon	150	14	4	46	85	1
Colleton	274	32	15	68	157	2
Darlington	380	38	10	57	275	-
Dillon	191	34	3	25	128	1
Dorchester	1,196	163	75	332	621	5
Edgefield	125	7	13	42	44	19
Fairfield	74	7	6	22	39	-
Florence	837	94	27	211	505	-
Georgetown	318	49	25	90	148	6
Greenville	4,109	578	470	1,754	1,287	20
Greenwood	494	55	11	76	349	3
Hampton	96	21	16	26	32	1
Horry	2,139	409	94	535	1,095	6
Jasper	110	22	10	41	34	3
Kershaw	564	68	35	209	252	-
Lancaster	611	39	72	351	148	1
Laurens	509	74	22	134	277	2
Lee	52	7	2	8	35	-
Lexington	2,430	296	156	900	1,074	4
McCormick	32	6	2	8	14	2
Marion	152	33	5	29	84	1
Marlboro	140	14	16	20	90	-
Newberry	235	22	8	71	132	2
Oconee	676	95	26	247	303	5
Orangeburg	354	43	64	108	138	1
Pickens	1,165	140	73	324	626	2
Richland	1,845	204	57	672	904	8
Saluda	93	10	4	31	48	-
Spartanburg	2,496	370	147	720	1,253	6
Sumter	706	129	57	267	248	5
Union	212	31	9	45	127	-
Williamsburg	127	8	5	45	69	-
York	2,056	303	153	891	699	10
Unknown	1	1	-	-	-	-

Table C-11A. (continued)
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	22,094	5,683	1,450	5,301	9,484	176
Abbeville	99	26	3	16	54	-
Aiken	642	154	43	152	251	42
Allendale	118	47	11	20	37	3
Anderson	511	116	24	124	245	2
Bamberg	126	31	20	29	44	2
Barnwell	191	54	19	49	67	2
Beaufort	658	200	112	151	190	5
Berkeley	752	158	33	187	368	6
Calhoun	95	31	12	24	28	-
Charleston	2,027	547	91	412	954	23
Cherokee	211	41	1	20	149	-
Chester	225	86	13	83	43	-
Chesterfield	245	66	6	47	125	1
Clarendon	228	56	11	44	115	2
Colleton	244	59	4	44	135	2
Darlington	457	105	10	71	270	1
Dillon	284	76	6	11	191	-
Dorchester	550	118	15	136	274	7
Edgefield	121	36	6	29	40	10
Fairfield	187	48	18	46	74	1
Florence	1,038	250	30	228	529	1
Georgetown	341	103	13	67	152	6
Greenville	1,581	399	161	511	505	5
Greenwood	366	97	11	46	210	2
Hampton	179	47	13	40	73	6
Horry	658	197	30	87	342	2
Jasper	167	51	20	32	61	3
Kershaw	249	58	12	73	105	1
Lancaster	294	30	29	162	71	2
Laurens	263	61	16	44	141	1
Lee	169	52	8	16	93	-
Lexington	640	162	40	188	248	2
McCormick	59	20	2	9	26	2
Marion	305	85	11	39	167	3
Marlboro	244	34	19	24	167	-
Newberry	178	37	6	40	95	-
Oconee	77	26	3	17	31	-
Orangeburg	981	298	120	252	308	3
Pickens	138	23	7	47	59	2
Richland	2,957	619	200	825	1,304	9
Saluda	75	22	4	14	35	-
Spartanburg	1,062	304	71	258	429	-
Sumter	902	280	79	261	273	9
Union	121	40	7	21	53	-
Williamsburg	322	94	16	63	144	5
York	757	239	64	242	209	3
Unknown						

Table C-11A. (continued)
 Live Births by Kotelchuck Index and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Hispanic

County of Residence	Total	INADEQUATE	INTERMEDIATE	ADEQUATE	ADEQUATE PLUS	UNKNOWN
South Carolina	6,229	2,406	539	1,620	1,633	31
Abbeville	3	1	-	2	-	-
Aiken	153	65	22	39	26	1
Allendale	5	2	1	1	1	-
Anderson	122	36	12	43	31	-
Bamberg	11	3	3	3	2	-
Barnwell	8	2	2	1	2	1
Beaufort	592	200	68	169	150	5
Berkeley	273	90	15	77	89	2
Calhoun	11	5	1	1	4	-
Charleston	663	296	55	131	177	4
Cherokee	45	15	2	4	24	-
Chester	5	2	2	1	-	-
Chesterfield	28	11	3	11	3	-
Clarendon	14	5	-	2	7	-
Colleton	25	12	-	5	8	-
Darlington	14	4	3	3	4	-
Dillon	21	6	-	1	14	-
Dorchester	129	37	10	25	54	3
Edgefield	11	7	1	2	1	-
Fairfield	3	1	-	1	1	-
Florence	62	27	5	14	16	-
Georgetown	63	30	5	12	16	-
Greenville	1,001	414	104	327	152	4
Greenwood	136	31	5	46	54	-
Hampton	8	3	-	2	3	-
Horry	489	210	29	96	152	2
Jasper	113	38	7	36	31	1
Kershaw	43	12	6	13	12	-
Lancaster	80	39	19	13	9	-
Laurens	91	50	11	14	16	-
Lee	3	-	-	-	3	-
Lexington	388	162	32	93	101	-
McCormick	2	1	-	-	1	-
Marion	21	6	-	3	12	-
Marlboro	4	3	-	1	-	-
Newberry	121	42	10	28	41	-
Oconee	76	32	3	21	20	-
Orangeburg	49	21	3	13	12	-
Pickens	74	17	4	12	40	1
Richland	391	119	29	96	144	3
Saluda	92	46	5	14	27	-
Spartanburg	446	180	28	131	106	1
Sumter	85	33	4	21	26	1
Union	7	2	-	1	4	-
Williamsburg	10	2	-	4	3	1
York	238	86	30	87	34	1
Unknown						

Table C-12.
Live Births by Education of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	63,077 *	2,923	11,579	15,984	14,645	4,185	9,059	3,670	789	243
Abbeville	287	6	52	87	79	25	28	7	3	-
Aiken	1,978 *	121	387	549	447	115	247	84	18	10
Allendale	149	4	48	49	29	10	9	-	-	-
Anderson	2,439	69	481	694	554	173	306	124	37	1
Bamberg	184	4	25	61	48	23	19	4	-	-
Barnwell	336	10	92	103	79	26	19	5	1	1
Beaufort	2,355 *	181	324	530	645	174	355	109	26	11
Berkeley	2,722 *	107	389	630	794	235	392	136	17	22
Calhoun	192	2	27	49	56	27	24	6	1	-
Charleston	5,191 *	329	817	1,043	1,050	266	1,041	411	197	37
Cherokee	711	23	205	233	135	40	43	27	3	2
Chester	463	17	113	187	88	21	27	10	-	-
Chesterfield	592 *	24	145	212	137	26	29	19	-	-
Clarendon	392	8	85	125	110	27	27	6	1	3
Colleton	543	21	134	180	130	30	32	13	2	1
Darlington	851	20	203	286	201	43	69	24	3	2
Dillon	496	19	123	188	100	29	26	7	-	4
Dorchester	1,878 *	55	232	469	513	167	290	129	15	8
Edgefield	259 *	9	49	74	60	14	35	11	6	1
Fairfield	264	6	67	92	57	12	25	4	-	1
Florence	1,937	47	378	553	480	140	242	77	16	4
Georgetown	722	40	125	224	175	47	73	27	9	2
Greenville	6,695 *	391	1,248	1,338	1,369	417	1,298	518	95	21
Greenwood	996	66	237	210	234	84	108	45	8	4
Hampton	283	6	72	99	59	18	20	7	1	1
Horry	3,287 *	200	574	902	729	297	425	123	25	12
Jasper	390	42	103	117	73	20	25	9	1	-
Kershaw	857 *	19	140	237	205	75	118	50	7	6
Lancaster	985	42	205	291	208	37	135	66	-	1
Laurens	863	80	215	266	168	44	62	25	3	-
Lee	224	2	49	74	71	8	16	3	1	-
Lexington	3,459 *	174	570	768	799	277	567	240	50	14
McCormick	93	1	20	28	29	8	6	-	-	1
Marion	478	13	124	150	111	39	30	10	-	1
Marlboro	388	8	113	151	73	12	20	9	-	2
Newberry	534	69	121	132	92	44	48	24	4	-
Oconee	829	35	163	267	145	59	111	39	6	4
Orangeburg	1,385 *	35	306	403	367	92	123	50	7	2
Pickens	1,378 *	39	292	353	273	119	201	85	12	4
Richland	5,201 *	150	660	1,046	1,369	288	1,020	503	147	18
Saluda	260	71	56	54	43	17	13	3	-	3
Spartanburg	4,004	182	854	1,029	907	279	500	198	45	10
Sumter	1,694 *	47	342	412	512	115	176	61	9	20
Union	340	9	96	103	69	29	26	8	-	-
Williamsburg	459	14	85	138	128	27	44	19	-	4
York	3,053 *	106	433	798	644	110	609	335	13	5
Unknown	1	-	-	-	1	-	-	-	-	-

* Includes unknown race

Table C-12A.
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	34,711	458	4,772	7,830	8,037	2,906	7,105	2,892	626	85
Abbeville	185	5	23	57	50	16	24	7	3	-
Aiken	1,174	34	187	306	275	81	208	61	16	6
Allendale	26	1	8	7	3	5	2	-	-	-
Anderson	1,806	25	303	497	430	148	262	113	27	1
Bamberg	47	-	6	17	8	8	6	2	-	-
Barnwell	137	5	40	35	30	12	10	4	1	-
Beaufort	1,101	7	76	208	330	92	274	88	23	3
Berkeley	1,696	26	230	348	495	162	303	108	13	11
Calhoun	86	-	9	19	17	18	16	6	1	-
Charleston	2,498	16	154	290	451	155	887	359	168	18
Cherokee	455	7	116	152	87	29	37	24	3	-
Chester	233	6	53	77	53	15	20	9	-	-
Chesterfield	318	9	78	93	74	21	26	17	-	-
Clarendon	150	2	24	30	43	24	21	4	1	1
Colleton	274	6	70	81	64	20	21	10	2	-
Darlington	380	6	67	116	87	35	52	15	2	-
Dillon	191	4	41	64	38	20	18	4	-	2
Dorchester	1,196	18	115	274	319	129	224	102	12	3
Edgefield	125	2	8	30	32	10	27	10	6	-
Fairfield	74	3	22	17	14	3	12	3	-	-
Florence	837	9	103	202	208	92	160	50	13	-
Georgetown	318	7	51	71	73	26	59	23	8	-
Greenville	4,109	46	499	765	857	310	1,107	435	75	15
Greenwood	494	2	77	98	126	53	88	42	8	-
Hampton	96	3	22	27	17	9	12	5	-	1
Horry	2,139	21	283	557	529	244	372	107	23	3
Jasper	110	1	20	33	27	9	12	7	1	-
Kershaw	564	5	87	146	128	60	91	40	6	1
Lancaster	611	11	101	168	139	31	108	53	-	-
Laurens	509	23	119	144	107	35	56	23	2	-
Lee	52	-	7	12	19	5	7	1	1	-
Lexington	2,430	30	318	517	597	235	484	204	43	2
McCormick	32	-	5	5	12	5	5	-	-	-
Marion	152	5	29	44	30	22	18	4	-	-
Marlboro	140	4	42	49	23	6	9	6	-	1
Newberry	235	1	27	60	47	36	40	21	3	-
Oconee	676	13	119	222	121	54	103	37	6	1
Orangeburg	354	5	67	98	84	43	40	16	1	-
Pickens	1,165	23	244	303	232	105	177	68	10	3
Richland	1,845	6	83	243	378	125	605	297	104	4
Saluda	93	-	16	24	25	14	11	2	-	1
Spartanburg	2,496	29	420	599	609	218	413	173	32	3
Sumter	706	6	82	146	228	68	125	43	6	2
Union	212	6	58	64	40	14	22	8	-	-
Williamsburg	127	2	19	27	28	10	27	14	-	-
York	2,056	18	244	488	452	74	504	267	6	3
Unknown	1	-	-	-	1	-	-	-	-	-

Table C-12A. (continued)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	22,094	293	4,965	7,086	6,030	1,112	1,666	712	134	96
Abbeville	99	1	27	30	28	9	4	-	-	-
Aiken	642	13	145	222	169	33	36	22	2	-
Allendale	118	-	38	42	26	5	7	-	-	-
Anderson	511	11	141	174	111	23	34	11	6	-
Bamberg	126	1	15	43	38	14	13	2	-	-
Barnwell	191	2	50	66	48	14	9	1	-	1
Beaufort	658	6	102	201	227	54	44	17	2	5
Berkeley	752	2	86	231	253	61	80	27	4	8
Calhoun	95	1	15	25	38	8	8	-	-	-
Charleston	2,027	27	496	663	545	95	128	40	19	14
Cherokee	211	2	70	73	46	10	6	2	-	2
Chester	225	8	58	110	35	6	7	1	-	-
Chesterfield	245	2	59	111	63	5	3	2	-	-
Clarendon	228	1	56	95	64	3	6	1	-	2
Colleton	244	3	59	95	62	10	11	3	-	1
Darlington	457	11	133	166	113	8	15	9	1	1
Dillon	284	5	77	122	59	9	7	3	-	2
Dorchester	550	4	80	170	178	33	53	25	3	4
Edgefield	121	2	37	41	27	4	8	1	-	1
Fairfield	187	3	45	74	42	9	12	1	-	1
Florence	1,038	14	254	343	269	46	81	26	3	2
Georgetown	341	2	59	145	98	18	12	4	1	2
Greenville	1,581	22	407	439	413	80	130	73	15	2
Greenwood	366	5	108	98	102	30	17	3	-	3
Hampton	179	-	49	70	41	8	8	2	1	-
Horry	658	9	136	250	171	39	35	13	1	4
Jasper	167	2	36	71	40	8	8	2	-	-
Kershaw	249	2	44	85	70	14	22	10	1	1
Lancaster	294	3	80	102	69	6	20	13	-	1
Laurens	263	6	74	110	56	8	6	2	1	-
Lee	169	2	39	62	52	3	9	2	-	-
Lexington	640	12	135	175	176	31	70	32	6	3
McCormick	59	1	15	21	17	3	1	-	-	1
Marion	305	2	90	101	78	16	12	6	-	-
Marlboro	244	3	71	99	50	6	11	3	-	1
Newberry	178	6	55	57	42	7	8	2	1	-
Oconee	77	-	18	27	19	3	6	2	-	2
Orangeburg	981	10	225	296	283	48	79	33	5	2
Pickens	138	-	27	32	29	11	21	16	2	-
Richland	2,957	29	489	722	937	152	386	198	38	6
Saluda	75	4	23	25	17	3	2	1	-	-
Spartanburg	1,062	22	273	344	257	53	77	21	12	3
Sumter	902	12	237	257	272	43	44	18	3	16
Union	121	1	35	37	29	15	4	-	-	-
Williamsburg	322	8	63	111	100	16	16	4	-	4
York	757	11	134	253	171	32	90	58	7	1
Unknown										

Table C-12A. (continued)
 Live Births by Education and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Hispanic

County of Residence	Total Births	Education of Mother								
		<9th Grade	9-11th Grade	12th Grade	Some College	Associate Degree	Bachelor Degree	Master Degree	Professional Degree	Unknown
South Carolina	6,229	2,171	1,839	1,057	573	166	286	66	26	45
Abbeville	3	-	2	-	1	-	-	-	-	-
Aiken	153	74	53	17	3	1	3	1	-	1
Allendale	5	3	2	-	-	-	-	-	-	-
Anderson	122	33	37	23	13	2	10	-	4	-
Bamberg	11	3	4	1	2	1	-	-	-	-
Barnwell	8	3	2	2	1	-	-	-	-	-
Beaufort	592	168	146	119	88	28	36	4	1	2
Berkeley	273	79	73	51	46	12	9	1	-	2
Calhoun	11	1	3	5	1	1	-	-	-	-
Charleston	663	286	167	90	54	16	26	12	10	2
Cherokee	45	14	19	8	2	1	-	1	-	-
Chester	5	3	2	-	-	-	-	-	-	-
Chesterfield	28	13	8	7	-	-	-	-	-	-
Clarendon	14	5	5	-	3	-	-	1	-	-
Colleton	25	12	5	4	4	-	-	-	-	-
Darlington	14	3	3	4	1	-	2	-	-	1
Dillon	21	10	5	2	3	-	1	-	-	-
Dorchester	129	33	37	23	16	5	13	2	-	-
Edgefield	11	4	4	3	-	-	-	-	-	-
Fairfield	3	-	-	1	1	-	1	-	-	-
Florence	62	24	21	8	3	2	1	1	-	2
Georgetown	63	31	15	8	4	3	2	-	-	-
Greenville	1,001	323	342	134	98	27	61	10	3	3
Greenwood	136	59	52	14	6	1	3	-	-	1
Hampton	8	3	1	2	1	1	-	-	-	-
Horry	489	170	155	95	29	14	18	3	1	4
Jasper	113	39	47	13	6	3	5	-	-	-
Kershaw	43	12	9	6	7	1	5	-	-	3
Lancaster	80	28	24	21	-	-	7	-	-	-
Laurens	91	51	22	12	5	1	-	-	-	-
Lee	3	-	3	-	-	-	-	-	-	-
Lexington	388	132	117	76	26	11	13	4	1	8
McCormick	2	-	-	2	-	-	-	-	-	-
Marion	21	6	5	5	3	1	-	-	-	1
Marlboro	4	1	-	3	-	-	-	-	-	-
Newberry	121	62	39	15	3	1	-	1	-	-
Oconee	76	22	26	18	5	2	2	-	-	1
Orangeburg	49	20	14	9	-	-	4	1	1	-
Pickens	74	16	21	18	12	3	3	1	-	-
Richland	391	115	88	79	52	11	28	8	4	6
Saluda	92	67	17	5	1	-	-	-	-	2
Spartanburg	446	131	161	86	41	8	10	4	1	4
Sumter	85	29	22	9	12	4	7	-	-	2
Union	7	2	3	2	-	-	-	-	-	-
Williamsburg	10	4	3	-	-	1	1	1	-	-
York	238	77	55	57	20	4	15	10	-	-
Unknown										

ATTENDANT AT BIRTH

Of the 60,404 occurrent births, physicians attended 94 percent. The term "physician" includes osteopaths, residents, interns and externs. Midwives attended 5.6 percent of the total births, Other and unknown attendant accounted for 0.4 percent of the total births. The term "other" includes any specific attendant other than physician, midwife or self-attended, such as a friend or relative, EMT, RN, PA, etc. Included in the "Unknown" category are Not specified or Not classifiable attendants.

Table C-13.
Live Births by Attendant by Place of Delivery
South Carolina, 2008
(Occurrence Data)

Place of Birth	Total Birth	M.D.	D.O.	Certified Nurse/Licensed Midwife	Other Attendant	Unknown
Hospital	59,929	55,519	986	3,029	354	41
Birthing Center	218	-	-	217	-	1
Clinic/Doctor's office	1	-	-	1	-	-
Home Birth	241	4	-	134	101	2
Other	15	1	-	1	12	1
Total	60,404	55,524	986	3,382	467	45

Table C-14.
Live Births by Place of Delivery
South Carolina, 1999-2008
(Occurrence Data)

Year	Total Birth	Hospital	Birthing Center	Clinic/Doctor's Office	Home Birth	Other
1999	52,589	52,349	-	1	177	60
2000	53,562	53,296	10	2	208	44
2001	53,255	53,018	15	4	170	48
2002	52,162	51,901	20	4	186	49
2003	53,376	53,092	13	1	210	56
2004	54,240	53,979	9	2	231	18
2005	55,316	55,081	28	1	187	19
2006	59,571	59,195	103	1	244	28
2007	60,209	59,814	127	-	248	20
2008	60,404	59,929	218	1	241	15

Table C-15.
Live Births by Attendant
South Carolina and Each County, 2008
(Occurrence Data)

County of Occurrence	Total Births	Attendant					
		Physician		Certified Nurse/Licensed Midwife		Other Attendant	Unknown
		In Hospital /En Route	Out of Hospital	In Hospital /En Route	Out of Hospital		
South Carolina	60,404	56,505	5	3,029	353	467	45
Abbeville	103	101	-	-	2	-	-
Aiken	1,334	1,317	-	-	4	12	1
Allendale	7	5	-	-	-	1	1
Anderson	2,211	2,191	-	-	6	11	3
Bamberg	64	21	-	42	-	1	-
Barnwell	2	2	-	-	-	-	-
Beaufort	2,657	2,535	-	113	1	8	-
Berkeley	6	-	1	-	3	2	-
Calhoun	1	-	-	-	1	-	-
Charleston	9,364	8,243	-	963	75	80	3
Cherokee	430	357	-	68	2	-	3
Chester	2	1	-	-	1	-	-
Chesterfield	195	192	-	-	1	2	-
Clarendon	888	559	-	329	-	-	-
Colleton	459	456	-	-	1	2	-
Darlington	647	645	-	-	-	1	1
Dillon	385	383	-	-	-	2	-
Dorchester	1,089	1,041	1	37	5	3	2
Edgefield	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-
Florence	3,108	3,070	-	-	3	17	18
Georgetown	1,025	854	-	169	1	1	-
Greenville	8,814	8,604	-	1	148	61	-
Greenwood	1,538	1,531	-	-	2	3	2
Hampton	4	4	-	-	-	-	-
Horry	2,883	2,669	-	197	4	9	4
Jasper	1	-	-	-	-	1	-
Kershaw	429	425	-	-	-	4	-
Lancaster	774	767	-	-	2	5	-
Laurens	433	428	-	-	2	2	1
Lee	2	-	-	-	-	2	-
Lexington	3,435	2,923	-	467	32	13	-
McCormick	-	-	-	-	-	-	-
Marion	382	378	-	-	-	4	-
Marlboro	170	170	-	-	-	-	-
Newberry	413	411	-	-	-	2	-
Oconee	512	342	-	-	2	165	3
Orangeburg	1,425	1,322	1	93	-	9	-
Pickens	582	574	-	-	5	3	-
Richland	6,754	6,726	1	-	7	19	1
Saluda	-	-	-	-	-	-	-
Spartanburg	4,094	4,035	-	26	24	9	-
Sumter	1,278	1,260	-	13	1	2	2
Union	112	110	-	-	1	1	-
Williamsburg	3	1	1	-	-	1	-
York	2,389	1,852	-	511	17	9	-
Unknown	-	-	-	-	-	-	-

AGE OF MOTHER

In 2008, there were 108 live births to resident mothers under 15 years of age and 69 births to resident mothers 45 years of age and over. As shown in Table C-16, women aged 15-44 years were responsible for 99.7 percent of all live births. In 1980, the median age of mothers was 23.8 years. In 1986, the median age increased to 25 and remained there until 1997. The median age rose to 26 in 1997 and then remained unchanged. The median age for 2008 is still 26. The youngest mother to give birth in 2008 was 12 years old and the oldest was 54 years old.

Table C-16.
Percent Distribution of Live Births by Age of Mother
South Carolina, 2004-2008
(Residence Data)

Age of Mother	2004	2005	2006	2007	2008
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.2	0.2	0.2	0.2	0.2
15-19 Years	13.2	13.0	13.2	13.2	13.2
20-24 Years	29.3	29.1	29.4	29.2	29.1
25-29 Years	26.7	27.3	27.6	27.7	28.0
30-34 Years	20.0	19.7	19.0	19.1	18.9
35-39 Years	8.7	8.9	8.8	8.8	8.9
40-44 Years	1.8	1.7	1.6	1.7	1.7
45 Years and Over	0.1	0.1	0.1	0.1	0.1

Figure C-4
Percent of Live Births to Women Age 35 and Over by Race
South Carolina, 1999-2008
(Residence Data)




Table C-17
Mean Age of Mother at First Time Birth by Race
South Carolina, 1994-2008
(Residence Data)

Year	Total	Non-Hispanic White	Non-Hispanic Black & Other	Hispanic
1994	22.8	24.0	20.9	
1995	22.8	24.0	20.9	
1996	23.1	24.2	21.1	
1997	23.2	24.4	21.1	
1998	23.2	24.4	21.1	
1999	23.3	24.5	21.1	
2000	23.3	24.6	21.3	
2001	23.5	24.8	21.4	
2002	23.6	24.8	21.5	22.6
2003	23.8	25.0	21.6	22.7
2004	23.6	24.9	21.6	22.3
2005	23.6	24.8	21.7	22.4
2006	23.5	24.8	21.7	22.4
2007	23.5	24.8	21.6	22.5
2008	23.6	24.8	21.7	22.7

Figure C-5
Mean Age of Mother at First Time Birth by Race
South Carolina, 1994-2008
(Residence Data)




Table C-18.
Live Births by Age of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total Births	Age of Mother									
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown	
South Carolina	63,077 *	108	8,309	18,336	17,655	11,931	5,619	1,049	69	1	
Abbeville	287	1	48	101	77	45	13	2	-	-	
Aiken	1,978 *	2	239	603	571	359	173	29	2	-	
Allendale	149	-	33	55	33	16	7	5	-	-	
Anderson	2,439	2	368	733	685	445	163	41	2	-	
Bamberg	184	-	20	76	55	21	11	1	-	-	
Barnwell	336	3	49	136	93	36	13	6	-	-	
Beaufort	2,355 *	3	211	699	715	463	215	43	6	-	
Berkeley	2,722 *	2	315	787	824	502	241	48	3	-	
Calhoun	192	-	29	52	50	38	21	2	-	-	
Charleston	5,191 *	7	546	1,384	1,327	1,234	586	101	6	-	
Cherokee	711	1	143	266	160	89	44	8	-	-	
Chester	463	2	93	163	113	60	27	5	-	-	
Chesterfield	592 *	1	124	200	143	82	36	6	-	-	
Clarendon	392	1	77	137	90	60	20	7	-	-	
Colleton	543	2	95	213	127	74	27	5	-	-	
Darlington	851	5	152	266	216	133	71	8	-	-	
Dillon	496	1	87	180	130	60	31	6	1	-	
Dorchester	1,878 *	1	193	483	593	395	175	37	1	-	
Edgefield	259 *	-	26	86	65	55	22	5	-	-	
Fairfield	264	3	40	97	68	34	18	4	-	-	
Florence	1,937	4	294	592	509	323	175	34	6	-	
Georgetown	722	-	125	218	203	111	56	9	-	-	
Greenville	6,695 *	15	717	1,746	1,878	1,483	711	137	8	-	
Greenwood	996	4	173	297	255	160	89	16	2	-	
Hampton	283	-	61	90	78	36	14	4	-	-	
Horry	3,287 *	1	375	976	932	632	315	52	3	1	
Jasper	390	2	56	141	105	54	23	6	3	-	
Kershaw	857 *	4	117	241	248	152	72	23	-	-	
Lancaster	985	4	147	292	254	184	84	19	1	-	
Laurens	863	4	157	300	218	123	46	15	-	-	
Lee	224	-	40	82	55	33	13	1	-	-	
Lexington	3,459 *	4	424	905	1,034	688	357	43	4	-	
McCormick	93	-	18	35	20	15	5	-	-	-	
Marion	478	1	88	173	131	59	25	1	-	-	
Marlboro	388	2	68	149	104	53	12	-	-	-	
Newberry	534	1	80	136	158	99	51	8	1	-	
Oconee	829	1	102	251	263	145	59	7	1	-	
Orangeburg	1,385 *	3	228	468	373	206	88	15	4	-	
Pickens	1,378 *	3	175	386	405	256	130	23	-	-	
Richland	5,201 *	8	549	1,283	1,533	1,173	546	106	3	-	
Saluda	260	-	36	89	65	53	16	1	-	-	
Spartanburg	4,004	4	606	1,193	1,173	675	295	55	3	-	
Sumter	1,694 *	1	267	594	470	233	104	24	1	-	
Union	340	2	77	124	62	55	16	4	-	-	
Williamsburg	459	-	71	146	127	72	37	6	-	-	
York	3,053 *	3	370	712	867	656	366	71	8	-	
Unknown	1	-	-	-	-	1	-	-	-	-	

* Includes unknown race

Table C-18A.
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births	Age of Mother									
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown	
South Carolina	34,711	28	3,516	8,732	10,217	7,801	3,731	642	43	1	
Abbeville	185	1	20	60	55	37	11	1	-	-	
Aiken	1,174	1	115	341	341	244	112	19	1	-	
Allendale	26	-	2	11	8	4	-	1	-	-	
Anderson	1,806	-	241	516	539	359	120	31	-	-	
Bamberg	47	-	6	14	16	6	5	-	-	-	
Barnwell	137	2	19	49	39	19	8	1	-	-	
Beaufort	1,101	1	68	287	333	254	128	25	5	-	
Berkeley	1,696	1	173	465	522	354	156	23	2	-	
Calhoun	86	-	7	22	18	23	15	1	-	-	
Charleston	2,498	1	112	366	622	880	434	78	5	-	
Cherokee	455	-	87	169	101	64	29	5	-	-	
Chester	233	-	45	64	71	34	17	2	-	-	
Chesterfield	318	-	55	100	83	54	21	5	-	-	
Clarendon	150	-	17	43	45	35	8	2	-	-	
Colleton	274	-	37	107	64	46	18	2	-	-	
Darlington	380	2	46	108	112	65	43	4	-	-	
Dillon	191	-	25	62	50	34	15	5	-	-	
Dorchester	1,196	1	97	269	402	279	125	23	-	-	
Edgefield	125	-	9	27	38	37	12	2	-	-	
Fairfield	74	1	13	26	17	10	7	-	-	-	
Florence	837	-	86	207	256	168	103	16	1	-	
Georgetown	318	-	48	73	88	65	37	7	-	-	
Greenville	4,109	3	315	920	1,224	1,037	515	90	5	-	
Greenwood	494	-	71	133	125	100	54	9	2	-	
Hampton	96	-	15	33	23	16	7	2	-	-	
Horry	2,139	1	200	575	634	443	247	35	3	1	
Jasper	110	-	7	42	38	15	6	1	1	-	
Kershaw	564	2	64	155	168	107	53	15	-	-	
Lancaster	611	3	93	150	162	130	62	10	1	-	
Laurens	509	1	83	159	144	79	32	11	-	-	
Lee	52	-	7	18	13	9	5	-	-	-	
Lexington	2,430	-	269	587	744	536	257	33	4	-	
McCormick	32	-	4	8	12	5	3	-	-	-	
Marion	152	-	19	56	45	25	7	-	-	-	
Marlboro	140	-	20	51	47	17	5	-	-	-	
Newberry	235	-	19	52	76	59	26	2	1	-	
Oconee	676	1	76	201	216	123	52	6	1	-	
Orangeburg	354	-	50	106	97	68	29	3	1	-	
Pickens	1,165	3	150	328	346	219	100	19	-	-	
Richland	1,845	-	67	283	581	579	285	49	1	-	
Saluda	93	-	9	31	31	17	5	-	-	-	
Spartanburg	2,496	1	323	686	759	467	216	43	1	-	
Sumter	706	-	67	228	231	127	45	7	1	-	
Union	212	-	50	75	38	34	11	4	-	-	
Williamsburg	127	-	11	27	40	34	14	1	-	-	
York	2,056	2	199	442	603	483	271	49	7	-	
Unknown	1	-	-	-	-	1	-	-	-	-	

Table C-18A. (continued)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births	Age of Mother									
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown	
South Carolina	22,094	63	4,052	7,570	5,584	3,073	1,417	316	19	-	
Abbeville	99	-	28	39	22	7	2	1	-	-	
Aiken	642	1	100	215	179	91	48	7	1	-	
Allendale	118	-	30	42	25	11	6	4	-	-	
Anderson	511	1	117	178	112	61	32	8	2	-	
Bamberg	126	-	13	59	34	13	6	1	-	-	
Barnwell	191	1	29	83	52	17	5	4	-	-	
Beaufort	658	1	96	221	187	102	42	8	1	-	
Berkeley	752	-	110	231	219	112	58	21	1	-	
Calhoun	95	-	18	28	29	14	5	1	-	-	
Charleston	2,027	5	363	773	497	260	110	18	1	-	
Cherokee	211	1	50	81	51	18	9	1	-	-	
Chester	225	2	48	97	40	25	10	3	-	-	
Chesterfield	245	1	64	92	50	25	12	1	-	-	
Clarendon	228	1	55	89	43	25	11	4	-	-	
Colleton	244	2	53	94	57	26	9	3	-	-	
Darlington	457	3	104	152	101	65	28	4	-	-	
Dillon	284	1	60	109	74	24	14	1	1	-	
Dorchester	550	-	76	171	156	92	40	14	1	-	
Edgefield	121	-	15	55	25	15	8	3	-	-	
Fairfield	187	2	27	71	49	23	11	4	-	-	
Florence	1,038	3	198	371	238	139	67	18	4	-	
Georgetown	341	-	68	121	97	38	16	1	-	-	
Greenville	1,581	7	292	505	374	261	115	27	-	-	
Greenwood	366	3	85	126	88	41	20	3	-	-	
Hampton	179	-	46	54	50	20	7	2	-	-	
Horry	658	-	116	231	156	104	42	9	-	-	
Jasper	167	1	37	59	36	22	8	4	-	-	
Kershaw	249	1	49	72	69	36	15	7	-	-	
Lancaster	294	1	47	117	72	35	16	6	-	-	
Laurens	263	1	59	108	55	27	10	3	-	-	
Lee	169	-	33	64	42	21	8	1	-	-	
Lexington	640	3	104	196	169	96	65	7	-	-	
McCormick	59	-	14	25	8	10	2	-	-	-	
Marion	305	1	67	111	82	26	17	1	-	-	
Marlboro	244	2	46	97	56	36	7	-	-	-	
Newberry	178	1	50	56	40	14	14	3	-	-	
Oconee	77	-	13	30	20	11	3	-	-	-	
Orangeburg	981	3	172	349	263	126	56	9	3	-	
Pickens	138	-	14	34	37	28	25	-	-	-	
Richland	2,957	7	429	868	839	529	227	56	2	-	
Saluda	75	-	14	25	16	15	4	1	-	-	
Spartanburg	1,062	3	224	374	262	130	58	10	1	-	
Sumter	902	1	189	333	213	95	54	17	-	-	
Union	121	2	24	47	24	19	5	-	-	-	
Williamsburg	322	-	58	116	84	37	22	5	-	-	
York	757	1	148	201	192	131	68	15	1	-	
Unknown	-	-	-	-	-	-	-	-	-	-	

Table C-18A. (continued)
 Live Births by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Hispanic

County of Residence	Total Births	Age of Mother									
		< 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown	
South Carolina	6,229	17	739	2,023	1,841	1,046	469	89	5	-	
Abbeville	3	-	-	2	-	1	-	-	-	-	
Aiken	153	-	22	45	48	23	13	2	-	-	
Allendale	5	-	1	2	-	1	1	-	-	-	
Anderson	122	1	10	39	34	25	11	2	-	-	
Bamberg	11	-	1	3	5	2	-	-	-	-	
Barnwell	8	-	1	4	2	-	-	1	-	-	
Beaufort	592	1	47	191	193	105	45	10	-	-	
Berkeley	273	1	32	91	82	36	27	4	-	-	
Calhoun	11	-	4	2	3	1	1	-	-	-	
Charleston	663	1	71	244	207	93	42	5	-	-	
Cherokee	45	-	6	16	8	7	6	2	-	-	
Chester	5	-	-	2	2	1	-	-	-	-	
Chesterfield	28	-	5	8	9	3	3	-	-	-	
Clarendon	14	-	5	5	2	-	1	1	-	-	
Colleton	25	-	5	12	6	2	-	-	-	-	
Darlington	14	-	2	6	3	3	-	-	-	-	
Dillon	21	-	2	9	6	2	2	-	-	-	
Dorchester	129	-	20	42	35	22	10	-	-	-	
Edgefield	11	-	2	4	2	3	-	-	-	-	
Fairfield	3	-	-	-	2	1	-	-	-	-	
Florence	62	1	10	14	15	16	5	-	1	-	
Georgetown	63	-	9	24	18	8	3	1	-	-	
Greenville	1,001	5	110	321	279	184	81	20	1	-	
Greenwood	136	1	17	38	42	19	15	4	-	-	
Hampton	8	-	-	3	5	-	-	-	-	-	
Horry	489	-	59	170	142	84	26	8	-	-	
Jasper	113	1	12	40	31	17	9	1	2	-	
Kershaw	43	1	4	14	11	8	4	1	-	-	
Lancaster	80	-	7	25	20	19	6	3	-	-	
Laurens	91	2	15	33	19	17	4	1	-	-	
Lee	3	-	-	-	-	3	-	-	-	-	
Lexington	388	1	51	122	121	55	35	3	-	-	
McCormick	2	-	-	2	-	-	-	-	-	-	
Marion	21	-	2	6	4	8	1	-	-	-	
Marlboro	4	-	2	1	1	-	-	-	-	-	
Newberry	121	-	11	28	42	26	11	3	-	-	
Oconee	76	-	13	20	27	11	4	1	-	-	
Orangeburg	49	-	6	12	13	12	3	3	-	-	
Pickens	74	-	11	24	22	9	5	3	-	-	
Richland	391	1	53	129	109	64	34	1	-	-	
Saluda	92	-	13	33	18	21	7	-	-	-	
Spartanburg	446	-	59	133	152	78	21	2	1	-	
Sumter	85	-	11	32	26	11	5	-	-	-	
Union	7	-	3	2	-	2	-	-	-	-	
Williamsburg	10	-	2	3	3	1	1	-	-	-	
York	238	-	23	67	72	42	27	7	-	-	
Unknown	-	-	-	-	-	-	-	-	-	-	

Table C-19.
Live Births to Mothers Less than 20 Years Old
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	8,417 *	108	300	755	1,464	2,474	3,316
Abbeville	49	1	2	2	11	21	12
Aiken	241 *	2	10	23	47	67	92
Allendale	33	-	1	2	5	9	16
Anderson	370	2	9	32	71	101	155
Bamberg	20	-	-	3	1	7	9
Barnwell	52	3	-	1	11	14	23
Beaufort	214	3	10	9	26	69	97
Berkeley	317	2	9	23	50	91	142
Calhoun	29	-	2	4	4	10	9
Charleston	553	7	25	50	98	160	213
Cherokee	144	1	5	7	35	38	58
Chester	95	2	4	14	17	25	33
Chesterfield	125	1	6	13	14	46	45
Clarendon	78	1	2	11	13	24	27
Colleton	97	2	2	10	13	27	43
Darlington	157	5	9	13	30	44	56
Dillon	88	1	2	8	19	26	32
Dorchester	194	1	3	12	40	65	73
Edgefield	26	-	1	1	7	6	11
Fairfield	43	3	5	2	2	13	18
Florence	298	4	10	29	43	86	126
Georgetown	125	-	4	10	26	33	52
Greenville	732	15	19	75	144	211	268
Greenwood	177	4	10	17	34	53	59
Hampton	61	-	1	7	8	21	24
Horry	376	1	12	44	57	114	148
Jasper	58	2	2	5	15	16	18
Kershaw	121	4	1	6	19	37	54
Lancaster	151	4	4	17	25	49	52
Laurens	161	4	10	25	36	39	47
Lee	40	-	1	5	6	7	21
Lexington	428	4	14	34	68	127	181
McCormick	18	-	1	2	3	7	5
Marion	89	1	6	8	14	25	35
Marlboro	70	2	-	9	7	17	35
Newberry	81	1	3	12	4	28	33
Oconee	103	1	2	5	23	38	34
Orangeburg	231	3	8	23	48	67	82
Pickens	178	3	11	11	38	47	68
Richland	557	8	24	45	79	163	238
Saluda	36	-	2	-	5	11	18
Spartanburg	610	4	23	52	106	188	237
Sumter	268	1	5	25	57	68	112
Union	79	2	2	5	16	25	29
Williamsburg	71	-	4	7	13	21	26
York	373	3	14	37	56	113	150
Unknown	-	-	-	-	-	-	-

* Includes unknown race

Table C-19A.
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	3,544	28	91	250	588	1,121	1,466
Abbeville	21	1	-	1	3	11	5
Aiken	116	1	2	7	25	36	45
Allendale	2	-	1	-	-	-	1
Anderson	241	-	2	14	43	78	104
Bamberg	6	-	-	1	-	4	1
Barnwell	21	2	-	1	5	6	7
Beaufort	69	1	3	3	3	19	40
Berkeley	174	1	2	11	25	54	81
Calhoun	7	-	-	-	1	4	2
Charleston	113	1	2	5	27	32	46
Cherokee	87	-	3	4	21	25	34
Chester	45	-	-	8	9	7	21
Chesterfield	55	-	3	7	8	18	19
Clarendon	17	-	1	1	3	7	5
Colleton	37	-	-	5	4	10	18
Darlington	48	2	1	1	7	18	19
Dillon	25	-	1	1	4	8	11
Dorchester	98	1	2	5	16	34	40
Edgefield	9	-	-	-	2	3	4
Fairfield	14	1	3	-	-	6	4
Florence	86	-	3	10	4	26	43
Georgetown	48	-	1	4	15	15	13
Greenville	318	3	11	27	52	91	134
Greenwood	71	-	1	3	14	25	28
Hampton	15	-	-	1	3	6	5
Horry	201	1	5	16	33	66	80
Jasper	7	-	-	1	1	3	2
Kershaw	66	2	-	2	8	24	30
Lancaster	96	3	3	6	17	34	33
Laurens	84	1	7	12	15	23	26
Lee	7	-	-	1	-	2	4
Lexington	269	-	7	19	38	79	126
McCormick	4	-	-	-	1	1	2
Marion	19	-	-	1	2	5	11
Marlboro	20	-	-	5	2	6	7
Newberry	19	-	-	2	2	10	5
Oconee	77	1	1	4	19	27	25
Orangeburg	50	-	4	3	9	15	19
Pickens	153	3	8	9	34	41	58
Richland	67	-	-	2	9	24	32
Saluda	9	-	1	-	1	5	2
Spartanburg	324	1	9	21	55	111	127
Sumter	67	-	-	5	8	17	37
Union	50	-	1	3	10	17	19
Williamsburg	11	-	-	1	2	4	4
York	201	2	3	17	28	64	87
Unknown	-	-	-	-	-	-	-

Table C-19A. (continued)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	4,115	63	175	438	728	1,130	1,581
Abbeville	28	-	2	1	8	10	7
Aiken	101	1	5	12	18	22	43
Allendale	30	-	-	2	5	8	15
Anderson	118	1	7	18	26	20	46
Bamberg	13	-	-	2	1	3	7
Barnwell	30	1	-	-	5	8	16
Beaufort	97	1	5	3	15	33	40
Berkeley	110	-	4	9	17	29	51
Calhoun	18	-	2	3	2	4	7
Charleston	368	5	20	41	55	107	140
Cherokee	51	1	2	2	13	11	22
Chester	50	2	4	6	8	18	12
Chesterfield	65	1	2	6	5	26	25
Clarendon	56	1	1	8	10	17	19
Colleton	55	2	2	5	8	17	21
Darlington	107	3	8	11	23	25	37
Dillon	61	1	1	6	15	17	21
Dorchester	76	-	1	6	18	24	27
Edgefield	15	-	-	1	4	3	7
Fairfield	29	2	2	2	2	7	14
Florence	201	3	6	19	35	58	80
Georgetown	68	-	3	6	11	15	33
Greenville	299	7	7	36	71	81	97
Greenwood	88	3	7	12	18	23	25
Hampton	46	-	1	6	5	15	19
Horry	116	-	5	18	17	31	45
Jasper	38	1	2	4	7	9	15
Kershaw	50	1	1	4	7	13	24
Lancaster	48	1	1	10	6	14	16
Laurens	60	1	3	13	16	11	16
Lee	33	-	1	4	6	5	17
Lexington	107	3	5	11	19	33	36
McCormick	14	-	1	2	2	6	3
Marion	68	1	5	6	12	20	24
Marlboro	48	2	-	4	4	10	28
Newberry	51	1	3	10	1	16	20
Oconee	13	-	1	-	2	5	5
Orangeburg	175	3	4	20	37	51	60
Pickens	14	-	1	1	3	4	5
Richland	436	7	20	40	63	124	182
Saluda	14	-	1	-	1	4	8
Spartanburg	227	3	10	24	40	62	88
Sumter	190	1	4	19	45	48	73
Union	26	2	1	2	6	6	9
Williamsburg	58	-	4	6	11	16	21
York	149	1	10	17	25	41	55
Unknown	-	-	-	-	-	-	-

Table C-19A. (continued)
 Live Births to Mothers Less than 20 Years Old by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Hispanic

County of Residence	Total Births Under 20 Years	Age of Mother					
		< 15 Years	15 Years	16 Years	17 Years	18 Years	19 Years
South Carolina	756	17	34	67	148	221	269
Abbeville	-	-	-	-	-	-	-
Aiken	22	-	3	4	4	7	4
Allendale	1	-	-	-	-	1	-
Anderson	11	1	-	-	2	3	5
Bamberg	1	-	-	-	-	-	1
Barnwell	1	-	-	-	1	-	-
Beaufort	48	1	2	3	8	17	17
Berkeley	33	1	3	3	8	8	10
Calhoun	4	-	-	1	1	2	-
Charleston	72	1	3	4	16	21	27
Cherokee	6	-	-	1	1	2	2
Chester	-	-	-	-	-	-	-
Chesterfield	5	-	1	-	1	2	1
Clarendon	5	-	-	2	-	-	3
Colleton	5	-	-	-	1	-	4
Darlington	2	-	-	1	-	1	-
Dillon	2	-	-	1	-	1	-
Dorchester	20	-	-	1	6	7	6
Edgefield	2	-	1	-	1	-	-
Fairfield	-	-	-	-	-	-	-
Florence	11	1	1	-	4	2	3
Georgetown	9	-	-	-	-	3	6
Greenville	115	5	1	12	21	39	37
Greenwood	18	1	2	2	2	5	6
Hampton	-	-	-	-	-	-	-
Horry	59	-	2	10	7	17	23
Jasper	13	1	-	-	7	4	1
Kershaw	5	1	-	-	4	-	-
Lancaster	7	-	-	1	2	1	3
Laurens	17	2	-	-	5	5	5
Lee	-	-	-	-	-	-	-
Lexington	52	1	2	4	11	15	19
McCormick	-	-	-	-	-	-	-
Marion	2	-	1	1	-	-	-
Marlboro	2	-	-	-	1	1	-
Newberry	11	-	-	-	1	2	8
Oconee	13	-	-	1	2	6	4
Orangeburg	6	-	-	-	2	1	3
Pickens	11	-	2	1	1	2	5
Richland	54	1	4	3	7	15	24
Saluda	13	-	-	-	3	2	8
Spartanburg	59	-	4	7	11	15	22
Sumter	11	-	1	1	4	3	2
Union	3	-	-	-	-	2	1
Williamsburg	2	-	-	-	-	1	1
York	23	-	1	3	3	8	8
Unknown	-	-	-	-	-	-	-

LIVE BIRTHS TO UNMARRIED MOTHERS

In 2008, there were 29,797 live births to resident unmarried mothers in South Carolina, representing 47.2 percent of all live births. As in the past, live births to unmarried mothers occurred more frequently among young mothers. As shown in Table C-20, females under age 20 accounted for 25.0 percent of all live births to unmarried mothers in 2008.

Table C-20.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2004-2008
(Residence Data)

Age of Mother	2004	2005	2006	2007	2008
All Ages	100.0	100.0	100.0	100.0	100.0
Under 15 Years	0.5	0.5	0.5	0.4	0.3
15-19 Years	26.4	25.7	25.0	24.7	24.7
20-24 Years	41.1	40.5	40.5	40.3	39.9
25-29 Years	19.6	20.4	21.5	21.7	21.9
30 Years and Older	12.4	12.9	12.5	12.7	13.2

Figure C-6.
Percent Distribution of Live Births to Unmarried Mothers by Age
South Carolina, 2008
(Residence Data)




Table C-21.
Live Births and Percent of Live Births to Unmarried Mothers by Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	29,797 *	47.2	10,285	29.6	16,446	74.4	3,054	49.0
Abbeville	151	52.6	60	32.4	89	89.9	2	66.7
Aiken	937 *	47.4	384	32.7	481	74.9	66	43.1
Allendale	115	77.2	7	26.9	106	89.8	2	40.0
Anderson	1,063	43.6	628	34.8	381	74.6	54	44.3
Bamberg	117	63.6	15	31.9	97	77.0	5	45.5
Barnwell	228	67.9	58	42.3	165	86.4	5	62.5
Beaufort	910 *	38.6	211	19.2	428	65.0	270	45.6
Berkeley	1,081	39.7	489	28.8	473	62.9	119	43.6
Calhoun	99	51.6	23	26.7	73	76.8	3	27.3
Charleston	2,395	46.1	524	21.0	1,601	79.0	270	40.7
Cherokee	415	58.4	212	46.6	183	86.7	20	44.4
Chester	318	68.7	114	48.9	203	90.2	1	20.0
Chesterfield	360	60.8	143	45.0	204	83.3	13	46.4
Clarendon	234	59.7	49	32.7	178	78.1	7	50.0
Colleton	338	62.2	124	45.3	197	80.7	17	68.0
Darlington	521	61.2	143	37.6	372	81.4	6	42.9
Dillon	338	68.1	87	45.5	242	85.2	9	42.9
Dorchester	755 *	40.2	346	28.9	360	65.5	47	36.4
Edgefield	127	49.0	26	20.8	95	78.5	6	54.5
Fairfield	182	68.9	32	43.2	149	79.7	1	33.3
Florence	1,031	53.2	231	27.6	769	74.1	31	50.0
Georgetown	436	60.4	104	32.7	289	84.8	43	68.3
Greenville	2,689 *	40.2	1,017	24.8	1,121	70.9	550	54.9
Greenwood	555	55.7	177	35.8	300	82.0	78	57.4
Hampton	183	64.7	40	41.7	141	78.8	2	25.0
Horry	1,593	48.5	786	36.7	504	76.6	303	62.0
Jasper	230	59.0	42	38.2	133	79.6	55	48.7
Kershaw	378	44.1	171	30.3	187	75.1	20	46.5
Lancaster	521	52.9	229	37.5	236	80.3	56	70.0
Laurens	498	57.7	215	42.2	232	88.2	51	56.0
Lee	162	72.3	19	36.5	141	83.4	2	66.7
Lexington	1,377	39.8	735	30.2	410	64.1	232	59.8
McCormick	69	74.2	13	40.6	55	93.2	1	50.0
Marion	338	70.7	60	39.5	263	86.2	15	71.4
Marlboro	294	75.8	78	55.7	213	87.3	3	75.0
Newberry	226	42.3	51	21.7	137	77.0	38	31.4
Oconee	308	37.2	220	32.5	59	76.6	29	38.2
Orangeburg	922	66.6	138	39.0	752	76.7	32	65.3
Pickens	474	34.4	366	31.4	74	53.6	34	45.9
Richland	2,509 *	48.2	301	16.3	1,985	67.1	222	56.8
Saluda	147	56.5	29	31.2	67	89.3	51	55.4
Spartanburg	1,601	40.0	710	28.4	776	73.1	115	25.8
Sumter	880 *	51.9	163	23.1	670	74.3	46	54.1
Union	210	61.8	106	50.0	100	82.6	4	57.1
Williamsburg	285	62.1	32	25.2	251	78.0	2	20.0
York	1,197	39.2	577	28.1	504	66.6	116	48.7
Unknown	-	0	-	0	-	0	-	0

* Includes unknown race

Table C-22.
Live Births to Unmarried Mothers by Age Group
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	29,797 *	103	7,363	11,885	6,526	2,603	1,084	219	14	-
Abbeville	151	1	45	65	27	11	2	-	-	-
Aiken	937 *	2	211	378	210	86	42	7	1	-
Allendale	115	-	32	44	24	10	4	1	-	-
Anderson	1,063	2	315	435	197	85	23	4	2	-
Bamberg	117	-	18	60	32	4	3	-	-	-
Barnwell	228	3	44	113	49	12	5	2	-	-
Beaufort	910 *	3	169	329	235	102	66	6	-	-
Berkeley	1,081	2	251	429	245	98	46	10	-	-
Calhoun	99	-	26	35	25	9	4	-	-	-
Charleston	2,395	7	488	1,007	550	238	84	21	-	-
Cherokee	415	1	129	170	72	30	11	2	-	-
Chester	318	2	85	134	57	25	11	4	-	-
Chesterfield	360	1	114	145	66	25	7	2	-	-
Clarendon	234	1	67	100	38	16	10	2	-	-
Colleton	338	2	85	146	68	26	10	1	-	-
Darlington	521	5	143	204	103	46	17	3	-	-
Dillon	338	1	83	145	81	17	10	1	-	-
Dorchester	755 *	1	175	291	171	80	28	9	-	-
Edgefield	127	-	23	63	25	11	4	1	-	-
Fairfield	182	3	36	78	41	16	7	1	-	-
Florence	1,031	4	271	415	195	91	45	8	2	-
Georgetown	436	-	112	167	106	36	14	1	-	-
Greenville	2,689 *	14	634	1,082	574	246	112	26	1	-
Greenwood	555	4	156	203	123	43	21	5	-	-
Hampton	183	-	55	67	42	12	4	3	-	-
Horry	1,593	1	334	621	390	162	69	14	2	-
Jasper	230	2	54	97	46	18	8	3	2	-
Kershaw	378	4	102	145	83	31	10	3	-	-
Lancaster	521	2	132	219	110	40	14	4	-	-
Laurens	498	3	144	210	97	30	10	4	-	-
Lee	162	-	38	66	36	15	6	1	-	-
Lexington	1,377	4	372	523	293	116	54	14	1	-
McCormick	69	-	17	32	7	11	2	-	-	-
Marion	338	1	84	129	84	28	12	-	-	-
Marlboro	294	2	64	128	68	26	6	-	-	-
Newberry	226	1	64	76	52	20	11	2	-	-
Oconee	308	1	83	122	69	24	9	-	-	-
Orangeburg	922	3	220	375	217	77	23	5	2	-
Pickens	474	3	141	185	94	32	17	2	-	-
Richland	2,509 *	8	506	934	652	280	110	19	-	-
Saluda	147	-	34	58	34	15	6	-	-	-
Spartanburg	1,601	3	493	641	310	104	47	3	-	-
Sumter	880 *	1	241	364	178	62	25	8	1	-
Union	210	2	71	86	26	20	3	2	-	-
Williamsburg	285	-	66	124	59	25	9	2	-	-
York	1,197	3	336	445	265	92	43	13	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

*Includes unknown race

Table C-22A.
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Non-Hispanic White

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	10,285	24	2,871	4,134	2,028	780	362	81	5	-
Abbeville	60	1	17	27	9	5	1	-	-	-
Aiken	384	1	96	168	70	31	12	6	-	-
Allendale	7	-	2	3	1	1	-	-	-	-
Anderson	628	-	195	255	109	54	12	3	-	-
Bamberg	15	-	5	5	5	-	-	-	-	-
Barnwell	58	2	15	28	10	1	2	-	-	-
Beaufort	211	1	49	69	52	27	12	1	-	-
Berkeley	489	1	127	208	92	40	19	2	-	-
Calhoun	23	-	6	12	3	1	1	-	-	-
Charleston	524	1	92	192	138	63	28	10	-	-
Cherokee	212	-	74	92	28	14	3	1	-	-
Chester	114	-	37	42	23	7	4	1	-	-
Chesterfield	143	-	48	55	26	9	3	2	-	-
Clarendon	49	-	13	23	7	4	2	-	-	-
Colleton	124	-	31	58	23	8	4	-	-	-
Darlington	143	2	40	67	19	7	7	1	-	-
Dillon	87	-	21	41	17	4	3	1	-	-
Dorchester	346	1	86	131	83	27	14	4	-	-
Edgefield	26	-	7	11	6	2	-	-	-	-
Fairfield	32	1	9	16	3	2	1	-	-	-
Florence	231	-	71	87	32	24	16	1	-	-
Georgetown	104	-	36	36	18	7	6	1	-	-
Greenville	1,017	2	252	433	202	75	41	11	1	-
Greenwood	177	-	63	62	31	13	6	2	-	-
Hampton	40	-	12	16	8	2	1	1	-	-
Horry	786	1	167	312	194	67	36	7	2	-
Jasper	42	-	7	20	11	3	1	-	-	-
Kershaw	171	2	52	76	30	8	3	-	-	-
Lancaster	229	1	80	87	39	14	8	-	-	-
Laurens	215	1	71	86	40	11	4	2	-	-
Lee	19	-	5	9	4	1	-	-	-	-
Lexington	735	-	231	285	129	60	19	10	1	-
McCormick	13	-	3	7	1	1	1	-	-	-
Marion	60	-	17	25	11	6	1	-	-	-
Marlboro	78	-	16	34	23	4	1	-	-	-
Newberry	51	-	14	19	12	3	3	-	-	-
Oconee	220	1	61	87	46	19	6	-	-	-
Orangeburg	138	-	47	52	27	10	2	-	-	-
Pickens	366	3	120	144	63	22	13	1	-	-
Richland	301	-	47	116	80	41	14	3	-	-
Saluda	29	-	7	12	9	1	-	-	-	-
Spartanburg	710	-	247	275	123	35	27	3	-	-
Sumter	163	-	51	70	33	7	1	-	1	-
Union	106	-	45	40	10	8	1	2	-	-
Williamsburg	32	-	8	15	6	1	2	-	-	-
York	577	2	171	226	122	30	21	5	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-22A. (continued)
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Non-Hispanic Black & Other

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	16,446	63	3,957	6,648	3,672	1,446	552	102	6	-
Abbeville	89	-	28	37	18	5	1	-	-	-
Aiken	481	1	99	193	116	46	24	1	1	-
Allendale	106	-	30	40	23	8	4	1	-	-
Anderson	381	1	114	156	75	24	9	-	2	-
Bamberg	97	-	13	53	24	4	3	-	-	-
Barnwell	165	1	29	81	39	11	3	1	-	-
Beaufort	428	1	90	169	102	38	27	1	-	-
Berkeley	473	-	107	182	122	41	15	6	-	-
Calhoun	73	-	18	23	21	8	3	-	-	-
Charleston	1,601	5	358	706	336	140	46	10	-	-
Cherokee	183	1	49	73	39	14	6	1	-	-
Chester	203	2	48	92	33	18	7	3	-	-
Chesterfield	204	1	63	85	37	14	4	-	-	-
Clarendon	178	1	51	75	30	12	7	2	-	-
Colleton	197	2	51	77	42	18	6	1	-	-
Darlington	372	3	101	136	82	38	10	2	-	-
Dillon	242	1	60	100	61	13	7	-	-	-
Dorchester	360	-	74	140	78	50	13	5	-	-
Edgefield	95	-	15	51	17	7	4	1	-	-
Fairfield	149	2	27	62	37	14	6	1	-	-
Florence	769	3	192	321	158	59	28	7	1	-
Georgetown	289	-	68	113	76	25	7	-	-	-
Greenville	1,121	7	289	443	233	98	44	7	-	-
Greenwood	300	3	80	116	69	22	9	1	-	-
Hampton	141	-	43	50	33	10	3	2	-	-
Horry	504	-	115	200	110	56	19	4	-	-
Jasper	133	1	37	55	23	12	3	2	-	-
Kershaw	187	1	47	61	49	20	6	3	-	-
Lancaster	236	1	47	113	55	16	2	2	-	-
Laurens	232	1	59	105	44	15	6	2	-	-
Lee	141	-	33	57	32	12	6	1	-	-
Lexington	410	3	103	155	93	33	21	2	-	-
McCormick	55	-	14	24	6	10	1	-	-	-
Marion	263	1	65	101	70	16	10	-	-	-
Marlboro	213	2	46	93	45	22	5	-	-	-
Newberry	137	1	48	47	28	7	6	-	-	-
Oconee	59	-	12	25	16	4	2	-	-	-
Orangeburg	752	3	168	314	180	62	20	3	2	-
Pickens	74	-	13	27	23	7	4	-	-	-
Richland	1,985	7	419	739	512	207	85	16	-	-
Saluda	67	-	14	25	15	11	2	-	-	-
Spartanburg	776	3	213	325	154	63	18	-	-	-
Sumter	670	1	181	275	135	51	19	8	-	-
Union	100	2	24	46	16	10	2	-	-	-
Williamsburg	251	-	56	109	53	24	7	2	-	-
York	504	1	146	178	112	51	12	4	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

Table C-22A. (continued)
 Live Births to Unmarried Mothers by Age Group and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Hispanic

County of Residence	Total Births	Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years	Unknown
South Carolina	3,054	16	534	1,098	822	375	170	36	3	-
Abbeville	2	-	-	1	-	1	-	-	-	-
Aiken	66	-	15	15	21	9	6	-	-	-
Allendale	2	-	-	1	-	1	-	-	-	-
Anderson	54	1	6	24	13	7	2	1	-	-
Bamberg	5	-	-	2	3	-	-	-	-	-
Barnwell	5	-	-	4	-	-	-	1	-	-
Beaufort	270	1	30	91	81	36	27	4	-	-
Berkeley	119	1	17	39	31	17	12	2	-	-
Calhoun	3	-	2	-	1	-	-	-	-	-
Charleston	270	1	38	109	76	35	10	1	-	-
Cherokee	20	-	6	5	5	2	2	-	-	-
Chester	1	-	-	-	1	-	-	-	-	-
Chesterfield	13	-	3	5	3	2	-	-	-	-
Clarendon	7	-	3	2	1	-	1	-	-	-
Colleton	17	-	3	11	3	-	-	-	-	-
Darlington	6	-	2	1	2	1	-	-	-	-
Dillon	9	-	2	4	3	-	-	-	-	-
Dorchester	47	-	15	19	10	2	1	-	-	-
Edgefield	6	-	1	1	2	2	-	-	-	-
Fairfield	1	-	-	-	1	-	-	-	-	-
Florence	31	1	8	7	5	8	1	-	1	-
Georgetown	43	-	8	18	12	4	1	-	-	-
Greenville	550	5	93	206	138	73	27	8	-	-
Greenwood	78	1	13	25	23	8	6	2	-	-
Hampton	2	-	-	1	1	-	-	-	-	-
Horry	303	-	52	109	86	39	14	3	-	-
Jasper	55	1	10	22	12	3	4	1	2	-
Kershaw	20	1	3	8	4	3	1	-	-	-
Lancaster	56	-	5	19	16	10	4	2	-	-
Laurens	51	1	14	19	13	4	-	-	-	-
Lee	2	-	-	-	-	2	-	-	-	-
Lexington	232	1	38	83	71	23	14	2	-	-
McCormick	1	-	-	1	-	-	-	-	-	-
Marion	15	-	2	3	3	6	1	-	-	-
Marlboro	3	-	2	1	-	-	-	-	-	-
Newberry	38	-	2	10	12	10	2	2	-	-
Oconee	29	-	10	10	7	1	1	-	-	-
Orangeburg	32	-	5	9	10	5	1	2	-	-
Pickens	34	-	8	14	8	3	-	1	-	-
Richland	222	1	40	78	60	32	11	-	-	-
Saluda	51	-	13	21	10	3	4	-	-	-
Spartanburg	115	-	33	41	33	6	2	-	-	-
Sumter	46	-	9	18	10	4	5	-	-	-
Union	4	-	2	-	-	2	-	-	-	-
Williamsburg	2	-	2	-	-	-	-	-	-	-
York	116	-	19	41	31	11	10	4	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

LIVE BIRTHS BY BIRTHWEIGHT

Birthweight distribution by race reveals racial differences. For both races, the highest percentage of births weighed between 3,000-3,499 grams. However, the median birthweight for non-hispanic whites was the greatest, followed by hispanic and non-hispanic black and other. Figure C-7 illustrates the birthweight distribution by race.

Table C-23.
Live Births by Birthweight Groups by Race of Mother:
South Carolina, 2008
(Residence Data)

Weight Group	Total		Non-Hispanic White		Non-Hispanic Black & Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total	63,077	100.0	34,711	100.0	22,094	100.0	6,229	100.0
Less Than 2,500 grams	6,238	9.9	2,684	7.7	3,151	14.3	397	6.4
Under 500 grams	147	0.2	41	0.1	96	0.4	9	0.1
500-999 grams	426	0.7	162	0.5	248	1.1	16	0.3
1,000-1,499 grams	607	1.0	247	0.7	324	1.5	34	0.5
1,500-1,999 grams	1,129	1.8	486	1.4	570	2.6	73	1.2
2,000-2,499 grams	3,929	6.2	1,748	5.0	1,913	8.7	265	4.3
2,500 or More grams	56,796	90.0	32,006	92.2	18,927	85.7	5,831	93.6
Unknown Weight	43	0.1	21	0.1	16	0.1	1	0.0

Figure C-7.
Percent Distribution of Live Births by Birthweight (in grams)
and Race of Mother, South Carolina, 2008
(Residence Data)




Table C-24.
Live Births by Birthweight, Age and Race of Mother
South Carolina, 2008
(Residence Data)

Age and Race	Birthweight						
	Total Births	< 500 Grams	500-1499 Grams	1500-2499 Grams	2500-4999 Grams	5000 + Grams	Not Stated
South Carolina	63,077 *	147	1,033	5,058	56,744	52	43
Non-Hispanic White	34,711	41	409	2,234	31,974	32	21
Non-Hispanic Black/Other	22,094	96	572	2,483	18,914	13	16
Hispanic	6,229	9	50	338	5,824	7	1
Under 15 Years	108	-	2	8	98	-	-
Non-Hispanic White	28	-	-	2	26	-	-
Non-Hispanic Black/Other	63	-	2	5	56	-	-
Hispanic	17	-	-	1	16	-	-
15-19 Years	8,309 *	25	144	810	7,324	5	1
Non-Hispanic White	3,516	6	46	279	3,181	3	1
Non-Hispanic Black/Other	4,052	19	94	475	3,462	2	-
Hispanic	739	-	4	56	679	-	-
20-24 Years	18,336 *	39	285	1,522	16,469	9	12
Non-Hispanic White	8,732	9	76	573	8,065	3	6
Non-Hispanic Black/Other	7,570	26	196	833	6,509	3	3
Hispanic	2,023	3	13	116	1,888	3	-
25-34 Years	29,586 *	69	474	2,163	26,834	25	21
Non-Hispanic White	18,018	21	223	1,059	16,690	16	9
Non-Hispanic Black/Other	8,657	43	230	971	7,397	6	10
Hispanic	2,887	5	21	130	2,727	3	1
35-44 Years	6,668 *	14	124	543	5,966	13	8
Non-Hispanic White	4,373	5	63	312	3,979	10	4
Non-Hispanic Black/Other	1,733	8	49	197	1,474	2	3
Hispanic	558	1	12	34	510	1	-
45 and Over	69 *	-	4	12	53	-	-
Non-Hispanic White	43	-	1	9	33	-	-
Non-Hispanic Black/Other	19	-	1	2	16	-	-
Hispanic	5	-	-	1	4	-	-
Not Stated	1	-	-	-	-	-	1
Non-Hispanic White	1	-	-	-	-	-	1
Non-Hispanic Black/Other	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-

* Includes unknown race

Table C-25.
Live Births by Birthweight and Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	500-1499 Grams	1500-2499 Grams	2500-4999 Grams	5000+ Grams	Unknown
South Carolina	63,077 *	147	1,033	5,058	56,744	52	43
Non-Hispanic White	34,711	41	409	2,234	31,974	32	21
Non-Hispanic Black/Other	22,094	96	572	2,483	18,914	13	16
Hispanic	6,229	9	50	338	5,824	7	1
Abbeville	287	2	7	21	257	-	-
Non-Hispanic White	185	1	3	8	173	-	-
Non-Hispanic Black/Other	99	1	4	13	81	-	-
Hispanic	3	-	-	-	3	-	-
Aiken	1,978 *	1	23	170	1,760	-	24
Non-Hispanic White	1,174	-	8	88	1,067	-	11
Non-Hispanic Black/Other	642	1	13	70	545	-	13
Hispanic	153	-	2	11	140	-	-
Allendale	149	-	3	12	134	-	-
Non-Hispanic White	26	-	-	-	26	-	-
Non-Hispanic Black/Other	118	-	3	12	103	-	-
Hispanic	5	-	-	-	5	-	-
Anderson	2,439	6	41	169	2,221	2	-
Non-Hispanic White	1,806	3	28	121	1,653	1	-
Non-Hispanic Black/Other	511	3	12	44	451	1	-
Hispanic	122	-	1	4	117	-	-
Bamberg	184	1	6	16	161	-	-
Non-Hispanic White	47	-	-	2	45	-	-
Non-Hispanic Black/Other	126	1	6	11	108	-	-
Hispanic	11	-	-	3	8	-	-
Barnwell	336	1	10	32	292	-	1
Non-Hispanic White	137	-	2	14	121	-	-
Non-Hispanic Black/Other	191	1	8	18	163	-	1
Hispanic	8	-	-	-	8	-	-
Beaufort	2,355 *	2	33	187	2,132	-	1
Non-Hispanic White	1,101	-	12	80	1,008	-	1
Non-Hispanic Black/Other	658	2	18	73	565	-	-
Hispanic	592	-	3	34	555	-	-
Berkeley	2,722 *	7	37	191	2,485	2	-
Non-Hispanic White	1,696	2	19	101	1,573	1	-
Non-Hispanic Black/Other	752	4	17	78	653	-	-
Hispanic	273	1	1	12	258	1	-
Calhoun	192	1	5	6	180	-	-
Non-Hispanic White	86	1	2	2	81	-	-
Non-Hispanic Black/Other	95	-	3	2	90	-	-
Hispanic	11	-	-	2	9	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Charleston	5,191 *	18	75	371	4,719	7	1
Non-Hispanic White	2,498	8	20	126	2,341	3	-
Non-Hispanic Black/Other	2,027	8	54	211	1,751	3	-
Hispanic	663	2	1	34	625	1	-
Cherokee	711	-	11	74	626	-	-
Non-Hispanic White	455	-	3	37	415	-	-
Non-Hispanic Black/Other	211	-	6	35	170	-	-
Hispanic	45	-	2	2	41	-	-
Chester	463	1	6	41	415	-	-
Non-Hispanic White	233	-	3	20	210	-	-
Non-Hispanic Black/Other	225	1	3	21	200	-	-
Hispanic	5	-	-	-	5	-	-
Chesterfield	592 *	3	8	55	525	1	-
Non-Hispanic White	318	-	3	21	293	1	-
Non-Hispanic Black/Other	245	3	5	32	205	-	-
Hispanic	28	-	-	2	26	-	-
Clarendon	392	-	5	28	359	-	-
Non-Hispanic White	150	-	-	6	144	-	-
Non-Hispanic Black/Other	228	-	5	21	202	-	-
Hispanic	14	-	-	1	13	-	-
Colleton	543	-	16	44	482	1	-
Non-Hispanic White	274	-	7	17	250	-	-
Non-Hispanic Black/Other	244	-	9	24	211	-	-
Hispanic	25	-	-	3	21	1	-
Darlington	851	3	14	85	749	-	-
Non-Hispanic White	380	-	4	26	350	-	-
Non-Hispanic Black/Other	457	3	10	58	386	-	-
Hispanic	14	-	-	1	13	-	-
Dillon	496	-	7	64	425	-	-
Non-Hispanic White	191	-	3	18	170	-	-
Non-Hispanic Black/Other	284	-	4	43	237	-	-
Hispanic	21	-	-	3	18	-	-
Dorchester	1,878 *	6	24	139	1,705	3	1
Non-Hispanic White	1,196	1	12	63	1,116	3	1
Non-Hispanic Black/Other	550	4	11	64	471	-	-
Hispanic	129	1	1	11	116	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Edgefield	259 *	-	7	16	232	-	4
Non-Hispanic White	125	-	2	5	115	-	3
Non-Hispanic Black/Other	121	-	5	11	104	-	1
Hispanic	11	-	-	-	11	-	-
Fairfield	264	1	3	23	237	-	-
Non-Hispanic White	74	-	-	5	69	-	-
Non-Hispanic Black/Other	187	1	3	17	166	-	-
Hispanic	3	-	-	1	2	-	-
Florence	1,937	12	41	185	1,697	2	-
Non-Hispanic White	837	1	15	55	765	1	-
Non-Hispanic Black/Other	1,038	11	26	125	875	1	-
Hispanic	62	-	-	5	57	-	-
Georgetown	722	2	19	71	629	1	-
Non-Hispanic White	318	-	4	31	283	-	-
Non-Hispanic Black/Other	341	2	15	38	285	1	-
Hispanic	63	-	-	2	61	-	-
Greenville	6,695 *	13	111	465	6,096	9	1
Non-Hispanic White	4,109	6	47	248	3,802	6	-
Non-Hispanic Black/Other	1,581	6	55	162	1,355	3	-
Hispanic	1,001	1	7	54	938	-	1
Greenwood	996	4	19	83	889	1	-
Non-Hispanic White	494	2	9	36	447	-	-
Non-Hispanic Black/Other	366	2	10	37	316	1	-
Hispanic	136	-	-	10	126	-	-
Hampton	283	2	10	22	249	-	-
Non-Hispanic White	96	-	1	6	89	-	-
Non-Hispanic Black/Other	179	2	9	16	152	-	-
Hispanic	8	-	-	-	8	-	-
Horry	3,287 *	11	49	223	3,001	2	1
Non-Hispanic White	2,139	4	32	129	1,973	-	1
Non-Hispanic Black/Other	658	5	13	73	567	-	-
Hispanic	489	2	4	21	460	2	-
Jasper	390	1	6	36	347	-	-
Non-Hispanic White	110	1	-	11	98	-	-
Non-Hispanic Black/Other	167	-	6	20	141	-	-
Hispanic	113	-	-	5	108	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Kershaw	857 *	1	12	61	782	1	-
Non-Hispanic White	564	1	4	31	527	1	-
Non-Hispanic Black/Other	249	-	7	26	216	-	-
Hispanic	43	-	1	4	38	-	-
Lancaster	985	3	12	84	886	-	-
Non-Hispanic White	611	-	6	40	565	-	-
Non-Hispanic Black/Other	294	3	5	39	247	-	-
Hispanic	80	-	1	5	74	-	-
Laurens	863	2	21	70	770	-	-
Non-Hispanic White	509	1	11	35	462	-	-
Non-Hispanic Black/Other	263	1	10	31	221	-	-
Hispanic	91	-	-	4	87	-	-
Lee	224	2	3	34	185	-	-
Non-Hispanic White	52	-	1	6	45	-	-
Non-Hispanic Black/Other	169	2	2	28	137	-	-
Hispanic	3	-	-	-	3	-	-
Lexington	3,459 *	1	56	231	3,168	3	-
Non-Hispanic White	2,430	1	33	158	2,235	3	-
Non-Hispanic Black/Other	640	-	20	56	564	-	-
Hispanic	388	-	3	17	368	-	-
McCormick	93	-	1	10	81	-	1
Non-Hispanic White	32	-	-	1	30	-	1
Non-Hispanic Black/Other	59	-	1	9	49	-	-
Hispanic	2	-	-	-	2	-	-
Marion	478	4	12	54	408	-	-
Non-Hispanic White	152	-	3	11	138	-	-
Non-Hispanic Black/Other	305	4	9	42	250	-	-
Hispanic	21	-	-	1	20	-	-
Marlboro	388	1	9	35	343	-	-
Non-Hispanic White	140	-	2	9	129	-	-
Non-Hispanic Black/Other	244	1	7	26	210	-	-
Hispanic	4	-	-	-	4	-	-
Newberry	534	-	13	60	461	-	-
Non-Hispanic White	235	-	4	21	210	-	-
Non-Hispanic Black/Other	178	-	5	29	144	-	-
Hispanic	121	-	4	10	107	-	-
Oconee	829	1	12	57	755	3	1
Non-Hispanic White	676	1	11	41	619	3	1
Non-Hispanic Black/Other	77	-	1	13	63	-	-
Hispanic	76	-	-	3	73	-	-

Table C-25. (continued)
 Live Births by Birthweight and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

County and Race	Total Births	Birthweight					
		< 500 Grams	1000-1499 Grams	2000-2499 Grams	2500-2999 Grams	5000+ Grams	Unknown
Orangeburg	1,385 *	5	37	156	1,186	1	-
Non-Hispanic White	354	1	8	24	321	-	-
Non-Hispanic Black/Other	981	3	29	129	820	-	-
Hispanic	49	-	-	3	45	1	-
Pickens	1,378 *	2	21	98	1,253	2	2
Non-Hispanic White	1,165	2	15	79	1,066	2	1
Non-Hispanic Black/Other	138	-	4	13	121	-	-
Hispanic	74	-	2	6	66	-	-
Richland	5,201 *	9	87	528	4,574	1	2
Non-Hispanic White	1,845	1	22	128	1,693	1	-
Non-Hispanic Black/Other	2,957	8	60	377	2,512	-	-
Hispanic	391	-	5	23	363	-	-
Saluda	260	-	5	13	241	1	-
Non-Hispanic White	93	-	2	4	86	1	-
Non-Hispanic Black/Other	75	-	1	6	68	-	-
Hispanic	92	-	2	3	87	-	-
Spartanburg	4,004	9	62	299	3,626	6	2
Non-Hispanic White	2,496	1	26	166	2,298	4	1
Non-Hispanic Black/Other	1,062	6	28	113	913	1	1
Hispanic	446	2	8	20	415	1	-
Sumter	1,694 *	5	26	148	1,515	-	-
Non-Hispanic White	706	1	4	42	659	-	-
Non-Hispanic Black/Other	902	4	21	104	773	-	-
Hispanic	85	-	1	2	82	-	-
Union	340	-	7	34	299	-	-
Non-Hispanic White	212	-	2	24	186	-	-
Non-Hispanic Black/Other	121	-	5	9	107	-	-
Hispanic	7	-	-	1	6	-	-
Williamsburg	459	2	3	42	411	1	-
Non-Hispanic White	127	-	-	8	119	-	-
Non-Hispanic Black/Other	322	2	3	34	282	1	-
Hispanic	10	-	-	-	10	-	-
York	3,053 *	2	38	215	2,795	2	1
Non-Hispanic White	2,056	1	16	130	1,908	1	-
Non-Hispanic Black/Other	757	1	21	70	664	1	-
Hispanic	238	-	1	15	222	-	-
Unknown	1	-	-	-	1	-	-
Non-Hispanic White	1	-	-	-	1	-	-
Non-Hispanic Black/Other	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-

* Includes unknown race

LOW WEIGHT LIVE BIRTHS

Live births under 5 pounds 8 ounces or less than 2,500 grams are characterized as low weight live births. Low weight live births accounted for 9.9 percent of the 63,077 resident births in 2008. In relation to age of mother, low weight births were comparatively frequent among very young mothers. In year 2008, 11.8 percent of all lives births to mothers 15-19 were low weight. Only 9.4 percent of all live births to mothers 25-34 were low weight.

Figure C-8

Percent* of Live Births Less than 2,500 Grams by Age and Race of Mother
South Carolina, 2008
(Residence Data)




Table C-26.
Percent* of Live Births Less Than 2,500 Grams by Age and Race of Mother
South Carolina, 2008
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 +
Total	9.3	11.8	10.1	9.1	10.2	23.2
Non-Hispanic White	7.1	9.4	7.5	7.2	8.7	23.3
Non-Hispanic Black & Other	11.1	14.5	13.9	14.4	14.7	15.8
Hispanic	5.9	8.1	6.5	5.4	8.4	20.0

* Percentages are based on total live births within each age group

Table C-27.

Low Weight¹ Live Births and Percent of Low Weight Live Births by Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	6,238 *	9.9	2,684	7.7	3,151	14.3	397	6.4
Abbeville	30	10.5	12	6.5	18	18.2	-	0
Aiken	194 *	9.8	96	8.2	84	13.1	13	8.5
Allendale	15	10.1	-	0	15	12.7	-	0
Anderson	216	8.9	152	8.4	59	11.5	5	4.1
Bamberg	23	12.5	2	4.3	18	14.3	3	27.3
Barnwell	43	12.8	16	11.7	27	14.1	-	0
Beaufort	222	9.4	92	8.4	93	14.1	37	6.3
Berkeley	235	8.6	122	7.2	99	13.2	14	5.1
Calhoun	12	6.3	5	5.8	5	5.3	2	18.2
Charleston	464	8.9	154	6.2	273	13.5	37	5.6
Cherokee	85	12.0	40	8.8	41	19.4	4	8.9
Chester	48	10.4	23	9.9	25	11.1	-	0
Chesterfield	66	11.1	24	7.5	40	16.3	2	7.1
Clarendon	33	8.4	6	4.0	26	11.4	1	7.1
Colleton	60	11.0	24	8.8	33	13.5	3	12.0
Darlington	102	12.0	30	7.9	71	15.5	1	7.1
Dillon	71	14.3	21	11.0	47	16.5	3	14.3
Dorchester	169 *	9.0	76	6.4	79	14.4	13	10.1
Edgefield	23	8.9	7	5.6	16	13.2	-	0
Fairfield	27	10.2	5	6.8	21	11.2	1	33.3
Florence	238	12.3	71	8.5	162	15.6	5	8.1
Georgetown	92	12.7	35	11.0	55	16.1	2	3.2
Greenville	589 *	8.8	301	7.3	223	14.1	62	6.2
Greenwood	106	10.6	47	9.5	49	13.4	10	7.4
Hampton	34	12.0	7	7.3	27	15.1	-	0
Horry	283	8.6	165	7.7	91	13.8	27	5.5
Jasper	43	11.0	12	10.9	26	15.6	5	4.4
Kershaw	74	8.6	36	6.4	33	13.3	5	11.6
Lancaster	99	10.1	46	7.5	47	16.0	6	7.5
Laurens	93	10.8	47	9.2	42	16.0	4	4.4
Lee	39	17.4	7	13.5	32	18.9	-	0
Lexington	288	8.3	192	7.9	76	11.9	20	5.2
McCormick	11	11.8	1	3.1	10	16.9	-	0
Marion	70	14.6	14	9.2	55	18.0	1	4.8
Marlboro	45	11.6	11	7.9	34	13.9	-	0
Newberry	73	13.7	25	10.6	34	19.1	14	11.6
Oconee	70	8.4	53	7.8	14	18.2	3	3.9
Orangeburg	198 *	14.3	33	9.3	161	16.4	3	6.1
Pickens	121	8.8	96	8.2	17	12.3	8	10.8
Richland	624	12.0	151	8.2	445	15.0	28	7.2
Saluda	18	6.9	6	6.5	7	9.3	5	5.4
Spartanburg	370	9.2	193	7.7	147	13.8	30	6.7
Sumter	179	10.6	47	6.7	129	14.3	3	3.5
Union	41	12.1	26	12.3	14	11.6	1	14.3
Williamsburg	47	10.2	8	6.3	39	12.1	-	0
York	255	8.4	147	7.1	92	12.2	16	6.7
Unknown	-	0	-	0	-	0	-	0

¹ Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-28.
Low Weight¹ Live Births by Age of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	6,238 *	10	979	1,846	1,588	1,118	548	133	16	-
Abbeville	30	-	5	13	5	5	1	1	-	-
Aiken	194 *	-	32	54	52	41	11	4	-	-
Allendale	15	-	4	3	5	3	-	-	-	-
Anderson	216	-	38	58	57	44	15	2	2	-
Bamberg	23	-	1	12	8	2	-	-	-	-
Barnwell	43	-	9	14	12	5	2	1	-	-
Beaufort	222	-	23	70	52	47	25	4	1	-
Berkeley	235	1	40	68	53	42	28	3	-	-
Calhoun	12	-	3	3	2	2	2	-	-	-
Charleston	464	-	74	136	87	109	46	12	-	-
Cherokee	85	-	16	30	22	12	3	2	-	-
Chester	48	-	12	17	9	7	2	1	-	-
Chesterfield	66	-	14	23	17	4	7	1	-	-
Clarendon	33	-	6	17	2	4	4	-	-	-
Colleton	60	-	14	23	14	8	1	-	-	-
Darlington	102	1	25	26	31	15	1	3	-	-
Dillon	71	-	11	25	22	6	5	2	-	-
Dorchester	169 *	1	22	51	52	21	17	5	-	-
Edgefield	23	-	2	9	6	5	1	-	-	-
Fairfield	27	-	1	11	7	6	2	-	-	-
Florence	238	1	37	77	57	41	18	5	2	-
Georgetown	92	-	16	27	31	10	6	2	-	-
Greenville	589 *	1	81	161	156	124	50	12	4	-
Greenwood	106	2	13	33	30	12	12	2	2	-
Hampton	34	-	9	12	6	4	2	1	-	-
Horry	283	-	36	90	74	43	30	8	2	-
Jasper	43	-	11	11	14	4	3	-	-	-
Kershaw	74	-	10	19	24	13	6	2	-	-
Lancaster	99	-	19	27	23	17	12	1	-	-
Laurens	93	-	18	30	17	17	9	2	-	-
Lee	39	-	7	17	10	3	2	-	-	-
Lexington	288	-	40	76	72	60	34	6	-	-
McCormick	11	-	2	5	-	2	2	-	-	-
Marion	70	-	15	22	18	10	5	-	-	-
Marlboro	45	-	9	17	11	6	2	-	-	-
Newberry	73	-	17	17	20	9	6	4	-	-
Oconee	70	-	8	19	18	16	8	1	-	-
Orangeburg	198 *	-	33	72	48	31	12	2	-	-
Pickens	121	-	15	39	32	23	11	1	-	-
Richland	624	2	82	145	177	127	68	23	-	-
Saluda	18	-	3	3	9	1	2	-	-	-
Spartanburg	370	-	61	95	116	69	25	4	-	-
Sumter	179	-	32	64	37	30	11	5	-	-
Union	41	-	8	27	3	2	1	-	-	-
Williamsburg	47	-	10	17	9	7	4	-	-	-
York	255	1	35	61	61	49	34	11	3	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

* Includes unknown race

Table C-28A.
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	2,684	2	331	658	729	574	305	75	10	-
Abbeville	12	-	-	5	3	4	-	-	-	-
Aiken	96	-	14	28	24	22	5	3	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	152	-	25	40	43	32	10	2	-	-
Bamberg	2	-	-	-	2	-	-	-	-	-
Barnwell	16	-	2	4	5	3	2	-	-	-
Beaufort	92	-	7	21	25	22	13	3	1	-
Berkeley	122	1	21	36	20	28	15	1	-	-
Calhoun	5	-	-	2	1	1	1	-	-	-
Charleston	154	-	9	24	24	55	33	9	-	-
Cherokee	40	-	7	15	10	5	2	1	-	-
Chester	23	-	4	9	3	6	1	-	-	-
Chesterfield	24	-	3	10	5	2	3	1	-	-
Clarendon	6	-	-	3	1	-	2	-	-	-
Colleton	24	-	5	10	4	5	-	-	-	-
Darlington	30	-	6	6	14	3	-	1	-	-
Dillon	21	-	4	3	9	2	1	2	-	-
Dorchester	76	1	8	14	29	10	12	2	-	-
Edgefield	7	-	1	1	3	2	-	-	-	-
Fairfield	5	-	-	2	3	-	-	-	-	-
Florence	71	-	10	20	16	16	8	1	-	-
Georgetown	35	-	9	6	13	2	3	2	-	-
Greenville	301	-	27	65	95	67	39	6	2	-
Greenwood	47	-	4	19	9	7	6	-	2	-
Hampton	7	-	1	2	2	-	1	1	-	-
Horry	165	-	15	45	48	26	22	7	2	-
Jasper	12	-	3	2	7	-	-	-	-	-
Kershaw	36	-	3	9	12	6	5	1	-	-
Lancaster	46	-	8	8	10	10	10	-	-	-
Laurens	47	-	9	13	8	9	6	2	-	-
Lee	7	-	2	1	1	1	2	-	-	-
Lexington	192	-	25	47	48	43	26	3	-	-
McCormick	1	-	-	-	-	-	1	-	-	-
Marion	14	-	4	5	3	2	-	-	-	-
Marlboro	11	-	3	1	5	2	-	-	-	-
Newberry	25	-	3	8	4	7	2	1	-	-
Oconee	53	-	7	14	13	12	7	-	-	-
Orangeburg	33	-	4	9	7	11	2	-	-	-
Pickens	96	-	10	31	27	20	7	1	-	-
Richland	151	-	11	15	46	46	20	13	-	-
Saluda	6	-	1	1	4	-	-	-	-	-
Spartanburg	193	-	28	40	69	41	12	3	-	-
Sumter	47	-	5	10	16	11	3	2	-	-
Union	26	-	6	17	2	-	1	-	-	-
Williamsburg	8	-	3	2	-	2	1	-	-	-
York	147	-	14	35	36	31	21	7	3	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-28A. (continued)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	3,151	7	588	1,055	769	475	207	47	3	-
Abbeville	18	-	5	8	2	1	1	1	-	-
Aiken	84	-	16	23	22	18	4	1	-	-
Allendale	15	-	4	3	5	3	-	-	-	-
Anderson	59	-	12	18	12	11	4	-	2	-
Bamberg	18	-	1	12	4	1	-	-	-	-
Barnwell	27	-	7	10	7	2	-	1	-	-
Beaufort	93	-	11	40	22	16	4	-	-	-
Berkeley	99	-	16	27	30	13	11	2	-	-
Calhoun	5	-	3	-	1	1	-	-	-	-
Charleston	273	-	55	98	55	49	13	3	-	-
Cherokee	41	-	9	15	11	5	1	-	-	-
Chester	25	-	8	8	6	1	1	1	-	-
Chesterfield	40	-	11	11	12	2	4	-	-	-
Clarendon	26	-	6	13	1	4	2	-	-	-
Colleton	33	-	9	12	8	3	1	-	-	-
Darlington	71	1	19	20	16	12	1	2	-	-
Dillon	47	-	7	20	13	4	3	-	-	-
Dorchester	79	-	11	34	20	7	4	3	-	-
Edgefield	16	-	1	8	3	3	1	-	-	-
Fairfield	21	-	1	9	3	6	2	-	-	-
Florence	162	1	27	56	41	22	10	4	1	-
Georgetown	55	-	6	21	18	8	2	-	-	-
Greenville	223	1	43	67	53	44	11	4	-	-
Greenwood	49	1	7	12	19	4	5	1	-	-
Hampton	27	-	8	10	4	4	1	-	-	-
Horry	91	-	18	33	23	13	4	-	-	-
Jasper	26	-	7	7	6	4	2	-	-	-
Kershaw	33	-	7	9	10	5	1	1	-	-
Lancaster	47	-	11	17	13	4	2	-	-	-
Laurens	42	-	8	15	9	7	3	-	-	-
Lee	32	-	5	16	9	2	-	-	-	-
Lexington	76	-	12	24	15	14	8	3	-	-
McCormick	10	-	2	5	-	2	1	-	-	-
Marion	55	-	11	16	15	8	5	-	-	-
Marlboro	34	-	6	16	6	4	2	-	-	-
Newberry	34	-	12	7	9	2	3	1	-	-
Oconee	14	-	1	4	4	4	1	-	-	-
Orangeburg	161	-	29	60	40	20	10	2	-	-
Pickens	17	-	4	5	2	2	4	-	-	-
Richland	445	2	67	118	128	76	44	10	-	-
Saluda	7	-	1	1	4	1	-	-	-	-
Spartanburg	147	-	28	46	38	23	11	1	-	-
Sumter	129	-	27	53	20	18	8	3	-	-
Union	14	-	2	9	1	2	-	-	-	-
Williamsburg	39	-	7	15	9	5	3	-	-	-
York	92	1	20	24	20	15	9	3	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-28A. (continued)
 Low Weight¹ Live Births by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Hispanic

County of Residence	Total	Age of Mother (Years)								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Unknown
South Carolina	397	1	60	132	89	67	36	11	1	-
Abbeville	-	-	-	-	-	-	-	-	-	-
Aiken	13	-	2	3	5	1	2	-	-	-
Allendale	-	-	-	-	-	-	-	-	-	-
Anderson	5	-	1	-	2	1	1	-	-	-
Bamberg	3	-	-	-	2	1	-	-	-	-
Barnwell	-	-	-	-	-	-	-	-	-	-
Beaufort	37	-	5	9	5	9	8	1	-	-
Berkeley	14	-	3	5	3	1	2	-	-	-
Calhoun	2	-	-	1	-	-	1	-	-	-
Charleston	37	-	10	14	8	5	-	-	-	-
Cherokee	4	-	-	-	1	2	-	1	-	-
Chester	-	-	-	-	-	-	-	-	-	-
Chesterfield	2	-	-	2	-	-	-	-	-	-
Clarendon	1	-	-	1	-	-	-	-	-	-
Colleton	3	-	-	1	2	-	-	-	-	-
Darlington	1	-	-	-	1	-	-	-	-	-
Dillon	3	-	-	2	-	-	1	-	-	-
Dorchester	13	-	3	3	3	3	1	-	-	-
Edgefield	-	-	-	-	-	-	-	-	-	-
Fairfield	1	-	-	-	1	-	-	-	-	-
Florence	5	-	-	1	-	3	-	-	1	-
Georgetown	2	-	1	-	-	-	1	-	-	-
Greenville	62	-	11	29	8	12	-	2	-	-
Greenwood	10	1	2	2	2	1	1	1	-	-
Hampton	-	-	-	-	-	-	-	-	-	-
Horry	27	-	3	12	3	4	4	1	-	-
Jasper	5	-	1	2	1	-	1	-	-	-
Kershaw	5	-	-	1	2	2	-	-	-	-
Lancaster	6	-	-	2	-	3	-	1	-	-
Laurens	4	-	1	2	-	1	-	-	-	-
Lee	-	-	-	-	-	-	-	-	-	-
Lexington	20	-	3	5	9	3	-	-	-	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	1	-	-	1	-	-	-	-	-	-
Marlboro	-	-	-	-	-	-	-	-	-	-
Newberry	14	-	2	2	7	-	1	2	-	-
Oconee	3	-	-	1	1	-	-	1	-	-
Orangeburg	3	-	-	2	1	-	-	-	-	-
Pickens	8	-	1	3	3	1	-	-	-	-
Richland	28	-	4	12	3	5	4	-	-	-
Saluda	5	-	1	1	1	-	2	-	-	-
Spartanburg	30	-	5	9	9	5	2	-	-	-
Sumter	3	-	-	1	1	1	-	-	-	-
Union	1	-	-	1	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	-	-	-
York	16	-	1	2	5	3	4	1	-	-
Unknown	-	-	-	-	-	-	-	-	-	-

¹Live birth weighing less than 2,500 grams

Table C-29.

Very Low Weight¹ Live Births and Percent of Very Low Weight Live Births by Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	1,180 *	1.9	450	1.3	668	3.0	59	0.9
Abbeville	9	3.1	4	2.2	5	5.1	-	0
Aiken	24	1.2	8	0.7	14	2.2	2	1.3
Allendale	3	2.0	-	0	3	2.5	-	0
Anderson	47	1.9	31	1.7	15	2.9	1	0.8
Bamberg	7	3.8	-	0	7	5.6	-	0
Barnwell	11	3.3	2	1.5	9	4.7	-	0
Beaufort	35	1.5	12	1.1	20	3.0	3	0.5
Berkeley	44	1.6	21	1.2	21	2.8	2	0.7
Calhoun	6	3.1	3	3.5	3	3.2	-	0
Charleston	93	1.8	28	1.1	62	3.1	3	0.5
Cherokee	11	1.5	3	0.7	6	2.8	2	4.4
Chester	7	1.5	3	1.3	4	1.8	-	0
Chesterfield	11	1.9	3	0.9	8	3.3	-	0
Clarendon	5	1.3	-	0	5	2.2	-	0
Colleton	16	2.9	7	2.6	9	3.7	-	0
Darlington	17	2.0	4	1.1	13	2.8	-	0
Dillon	7	1.4	3	1.6	4	1.4	-	0
Dorchester	30	1.6	13	1.1	15	2.7	2	1.6
Edgefield	7	2.7	2	1.6	5	4.1	-	0
Fairfield	4	1.5	-	0	4	2.1	-	0
Florence	53	2.7	16	1.9	37	3.6	-	0
Georgetown	21	2.9	4	1.3	17	5.0	-	0
Greenville	124 *	1.9	53	1.3	61	3.9	8	0.8
Greenwood	23	2.3	11	2.2	12	3.3	-	0
Hampton	12	4.2	1	1.0	11	6.1	-	0
Horry	60	1.8	36	1.7	18	2.7	6	1.2
Jasper	7	1.8	1	0.9	6	3.6	-	0
Kershaw	13	1.5	5	0.9	7	2.8	1	2.3
Lancaster	15	1.5	6	1.0	8	2.7	1	1.3
Laurens	23	2.7	12	2.4	11	4.2	-	0
Lee	5	2.2	1	1.9	4	2.4	-	0
Lexington	57	1.6	34	1.4	20	3.1	3	0.8
McCormick	1	1.1	-	0	1	1.7	-	0
Marion	16	3.3	3	2.0	13	4.3	-	0
Marlboro	10	2.6	2	1.4	8	3.3	-	0
Newberry	13	2.4	4	1.7	5	2.8	4	3.3
Oconee	13	1.6	12	1.8	1	1.3	-	0
Orangeburg	42 *	3.0	9	2.5	32	3.3	-	0
Pickens	23	1.7	17	1.5	4	2.9	2	2.7
Richland	96	1.8	23	1.2	68	2.3	5	1.3
Saluda	5	1.9	2	2.2	1	1.3	2	2.2
Spartanburg	71	1.8	27	1.1	34	3.2	10	2.2
Sumter	31	1.8	5	0.7	25	2.8	1	1.2
Union	7	2.1	2	0.9	5	4.1	-	0
Williamsburg	5	1.1	-	0	5	1.6	-	0
York	40	1.3	17	0.8	22	2.9	1	0.4
Unknown	-	0	-	0	-	0	-	0

¹ Live birth weighing less than 1,500 grams

* Includes unknown race

Table C-30.
Live Births and Number of Births with Congenital Anomalies by Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies	Live Births	Anomalies
South Carolina	63,077 *	192	34,711	114	22,094	58	6,229	20
Abbeville	287	3	185	2	99	1	3	-
Aiken	1,978 *	12	1,174	7	642	4	153	1
Allendale	149	1	26	-	118	1	5	-
Anderson	2,439	6	1,806	4	511	2	122	-
Bamberg	184	-	47	-	126	-	11	-
Barnwell	336	3	137	2	191	1	8	-
Beaufort	2,355 *	5	1,101	2	658	-	592	3
Berkeley	2,722 *	12	1,696	10	752	2	273	-
Calhoun	192	1	86	-	95	1	11	-
Charleston	5,191 *	12	2,498	8	2,027	2	663	2
Cherokee	711	2	455	-	211	-	45	2
Chester	463	1	233	-	225	1	5	-
Chesterfield	592 *	-	318	-	245	-	28	-
Clarendon	392	1	150	-	228	-	14	1
Colleton	543	3	274	1	244	2	25	-
Darlington	851	6	380	4	457	2	14	-
Dillon	496	5	191	1	284	4	21	-
Dorchester	1,878 *	4	1,196	4	550	-	129	-
Edgefield	259 *	-	125	-	121	-	11	-
Fairfield	264	-	74	-	187	-	3	-
Florence	1,937	3	837	3	1,038	-	62	-
Georgetown	722	4	318	1	341	3	63	-
Greenville	6,695 *	32	4,109	21	1,581	6	1,001	5
Greenwood	996	3	494	2	366	1	136	-
Hampton	283	1	96	1	179	-	8	-
Horry	3,287 *	12	2,139	8	658	1	489	3
Jasper	390	2	110	2	167	-	113	-
Kershaw	857 *	1	564	1	249	-	43	-
Lancaster	985	1	611	-	294	1	80	-
Laurens	863	-	509	-	263	-	91	-
Lee	224	1	52	-	169	1	3	-
Lexington	3,459 *	6	2,430	6	640	-	388	-
McCormick	93	-	32	-	59	-	2	-
Marion	478	1	152	-	305	1	21	-
Marlboro	388	-	140	-	244	-	4	-
Newberry	534	2	235	1	178	1	121	-
Oconee	829	1	676	-	77	1	76	-
Orangeburg	1,385 *	8	354	1	981	7	49	-
Pickens	1,378 *	12	1,165	10	138	1	74	1
Richland	5,201 *	11	1,845	5	2,957	6	391	-
Saluda	260	2	93	1	75	-	92	1
Spartanburg	4,004	6	2,496	5	1,062	-	446	1
Sumter	1,694 *	3	706	-	902	3	85	-
Union	340	-	212	-	121	-	7	-
Williamsburg	459	2	127	1	322	1	10	-
York	3,053 *	1	2,056	-	757	1	238	-
Unknown	1	-	1	-	-	-	-	-

* Includes unknown race

Table C-31.
Live Births by Gestational Age
South Carolina and Each County, 2008
(Residence Data)

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Percent
South Carolina	63,077 *	1,285	2.0	7,428	11.8
Abbeville	287	9	3.1	41	14.3
Aiken	1,978 *	30	1.5	232	11.7
Allendale	149	4	2.7	17	11.4
Anderson	2,439	45	1.8	237	9.7
Bamberg	184	7	3.8	21	11.4
Barnwell	336	12	3.6	32	9.5
Beaufort	2,355 *	31	1.3	264	11.2
Berkeley	2,722 *	51	1.9	318	11.7
Calhoun	192	3	1.6	16	8.3
Charleston	5,191 *	105	2.0	563	10.8
Cherokee	711	14	2.0	116	16.3
Chester	463	8	1.7	57	12.3
Chesterfield	592 *	16	2.7	68	11.5
Clarendon	392	7	1.8	36	9.2
Colleton	543	11	2.0	60	11.0
Darlington	851	16	1.9	116	13.6
Dillon	496	7	1.4	107	21.6
Dorchester	1,878 *	42	2.2	224	11.9
Edgefield	259 *	5	1.9	30	11.6
Fairfield	264	5	1.9	29	11.0
Florence	1,937	59	3.0	256	13.2
Georgetown	722	24	3.3	102	14.1
Greenville	6,695 *	126	1.9	742	11.1
Greenwood	996	24	2.4	138	13.9
Hampton	283	11	3.9	34	12.0
Horry	3,287 *	64	1.9	373	11.3
Jasper	390	7	1.8	48	12.3
Kershaw	857 *	15	1.8	99	11.6
Lancaster	985	19	1.9	105	10.7
Laurens	863	27	3.1	138	16.0
Lee	224	5	2.2	33	14.7
Lexington	3,459 *	66	1.9	402	11.6
McCormick	93	1	1.1	15	16.1
Marion	478	18	3.8	69	14.4
Marlboro	388	10	2.6	50	12.9
Newberry	534	12	2.2	78	14.6
Oconee	829	15	1.8	91	11.0
Orangeburg	1,385 *	40	2.9	144	10.4
Pickens	1,378 *	27	2.0	134	9.7
Richland	5,201 *	98	1.9	742	14.3
Saluda	260	3	1.2	18	6.9
Spartanburg	4,004	82	2.0	428	10.7
Sumter	1,694 *	37	2.2	179	10.6
Union	340	10	2.9	41	12.1
Williamsburg	459	6	1.3	55	12.0
York	3,053 *	51	1.7	330	10.8
Unknown	1	-	0	-	0

1) <32 weeks

2) <37 weeks

* Includes unknown race

Table C-31A.
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Non-Hispanic White

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Percent
South Carolina	34,711	510	1.5	3,688	10.6
Abbeville	185	3	1.6	19	10.3
Aiken	1,174	12	1.0	125	10.6
Allendale	26	-	0	-	0
Anderson	1,806	29	1.6	175	9.7
Bamberg	47	-	0	4	8.5
Barnwell	137	2	1.5	13	9.5
Beaufort	1,101	11	1.0	125	11.4
Berkeley	1,696	25	1.5	185	10.9
Calhoun	86	2	2.3	9	10.5
Charleston	2,498	33	1.3	208	8.3
Cherokee	455	6	1.3	55	12.1
Chester	233	3	1.3	29	12.4
Chesterfield	318	5	1.6	33	10.4
Clarendon	150	-	0	12	8.0
Colleton	274	5	1.8	25	9.1
Darlington	380	3	0.8	42	11.1
Dillon	191	3	1.6	35	18.3
Dorchester	1,196	19	1.6	116	9.7
Edgefield	125	2	1.6	12	9.6
Fairfield	74	-	0	7	9.5
Florence	837	21	2.5	102	12.2
Georgetown	318	8	2.5	46	14.5
Greenville	4,109	54	1.3	423	10.3
Greenwood	494	11	2.2	69	14.0
Hampton	96	1	1.0	8	8.3
Horry	2,139	40	1.9	237	11.1
Jasper	110	2	1.8	15	13.6
Kershaw	564	5	0.9	57	10.1
Lancaster	611	9	1.5	54	8.8
Laurens	509	13	2.6	81	15.9
Lee	52	1	1.9	8	15.4
Lexington	2,430	40	1.6	260	10.7
McCormick	32	-	0	6	18.8
Marion	152	3	2.0	17	11.2
Marlboro	140	2	1.4	11	7.9
Newberry	235	3	1.3	33	14.0
Oconee	676	13	1.9	74	10.9
Orangeburg	354	8	2.3	38	10.7
Pickens	1,165	21	1.8	107	9.2
Richland	1,845	23	1.2	248	13.4
Saluda	93	-	0	8	8.6
Spartanburg	2,496	32	1.3	262	10.5
Sumter	706	6	0.8	60	8.5
Union	212	4	1.9	22	10.4
Williamsburg	127	1	0.8	11	8.7
York	2,056	26	1.3	202	9.8
Unknown	1	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-31A. (continued)
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Percent
South Carolina	22,094	693	3.1	3,167	14.3
Abbeville	99	6	6.1	22	22.2
Aiken	642	16	2.5	86	13.4
Allendale	118	3	2.5	15	12.7
Anderson	511	15	2.9	54	10.6
Bamberg	126	7	5.6	14	11.1
Barnwell	191	10	5.2	19	9.9
Beaufort	658	14	2.1	96	14.6
Berkeley	752	24	3.2	114	15.2
Calhoun	95	1	1.1	5	5.3
Charleston	2,027	68	3.4	300	14.8
Cherokee	211	6	2.8	54	25.6
Chester	225	5	2.2	28	12.4
Chesterfield	245	11	4.5	33	13.5
Clarendon	228	7	3.1	22	9.6
Colleton	244	6	2.5	34	13.9
Darlington	457	13	2.8	73	16.0
Dillon	284	4	1.4	66	23.2
Dorchester	550	19	3.5	88	16.0
Edgefield	121	3	2.5	17	14.0
Fairfield	187	5	2.7	21	11.2
Florence	1,038	38	3.7	148	14.3
Georgetown	341	16	4.7	52	15.2
Greenville	1,581	59	3.7	228	14.4
Greenwood	366	13	3.6	57	15.6
Hampton	179	10	5.6	26	14.5
Horry	658	17	2.6	93	14.1
Jasper	167	5	3.0	23	13.8
Kershaw	249	8	3.2	34	13.7
Lancaster	294	8	2.7	42	14.3
Laurens	263	14	5.3	47	17.9
Lee	169	4	2.4	25	14.8
Lexington	640	20	3.1	97	15.2
McCormick	59	1	1.7	8	13.6
Marion	305	15	4.9	50	16.4
Marlboro	244	8	3.3	39	16.0
Newberry	178	4	2.2	24	13.5
Oconee	77	2	2.6	13	16.9
Orangeburg	981	31	3.2	103	10.5
Pickens	138	5	3.6	19	13.8
Richland	2,957	70	2.4	461	15.6
Saluda	75	1	1.3	4	5.3
Spartanburg	1,062	38	3.6	129	12.1
Sumter	902	29	3.2	114	12.6
Union	121	6	5.0	17	14.0
Williamsburg	322	5	1.6	43	13.4
York	757	23	3.0	110	14.5
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-31A. (continued)
 Live Births by Gestational Age by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Hispanic

County of Residence	TOTAL	VERY PRETERM ¹⁾		PRETERM ²⁾	
		Number	Percent	Number	Percent
South Carolina	6,229	79	1.3	568	9.1
Abbeville	3	-	0	-	0
Aiken	153	2	1.3	20	13.1
Allendale	5	1	20.0	2	40.0
Anderson	122	1	0.8	8	6.6
Bamberg	11	-	0	3	27.3
Barnwell	8	-	0	-	0
Beaufort	592	6	1.0	43	7.3
Berkeley	273	2	0.7	19	7.0
Calhoun	11	-	0	2	18.2
Charleston	663	4	0.6	55	8.3
Cherokee	45	2	4.4	7	15.6
Chester	5	-	0	-	0
Chesterfield	28	-	0	2	7.1
Clarendon	14	-	0	2	14.3
Colleton	25	-	0	1	4.0
Darlington	14	-	0	1	7.1
Dillon	21	-	0	6	28.6
Dorchester	129	4	3.1	20	15.5
Edgefield	11	-	0	1	9.1
Fairfield	3	-	0	1	33.3
Florence	62	-	0	6	9.7
Georgetown	63	-	0	4	6.3
Greenville	1,001	11	1.1	88	8.8
Greenwood	136	-	0	12	8.8
Hampton	8	-	0	-	0
Horry	489	7	1.4	43	8.8
Jasper	113	-	0	10	8.8
Kershaw	43	2	4.7	8	18.6
Lancaster	80	2	2.5	9	11.3
Laurens	91	-	0	10	11.0
Lee	3	-	0	-	0
Lexington	388	6	1.5	45	11.6
McCormick	2	-	0	1	50.0
Marion	21	-	0	2	9.5
Marlboro	4	-	0	-	0
Newberry	121	5	4.1	21	17.4
Oconee	76	-	0	4	5.3
Orangeburg	49	-	0	2	4.1
Pickens	74	1	1.4	8	10.8
Richland	391	5	1.3	33	8.4
Saluda	92	2	2.2	6	6.5
Spartanburg	446	12	2.7	37	8.3
Sumter	85	2	2.4	5	5.9
Union	7	-	0	2	28.6
Williamsburg	10	-	0	1	10.0
York	238	2	0.8	18	7.6
Unknown	-	-	0	-	0

1) <32 weeks

2) <37 weeks

Table C-32.
Live Births To Mothers who Breastfed by Race
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Births	Breastfed	Births	Breastfed	Births	Breastfed	Births	Breastfed
South Carolina	63,077 *	37,544 *	34,711	22,507	22,094	9,839	6,229	5,174
Abbeville	287	145	185	116	99	27	3	2
Aiken	1,978 *	1,151 *	1,174	740	642	285	153	120
Allendale	149	45	26	14	118	27	5	4
Anderson	2,439	1,410	1,806	1,106	511	208	122	96
Bamberg	184	84	47	29	126	46	11	9
Barnwell	336	140	137	81	191	52	8	7
Beaufort	2,355 *	2,126 *	1,101	990	658	569	592	565
Berkeley	2,722 *	1,914	1,696	1,228	752	441	273	245
Calhoun	192	107	86	52	95	44	11	11
Charleston	5,191 *	3,803 *	2,498	2,114	2,027	1,084	663	603
Cherokee	711	300	455	216	211	50	45	34
Chester	463	181	233	113	225	64	5	4
Chesterfield	592 *	196	318	115	245	68	28	13
Clarendon	392	158	150	83	228	65	14	10
Colleton	543	257	274	153	244	84	25	20
Darlington	851	329	380	198	457	122	14	9
Dillon	496	106	191	55	284	39	21	12
Dorchester	1,878 *	1,312 *	1,196	901	550	302	129	106
Edgefield	259 *	136 *	125	83	121	42	11	10
Fairfield	264	127	74	45	187	79	3	3
Florence	1,937	864	837	481	1,038	345	62	38
Georgetown	722	374	318	193	341	128	63	53
Greenville	6,695 *	4,532 *	4,109	2,961	1,581	774	1,001	794
Greenwood	996	518	494	292	366	118	136	108
Hampton	283	178	96	66	179	104	8	8
Horry	3,287 *	2,127	2,139	1,411	658	305	489	411
Jasper	390	331	110	87	167	135	113	109
Kershaw	857 *	507 *	564	349	249	122	43	35
Lancaster	985	337	611	196	294	77	80	64
Laurens	863	343	509	242	263	53	91	48
Lee	224	62	52	24	169	36	3	2
Lexington	3,459 *	2,281	2,430	1,648	640	326	388	307
McCormick	93	30	32	21	59	8	2	1
Marion	478	155	152	75	305	67	21	13
Marlboro	388	64	140	30	244	33	4	1
Newberry	534	300	235	143	178	64	121	93
Oconee	829	540	676	443	77	37	76	60
Orangeburg	1,385 *	627	354	192	981	398	49	37
Pickens	1,378 *	873	1,165	731	138	75	74	67
Richland	5,201 *	3,485 *	1,845	1,479	2,957	1,668	391	332
Saluda	260	151	93	67	75	21	92	63
Spartanburg	4,004	2,459	2,496	1,575	1,062	490	446	394
Sumter	1,694 *	921	706	461	902	396	85	64
Union	340	122	212	92	121	27	7	3
Williamsburg	459	126	127	41	322	78	10	7
York	3,053 *	1,210	2,056	775	757	256	238	179
Unknown	1	-	1	-	-	-	-	-

* Includes unknown race

Table C-33.
Live Births to Mothers with Infectious Diseases
South Carolina and Each County, 2008
(Residence Data)

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	63,077 *	4,376	6.9	133	0.2
Abbeville	287	12	4.2	-	0
Aiken	1,978 *	218	11.0	2	0.1
Allendale	149	17	11.4	-	0
Anderson	2,439	79	3.2	4	0.2
Bamberg	184	23	12.5	-	0
Barnwell	336	48	14.3	1	0.3
Beaufort	2,355 *	220	9.3	3	0.1
Berkeley	2,722 *	207	7.6	4	0.1
Calhoun	192	16	8.3	1	0.5
Charleston	5,191 *	382	7.4	11	0.2
Cherokee	711	16	2.3	-	0
Chester	463	28	6.0	-	0
Chesterfield	592 *	29	4.9	2	0.3
Clarendon	392	29	7.4	-	0
Colleton	543	37	6.8	1	0.2
Darlington	851	81	9.5	3	0.4
Dillon	496	43	8.7	1	0.2
Dorchester	1,878 *	146	7.8	3	0.2
Edgefield	259 *	21	8.1	-	0
Fairfield	264	19	7.2	1	0.4
Florence	1,937	96	5.0	5	0.3
Georgetown	722	43	6.0	-	0
Greenville	6,695 *	656	9.8	32	0.5
Greenwood	996	41	4.1	3	0.3
Hampton	283	27	9.5	-	0
Horry	3,287 *	189	5.7	2	0.1
Jasper	390	35	9.0	1	0.3
Kershaw	857 *	41	4.8	-	0
Lancaster	985	22	2.2	3	0.3
Laurens	863	64	7.4	-	0
Lee	224	27	12.1	-	0
Lexington	3,459 *	151	4.4	5	0.1
McCormick	93	4	4.3	-	0
Marion	478	37	7.7	-	0
Marlboro	388	27	7.0	-	0
Newberry	534	35	6.6	-	0
Oconee	829	18	2.2	1	0.1
Orangeburg	1,385 *	117	8.4	-	0
Pickens	1,378 *	57	4.1	2	0.1
Richland	5,201 *	438	8.4	22	0.4
Saluda	260	20	7.7	1	0.4
Spartanburg	4,004	128	3.2	9	0.2
Sumter	1,694 *	225	13.3	4	0.2
Union	340	9	2.6	-	0
Williamsburg	459	29	6.3	2	0.4
York	3,053 *	169	5.5	4	0.1
Unknown	1	-	0	-	0

* Includes unknown race

Table C-33A.
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic White

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	34,711	1,479	4.3	66	0.2
Abbeville	185	2	1.1	-	0
Aiken	1,174	111	9.5	1	0.1
Allendale	26	1	3.8	-	0
Anderson	1,806	43	2.4	4	0.2
Bamberg	47	4	8.5	-	0
Barnwell	137	15	10.9	-	0
Beaufort	1,101	71	6.4	-	0
Berkeley	1,696	105	6.2	1	0.1
Calhoun	86	3	3.5	1	1.2
Charleston	2,498	87	3.5	4	0.2
Cherokee	455	9	2.0	-	0
Chester	233	10	4.3	-	0
Chesterfield	318	8	2.5	1	0.3
Clarendon	150	4	2.7	-	0
Colleton	274	10	3.6	1	0.4
Darlington	380	10	2.6	2	0.5
Dillon	191	7	3.7	-	0
Dorchester	1,196	69	5.8	1	0.1
Edgefield	125	3	2.4	-	0
Fairfield	74	5	6.8	-	0
Florence	837	21	2.5	4	0.5
Georgetown	318	9	2.8	-	0
Greenville	4,109	270	6.6	16	0.4
Greenwood	494	10	2.0	2	0.4
Hampton	96	4	4.2	-	0
Horry	2,139	111	5.2	1	0.0
Jasper	110	6	5.5	1	0.9
Kershaw	564	16	2.8	-	0
Lancaster	611	7	1.1	2	0.3
Laurens	509	25	4.9	-	0
Lee	52	2	3.8	-	0
Lexington	2,430	81	3.3	3	0.1
McCormick	32	-	0	-	0
Marion	152	7	4.6	-	0
Marlboro	140	3	2.1	-	0
Newberry	235	7	3.0	-	0
Oconee	676	12	1.8	1	0.1
Orangeburg	354	11	3.1	-	0
Pickens	1,165	48	4.1	2	0.2
Richland	1,845	88	4.8	6	0.3
Saluda	93	7	7.5	1	1.1
Spartanburg	2,496	58	2.3	7	0.3
Sumter	706	26	3.7	1	0.1
Union	212	4	1.9	-	0
Williamsburg	127	4	3.1	-	0
York	2,056	65	3.2	3	0.1
Unknown	1	-	0	-	0

Table C-33A. (continued)
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Non-Hispanic Black & Other

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	22,094	2,616	11.8	57	0.3
Abbeville	99	10	10.1	-	0
Aiken	642	101	15.7	1	0.2
Allendale	118	16	13.6	-	0
Anderson	511	32	6.3	-	0
Bamberg	126	19	15.1	-	0
Barnwell	191	32	16.8	1	0.5
Beaufort	658	111	16.9	3	0.5
Berkeley	752	88	11.7	2	0.3
Calhoun	95	12	12.6	-	0
Charleston	2,027	263	13.0	6	0.3
Cherokee	211	7	3.3	-	0
Chester	225	18	8.0	-	0
Chesterfield	245	21	8.6	1	0.4
Clarendon	228	25	11.0	-	0
Colleton	244	25	10.2	-	0
Darlington	457	69	15.1	1	0.2
Dillon	284	36	12.7	1	0.4
Dorchester	550	71	12.9	1	0.2
Edgefield	121	18	14.9	-	0
Fairfield	187	14	7.5	1	0.5
Florence	1,038	75	7.2	1	0.1
Georgetown	341	33	9.7	-	0
Greenville	1,581	321	20.3	12	0.8
Greenwood	366	28	7.7	1	0.3
Hampton	179	22	12.3	-	0
Horry	658	67	10.2	1	0.2
Jasper	167	27	16.2	-	0
Kershaw	249	21	8.4	-	0
Lancaster	294	13	4.4	1	0.3
Laurens	263	34	12.9	-	0
Lee	169	25	14.8	-	0
Lexington	640	57	8.9	1	0.2
McCormick	59	4	6.8	-	0
Marion	305	30	9.8	-	0
Marlboro	244	24	9.8	-	0
Newberry	178	24	13.5	-	0
Oconee	77	5	6.5	-	0
Orangeburg	981	104	10.6	-	0
Pickens	138	5	3.6	-	0
Richland	2,957	330	11.2	15	0.5
Saluda	75	7	9.3	-	0
Spartanburg	1,062	58	5.5	2	0.2
Sumter	902	192	21.3	3	0.3
Union	121	3	2.5	-	0
Williamsburg	322	25	7.8	2	0.6
York	757	94	12.4	-	0
Unknown	-	-	0	-	0

Table C-33A. (continued)
 Live Births to Mothers with Infectious Diseases by Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)

Hispanic

County Of Residence	Total	STD		Hepatitis	
		Number	Percent	Number	Percent
South Carolina	6,229	278	4.5	10	0.2
Abbeville	3	-	0	-	0
Aiken	153	6	3.9	-	0
Allendale	5	-	0	-	0
Anderson	122	4	3.3	-	0
Bamberg	11	-	0	-	0
Barnwell	8	1	12.5	-	0
Beaufort	592	38	6.4	-	0
Berkeley	273	14	5.1	1	0.4
Calhoun	11	1	9.1	-	0
Charleston	663	32	4.8	1	0.2
Cherokee	45	-	0	-	0
Chester	5	-	0	-	0
Chesterfield	28	-	0	-	0
Clarendon	14	-	0	-	0
Colleton	25	2	8.0	-	0
Darlington	14	2	14.3	-	0
Dillon	21	-	0	-	0
Dorchester	129	6	4.7	1	0.8
Edgefield	11	-	0	-	0
Fairfield	3	-	0	-	0
Florence	62	-	0	-	0
Georgetown	63	1	1.6	-	0
Greenville	1,001	63	6.3	4	0.4
Greenwood	136	3	2.2	-	0
Hampton	8	1	12.5	-	0
Horry	489	11	2.2	-	0
Jasper	113	2	1.8	-	0
Kershaw	43	4	9.3	-	0
Lancaster	80	2	2.5	-	0
Laurens	91	5	5.5	-	0
Lee	3	-	0	-	0
Lexington	388	13	3.4	1	0.3
McCormick	2	-	0	-	0
Marion	21	-	0	-	0
Marlboro	4	-	0	-	0
Newberry	121	4	3.3	-	0
Oconee	76	1	1.3	-	0
Orangeburg	49	2	4.1	-	0
Pickens	74	4	5.4	-	0
Richland	391	20	5.1	1	0.3
Saluda	92	6	6.5	-	0
Spartanburg	446	12	2.7	-	0
Sumter	85	6	7.1	-	0
Union	7	2	28.6	-	0
Williamsburg	10	-	0	-	0
York	238	10	4.2	1	0.4
Unknown	-	-	0	-	0

Table C-34.
Number of Mothers who received WIC Services during Pregnancy by Race of Mother
South Carolina and Each County, 2008
(Residence Data)


County Of Residence	Total		Non-Hispanic White		Non-Hispanic Black and Other		Hispanic	
	Births	WIC	Births	WIC	Births	WIC	Births	WIC
South Carolina	63,077 *	31,986	34,711	12,639	22,094	15,411	6,229	3,930
Abbeville	287	185	185	99	99	84	3	2
Aiken	1,978 *	615	1,174	268	642	261	153	86
Allendale	149	113	26	14	118	96	5	3
Anderson	2,439	1,156	1,806	757	511	336	122	63
Bamberg	184	146	47	27	126	109	11	10
Barnwell	336	231	137	74	191	150	8	7
Beaufort	2,355 *	1,322	1,101	391	658	496	592	435
Berkeley	2,722 *	1,300	1,696	621	752	496	273	183
Calhoun	192	117	86	36	95	76	11	5
Charleston	5,191 *	2,277	2,498	462	2,027	1,417	663	398
Cherokee	711	428	455	239	211	160	45	29
Chester	463	335	233	142	225	190	5	3
Chesterfield	592 *	336	318	169	245	155	28	11
Clarendon	392	304	150	90	228	206	14	8
Colleton	543	397	274	175	244	203	25	19
Darlington	851	590	380	198	457	384	14	8
Dillon	496	368	191	112	284	242	21	14
Dorchester	1,878 *	816	1,196	401	550	339	129	75
Edgefield	259 *	75	125	16	121	53	11	6
Fairfield	264	193	74	41	187	151	3	1
Florence	1,937	1,235	837	359	1,038	828	62	48
Georgetown	722	482	318	150	341	284	63	48
Greenville	6,695 *	2,935	4,109	1,286	1,581	1,064	1,001	584
Greenwood	996	607	494	232	366	264	136	111
Hampton	283	220	96	62	179	154	8	4
Horry	3,287 *	1,794	2,139	963	658	504	489	327
Jasper	390	262	110	53	167	124	113	85
Kershaw	857 *	441	564	238	249	178	43	25
Lancaster	985	560	611	265	294	232	80	63
Laurens	863	588	509	295	263	227	91	66
Lee	224	178	52	31	169	145	3	2
Lexington	3,459 *	1,269	2,430	715	640	346	388	208
McCormick	93	61	32	12	59	47	2	2
Marion	478	353	152	87	305	249	21	17
Marlboro	388	225	140	73	244	151	4	1
Newberry	534	262	235	76	178	128	121	58
Oconee	829	432	676	327	77	50	76	55
Orangeburg	1,385 *	962	354	188	981	743	49	31
Pickens	1,378 *	649	1,165	517	138	79	74	53
Richland	5,201 *	2,306	1,845	311	2,957	1,797	391	196
Saluda	260	181	93	49	75	60	92	72
Spartanburg	4,004	1,999	2,496	983	1,062	708	446	308
Sumter	1,694 *	1,081	706	324	902	692	85	64
Union	340	224	212	124	121	95	7	5
Williamsburg	459	324	127	49	322	269	10	6
York	3,053 *	1,052	2,056	538	757	389	238	125
Unknown	1	-	1	-	-	-	-	-

* Includes unknown race

TEEN PREGNANCY

The State Animal

“The white-tailed Deer”



Officially adopted by the General Assembly in 1972

Table D-1.
Reported Teen Pregnancy¹ for Females Age 10-19
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	295,494	10,331 *	35.0	8,417 *	28.5	7,466 *	88.7	91	10.7	1,823 *	6.2
Abbeville	1,779	54	30.4	49	27.5	46	93.9	-	0	5	2.8
Aiken	10,103	344 *	34.0	241 *	23.9	213 *	88.4	4	16.3	99 *	9.8
Allendale	673	41	60.9	33	49.0	32	97.0	1	29.4	7	10.4
Anderson	11,718	425 *	36.3	370	31.6	317	85.7	2	5.4	53 *	4.5
Bamberg	1,099	24	21.8	20	18.2	18	90.0	-	0	4	3.6
Barnwell	1,461	64	43.8	52	35.6	47	90.4	1	18.9	11	7.5
Beaufort	8,916	304 *	34.1	214	24.0	172	80.4	5	22.8	85 *	9.5
Berkeley	11,700	390 *	33.3	317	27.1	253	79.8	1	3.1	72 *	6.2
Calhoun	942	33	35.0	29	30.8	26	89.7	-	0	4	4.2
Charleston	22,415	715 *	31.9	553	24.7	495	89.5	9	16.0	153 *	6.8
Cherokee	3,672	164	44.7	144	39.2	130	90.3	1	6.9	19	5.2
Chester	2,168	114	52.6	95	43.8	87	91.6	-	0	19	8.8
Chesterfield	2,902	132	45.5	125	43.1	115	92.0	-	0	7	2.4
Clarendon	2,118	84	39.7	78	36.8	68	87.2	-	0	6	2.8
Colleton	2,709	110	40.6	97	35.8	87	89.7	-	0	13	4.8
Darlington	4,641	175	37.7	157	33.8	148	94.3	1	6.3	17	3.7
Dillon	2,180	93	42.7	88	40.4	84	95.5	1	11.2	4	1.8
Dorchester	8,872	237 *	26.7	194	21.9	176	90.7	5	25.1	38 *	4.3
Edgefield	1,537	31	20.2	26	16.9	23	88.5	1	37.0	4	2.6
Fairfield	1,583	53	33.5	43	27.2	39	90.7	2	44.4	8	5.1
Florence	8,987	348 *	38.7	298	33.2	275	92.3	5	16.5	45 *	5.0
Georgetown	3,645	147 *	40.3	125	34.3	112	89.6	4	31.0	18 *	4.9
Greenville	28,511	909 *	31.9	732	25.7	648	88.5	5	6.8	172 *	6.0
Greenwood	4,939	210	42.5	177	35.8	160	90.4	-	0	33	6.7
Hampton	1,442	71	49.2	61	42.3	55	90.2	-	0	10	6.9
Horry	13,908	492 *	35.4	376	27.0	335	89.1	3	7.9	113 *	8.1
Jasper	1,457	72 *	49.4	58	39.8	56	96.6	3	49.2	11 *	7.5
Kershaw	3,742	149	39.8	121	32.3	106	87.6	3	24.2	25	6.7
Lancaster	4,713	163	34.6	151	32.0	134	88.7	-	0	12	2.5
Laurens	4,797	190	39.6	161	33.6	147	91.3	3	18.3	26	5.4
Lee	1,198	43	35.9	40	33.4	38	95.0	-	0	3	2.5
Lexington	16,375	533 *	32.5	428	26.1	376	87.9	5	11.5	100 *	6.1
McCormick	466	21	45.1	18	38.6	17	94.4	-	0	3	6.4
Marion	2,204	103	46.7	89	40.4	85	95.5	2	22.0	12	5.4
Marlboro	1,710	77	45.0	70	40.9	66	94.3	2	27.8	5	2.9
Newberry	2,415	100	41.4	81	33.5	65	80.2	1	12.2	18	7.5
Oconee	4,086	127	31.1	103	25.2	84	81.6	1	9.6	23	5.6
Orangeburg	6,587	277 *	42.1	231	35.1	223	96.5	3	12.8	43 *	6.5
Pickens	8,114	218 *	26.9	178	21.9	144	80.9	3	16.6	37 *	4.6
Richland	27,046	801 *	29.6	557	20.6	514	92.3	4	7.1	240 *	8.9
Saluda	1,161	41	35.3	36	31.0	34	94.4	-	0	5	4.3
Spartanburg	18,402	707 *	38.4	610	33.1	496	81.3	4	6.5	93 *	5.1
Sumter	7,375	317 *	43.0	268	36.3	242	90.3	3	11.1	46 *	6.2
Union	1,823	84	46.1	79	43.3	73	92.4	-	0	5	2.7
Williamsburg	2,296	90	39.2	71	30.9	66	93.0	1	13.9	18	7.8
York	14,907	445 *	29.9	373	25.0	339	90.9	2	5.3	70 *	4.7
Unknown	-	9 *	0.0	-	0	-	0	-	0	9 *	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

* Includes unknown race

Table D-1A.
Reported Teen Pregnancy¹ for Females Age 10-19 by Race
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)
White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	184,426	5,095	27.6	4,253	23.1	3,403	80.0	30	7.0	812	4.4
Abbeville	1,174	23	19.6	21	17.9	18	85.7	-	0	2	1.7
Aiken	6,702	176	26.3	136	20.3	111	81.6	1	7.3	39	5.8
Allendale	146	4	27.4	3	20.5	2	66.7	-	0	1	6.8
Anderson	9,028	289	32.0	250	27.7	200	80.0	1	4.0	38	4.2
Bamberg	306	8	26.1	7	22.9	5	71.4	-	0	1	3.3
Barnwell	697	23	33.0	22	31.6	17	77.3	-	0	1	1.4
Beaufort	5,959	156	26.2	111	18.6	76	68.5	2	17.7	43	7.2
Berkeley	7,539	242	32.1	207	27.5	146	70.5	1	4.8	34	4.5
Calhoun	443	12	27.1	11	24.8	8	72.7	-	0	1	2.3
Charleston	13,172	239	18.1	180	13.7	128	71.1	2	11.0	57	4.3
Cherokee	2,636	107	40.6	92	34.9	79	85.9	1	10.8	14	5.3
Chester	1,121	52	46.4	45	40.1	37	82.2	-	0	7	6.2
Chesterfield	1,672	63	37.7	60	35.9	51	85.0	-	0	3	1.8
Clarendon	800	23	28.8	22	27.5	16	72.7	-	0	1	1.3
Colleton	1,280	46	35.9	42	32.8	34	81.0	-	0	4	3.1
Darlington	2,276	61	26.8	50	22.0	44	88.0	1	19.6	10	4.4
Dillon	880	27	30.7	27	30.7	23	85.2	-	0	-	0
Dorchester	5,798	139	24.0	114	19.7	98	86.0	2	17.2	23	4.0
Edgefield	893	12	13.4	9	10.1	7	77.8	-	0	3	3.4
Fairfield	523	14	26.8	14	26.8	10	71.4	-	0	-	0
Florence	4,474	112	25.0	97	21.7	80	82.5	1	10.2	14	3.1
Georgetown	1,968	64	32.5	57	29.0	44	77.2	-	0	7	3.6
Greenville	21,081	524	24.9	429	20.4	348	81.1	2	4.6	93	4.4
Greenwood	2,987	106	35.5	89	29.8	77	86.5	-	0	17	5.7
Hampton	493	19	38.5	15	30.4	12	80.0	-	0	4	8.1
Horry	10,645	340	31.9	258	24.2	218	84.5	1	3.9	81	7.6
Jasper	610	22	36.1	20	32.8	18	90.0	1	47.6	1	1.6
Kershaw	2,575	82	31.8	70	27.2	57	81.4	1	14.1	11	4.3
Lancaster	3,224	108	33.5	103	31.9	86	83.5	-	0	5	1.6
Laurens	3,381	117	34.6	101	29.9	87	86.1	2	19.4	14	4.1
Lee	338	8	23.7	7	20.7	5	71.4	-	0	1	3.0
Lexington	12,759	380	29.8	321	25.2	270	84.1	3	9.3	56	4.4
McCormick	181	4	22.1	4	22.1	3	75.0	-	0	-	0
Marion	716	25	34.9	19	26.5	17	89.5	1	50.0	5	7.0
Marlboro	676	23	34.0	20	29.6	16	80.0	-	0	3	4.4
Newberry	1,398	38	27.2	30	21.5	16	53.3	-	0	8	5.7
Oconee	3,587	110	30.7	90	25.1	72	80.0	1	11.0	19	5.3
Orangeburg	1,803	60	33.3	56	31.1	52	92.9	-	0	4	2.2
Pickens	7,276	197	27.1	164	22.5	131	79.9	3	18.0	30	4.1
Richland	11,689	174	14.9	117	10.0	84	71.8	-	0	57	4.9
Saluda	745	22	29.5	22	29.5	20	90.9	-	0	-	0
Spartanburg	12,945	429	33.1	379	29.3	276	72.8	2	5.2	48	3.7
Sumter	3,229	86	26.6	77	23.8	59	76.6	1	12.8	8	2.5
Union	1,147	54	47.1	52	45.3	46	88.5	-	0	2	1.7
Williamsburg	620	16	25.8	12	19.4	9	75.0	-	0	4	6.5
York	10,834	257	23.7	221	20.4	190	86.0	-	0	36	3.3
Unknown	-	2	0.0	-	0	-	0	-	0	2	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-1A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	111,068	5,196	46.8	4,162	37.5	4,062	97.6	61	14.4	973	8.8
Abbeville	605	31	51.2	28	46.3	28	100.0	-	0	3	5.0
Aiken	3,401	164	48.2	103	30.3	101	98.1	3	28.3	58	17.1
Allendale	527	37	70.2	30	56.9	30	100.0	1	32.3	6	11.4
Anderson	2,690	135	50.2	120	44.6	117	97.5	1	8.3	14	5.2
Bamberg	793	16	20.2	13	16.4	13	100.0	-	0	3	3.8
Barnwell	764	41	53.7	30	39.3	30	100.0	1	32.3	10	13.1
Beaufort	2,957	145	49.0	103	34.8	96	93.2	3	28.3	39	13.2
Berkeley	4,161	147	35.3	110	26.4	107	97.3	-	0	37	8.9
Calhoun	499	21	42.1	18	36.1	18	100.0	-	0	3	6.0
Charleston	9,243	471	51.0	373	40.4	367	98.4	7	18.4	91	9.8
Cherokee	1,036	57	55.0	52	50.2	51	98.1	-	0	5	4.8
Chester	1,047	62	59.2	50	47.8	50	100.0	-	0	12	11.5
Chesterfield	1,230	69	56.1	65	52.8	64	98.5	-	0	4	3.3
Clarendon	1,318	61	46.3	56	42.5	52	92.9	-	0	5	3.8
Colleton	1,429	64	44.8	55	38.5	53	96.4	-	0	9	6.3
Darlington	2,365	114	48.2	107	45.2	104	97.2	-	0	7	3.0
Dillon	1,300	66	50.8	61	46.9	61	100.0	1	16.1	4	3.1
Dorchester	3,074	96	31.2	80	26.0	78	97.5	3	36.1	13	4.2
Edgefield	644	19	29.5	17	26.4	16	94.1	1	55.6	1	1.6
Fairfield	1,060	39	36.8	29	27.4	29	100.0	2	64.5	8	7.5
Florence	4,513	235	52.1	201	44.5	195	97.0	4	19.5	30	6.6
Georgetown	1,677	82	48.9	68	40.5	68	100.0	4	55.6	10	6.0
Greenville	7,430	384	51.7	303	40.8	300	99.0	3	9.8	78	10.5
Greenwood	1,952	104	53.3	88	45.1	83	94.3	-	0	16	8.2
Hampton	949	52	54.8	46	48.5	43	93.5	-	0	6	6.3
Horry	3,263	148	45.4	118	36.2	117	99.2	2	16.7	28	8.6
Jasper	847	49	57.9	38	44.9	38	100.0	2	50.0	9	10.6
Kershaw	1,167	67	57.4	51	43.7	49	96.1	2	37.7	14	12.0
Lancaster	1,489	55	36.9	48	32.2	48	100.0	-	0	7	4.7
Laurens	1,416	73	51.6	60	42.4	60	100.0	1	16.4	12	8.5
Lee	860	35	40.7	33	38.4	33	100.0	-	0	2	2.3
Lexington	3,616	150	41.5	107	29.6	106	99.1	2	18.3	41	11.3
McCormick	285	17	59.6	14	49.1	14	100.0	-	0	3	10.5
Marion	1,488	78	52.4	70	47.0	68	97.1	1	14.1	7	4.7
Marlboro	1,034	54	52.2	50	48.4	50	100.0	2	38.5	2	1.9
Newberry	1,017	62	61.0	51	50.1	49	96.1	1	19.2	10	9.8
Oconee	499	17	34.1	13	26.1	12	92.3	-	0	4	8.0
Orangeburg	4,784	215	44.9	175	36.6	171	97.7	3	16.9	37	7.7
Pickens	838	20	23.9	14	16.7	13	92.9	-	0	6	7.2
Richland	15,357	623	40.6	440	28.7	430	97.7	4	9.0	179	11.7
Saluda	416	19	45.7	14	33.7	14	100.0	-	0	5	12.0
Spartanburg	5,457	277	50.8	231	42.3	220	95.2	2	8.6	44	8.1
Sumter	4,146	230	55.5	191	46.1	183	95.8	2	10.4	37	8.9
Union	676	30	44.4	27	39.9	27	100.0	-	0	3	4.4
Williamsburg	1,676	74	44.2	59	35.2	57	96.6	1	16.7	14	8.4
York	4,073	185	45.4	152	37.3	149	98.0	2	13.0	31	7.6
Unknown	-	6	0.0	-	0	-	0	-	0	6	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-19

Table D-2.
Reported Teen Pregnancy¹ for Females Age 10-14
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	138,675	177 *	1.3	108	0.8	103	95.4	2	18.2	67 *	0.5
Abbeville	804	2	2.5	1	1.2	1	100.0	-	0	1	1.2
Aiken	4,889	8	1.6	2	0.4	2	100.0	-	0	6	1.2
Allendale	297	-	0	-	0	-	0	-	0	-	0
Anderson	5,865	3	0.5	2	0.3	2	100.0	-	0	1	0.2
Bamberg	430	-	0	-	0	-	0	-	0	-	0
Barnwell	723	5	6.9	3	4.1	3	100.0	-	0	2	2.8
Beaufort	4,382	8	1.8	3	0.7	3	100.0	-	0	5	1.1
Berkeley	5,607	2	0.4	2	0.4	2	100.0	-	0	-	0
Calhoun	452	-	0	-	0	-	0	-	0	-	0
Charleston	9,745	11	1.1	7	0.7	7	100.0	-	0	4	0.4
Cherokee	1,800	2	1.1	1	0.6	1	100.0	-	0	1	0.6
Chester	978	4	4.1	2	2.0	2	100.0	-	0	2	2.0
Chesterfield	1,438	1	0.7	1	0.7	1	100.0	-	0	-	0
Clarendon	968	1	1.0	1	1.0	1	100.0	-	0	-	0
Colleton	1,319	3	2.3	2	1.5	2	100.0	-	0	1	0.8
Darlington	2,229	7	3.1	5	2.2	5	100.0	-	0	2	0.9
Dillon	1,133	1	0.9	1	0.9	1	100.0	-	0	-	0
Dorchester	4,426	3 *	0.7	1	0.2	1	100.0	-	0	2 *	0.5
Edgefield	695	-	0	-	0	-	0	-	0	-	0
Fairfield	759	3	4.0	3	4.0	3	100.0	-	0	-	0
Florence	4,160	4	1.0	4	1.0	4	100.0	-	0	-	0
Georgetown	1,811	1	0.6	-	0	-	0	-	0	1	0.6
Greenville	13,787	21	1.5	15	1.1	14	93.3	-	0	6	0.4
Greenwood	2,251	6	2.7	4	1.8	4	100.0	-	0	2	0.9
Hampton	652	-	0	-	0	-	0	-	0	-	0
Horry	6,902	4	0.6	1	0.1	1	100.0	-	0	3	0.4
Jasper	723	3	4.1	2	2.8	2	100.0	-	0	1	1.4
Kershaw	1,858	6	3.2	4	2.2	4	100.0	-	0	2	1.1
Lancaster	2,274	4	1.8	4	1.8	2	50.0	-	0	-	0
Laurens	2,246	5	2.2	4	1.8	3	75.0	-	0	1	0.4
Lee	590	-	0	-	0	-	0	-	0	-	0
Lexington	8,093	8	1.0	4	0.5	4	100.0	-	0	4	0.5
McCormick	212	-	0	-	0	-	0	-	0	-	0
Marion	1,080	1	0.9	1	0.9	1	100.0	-	0	-	0
Marlboro	839	2	2.4	2	2.4	2	100.0	-	0	-	0
Newberry	1,104	2	1.8	1	0.9	1	100.0	-	0	1	0.9
Oconee	2,044	1	0.5	1	0.5	1	100.0	-	0	-	0
Orangeburg	2,646	3	1.1	3	1.1	3	100.0	-	0	-	0
Pickens	3,281	9	2.7	3	0.9	3	100.0	2	400.0	4	1.2
Richland	11,200	13	1.2	8	0.7	8	100.0	-	0	5	0.4
Saluda	516	-	0	-	0	-	0	-	0	-	0
Spartanburg	8,828	5	0.6	4	0.5	3	75.0	-	0	1	0.1
Sumter	3,575	5	1.4	1	0.3	1	100.0	-	0	4	1.1
Union	861	2	2.3	2	2.3	2	100.0	-	0	-	0
Williamsburg	1,037	1	1.0	-	0	-	0	-	0	1	1.0
York	7,166	6	0.8	3	0.4	3	100.0	-	0	3	0.4
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

* Includes unknown race

Table D-2A.
Reported Teen Pregnancy¹ for Females Age 10-14 by Race
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)
White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	87,995	65	0.7	45	0.5	40	88.9	2	42.6	18	0.2
Abbeville	511	1	2.0	1	2.0	1	100.0	-	0	-	0
Aiken	3,273	4	1.2	1	0.3	1	100.0	-	0	3	0.9
Allendale	59	-	0	-	0	-	0	-	0	-	0
Anderson	4,530	2	0.4	1	0.2	1	100.0	-	0	1	0.2
Bamberg	146	-	0	-	0	-	0	-	0	-	0
Barnwell	356	2	5.6	2	5.6	2	100.0	-	0	-	0
Beaufort	3,063	4	1.3	2	0.7	2	100.0	-	0	2	0.7
Berkeley	3,718	2	0.5	2	0.5	2	100.0	-	0	-	0
Calhoun	229	-	0	-	0	-	0	-	0	-	0
Charleston	5,746	2	0.3	2	0.3	2	100.0	-	0	-	0
Cherokee	1,323	1	0.8	-	0	-	0	-	0	1	0.8
Chester	511	-	0	-	0	-	0	-	0	-	0
Chesterfield	833	-	0	-	0	-	0	-	0	-	0
Clarendon	390	-	0	-	0	-	0	-	0	-	0
Colleton	676	-	0	-	0	-	0	-	0	-	0
Darlington	1,055	3	2.8	2	1.9	2	100.0	-	0	1	0.9
Dillon	462	-	0	-	0	-	0	-	0	-	0
Dorchester	2,980	1	0.3	1	0.3	1	100.0	-	0	-	0
Edgefield	417	-	0	-	0	-	0	-	0	-	0
Fairfield	264	1	3.8	1	3.8	1	100.0	-	0	-	0
Florence	2,102	1	0.5	1	0.5	1	100.0	-	0	-	0
Georgetown	1,033	-	0	-	0	-	0	-	0	-	0
Greenville	10,126	10	1.0	8	0.8	7	87.5	-	0	2	0.2
Greenwood	1,382	2	1.4	1	0.7	1	100.0	-	0	1	0.7
Hampton	236	-	0	-	0	-	0	-	0	-	0
Horry	5,340	3	0.6	1	0.2	1	100.0	-	0	2	0.4
Jasper	341	1	2.9	1	2.9	1	100.0	-	0	-	0
Kershaw	1,310	3	2.3	3	2.3	3	100.0	-	0	-	0
Lancaster	1,600	3	1.9	3	1.9	1	33.3	-	0	-	0
Laurens	1,562	3	1.9	3	1.9	2	66.7	-	0	-	0
Lee	172	-	0	-	0	-	0	-	0	-	0
Lexington	6,250	1	0.2	1	0.2	1	100.0	-	0	-	0
McCormick	87	-	0	-	0	-	0	-	0	-	0
Marion	373	-	0	-	0	-	0	-	0	-	0
Marlboro	346	-	0	-	0	-	0	-	0	-	0
Newberry	646	1	1.5	-	0	-	0	-	0	1	1.5
Oconee	1,803	1	0.6	1	0.6	1	100.0	-	0	-	0
Orangeburg	853	-	0	-	0	-	0	-	0	-	0
Pickens	2,958	7	2.4	3	1.0	3	100.0	2	400.0	2	0.7
Richland	4,598	1	0.2	1	0.2	1	100.0	-	0	-	0
Saluda	335	-	0	-	0	-	0	-	0	-	0
Spartanburg	6,275	1	0.2	1	0.2	-	0	-	0	-	0
Sumter	1,630	-	0	-	0	-	0	-	0	-	0
Union	558	-	0	-	0	-	0	-	0	-	0
Williamsburg	270	-	0	-	0	-	0	-	0	-	0
York	5,267	4	0.8	2	0.4	2	100.0	-	0	2	0.4
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-2A. (continued)
 Reported Teen Pregnancy¹ for Females Age 10-14 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	50,680	111	2.2	63	1.2	63	100.0	-	0	48	0.9
Abbeville	293	1	3.4	-	0	-	0	-	0	1	3.4
Aiken	1,616	4	2.5	1	0.6	1	100.0	-	0	3	1.9
Allendale	238	-	0	-	0	-	0	-	0	-	0
Anderson	1,335	1	0.7	1	0.7	1	100.0	-	0	-	0
Bamberg	284	-	0	-	0	-	0	-	0	-	0
Barnwell	367	3	8.2	1	2.7	1	100.0	-	0	2	5.4
Beaufort	1,319	4	3.0	1	0.8	1	100.0	-	0	3	2.3
Berkeley	1,889	-	0	-	0	-	0	-	0	-	0
Calhoun	223	-	0	-	0	-	0	-	0	-	0
Charleston	3,999	9	2.3	5	1.3	5	100.0	-	0	4	1.0
Cherokee	477	1	2.1	1	2.1	1	100.0	-	0	-	0
Chester	467	4	8.6	2	4.3	2	100.0	-	0	2	4.3
Chesterfield	605	1	1.7	1	1.7	1	100.0	-	0	-	0
Clarendon	578	1	1.7	1	1.7	1	100.0	-	0	-	0
Colleton	643	3	4.7	2	3.1	2	100.0	-	0	1	1.6
Darlington	1,174	4	3.4	3	2.6	3	100.0	-	0	1	0.9
Dillon	671	1	1.5	1	1.5	1	100.0	-	0	-	0
Dorchester	1,446	1	0.7	-	0	-	0	-	0	1	0.7
Edgefield	278	-	0	-	0	-	0	-	0	-	0
Fairfield	495	2	4.0	2	4.0	2	100.0	-	0	-	0
Florence	2,058	3	1.5	3	1.5	3	100.0	-	0	-	0
Georgetown	778	1	1.3	-	0	-	0	-	0	1	1.3
Greenville	3,661	11	3.0	7	1.9	7	100.0	-	0	4	1.1
Greenwood	869	4	4.6	3	3.5	3	100.0	-	0	1	1.2
Hampton	416	-	0	-	0	-	0	-	0	-	0
Horry	1,562	1	0.6	-	0	-	0	-	0	1	0.6
Jasper	382	2	5.2	1	2.6	1	100.0	-	0	1	2.6
Kershaw	548	3	5.5	1	1.8	1	100.0	-	0	2	3.6
Lancaster	674	1	1.5	1	1.5	1	100.0	-	0	-	0
Laurens	684	2	2.9	1	1.5	1	100.0	-	0	1	1.5
Lee	418	-	0	-	0	-	0	-	0	-	0
Lexington	1,843	7	3.8	3	1.6	3	100.0	-	0	4	2.2
McCormick	125	-	0	-	0	-	0	-	0	-	0
Marion	707	1	1.4	1	1.4	1	100.0	-	0	-	0
Marlboro	493	2	4.1	2	4.1	2	100.0	-	0	-	0
Newberry	458	1	2.2	1	2.2	1	100.0	-	0	-	0
Oconee	241	-	0	-	0	-	0	-	0	-	0
Orangeburg	1,793	3	1.7	3	1.7	3	100.0	-	0	-	0
Pickens	323	2	6.2	-	0	-	0	-	0	2	6.2
Richland	6,602	12	1.8	7	1.1	7	100.0	-	0	5	0.8
Saluda	181	-	0	-	0	-	0	-	0	-	0
Spartanburg	2,553	4	1.6	3	1.2	3	100.0	-	0	1	0.4
Sumter	1,945	5	2.6	1	0.5	1	100.0	-	0	4	2.1
Union	303	2	6.6	2	6.6	2	100.0	-	0	-	0
Williamsburg	767	1	1.3	-	0	-	0	-	0	1	1.3
York	1,899	2	1.1	1	0.5	1	100.0	-	0	1	0.5
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 10-14

Table D-3.
Reported Teen Pregnancy¹ for Females Age 14-17
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	121,830	3,325 *	27.3	2,604	21.4	2,455	94.3	30	11.4	691 *	5.7
Abbeville	750	16	21.3	16	21.3	16	100.0	-	0	-	0
Aiken	4,110	122	29.7	82	20.0	72	87.8	1	12.0	39	9.5
Allendale	290	12	41.4	8	27.6	8	100.0	-	0	4	13.8
Anderson	4,680	139 *	29.7	114	24.4	105	92.1	2	17.2	23 *	4.9
Bamberg	490	4	8.2	4	8.2	4	100.0	-	0	-	0
Barnwell	590	21	35.6	15	25.4	14	93.3	-	0	6	10.2
Beaufort	3,600	73 *	20.3	46	12.8	43	93.5	2	41.7	25 *	6.9
Berkeley	4,780	112 *	23.4	83	17.4	72	86.7	-	0	29 *	6.1
Calhoun	380	13	34.2	10	26.3	10	100.0	-	0	3	7.9
Charleston	9,550	235 *	24.6	178	18.6	169	94.9	4	22.0	53 *	5.5
Cherokee	1,480	59	39.9	48	32.4	47	97.9	-	0	11	7.4
Chester	910	44	48.4	37	40.7	35	94.6	-	0	7	7.7
Chesterfield	1,170	36	30.8	34	29.1	31	91.2	-	0	2	1.7
Clarendon	880	29	33.0	27	30.7	24	88.9	-	0	2	2.3
Colleton	1,100	33	30.0	26	23.6	25	96.2	-	0	7	6.4
Darlington	1,890	64	33.9	56	29.6	56	100.0	-	0	8	4.2
Dillon	850	33	38.8	30	35.3	30	100.0	-	0	3	3.5
Dorchester	3,550	73 *	20.6	55	15.5	55	100.0	1	17.9	17 *	4.8
Edgefield	640	12	18.8	9	14.1	8	88.9	1	100.0	2	3.1
Fairfield	650	14	21.5	12	18.5	12	100.0	-	0	2	3.1
Florence	3,730	101	27.1	85	22.8	84	98.8	3	34.1	13	3.5
Georgetown	1,460	48 *	32.9	40	27.4	37	92.5	1	24.4	7 *	4.8
Greenville	11,590	329	28.4	251	21.7	240	95.6	1	4.0	77	6.6
Greenwood	2,060	74	35.9	64	31.1	60	93.8	-	0	10	4.9
Hampton	600	21	35.0	16	26.7	16	100.0	-	0	5	8.3
Horry	5,580	153 *	27.4	113	20.3	104	92.0	1	8.8	39 *	7.0
Jasper	590	27	45.8	23	39.0	21	91.3	-	0	4	6.8
Kershaw	1,500	44	29.3	29	19.3	28	96.6	1	33.3	14	9.3
Lancaster	1,920	55	28.6	50	26.0	44	88.0	-	0	5	2.6
Laurens	1,980	83	41.9	75	37.9	73	97.3	1	13.2	7	3.5
Lee	480	14	29.2	12	25.0	12	100.0	-	0	2	4.2
Lexington	6,590	157 *	23.8	120	18.2	111	92.5	-	0	37 *	5.6
McCormick	190	7	36.8	6	31.6	6	100.0	-	0	1	5.3
Marion	890	32	36.0	29	32.6	29	100.0	-	0	3	3.4
Marlboro	690	20	29.0	17	24.6	17	100.0	1	55.6	2	2.9
Newberry	1,010	27	26.7	20	19.8	19	95.0	-	0	7	6.9
Oconee	1,630	39	23.9	31	19.0	30	96.8	-	0	8	4.9
Orangeburg	2,890	96 *	33.2	81	28.0	81	100.0	1	12.2	14 *	4.8
Pickens	3,560	81 *	22.8	63	17.7	58	92.1	2	30.8	16 *	4.5
Richland	11,750	241 *	20.5	153	13.0	149	97.4	1	6.5	87 *	7.4
Saluda	490	10	20.4	7	14.3	7	100.0	-	0	3	6.1
Spartanburg	7,510	216	28.8	185	24.6	159	85.9	3	16.0	28	3.7
Sumter	3,000	108 *	36.0	87	29.0	84	96.6	1	11.4	20 *	6.7
Union	750	26	34.7	24	32.0	24	100.0	-	0	2	2.7
Williamsburg	960	31	32.3	24	25.0	23	95.8	-	0	7	7.3
York	6,080	140 *	23.0	109	17.9	103	94.5	2	18.0	29 *	4.8
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

* Includes unknown race

Table D-3A.
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	75,460	1,514	20.1	1,194	15.8	1,060	88.8	11	9.1	309	4.1
Abbeville	500	5	10.0	5	10.0	5	100.0	-	0	-	0
Aiken	2,710	61	22.5	45	16.6	36	80.0	-	0	16	5.9
Allendale	60	2	33.3	1	16.7	1	100.0	-	0	1	16.7
Anderson	3,600	77	21.4	61	16.9	52	85.2	1	16.1	15	4.2
Bamberg	130	1	7.7	1	7.7	1	100.0	-	0	-	0
Barnwell	280	10	35.7	9	32.1	8	88.9	-	0	1	3.6
Beaufort	2,350	35	14.9	21	8.9	19	90.5	-	0	14	6.0
Berkeley	3,040	69	22.7	53	17.4	43	81.1	-	0	16	5.3
Calhoun	170	4	23.5	3	17.6	3	100.0	-	0	1	5.9
Charleston	5,600	75	13.4	57	10.2	50	87.7	1	17.2	17	3.0
Cherokee	1,050	38	36.2	30	28.6	29	96.7	-	0	8	7.6
Chester	470	20	42.6	17	36.2	15	88.2	-	0	3	6.4
Chesterfield	670	21	31.3	20	29.9	17	85.0	-	0	1	1.5
Clarendon	320	7	21.9	7	21.9	5	71.4	-	0	-	0
Colleton	500	11	22.0	10	20.0	9	90.0	-	0	1	2.0
Darlington	940	16	17.0	11	11.7	11	100.0	-	0	5	5.3
Dillon	340	7	20.6	7	20.6	7	100.0	-	0	-	0
Dorchester	2,290	39	17.0	28	12.2	28	100.0	-	0	11	4.8
Edgefield	370	4	10.8	2	5.4	2	100.0	-	0	2	5.4
Fairfield	210	4	19.0	4	19.0	4	100.0	-	0	-	0
Florence	1,840	26	14.1	22	12.0	21	95.5	1	43.5	3	1.6
Georgetown	770	23	29.9	20	26.0	17	85.0	-	0	3	3.9
Greenville	8,600	172	20.0	129	15.0	118	91.5	1	7.7	42	4.9
Greenwood	1,240	29	23.4	25	20.2	22	88.0	-	0	4	3.2
Hampton	200	7	35.0	4	20.0	4	100.0	-	0	3	15.0
Horry	4,250	97	22.8	72	16.9	63	87.5	1	13.7	24	5.6
Jasper	230	11	47.8	10	43.5	8	80.0	-	0	1	4.3
Kershaw	1,020	25	24.5	16	15.7	15	93.8	1	58.8	8	7.8
Lancaster	1,290	36	27.9	32	24.8	26	81.3	-	0	4	3.1
Laurens	1,400	48	34.3	42	30.0	40	95.2	1	23.3	5	3.6
Lee	130	2	15.4	1	7.7	1	100.0	-	0	1	7.7
Lexington	5,160	98	19.0	82	15.9	73	89.0	-	0	16	3.1
McCormick	70	1	14.3	1	14.3	1	100.0	-	0	-	0
Marion	280	6	21.4	3	10.7	3	100.0	-	0	3	10.7
Marlboro	270	8	29.6	7	25.9	7	100.0	-	0	1	3.7
Newberry	580	9	15.5	5	8.6	4	80.0	-	0	4	6.9
Oconee	1,430	35	24.5	28	19.6	27	96.4	-	0	7	4.9
Orangeburg	740	22	29.7	18	24.3	18	100.0	-	0	4	5.4
Pickens	3,180	74	23.3	58	18.2	53	91.4	2	33.3	14	4.4
Richland	5,170	36	7.0	24	4.6	20	83.3	-	0	12	2.3
Saluda	310	5	16.1	5	16.1	5	100.0	-	0	-	0
Spartanburg	5,260	126	24.0	107	20.3	86	80.4	2	18.3	17	3.2
Sumter	1,290	21	16.3	19	14.7	18	94.7	-	0	2	1.6
Union	470	14	29.8	14	29.8	14	100.0	-	0	-	0
Williamsburg	260	5	19.2	3	11.5	2	66.7	-	0	2	7.7
York	4,390	71	16.2	55	12.5	49	89.1	-	0	16	3.6
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-3A. (continued)
 Reported Teen Pregnancy¹ for Females Age 14-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	46,370	1,794	38.7	1,410	30.4	1,395	98.9	19	13.3	365	7.9
Abbeville	250	11	44.0	11	44.0	11	100.0	-	0	-	0
Aiken	1,390	61	43.9	37	26.6	36	97.3	1	26.3	23	16.5
Allendale	220	10	45.5	7	31.8	7	100.0	-	0	3	13.6
Anderson	1,080	61	56.5	53	49.1	53	100.0	1	18.5	7	6.5
Bamberg	360	3	8.3	3	8.3	3	100.0	-	0	-	0
Barnwell	310	11	35.5	6	19.4	6	100.0	-	0	5	16.1
Beaufort	1,250	37	29.6	25	20.0	24	96.0	2	74.1	10	8.0
Berkeley	1,740	42	24.1	30	17.2	29	96.7	-	0	12	6.9
Calhoun	210	9	42.9	7	33.3	7	100.0	-	0	2	9.5
Charleston	3,950	158	40.0	121	30.6	119	98.3	3	24.2	34	8.6
Cherokee	430	21	48.8	18	41.9	18	100.0	-	0	3	7.0
Chester	440	24	54.5	20	45.5	20	100.0	-	0	4	9.1
Chesterfield	500	15	30.0	14	28.0	14	100.0	-	0	1	2.0
Clarendon	560	22	39.3	20	35.7	19	95.0	-	0	2	3.6
Colleton	600	22	36.7	16	26.7	16	100.0	-	0	6	10.0
Darlington	950	48	50.5	45	47.4	45	100.0	-	0	3	3.2
Dillon	510	26	51.0	23	45.1	23	100.0	-	0	3	5.9
Dorchester	1,270	32	25.2	27	21.3	27	100.0	1	35.7	4	3.1
Edgefield	280	8	28.6	7	25.0	6	85.7	1	125.0	-	0
Fairfield	440	10	22.7	8	18.2	8	100.0	-	0	2	4.5
Florence	1,880	75	39.9	63	33.5	63	100.0	2	30.8	10	5.3
Georgetown	700	24	34.3	20	28.6	20	100.0	1	47.6	3	4.3
Greenville	2,990	157	52.5	122	40.8	122	100.0	-	0	35	11.7
Greenwood	820	45	54.9	39	47.6	38	97.4	-	0	6	7.3
Hampton	400	14	35.0	12	30.0	12	100.0	-	0	2	5.0
Horry	1,330	53	39.8	41	30.8	41	100.0	-	0	12	9.0
Jasper	360	16	44.4	13	36.1	13	100.0	-	0	3	8.3
Kershaw	480	19	39.6	13	27.1	13	100.0	-	0	6	12.5
Lancaster	620	19	30.6	18	29.0	18	100.0	-	0	1	1.6
Laurens	580	35	60.3	33	56.9	33	100.0	-	0	2	3.4
Lee	350	12	34.3	11	31.4	11	100.0	-	0	1	2.9
Lexington	1,430	58	40.6	38	26.6	38	100.0	-	0	20	14.0
McCormick	120	6	50.0	5	41.7	5	100.0	-	0	1	8.3
Marion	610	26	42.6	26	42.6	26	100.0	-	0	-	0
Marlboro	420	12	28.6	10	23.8	10	100.0	1	90.9	1	2.4
Newberry	430	18	41.9	15	34.9	15	100.0	-	0	3	7.0
Oconee	200	4	20.0	3	15.0	3	100.0	-	0	1	5.0
Orangeburg	2,150	73	34.0	63	29.3	63	100.0	1	15.6	9	4.2
Pickens	370	6	16.2	5	13.5	5	100.0	-	0	1	2.7
Richland	6,570	204	31.1	129	19.6	129	100.0	1	7.7	74	11.3
Saluda	180	5	27.8	2	11.1	2	100.0	-	0	3	16.7
Spartanburg	2,250	90	40.0	78	34.7	73	93.6	1	12.7	11	4.9
Sumter	1,710	86	50.3	68	39.8	66	97.1	1	14.5	17	9.9
Union	280	12	42.9	10	35.7	10	100.0	-	0	2	7.1
Williamsburg	700	26	37.1	21	30.0	21	100.0	-	0	5	7.1
York	1,680	68	40.5	54	32.1	54	100.0	2	35.7	12	7.1
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 14-17

Table D-4.
Reported Teen Pregnancy¹ for Females Age 15-17
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	94,090	3,195 *	34.0	2,519	26.8	2,375	94.3	28	11.0	648 *	6.9
Abbeville	590	15	25.4	15	25.4	15	100.0	-	0	-	0
Aiken	3,130	114	36.4	80	25.6	70	87.5	1	12.3	33	10.5
Allendale	230	12	52.2	8	34.8	8	100.0	-	0	4	17.4
Anderson	3,510	136 *	38.7	112	31.9	103	92.0	2	17.5	22 *	6.3
Bamberg	400	4	10.0	4	10.0	4	100.0	-	0	-	0
Barnwell	440	17	38.6	12	27.3	11	91.7	-	0	5	11.4
Beaufort	2,720	71 *	26.1	45	16.5	42	93.3	2	42.6	24 *	8.8
Berkeley	3,660	111 *	30.3	82	22.4	71	86.6	-	0	29 *	7.9
Calhoun	290	13	44.8	10	34.5	10	100.0	-	0	3	10.3
Charleston	7,600	228 *	30.0	173	22.8	164	94.8	4	22.6	51 *	6.7
Cherokee	1,120	57	50.9	47	42.0	46	97.9	-	0	10	8.9
Chester	710	41	57.7	35	49.3	33	94.3	-	0	6	8.5
Chesterfield	880	35	39.8	33	37.5	30	90.9	-	0	2	2.3
Clarendon	690	28	40.6	26	37.7	23	88.5	-	0	2	2.9
Colleton	830	31	37.3	25	30.1	24	96.0	-	0	6	7.2
Darlington	1,450	60	41.4	52	35.9	52	100.0	-	0	8	5.5
Dillon	630	32	50.8	29	46.0	29	100.0	-	0	3	4.8
Dorchester	2,670	71 *	26.6	55	20.6	55	100.0	1	17.9	15 *	5.6
Edgefield	510	12	23.5	9	17.6	8	88.9	1	100.0	2	3.9
Fairfield	490	11	22.4	9	18.4	9	100.0	-	0	2	4.1
Florence	2,900	98	33.8	82	28.3	81	98.8	3	35.3	13	4.5
Georgetown	1,100	48 *	43.6	40	36.4	37	92.5	1	24.4	7 *	6.4
Greenville	8,830	311	35.2	238	27.0	228	95.8	1	4.2	72	8.2
Greenwood	1,610	69	42.9	61	37.9	57	93.4	-	0	8	5.0
Hampton	470	21	44.7	16	34.0	16	100.0	-	0	5	10.6
Horry	4,200	151 *	36.0	113	26.9	104	92.0	1	8.8	37 *	8.8
Jasper	440	26	59.1	22	50.0	20	90.9	-	0	4	9.1
Kershaw	1,130	40	35.4	26	23.0	25	96.2	1	37.0	13	11.5
Lancaster	1,460	51	34.9	46	31.5	42	91.3	-	0	5	3.4
Laurens	1,530	79	51.6	71	46.4	70	98.6	1	13.9	7	4.6
Lee	360	14	38.9	12	33.3	12	100.0	-	0	2	5.6
Lexington	4,970	150 *	30.2	116	23.3	107	92.2	-	0	34 *	6.8
McCormick	150	7	46.7	6	40.0	6	100.0	-	0	1	6.7
Marion	670	31	46.3	28	41.8	28	100.0	-	0	3	4.5
Marlboro	520	19	36.5	16	30.8	16	100.0	1	58.8	2	3.8
Newberry	790	25	31.6	19	24.1	18	94.7	-	0	6	7.6
Oconee	1,230	38	30.9	30	24.4	29	96.7	-	0	8	6.5
Orangeburg	2,360	94 *	39.8	79	33.5	79	100.0	1	12.5	14 *	5.9
Pickens	2,900	74 *	25.5	60	20.7	55	91.7	-	0	14 *	4.8
Richland	9,510	231 *	24.3	148	15.6	144	97.3	1	6.7	82 *	8.6
Saluda	390	10	25.6	7	17.9	7	100.0	-	0	3	7.7
Spartanburg	5,740	212	36.9	181	31.5	156	86.2	3	16.3	28	4.9
Sumter	2,280	105 *	46.1	87	38.2	84	96.6	1	11.4	17 *	7.5
Union	580	25	43.1	23	39.7	23	100.0	-	0	2	3.4
Williamsburg	760	31	40.8	24	31.6	23	95.8	-	0	7	9.2
York	4,640	135 *	29.1	107	23.1	101	94.4	2	18.3	26 *	5.6
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

* Includes unknown race

Table D-4A.
Reported Teen Pregnancy¹ for Females Age 15-17 by Race
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)
White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	57,860	1,463	25.3	1,158	20.0	1,029	88.9	9	7.7	296	5.1
Abbeville	400	4	10.0	4	10.0	4	100.0	-	0	-	0
Aiken	2,060	57	27.7	44	21.4	35	79.5	-	0	13	6.3
Allendale	50	2	40.0	1	20.0	1	100.0	-	0	1	20.0
Anderson	2,700	75	27.8	60	22.2	51	85.0	1	16.4	14	5.2
Bamberg	100	1	10.0	1	10.0	1	100.0	-	0	-	0
Barnwell	200	8	40.0	7	35.0	6	85.7	-	0	1	5.0
Beaufort	1,740	33	19.0	20	11.5	18	90.0	-	0	13	7.5
Berkeley	2,290	68	29.7	52	22.7	42	80.8	-	0	16	7.0
Calhoun	130	4	30.8	3	23.1	3	100.0	-	0	1	7.7
Charleston	4,460	73	16.4	55	12.3	48	87.3	1	17.9	17	3.8
Cherokee	790	37	46.8	30	38.0	29	96.7	-	0	7	8.9
Chester	370	20	54.1	17	45.9	15	88.2	-	0	3	8.1
Chesterfield	500	21	42.0	20	40.0	17	85.0	-	0	1	2.0
Clarendon	250	7	28.0	7	28.0	5	71.4	-	0	-	0
Colleton	360	11	30.6	10	27.8	9	90.0	-	0	1	2.8
Darlington	730	15	20.5	10	13.7	10	100.0	-	0	5	6.8
Dillon	250	7	28.0	7	28.0	7	100.0	-	0	-	0
Dorchester	1,690	39	23.1	28	16.6	28	100.0	-	0	11	6.5
Edgefield	290	4	13.8	2	6.9	2	100.0	-	0	2	6.9
Fairfield	160	3	18.8	3	18.8	3	100.0	-	0	-	0
Florence	1,420	26	18.3	22	15.5	21	95.5	1	43.5	3	2.1
Georgetown	560	23	41.1	20	35.7	17	85.0	-	0	3	5.4
Greenville	6,570	164	25.0	122	18.6	112	91.8	1	8.1	41	6.2
Greenwood	960	27	28.1	24	25.0	21	87.5	-	0	3	3.1
Hampton	150	7	46.7	4	26.7	4	100.0	-	0	3	20.0
Horry	3,180	96	30.2	72	22.6	63	87.5	1	13.7	23	7.2
Jasper	160	10	62.5	9	56.3	7	77.8	-	0	1	6.3
Kershaw	760	22	28.9	13	17.1	12	92.3	1	71.4	8	10.5
Lancaster	970	33	34.0	29	29.9	25	86.2	-	0	4	4.1
Laurens	1,090	45	41.3	39	35.8	38	97.4	1	25.0	5	4.6
Lee	100	2	20.0	1	10.0	1	100.0	-	0	1	10.0
Lexington	3,910	97	24.8	81	20.7	72	88.9	-	0	16	4.1
McCormick	60	1	16.7	1	16.7	1	100.0	-	0	-	0
Marion	210	6	28.6	3	14.3	3	100.0	-	0	3	14.3
Marlboro	200	8	40.0	7	35.0	7	100.0	-	0	1	5.0
Newberry	450	8	17.8	5	11.1	4	80.0	-	0	3	6.7
Oconee	1,070	34	31.8	27	25.2	26	96.3	-	0	7	6.5
Orangeburg	570	22	38.6	18	31.6	18	100.0	-	0	4	7.0
Pickens	2,590	68	26.3	55	21.2	50	90.9	-	0	13	5.0
Richland	4,250	36	8.5	24	5.6	20	83.3	-	0	12	2.8
Saluda	250	5	20.0	5	20.0	5	100.0	-	0	-	0
Spartanburg	4,000	125	31.3	106	26.5	86	81.1	2	18.5	17	4.3
Sumter	960	21	21.9	19	19.8	18	94.7	-	0	2	2.1
Union	350	14	40.0	14	40.0	14	100.0	-	0	-	0
Williamsburg	210	5	23.8	3	14.3	2	66.7	-	0	2	9.5
York	3,340	68	20.4	54	16.2	48	88.9	-	0	14	4.2
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-4A. (continued)
 Reported Teen Pregnancy¹ for Females Age 15-17 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	36,230	1,716	47.4	1,361	37.6	1,346	98.9	19	13.8	336	9.3
Abbeville	190	11	57.9	11	57.9	11	100.0	-	0	-	0
Aiken	1,070	57	53.3	36	33.6	35	97.2	1	27.0	20	18.7
Allendale	170	10	58.8	7	41.2	7	100.0	-	0	3	17.6
Anderson	810	60	74.1	52	64.2	52	100.0	1	18.9	7	8.6
Bamberg	310	3	9.7	3	9.7	3	100.0	-	0	-	0
Barnwell	240	9	37.5	5	20.8	5	100.0	-	0	4	16.7
Beaufort	980	37	37.8	25	25.5	24	96.0	2	74.1	10	10.2
Berkeley	1,360	42	30.9	30	22.1	29	96.7	-	0	12	8.8
Calhoun	170	9	52.9	7	41.2	7	100.0	-	0	2	11.8
Charleston	3,150	153	48.6	118	37.5	116	98.3	3	24.8	32	10.2
Cherokee	340	20	58.8	17	50.0	17	100.0	-	0	3	8.8
Chester	350	21	60.0	18	51.4	18	100.0	-	0	3	8.6
Chesterfield	380	14	36.8	13	34.2	13	100.0	-	0	1	2.6
Clarendon	440	21	47.7	19	43.2	18	94.7	-	0	2	4.5
Colleton	470	20	42.6	15	31.9	15	100.0	-	0	5	10.6
Darlington	710	45	63.4	42	59.2	42	100.0	-	0	3	4.2
Dillon	380	25	65.8	22	57.9	22	100.0	-	0	3	7.9
Dorchester	980	31	31.6	27	27.6	27	100.0	1	35.7	3	3.1
Edgefield	220	8	36.4	7	31.8	6	85.7	1	125.0	-	0
Fairfield	340	8	23.5	6	17.6	6	100.0	-	0	2	5.9
Florence	1,470	72	49.0	60	40.8	60	100.0	2	32.3	10	6.8
Georgetown	540	24	44.4	20	37.0	20	100.0	1	47.6	3	5.6
Greenville	2,260	147	65.0	116	51.3	116	100.0	-	0	31	13.7
Greenwood	650	42	64.6	37	56.9	36	97.3	-	0	5	7.7
Hampton	320	14	43.8	12	37.5	12	100.0	-	0	2	6.3
Horry	1,020	52	51.0	41	40.2	41	100.0	-	0	11	10.8
Jasper	280	16	57.1	13	46.4	13	100.0	-	0	3	10.7
Kershaw	370	18	48.6	13	35.1	13	100.0	-	0	5	13.5
Lancaster	490	18	36.7	17	34.7	17	100.0	-	0	1	2.0
Laurens	440	34	77.3	32	72.7	32	100.0	-	0	2	4.5
Lee	270	12	44.4	11	40.7	11	100.0	-	0	1	3.7
Lexington	1,060	52	49.1	35	33.0	35	100.0	-	0	17	16.0
McCormick	100	6	60.0	5	50.0	5	100.0	-	0	1	10.0
Marion	470	25	53.2	25	53.2	25	100.0	-	0	-	0
Marlboro	320	11	34.4	9	28.1	9	100.0	1	100.0	1	3.1
Newberry	340	17	50.0	14	41.2	14	100.0	-	0	3	8.8
Oconee	150	4	26.7	3	20.0	3	100.0	-	0	1	6.7
Orangeburg	1,790	71	39.7	61	34.1	61	100.0	1	16.1	9	5.0
Pickens	310	5	16.1	5	16.1	5	100.0	-	0	-	0
Richland	5,250	194	37.0	124	23.6	124	100.0	1	8.0	69	13.1
Saluda	140	5	35.7	2	14.3	2	100.0	-	0	3	21.4
Spartanburg	1,740	87	50.0	75	43.1	70	93.3	1	13.2	11	6.3
Sumter	1,320	83	62.9	68	51.5	66	97.1	1	14.5	14	10.6
Union	220	11	50.0	9	40.9	9	100.0	-	0	2	9.1
Williamsburg	550	26	47.3	21	38.2	21	100.0	-	0	5	9.1
York	1,300	66	50.8	53	40.8	53	100.0	2	36.4	11	8.5
Unknown	-	-	0	-	0	-	0	-	0	-	0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 15-17

Table D-5.
Reported Teen Pregnancy¹ for Females Age 18-19
Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	62,730	6,959 *	110.9	5,790 *	92.3	4,988 *	86.1	61	10.4	1,108 *	17.7
Abbeville	390	37	94.9	33	84.6	30	90.9	-	0	4	10.3
Aiken	2,090	222 *	106.2	159 *	76.1	141 *	88.7	3	18.5	60 *	28.7
Allendale	150	29	193.3	25	166.7	24	96.0	1	38.5	3	20.0
Anderson	2,340	286	122.2	256	109.4	212	82.8	-	0	30	12.8
Bamberg	270	20	74.1	16	59.3	14	87.5	-	0	4	14.8
Barnwell	300	42	140.0	37	123.3	33	89.2	1	26.3	4	13.3
Beaufort	1,810	225 *	124.3	166	91.7	127	76.5	3	17.8	56 *	30.9
Berkeley	2,440	277	113.5	233	95.5	180	77.3	1	4.3	43	17.6
Calhoun	200	20	100.0	19	95.0	16	84.2	-	0	1	5.0
Charleston	5,070	476 *	93.9	373	73.6	324	86.9	5	13.2	98 *	19.3
Cherokee	750	105	140.0	96	128.0	83	86.5	1	10.3	8	10.7
Chester	480	69	143.8	58	120.8	52	89.7	-	0	11	22.9
Chesterfield	590	96	162.7	91	154.2	84	92.3	-	0	5	8.5
Clarendon	460	55	119.6	51	110.9	44	86.3	-	0	4	8.7
Colleton	560	76	135.7	70	125.0	61	87.1	-	0	6	10.7
Darlington	960	108	112.5	100	104.2	91	91.0	1	9.9	7	7.3
Dillon	420	60	142.9	58	138.1	54	93.1	1	16.9	1	2.4
Dorchester	1,780	163	91.6	138	77.5	120	87.0	4	28.2	21	11.8
Edgefield	340	19	55.9	17	50.0	15	88.2	-	0	2	5.9
Fairfield	330	39	118.2	31	93.9	27	87.1	2	60.6	6	18.2
Florence	1,930	246 *	127.5	212	109.8	190	89.6	2	9.3	32 *	16.6
Georgetown	730	98	134.2	85	116.4	75	88.2	3	34.1	10	13.7
Greenville	5,890	577 *	98.0	479	81.3	406	84.8	4	8.3	94 *	16.0
Greenwood	1,080	135	125.0	112	103.7	99	88.4	-	0	23	21.3
Hampton	320	50	156.3	45	140.6	39	86.7	-	0	5	15.6
Horry	2,800	337 *	120.4	262	93.6	230	87.8	2	7.6	73 *	26.1
Jasper	290	43 *	148.3	34	117.2	34	100.0	3	81.1	6 *	20.7
Kershaw	750	103	137.3	91	121.3	77	84.6	2	21.5	10	13.3
Lancaster	980	108	110.2	101	103.1	90	89.1	-	0	7	7.1
Laurens	1,020	106	103.9	86	84.3	74	86.0	2	22.7	18	17.6
Lee	240	29	120.8	28	116.7	26	92.9	-	0	1	4.2
Lexington	3,310	375 *	113.3	308	93.1	265	86.0	5	16.0	62 *	18.7
McCormick	100	14	140.0	12	120.0	11	91.7	-	0	2	20.0
Marion	450	71	157.8	60	133.3	56	93.3	2	32.3	9	20.0
Marlboro	350	56	160.0	52	148.6	48	92.3	1	18.9	3	8.6
Newberry	520	73	140.4	61	117.3	46	75.4	1	16.1	11	21.2
Oconee	820	88	107.3	72	87.8	54	75.0	1	13.7	15	18.3
Orangeburg	1,580	180 *	113.9	149	94.3	141	94.6	2	13.2	29 *	18.4
Pickens	1,930	135	69.9	115	59.6	86	74.8	1	8.6	19	9.8
Richland	6,340	557 *	87.9	401	63.2	362	90.3	3	7.4	153 *	24.1
Saluda	260	31	119.2	29	111.5	27	93.1	-	0	2	7.7
Spartanburg	3,830	490 *	127.9	425	111.0	337	79.3	1	2.3	64 *	16.7
Sumter	1,520	207	136.2	180	118.4	157	87.2	2	11.0	25	16.4
Union	380	57	150.0	54	142.1	48	88.9	-	0	3	7.9
Williamsburg	500	58	116.0	47	94.0	43	91.5	1	20.8	10	20.0
York	3,100	304 *	98.1	263	84.8	235	89.4	-	0	41 *	13.2
Unknown	-	7 *	0.0	-	0	-	0	-	0	7 *	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

* Includes unknown race

Table D-5A.
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 White

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	38,570	3,567	92.5	3,050	79.1	2,334	76.5	19	6.2	498	12.9
Abbeville	270	18	66.7	16	59.3	13	81.3	-	0	2	7.4
Aiken	1,370	115	83.9	91	66.4	75	82.4	1	10.9	23	16.8
Allendale	30	2	66.7	2	66.7	1	50.0	-	0	-	0
Anderson	1,800	212	117.8	189	105.0	148	78.3	-	0	23	12.8
Bamberg	60	7	116.7	6	100.0	4	66.7	-	0	1	16.7
Barnwell	140	13	92.9	13	92.9	9	69.2	-	0	-	0
Beaufort	1,160	119	102.6	89	76.7	56	62.9	2	22.0	28	24.1
Berkeley	1,530	172	112.4	153	100.0	102	66.7	1	6.5	18	11.8
Calhoun	90	8	88.9	8	88.9	5	62.5	-	0	-	0
Charleston	2,970	164	55.2	123	41.4	78	63.4	1	8.1	40	13.5
Cherokee	530	69	130.2	62	117.0	50	80.6	1	15.9	6	11.3
Chester	240	32	133.3	28	116.7	22	78.6	-	0	4	16.7
Chesterfield	340	42	123.5	40	117.6	34	85.0	-	0	2	5.9
Clarendon	160	16	100.0	15	93.8	11	73.3	-	0	1	6.3
Colleton	240	35	145.8	32	133.3	25	78.1	-	0	3	12.5
Darlington	490	43	87.8	38	77.6	32	84.2	1	25.6	4	8.2
Dillon	170	20	117.6	20	117.6	16	80.0	-	0	-	0
Dorchester	1,130	99	87.6	85	75.2	69	81.2	2	23.0	12	10.6
Edgefield	190	8	42.1	7	36.8	5	71.4	-	0	1	5.3
Fairfield	100	10	100.0	10	100.0	6	60.0	-	0	-	0
Florence	950	85	89.5	74	77.9	58	78.4	-	0	11	11.6
Georgetown	370	41	110.8	37	100.0	27	73.0	-	0	4	10.8
Greenville	4,380	350	79.9	299	68.3	229	76.6	1	3.3	50	11.4
Greenwood	640	77	120.3	64	100.0	55	85.9	-	0	13	20.3
Hampton	100	12	120.0	11	110.0	8	72.7	-	0	1	10.0
Horry	2,120	241	113.7	185	87.3	154	83.2	-	0	56	26.4
Jasper	110	11	100.0	10	90.9	10	100.0	1	90.9	-	0
Kershaw	510	57	111.8	54	105.9	42	77.8	-	0	3	5.9
Lancaster	650	72	110.8	71	109.2	60	84.5	-	0	1	1.5
Laurens	730	69	94.5	59	80.8	47	79.7	1	16.7	9	12.3
Lee	70	6	85.7	6	85.7	4	66.7	-	0	-	0
Lexington	2,600	282	108.5	239	91.9	197	82.4	3	12.4	40	15.4
McCormick	40	3	75.0	3	75.0	2	66.7	-	0	-	0
Marion	140	19	135.7	16	114.3	14	87.5	1	58.8	2	14.3
Marlboro	130	15	115.4	13	100.0	9	69.2	-	0	2	15.4
Newberry	300	29	96.7	25	83.3	12	48.0	-	0	4	13.3
Oconee	710	75	105.6	62	87.3	45	72.6	1	15.9	12	16.9
Orangeburg	380	38	100.0	38	100.0	34	89.5	-	0	-	0
Pickens	1,730	122	70.5	106	61.3	78	73.6	1	9.3	15	8.7
Richland	2,840	137	48.2	92	32.4	63	68.5	-	0	45	15.8
Saluda	160	17	106.3	17	106.3	15	88.2	-	0	-	0
Spartanburg	2,670	303	113.5	272	101.9	190	69.9	-	0	31	11.6
Sumter	640	65	101.6	58	90.6	41	70.7	1	16.9	6	9.4
Union	240	40	166.7	38	158.3	32	84.2	-	0	2	8.3
Williamsburg	140	11	78.6	9	64.3	7	77.8	-	0	2	14.3
York	2,230	185	83.0	165	74.0	140	84.8	-	0	20	9.0
Unknown	-	1	0.0	-	0	-	0	-	0	1	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.

² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

Table D-5A. (continued)
 Reported Teen Pregnancy¹ for Females Age 18-19 by Race
 Live Births, Live Births to Unmarried Mothers, Fetal Deaths and Abortions with Rates
 South Carolina and Each County, 2008
 (Residence Data)
 Black & Other

County of Residence	Population	Reported Pregnancies ²		Live Births ²		Unmarried ⁴		Fetal Deaths ³		Abortions ²	
		Number	Rate	Number	Rate	Number	Percent	Number	Rate	Number	Rate
South Carolina	24,160	3,369	139.4	2,738	113.3	2,653	96.9	42	15.1	589	24.4
Abbeville	120	19	158.3	17	141.7	17	100.0	-	0	2	16.7
Aiken	710	103	145.1	66	93.0	65	98.5	2	29.4	35	49.3
Allendale	120	27	225.0	23	191.7	23	100.0	1	41.7	3	25.0
Anderson	540	74	137.0	67	124.1	64	95.5	-	0	7	13.0
Bamberg	200	13	65.0	10	50.0	10	100.0	-	0	3	15.0
Barnwell	160	29	181.3	24	150.0	24	100.0	1	40.0	4	25.0
Beaufort	660	104	157.6	77	116.7	71	92.2	1	12.8	26	39.4
Berkeley	910	105	115.4	80	87.9	78	97.5	-	0	25	27.5
Calhoun	110	12	109.1	11	100.0	11	100.0	-	0	1	9.1
Charleston	2,100	309	147.1	250	119.0	246	98.4	4	15.7	55	26.2
Cherokee	220	36	163.6	34	154.5	33	97.1	-	0	2	9.1
Chester	230	37	160.9	30	130.4	30	100.0	-	0	7	30.4
Chesterfield	250	54	216.0	51	204.0	50	98.0	-	0	3	12.0
Clarendon	300	39	130.0	36	120.0	33	91.7	-	0	3	10.0
Colleton	310	41	132.3	38	122.6	36	94.7	-	0	3	9.7
Darlington	480	65	135.4	62	129.2	59	95.2	-	0	3	6.3
Dillon	250	40	160.0	38	152.0	38	100.0	1	25.6	1	4.0
Dorchester	650	64	98.5	53	81.5	51	96.2	2	36.4	9	13.8
Edgefield	150	11	73.3	10	66.7	10	100.0	-	0	1	6.7
Fairfield	230	29	126.1	21	91.3	21	100.0	2	87.0	6	26.1
Florence	980	160	163.3	138	140.8	132	95.7	2	14.3	20	20.4
Georgetown	360	57	158.3	48	133.3	48	100.0	3	58.8	6	16.7
Greenville	1,510	226	149.7	180	119.2	177	98.3	3	16.4	43	28.5
Greenwood	430	58	134.9	48	111.6	44	91.7	-	0	10	23.3
Hampton	210	38	181.0	34	161.9	31	91.2	-	0	4	19.0
Horry	680	95	139.7	77	113.2	76	98.7	2	25.3	16	23.5
Jasper	190	31	163.2	24	126.3	24	100.0	2	76.9	5	26.3
Kershaw	250	46	184.0	37	148.0	35	94.6	2	51.3	7	28.0
Lancaster	330	36	109.1	30	90.9	30	100.0	-	0	6	18.2
Laurens	290	37	127.6	27	93.1	27	100.0	1	35.7	9	31.0
Lee	180	23	127.8	22	122.2	22	100.0	-	0	1	5.6
Lexington	710	91	128.2	69	97.2	68	98.6	2	28.2	20	28.2
McCormick	60	11	183.3	9	150.0	9	100.0	-	0	2	33.3
Marion	310	52	167.7	44	141.9	42	95.5	1	22.2	7	22.6
Marlboro	220	41	186.4	39	177.3	39	100.0	1	25.0	1	4.5
Newberry	220	44	200.0	36	163.6	34	94.4	1	27.0	7	31.8
Oconee	100	13	130.0	10	100.0	9	90.0	-	0	3	30.0
Orangeburg	1,200	141	117.5	111	92.5	107	96.4	2	17.7	28	23.3
Pickens	210	13	61.9	9	42.9	8	88.9	-	0	4	19.0
Richland	3,500	417	119.1	309	88.3	299	96.8	3	9.6	105	30.0
Saluda	90	14	155.6	12	133.3	12	100.0	-	0	2	22.2
Spartanburg	1,160	186	160.3	153	131.9	147	96.1	1	6.5	32	27.6
Sumter	880	142	161.4	122	138.6	116	95.1	1	8.1	19	21.6
Union	150	17	113.3	16	106.7	16	100.0	-	0	1	6.7
Williamsburg	360	47	130.6	38	105.6	36	94.7	1	25.6	8	22.2
York	870	117	134.5	98	112.6	95	96.9	-	0	19	21.8
Unknown	-	5	0.0	-	0	-	0	-	0	5	0.0

¹ Reported pregnancies equal total live births plus abortions plus reported fetal deaths.


² Reported pregnancies, Live Births and Abortions: Rates calculated per 1,000 female population

³ Fetal Deaths: Rates calculated per 1,000 deliveries

⁴ Live Births to Unmarried Mothers: Percentage represents percent of all live births to unmarried females age 18-19

The State Fish

“The Striped Bass”



Officially adopted by the General Assembly in 1972

ABORTIONS

Table E-1.
Abortions and Abortion Rates¹ by Race
South Carolina, 1999-2008
(Residence Data)

Year	Total*		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1999	10,429 *	190.6	5,519	159.1	4,860	243.0
2000	9,946 *	177.7	5,129	145.9	4,777	229.6
2001	10,124 *	181.6	5,028	140.7	5,045	252.1
2002	10,947 *	201.0	5,507	156.7	5,268	273.0
2003	11,527 *	207.8	5,811	161.4	5,507	283.1
2004	10,534 *	186.3	5,462	148.1	4,904	250.0
2005	11,919 *	207.2	5,826	155.9	5,925	295.1
2006	13,116 *	210.9	6,209	155.4	6,665	301.2
2007	12,838 *	204.0	6,083	149.7	6,519	292.9
2008	10,917 *	173.1	5,230	128.5	5,395	241.7

¹ Rate per 1,000 live births

* Includes unknown race

Figure E-1.
Abortion Rates by Race
South Carolina, 1999-2008
(Residence Data)




Table E-2.
Abortions by Age Group: South Carolina and Each County, 2008
(Residence Data)

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	10,917 *	67	106	209	333	496	612	3,623	2,686	1,530	1,161	94
Abbeville	36	1	-	-	-	1	3	18	5	5	3	-
Aiken	440 *	6	2	12	19	28	32	141	103	65	30	2
Allendale	34 *	-	2	1	1	2	1	13	7	4	3	-
Anderson	336 *	1	3	13	6	11	19	114	76	50	43	-
Bamberg	25	-	-	-	-	2	2	10	9	2	-	-
Barnwell	54	2	-	3	2	1	3	11	19	9	4	-
Beaufort	494 *	5	2	10	12	27	29	131	140	81	57	-
Berkeley	459 *	-	8	11	10	22	21	153	107	62	59	6
Calhoun	17	-	-	1	2	-	1	4	4	2	3	-
Charleston	1,187 *	4	10	12	29	44	54	433	320	145	124	12
Cherokee	74	1	2	2	6	5	3	20	17	12	6	-
Chester	86 *	2	-	2	4	5	6	29	13	15	8	2
Chesterfield	54 *	-	2	-	-	2	3	24	7	7	8	1
Clarendon	48	-	1	-	1	3	1	13	17	8	3	1
Colleton	98 *	1	-	3	3	6	-	40	23	11	10	1
Darlington	97	2	1	3	4	3	4	27	23	21	7	2
Dillon	61 *	-	-	1	2	1	-	32	13	6	4	2
Dorchester	296 *	2	4	5	6	12	9	92	90	39	31	6
Edgefield	37	-	-	1	1	-	2	18	10	1	4	-
Fairfield	44 *	-	1	1	-	2	4	15	7	7	5	2
Florence	234 *	-	2	6	5	13	19	81	65	22	20	1
Georgetown	112 *	1	-	1	6	4	6	44	26	10	12	2
Greenville	1,096 *	6	11	18	43	38	56	324	276	179	142	3
Greenwood	174 *	2	4	3	1	9	14	61	42	24	14	-
Hampton	47	-	2	2	1	3	2	12	14	7	4	-
Horry	697 *	3	6	9	22	28	45	202	184	97	91	10
Jasper	71 *	1	2	1	1	3	3	25	14	12	9	-
Kershaw	133 *	2	4	2	7	4	6	41	31	21	14	1
Lancaster	94 *	-	-	1	4	2	5	29	30	11	11	1
Laurens	132 *	1	1	1	5	8	10	44	31	13	18	-
Lee	38 *	-	-	-	2	1	-	18	6	8	3	-
Lexington	514 *	4	3	14	17	29	33	177	117	73	45	2
McCormick	14 *	-	-	1	-	1	1	6	1	4	-	-
Marion	64	-	-	-	3	4	5	14	14	13	11	-
Marlboro	44 *	-	-	-	1	1	2	1	16	13	6	3
Newberry	81	1	1	1	4	2	9	26	20	9	8	-
Oconee	107	-	4	1	3	8	7	33	26	13	11	1
Orangeburg	285 *	-	-	8	6	15	14	107	69	47	17	2
Pickens	184 *	4	3	3	8	7	12	56	41	30	20	-
Richland	1,404 *	5	10	25	47	68	85	512	330	184	130	8
Saluda	31 *	-	1	2	-	-	2	9	11	5	1	-
Spartanburg	524 *	1	8	9	11	32	32	150	128	74	71	8
Sumter	250 *	4	2	5	10	12	13	92	53	31	26	2
Union	40	-	-	-	2	1	2	13	6	10	5	1
Williamsburg	103 *	1	-	4	3	3	7	33	23	16	12	1
York	433 *	3	4	10	12	19	22	151	97	55	48	12
Unknown	34 *	1	-	-	1	3	4	9	8	4	3	1

* Includes unknown race

Table E-2A.
Abortions by Age Group and Race: South Carolina and Each County, 2008
White

County of Residence	Age in Years											
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,230	18	46	93	157	216	282	1,785	1,241	696	663	33
Abbeville	16	-	-	-	-	1	1	8	3	1	2	-
Aiken	175	3	-	7	6	12	11	54	37	25	19	1
Allendale	2	-	-	1	-	-	-	-	-	1	-	-
Anderson	240	1	1	10	3	7	16	87	55	33	27	-
Bamberg	4	-	-	-	-	-	1	2	1	-	-	-
Barnwell	7	-	-	-	1	-	-	1	2	2	1	-
Beaufort	276	2	1	6	6	13	15	75	73	47	38	-
Berkeley	241	-	2	7	7	9	9	88	48	30	37	4
Calhoun	4	-	-	-	1	-	-	1	1	-	1	-
Charleston	614	-	4	2	11	14	26	237	170	72	73	5
Cherokee	43	1	1	2	4	4	2	9	8	7	5	-
Chester	32	-	-	1	2	-	4	9	6	5	4	1
Chesterfield	29	-	1	-	-	1	1	13	6	2	5	-
Clarendon	11	-	-	-	-	-	1	5	3	-	2	-
Colleton	37	-	-	1	-	3	-	17	10	2	4	-
Darlington	35	1	1	2	2	1	3	10	7	5	3	-
Dillon	8	-	-	-	-	-	-	4	2	-	2	-
Dorchester	172	-	1	5	5	7	5	49	55	18	26	1
Edgefield	14	-	-	1	1	-	1	7	2	-	2	-
Fairfield	4	-	-	-	-	-	-	1	1	-	2	-
Florence	82	-	-	1	2	5	6	32	17	7	12	-
Georgetown	52	-	-	1	2	1	3	23	8	5	7	2
Greenville	619	2	6	8	27	19	31	185	155	96	90	-
Greenwood	79	1	3	-	-	5	8	28	19	8	7	-
Hampton	14	-	2	-	1	1	-	2	5	1	2	-
Horry	515	2	3	5	15	20	36	154	136	71	67	6
Jasper	23	-	1	-	-	-	-	11	4	3	4	-
Kershaw	65	-	3	1	4	1	2	22	15	10	7	-
Lancaster	35	-	-	-	4	1	-	12	8	5	5	-
Laurens	51	-	-	-	5	3	6	20	8	3	6	-
Lee	6	-	-	-	1	-	-	3	-	2	-	-
Lexington	328	-	2	7	7	21	19	118	76	43	35	-
McCormick	3	-	-	-	-	-	-	2	-	1	-	-
Marion	16	-	-	-	3	1	1	2	4	4	1	-
Marlboro	14	-	-	1	-	1	1	4	3	2	2	-
Newberry	33	1	-	-	3	1	3	14	4	5	2	-
Oconee	82	-	4	1	2	7	5	26	18	11	7	1
Orangeburg	42	-	-	2	2	-	-	12	13	11	2	-
Pickens	151	2	3	3	7	6	9	48	33	24	16	-
Richland	436	-	-	5	7	18	27	196	89	51	40	3
Saluda	5	-	-	-	-	-	-	2	3	-	-	-
Spartanburg	280	-	4	7	6	17	14	74	68	36	53	1
Sumter	69	-	-	-	2	3	3	29	9	12	11	-
Union	18	-	-	-	-	1	1	6	2	6	1	1
Williamsburg	17	-	-	1	1	-	2	8	2	-	3	-
York	225	2	3	5	6	11	9	74	51	28	29	7
Unknown	6	-	-	-	1	1	-	1	1	1	1	-

Table E-2A. (continued)
Abortions by Age Group and Race: South Carolina and Each County, 2008
Black & Other

County of Residence	Total	Age in Years										
		<15	15	16	17	18	19	20-24	25-29	30-34	35 +	Unknown
South Carolina	5,395	48	57	111	168	273	316	1,740	1,367	794	469	52
Abbeville	20	1	-	-	-	2	10	2	4	1	-	
Aiken	257	3	2	5	13	16	19	84	64	39	11	1
Allendale	31	-	2	-	1	2	1	13	7	2	3	-
Anderson	91	-	2	3	2	4	3	24	21	17	15	-
Bamberg	21	-	-	-	-	2	1	8	8	2	-	-
Barnwell	47	2	-	3	1	1	3	10	17	7	3	-
Beaufort	200	3	1	3	6	12	14	52	60	32	17	-
Berkeley	209	-	5	4	3	13	12	60	58	31	21	2
Calhoun	13	-	-	1	1	-	1	3	3	2	2	-
Charleston	533	4	6	9	17	29	26	181	138	68	48	7
Cherokee	31	-	1	-	2	1	1	11	9	5	1	-
Chester	53	2	-	1	2	5	2	19	7	10	4	1
Chesterfield	24	-	1	-	-	1	2	10	1	5	3	1
Clarendon	37	-	1	-	1	3	-	8	14	8	1	1
Colleton	60	1	-	2	3	3	-	23	12	9	6	1
Darlington	62	1	-	1	2	2	1	17	16	16	4	2
Dillon	52	-	-	1	2	1	-	28	11	6	1	2
Dorchester	116	1	2	-	1	5	4	41	35	17	5	5
Edgefield	23	-	-	-	-	-	1	11	8	1	2	-
Fairfield	37	-	1	1	-	2	4	13	6	6	3	1
Florence	147	-	2	5	3	8	12	47	48	13	8	1
Georgetown	57	1	-	-	3	3	3	20	18	5	4	-
Greenville	458	4	5	10	16	18	25	135	117	78	47	3
Greenwood	94	1	1	3	1	4	6	32	23	16	7	-
Hampton	33	-	-	2	-	2	2	10	9	6	2	-
Horry	142	1	2	3	6	8	8	35	32	23	20	4
Jasper	47	1	1	1	1	3	2	14	10	9	5	-
Kershaw	65	2	1	1	3	3	4	17	16	11	7	-
Lancaster	44	-	-	1	-	1	5	13	16	3	4	1
Laurens	80	1	1	1	-	5	4	24	22	10	12	-
Lee	30	-	-	-	1	1	-	14	5	6	3	-
Lexington	171	4	1	7	9	8	12	56	34	30	9	1
McCormick	10	-	-	1	-	1	1	4	-	3	-	-
Marion	48	-	-	-	-	3	4	12	10	9	10	-
Marlboro	29	-	-	-	1	1	-	11	10	4	1	1
Newberry	48	-	1	1	1	1	6	12	16	4	6	-
Oconee	25	-	-	-	1	1	2	7	8	2	4	-
Orangeburg	237	-	-	5	4	14	14	94	54	35	15	2
Pickens	30	2	-	-	-	1	3	7	8	5	4	-
Richland	943	5	10	19	40	48	57	306	237	130	86	5
Saluda	22	-	1	2	-	-	2	4	8	4	1	-
Spartanburg	238	1	4	2	5	15	17	76	59	37	17	5
Sumter	174	4	2	5	7	9	10	62	41	19	14	1
Union	22	-	-	-	2	-	1	7	4	4	4	-
Williamsburg	83	1	-	3	2	3	5	24	19	16	9	1
York	181	1	1	5	5	8	11	65	42	23	18	2
Unknown	20	1	-	-	-	2	3	6	4	2	1	1

Table E-3.
Abortions by Age Group and Race of Mother: South Carolina and Selected Counties, 2008
(Occurrence Data)

County of Occurrence	Total												Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +		
S CAROLINA	7,187	31	72	129	289	335	399	2,352	1,727	994	831	28	
CHARLESTON	2,562	10	23	42	92	116	126	846	646	339	301	21	
GREENVILLE	2,547	12	34	50	110	108	143	756	606	384	342	2	
RICHLAND	2,074	9	15	37	87	110	130	748	474	271	188	5	
ANDERSON	2	-	-	-	-	-	-	1	1	-	-	-	
YORK	2	-	-	-	-	1	-	1	-	-	-	-	


County of Occurrence	White												Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +		
S CAROLINA	3,945	8	32	66	163	163	210	1,324	932	520	516	11	
GREENVILLE	1,666	6	22	34	82	66	95	497	390	241	233	-	
CHARLESTON	1,479	2	7	19	54	55	71	512	371	182	195	11	
RICHLAND	797	-	3	13	27	42	44	313	170	97	88	-	
ANDERSON	2	-	-	-	-	-	-	1	1	-	-	-	
YORK	1	-	-	-	-	-	-	1	-	-	-	-	

County of Occurrence	Black and Other												Unknown
	Total	<15	15	16	17	18	19	20-24	25-29	30-34	35 +		
S CAROLINA	3,106	22	38	61	119	168	181	986	765	454	301	11	
RICHLAND	1,237	9	12	23	58	66	84	422	293	172	97	1	
CHARLESTON	1,008	7	14	22	35	59	50	310	258	145	99	9	
GREENVILLE	860	6	12	16	26	42	47	254	214	137	105	1	
YORK	1	-	-	-	-	1	-	-	-	-	-	-	

NOTE: Counties not listed had no occurrences

The State Shell


“The Oliva Sayana”




Officially adopted by the General Assembly in 1984

PERINATAL

Figure F-1.
Three-Year Infant Mortality Rates* by County
South Carolina, 2006-2008
(Residence Data)



Infant Mortality Rates



*Rates are per 1,000 population

Map Source:
Division of Informatics, PHSIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SCDHEC

Table F-1.
Infant Mortality and Infant Mortality Rates¹ by Race
South Carolina, 1984-2008
(Residence Data)

Year	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
1984	743	14.7	339	11.1	404	20.2
1985	735	14.2	301	9.5	434	21.4
1986	685	13.2	318	10.2	367	17.9
1987	673	12.8	309	9.7	364	17.5
1988	673	12.2	316	9.5	357	16.2
1989	731	12.8	310	9.1	421	18.2
1990	679	11.6	291	8.2	388	16.9
1991	644	11.2	279	8.1	365	15.9
1992	588	10.5	243	7.2	345	15.5
1993	544	10.1	218	6.7	326	15.4
1994	486	9.4	211	6.6	275	13.8
1995	480	9.4	212	6.7	268	14.1
1996	424	8.3	179	5.5	245	13.0
1997	494	9.5	207	6.3	287	15.4
1998	511	9.5	204	6.0	307	15.5
1999	564	10.3	236	6.8	328	16.4
2000	488	8.7	192	5.5	296	14.2
2001	496	8.9	206	5.8	290	14.5
2002	507	9.3	208	5.9	298	15.4
2003	463	8.3	211	5.9	252	13.0
2004	524	9.3	236	6.4	288	14.7
2005	549	9.5	261	7.0	286	14.2
2006	520	8.4	231	5.8	288	13.0
2007	538	8.5	243	6.0	295	13.3
2008	504	8.0	242	5.9	241	10.8

¹ Rate per 1,000 Live Births

* Includes unknown race

Figure F-2
Infant Mortality Rates by Race
South Carolina, 1984-2008
(Residence Data)




Table F-2.
Leading Causes of Infant Death by Age at Death
South Carolina, 2008
(Residence Data)

Cause of Death	Total	Under 1 Day	1 - 6 Days	7 - 27 Days	28 - 364 Days
Total Infant Deaths	504	203	48	59	194
Congenital Malformations, Etc. (Q00-Q99)	84	38	11	13	22
Disorders Related To Short Gestation, Etc. (P07)	69	62	5	1	1
Sudden Infant Death Syndrome (R95)	57	-	-	6	51
Newborn Affected by Maternal Complication Of Pregnancy (P01)	53	53	-	-	-
Accidents (V01-X59,Y85-Y86)	41	-	-	6	35
Diseases of Circulatory System (I00-I99)	14	1	2	1	10
Bacterial Sepsis Of Newborn (P36)	14	2	5	7	-
Newborn Affected by Complication Of Placenta, Etc. (P02)	12	11	-	-	1
Respiratory Distress Of Newborn (P22)	12	5	6	1	-
All Other Causes	148	31	19	24	74

Figure F-3
Percent of Infant Deaths by Age at Death
South Carolina, 2008
(Residence Data)




Table F-3.
Infant Mortality and Infant Mortality Rates¹
South Carolina and Each County, 2008, 2006-2008, 2003-2005
(Residence Data)

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	504 *	8.0	1,562 *	8.3	1,536 *	9.1
Abbeville	2	7.0	14	15.6	16	17.7
Aiken	12	6.1	46	7.5	69	12.5
Allendale	1	6.7	10	23.3	8	17.4
Anderson	19 *	7.8	53 *	7.2	62	9.3
Bamberg	2	10.9	4	6.7	6	10.9
Barnwell	1 *	3.0	8 *	8.1	14	14.3
Beaufort	11	4.7	47 *	6.7	45	6.9
Berkeley	22 *	8.1	63 *	8.2	59	9.1
Calhoun	2	10.4	5	9.5	5	10.0
Charleston	47 *	9.1	165 *	10.7	149 *	10.5
Cherokee	7	9.8	23	10.8	32	15.8
Chester	2	4.3	10	7.1	16	12.7
Chesterfield	7	11.8	20	11.1	16	10.1
Clarendon	2 *	5.1	8 *	6.5	10	8.2
Colleton	2	3.7	13	7.5	19	12.3
Darlington	9	10.6	23	8.9	36	13.9
Dillon	1	2.0	7	4.7	9	6.4
Dorchester	14	7.5	32	5.7	25	5.7
Edgefield	-	0	5	6.7	3	4.0
Fairfield	1	3.8	5	6.1	13	14.1
Florence	21	10.8	72	12.2	59	10.2
Georgetown	8	11.1	24	11.0	27	12.5
Greenville	49 *	7.3	129 *	6.6	113	6.6
Greenwood	8	8.0	32	10.7	39	15.0
Hampton	4	14.1	9	10.0	13	15.4
Horry	30	9.1	92	9.1	72	8.6
Jasper	6	15.4	10	8.4	10 *	10.0
Kershaw	5	5.8	20	7.9	9	4.2
Lancaster	7	7.1	20	7.0	21	9.0
Laurens	12	13.9	38	14.1	24	10.0
Lee	-	0	3	4.1	14	18.2
Lexington	24	6.9	71	6.9	54	5.7
McCormick	-	0	4	14.1	4	17.2
Marion	13 *	27.2	27 *	18.1	11	7.8
Marlboro	4	10.3	11	9.7	10	9.5
Newberry	3	5.6	10	6.2	9	6.0
Oconee	11 *	13.3	19 *	7.5	15	6.2
Orangeburg	24 *	17.3	73 *	17.5	43	11.1
Pickens	5	3.6	13	3.2	28	7.3
Richland	29 *	5.6	93 *	6.1	122	8.8
Saluda	4	15.4	7	8.4	4	5.5
Spartanburg	28 *	7.0	86 *	7.4	104	10.1
Sumter	14	8.3	36	7.1	46	9.3
Union	3	8.8	11	10.6	8	8.4
Williamsburg	5	10.9	24	17.3	14	9.9
York	23	7.5	67	7.5	51	6.8
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A.
Infant Mortality and Infant Mortality Rates¹ by Race
South Carolina and Each County, 2008, 2006-2008, 2003-2005
(Residence Data)

White

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	242	5.9	716	5.9	708	6.4
Abbeville	1	5.3	5	8.5	3	5.0
Aiken	6	4.6	22	5.3	43	11.4
Allendale	-	0	1	13.5	1	11.0
Anderson	14	7.3	28	4.9	32	6.0
Bamberg	1	17.2	1	6.0	3	17.5
Barnwell	-	0	2	4.7	2	4.4
Beaufort	5	3.0	22	4.3	23	4.8
Berkeley	11	5.6	30	5.6	33	7.2
Calhoun	2	20.6	2	7.6	2	8.0
Charleston	18	5.7	65	7.0	64	7.4
Cherokee	3	6.0	14	9.1	19	12.6
Chester	-	0	3	4.2	8	11.8
Chesterfield	2	5.8	8	7.6	9	9.6
Clarendon	1	6.1	2	4.0	2	4.0
Colleton	1	3.4	5	5.5	7	8.7
Darlington	3	7.6	8	6.4	16	12.0
Dillon	-	0	3	4.6	2	3.1
Dorchester	7	5.3	17	4.4	17	5.5
Edgefield	-	0	1	2.5	2	4.8
Fairfield	-	0	1	4.2	1	3.5
Florence	8	8.9	21	7.4	16	5.4
Georgetown	1	2.6	10	8.4	12	9.7
Greenville	30	5.9	72	4.8	62	4.7
Greenwood	5	7.9	16	8.6	13	7.7
Hampton	-	0	1	2.9	2	6.2
Horry	23	8.8	71	8.9	41	6.3
Jasper	2	9.0	3	4.2	2	3.7
Kershaw	4	6.6	12	6.7	5	3.2
Lancaster	1	1.4	7	3.6	10	6.3
Laurens	8	13.4	20	10.7	12	7.1
Lee	-	0	-	0	2	10.2
Lexington	18	6.4	48	5.8	31	4.1
McCormick	-	0	2	22.5	-	0
Marion	3	17.9	7	14.0	1	2.1
Marlboro	-	0	3	6.9	4	10.1
Newberry	2	5.6	7	6.7	4	4.1
Oconee	9	12.0	16	7.0	14	6.3
Orangeburg	6	15.0	16	12.9	12	10.1
Pickens	5	4.0	13	3.5	20	5.7
Richland	4	1.8	20	3.1	34	5.6
Saluda	3	16.3	6	9.8	2	3.8
Spartanburg	13	4.4	45	5.3	70	9.1
Sumter	3	3.9	8	3.3	17	7.0
Union	2	9.2	9	13.6	6	9.7
Williamsburg	1	7.5	2	5.1	2	5.2
York	16	7.0	41	6.1	25	4.3
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-3A. (continued)
 Infant Mortality and Infant Mortality Rates¹ by Race
 South Carolina and Each County, 2008, 2006-2008, 2003-2005
 (Residence Data)
 Black & Other

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	241	10.8	824	12.4	826	14.0
Abbeville	1	10.1	9	29.2	13	42.2
Aiken	6	9.1	24	12.3	26	15.1
Allendale	1	8.5	9	25.4	7	19.0
Anderson	4	7.8	24	15.5	30	22.6
Bamberg	1	7.9	3	7.0	3	7.9
Barnwell	-	0	5	8.9	12	22.9
Beaufort	6	8.9	24	12.4	22	12.7
Berkeley	10	13.1	32	14.1	26	13.7
Calhoun	-	0	3	11.4	3	12.1
Charleston	25	12.2	96	15.6	84	15.0
Cherokee	4	18.7	9	15.3	13	25.1
Chester	2	8.9	7	10.1	8	13.7
Chesterfield	5	20.4	12	16.0	7	10.8
Clarendon	-	0	5	6.9	8	11.1
Colleton	1	4.0	8	9.8	12	16.1
Darlington	6	13.1	15	11.3	20	16.0
Dillon	1	3.5	4	4.7	7	9.1
Dorchester	7	12.5	15	9.0	8	6.3
Edgefield	-	0	4	11.8	1	3.0
Fairfield	1	5.3	4	6.8	12	19.0
Florence	13	12.5	51	16.6	43	15.3
Georgetown	7	20.5	14	14.1	15	16.3
Greenville	18	11.3	56	12.0	51	13.0
Greenwood	3	8.2	16	14.4	26	28.2
Hampton	4	22.3	8	14.3	11	21.1
Horry	7	10.4	21	9.9	31	16.6
Jasper	4	24.0	7	14.5	7	15.5
Kershaw	1	4.0	8	10.8	4	6.4
Lancaster	6	20.4	13	14.2	11	15.0
Laurens	4	15.1	18	21.6	12	16.9
Lee	-	0	3	5.4	12	21.0
Lexington	6	9.3	23	11.8	23	12.4
McCormick	-	0	2	10.3	4	26.0
Marion	9	29.0	19	19.1	10	10.7
Marlboro	4	16.2	8	11.5	6	9.1
Newberry	1	5.6	3	5.2	5	9.6
Oconee	1	12.8	2	8.5	1	4.7
Orangeburg	13	13.2	52	17.7	31	11.5
Pickens	-	0	-	0	8	24.8
Richland	23	7.7	71	8.0	88	11.4
Saluda	1	13.2	1	4.5	2	10.3
Spartanburg	12	11.2	38	12.0	34	13.2
Sumter	11	12.0	28	10.4	29	11.7
Union	1	8.1	2	5.3	2	6.0
Williamsburg	4	12.3	22	22.0	12	11.6
York	7	9.2	26	11.3	26	14.5
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4.
 Neonatal Mortality and Neonatal Mortality Rates¹
 South Carolina and Each County, 2008, 2006-2008, 2003-2005
 (Residence Data)

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	310 *	4.9	1,009 *	5.4	1,032 *	6.1
Abbeville	2	7.0	8	8.9	14	15.5
Aiken	9	4.6	31	5.1	47	8.5
Allendale	-	0	5	11.7	6	13.1
Anderson	10 *	4.1	32 *	4.4	48	7.2
Bamberg	1	5.4	3	5.0	4	7.3
Barnwell	1 *	3.0	7 *	7.1	10	10.2
Beaufort	8	3.4	36 *	5.1	30	4.6
Berkeley	15 *	5.5	39 *	5.1	38	5.8
Calhoun	2	10.4	5	9.5	4	8.0
Charleston	33 *	6.4	119 *	7.7	114 *	8.0
Cherokee	3	4.2	12	5.6	19	9.4
Chester	1	2.2	6	4.3	13	10.3
Chesterfield	5	8.4	16	8.9	13	8.2
Clarendon	1 *	2.6	5 *	4.1	7	5.7
Colleton	1	1.8	9	5.2	12	7.7
Darlington	8	9.4	15	5.8	23	8.9
Dillon	1	2.0	3	2.0	4	2.8
Dorchester	11	5.9	24	4.3	15	3.4
Edgefield	-	0	4	5.4	2	2.7
Fairfield	1	3.8	4	4.8	10	10.9
Florence	14	7.2	52	8.8	41	7.1
Georgetown	6	8.3	16	7.3	18	8.4
Greenville	36 *	5.4	89 *	4.6	76	4.4
Greenwood	6	6.0	21	7.0	33	12.7
Hampton	4	14.1	8	8.9	9	10.6
Horry	24	7.3	66	6.5	45	5.4
Jasper	3	7.7	7	5.9	3	3.0
Kershaw	2	2.3	14	5.5	4	1.8
Lancaster	4	4.1	12	4.2	9	3.9
Laurens	8	9.3	24	8.9	16	6.7
Lee	-	0	2	2.7	10	13.0
Lexington	9	2.6	41	4.0	30	3.2
McCormick	-	0	3	10.6	3	12.9
Marion	8	16.7	17	11.4	7	5.0
Marlboro	1	2.6	5	4.4	7	6.6
Newberry	-	0	4	2.5	6	4.0
Oconee	9	10.9	14	5.5	11	4.5
Orangeburg	15 *	10.8	49 *	11.7	29	7.5
Pickens	2	1.5	8	2.0	17	4.4
Richland	13 *	2.5	48 *	3.1	78	5.6
Saluda	1	3.8	3	3.6	3	4.1
Spartanburg	14 *	3.5	51 *	4.4	61	5.9
Sumter	6	3.5	17	3.3	27	5.5
Union	2	5.9	6	5.8	6	6.3
Williamsburg	2	4.4	13	9.4	10	7.0
York	8	2.6	36	4.0	40	5.3
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A.
Neonatal Mortality and Neonatal Mortality Rates¹ by Race
South Carolina and Each County, 2008, 2006-2008, 2003-2005
(Residence Data)

White

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	146	3.6	454	3.7	467	4.2
Abbeville	1	5.3	3	5.1	1	1.7
Aiken	4	3.1	12	2.9	31	8.2
Allendale	-	0	1	13.5	1	11.0
Anderson	8	4.2	17	2.9	22	4.1
Bamberg	-	0	-	0	2	11.7
Barnwell	-	0	2	4.7	2	4.4
Beaufort	4	2.4	17	3.3	14	2.9
Berkeley	7	3.6	18	3.3	21	4.6
Calhoun	2	20.6	2	7.6	1	4.0
Charleston	14	4.5	45	4.8	47	5.5
Cherokee	1	2.0	7	4.5	11	7.3
Chester	-	0	2	2.8	7	10.3
Chesterfield	1	2.9	5	4.8	9	9.6
Clarendon	-	0	1	2.0	1	2.0
Colleton	1	3.4	5	5.5	3	3.7
Darlington	3	7.6	5	4.0	11	8.3
Dillon	-	0	2	3.0	1	1.6
Dorchester	5	3.8	13	3.3	8	2.6
Edgefield	-	0	-	0	1	2.4
Fairfield	-	0	1	4.2	1	3.5
Florence	4	4.5	13	4.6	13	4.4
Georgetown	-	0	6	5.1	8	6.5
Greenville	21	4.1	48	3.2	43	3.3
Greenwood	4	6.4	8	4.3	12	7.1
Hampton	-	0	-	0	2	6.2
Horry	19	7.3	54	6.8	22	3.4
Jasper	1	4.5	2	2.8	-	0
Kershaw	2	3.3	9	5.0	3	1.9
Lancaster	-	0	4	2.1	2	1.3
Laurens	4	6.7	14	7.5	5	3.0
Lee	-	0	-	0	1	5.1
Lexington	7	2.5	29	3.5	19	2.5
McCormick	-	0	1	11.2	-	0
Marion	2	11.9	3	6.0	1	2.1
Marlboro	-	0	2	4.6	3	7.6
Newberry	-	0	4	3.8	1	1.0
Oconee	8	10.7	13	5.7	10	4.5
Orangeburg	4	10.0	9	7.3	8	6.7
Pickens	2	1.6	8	2.1	13	3.7
Richland	2	0.9	11	1.7	28	4.6
Saluda	1	5.4	3	4.9	1	1.9
Spartanburg	5	1.7	24	2.8	42	5.4
Sumter	1	1.3	4	1.7	11	4.5
Union	1	4.6	4	6.0	4	6.5
Williamsburg	-	0	-	0	2	5.2
York	7	3.1	23	3.4	18	3.1
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-4A. (continued)
 Neonatal Mortality and Neonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2008, 2006-2008, 2003-2005
 (Residence Data)
 Black & Other

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	146	6.5	536	8.0	564	9.5
Abbeville	1	10.1	5	16.2	13	42.2
Aiken	5	7.6	19	9.7	16	9.3
Allendale	-	0	4	11.3	5	13.6
Anderson	1	1.9	14	9.0	26	19.6
Bamberg	1	7.9	3	7.0	2	5.3
Barnwell	-	0	4	7.1	8	15.3
Beaufort	4	6.0	18	9.3	16	9.3
Berkeley	7	9.2	20	8.8	17	9.0
Calhoun	-	0	3	11.4	3	12.1
Charleston	16	7.8	71	11.6	66	11.8
Cherokee	2	9.3	5	8.5	8	15.5
Chester	1	4.4	4	5.7	6	10.3
Chesterfield	4	16.3	11	14.6	4	6.2
Clarendon	-	0	3	4.2	6	8.3
Colleton	-	0	4	4.9	9	12.1
Darlington	5	10.9	10	7.5	12	9.6
Dillon	1	3.5	1	1.2	3	3.9
Dorchester	6	10.7	11	6.6	7	5.5
Edgefield	-	0	4	11.8	1	3.0
Fairfield	1	5.3	3	5.1	9	14.2
Florence	10	9.6	39	12.7	28	9.9
Georgetown	6	17.6	10	10.1	10	10.9
Greenville	14	8.8	40	8.6	33	8.4
Greenwood	2	5.4	13	11.7	21	22.8
Hampton	4	22.3	8	14.3	7	13.4
Horry	5	7.4	12	5.7	23	12.3
Jasper	2	12.0	5	10.4	3	6.7
Kershaw	-	0	5	6.7	1	1.6
Lancaster	4	13.6	8	8.7	7	9.5
Laurens	4	15.1	10	12.0	11	15.5
Lee	-	0	2	3.6	9	15.8
Lexington	2	3.1	12	6.1	11	5.9
McCormick	-	0	2	10.3	3	19.5
Marion	6	19.4	14	14.1	6	6.4
Marlboro	1	4.0	3	4.3	4	6.1
Newberry	-	0	-	0	5	9.6
Oconee	1	12.8	1	4.2	1	4.7
Orangeburg	6	6.1	35	11.9	21	7.8
Pickens	-	0	-	0	4	12.4
Richland	9	3.0	35	4.0	50	6.5
Saluda	-	0	-	0	2	10.3
Spartanburg	6	5.6	24	7.6	19	7.4
Sumter	5	5.5	13	4.8	16	6.4
Union	1	8.1	2	5.3	2	6.0
Williamsburg	2	6.2	13	13.0	8	7.7
York	1	1.3	13	5.7	22	12.3
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5.
Postneonatal Mortality and Postneonatal Mortality Rates¹
South Carolina and Each County, 2008, 2006-2008, 2003-2005
(Residence Data)

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	194 *	3.1	553 *	2.9	504 *	3.0
Abbeville	-	0	6	6.7	2	2.2
Aiken	3	1.5	15	2.4	22	4.0
Allendale	1	6.7	5	11.7	2	4.4
Anderson	9	3.7	21	2.9	14	2.1
Bamberg	1	5.4	1	1.7	2	3.6
Barnwell	-	0	1	1.0	4	4.1
Beaufort	3	1.3	11	1.6	15	2.3
Berkeley	7	2.6	24	3.1	21	3.2
Calhoun	-	0	-	0	1	2.0
Charleston	14 *	2.7	46 *	3.0	35	2.5
Cherokee	4	5.6	11	5.2	13	6.4
Chester	1	2.2	4	2.8	3	2.4
Chesterfield	2	3.4	4	2.2	3	1.9
Clarendon	1	2.6	3	2.4	3	2.5
Colleton	1	1.8	4	2.3	7	4.5
Darlington	1	1.2	8	3.1	13	5.0
Dillon	-	0	4	2.7	5	3.5
Dorchester	3	1.6	8	1.4	10	2.3
Edgefield	-	0	1	1.3	1	1.3
Fairfield	-	0	1	1.2	3	3.3
Florence	7	3.6	20	3.4	18	3.1
Georgetown	2	2.8	8	3.7	9	4.2
Greenville	13	1.9	40	2.0	37	2.2
Greenwood	2	2.0	11	3.7	6	2.3
Hampton	-	0	1	1.1	4	4.7
Horry	6	1.8	26	2.6	27	3.2
Jasper	3	7.7	3	2.5	7 *	7.0
Kershaw	3	3.5	6	2.4	5	2.3
Lancaster	3	3.0	8	2.8	12	5.2
Laurens	4	4.6	14	5.2	8	3.3
Lee	-	0	1	1.4	4	5.2
Lexington	15	4.3	30	2.9	24	2.5
McCormick	-	0	1	3.5	1	4.3
Marion	5 *	10.5	10 *	6.7	4	2.8
Marlboro	3	7.7	6	5.3	3	2.8
Newberry	3	5.6	6	3.7	3	2.0
Oconee	2 *	2.4	5 *	2.0	4	1.6
Orangeburg	9	6.5	24	5.7	14	3.6
Pickens	3	2.2	5	1.2	11	2.9
Richland	16	3.1	45	2.9	44	3.2
Saluda	3	11.5	4	4.8	1	1.4
Spartanburg	14	3.5	35	3.0	43	4.2
Sumter	8	4.7	19	3.7	19	3.9
Union	1	2.9	5	4.8	2	2.1
Williamsburg	3	6.5	11	7.9	4	2.8
York	15	4.9	31	3.4	11	1.5
Unknown	-	0	-	0	-	0

* Includes Unknown Race

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A.
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2008, 2006-2008, 2003-2005
 (Residence Data)

White

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	96	2.4	262	2.2	241	2.2
Abbeville	-	0	2	3.4	2	3.4
Aiken	2	1.5	10	2.4	12	3.2
Allendale	-	0	-	0	-	0
Anderson	6	3.1	11	1.9	10	1.9
Bamberg	1	17.2	1	6.0	1	5.8
Barnwell	-	0	-	0	-	0
Beaufort	1	0.6	5	1.0	9	1.9
Berkeley	4	2.0	12	2.2	12	2.6
Calhoun	-	0	-	0	1	4.0
Charleston	4	1.3	20	2.1	17	2.0
Cherokee	2	4.0	7	4.5	8	5.3
Chester	-	0	1	1.4	1	1.5
Chesterfield	1	2.9	3	2.9	-	0
Clarendon	1	6.1	1	2.0	1	2.0
Colleton	-	0	-	0	4	5.0
Darlington	-	0	3	2.4	5	3.8
Dillon	-	0	1	1.5	1	1.6
Dorchester	2	1.5	4	1.0	9	2.9
Edgefield	-	0	1	2.5	1	2.4
Fairfield	-	0	-	0	-	0
Florence	4	4.5	8	2.8	3	1.0
Georgetown	1	2.6	4	3.4	4	3.2
Greenville	9	1.8	24	1.6	19	1.4
Greenwood	1	1.6	8	4.3	1	0.6
Hampton	-	0	1	2.9	-	0
Horry	4	1.5	17	2.1	19	2.9
Jasper	1	4.5	1	1.4	2	3.7
Kershaw	2	3.3	3	1.7	2	1.3
Lancaster	1	1.4	3	1.6	8	5.0
Laurens	4	6.7	6	3.2	7	4.2
Lee	-	0	-	0	1	5.1
Lexington	11	3.9	19	2.3	12	1.6
McCormick	-	0	1	11.2	-	0
Marion	1	6.0	4	8.0	-	0
Marlboro	-	0	1	2.3	1	2.5
Newberry	2	5.6	3	2.9	3	3.1
Oconee	1	1.3	3	1.3	4	1.8
Orangeburg	2	5.0	7	5.7	4	3.4
Pickens	3	2.4	5	1.3	7	2.0
Richland	2	0.9	9	1.4	6	1.0
Saluda	2	10.9	3	4.9	1	1.9
Spartanburg	8	2.7	21	2.5	28	3.6
Sumter	2	2.6	4	1.7	6	2.5
Union	1	4.6	5	7.6	2	3.2
Williamsburg	1	7.5	2	5.1	-	0
York	9	3.9	18	2.7	7	1.2
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-5A. (continued)
 Postneonatal Mortality and Postneonatal Mortality Rates¹ by Race
 South Carolina and Each County, 2008, 2006-2008, 2003-2005
 (Residence Data)
 Black & Other

County of Residence	2008		2006-2008		2003-2005	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	95	4.3	288	4.3	262	4.4
Abbeville	-	0	4	13.0	-	0
Aiken	1	1.5	5	2.6	10	5.8
Allendale	1	8.5	5	14.1	2	5.4
Anderson	3	5.8	10	6.5	4	3.0
Bamberg	-	0	-	0	1	2.6
Barnwell	-	0	1	1.8	4	7.6
Beaufort	2	3.0	6	3.1	6	3.5
Berkeley	3	3.9	12	5.3	9	4.8
Calhoun	-	0	-	0	-	0
Charleston	9	4.4	25	4.1	18	3.2
Cherokee	2	9.3	4	6.8	5	9.7
Chester	1	4.4	3	4.3	2	3.4
Chesterfield	1	4.1	1	1.3	3	4.6
Clarendon	-	0	2	2.8	2	2.8
Colleton	1	4.0	4	4.9	3	4.0
Darlington	1	2.2	5	3.8	8	6.4
Dillon	-	0	3	3.6	4	5.2
Dorchester	1	1.8	4	2.4	1	0.8
Edgefield	-	0	-	0	-	0
Fairfield	-	0	1	1.7	3	4.7
Florence	3	2.9	12	3.9	15	5.3
Georgetown	1	2.9	4	4.0	5	5.4
Greenville	4	2.5	16	3.4	18	4.6
Greenwood	1	2.7	3	2.7	5	5.4
Hampton	-	0	-	0	4	7.7
Horry	2	3.0	9	4.3	8	4.3
Jasper	2	12.0	2	4.1	4	8.9
Kershaw	1	4.0	3	4.0	3	4.8
Lancaster	2	6.8	5	5.5	4	5.4
Laurens	-	0	8	9.6	1	1.4
Lee	-	0	1	1.8	3	5.3
Lexington	4	6.2	11	5.6	12	6.5
McCormick	-	0	-	0	1	6.5
Marion	3	9.7	5	5.0	4	4.3
Marlboro	3	12.1	5	7.2	2	3.0
Newberry	1	5.6	3	5.2	-	0
Oconee	-	0	1	4.2	-	0
Orangeburg	7	7.1	17	5.8	10	3.7
Pickens	-	0	-	0	4	12.4
Richland	14	4.7	36	4.1	38	4.9
Saluda	1	13.2	1	4.5	-	0
Spartanburg	6	5.6	14	4.4	15	5.8
Sumter	6	6.6	15	5.6	13	5.2
Union	-	0	-	0	-	0
Williamsburg	2	6.2	9	9.0	4	3.9
York	6	7.8	13	5.7	4	2.2
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 live births

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

Table F-6.
Fetal Mortality and Fetal Mortality Rates¹ by Race of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	542 *	8.5	245	6.0	295	13.0
Abbeville	1	3.5	-	0	1	10.0
Aiken	28	14.0	13	9.8	15	22.3
Allendale	4	26.1	1	31.3	3	24.8
Anderson	9	3.7	8	4.1	1	1.9
Bamberg	2	10.8	-	0	2	15.6
Barnwell	1	3.0	-	0	1	5.2
Beaufort	18	7.6	7	4.2	11	16.1
Berkeley	18	6.6	9	4.6	9	11.7
Calhoun	1	5.2	-	0	1	10.4
Charleston	39	7.5	18	5.7	21	10.1
Cherokee	2	2.8	2	4.0	-	0
Chester	5	10.7	2	8.3	3	13.2
Chesterfield	6	10.0	2	5.7	4	16.1
Clarendon	4	10.1	2	12.1	2	8.7
Colleton	2	3.7	-	0	2	8.0
Darlington	9	10.5	5	12.5	4	8.7
Dillon	4	8.0	-	0	4	13.8
Dorchester	16	8.4	8	6.1	8	14.1
Edgefield	2	7.7	-	0	2	15.7
Fairfield	3	11.2	-	0	3	15.8
Florence	21	10.7	7	7.8	14	13.3
Georgetown	8	11.0	1	2.6	7	20.1
Greenville	41 *	6.1	23	4.5	17	10.5
Greenwood	7	7.0	5	7.9	2	5.4
Hampton	4	13.9	-	0	4	21.9
Horry	40	12.0	20	7.6	20	28.9
Jasper	3	7.6	1	4.5	2	11.8
Kershaw	7	8.1	3	4.9	4	15.6
Lancaster	13	13.0	8	11.4	5	16.7
Laurens	5	5.8	3	5.0	2	7.5
Lee	2	8.8	-	0	2	11.7
Lexington	38	10.9	28	9.9	10	15.2
McCormick	1	10.6	1	30.3	-	0
Marion	10	20.5	2	11.8	8	25.2
Marlboro	2	5.1	-	0	2	8.0
Newberry	3	5.6	2	5.6	1	5.6
Oconee	5	6.0	5	6.6	-	0
Orangeburg	19	13.5	4	9.9	15	15.0
Pickens	9	6.5	7	5.6	2	14.2
Richland	54	10.3	4	1.8	50	16.5
Saluda	3	11.4	3	16.0	-	0
Spartanburg	26 *	6.5	19	6.4	6	5.5
Sumter	18	10.5	7	8.9	11	11.9
Union	3	8.7	2	9.1	1	8.1
Williamsburg	4	8.6	1	7.4	3	9.1
York	22	7.2	12	5.2	10	12.9
Unknown	-	0	-	0	-	0

¹ Rate calculated per 1,000 deliveries

Note: Rates calculated with 20 or fewer deaths are unreliable and should be used cautiously.

*Includes unknown race

Table F-7.
Fetal Deaths by Age of Mother
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<20	20-34	35-44	45+	Unknown
South Carolina	542 *	91	352	87	1	11
Abbeville	1	-	1	-	-	-
Aiken	28	4	17	5	-	2
Allendale	4	1	3	-	-	-
Anderson	9	2	5	2	-	-
Bamberg	2	-	2	-	-	-
Barnwell	1	1	-	-	-	-
Beaufort	18	5	11	2	-	-
Berkeley	18	1	14	3	-	-
Calhoun	1	-	1	-	-	-
Charleston	39	9	24	5	-	1
Cherokee	2	1	-	1	-	-
Chester	5	-	4	1	-	-
Chesterfield	6	-	5	1	-	-
Clarendon	4	-	3	1	-	-
Colleton	2	-	2	-	-	-
Darlington	9	1	5	3	-	-
Dillon	4	1	2	-	-	1
Dorchester	16	5	9	2	-	-
Edgefield	2	1	1	-	-	-
Fairfield	3	2	1	-	-	-
Florence	21	5	13	3	-	-
Georgetown	8	4	4	-	-	-
Greenville	41 *	5	30	5	-	1
Greenwood	7	-	4	2	-	1
Hampton	4	-	4	-	-	-
Horry	40	3	28	9	-	-
Jasper	3	3	-	-	-	-
Kershaw	7	3	4	-	-	-
Lancaster	13	-	11	1	-	1
Laurens	5	3	2	-	-	-
Lee	2	-	-	2	-	-
Lexington	38	5	25	7	1	-
McCormick	1	-	1	-	-	-
Marion	10	2	6	1	-	1
Marlboro	2	2	-	-	-	-
Newberry	3	1	2	-	-	-
Oconee	5	1	4	-	-	-
Orangeburg	19	3	9	6	-	1
Pickens	9	3	5	-	-	1
Richland	54	4	41	8	-	1
Saluda	3	-	2	1	-	-
Spartanburg	26 *	4	16	6	-	-
Sumter	18	3	9	6	-	-
Union	3	-	3	-	-	-
Williamsburg	4	1	3	-	-	-
York	22	2	16	4	-	-
Unknown	-	-	-	-	-	-

* Includes unknown race

Table F-7A.
Fetal Deaths by Age and Race of Mother
South Carolina and Each County, 2008
(Residence Data)

White

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<20	20-34	35-44	45+	Unknown
South Carolina	245	30	163	47	1	4
Abbeville	-	-	-	-	-	-
Aiken	13	1	9	3	-	-
Allendale	1	-	1	-	-	-
Anderson	8	1	5	2	-	-
Bamberg	-	-	-	-	-	-
Barnwell	-	-	-	-	-	-
Beaufort	7	2	4	1	-	-
Berkeley	9	1	7	1	-	-
Calhoun	-	-	-	-	-	-
Charleston	18	2	13	3	-	-
Cherokee	2	1	-	1	-	-
Chester	2	-	2	-	-	-
Chesterfield	2	-	1	1	-	-
Clarendon	2	-	2	-	-	-
Colleton	-	-	-	-	-	-
Darlington	5	1	3	1	-	-
Dillon	-	-	-	-	-	-
Dorchester	8	2	5	1	-	-
Edgefield	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-
Florence	7	1	5	1	-	-
Georgetown	1	-	1	-	-	-
Greenville	23	2	18	3	-	-
Greenwood	5	-	2	2	-	1
Hampton	-	-	-	-	-	-
Horry	20	1	14	5	-	-
Jasper	1	1	-	-	-	-
Kershaw	3	1	2	-	-	-
Lancaster	8	-	6	1	-	1
Laurens	3	2	1	-	-	-
Lee	-	-	-	-	-	-
Lexington	28	3	18	6	1	-
McCormick	1	-	1	-	-	-
Marion	2	1	-	1	-	-
Marlboro	-	-	-	-	-	-
Newberry	2	-	2	-	-	-
Oconee	5	1	4	-	-	-
Orangeburg	4	-	2	1	-	1
Pickens	7	3	3	-	-	1
Richland	4	-	3	1	-	-
Saluda	3	-	2	1	-	-
Spartanburg	19	2	12	5	-	-
Sumter	7	1	2	4	-	-
Union	2	-	2	-	-	-
Williamsburg	1	-	1	-	-	-
York	12	-	10	2	-	-
Unknown	-	-	-	-	-	-

Table F-7A. (continued)
 Fetal Deaths by Age and Race of Mother
 South Carolina and Each County, 2008
 (Residence Data)
 Black & Other

County of Residence	Total Fetal Deaths	Age of Mother (Years)				
		<15	15-19	20-24	45+	Unknown
South Carolina	295	61	187	40		7
Abbeville	1	-	1	-		-
Aiken	15	3	8	2		2
Allendale	3	1	2	-		-
Anderson	1	1	-	-		-
Bamberg	2	-	2	-		-
Barnwell	1	1	-	-		-
Beaufort	11	3	7	1		-
Berkeley	9	-	7	2		-
Calhoun	1	-	1	-		-
Charleston	21	7	11	2		1
Cherokee	-	-	-	-		-
Chester	3	-	2	1		-
Chesterfield	4	-	4	-		-
Clarendon	2	-	1	1		-
Colleton	2	-	2	-		-
Darlington	4	-	2	2		-
Dillon	4	1	2	-		1
Dorchester	8	3	4	1		-
Edgefield	2	1	1	-		-
Fairfield	3	2	1	-		-
Florence	14	4	8	2		-
Georgetown	7	4	3	-		-
Greenville	17	3	11	2		1
Greenwood	2	-	2	-		-
Hampton	4	-	4	-		-
Horry	20	2	14	4		-
Jasper	2	2	-	-		-
Kershaw	4	2	2	-		-
Lancaster	5	-	5	-		-
Laurens	2	1	1	-		-
Lee	2	-	-	2		-
Lexington	10	2	7	1		-
McCormick	-	-	-	-		-
Marion	8	1	6	-		1
Marlboro	2	2	-	-		-
Newberry	1	1	-	-		-
Oconee	-	-	-	-		-
Orangeburg	15	3	7	5		-
Pickens	2	-	2	-		-
Richland	50	4	38	7		1
Saluda	-	-	-	-		-
Spartanburg	6	2	3	1		-
Sumter	11	2	7	2		-
Union	1	-	1	-		-
Williamsburg	3	1	2	-		-
York	10	2	6	2		-
Unknown	-	-	-	-		-

Table F-8.
Perinatal Mortality and Perinatal Mortality Rates¹ by Race
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	852 *	13.4	391	9.5	441	19.5
Abbeville	3	10.4	1	5.3	2	20.0
Aiken	37	18.4	17	12.8	20	29.7
Allendale	4	26.1	1	31.3	3	24.8
Anderson	19 *	7.8	16	8.3	2	3.9
Bamberg	3	16.1	-	0	3	23.4
Barnwell	2 *	5.9	-	0	1	5.2
Beaufort	26	11.0	11	6.5	15	22.0
Berkeley	33 *	12.0	16	8.1	16	20.8
Calhoun	3	15.5	2	20.6	1	10.4
Charleston	72 *	13.8	32	10.2	37	17.8
Cherokee	5	7.0	3	6.0	2	9.3
Chester	6	12.8	2	8.3	4	17.5
Chesterfield	11	18.4	3	8.6	8	32.1
Clarendon	5 *	12.6	2	12.1	2	8.7
Colleton	3	5.5	1	3.4	2	8.0
Darlington	17	19.8	8	20.1	9	19.5
Dillon	5	10.0	-	0	5	17.2
Dorchester	27	14.3	13	9.8	14	24.6
Edgefield	2	7.7	-	0	2	15.7
Fairfield	4	15.0	-	0	4	21.1
Florence	35	17.9	11	12.2	24	22.7
Georgetown	14	19.2	1	2.6	13	37.4
Greenville	77 *	11.4	44	8.6	31	19.2
Greenwood	13	13.0	9	14.2	4	10.8
Hampton	8	27.9	-	0	8	43.7
Horry	64	19.2	39	14.8	25	36.1
Jasper	6	15.3	2	8.9	4	23.7
Kershaw	9	10.4	5	8.2	4	15.6
Lancaster	17	17.0	8	11.4	9	30.1
Laurens	13	15.0	7	11.6	6	22.5
Lee	2	8.8	-	0	2	11.7
Lexington	47	13.4	35	12.3	12	18.2
McCormick	1	10.6	1	30.3	-	0
Marion	18	36.9	4	23.5	14	44.0
Marlboro	3	7.7	-	0	3	12.0
Newberry	3	5.6	2	5.6	1	5.6
Oconee	14	16.8	13	17.2	1	12.8
Orangeburg	34 *	24.2	8	19.9	21	21.0
Pickens	11	7.9	9	7.2	2	14.2
Richland	67 *	12.7	6	2.7	59	19.4
Saluda	4	15.2	4	21.4	-	0
Spartanburg	40 *	9.9	24	8.1	12	11.1
Sumter	24	14.0	8	10.2	16	17.3
Union	5	14.6	3	13.7	2	16.1
Williamsburg	6	13.0	1	7.4	5	15.2
York	30	9.8	19	8.3	11	14.2
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 deliveries

* Includes unknown race

Table F-9
 Causes of Maternal Death¹ by Age Group of Mother
 South Carolina, 2008
 (Residence Data)

Cause of Death	Age Group								
	Total	<15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Years
Maternal causes (A34,O00-O95,O98-O99)	20	-	-	9	4	5	2	-	-
I. Pregnancy with Abortive Outcome (O00-O07)	1	-	-	1	-	-	-	-	-
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-
2. Spontaneous Abortion (O03)	1	-	-	1	-	-	-	-	-
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-
II. Direct Obstetric Causes (A34,O10-O92)	12	-	-	5	3	2	2	-	-
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	1	-	-	1	-	-	-	-	-
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20,O44-O46,O67,O72)	1	-	-	-	1	-	-	-	-
3. Complications Predominantly Related to Puerperium (A34,O85-O92)	5	-	-	1	2	1	1	-	-
Obstetrical Tetanus (A34)	-	-	-	-	-	-	-	-	-
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-
Other Complications Predominantly Related to Puerperium (O85-O87,O89-O92)	5	-	-	1	2	1	1	-	-
4. All Other Direct Obstetric Causes (O10, O12,O21-O43, O47-O66, O68-O71, O73-O75)	5	-	-	3	-	1	1	-	-
III. Obstetric Death of Unspecified Cause (O95)	2	-	-	2	-	-	-	-	-
IV. Indirect Obstetric Deaths (O98-O99)	5	-	-	1	1	3	-	-	-
Maternal causes more than 42 days after delivery or termination of pregnancy (O96-O97)	6	-	-	-	2	2	2	-	-
I. Death from any obstetric cause occurring more than 42 days but less than one year after delivery (O96)	6	-	-	-	2	2	2	-	-
II. Death from sequelae of direct obstetric causes (O97)	-	-	-	-	-	-	-	-	-

¹Classified and Coded According to ICD-10

Table F-9A
 Causes of Maternal Death¹ by Race and Age Group of Mother
 South Carolina, 2008
 (Residence Data)

Cause of Death	White									Black and Other																								
	Total	<15		15-19		20-24		25-29		30-34		35-39		40-44		45+		Total	<15		15-19		20-24		25-29		30-34		35-39		40-44		45 +	
		Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years	Years															
Maternal causes (A34, O00-O95, O98-O99)	6	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	13	-	-	5	4	3	1	-	-	-							
I. Pregnancy with Abortive Outcome (O00-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-							
1. Ectopic Pregnancy (O00)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-							
2. Spontaneous Abortion (O03)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-							
3. Medical Abortion (O04)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
4. Other Abortion (O05)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
5. Other and Unspecified Pregnancy With Abortive Outcome (O01, O02, O06-O07)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
II. Direct Obstetric Causes (A34, O10-O92)	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	9	-	-	3	3	2	1	-	-	-							
1. Eclampsia and Pre-Eclampsia (O11, O13-O16)	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
2. Hemorrhage of Pregnancy and Childbirth and Placenta Previa (O20, O44-O46, O67,O72)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-							
3. Complications Predominantly Related to Puerperium (A34, O85-O92)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-							
Obstetrical Tetanus (A34)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Obstetric Embolism (O88)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-							
Other Complications Predominantly Related to Puerperium (O85-O87, O89-O92)	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-	2	1	-	-	-	-							
4. All Other Direct Obstetric Causes (O10, O12, O21-O43, O47-O66, O68-O71, O73-O75)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	3	-	1	1	-	-	-							
III. Obstetric Death of Unspecified Cause (O95)	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
IV. Indirect Obstetric Deaths (O98-O99)	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	1	-	-	-	-	-						
Maternal causes more than 42 days after delivery or termination of pregnancy (O96-O97)	4	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-						
I. Death from any obstetric cause occurring more than 42 days but less than one year after delivery (O96)	4	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-						
II. Death from sequelae of direct obstetric causes (O97)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						

¹Classified and Coded According to ICD-10

The State Flower


“The Yellow Jasmine”




Officially adopted by the General Assembly in 1924

DEATH

Figure G-1.
Death Rates* by County
South Carolina, 2008
(Residence Data)



Death Rates



*Rates calculated per 1,000 population

Map Source:
Division of Informatics, PHSIS, SC DHEC

Data Source:
Division of Biostatistics, PHSIS, SCDHEC

Table G-1.
Deaths and Death Rates¹ by Race
South Carolina, 1984-2008
(Residence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1984	26,363	8.0	17,815	7.9	8,548	8.2
1985	27,077	8.0	18,390	8.0	8,687	8.2
1986	28,122	8.2	19,098	8.2	9,024	8.3
1987	28,470	8.3	19,437	8.3	9,033	8.3
1988	29,397 *	8.4	19,951	8.3	9,443	8.4
1989	29,576	8.4	20,032	8.3	9,544	8.5
1990	29,621 *	8.5	20,192	8.4	9,427	8.8
1991	29,851 *	8.4	20,364	8.3	9,482	8.6
1992	30,565 *	8.5	20,945	8.4	9,617	8.6
1993	31,943 *	8.8	21,939	8.7	10,002	8.9
1994	32,223 *	8.8	22,295	8.8	9,927	8.8
1995	33,500 *	9.1	23,342	9.2	10,152	9.0
1996	34,035 *	9.2	23,585	9.2	10,448	9.2
1997	33,659 *	9.0	23,362	9.0	10,276	8.8
1998	34,781 *	9.1	24,428	9.2	10,333	8.7
1999	35,972 *	9.3	25,432	9.5	10,523	8.8
2000	36,816 *	9.2	26,013	9.5	10,785	8.5
2001	36,576 *	9.2	25,781	9.2	10,782	8.5
2002	37,679 *	9.2	26,740	9.5	10,924	8.4
2003	37,920 *	9.1	27,043	9.6	10,865	8.2
2004	37,152 *	8.8	26,353	9.1	10,783	8.2
2005	38,585 *	9.1	27,755	9.5	10,810	8.2
2006	38,723 *	9.0	27,662	9.3	11,030	8.2
2007	39,418 *	8.9	28,233	9.3	11,126	8.2
2008	40,197 *	9.0	29,015	9.3	10,965	8.0

¹Rates per 1,000 population

* Includes unknown race

Figure G-2
Death Rates by Race
South Carolina, 1984-2008
(Residence Data)




Table G-2.
Mortality from Ten Leading Causes of Death by Race
South Carolina, 2008
(Residence Data)

Cause of Death (ICD-10 Code)	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	40,197 *	100.0	29,015	100.0	10,965	100.0
Ten Leading Causes, All Ages	30,045 *	74.7	21,848	75.3	8,055	73.5
Malignant Neoplasms (C00-C97)	9,175 *	22.8	6,721	23.2	2,416	22.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	8,984 *	22.3	6,459	22.3	2,487	22.7
Cerebrovascular Disease (I60-I69)	2,387 *	5.9	1,646	5.7	730	6.7
Accidents (V01-X59,Y85-Y86)	2,275 *	5.7	1,672	5.8	589	5.4
Chronic Lower Respiratory Disease (J40-J47)	2,261 *	5.6	1,950	6.7	305	2.8
Alzheimers (G30)	1,489 *	3.7	1,251	4.3	234	2.1
Diabetes Mellitus (E10-E14)	1,129 *	2.8	634	2.2	486	4.4
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	949 *	2.4	520	1.8	422	3.8
Pneumonia And Influenza (J09-J18)	730 *	1.8	587	2.0	137	1.2
Septicemia (A40-A41)	666 *	1.7	408	1.4	249	2.3
All Other Causes	10,152 *	25.3	7,167	24.7	2,910	26.5

* Includes unknown race

Figure G-3.
Percent Distribution for the
Ten Leading Causes of Death by Gender
South Carolina, 2008
(Residence Data)




Table G-2A.
Mortality from Ten Leading Causes of Death by Race and Gender
South Carolina, 2008
(Residence Data)

Cause of Death (ICD-10 Code)	MALES					
	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages						
Ten Leading Causes, All Ages						
Malignant Neoplasms (C00-C97)	20,266 *	100.0	14,559	100.0	5,581	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	15,563 *	76.8	11,424	78.5	4,058	72.7
Accidents (V01-X59,Y85-Y86)	5,012 *	24.7	3,674	25.2	1,312	23.5
Chronic Lower Respiratory Disease (J40-J47)	4,796 *	23.7	3,508	24.1	1,268	22.7
Cerebrovascular Disease (I60-I69)	1,484 *	7.3	1,059	7.3	415	7.4
Diabetes Mellitus (E10-E14)	979 *	4.8	659	4.5	313	5.6
Suicide (X60-X84,Y87.0)	531 *	2.6	322	2.2	205	3.7
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	449 *	2.2	392	2.7	55	1.0
Alzheimers (G30)	426 *	2.1	245	1.7	178	3.2
Pneumonia And Influenza (J09-J18)	414 *	2.0	351	2.4	62	1.1
All Other Causes	350 *	1.7	272	1.9	74	1.3
	4,703 *	23.2	3,135	21.5	1,523	27.3

Cause of Death (ICD-10 Code)	FEMALES					
	Total		White		Black & Other	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages						
Ten Leading Causes, All Ages						
Disease Of Heart (I00-I09,I11,I13,I20-I51)	19,930 *	100.0	14,455	100.0	5,384	100.0
Malignant Neoplasms (C00-C97)	14,631 *	73.4	10,639	73.6	3,936	73.1
Accidents (V01-X59,Y85-Y86)	4,188 *	21.0	2,951	20.4	1,219	22.6
Cerebrovascular Disease (I60-I69)	4,163 *	20.9	3,047	21.1	1,104	20.5
Chronic Lower Respiratory Disease (J40-J47)	1,408 *	7.1	987	6.8	417	7.7
Alzheimers (G30)	1139 *	5.7	1,008	7.0	129	2.4
Pneumonia And Influenza (J09-J18)	1075 *	5.4	900	6.2	172	3.2
Nephritis And Nephrotic Syn And Nephrosis (N00-N07,N17-N19,N25-N27)	791 *	4.0	613	4.2	174	3.2
Septicemia (A40-A41)	598 *	3.0	312	2.2	281	5.2
All Other Causes	523 *	2.6	275	1.9	244	4.5
	380 *	1.9	315	2.2	63	1.2
	366 *	1.8	231	1.6	133	2.5
	5,299 *	26.6	3,816	26.4	1,448	26.9

* Includes unknown race

Table G-3.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race
South Carolina, 2008
(Residence Data)

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	504 *	100.0	242	100.0	241	100.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	84 *	16.7	53	21.9	28	11.6
Disorders Relating To Short Gest, Etc. (P07)	69 *	13.7	22	9.1	39	16.2
Sudden Infant Death Syndrome (R95)	57	11.3	32	13.2	25	10.4
Newborn Affected By Maternal Complication Of Pregnancy (P01)	53 *	10.5	17	7.0	35	14.5
Accidents (V01-X59,Y85-Y86)	41 *	8.1	24	9.9	16	6.6
All Other Causes	200 *	39.7	94	38.8	98	40.7
1 - 4 Years						
All Causes	72 *	100.0	48	100.0	23	100.0
Accidents (V01-X59,Y85-Y86)	29 *	40.3	15	31.3	13	56.5
Malignant Neoplasms (C00-C97)	12	16.7	9	18.8	3	13.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	9	12.5	5	10.4	4	17.4
Homicide (X85-Y09,Y87.1)	7	9.7	6	12.5	1	4.3
All Other Causes	11	15.3	10	20.8	1	8.8
5 - 14 Years						
All Causes	99 *	100.0	57	100.0	41	100.0
Accidents (V01-X59,Y85-Y86)	35	35.4	17	29.8	18	43.9
Malignant Neoplasms (C00-C97)	10	10.1	7	12.3	3	7.3
Homicide (X85-Y09,Y87.1)	6	6.1	2	3.5	4	9.8
Disease Of Heart (I00-I09,I11,I13,I20-I51)	5	5.1	3	5.3	2	4.9
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	5	5.1	3	5.3	2	4.9
All Other Causes	38 *	38.4	25	43.9	12	29.3
15-24 Years						
All Causes	609 *	100.0	361	100.0	243	100.0
Accidents (V01-X59,Y85-Y86)	300 *	49.3	215	59.6	84	34.6
Homicide (X85-Y09,Y87.1)	85 *	14.0	20	5.5	64	26.3
Suicide (X60-X84,Y87.0)	83	13.6	65	18.0	18	7.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	26	4.3	6	1.7	20	8.2
Malignant Neoplasms (C00-C97)	24 *	3.9	10	2.8	13	5.3
All Other Causes	91 *	14.9	45	12.5	44	18.1
25 - 44 Years						
All Causes	2,228 *	100.0	1,292	100.0	924	100.0
Accidents (V01-X59,Y85-Y86)	622 *	27.9	440	34.1	178	19.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	330	14.8	177	13.7	153	16.6
Malignant Neoplasms (C00-C97)	300	13.5	173	13.4	127	13.7
Suicide (X60-X84,Y87.0)	156	7.0	130	10.1	26	2.8
Homicide (X85-Y09,Y87.1)	151	6.8	47	3.6	104	11.3
All Other Causes	669 *	30.0	325	25.2	336	36.4
45 - 64 Years						
All Causes	9,190 *	100.0	5,950	100.0	3,183	100.0
Malignant Neoplasms (C00-C97)	2,822 *	30.7	1,899	31.9	911	28.6
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,078 *	22.6	1,313	22.1	757	23.8
Accidents (V01-X59,Y85-Y86)	646 *	7.0	475	8.0	166	5.2
Cerebrovascular Disease (I60-I69)	406 *	4.4	219	3.7	181	5.7
Chronic Lower Respiratory Disease (J40-J47)	361 *	3.9	289	4.9	71	2.2
All Other Causes	2,877 *	31.3	1,755	29.5	1,097	34.5
65 - 74 Years						
All Causes	7,324 *	100.0	5,289	100.0	1,999	100.0
Malignant Neoplasms (C00-C97)	2,469 *	33.7	1,872	35.4	588	29.4
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,623 *	22.2	1,124	21.3	488	24.4
Chronic Lower Respiratory Disease (J40-J47)	641 *	8.8	561	10.6	77	3.9
Cerebrovascular Disease (I60-I69)	385	5.3	238	4.5	147	7.4
Diabetes Mellitus (E10-E14)	272 *	3.7	158	3.0	111	5.6
All Other Causes	1,934 *	26.4	1,336	25.3	588	29.4
75 Years & Over						
All Causes	20,170 *	100.0	15,775	100.0	4,311	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4,909 *	24.3	3,828	24.3	1,063	24.7
Malignant Neoplasms (C00-C97)	3,538 *	17.5	2,751	17.4	771	17.9
Cerebrovascular Disease (I60-I69)	1,525 *	7.6	1,153	7.3	367	8.5
Alzheimers (G30)	1,410 *	7.0	1,184	7.5	222	5.1
Chronic Lower Respiratory Disease (J40-J47)	1,236 *	6.1	1,090	6.9	144	3.3
All Other Causes	7,552 *	37.4	5,769	36.6	1,744	40.5

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2008
(Residence Data)

Males

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	253 *	100.0	114	100.0	128	100.0
Disorders Relating To Short Gest, Etc. (P07)	36 *	14.2	8	7.0	25	19.5
Sudden Infant Death Syndrome (R95)	33	13.0	21	18.4	12	9.4
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	30 *	11.9	21	18.4	8	6.3
Newborn Affected By Maternal Complication Of Pregnancy (P01)	25 *	9.9	8	7.0	16	12.5
Accidents (V01-X59,Y85-Y86)	23 *	9.1	14	12.3	8	6.3
All Other Causes	106 *	41.9	42	36.8	59	46.1
1 - 4 Years						
All Causes	44 *	100.0	25	100.0	18	100.0
Accidents (V01-X59,Y85-Y86)	20 *	45.5	8	32.0	11	61.1
Malignant Neoplasms (C00-C97)	7	15.9	5	20.0	2	11.1
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	6	13.6	3	12.0	3	16.7
Homicide (X85-Y09,Y87.1)	5	11.4	4	16.0	1	5.6
All Other Causes	5	11.4	5	20.0	0	5.5
5 - 14 Years						
All Causes	66 *	100.0	37	100.0	28	100.0
Accidents (V01-X59,Y85-Y86)	25	37.9	14	37.8	11	39.3
Malignant Neoplasms (C00-C97)	5	7.6	3	8.1	2	7.1
Homicide (X85-Y09,Y87.1)	5	7.6	2	5.4	3	10.7
Disease Of Heart (I00-I09,I11,I13,I20-I51)	4	6.1	2	5.4	2	7.1
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	3	4.5	2	5.4	1	3.6
All Other Causes	24 *	36.4	14	37.8	9	32.1
15-24 Years						
All Causes	465 *	100.0	275	100.0	188	100.0
Accidents (V01-X59,Y85-Y86)	231	49.7	168	61.1	63	33.5
Homicide (X85-Y09,Y87.1)	76 *	16.3	16	5.8	59	31.4
Suicide (X60-X84,Y87.0)	73	15.7	56	20.4	17	9.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	19	4.1	5	1.8	14	7.4
Malignant Neoplasms (C00-C97)	16 *	3.4	5	1.8	10	5.3
All Other Causes	50	10.8	25	9.1	25	13.3
25 - 44 Years						
All Causes	1,385 *	100.0	811	100.0	566	100.0
Accidents (V01-X59,Y85-Y86)	428 *	30.9	295	36.4	130	23.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	230	16.6	126	15.5	104	18.4
Homicide (X85-Y09,Y87.1)	125	9.0	36	4.4	89	15.7
Suicide (X60-X84,Y87.0)	120	8.7	95	11.7	25	4.4
Malignant Neoplasms (C00-C97)	111	8.0	69	8.5	42	7.4
All Other Causes	371 *	26.8	190	23.4	176	31.1
45 - 64 Years						
All Causes	5,701 *	100.0	3,785	100.0	1,878	100.0
Malignant Neoplasms (C00-C97)	1,605 *	28.2	1,083	28.6	516	27.5
Disease Of Heart (I00-I09,I11,I13,I20-I51)	1,439 *	25.2	972	25.7	462	24.6
Accidents (V01-X59,Y85-Y86)	442 *	7.8	309	8.2	129	6.9
Cerebrovascular Disease (I60-I69)	227 *	4.0	118	3.1	103	5.5
Chronic Lower Respiratory Disease (J40-J47)	198	3.5	160	4.2	38	2.0
All Other Causes	1,790 *	31.4	1,143	30.2	630	33.5
65 - 74 Years						
All Causes	4,177 *	100.0	3,057	100.0	1,098	100.0
Malignant Neoplasms (C00-C97)	1,449 *	34.7	1,096	35.9	347	31.6
Disease Of Heart (I00-I09,I11,I13,I20-I51)	997 *	23.9	723	23.7	268	24.4
Chronic Lower Respiratory Disease (J40-J47)	333 *	8.0	286	9.4	45	4.1
Cerebrovascular Disease (I60-I69)	210	5.0	128	4.2	82	7.5
Diabetes Mellitus (E10-E14)	144 *	3.4	87	2.8	55	5.0
All Other Causes	1,044 *	25.0	737	24.1	301	27.4
75 Years & Over						
All Causes	8,174 *	100.0	6,454	100.0	1,677	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,103 *	25.7	1,678	26.0	416	24.8
Malignant Neoplasms (C00-C97)	1,819 *	22.3	1,413	21.9	393	23.4
Chronic Lower Respiratory Disease (J40-J47)	581 *	7.1	492	7.6	87	5.2
Cerebrovascular Disease (I60-I69)	513 *	6.3	398	6.2	114	6.8
Alzheimers (G30)	378 *	4.6	318	4.9	59	3.5
All Other Causes	2,780 *	34.0	2,155	33.4	608	36.3

Table G-3A.
Mortality from Five Leading Causes of Death in Specified Age Groups by Race and Gender
South Carolina, 2008
(Residence Data)

Females

	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	250 *	100.0	127	100.0	113	100.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	54 *	21.6	32	25.2	20	17.7
Disorders Relating To Short Gest, Etc. (P07)	32 *	12.8	13	10.2	14	12.4
Newborn Affected By Maternal Complication Of Pregnancy (P01)	28	11.2	9	7.1	19	16.8
Sudden Infant Death Syndrome (R95)	24	9.6	11	8.7	13	11.5
Accidents (V01-X59,Y85-Y86)	18	7.2	10	7.9	8	7.1
All Other Causes	94 *	37.6	52	40.9	39	34.5
1 - 4 Years						
All Causes	28	100.0	23	100.0	5	100.0
Accidents (V01-X59,Y85-Y86)	9	32.1	7	30.4	2	40.0
Malignant Neoplasms (C00-C97)	5	17.9	4	17.4	1	20.0
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	3	10.7	2	8.7	1	20.0
All Other Causes	7	25.0	6	26.1	1	20.0
5 - 14 Years						
All Causes	33	100.0	20	100.0	13	100.0
Accidents (V01-X59,Y85-Y86)	10	30.3	3	15.0	7	53.8
Malignant Neoplasms (C00-C97)	5	15.2	4	20.0	1	7.7
Congenital Malform., Deform., Chromosomal Abn.(Q00-Q99)	2	6.1	1	5.0	1	7.7
All Other Causes	16	48.5	12	60.0	4	30.8
15-24 Years						
All Causes	144 *	100.0	86	100.0	55	100.0
Accidents (V01-X59,Y85-Y86)	69 *	47.9	47	54.7	21	38.2
Suicide (X60-X84,Y87.0)	10	6.9	9	10.5	1	1.8
Pregnancy , Childbirth And The Puerperium (O00-O99)	9 *	6.3	3	3.5	5	9.1
Homicide (X85-Y09,Y87.1)	9	6.3	4	4.7	5	9.1
Malignant Neoplasms (C00-C97)	8	5.6	5	5.8	3	5.5
All Other Causes	39 *	27.1	18	20.9	20	36.4
25 - 44 Years						
All Causes	843 *	100.0	481	100.0	358	100.0
Accidents (V01-X59,Y85-Y86)	194 *	23.0	145	30.1	48	13.4
Malignant Neoplasms (C00-C97)	189	22.4	104	21.6	85	23.7
Disease Of Heart (I00-I09,I11,I13,I20-I51)	100	11.9	51	10.6	49	13.7
Suicide (X60-X84,Y87.0)	36	4.3	35	7.3	1	0.3
Cerebrovascular Disease (I60-I69)	33	3.9	16	3.3	17	4.7
All Other Causes	291 *	34.5	130	27.0	158	44.1
45 - 64 Years						
All Causes	3,489 *	100.0	2,165	100.0	1,305	100.0
Malignant Neoplasms (C00-C97)	1,217 *	34.9	816	37.7	395	30.3
Disease Of Heart (I00-I09,I11,I13,I20-I51)	639 *	18.3	341	15.8	295	22.6
Accidents (V01-X59,Y85-Y86)	204 *	5.8	166	7.7	37	2.8
Cerebrovascular Disease (I60-I69)	179	5.1	101	4.7	78	6.0
Chronic Lower Respiratory Disease (J40-J47)	163 *	4.7	129	6.0	33	2.5
All Other Causes	1,087 *	31.2	612	28.3	467	35.8
65 - 74 Years						
All Causes	3,147 *	100.0	2,232	100.0	901	100.0
Malignant Neoplasms (C00-C97)	1,020 *	32.4	776	34.8	241	26.7
Disease Of Heart (I00-I09,I11,I13,I20-I51)	626 *	19.9	401	18.0	220	24.4
Chronic Lower Respiratory Disease (J40-J47)	308 *	9.8	275	12.3	32	3.6
Cerebrovascular Disease (I60-I69)	175	5.6	110	4.9	65	7.2
Diabetes Mellitus (E10-E14)	128 *	4.1	71	3.2	56	6.2
All Other Causes	890 *	28.3	599	26.8	287	31.9
75 Years & Over						
All Causes	11,996 *	100.0	9,321	100.0	2,634	100.0
Disease Of Heart (I00-I09,I11,I13,I20-I51)	2,806 *	23.4	2,150	23.1	647	24.6
Malignant Neoplasms (C00-C97)	1,719 *	14.3	1,338	14.4	378	14.4
Alzheimers (G30)	1,032 *	8.6	866	9.3	163	6.2
Cerebrovascular Disease (I60-I69)	1,012 *	8.4	755	8.1	253	9.6
Chronic Lower Respiratory Disease (J40-J47)	655	5.5	598	6.4	57	2.2
All Other Causes	4,772 *	39.8	3,614	38.8	1,136	43.1

Table G-4.
 Percent Distribution of Deaths by Race and Age
 South Carolina, 1988, 1998 and 2008
 (Residence Data)

Age at Death	Total			White			Black & Other		
	1988	1998	2008	1988	1998	2008	1988	1998	2008
All Ages	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	2.3	1.5	1.3	1.6	0.8	0.8	3.8	3.0	2.2
01-04	0.4	0.2	0.2	0.3	0.1	0.2	0.6	0.4	0.2
05-09	0.3	0.2	0.1	0.2	0.1	0.1	0.5	0.3	0.2
10-14	0.3	0.2	0.2	0.3	0.1	0.1	0.4	0.4	0.2
15-19	1.0	0.7	0.6	1.0	0.6	0.5	0.9	1.0	0.8
20-24	1.2	0.9	0.9	1.0	0.7	0.8	1.6	1.3	1.4
25-34	3.1	2.2	1.9	2.4	1.7	1.5	4.4	3.4	3.0
35-44	4.4	4.7	3.6	3.4	3.7	3.0	6.6	7.2	5.4
45-54	7.0	8.0	8.9	6.1	6.6	7.8	8.8	11.4	11.8
55-64	14.8	12.3	14.0	14.1	11.4	12.7	16.2	14.3	17.2
65-74	25.2	21.3	18.2	25.1	21.6	18.2	25.4	20.5	18.2
75 and Over	40.1	47.8	50.2	44.5	52.5	54.4	30.8	36.6	39.3

Table G-5.
 Deaths from Major Cardiovascular Diseases
 South Carolina, 2008
 (Residence Data)

	Number	Percent
Major Cardiovascular Disease (I00 - I78)		
Disease of the Heart (I00 - I09, I11, I13, I20 - I51)	12,223	30.4
Essential Hypertension & Hypertensive Renal Disease (I10, I12)	8,984	22.3
Cerebrovascular Disease (I60-I69)	445	1.1
Atherosclerosis (I70)	2,387	5.9
Other Diseases of Circulatory System (I71 - I78)	32	0.1
	375	0.9

Table G-6.
Distribution of Malignant Neoplasms by Site and Gender
South Carolina, 2008
(Residence Data)

	Total		Male		Female	
	Number	Percent	Number	Percent	Number	Percent
Malignant Neoplasms (C00-C97)	9,175	100.0	5,012	100.0	4,163	100.0
Lip, Oral Cavity and Pharynx (C00-C14)	141	1.5	101	2.0	40	1.0
Digestive Organs (C15-C26)	2,148	23.4	1232	24.6	916	22.0
Respiratory and Intrathoracic Organs (C30-C39)	2,857	31.1	1,759	35.1	1,098	26.4
Breast (C50)	668	7.3	6	0.1	662	15.9
Female Genital Organs (C51-C58)	433	4.7	.	.	433	10.4
Vulva and Vagina (C51-C52)	(22)	(5.1)	.	.	(22)	(5.1)
Cervix Uteri (C53)	(78)	(18)	.	.	(78)	(18)
Corpus Uteri and Uterus, part unspecified (C54-C55)	(107)	(24.7)	.	.	(107)	(24.7)
Ovary (C56)	(218)	(50.3)	.	.	(218)	(50.3)
Other Female Genital Organs (C57, C58)	(8)	(1.8)	.	.	(8)	(1.8)
Male Genital Organs (C60-C63)	472	5.1	472	9.4	.	.
Prostate (C61)	(464)	(98.3)	(464)	(98.3)	.	.
Testis (C62)	(3)	(0.6)	(3)	(0.6)	.	.
Penis and Other Male Genital Organs (C60, C63)	(5)	(1.1)	(5)	(1.1)	.	.
Urinary Tract (C64-C68)	439	4.8	274	5.5	165	4.0
Leukemia (C91-C95)	335	3.7	197	3.9	138	3.3
Lymphatic & Hematopoietic Tissues (C96)	0	0.0	0	0.0	0	0.0

Table G-7.
Types of Accidental Deaths by Gender
South Carolina, 2008
(Residence Data)

	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
Total	2275	980	503	247	88	77	14	366
Male	1484	700	290	145	55	62	14	218
Female	791	280	213	102	33	15	0	148

Table G-8.
Methods of Suicidal Deaths by Gender
South Carolina, 2008
(Residence Data)

	All Suicides (X60-X84,Y87.0)	Poisoning (X60-X68)	Hanging, Strangulation & Suffocation (X70)	Drowning (X71)	Firearms (X72-X74)	Cutting and Piercing (X78)	Jumping from High Places (X80)	Residual
Total	560	87	105	4	341	8	5	10
Male	449	42	89	2	298	7	3	8
Female	111	45	16	2	43	1	2	2

Table G-9.
Methods of Homicidal Deaths by Gender
South Carolina, 2008
(Residence Data)

	All Homicides (X85-Y09,Y87.1)	Fight, Brawl & Rape (Y04)	Poisoning (Y11-Y17)	Hanging & Strangulation (Y20)	Submersion (Y21)	Firearms (X93-X95)	Cutting & Piercing (X99)	Residual
Total	356	8	0	5	7	250	33	53
Male	286	6	0	4	4	216	27	29
Female	70	2	0	1	3	34	6	24

Table G-10.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	40,197 *	9.0	29,015	9.3	10,965	8.0
Abbeville	271	10.7	216	12.1	55	7.3
Aiken	1,555 *	10.1	1,180	10.6	360	8.5
Allendale	133	12.7	43	14.4	90	12.1
Anderson	1,848 *	10.1	1,581	10.5	259	7.9
Bamberg	188	12.3	81	14.1	103	10.8
Barnwell	247 *	10.8	153	12.2	93	9.0
Beaufort	1,174 *	7.8	944	8.1	226	6.7
Berkeley	1,021 *	6.0	704	5.9	310	6.1
Calhoun	172 *	11.8	89	11.4	79	11.7
Charleston	2,814 *	8.1	1,833	7.9	962	8.3
Cherokee	599 *	11.0	496	11.7	102	8.6
Chester	394 *	12.1	271	13.6	122	9.7
Chesterfield	488 *	11.4	334	12.0	151	10.1
Clarendon	388 *	11.7	189	11.7	196	11.6
Colleton	477 *	12.2	312	13.8	161	9.8
Darlington	770 *	11.5	515	13.5	248	8.6
Dillon	323 *	10.5	167	10.8	154	10.1
Dorchester	818 *	6.4	571	6.3	244	6.8
Edgefield	218	8.5	141	9.3	77	7.4
Fairfield	255	10.9	117	11.8	138	10.2
Florence	1,391 *	10.5	881	11.6	494	8.7
Georgetown	611 *	10.1	410	10.3	198	9.5
Greenville	3,620 *	8.3	2,939	8.5	666	7.1
Greenwood	706	10.3	536	11.8	170	7.4
Hampton	258 *	12.2	122	13.2	135	11.4
Horry	2,321 *	9.0	2,044	9.5	268	6.4
Jasper	221	9.9	107	9.6	114	10.2
Kershaw	568	9.6	405	9.4	163	10.2
Lancaster	687 *	9.0	519	9.4	167	8.2
Laurens	743 *	10.7	552	10.8	188	10.1
Lee	221 *	11.1	104	14.0	112	9.0
Lexington	1,912 *	7.7	1,695	8.2	212	5.0
McCormick	105 *	10.4	49	9.3	55	11.4
Marion	406 *	12.0	192	12.9	209	11.0
Marlboro	323 *	11.3	162	13.1	157	9.6
Newberry	406 *	10.7	294	11.5	110	8.9
Oconee	760 *	10.7	707	10.9	50	7.9
Orangeburg	987 *	10.9	425	13.0	555	9.6
Pickens	1,008 *	8.6	934	8.8	71	6.8
Richland	2,570 *	7.1	1,420	7.8	1,131	6.2
Saluda	208 *	11.2	160	12.1	47	8.7
Spartanburg	2,724 *	9.7	2,221	10.3	484	7.4
Sumter	932 *	8.9	503	9.6	426	8.2
Union	371 *	13.4	283	15.0	86	9.7
Williamsburg	401 *	11.4	145	12.9	255	10.7
York	1,583 *	7.3	1,269	7.5	311	6.6
Unknown	1	0.0	-	0	1	0.0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-11.
Deaths and Death Rates¹ by Race
South Carolina and Each County, 2008
(Occurrence Data)

County of Residence	Total		White		Black and Other	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	39,352 *	8.8	28,469	9.2	10,686	7.8
Abbeville	151	5.9	119	6.7	32	4.2
Aiken	1,115 *	7.2	848	7.6	260	6.2
Allendale	92	8.8	31	10.4	61	8.2
Anderson	1,865 *	10.2	1,596	10.6	263	8.0
Bamberg	143 *	9.3	73	12.7	69	7.2
Barnwell	153	6.7	97	7.7	56	5.4
Beaufort	1,062 *	7.1	845	7.2	215	6.4
Berkeley	490	2.9	342	2.9	148	2.9
Calhoun	78 *	5.3	45	5.8	31	4.6
Charleston	4,216 *	12.1	2,745	11.9	1,439	12.4
Cherokee	465 *	8.5	386	9.1	78	6.6
Chester	269	8.2	187	9.4	82	6.5
Chesterfield	329 *	7.7	231	8.3	96	6.4
Clarendon	257 *	7.8	126	7.8	130	7.7
Colleton	444 *	11.4	301	13.3	138	8.4
Darlington	541 *	8.1	369	9.6	166	5.8
Dillon	219 *	7.1	126	8.1	91	6.0
Dorchester	491 *	3.9	367	4.0	121	3.4
Edgefield	143	5.6	97	6.4	46	4.4
Fairfield	144 *	6.1	65	6.5	78	5.8
Florence	2,273 *	17.1	1,352	17.7	901	15.9
Georgetown	787 *	13.0	588	14.8	196	9.4
Greenville	4,188 *	9.6	3,435	10.0	739	7.9
Greenwood	883	12.9	661	14.5	222	9.6
Hampton	182	8.6	94	10.2	88	7.4
Horry	2,112 *	8.2	1,848	8.6	257	6.1
Jasper	209	9.4	131	11.8	78	7.0
Kershaw	450	7.6	324	7.5	126	7.9
Lancaster	542 *	7.1	414	7.5	127	6.2
Laurens	553 *	7.9	420	8.2	130	7.0
Lee	106 *	5.3	49	6.6	54	4.3
Lexington	1,861 *	7.5	1,573	7.6	283	6.7
McCormick	49 *	4.9	27	5.1	21	4.4
Marion	276 *	8.2	137	9.2	138	7.3
Marlboro	202 *	7.0	96	7.8	103	6.3
Newberry	327 *	8.6	236	9.3	89	7.2
Oconee	688 *	9.7	643	9.9	43	6.8
Orangeburg	935 *	10.4	400	12.2	530	9.2
Pickens	661 *	5.7	610	5.7	48	4.6
Richland	3,457 *	9.5	2,001	11.0	1,434	7.9
Saluda	127 *	6.8	106	8.0	20	3.7
Spartanburg	2,882 *	10.3	2,349	10.9	513	7.8
Sumter	917 *	8.8	491	9.4	421	8.1
Union	270 *	9.8	212	11.3	57	6.4
Williamsburg	223	6.4	87	7.7	136	5.7
York	1,525 *	7.0	1,189	7.0	332	7.0
Unknown	-	0	-	0	-	0

¹ Rate per 1,000 estimated population

* Includes unknown race

Table G-12.
Deaths by Race and Gender
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	40,197 *	20,266 *	19,930 *	29,015	14,559	14,455	10,965	5,581	5,384
Abbeville	271	146	125	216	114	102	55	32	23
Aiken	1,555 *	777 *	778 *	1,180	574	606	360	197	163
Allendale	133	68	65	43	14	29	90	54	36
Anderson	1,848 *	941 *	907 *	1,581	788	793	259	148	111
Bamberg	188 *	81 *	107 *	81	37	44	103	41	62
Barnwell	247 *	126	121 *	153	77	76	93	49	44
Beaufort	1,174 *	591 *	583 *	944	485	459	226	103	123
Berkeley	1,021 *	556 *	465 *	704	376	328	310	176	134
Calhoun	172 *	85 *	87	89	41	48	79	40	39
Charleston	2,814 *	1,395 *	1,419 *	1,833	914	919	962	471	491
Cherokee	599 *	308 *	291	496	256	240	102	51	51
Chester	394 *	200	194 *	271	143	128	122	57	65
Chesterfield	488 *	246 *	242 *	334	168	166	151	77	74
Clarendon	388 *	212 *	176 *	189	98	91	196	112	84
Colleton	477 *	280 *	197 *	312	182	130	161	96	65
Darlington	770 *	368 *	402 *	515	234	281	248	129	119
Dillon	323 *	158 *	165 *	167	87	80	154	70	84
Dorchester	818 *	418 *	400 *	571	293	278	244	124	120
Edgefield	218	111	107	141	70	71	77	41	36
Fairfield	255	137	118	117	62	55	138	75	63
Florence	1,391 *	682 *	709 *	881	427	454	494	244	250
Georgetown	611 *	332 *	279 *	410	223	187	198	107	91
Greenville	3,620 *	1,752 *	1,867 *	2,939	1,450	1,488	666	295	371
Greenwood	706	352	354	536	274	262	170	78	92
Hampton	258 *	139 *	119	122	65	57	135	73	62
Horry	2,321 *	1,261 *	1,060 *	2,044	1,116	928	268	140	128
Jasper	221	126	95	107	63	44	114	63	51
Kershaw	568	282	286	405	201	204	163	81	82
Lancaster	687 *	333	354 *	519	253	266	167	80	87
Laurens	743 *	390 *	353 *	552	280	272	188	108	80
Lee	221 *	117 *	104 *	104	59	45	112	54	58
Lexington	1,912 *	947 *	965 *	1,695	833	862	212	110	102
McCormick	105 *	55 *	50	49	24	25	55	30	25
Marion	406 *	166 *	240 *	192	82	110	209	81	128
Marlboro	323 *	167 *	156 *	162	91	71	157	74	83
Newberry	406 *	200	206 *	294	146	148	110	54	56
Oconee	760 *	375 *	385 *	707	354	353	50	19	31
Orangeburg	987 *	495 *	492 *	425	205	220	555	286	269
Pickens	1,008 *	516 *	492 *	934	478	456	71	36	35
Richland	2,570 *	1,328 *	1,242 *	1,420	717	703	1,131	599	532
Saluda	208 *	108 *	100	160	81	79	47	26	21
Spartanburg	2,724 *	1,315 *	1,409 *	2,221	1,060	1,161	484	245	239
Sumter	932 *	472 *	460 *	503	243	260	426	227	199
Union	371 *	168	203 *	283	127	156	86	41	45
Williamsburg	401 *	209 *	192	145	81	64	255	127	128
York	1,583 *	774 *	809 *	1,269	613	656	311	159	152
Unknown	1	1	-	-	-	-	1	1	-

* Includes unknown race

Table G-13.
Deaths by Race and Gender
South Carolina and Each County, 2008
(Occurrence Data)

County of Residence	Total			White			Black and Other		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
South Carolina	39,352 *	19,841 *	19,510 *	28,469	14,293	14,175	10,686	5,429	5,257
Abbeville	151	71	80	119	54	65	32	17	15
Aiken	1,115 *	543 *	572 *	848	399	449	260	142	118
Allendale	92	44	48	31	8	23	61	36	25
Anderson	1,865 *	972 *	893 *	1,596	817	779	263	152	111
Bamberg	143 *	61	82 *	73	37	36	69	24	45
Barnwell	153	86	67	97	51	46	56	35	21
Beaufort	1,062 *	533 *	529 *	845	437	408	215	95	120
Berkeley	490	256	234	342	181	161	148	75	73
Calhoun	78 *	35 *	43	45	19	26	31	14	17
Charleston	4,216 *	2,183 *	2,033 *	2,745	1,423	1,322	1,439	742	697
Cherokee	465 *	232 *	233	386	197	189	78	34	44
Chester	269	133	136	187	95	92	82	38	44
Chesterfield	329 *	160 *	169 *	231	114	117	96	45	51
Clarendon	257 *	136	121 *	126	65	61	130	71	59
Colleton	444 *	265 *	179 *	301	180	121	138	81	57
Darlington	541 *	255 *	286 *	369	165	204	166	87	79
Dillon	219 *	108 *	111 *	126	64	62	91	43	48
Dorchester	491 *	230 *	261 *	367	163	204	121	66	55
Edgefield	143	74	69	97	51	46	46	23	23
Fairfield	144 *	88 *	56	65	37	28	78	50	28
Florence	2,273 *	1,111 *	1,162 *	1,352	677	675	901	422	479
Georgetown	787 *	424 *	363	588	318	270	196	103	93
Greenville	4,188 *	2,031 *	2,156 *	3,435	1,688	1,746	739	334	405
Greenwood	883	460	423	661	347	314	222	113	109
Hampton	182	93	89	94	46	48	88	47	41
Horry	2,112 *	1,143 *	969 *	1,848	1,007	841	257	131	126
Jasper	209	129	80	131	82	49	78	47	31
Kershaw	450	219	231	324	155	169	126	64	62
Lancaster	542 *	247	295 *	414	190	224	127	57	70
Laurens	553 *	268 *	285 *	420	198	222	130	68	62
Lee	106 *	60 *	46	49	31	18	54	26	28
Lexington	1,861 *	887 *	974 *	1,573	740	833	283	143	140
McCormick	49 *	20 *	29	27	11	16	21	8	13
Marion	276 *	116 *	160	137	57	80	138	58	80
Marlboro	202 *	104 *	98 *	96	53	43	103	49	54
Newberry	327 *	159	168 *	236	116	120	89	43	46
Oconee	688 *	331 *	357	643	311	332	43	18	25
Orangeburg	935 *	457 *	478 *	400	186	214	530	269	261
Pickens	661 *	328 *	333 *	610	303	307	48	23	25
Richland	3,457 *	1,874 *	1,583 *	2,001	1,079	922	1,434	779	655
Saluda	127 *	67 *	60	106	54	52	20	12	8
Spartanburg	2,882 *	1,424 *	1,458 *	2,349	1,148	1,201	513	267	246
Sumter	917 *	463 *	454	491	237	254	421	221	200
Union	270 *	114	156 *	212	91	121	57	23	34
Williamsburg	223	115	108	87	47	40	136	68	68
York	1,525 *	732 *	793 *	1,189	564	625	332	166	166
Unknown	-	-	-	-	-	-	-	-	-

* Includes unknown race

Table G-14.
Deaths by Burial Disposition
South Carolina and Each County, 2008
(Occurrence Data)

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	39,352 *	27,188	10,110	856	854	258
Abbeville	151	120	25	2	4	-
Aiken	1,115 *	741	333	11	15	14
Allendale	92	83	8	-	-	1
Anderson	1,865 *	1,324	394	35	101	7
Bamberg	143 *	128	14	1	-	-
Barnwell	153	124	24	2	2	-
Beaufort	1,062 *	474	565	15	3	3
Berkeley	490	319	142	14	8	6
Calhoun	78 *	59	16	-	1	2
Charleston	4,216 *	2,618	1,331	139	92	27
Cherokee	465 *	363	86	4	8	1
Chester	269	221	44	2	1	1
Chesterfield	329 *	274	45	7	3	-
Clarendon	257 *	191	60	3	1	2
Colleton	444 *	313	105	9	14	3
Darlington	541 *	454	77	-	6	3
Dillon	219 *	190	23	-	6	-
Dorchester	491 *	307	151	14	17	2
Edgefield	143	115	23	1	2	1
Fairfield	144 *	107	33	-	-	2
Florence	2,273 *	1,872	309	25	59	4
Georgetown	787 *	430	289	53	4	9
Greenville	4,188 *	2,755	1,127	125	138	21
Greenwood	883	669	177	5	27	4
Hampton	182	159	20	1	-	-
Horry	2,112 *	914	932	178	59	26
Jasper	209	130	75	1	1	1
Kershaw	450	346	94	6	2	2
Lancaster	542 *	414	101	4	20	3
Laurens	553 *	436	103	2	10	2
Lee	106 *	87	18	1	-	-
Lexington	1,861 *	1,203	541	38	54	24
McCormick	49 *	35	13	-	-	1
Marion	276 *	237	29	-	8	1
Marlboro	202 *	178	20	2	-	1
Newberry	327 *	267	56	-	3	1
Oconee	688 *	439	213	12	19	3
Orangeburg	935 *	781	134	6	8	5
Pickens	661 *	469	166	9	12	4
Richland	3,457 *	2,467	823	57	61	45
Saluda	127 *	104	20	-	3	-
Spartanburg	2,882 *	2,078	673	49	62	11
Sumter	917 *	726	174	5	5	6
Union	270 *	240	25	2	2	-
Williamsburg	223	209	13	-	1	-
York	1,525 *	1,018	466	16	12	9
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A.
Deaths by Burial Disposition and Race
South Carolina and Each County, 2008
(Occurrence Data)

White

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	28,469	17,663	8,956	782	806	217
Abbeville	119	90	23	2	4	-
Aiken	848	509	302	9	15	13
Allendale	31	26	5	-	-	-
Anderson	1,596	1,093	362	33	99	7
Bamberg	73	62	11	-	-	-
Barnwell	97	76	18	1	2	-
Beaufort	845	283	541	13	3	3
Berkeley	342	185	129	14	8	6
Calhoun	45	29	13	-	1	2
Charleston	2,745	1,351	1,161	126	81	21
Cherokee	386	294	77	4	8	1
Chester	187	144	39	2	1	1
Chesterfield	231	186	35	7	3	-
Clarendon	126	77	43	3	1	2
Colleton	301	181	95	8	14	3
Darlington	369	295	66	-	6	2
Dillon	126	103	17	-	6	-
Dorchester	367	195	141	12	17	2
Edgefield	97	72	20	1	2	1
Fairfield	65	37	26	-	-	2
Florence	1,352	1,019	251	21	55	4
Georgetown	588	250	273	52	4	8
Greenville	3,435	2,142	1,013	118	134	15
Greenwood	661	478	150	5	25	3
Hampton	94	76	18	-	-	-
Horry	1,848	698	896	173	59	20
Jasper	131	60	68	1	1	1
Kershaw	324	232	82	6	2	2
Lancaster	414	300	89	4	20	1
Laurens	420	317	90	2	9	2
Lee	49	34	15	-	-	-
Lexington	1,573	970	495	34	52	21
McCormick	27	15	11	-	-	1
Marion	137	106	21	-	8	1
Marlboro	96	76	17	1	-	1
Newberry	236	188	45	-	2	1
Oconee	643	403	204	12	19	3
Orangeburg	400	291	95	6	5	3
Pickens	610	424	160	9	12	4
Richland	2,001	1,242	630	40	54	35
Saluda	106	86	17	-	3	-
Spartanburg	2,349	1,643	589	45	55	10
Sumter	491	347	133	2	3	6
Union	212	184	23	2	2	-
Williamsburg	87	77	9	-	1	-
York	1,189	717	438	14	10	9
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-14A. (continued)
 Deaths by Burial Disposition and Race
 South Carolina and Each County, 2008
 (Occurrence Data)

Black & Other

County of Residence	Total	Burial	Cremation	Removal	Entombment	Other
South Carolina	10,686	9,405	1,100	72	44	31
Abbeville	32	30	2	-	-	-
Aiken	260	226	30	2	-	1
Allendale	61	57	3	-	-	1
Anderson	263	229	30	1	1	-
Bamberg	69	66	2	1	-	-
Barnwell	56	48	6	1	-	-
Beaufort	215	189	24	2	-	-
Berkeley	148	134	13	-	-	-
Calhoun	31	29	2	-	-	-
Charleston	1,439	1,245	163	12	11	4
Cherokee	78	69	8	-	-	-
Chester	82	77	5	-	-	-
Chesterfield	96	87	9	-	-	-
Clarendon	130	113	17	-	-	-
Colleton	138	128	9	1	-	-
Darlington	166	154	10	-	-	1
Dillon	91	85	6	-	-	-
Dorchester	121	110	9	2	-	-
Edgefield	46	43	3	-	-	-
Fairfield	78	69	7	-	-	-
Florence	901	836	55	4	4	-
Georgetown	196	179	14	1	-	1
Greenville	739	607	109	7	4	6
Greenwood	222	191	27	-	2	1
Hampton	88	83	2	1	-	-
Horry	257	215	31	5	-	5
Jasper	78	70	7	-	-	-
Kershaw	126	114	12	-	-	-
Lancaster	127	114	11	-	-	2
Laurens	130	117	12	-	1	-
Lee	54	50	3	1	-	-
Lexington	283	231	44	4	1	3
McCormick	21	19	2	-	-	-
Marion	138	130	8	-	-	-
Marlboro	103	99	3	1	-	-
Newberry	89	78	10	-	1	-
Oconee	43	34	9	-	-	-
Orangeburg	530	488	38	-	3	-
Pickens	48	43	5	-	-	-
Richland	1,434	1,210	191	17	7	6
Saluda	20	17	3	-	-	-
Spartanburg	513	429	74	4	5	-
Sumter	421	376	40	3	2	-
Union	57	55	2	-	-	-
Williamsburg	136	132	4	-	-	-
York	332	300	26	2	2	-
Unknown	-	-	-	-	-	-

* Includes unknown race

Table G-15.
Deaths by Certifier¹
South Carolina and Each County, 2008
(Occurrence Data)

County of Residence	Total	Coroner	Physician	Medical Examiner
South Carolina	39,352 *	7,685	31,591	76
Abbeville	151	108	43	-
Aiken	1,115 *	167	948	-
Allendale	92	26	66	-
Anderson	1,865 *	311	1,554	-
Bamberg	143 *	82	61	-
Barnwell	153	84	69	-
Beaufort	1,062 *	115	947	-
Berkeley	490	396	94	-
Calhoun	78 *	48	30	-
Charleston	4,216 *	528	3,688	-
Cherokee	465 *	139	326	-
Chester	269	129	140	-
Chesterfield	329 *	91	238	-
Clarendon	257 *	93	164	-
Colleton	444 *	219	225	-
Darlington	541 *	235	306	-
Dillon	219 *	98	121	-
Dorchester	491 *	148	343	-
Edgefield	143	53	90	-
Fairfield	144 *	50	94	-
Florence	2,273 *	235	2,038	-
Georgetown	787 *	115	672	-
Greenville	4,188 *	38	4,076	74
Greenwood	883	87	796	-
Hampton	182	26	156	-
Horry	2,112 *	458	1,652	2
Jasper	209	71	138	-
Kershaw	450	132	318	-
Lancaster	542 *	265	277	-
Laurens	553 *	152	401	-
Lee	106 *	74	32	-
Lexington	1,861 *	304	1,557	-
McCormick	49 *	26	23	-
Marion	276 *	81	195	-
Marlboro	202 *	117	85	-
Newberry	327 *	129	198	-
Oconee	688 *	118	570	-
Orangeburg	935 *	328	607	-
Pickens	661 *	186	475	-
Richland	3,457 *	566	2,891	-
Saluda	127 *	51	76	-
Spartanburg	2,882 *	437	2,445	-
Sumter	917 *	122	795	-
Union	270 *	59	211	-
Williamsburg	223	146	77	-
York	1,525 *	242	1,283	-
Unknown	-	-	-	-

¹ Person certifying the original death certificate

* Includes unknown race

Table G-15A.
Deaths by Certifier¹ and Race
South Carolina and Each County, 2008
(Occurrence Data)

County of Residence	White				Black & Other			
	Total	Coroner	Physician	Medical Examiner	Total	Coroner	Physician	Medical Examiner
South Carolina	28,469	5,129	23,285	55	10,686	2,515	8,150	21
Abbeville	119	84	35	-	32	24	8	-
Aiken	848	122	726	-	260	43	217	-
Allendale	31	7	24	-	61	19	42	-
Anderson	1,596	244	1,352	-	263	67	196	-
Bamberg	73	37	36	-	69	44	25	-
Barnwell	97	57	40	-	56	27	29	-
Beaufort	845	88	757	-	215	27	188	-
Berkeley	342	283	59	-	148	113	35	-
Calhoun	45	28	17	-	31	18	13	-
Charleston	2,745	326	2,419	-	1,439	198	1,241	-
Cherokee	386	110	276	-	78	28	50	-
Chester	187	89	98	-	82	40	42	-
Chesterfield	231	61	170	-	96	30	66	-
Clarendon	126	57	69	-	130	36	94	-
Colleton	301	154	147	-	138	65	73	-
Darlington	369	153	216	-	166	81	85	-
Dillon	126	56	70	-	91	42	49	-
Dorchester	367	99	268	-	121	49	72	-
Edgefield	97	39	58	-	46	14	32	-
Fairfield	65	22	43	-	78	28	50	-
Florence	1,352	146	1,206	-	901	88	813	-
Georgetown	588	84	504	-	196	31	165	-
Greenville	3,435	33	3,349	53	739	5	713	21
Greenwood	661	61	600	-	222	26	196	-
Hampton	94	15	79	-	88	11	77	-
Horry	1,848	391	1,455	2	257	66	191	-
Jasper	131	43	88	-	78	28	50	-
Kershaw	324	87	237	-	126	45	81	-
Lancaster	414	196	218	-	127	68	59	-
Laurens	420	106	314	-	130	44	86	-
Lee	49	34	15	-	54	37	17	-
Lexington	1,573	244	1,329	-	283	59	224	-
McCormick	27	13	14	-	21	12	9	-
Marion	137	33	104	-	138	48	90	-
Marlboro	96	59	37	-	103	56	47	-
Newberry	236	91	145	-	89	37	52	-
Oconee	643	110	533	-	43	6	37	-
Orangeburg	400	117	283	-	530	210	320	-
Pickens	610	173	437	-	48	12	36	-
Richland	2,001	263	1,738	-	1,434	299	1,135	-
Saluda	106	41	65	-	20	9	11	-
Spartanburg	2,349	334	2,015	-	513	97	416	-
Sumter	491	50	441	-	421	71	350	-
Union	212	51	161	-	57	8	49	-
Williamsburg	87	50	37	-	136	96	40	-
York	1,189	188	1,001	-	332	53	279	-
Unknown	-	-	-	-	-	-	-	-

¹ Person certifying the original death certificate

Table G-16.
Major Causes¹ of Accidental Deaths
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	2,275	980	503	247	88	77	14	366
Abbeville	4	1	-	1	-	1	-	1
Aiken	79	37	17	11	1	5	-	8
Allendale	7	4	1	-	-	-	-	2
Anderson	104	32	31	17	6	2	1	15
Bamberg	5	1	2	-	-	1	-	1
Barnwell	17	13	2	-	-	-	-	2
Beaufort	72	28	9	12	2	2	4	15
Berkeley	79	43	18	5	1	2	-	10
Calhoun	7	3	-	2	-	-	-	2
Charleston	151	59	33	24	2	7	1	25
Cherokee	32	16	3	5	2	-	-	6
Chester	24	13	1	4	1	-	-	5
Chesterfield	33	20	3	4	-	2	-	4
Clarendon	20	12	1	-	2	2	-	3
Colleton	31	18	4	2	-	2	-	5
Darlington	37	19	8	2	1	1	-	6
Dillon	21	10	1	1	5	1	-	3
Dorchester	64	33	15	3	2	3	-	8
Edgefield	12	6	2	1	1	1	-	1
Fairfield	12	6	-	1	-	-	-	5
Florence	64	40	6	5	3	1	1	8
Georgetown	41	24	3	4	2	3	1	4
Greenville	218	75	68	32	4	4	1	34
Greenwood	38	12	10	6	1	-	-	9
Hampton	10	3	2	3	-	1	-	1
Horry	123	46	36	10	8	7	1	15
Jasper	15	9	3	-	2	-	-	1
Kershaw	37	17	8	5	1	2	-	4
Lancaster	55	30	7	8	5	-	-	5
Laurens	39	12	13	3	4	-	-	7
Lee	6	4	-	-	2	-	-	-
Lexington	115	55	16	12	2	5	1	24
McCormick	2	1	-	-	-	-	-	1
Marion	29	14	5	1	2	1	-	6
Marlboro	16	9	2	-	-	1	-	4
Newberry	21	6	2	2	4	1	-	6
Oconee	48	12	20	8	-	2	-	6
Orangeburg	56	30	5	3	3	4	1	10
Pickens	57	23	16	8	1	2	-	7
Richland	141	53	27	14	5	5	-	37
Saluda	13	7	1	1	3	-	-	1
Spartanburg	155	57	62	10	6	3	1	16
Sumter	43	23	4	3	2	-	1	10
Union	15	6	6	1	-	-	-	2
Williamsburg	15	6	2	-	2	-	-	5
York	92	32	28	13	-	3	-	16
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-17.
Major Causes¹ of Accidental Deaths
South Carolina and Each County, 2008
(Occurrence Data)

County of Residence	Total (V01-X59,Y85-Y86)	Transportation (V01-V99,Y85)	Poison (X40-X49)	Falls (W00-W19)	Fire & Flames (X00-X09)	Firearms (W32-W34)	Drowning (W61-W74)	Residual
South Carolina	2,221	971	516	214	76	78	13	353
Abbeville	3	1	-	-	-	1	-	1
Aiken	52	24	17	3	1	3	-	4
Allendale	8	6	1	-	-	-	-	1
Anderson	86	24	28	14	5	2	-	13
Bamberg	6	2	2	-	-	-	-	2
Barnwell	9	7	2	-	-	-	-	-
Beaufort	51	17	7	9	1	3	2	12
Berkeley	47	31	13	1	-	1	-	1
Calhoun	1	1	-	-	-	-	-	-
Charleston	230	94	45	37	2	7	2	43
Cherokee	23	12	3	2	1	-	-	5
Chester	19	12	1	-	1	-	-	5
Chesterfield	23	14	4	1	-	2	-	2
Clarendon	18	11	-	-	2	1	-	4
Colleton	31	19	7	1	-	-	-	4
Darlington	30	18	4	2	1	1	-	4
Dillon	19	7	1	-	5	1	-	5
Dorchester	43	19	11	-	2	6	-	5
Edgefield	9	7	2	-	-	-	-	-
Fairfield	12	8	-	1	-	1	-	2
Florence	100	59	9	8	1	1	1	21
Georgetown	32	15	4	3	2	3	1	4
Greenville	271	98	81	44	3	1	1	43
Greenwood	32	7	9	4	1	1	-	10
Hampton	9	4	2	2	-	-	-	1
Horry	131	49	41	9	8	11	1	12
Jasper	20	12	4	-	2	-	-	2
Kershaw	27	9	10	2	1	1	1	3
Lancaster	29	14	7	3	3	-	-	2
Laurens	31	14	10	2	4	-	-	1
Lee	6	3	-	-	2	-	-	1
Lexington	114	52	15	8	3	7	1	28
McCormick	1	1	-	-	-	-	-	-
Marion	21	10	4	-	1	1	-	5
Marlboro	11	7	2	1	-	1	-	-
Newberry	21	8	2	-	4	1	-	6
Oconee	39	13	16	4	-	2	-	4
Orangeburg	51	25	4	3	3	6	1	9
Pickens	43	12	15	5	-	5	1	5
Richland	199	92	30	27	3	4	-	43
Saluda	9	5	1	-	2	-	-	1
Spartanburg	160	64	59	12	6	2	1	16
Sumter	39	23	4	1	3	1	-	7
Union	15	6	7	-	-	-	-	2
Williamsburg	13	9	1	-	2	-	-	1
York	77	26	31	5	1	1	-	13
Unknown	-	-	-	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-18.
Deaths Due to Suicide by Method¹
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total (X60-X84,Y87.0)	Firearms (X72-X74)	Hanging, Strangulation & Suffocation (X70)	Poisoning (X60-X69)	Residual
South Carolina	560	341	105	87	27
Abbeville	3	3	-	-	-
Aiken	21	13	3	5	-
Allendale	-	-	-	-	-
Anderson	26	18	5	3	-
Bamberg	2	2	-	-	-
Barnwell	5	5	-	-	-
Beaufort	16	7	4	2	3
Berkeley	19	15	2	1	1
Calhoun	3	1	2	-	-
Charleston	48	26	8	12	2
Cherokee	11	9	1	1	-
Chester	4	2	2	-	-
Chesterfield	5	4	-	1	-
Clarendon	5	2	1	1	1
Colleton	4	1	-	3	-
Darlington	8	7	-	-	1
Dillon	2	2	-	-	-
Dorchester	13	4	4	3	2
Edgefield	1	-	-	1	-
Fairfield	2	2	-	-	-
Florence	19	14	2	1	2
Georgetown	4	2	1	1	-
Greenville	60	36	6	16	2
Greenwood	11	5	3	3	-
Hampton	2	1	-	1	-
Horry	35	19	10	5	1
Jasper	3	2	1	-	-
Kershaw	6	3	2	1	-
Lancaster	10	8	2	-	-
Laurens	9	5	1	3	-
Lee	2	1	1	-	-
Lexington	31	18	8	2	3
McCormick	2	1	1	-	-
Marion	2	2	-	-	-
Marlboro	3	3	-	-	-
Newberry	5	3	1	1	-
Oconee	14	13	-	1	-
Orangeburg	9	6	3	-	-
Pickens	17	8	3	4	2
Richland	41	21	10	6	4
Saluda	4	3	1	-	-
Spartanburg	39	24	7	5	3
Sumter	4	3	1	-	-
Union	3	1	2	-	-
Williamsburg	3	2	-	1	-
York	24	14	7	3	-
Unknown	-	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-19.
Deaths Due to Homicide by Method¹
South Carolina and Each County, 2008
(Residence Data)

County of Residence	Total (X85-Y09, Y87.1)	Firearms (X93-X95)	Assault by Cutting & Piercing (X99)	Residual
South Carolina	356	250	33	73
Abbeville	1	-	1	-
Aiken	12	5	1	6
Allendale	-	-	-	-
Anderson	21	14	-	7
Bamberg	2	1	1	-
Barnwell	-	-	-	-
Beaufort	7	6	1	-
Berkeley	15	11	-	4
Calhoun	2	2	-	-
Charleston	33	24	3	6
Cherokee	3	2	-	1
Chester	3	2	-	1
Chesterfield	-	-	-	-
Clarendon	1	1	-	-
Colleton	5	3	-	2
Darlington	11	8	1	2
Dillon	2	1	1	-
Dorchester	8	7	-	1
Edgefield	2	2	-	-
Fairfield	3	3	-	-
Florence	12	5	2	5
Georgetown	6	4	-	2
Greenville	29	20	5	4
Greenwood	3	3	-	-
Hampton	4	3	-	1
Horry	19	14	-	5
Jasper	7	6	1	-
Kershaw	2	1	-	1
Lancaster	4	4	-	-
Laurens	4	4	-	-
Lee	3	2	-	1
Lexington	13	7	2	4
McCormick	1	1	-	-
Marion	6	5	-	1
Marlboro	4	4	-	-
Newberry	1	1	-	-
Oconee	4	2	1	1
Orangeburg	14	11	1	2
Pickens	3	2	-	1
Richland	24	16	5	3
Saluda	-	-	-	-
Spartanburg	20	13	4	3
Sumter	14	11	-	3
Union	6	3	1	2
Williamsburg	6	3	1	2
York	16	13	1	2
Unknown	-	-	-	-

¹ Classified and Coded According to ICD-10

Table G-20.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2008
(Residence Data)

Cause of Death	Total	Deaths			
		White		Black & Other	
		Male	Female	Male	Female
ALL CAUSES	40,197 *	14,559	14,455	5,581	5,384
SALMONELLE INFECTIONS (A01-A02)	1	-	-	-	1
SHIGELLOSIS & AMEBIASIS (A03,A06)	-	-	-	-	-
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	73	25	36	5	7
TUBERCULOSIS (A16-A19)	14	2	2	5	5
RESPIRATORY TUBERCULOSIS (A16)	11	1	2	5	3
OTHER TUBERCULOSIS (A17-A19)	3	1	-	-	2
WHOOPING COUGH (A37)	-	-	-	-	-
SCARLET FEVER AND ERYSPIELAS (A38, A46)	-	-	-	-	-
MENIGOCOCAL INFECTION (A39)	1	-	1	-	-
SEPTICEMIA (A40-A41)	666 *	177	231	116	133
SYPHILIS (A50-A53)	1	-	-	1	-
ACUTE POLIOMELITIS (A80)	-	-	-	-	-
ARTHOPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	-	-	-	-	-
MEASLES (B05)	-	-	-	-	-
VIRAL HEPATITIS (B15-B19)	97	48	26	18	5
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	228 *	39	10	124	49
MALARIA (B50-B54)	-	-	-	-	-
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	103 *	30	36	20	15
MALIGNANT NEOPLASMS (C00-C97)	9,175 *	3,674	3,047	1,312	1,104
OF LIP, ORAL CAVITY & PHARYNX (C00-C14)	141	63	32	38	8
OF ESOPHAGUS (C15)	244	130	32	63	19
OF STOMACH (C16)	209 *	69	42	64	31
OF COLON, RECTUM & ANUS (C18-C21)	814 *	292	275	129	115
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	252 *	136	59	36	18
OF PANCREAS (C25)	537 *	186	195	76	79
OF LARYNX (C32)	84 *	34	9	30	10
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	2,755 *	1,319	866	359	200
OF SKIN (C43)	129	90	36	1	2
OF BREAST (C50)	668 *	4	453	2	208
OF CERVIX UTERI (C53)	78	-	40	-	38
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	107	-	55	-	52
OF OVARY (C56)	218 *	-	165	-	51
OF PROSTATE (C61)	464 *	263	-	198	-
OF KIDNEY & RENAL PELVIS (C64-C65)	228 *	108	56	38	24
OF BLADDER (C67)	200 *	100	60	19	16
OF MENINGS, BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	216 *	105	82	11	17
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	821	361	286	91	83
HODGKIN'S DISEASE (C81)	24	9	9	1	5
NON-HODGKIN'S LYMPHOMA (C82-C85)	269	110	111	28	20
LEUKEMIA (C91-C95)	335	163	113	34	25
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	193	79	53	28	33
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID, HEMATOPOIETIC (C96)	-	-	-	-	-
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	1,010 *	414	304	157	133
IN SITU, BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	181	71	71	24	15
ANEMIAS (D50-D64)	106	24	38	17	27
DIABETES MELLITUS (E10-E14)	1,129 *	322	312	205	281
NUTRITIONAL DEFICIENCIES (E40-E64)	66	13	33	11	9
MALNUTRITION (E40-E46)	56	12	25	11	8
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	10	1	8	-	1
MENINGITIS (G00-G03)	12	2	4	1	5
PARKISON'S DISEASE (G20-G21)	292	144	123	10	15
ALZHEIMER'S DISEASE (G30)	1,489 *	351	900	62	172
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	12,223 *	4,404	4,226	1,732	1,805
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	8,984 *	3,508	2,951	1,268	1,219
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	41	12	19	6	4
HYPERTENSIVE HEART DISEASE (I11)	398 *	103	121	77	95
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	40	5	14	10	11
ISCHEMIC HEART DISEASE (I20-I25)	5,231 *	2,331	1,590	681	608
ACUTE MYOCARDIAL INFARCTION (I21-I22)	2,171 *	953	630	311	268
OTHER ACUTE HEART DISEASE (I24)	258 *	80	38	82	57
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	2,802 *	1,298	922	288	283
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	390 *	175	127	47	39
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	2,412 *	1,123	795	241	244
OTHER HEART DISEASE (I26-I51)	3,274 *	1,057	1,207	494	501
ACUTE & SUBACUTE ENDOCARDITIS (I33)	27	11	9	4	3
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	16 *	3	6	2	4
HEART FAILURE (I50)	919 *	278	401	101	137
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	2,312 *	765	791	387	357

Table G-20.
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2008
(Residence Data)

Cause of Death	Total	Death			
		White		Black & Other	
		Male	Female	Male	Female
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	445 *	89	140	100	113
CEREBROVASCULAR DISEASE (I60-I69)	2,387 *	659	987	313	417
ATHEROSCLEROSIS (I70)	32	6	19	2	5
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	375 *	142	129	49	51
AORTIC ANEURYSM & DISSECTION (I71)	209 *	97	67	25	18
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	166 *	45	62	24	33
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I89)	59 *	15	26	10	7
INFLUENZA & PNEUMONIA (J10-J18)	730 *	272	315	74	63
INFLUENZA (J10-J11)	20	8	7	3	2
PNEUMONIA (J12-J18)	710 *	264	308	71	61
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	1	1	-	-	-
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	1	1	-	-	-
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	-	-	-	-	-
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	2,261 *	942	1,008	176	129
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	11	3	5	3	-
EMPHYSEMA (J43)	240 *	110	95	21	13
ASTHMA (J45-J46)	72	13	24	13	22
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	1,938 *	816	884	139	94
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	11	8	-	2	1
PNEUMONTITIS DUE TO SOLID & LIQUIDS (J69)	248 *	110	87	26	24
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	558 *	204	207	69	76
PEPTIC ULCER (K25-K28)	46	18	15	5	8
DISEASE OF APPENDIX (K35-K38)	9	3	1	4	1
HERNIA (K40-K46)	21	7	10	1	3
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	464	248	124	56	36
ALCOHOLIC LIVER DISEASE (K70)	199	105	40	34	20
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	265	143	84	22	16
CHOLELIATHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	57	20	23	7	7
NEPHRITIS, NEPHROTIC SYN & NEPHROSIS (N00-N07,N17-N19,N25-N27)	949 *	245	275	178	244
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	4	2	1	-	1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	110 *	15	38	24	31
RENAL FAILURE (N17-N19)	834 *	228	235	154	212
OTHER DISORDERS OF KIDNEY (N25,N27)	1	-	1	-	-
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	11	2	6	1	2
HYPERPLASIA OF PROSTATE (N40)	2 *	-	-	1	-
INFLAMMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	3	-	3	-	-
PREGNANCY, CHILDBIRTH & THE PUPERIUM (O00-O99)	26 *	-	10	-	15
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	1	-	-	-	1
OTHER COMPLICAITONS OF PREGNANCY, CHILDBIRTH & PUPERIUM(O10-99)	25 *	-	10	-	14
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	239 *	42	51	76	55
CONGENITAL MALFORM ,DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	148 *	45	53	19	26
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	693 *	172	321	86	105
ALL OTHER DISEASE (RESIDUAL) **	4,527 *	1,283	2,046	463	716
ACCIDENT (V01-X59,Y85-Y86)	2,275 *	1,059	613	415	174
TRANSPORT ACCIDENTS (V01-V99,Y85)	980 *	481	190	215	88
MOTOR VEHICLE ACCIDENT*	952 *	464	188	207	88
OTHER & TRANSPORT ACCIDENT*	28 *	17	2	8	-
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	-	-	-	-	-
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	1,295 *	578	423	200	86
ACCIDENTAL FALLS (W00-W19)	247 *	125	93	19	8
ACCIDENTAL DISEASECHARGE OF FIREARMS (W32-W34)	14	8	-	6	-
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	77	34	13	28	2
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	88 *	26	16	27	16
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	503 *	244	194	44	19
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	366 *	141	107	76	41
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	560 *	392	104	55	6
INTENTIONAL SELF-HARM BY DISEASECHARGE OF FIREARM (X72-X74)	341 *	262	41	35	1
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	219 *	130	63	20	5
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	356 *	105	39	179	31
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	250	69	17	147	17
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	106 *	36	22	32	14
LEGAL INTERVENTION (Y35,Y89.0)	7	3	-	4	-
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	51 *	22	16	8	3
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	5 *	2	1	1	-
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	46 *	20	15	7	3
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	1	1	-	-	-
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	27	14	6	3	4

** See APPENDIX for ICD-10 codes

Table G-20. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2008
(Residence Data)

Cause of Death	Rate ¹		
	Total	White	Black & Other
ALL CAUSES	9.0	9.3	8.0
SALMONELLE INFECTIONS (A01-A02)	0.0	0	0.1
SHIGELLOSIS & AMEBIASIS (A03,A06)	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (A04,A07-A09)	1.6	2.0	0.9
TUBERCULOSIS (A16-A19)	0.3	0.1	0.7
RESPIRATORY TUBERCULOSIS (A16)	0.2	0.1	0.6
OTHER TUBERCULOSIS (A17-A19)	0.1	0.0	0.1
WHOOPING COUGH (A37)	0	0	0
SCARLET FEVER AND ERYSPELAS (A38, A46)	0	0	0
MENIGOCOCAL INFECTION (A39)	0.0	0.0	0
SEPTICEMIA (A40-A41)	14.9	13.1	18.1
SYPHILIS (A50-A53)	0.0	0	0.1
ACUTE POLIOMELITIS (A80)	0	0	0
ARTHOPHOD-BORNE VIRAL ENCEPLITIS (A83-A84, A85.2)	0	0	0
MEASLES (B05)	0	0	0
VIRAL HEPATITIS (B15-B19)	2.2	2.4	1.7
HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE (B20-B24)	5.1	1.6	12.6
MALARIA (B50-B54)	0	0	0
OTHER & UNSPECIFIED INFECTIOUS & PARASITIC DISEASE & THEIR SEQUELAE **	2.3	2.1	2.5
MALIGNANT NEOPLASMS (C00-C97)	204.8	216.5	175.7
OF LIP,ORAL CAVITY & PHARYIX (C00-C14)	3.1	3.1	3.3
OF ESOPHAGUS (C15)	5.4	5.2	6.0
OF STOMACH (C16)	4.7	3.6	6.9
OF COLON,RECTUM & ANUS (C18-C21)	18.2	18.3	17.7
OF LIVER & INTRAHEPATIC BILE DUCTS (C22)	5.6	6.3	3.9
OF PANCREAS (C25)	12.0	12.3	11.3
OF LARYNX (C32)	1.9	1.4	2.9
OF TRACHEA, BRONCHUS & LUNG (C33-C34)	61.5	70.4	40.6
OF SKIN (C43)	2.9	4.1	0.2
OF BREAST (C50)	14.9	14.7	15.3
OF CERVIX UTERI (C53)	1.7	1.3	2.8
OF CORPUS UTERI & UTERUS, PART UNSPECIFIED (C54-C55)	2.4	1.8	3.8
OF OVARY (C56)	4.9	5.3	3.7
OF PROSTATE (C61)	10.4	8.5	14.4
OF KIDNEY & RENAL PELVIS (C64-C65)	5.1	5.3	4.5
OF BLADDER (C67)	4.5	5.2	2.5
OF MENINGS,BRAIN & OTHER PARTS OF CENTRAL NERVOUS SYS (C70-C72)	4.8	6.0	2.0
OF LYMPHOID, HEMATOPOIETIC & RELATED TISSUE (C81-C96)	18.3	20.8	12.7
HODGKIN'S DISEASE (C81)	0.5	0.6	0.4
NON-HODGKIN'S LYMPHOMA (C82-C85)	6.0	7.1	3.5
LEUKEMIA (C91-C95)	7.5	8.9	4.3
MULTIPLE MYELOMA & IMMUNOPROLIFERATIVE NEOPLASMS (C88,C90)	4.3	4.3	4.4
OTHER & UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID,HEMATOPOIETIC (C96)	0	0	0
ALL OTHER UNSPECIFIED MALIGNANT NEOPLASMS (RESIDUAL) **	22.5	23.1	21.1
IN SITU,BENIGN NEOPLASMS & NEOPLASMS OF UNKNOWN BEHAVIOR (D00-D48)	4.0	4.6	2.8
ANEMIAS (D50-D64)	2.4	2.0	3.2
DIABETES MELLITUS (E10-E14)	25.2	20.4	35.3
NUTRITIONAL DEFICIENCIES (E40-E64)	1.5	1.5	1.5
MALNUTRITION (E40-E46)	1.3	1.2	1.4
OTHER NUTRITIONAL DEFICIENCIES (E50-E64)	0.2	0.3	0.1
MENINGITIS (G00-G03)	0.3	0.2	0.4
PARKISON'S DISEASE (G20-G21)	6.5	8.6	1.8
ALZHEIMER'S DISEASE (G30)	33.2	40.3	17.0
MAJOR CARDIOVASCULAR DISEASE (I00-I78)	272.8	278.0	257.2
DISEASE OF HEART (I00-I09,I11,I13,I20-I51)	200.5	208.1	180.8
ACUTE RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (I00-I09)	0.9	1.0	0.7
HYPERTENSIVE HEART DISEASE (I11)	8.9	7.2	12.5
HYPERTENSIVE HEART AND RENAL DISEASE (I13)	0.9	0.6	1.5
ISCHEMIC HEART DISEASE (I20-I25)	116.8	126.3	93.7
ACUTE MYOCARDIAL INFARCTION (I21-I22)	48.5	51.0	42.1
OTHER ACUTE HEART DISEASE (I24)	5.8	3.8	10.1
OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25)	62.5	71.5	41.5
ATHEROSCLEROSIS CARDIOVASCULAR DISEASE (I25.0)	8.7	9.7	6.3
ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (I20,I25.1-I25.9)	53.8	61.8	35.3
OTHER HEART DISEASE (I26-I51)	73.1	72.9	72.3
ACUTE & SUBACUTE ENDOCARDITIS (I33)	0.6	0.6	0.5
DISEASE OF PERICARDIUM & ACUTE MYOCARDITIS (I30-I31,I40)	0.4	0.3	0.4
HEART FAILURE (I50)	20.5	21.9	17.3
ALL OTHER FORMS OF HEART DISEASE (I26-I28,I34-I38,I42-I49,I51)	51.6	50.1	54.1

Table G-20. (continued)
Deaths and Death Rates from Selected Causes by Race and Gender: South Carolina, 2008
(Residence Data)

Cause of Death	Rate [†]		
	Total	White	Black & Other
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE (I10,I12)	9.9	7.4	15.5
CEREBROVASCULAR DISEASE (I60-I69)	53.3	53.0	53.1
ATHEROSCLEROSIS (I70)	0.7	0.8	0.5
OTHER DISEASE OF CIRCULATORY SYSTEM (I71-I78)	8.4	8.7	7.3
AORTIC ANEURYSM & DISSECTION (I71)	4.7	5.3	3.1
OTHER DISEASE OF ARTERIES, ARTERIOLES & CAPILLARIES (I72-I78)	3.7	3.4	4.1
OTHER DISORDER OF CIRCULATORY SYSTEM (I80-I89)	1.3	1.3	1.2
INFLUENZA & PNEUMONIA (J10-J18)	16.3	18.9	10.0
INFLUENZA (J10-J11)	0.4	0.5	0.4
PNEUMONIA (J12-J18)	15.8	18.4	9.6
OTHER ACUTE LOWER RESPIRATORY INFECTIONS (J20-J22)	0.0	0.0	0
ACUTE BRONCHITIS & BRONCHIOLITIS (J20-J21)	0.0	0.0	0
UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION (J22)	0	0	0
CHRONIC LOWER RESPIRATORY DISEASE (J40-J47)	50.5	62.8	22.2
BRONCHITIS, CHRONIC & UNSPECIFIED (J40-J42)	0.2	0.3	0.2
EMPHYSEMA (J43)	5.4	6.6	2.5
ASTHMA (J45-J46)	1.6	1.2	2.5
OTHER CHRONIC LOWER RESPIRATORY DISEASE (J44,J47)	43.3	54.8	16.9
PNEUMOCONIOSES & CHEMICAL EFFECTS (J60-J66,J68)	0.2	0.3	0.2
PNEUMONTITIS DUE TO SOLID & LIQUIDS (J69)	5.5	6.3	3.6
OTHER DISEASE OF RESPIRATORY SYSTEM (J00-J06,J30-J39,J67,J70-J98)	12.5	13.2	10.5
PEPTIC ULCER (K25-K28)	1.0	1.1	0.9
DISEASE OF APPENDIX (K35-K38)	0.2	0.1	0.4
HERNIA (K40-K46)	0.5	0.5	0.3
CHRONIC LIVER DISEASE & CIRRHOSIS (K70,K73-K74)	10.4	12.0	6.7
ALCOHOLIC LIVER DISEASE (K70)	4.4	4.7	3.9
OTHER CHRONIC LIVER DISEASE & CIRRHOSIS (K73-K74)	5.9	7.3	2.8
CHOLELIATHIASIS & OTHER DISORDERS OF GALLBLADDER (K80-K82)	1.3	1.4	1.0
NEPHRITIS, NEPHROTIC SY & NEPHROSIS (N00-N07,N17-N19,N25-N27)	21.2	16.8	30.7
ACUTE & RAPIDLY PROGRESSIVE NEPHRITIC & NEPHROTIC SYNDROME (N00-N01,N04)	0.1	0.1	0.1
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS & RENAL SCLEROSIS UNSPECIFIED **	2.5	1.7	4.0
RENAL FAILURE (N17-N19)	18.6	14.9	26.6
OTHER DISORDERS OF KIDNEY (N25,N27)	0.0	0.0	0
INFECTIONS OF KIDNEYS (N10-N12,N136,N151)	0.2	0.3	0.2
HYPERPLASIA OF PROSTATE (N40)	0.0	0	0.1
INFLAMMOTORY DISEASE OF FEMALE PELVIC ORGANS (N70-N76)	0.1	0.1	0
PREGNANCY, CHILDBIRTH & THE PUPERIUM (O00-O99)	0.6	0.3	1.1
PREGNANCY WITH ABORTIVE OUTCOME (O00-O07)	0.0	0	0.1
OTHER COMPLICAITONS OF PREGNANCY, CHILDBIRTH & PUPERIUM(O10-99)	0.6	0.3	1.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (P00-P96)	5.3	3.0	9.5
CONGENITAL MALFORM, DEFORMATIONS & CHROMOSOMAL ABNORMAL (Q00-Q09)	3.3	3.2	3.3
SYMPTOMS, SIGNS & ABNORM CLINICAL & LAB FINDINGS,NOT CLASSIFIED (R0-99)	15.5	15.9	13.9
ALL OTHER DISEASE (RESIDUAL) **	101.1	107.2	85.7
ACCIDENT (V01-X59,Y85-Y86)	50.8	53.9	42.8
TRANSPORT ACCIDENTS (V01-V99,Y85)	21.9	21.6	22.0
MOTOR VEHICLE ACCIDENT*	21.3	21.0	21.4
OTHER & TRANSPORT ACCIDENT*	0.6	0.6	0.6
WATER,AIR & SPACE, UNSPECIFIED TRANSPORT ACCIDENTS (V90-V99,Y85)	0	0	0
NONTRANSPORT ACCIDENTS (W00-X59,Y86)	28.9	32.2	20.8
ACCIDENTAL FALLS (W00-W19)	5.5	7.0	2.0
ACCIDENTAL DISEASE/CHARGE OF FIREARMS (W32-W34)	0.3	0.3	0.4
ACCIDENTAL DROWNING & SUBMERSION (W65-W74)	1.7	1.5	2.2
ACCIDENTAL EXPOSURE OT SMOKE, FIRE & FLAMES (X00-X09)	2.0	1.4	3.1
ACCIDENTAL POISONING & EXPOSURE TO NOXIOUS SUBSTANCES (X40-X49)	11.2	14.1	4.6
OTHER & UNSPECIFIED NONTRANSPORT ACCIDENTS & THEIR SEQUELAE **	8.2	8.0	8.5
INTENTIONAL SELF-HARM (SUICIDE) (X60-X84,Y87.0)	12.5	16.0	4.4
INTENTIONAL SELF-HARM BY DISEASE/CHARGE OF FIREARM (X72-X74)	7.6	9.8	2.6
INTENTIONAL SELF-HARM BY OTHER UNSPECIFIED MEANS (X60-X71,X75-X84,Y87.0)	4.9	6.2	1.8
ASSAULT (HOMICIDE) (X85-Y09,Y87.1)	7.9	4.6	15.3
ASSAULT BY DISCHARGE OF FIREARM (X93-X95)	5.6	2.8	11.9
ASSAULT BY OTHER UNSPECIFIED MEANS (X85-X92,X96-Y09,Y87.1)	2.4	1.9	3.3
LEGAL INTERVENTION (Y35,Y89.0)	0.2	0.1	0.3
EVENTS OF UNDETERMINED INTENT (Y10-Y34,Y87.2,Y89.9)	1.1	1.2	0.8
DISCHARGE OF FIREARM, UNDETERMINED INTENT (Y22-Y24)	0.1	0.1	0.1
OTHER & UNSPECIFIED EVENTS OF UNDETERMINED INTENT **	1.0	1.1	0.7
OPERATION OF WAR & THEIR SEQUELAE (Y36,Y89.1)	0.0	0.0	0
COMPLICATION OF MEDICAL & SURGICAL CARE (Y40-Y84,Y88)	0.6	0.6	0.5

[†] Rate per 1,000 population for all causes; Rate per 100,000 population for individual category


* Includes unknown race

** See APPENDIX for ICD-10 codes

MARRIAGE / DIVORCE

The State Tree

“The Sabal Palmetto”




Officially adopted by the General Assembly in 1939

TRENDS IN MARRIAGES AND DIVORCES

During the twenty-five year period from 1984-2008, marriages in South Carolina have shown steady decrease, as seen in Figure H-1.

Figure H-1.
Marriage and Divorce Rates
South Carolina, 1984-2008
(Occurrence Data)



MARRIAGES

For the calendar year 2008, there were 1,743 interracial marriages in South Carolina, with 1,033 of these being between whites and blacks. Of these 1,033, 72% involved black males and white females. Table H-1 shows a cross-classification of marriages by race of bride and race of groom for South Carolina. Figure H-2 illustrates how marriage rates by race have fluctuated over the last twenty-five years.

Table H-1.
Marriages by Race of Bride and Groom
South Carolina, 2008
(Occurrence Data)

Race of Bride	Total	Race of Groom		
		White	Black and Other	Unknown
Total	33,293	25,359	7,933	1
White	25,658	24,636	1,022	-
Black and Other	7,633	721	6,911	1
Unknown	2	2	-	-

As displayed in Table H-3, there were 2883 persons under the age of twenty who married in South Carolina in 2008. Therefore, teenagers represent 4.3 percent of all persons who married in this state in 2008. As in previous years, the greatest number of marriages occurred between brides and grooms within the 20-24 age group.

As shown in Table H-7, for 24,973 marriages (75%), both the bride and groom were residents of South Carolina.

Table H-2.
Marriages and Marriage Rates¹ by Race
South Carolina, 1984-2008
(Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1984	55,357	16.8	42,557	18.8	12,800	12.3
1985	52,805	15.7	40,315	17.5	12,490	11.7
1986	53,974	15.8	40,934	17.5	13,040	12.0
1987	53,396	15.6	39,916	17.0	13,480	12.5
1988	54,615	15.5	40,839	17.0	13,775	12.3
1989	54,693 *	15.5	41,704	17.4	12,985	11.6
1990	55,754 *	16.0	42,314	17.5	13,440	12.5
1991	53,747	15.1	41,004	16.7	12,743	11.6
1992	53,320 *	14.8	40,726	16.4	12,592	11.3
1993	53,223 *	14.7	40,655	16.2	11,558	11.2
1994	51,564 *	14.1	38,750	15.3	12,808	11.3
1995	45,347 *	12.4	33,812	13.3	11,535	10.2
1996	43,439	11.7	32,198	12.6	11,241	9.9
1997	43,411 *	11.5	32,290	12.5	11,121	9.5
1998	42,380 *	11.0	31,372	11.9	11,007	9.2
1999	43,664 *	11.2	32,012	11.9	11,647	9.7
2000	41,592	10.4	30,604	11.1	11,050	8.8
2001	40,128	9.9	30,112	10.8	10,016	7.9
2002	38,207 *	9.3	28,303	10.1	9,899	7.6
2003	37,186	8.9	27,845	9.8	9,341	7.0
2004	35,942 *	8.6	27,244	9.4	8,721	6.6
2005	35,357 *	8.3	26,829	9.2	8,527	6.4
2006	34,253 *	7.9	25,875	8.7	8,373	6.2
2007	34,859 *	7.9	26,524	8.7	8,331	6.1
2008	33,293 *	7.4	25,359	8.2	7,933	5.8

¹ Rate per 1,000 Population

* Includes unknown race

Figure H-2.
Marriage Rates by Race
South Carolina, 1984-2008
(Occurrence Data)




Table H-3.
Marriages by Age of Bride and Age of Groom
South Carolina, 2008
(Occurrence Data)

Age of Bride	Total	Age of Groom														
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unknown
Total	33,293	-	818	6,228	7,681	5,071	3,953	2,833	2,235	1,662	1,118	748	449	231	266	-
< 15	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	2,063	-	581	1,191	200	52	17	10	7	4	-	1	-	-	-	-
20-24	7,887	-	194	3,987	2,690	677	218	71	31	12	5	1	1	-	-	-
25-29	7,608	-	27	791	3,653	1,947	782	264	88	32	13	9	2	-	-	-
30-34	4,617	-	8	172	827	1,595	1,216	470	208	71	24	17	7	1	1	-
35-39	3,363	-	5	62	237	575	1,077	767	381	158	67	20	10	3	1	-
40-44	2,546	-	1	15	54	168	437	754	597	314	131	53	16	3	3	-
45-49	2,064	-	-	8	14	43	153	351	608	508	215	111	35	13	5	-
50-54	1,377	-	-	2	5	10	42	118	226	395	321	160	69	17	12	-
55-59	790	-	-	-	1	3	10	23	66	118	240	180	95	32	22	-
60-64	455	-	-	-	-	1	1	3	14	38	71	152	98	45	32	-
65-69	273	-	-	-	-	-	-	1	5	11	24	32	89	66	45	-
70-74	141	-	-	-	-	-	-	1	3	-	6	10	20	39	62	-
75+	107	-	-	-	-	-	-	-	1	1	1	2	7	12	83	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Table H-4.
Marriages by Race, Residential Status and Age of Bride
South Carolina, 2008
(Occurrence Data)

Age of Bride Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	26,072 *	100.0	19,703	100.0	6,367	100.0
Under 15	-	0	-	0	-	0
15-19	1,738	6.7	1,502	7.6	236	3.7
20-24	6,662	25.6	5,527	28.1	1,135	17.8
25-29	5,807	22.3	4,359	22.1	1,448	22.7
30-34	3,484	13.4	2,418	12.3	1,066	16.7
35-39	2,512	9.6	1,726	8.8	786	12.3
40-44	1,955	7.5	1,332	6.8	623	9.8
45-49	1,514	5.8	1,056	5.4	458	7.2
50-54	1,047	4.0	727	3.7	320	5.0
55-59	590 *	2.3	446	2.3	143	2.2
60-64	346	1.3	267	1.4	79	1.2
65-69	219	0.8	176	0.9	43	0.7
70-74	125	0.5	110	0.6	15	0.2
75 +	73 *	0.3	57	0.3	15	0.2
Age of Bride Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	7,221	100.0	5,955	100.0	1,266	100.0
Under 15	2	0.0	1	0.0	1	0.1
15-19	325	4.5	285	4.8	40	3.2
20-24	1,225	17.0	1,054	17.7	171	13.5
25-29	1,801	24.9	1,524	25.6	277	21.9
30-34	1,133	15.7	938	15.8	195	15.4
35-39	851	11.8	665	11.2	186	14.7
40-44	591	8.2	451	7.6	140	11.1
45-49	550	7.6	442	7.4	108	8.5
50-54	330	4.6	257	4.3	73	5.8
55-59	200	2.8	158	2.7	42	3.3
60-64	109	1.5	92	1.5	17	1.3
65-69	54	0.7	41	0.7	13	1.0
70-74	16	0.2	15	0.3	1	0.1
75 +	34	0.5	32	0.5	2	0.2

* Includes unknown race

Table H-5.
 Marriages by Race, Residential Status and Age of Groom
 South Carolina, 2008
 (Occurrence Data)

Age of Groom Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	25,783 *	100.0	19,219	100.0	6,563	100.0
Under 15	-	0	-	0	-	0
15-19	681	2.6	576	3.0	105	1.6
20-24	5,201 *	20.2	4,243	22.1	957	14.6
25-29	6,018	23.3	4,549	23.7	1,469	22.4
30-34	3,831	14.9	2,753	14.3	1,078	16.4
35-39	2,882	11.2	2,028	10.6	854	13.0
40-44	2,129	8.3	1,421	7.4	708	10.8
45-49	1,681	6.5	1,184	6.2	497	7.6
50-54	1,220	4.7	850	4.4	370	5.6
55-59	837	3.2	597	3.1	240	3.7
60-64	566	2.2	429	2.2	137	2.1
65-69	359	1.4	272	1.4	87	1.3
70-74	171	0.7	142	0.7	29	0.4
75 +	207	0.8	175	0.9	32	0.5
Age of Groom Non-Resident	Total		White		Black and Other	
	Number	Percent	Number	Percent	Number	Percent
Total	7,510	100.0	6,140	100.0	1,370	100.0
Under 15	-	0	-	0	-	0
15-19	137	1.8	119	1.9	18	1.3
20-24	1,027	13.7	886	14.4	141	10.3
25-29	1,663	22.1	1,393	22.7	270	19.7
30-34	1,240	16.5	1,019	16.6	221	16.1
35-39	1,071	14.3	842	13.7	229	16.7
40-44	704	9.4	552	9.0	152	11.1
45-49	554	7.4	441	7.2	113	8.2
50-54	442	5.9	342	5.6	100	7.3
55-59	281	3.7	219	3.6	62	4.5
60-64	182	2.4	159	2.6	23	1.7
65-69	90	1.2	71	1.2	19	1.4
70-74	60	0.8	45	0.7	15	1.1
75 +	59	0.8	52	0.8	7	0.5

* Includes unknown race

Table H-6
Marriages by County in Which License Was Issued by Residential Status
South Carolina and Each County, 2008
(Occurrence Data)

	Total	Residence of Bride				Residence of Groom			
		S. C. Resident		Non-Resident		S. C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	33,293	26,072	78.3	7,221	21.7	25,783	77.4	7,510	22.6
Abbeville	123	104	84.6	19	15.4	99	80.5	24	19.5
Aiken	1,360	855	62.9	505	37.1	852	62.6	508	37.4
Allendale	15	10	66.7	5	33.3	10	66.7	5	33.3
Anderson	1,075	987	91.8	88	8.2	981	91.3	94	8.7
Bamberg	80	75	93.8	5	6.3	75	93.8	5	6.3
Barnwell	79	77	97.5	2	2.5	74	93.7	5	6.3
Beaufort	1,609	913	56.7	696	43.3	939	58.4	670	41.6
Berkeley	1,275	1,153	90.4	122	9.6	1,175	92.2	100	7.8
Calhoun	73	73	100.0	-	0	71	97.3	2	2.7
Charleston	3,556	2,531	71.2	1,025	28.8	2,485	69.9	1,071	30.1
Cherokee	434	308	71.0	126	29.0	313	72.1	121	27.9
Chester	160	148	92.5	12	7.5	148	92.5	12	7.5
Chesterfield	285	226	79.3	59	20.7	219	76.8	66	23.2
Clarendon	167	156	93.4	11	6.6	150	89.8	17	10.2
Colleton	269	246	91.4	23	8.6	250	92.9	19	7.1
Darlington	312	304	97.4	8	2.6	297	95.2	15	4.8
Dillon	497	176	35.4	321	64.6	165	33.2	332	66.8
Dorchester	692	653	94.4	39	5.6	643	92.9	49	7.1
Edgefield	163	138	84.7	25	15.3	137	84.0	26	16.0
Fairfield	126	119	94.4	7	5.6	118	93.7	8	6.3
Florence	906	856	94.5	50	5.5	827	91.3	79	8.7
Georgetown	712	437	61.4	275	38.6	414	58.1	298	41.9
Greenville	3,345	3,104	92.8	241	7.2	3,043	91.0	302	9.0
Greenwood	451	425	94.2	26	5.8	416	92.2	35	7.8
Hampton	92	83	90.2	9	9.8	84	91.3	8	8.7
Horry	3,070	1,438	46.8	1,632	53.2	1,432	46.6	1,638	53.4
Jasper	272	131	48.2	141	51.8	133	48.9	139	51.1
Kershaw	384	358	93.2	26	6.8	363	94.5	21	5.5
Lancaster	490	388	79.2	102	20.8	392	80.0	98	20.0
Laurens	274	271	98.9	3	1.1	266	97.1	8	2.9
Lee	103	100	97.1	3	2.9	98	95.1	5	4.9
Lexington	1,468	1,399	95.3	69	4.7	1,374	93.6	94	6.4
McCormick	61	32	52.5	29	47.5	30	49.2	31	50.8
Marion	312	245	78.5	67	21.5	249	79.8	63	20.2
Marlboro	184	106	57.6	78	42.4	103	56.0	81	44.0
Newberry	163	154	94.5	9	5.5	152	93.3	11	6.7
Oconee	583	406	69.6	177	30.4	400	68.6	183	31.4
Orangeburg	437	408	93.4	29	6.6	404	92.4	33	7.6
Pickens	604	560	92.7	44	7.3	550	91.1	54	8.9
Richland	2,389	2,168	90.7	221	9.3	2,143	89.7	246	10.3
Saluda	77	74	96.1	3	3.9	75	97.4	2	2.6
Spartanburg	1,908	1,730	90.7	178	9.3	1,709	89.6	199	10.4
Sumter	649	609	93.8	40	6.2	607	93.5	42	6.5
Union	116	116	100.0	-	0	116	100.0	-	0
Williamsburg	168	154	91.7	14	8.3	150	89.3	18	10.7
York	1,725	1,068	61.9	657	38.1	1,052	61.0	673	39.0
Unknown	-	-	0	-	0	-	0	-	0

Table H-7
Marriages by Residential Status and County of Marriage
South Carolina, 2008
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Bride & Groom Resident	Bride Only Resident	Groom Only Resident	Bride & Groom Non-Resident
South Carolina	33,293	24,973	1,099	810	6,411
Abbeville	158	135	9	1	13
Aiken	1,260	773	58	51	378
Allendale	22	18	-	1	3
Anderson	1,056	975	20	16	45
Bamberg	85	80	-	1	4
Barnwell	79	73	4	1	1
Beaufort	1,811	933	48	75	755
Berkeley	1,058	920	31	53	54
Calhoun	82	78	3	1	-
Charleston	4,366	2,898	145	102	1,221
Cherokee	378	266	18	18	76
Chester	163	146	4	4	9
Chesterfield	261	204	14	7	36
Clarendon	177	154	10	3	10
Colleton	290	262	4	5	19
Darlington	355	330	12	4	9
Dillon	437	174	13	4	246
Dorchester	682	611	16	9	46
Edgefield	124	95	10	5	14
Fairfield	141	132	2	2	5
Florence	801	725	29	10	37
Georgetown	649	412	30	12	195
Greenville	2,912	2,589	109	46	168
Greenwood	384	344	17	8	15
Hampton	96	80	2	5	9
Horry	3,949	1,761	96	88	2,004
Jasper	231	132	5	3	91
Kershaw	321	287	9	10	15
Lancaster	409	352	11	12	34
Laurens	288	268	9	4	7
Lee	112	107	1	1	3
Lexington	1,534	1,403	51	26	54
McCormick	72	41	3	2	26
Marion	251	217	3	8	23
Marlboro	136	94	9	9	24
Newberry	175	159	5	5	6
Oconee	550	378	18	14	140
Orangeburg	503	462	12	8	21
Pickens	755	671	27	18	39
Richland	2,003	1,728	71	39	165
Saluda	92	86	3	1	2
Spartanburg	1,794	1,604	60	38	92
Sumter	654	591	19	16	28
Union	121	121	-	-	-
Williamsburg	188	160	14	10	4
York	1,326	942	65	54	265
Unknown	2	2	-	-	-

DIVORCES AND ANNULMENTS

Table H-8 shows that out of the total 25,672 persons in 2008 who were granted divorces, 28 percent were between the ages of 25 and 34.

The white divorce rate has consistently exceeded that of the black and other rate since 1962, the year divorces were first required to be registered with the Office of Public Health Statistics and Information Services. Figure H-3 illustrates the twenty-five year trend in divorces by race.

The most frequently cited grounds for divorce were one year separation, which accounted for 85 percent of all grounds for divorces, followed by adultery, drunkenness, and physical cruelty. Table H-11 shows divorces by legal grounds of decree. As shown in Table H-12, there were 9,938 children involved in divorces and annulments in 2008.

Table H-8.
Divorces by Age Group and Race
South Carolina, 2008
(Occurrence Data)

Age Group	Husband			Wife		
	Total	White	Black & Other	Total	White	Black & Other
All Ages	12,836	9,815	2,911	12,836	9,879	2,833
15-19	5	5	-	26	25	1
20-24	386	335	48	751	665	78
25-29	1,439	1,169	256	1,794	1,449	329
30-34	1,950	1,474	453	2,096	1,615	459
35-39	2,232	1,670	546	2,167	1,597	554
40-44	1,964	1,453	499	1,970	1,491	461
45-49	1,767	1,349	401	1,610	1,221	374
50-54	1,281	973	302	1,057	794	255
55-59	791	605	181	585	450	132
60-64	472	377	93	304	248	54
65-69	207	169	36	138	106	29
70-74	89	65	24	46	36	9
75+	70	58	11	19	15	4
Unknown	183	113	61	273	167	94

* Includes unknown races

Table H-9.
Divorces and Divorce Rates¹ by Race
South Carolina, 1984-2008
(Occurrence Data)

Year	Total		White		Black & Other	
	Number	Rate	Number	Rate	Number	Rate
1984	13,674	4.1	11,111	4.9	2,563	2.5
1985	13,456	4.0	11,045	4.8	2,411	2.3
1986	13,431	3.9	11,011	4.7	2,420	2.2
1987	13,835	4.0	11,229	4.8	2,606	2.4
1988	14,672	4.2	11,824	4.9	2,848	2.5
1989	15,115	4.3	12,173	5.1	2,889	2.6
1990	16,182	4.6	12,858	5.3	3,257	3.0
1991	15,187	4.3	12,233	5.0	2,954	2.7
1992	15,365	4.3	12,179	4.9	3,103	2.8
1993	15,141	4.2	11,825	4.7	3,275	2.9
1994	15,802 *	4.3	12,404	4.9	3,394	3.0
1995	15,171 *	4.1	11,824	4.7	3,346	3.0
1996	15,319 *	4.1	11,829	4.6	3,434	3.0
1997	15,780 *	4.2	12,226	4.7	3,483	3.0
1998	15,083 *	3.9	11,653	4.4	3,358	2.8
1999	15,115 *	3.9	11,647	4.3	3,380	2.8
2000	15,196 *	3.8	11,608	4.2	3,519	2.8
2001	14,657 *	3.6	11,372	4.1	3,250	2.5
2002	13,956	3.4	10,712	3.8	3,244	2.5
2003	13,609 *	3.2	10,535	3.7	3,048	2.3
2004	13,839	3.3	10,734	3.7	3,055	2.3
2005	12,948 *	3.0	9,980	3.4	2,927	2.2
2006	13,164 *	3.0	10,055	3.3	3,063	2.3
2007	13,233 *	3.0	10,176	3.3	2,978	2.2
2008	12,836 *	2.9	9,815	3.2	2,911	2.1

¹ Rate per 1,000 population

* Includes unknown race

Figure H-3.
Divorce Rates by Race
South Carolina, 1984-2008




Table H-10.
 Divorces by Duration of Marriage, Plaintiff and Legal Grounds of Decree¹
 South Carolina, 2008
 (Occurrence Data)

Duration of Marriage	Plaintiff		Legal Ground for Decree									
	Husband	Wife	Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Multiple Grounds	Annulment	Unknown	
Total	4,717	7,913	12	120	195	45	1,089	10,964	77	48	286	
Under 1 Year	18	51	-	7	6	2	15	10	2	24	4	
1 - 4 Years	1,075	1,768	5	44	58	4	242	2,423	24	14	78	
1 Year	167	266	-	17	16	1	49	344	8	2	4	
2 Years	284	493	1	14	16	1	61	668	7	4	23	
3 Years	313	502	2	8	13	1	66	698	5	5	29	
4 Years	311	507	2	5	13	1	66	713	4	3	22	
5 - 9 Years	1,299	2,221	1	30	52	19	270	3,124	16	2	66	
5 Years	288	484	1	7	18	4	58	676	4	-	14	
6 Years	284	445	-	6	10	6	56	649	5	-	14	
7 Years	285	489	-	5	7	5	56	698	3	1	15	
8 Years	229	417	-	9	5	2	58	569	-	-	11	
9 Years	213	386	-	3	12	2	42	532	4	1	12	
10 - 14 Years	883	1,430	1	23	28	9	208	2,002	18	4	50	
15 - 19 Years	545	932	1	6	17	4	148	1,280	6	1	35	
20 - 24 Years	345	635	2	2	14	4	96	860	2	-	13	
25 - 29 Years	219	383	-	4	10	3	50	528	5	-	15	
30 & Over	234	362	2	2	9	-	45	532	1	1	16	
Unknown	99	131	-	2	1	-	15	205	3	2	9	

¹ Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-11
Divorces by Plaintiff and Legal Grounds of Decree*
South Carolina and Each County, 2008
(Occurrence Data)

	Plaintiff		Desertion	Physical Cruelty	Drunkenness	Habitual Drug Use	Adultery	Separated 1 Year	Legal Ground for Decree		
	Husband	Wife							Multiple Grounds	Annulment	Unknown
South Carolina	4,717	7,913	12	120	195	45	1,089	10,964	77	48	286
Abbeville	19	28	-	1	1	1	5	38	1	-	-
Aiken	191	296	1	2	7	1	29	426	6	-	17
Allendale	1	10	-	-	-	-	-	11	-	-	1
Anderson	226	438	-	11	16	4	79	535	9	5	11
Bamberg	11	21	-	1	-	-	1	28	-	-	2
Barnwell	24	44	-	-	-	-	12	54	1	-	2
Beaufort	183	250	1	3	1	2	20	393	3	3	14
Berkeley	217	361	1	4	7	2	40	522	4	6	18
Calhoun	25	28	-	-	-	-	1	50	1	-	1
Charleston	366	675	-	8	13	1	66	931	7	6	28
Cherokee	70	105	-	4	5	-	23	139	1	-	4
Chester	47	67	-	-	3	-	11	97	-	-	3
Chesterfield	57	66	-	1	1	2	11	107	-	-	1
Clarendon	38	43	-	2	2	1	7	67	1	-	1
Colleton	52	78	-	2	-	-	9	114	1	-	5
Darlington	73	146	-	4	6	1	12	189	-	3	5
Dillon	40	45	-	2	2	-	13	67	-	-	1
Dorchester	163	237	1	1	6	2	29	364	2	-	13
Edgefield	25	34	-	1	1	-	3	52	-	-	2
Fairfield	37	47	-	2	3	-	8	64	-	2	6
Florence	109	213	-	2	1	2	31	283	-	2	6
Georgetown	79	114	2	-	1	1	23	163	1	3	1
Greenville	389	652	1	10	15	10	93	906	4	1	14
Greenwood	64	144	-	2	4	1	28	171	2	1	2
Hampton	15	31	-	-	2	-	1	41	1	-	1
Horry	248	436	-	1	6	4	38	623	4	1	12
Jasper	16	24	-	-	-	-	1	37	-	-	7
Kershaw	66	128	-	1	3	-	18	169	2	-	2
Lancaster	72	116	-	1	9	1	16	158	2	-	1
Laurens	76	114	1	2	5	-	21	162	-	-	2
Lee	11	26	-	2	1	-	3	32	-	-	-
Lexington	337	588	-	15	12	-	99	791	3	2	19
McCormick	9	13	-	-	1	-	2	19	-	-	-
Marion	39	51	-	1	3	-	9	77	-	-	-
Marlboro	17	41	1	-	-	-	3	50	-	-	6
Newberry	44	68	-	-	2	-	17	88	2	2	1
Oconee	69	150	-	3	8	-	22	185	1	1	-
Orangeburg	88	165	-	1	5	3	14	233	1	1	9
Pickens	139	200	-	2	9	2	37	285	2	2	3
Richland	333	570	1	6	6	-	54	837	3	2	22
Saluda	22	31	-	1	-	-	6	43	-	-	3
Spartanburg	250	468	-	12	12	4	76	605	6	3	12
Sumter	155	248	1	4	6	-	51	336	3	1	3
Union	28	47	-	3	3	-	9	58	-	-	2
Williamsburg	31	47	-	-	-	-	7	72	-	1	2
York	146	209	1	2	7	-	31	292	3	-	21
Unknown	-	-	-	-	-	-	-	1	-	-	-

* Frequencies may not agree due to multiple grounds and incomplete reporting

Table H-12.
 Divorces and Annulments by Number of Children Involved and Race
 South Carolina and Each County, 2008
 (Occurrence Data)

County of Decree	Total	Divorces and Annulments				Children Involved		
		Race of Husband		Race of Wife		under age 18		
		White	Black & Other	White	Black & Other	Total	White	Black & Other
South Carolina	12,836	9,815	2,911	9,879	2,833	9,938	7,687	2,146
Abbeville	47	37	10	37	10	44	33	11
Aiken	489	407	80	405	81	379	319	55
Allendale	12	7	5	7	5	4	4	-
Anderson	670	576	91	584	79	533	477	53
Bamberg	32	24	8	24	8	36	24	12
Barnwell	69	56	13	56	13	75	57	18
Beaufort	440	348	90	341	93	335	267	66
Berkeley	604	470	128	472	126	498	401	88
Calhoun	53	32	21	33	20	25	15	10
Charleston	1,060	720	330	718	332	725	457	265
Cherokee	176	149	27	150	25	132	115	17
Chester	114	85	27	85	27	99	77	21
Chesterfield	123	95	28	97	26	87	73	14
Clarendon	81	53	26	53	26	66	44	19
Colleton	131	96	31	97	31	110	73	36
Darlington	220	153	67	153	67	153	114	39
Dillon	85	59	25	61	24	49	38	11
Dorchester	418	341	72	343	68	348	291	49
Edgefield	59	50	8	50	9	52	43	9
Fairfield	85	46	39	47	37	61	26	35
Florence	327	226	101	225	101	240	167	72
Georgetown	195	137	56	140	54	171	122	48
Greenville	1,054	871	171	873	171	848	741	99
Greenwood	211	171	37	175	33	187	149	35
Hampton	46	23	22	25	21	44	26	18
Horry	689	604	84	611	78	494	423	71
Jasper	45	16	29	15	30	36	13	23
Kershaw	195	164	29	164	28	143	119	21
Lancaster	188	154	32	156	29	163	149	13
Laurens	193	159	34	161	32	165	146	19
Lee	38	19	18	19	19	26	9	17
Lexington	941	835	97	845	85	751	676	67
McCormick	22	13	9	13	9	18	12	6
Marion	90	50	40	51	38	56	37	19
Marlboro	60	38	22	40	20	36	27	9
Newberry	112	91	21	95	17	76	66	10
Oconee	220	201	19	199	21	181	163	18
Orangeburg	267	127	137	133	132	223	98	125
Pickens	342	329	10	329	9	280	264	6
Richland	931	502	414	503	410	736	391	331
Saluda	53	42	11	41	11	33	29	4
Spartanburg	730	616	110	622	104	518	451	59
Sumter	405	222	169	227	165	318	158	147
Union	75	58	17	58	17	52	35	17
Williamsburg	82	31	51	33	49	52	22	30
York	357	312	45	313	43	280	246	34
Unknown	-	-	-	-	-	-	-	-

TECHNICAL NOTES

REGISTRATION OF VITAL EVENTS

The vital statistics system in South Carolina is a local-state-national reporting system where the vital event certificates and reports can be submitted to the County Registrar located in the county where the event occurred or submitted electronically depending on the event. There are now electronic systems in place for registration of both births and deaths. The systems allow source document providers (delivering facilities, funeral directors, physicians, coroners, etc.) to enter information regarding the vital event into a web-based electronic system called the Vital Records and Statistics Integrated Information System (VRSIIS). Paper reports that are filed in the county of occurrence are then sent by county vital records staff to the Registration Branch within the Division of Biostatistics (State Office). By law, the Commissioner of Health is the State Registrar and appoints the chief administrative officer of each county health department as the County Registrar. The County Registrar appoints a Deputy County Registrar who carries out the routine functions of registration and certification of vital records at the county level. The State Office performs quality assurance testing on the records and also provides certifications of records for the general public. This office also provides data to the National Center for Health Statistics in cooperation with other states in order to produce national information on vital statistics.

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completeness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form, which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more to be registered, it is believed that registration is notably incomplete. The registration of fetal deaths will continue to improve as the need for these data are shown through health research.

REVISION OF CERTIFICATES

The Office of Public Health Statistics and Information Services revised its certificates of birth certificate, death certificate, report of fetal death and report of induced termination of pregnancy based on standards set forth by the National Center for Health Statistics.

The 1989 revised vital records forms were major departures from the previous revisions (see appendix). While many of the items needed for legal purposes (e.g., name) remained unchanged or slightly modified, there were major and significant changes in the Confidential Information for Medical and Health Use section of the Certificate of Live Birth. Most of the changes represented efforts to clarify items for more complete and accurate data reporting. Other than the increased length of the revised forms, the most obvious change on the Certificate of Live Birth and Report of Fetal Death is the replacement of the open-ended medical items with items having a checkbox format. The concept of checkboxes as a mechanism for capturing information on medical factors is not new. In fact, this format was successfully implemented in several states with the previous revision of the forms. Additionally, the lists of risk factors, complications of labor and/or delivery and abnormal conditions of the newborn are taken from the Hollister Maternal/Newborn Record System, which is widely used in many obstetric offices.

The certificate of birth was revised again in January 2004 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). This revision accompanied the implementation of a web-based electronic birth registration system (WebBirth). Substantial changes were made to the medical portion of the certificate, including removal of 'other' check/box items and the addition of section names. Several items were added to address data collection needs and to facilitate the linkage of data sets. Another change was the implementation of standardized worksheets to improve the completeness and quality of birth data.

The certificate of death was revised in January 2005 (referenced by the National Center for Health Statistics (NCHS) as the 2003 revision). The form increased in size from letter size to legal size to accommodate additional items and an expanded check box format for decedent's education, race and Hispanic origin. This revision accompanied the implementation of a web-based electronic death registration system (WebDeath). This was the first electronic death registration system in SC. In previous years, all death certificates were filed using only paper forms.

These revisions to the vital records forms and systems were intended to make the vital statistics system more responsive to public health concerns for high quality data.

ALLOCATIONS OF EVENTS BY RESIDENCE OR OCCURRENCE

With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated in the place in South Carolina where the person normally resided regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated of the county of residence of the decedent. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated in the place of South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

2008 BIRTH AND DEATH ALLOCATIONS FOR S.C. RESIDENTS AND OCCURRENCES

	BIRTHS			DEATHS		
	Total	White	Black & Other	Total	White	Black & Other
Occurring in S.C.	60,404 *	38,680	21,702	39,352 *	28,469	10,686
Residents	59,853 *	38,303	21,528	38,314 *	27,628	10,497
Non-Residents	551 *	377	174	1,038 *	841	189
Residents of S.C.	63,077 *	40,713	22,321	40,197 *	29,015	10,965
In State	59,853 *	38,303	21,528	38,314 *	2,7628	10,497
Out-of-State	3,224 *	2,410	793	1,883 *	1,387	468

* Includes Unknown Races

NOTE: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERMS

ABORTION: Purposeful termination of pregnancy with intention other than to produce a live born infant or to remove a dead fetus.

FETAL DEATH: Death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

INFANT DEATH: Death of a live born infant under one year of age.

LIVE BIRTH: The complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommended by World Health Organization in 1950). **Heartbeats are to be distinguished from transient cardiac contractions; respirations are to be distinguished from fleeting respiratory efforts or gasps.**

VERY LOW BIRTH WEIGHT: Very low birth weight is a weight at birth, which is less than 1,500 grams (3 pounds, 4 ounces), regardless of the period of gestation.

LOW BIRTH WEIGHT: Low birth weight is a weight at birth, which is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

MARITAL STATUS ON BIRTH CERTIFICATE:

Unmarried - a birth which occurs to a woman who has never been married or who has been widowed or legally divorced from her husband in excess of 280 days.

Married - a birth, which occurs to a woman who has been married or was married within 280 days from conception.

Paternity acknowledgment - gives authorization to list the name of the father on the birth certificate of a child born to an unmarried mother with written consent of the father and mother by means of an affidavit as required by South Carolina Law, Section 44-63-165. For statistical purposes, paternity acknowledgments are included in the "unmarried" category.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Tenth Revision ICD A34, O00-O95, O98-O99). If death occurred more than 42 days after termination of pregnancy, the death is not considered to be pregnancy-related and is assigned to codes O96-O97.

MULTIPLE CAUSES OF DEATH: A system of coding all of the medical entities reported on the death certificate.

NATURAL INCREASE: The increase in the population due to an excess of births over deaths for a particular period.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

PERINATAL DEATH: Death occurring during the perinatal period (i.e. to a live born infant less than 28 days of age or a fetus that has passed the twentieth week of gestation or weighs 350 grams or more).

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

UNDERLYING CAUSE OF DEATH: The disease or injury that initiated the train of morbid events leading directly to death classified and coded according to the International Classification of Diseases (ICD).

INTERPRETATION OF DATA

RACE: Information on race of the mother and father is reported on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths are reported by race of mother. As of 1990, Live Births are reported by race of mother instead of race of child. This change allows South Carolina's birth data to be consistent with the National Center for Health Statistics and other states throughout the United States. The race on reported marriages where the license was issued in South Carolina is by the race of groom and on divorces and annulments granted in South Carolina is by the race of husband. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "black and other". In 2007 blacks make up 94.2 percent of the black and other population of South Carolina.

MULTIPLE RACES: Beginning with the 2000 Census, population information released by the U.S. Census Bureau contained a 'multiple' race category. In order to provide rates by single race category for vital events, the National Center for Health Statistics (NCHS) developed a 'bridging' methodology that would regroup the populations of the 'multiple' race category into standard single race categories. Beginning with 2002, these 'bridged' estimated population data were available for South Carolina. For 2000 and 2001, 'bridged' population data were not available at the time of publication. For these years, the staff of Budget and Control Board and the staff of the Division of Biostatistics and Health GIS, Public Health Statistics and Information Services, SCDHEC jointly developed methodologies that would regroup the population of the 'multiple' race category into standard single race categories.

Beginning with the new 2004 birth certificate multiple races can be checked for the race of both mother and father. Similarly, on the new 2005 death certificate multiple races can be checked for the race of the decedent. A methodology was developed that would regroup the 'multiple race' into standard single race categories. This methodology was developed by NCHS and the bridged race data are returned to the Division of Biostatistics, Public Health Statistics and Information Services for use in statistical analysis.

HISPANIC ORIGIN: Hispanic origin is reported separately from race. Thus a person with Hispanic origin can be of any race. The US Census Bureau began providing population estimates for Hispanics in 2002 which allowed birthrates to be calculated for this group.

PATERNITY ACKNOWLEDGMENT: For statistical purposes, paternity acknowledgments are included in the unmarried category. In 2008 there were 15,139 paternity acknowledgments representing 24.0 percent of the total resident live births and 50.1 percent of all live births to unmarried women in South Carolina.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went 1979-1998; and the Tenth Revision went into effect in 1999.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause, defined as the "disease or injury which initiated the train of morbid events, leading directly to death." (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949, with the Sixth Revision, resulted in a basic change in classification of death, which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth

Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding. However, the Tenth Revision introduced some of the most dramatic changes thus far. In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios were developed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. Taking the number of deaths classified to a given cause by the Tenth Revision and dividing the result by the number of deaths classified to that cause by the Ninth Revision derived the comparability ratios used with the Tenth Revision. Provisional comparability ratios for the United States as a whole, based on the Ninth and Tenth Revisions, have been developed for a limited number of causes published by the National Center for Health Statistics. Tables are included in the Appendix portion of this report.

RATE CALCULATIONS WITH SMALL NUMBERS: There are variations in all statistics that are the result of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these crude rates. For this reason, rates for counties with small populations or other small bases should be used cautiously. In this report, rates are not calculated for places of less than 2,500 population or when the number of events is less than 3 for a particular category, due to the known instability of rates based on small numbers. In the Perinatal Section, 3-year rates are calculated to provide a more stable base for comparison of trends over time.

MEDICAL CERTIFICATION OF DEATH: Only a person authorized by law, usually a physician or a coroner, can make the medical certification of death. Thus, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the doctor or coroner to make the proper diagnosis and by the care with which the death certificate is completed. It is recognized that death may not result from a single morbid condition. Since 1980, South Carolina medical certifiers have been asked to provide contributing conditions adding to the underlying cause of death information. Nineteen hundred eighty-eight is the first year that multiple cause information was included in this report.

MULTIPLE CAUSE OF DEATH: Cause of death statistics have, for many years, been based only on the underlying cause of death, the single disease or injury that initiated the train of events leading to death or the circumstances of the accident that produced the fatal injury. The underlying cause is selected by a computerized algorithm called the Automated Classification of Medical Entities (ACME) from the ordering of conditions reported by physicians or coroners on the death certificate. Analysis of the underlying cause of death information allows for simplified, consistent reporting of data and provides a means of evaluating the impact of public health initiatives. When more than one cause is reported on the certificate, however, the tabulation of only one cause for mortality statistics may lead to a loss of information on any condition that is an element in the death but that is not selected as the underlying cause of death. Cause-of-death statistics are usually based on the underlying cause of death, a single disease or injury circumstance that initiated the sequence of events leading to death. In this system, each death is assigned one underlying cause of death. However, death certificates provide for the inclusion of more information than the underlying cause of death alone. The immediate cause of death, the antecedent causes giving rise to the immediate cause and other significant conditions contributing to the death may also be entered by the medical certifier. These data provide a way of estimating the impact of significant co-factors contributing to a death and offer a means of utilizing information on causes, such as hypertension, asthma, bronchitis, and diabetes, that are frequently present at death but that are usually not lethal by themselves. Each death is assigned one underlying cause and up to nineteen contributing causes of death.

CLASSIFICATION AND METHODOLOGY IN DETERMINING LEADING CAUSES OF INFANT DEATH: The leading causes of infant mortality in this report are based on the National Center for Health Statistics (NCHS) list of 130 selected causes of infant mortality. The same methodology

used by NCHS to rank the causes of infant death has also been adopted for this report. This change represents an attempt to standardize reporting of South Carolina data to the national model. The broad categories of cause of death used in determining the leading causes of infant death have been subdivided into more specific categories. This change in methodology makes the leading causes of infant death tables in this report not comparable to similar tables in the reports of years prior to 1998.


POPULATION DATA: South Carolina population estimates for 2005 were available from the National Center for Health Statistics (NCHS) for the state as a whole and for each county by age, race, and gender. In order to provide rates for vital records data by single race category, NCHS developed a 'bridging' methodology, which regrouped the population of the Census, designated 'multiple race' categories into single race categories. The 2000 Census was the first nationwide implementation of revised standards requiring federal agencies to offer individuals the opportunity to select one or more races. NCHS population estimates by age and gender category are consistent with corresponding population data provided to the Office of Research and Statistics, South Carolina Budget and Control Board by the US Census Bureau for the state as a whole and for each county. For age groups of 14-17, 15-17, and 18-19 years, it is assumed that the population within the five-year age groups of 10-14 and 15-19 is distributed uniformly throughout these age intervals.

KOTELCHUCK INDEX: The Kotelchuck Index, also called the Adequacy of Prenatal Care Utilization (APNCU) Index, uses two crucial elements obtained from birth certificate data - when prenatal care began (initiation) and the number of prenatal visits from when prenatal care began until delivery (received services). The Kotelchuck Index classifies the adequacy of initiation as follows: pregnancy months 1 and 2, months 3 and 4, months 5 and 6, and months 7 to 9, with the underlying assumption that the earlier prenatal care begins the better. To classify the adequacy of received services, the number of prenatal visits is compared to the expected number of visits for the period between when care began and the delivery date. The expected number of visits is based on the American College of Obstetricians and Gynecologists prenatal care standards for uncomplicated pregnancies and is adjusted for the gestational age when care began and for the gestational age at delivery.

A ratio of observed to expected visits is calculated and grouped into four categories-Inadequate (received less than 50% of expected visits), Intermediate (50%-79%), Adequate (80%-109%), and Adequate Plus (110% or more). The final Kotelchuck Index measure combines these two dimensions into a single summary score. The profiles define adequate prenatal care as a score of 80% or greater on the Kotelchuck Index, or the sum of the Adequate and Adequate Plus categories. (See the graph on the next page.)

The Kotelchuck Index does not measure the quality of prenatal care. It also depends on the accuracy of the patient or health care provider's recall of the timing of the first visit and the number of subsequent visits. The Kotelchuck Index uses recommendations for low-risk pregnancies, and may not measure the adequacy of care for high-risk women. The Kotelchuck Index is preferable to other indices because it includes a category for women who receive more than the recommended amount of care (adequate plus, or intensive utilization).

The Summary of Adequacy of Kotelchuck Index¹



¹ Adapted from Kotelchuck M., "An Evaluation of the Kessner Adequacy of Prenatal Care Index and a Proposed Adequacy of Prenatal Care Utilization Index", American Journal of Public Health, 1994, 84(9): 1414-20.

IMPLEMENTATION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES (ICD) 10TH REVISION

The ICD is a classification system developed collaboratively between the World Health Organization (WHO) and 10 international centers so that the medical terms reported by physicians, medical examiners, and coroners on death certificates can be grouped together for statistical purposes. ICD-10 replaces the ICD-9, used with 1979-1998 data.

The purpose of the ICD and of WHO sponsorship is to promote international comparability in the collection, classification, processing and presentation of mortality statistics. New revisions of the ICD are implemented periodically so that the classification reflects advances in medical science.

ICD-10 affects the classification, processing, and presentation of mortality data. Some titles have changed. The total number of categories has doubled as a result of the addition or deletion of terms used to describe diseases or conditions. The transfer of certain diseases from one section to another reflects new discoveries and advances in knowledge on the nature or causes of particular diseases. The addition of separate categories identifies specific diseases or particular complications of diseases that are of growing interest. Additionally, the codes associated with each title have been converted from numeric to alphanumeric entities. The ICD rules for processing mortality data are generally similar but account for some changes observed in mortality statistics.

HOW ICD-10 COMPARES TO ICD-9

The intent of developing new revisions is to incorporate changes in medical knowledge. Compared with ICD-9, the ICD-10 has:

- expanded detail for many conditions (e.g., viral hepatitis has been expanded from ICD-9 code 070, a single 3-digit category, to ICD-10 codes B15-B19, five 3-digit categories)
- transferred conditions around the classification (e.g., hemorrhage has been moved from the circulatory chapter to the symptoms and signs chapter)
- used alphanumeric codes instead of numeric codes (e.g., code for diabetes mellitus was 250 in ICD-9 and is E10-E14 in ICD-10)
- modified coding rules (e.g., the "Old pneumonia, influenza, and maternal conditions" and "Error and accidents in medical care" coding rules have been eliminated)
- modified the tabulations lists (e.g., the US' ICD-10 113-cause list replaces the US' ICD-9 72-cause list)

Assistance in using the ICD-10 can be obtained by contacting the National Center for Health Statistics, Data Dissemination Branch, 6525 Belcrest Road, Room 1064 Hyattsville, Maryland 20782-2003

(301) 458-4636 (voice) (301) 458-4027 (fax)

For more information about the ICD-10:

ICD-10 Web page at: www.cdc.gov/nchs/icd/icd10.htm

National Center for Health Statistics (NCHS) Web site at: www.cdc.gov/nchs/

FORMULAE

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depends upon the accuracy of population estimates.

For the most part, rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	= <u>Annual number of deaths from a stated cause</u> Population of area	X 100,000
Death Rate (crude)	= <u>Annual number of deaths</u> Population of area	X 1,000
Divorce Rate (crude)	= <u>Annual number of divorces</u> Population of area	X 1,000
Fetal Mortality Rate	= <u>Annual number of fetal deaths</u> Annual number of live births + Annual number of fetal deaths	X 1,000
General Fertility Rate	= <u>Annual number of live births</u> Population of women 15-44 years of age	X 1,000
Birth Rate of Unmarried Mothers	= <u>Annual number of unmarried mothers</u> Annual number of live births	X 1,000
Infant Mortality Rate	= <u>Annual number of infant deaths</u> Annual number of live births	X 1,000
Live Birth Rate (Crude)	= <u>Annual number of live births</u> Population of area	X 1,000
Marriage Rate (Crude)	= <u>Annual number of marriages</u> Population of area	X 1,000
Maternal Mortality Rate	= <u>Annual number of maternal deaths</u> Annual number of live births	X 10,000
Neonatal Mortality Rate	= <u>Annual number of neonatal deaths</u> Annual number live births	X 1,000
Postneonatal Mortality Rate	= <u>Annual number of postneonatal deaths</u> Annual number of live births	X 1,000
Perinatal Mortality Rate	= <u>Annual number of fetal deaths</u> + <u>Annual number of neonatal deaths</u> Annual number of live births + Annual number of fetal deaths	X 1,000
Low Weight Birth Rate	= <u>Annual number of live births</u> <u>weighing less than 2500 grams</u> Annual number of live births	X 1,000

Grams Weight Conversion Chart

500 grams or less = 1 lb. 1 oz. or less
501 - 1,000 grams = 1 lb. 2 oz. - 2 lb. 3 oz.
1,001 - 1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501 - 2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001 - 2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501 - 3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,000 - 3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501 - 4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001 - 4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501 - 5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. - or more

Symbols Used in Tables

Class or Item not applicable	...
Data not available	---
Quantity Zero in frequency tables	-
Quantity Zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.5	0.0
Both frequency and population base zero in rate or percent table	-
Figures in parentheses are not included in tables	()

APPENDIX

LIST OF 113 SELECTED CAUSES OF DEATH

Number	Cause of death
	All causes.....
1#	Salmonella infections..... A01-A02
2#	Shigellosis and amebiasis..... A03, A06
3	Certain other intestinal infections..... A04, A07-A09
#	Tuberculosis..... A16-A19
4	Respiratory tuberculosis..... A16
5	Other tuberculosis..... A17-A19
6#	Whooping cough..... A37
7#	Scarlet fever and erysipelas..... A38, A46
8#	Meningococcal infection..... A39
9#	Septicemia..... A40-A41
10#	Syphilis..... A50-A53
11#	Acute poliomyelitis..... A80
12#	Arthropod-borne viral encephalitis..... A83-A84, A85. 2
13#	Measles..... B05
14#	Viral hepatitis..... B15-B19
15#	Human immunodeficiency virus (HIV) disease..... B20-B24
16#	Malaria..... B50-B54
17	Other and unspecified infectious and parasitic diseases and their sequelae..... A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85. 0-A85. 1, A85. 8, A86-B04, B06-B09, B25-B49, B55-B99
#	Malignant neoplasms..... C00-C97
18	Malignant neoplasms of lip, oral cavity and pharynx..... C00-C14
19	Malignant neoplasm of esophagus..... C15
20	Malignant neoplasm of stomach..... C16
21	Malignant neoplasms of colon, rectum and anus..... C18-C21
22	Malignant neoplasms of liver and intrahepatic bile ducts..... C22
23	Malignant neoplasm of pancreas..... C25
24	Malignant neoplasm of larynx..... C32
25	Malignant neoplasms of trachea, bronchus and lung..... C33-C34
26	Malignant melanoma of skin..... C43
27	Malignant neoplasm of breast..... C50
28	Malignant neoplasm of cervix uteri..... C53
29	Malignant neoplasms of corpus uteri and uterus, part unspecified..... C54-C55
30	Malignant neoplasm of ovary..... C56
31	Malignant neoplasm of prostate..... C61
32	Malignant neoplasms of kidney and renal pelvis..... C64-C65
33	Malignant neoplasm of bladder..... C67
34	Malignant neoplasms of meninges, brain and other parts of central nervous system..... C70-C72
	Malignant neoplasms of lymphoid, hematopoietic and related tissue..... C81-C96
35	Hodgkin's disease..... C81
36	Non-Hodgkin's lymphoma..... C82-C85
37	Leukemia..... C91-C95
38	Multiple myeloma and immunoproliferative neoplasms..... C88, C90
39	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue..... C96
40	All other and unspecified malignant neoplasms..... C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97
41#	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior..... D00-D48
42#	Anemias..... D50-D64
43#	Diabetes mellitus..... E10-E14
#	Nutritional deficiencies..... E40-E64
44	Malnutrition..... E40-E46
45	Other nutritional deficiencies..... E50-E64
46#	Menigitis..... G00, G03
47#	Parkinson's disease..... G20-G21
48#	Alzheimer's disease..... G30
	Major cardiovascular diseases..... I00-I78
#	Diseases of heart..... I00-I09, I11, I13, I20-151
49	Acute rheumatic fever and chronic rheumatic heart diseases..... I00-I09
50	Hypertensive heart disease..... I11

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
51	Hypertensive heart and renal disease..... I13
	Ischemic heart diseases..... I20-I25
52	Acute myocardial infarction..... I21-I22
53	Other acute ischemic heart diseases..... I24
	Other forms of chronic ischemic heart disease..... I20, I25
54	Atherosclerotic cardiovascular disease, so described..... I25. 0
55	All other forms of chronic ischemic heart disease..... I20, I25. 1-I25. 9
	Other heart diseases..... I26-I51
56	Acute and subacute endocarditis..... I33
57	Diseases of pericardium and acute myocarditis..... I30-I31, I40
58	Heart failure..... I50
59	All other forms of heart disease..... I26-I28, I34-I38, I42-I49, I51
60#	Essential (primary) hypertension and hypertensive renal disease..... I10, I12
61#	Cerebrovascular diseases..... I60-I69
62#	Atherosclerosis..... I70
	Other diseases of circulatory system..... I71-I78
63#	Aortic aneurysm and dissection..... I71
64	Other diseases of arteries, arterioles and capillaries..... I72-I78
65	Other disorders of circulatory system..... I80-I99
#	Influenza and pneumonia..... J10-J18
66	Influenza..... J10-J11
67	Pneumonia..... J12-J18
	Other acute lower respiratory infections..... J20-J22
68#	Acute bronchitis and bronchiolitis..... J20-J21
69	Unspecified acute lower respiratory infection..... J22
#	Chronic lower respiratory diseases..... J40-J47
70	Bronchitis, chronic and unspecified..... J40-J42
71	Emphysema..... J43
72	Asthma..... J45-J46
73	Other chronic lower respiratory diseases..... J44, J47
74#	Pneumoconioses and chemical effects..... J60-J66, J68
75#	Pneumonitis due to solids and liquids..... J69
76	Other diseases of respiratory system..... J00-J06, J30-J39, J67, J70-J98
77#	Peptic ulcer..... K25-K28
78#	Diseases of appendix..... K35-K38
79#	Hernia..... K40-K46
#	Chronic liver disease and cirrhosis..... K70, K73-K74
80	Alcoholic liver disease..... K70
81	Other chronic liver disease and cirrhosis..... K73-K74
82#	Cholelithiasis and other disorders of gallbladder..... K80-K82
#	Nephritis, nephrotic syndrome and nephrosis..... N00-N07, N17-N19, N25-N27
83	Acute and rapidly progressive nephritic and nephrotic syndrome..... N00-N01, N04
84	Chronic glomeronephritis, nephritis and nephrosis not specified as acute or chronic, and renal sclerosis unspecified..... N02-N03, N05-N07, N26
85	Renal failure..... N17-N19
86	Other disorders of kidney..... N25, N27
87#	Infections of kidney..... N10-N12, N13. 6, N15. 1
88#	Hyperplasia of prostate..... N40
89#	Inflammatory diseases of female pelvic organs..... N70-N76
#	Pregnancy, childbirth and the puerperium..... O00-O99
90	Pregnancy with abortive outcome..... O00-O07
91	Other complications of pregnancy, childbirth and the puerperium..... O10-O99
92#	Certain conditions originating in the perinatal period..... P00-P96
93#	Congenital malformations, deformations and chromosomal abnormalities..... Q00-Q99
94	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified..... R00-R99
95	All other diseases (Residual)..... D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13. 0-N13. 5, N13. 7-N13. 9, N14, N15. 0, N15. 8-N15. 9, N20-N23, N28-N39, N41-N64, N80-N98
#	Accidents..... V01-X59, Y85-Y86
	Transport accidents..... V01-V99, Y85
96	Motor vehicle accidents..... V02-V04, V09. 0, V09. 2, V12-V14, V19. 0-V19. 2, V19. 4-V19. 6, V20-V79, V80. 3-V80. 5, V81. 0-V81. 1, V82. 0-V82. 1, V83-V86, V87. 0-V87. 8, V88. 0-V88. 8, V89. 0, V89. 2

LIST OF 113 SELECTED CAUSES OF DEATH-Con.

Number	Cause of death
97	Other land transport accidents..... V01, V05-V06, V09. 1, V09. 3-V09. 9, V10-V11, V15-V18, V19. 3, V19. 8-V19. 9, V80. 0-V80. 2, V80. 6-V80. 9, V81. 2-V81. 9, V82. 2-V82. 9, V87. 9, V88. 9, V89. 1, V89. 3, V89. 9
98	Water, air and space, and other and unspecified transport accidents and their sequelae
99	Nontransport accidents..... V90-V99, Y85
99	Falls..... W00-X59, Y86
100	Accidental discharge of firearms..... W32-W34
101	Accidental drowning and submersion..... W65-W74
102	Accidental exposure to smoke, fire and flames..... X00-X09
103	Accidental poisoning and exposure to noxious substances..... X40-X49
104	Other and unspecified nontransport accidents and their sequelae
#	W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86
105	Intentional self-harm (suicide)..... X60-X84, Y87. 0
106	Intentional self-harm (suicide) by discharge of firearms..... X72-X74
#	Intentional self-harm (suicide) by other and unspecified means and their sequelae
	X60-X71, X75-X84, Y87. 0
#	Assault (homicide)..... X85-Y09, Y87. 1
107	Assault (homicide) by discharge of firearms..... X93-X95
108	Assault (homicide) by other and unspecified means and their sequelae..... X85-X92, X96-Y09, Y87. 1
109#	Legal intervention..... Y35, Y89. 0
	Events of undetermined intent..... Y10-Y34, Y87. 2, Y89. 9
110	Discharge of firearms, undetermined intent..... Y22-Y24
111	Other and unspecified events of undetermined intent and their sequelae
	Y10-Y21, Y25-Y34, Y87. 2, Y89. 9
112#	Operations of war and their sequelae..... Y36, Y89. 1
113#	Complications of medical and surgical care..... Y40-Y84, Y88

Estimated comparability ratios for 113 selected causes of death

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
001	Salmonella infections	30	37	0.8108	0.0644	7.9	0.6846	0.9370
002	Shigellosis and amebiasis	*	*	*	*	*	*	*
003	Certain other intestinal infections	*	*	*	*	*	*	*
004	Tuberculosis	653	764	0.8547	0.0172	2	0.8209	0.8885
005	Respiratory tuberculosis	518	572	0.9056	0.0201	2.2	0.8662	0.9450
006	Other tuberculosis	135	192	0.7031	0.0407	5.8	0.6233	0.7830
007	Whooping cough	*	*	*	*	*	*	*
008	Scarlet fever and erysipelas	*	*	*	*	*	*	*
009	Meningococcal infection	221	222	0.9955	0.0149	1.5	0.9663	1.0247
010	Septicemia	21,258	17,791	1.1949	0.0042	0.3	1.1867	1.2030
011	Syphilis	21	33	0.6364	0.1184	18.6	0.4043	0.8685
012	Acute poliomyelitis	*	*	*	*	*	*	*
013	Arthropod-borne viral encephalitis	*	*	*	*	*	*	*
014	Measles	*	*	*	*	*	*	*
015	Viral hepatitis	1,123	1,346	0.8343	0.0120	1.4	0.8109	0.8578
016	Human immunodeficiency virus (HIV) disease	25,089	23,586	1.0637	0.0018	0.2	1.0601	1.0673
017	Malaria	*	*	*	*	*	*	*
018	Other and unspecified infectious and parasitic diseases and their sequelae	2,865	2,607	1.0990	0.0154	1.4	1.0688	1.1291
019	Malignant neoplasms	464,688	461,544	1.0068	0.0002	0.0	1.0064	1.0072
020	Malignant neoplasms of lip, oral cavity and pharynx	5,927	6,172	0.9603	0.0040	0.4	0.9525	0.9681
021	Malignant neoplasm of esophagus	9,596	9,630	0.9965	0.0020	0.2	0.9926	1.0003
022	Malignant neoplasm of stomach	11,480	11,408	1.0063	0.0019	0.2	1.0025	1.0101
023	Malignant neoplasms of colon, rectum and anus	48,583	48,619	0.9993	0.0009	0.1	0.9975	1.0010
024	Malignant neoplasms of liver and intrahepatic bile ducts	9,732	10,102	0.9634	0.0023	0.2	0.9588	0.9679
025	Malignant neoplasm of pancreas	24,313	24,361	0.9980	0.0009	0.1	0.9963	0.9997
026	Malignant neoplasm of larynx	3,209	3,194	1.0047	0.0053	0.5	0.9943	1.0150
027	Malignant neoplasms of trachea, bronchus and lung	131,750	133,936	0.9837	0.0005	0.1	0.9827	0.9846
028	Malignant melanoma of skin	5,941	6,139	0.9677	0.0032	0.3	0.9614	0.9741
029	Malignant neoplasm of breast	38,102	37,891	1.0056	0.0010	0.1	1.0036	1.0075
030	Malignant neoplasm of cervix uteri	3,753	3,802	0.9871	0.0034	0.3	0.9805	0.9938
031	Malignant neoplasms of corpus uteri and uterus, part unspecified	5,318	5,183	1.0260	0.0040	0.4	1.0182	1.0339
032	Malignant neoplasm of ovary	11,292	11,344	0.9954	0.0016	0.2	0.9923	0.9985
033	Malignant neoplasm of prostate	30,672	30,267	1.0134	0.0015	0.1	1.0105	1.0162
034	Malignant neoplasms of kidney and renal pelvis	9,521	9,521	1.0000	0.0022	0.2	0.9957	1.0043
035	Malignant neoplasm of bladder	9,563	9,594	0.9968	0.0026	0.3	0.9916	1.0019
036	Malignant neoplasms of meninges, brain and other parts of central nervous system	10,039	10,359	0.9691	0.0025	0.3	0.9642	0.9740
037	Malignant neoplasms of lymphoid, hematopoietic and related tissue	44,715	44,530	1.0042	0.0012	0.1	1.0019	1.0064
038	Hodgkin's disease	1,021	1,036	0.9855	0.0089	0.9	0.9680	1.0030
039	Non-Hodgkin's lymphoma	17,924	18,326	0.9781	0.0018	0.2	0.9745	0.9817
040	Leukemia	16,600	16,405	1.0119	0.0019	0.2	1.0083	1.0155
041	Multiple myeloma and immunoproliferative neoplasms	9,099	8,763	1.0383	0.0030	0.3	1.0324	1.0443
042	Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	*	*	*	*	*	*	*
043	All other and unspecified malignant neoplasms	51,182	45,492	1.1251	0.0021	0.2	1.1210	1.1292
044	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	9,263	5,532	1.6744	0.0164	1.0	1.6422	1.7067
045	Anemias	3,059	3,200	0.9559	0.0077	0.8	0.9409	0.9710
046	Diabetes mellitus	48,636	48,242	1.0082	0.0011	0.1	1.0060	1.0103
047	Nutritional deficiencies	3,215	2,763	1.1636	0.0165	1.4	1.1312	1.1960
048	Malnutrition	2,607	2,665	0.9782	0.0151	1.5	0.9487	1.0078
049	Other nutritional deficiencies	608	98	6.2041	0.5961	9.6	5.0358	7.3724
050	Meningitis	592	584	1.0137	0.0136	1.3	0.9871	1.0403
051	Parkinson's disease	10,404	10,392	1.0012	0.0028	0.3	0.9956	1.0067
052	Alzheimer's disease	29,707	19,121	1.5536	0.0071	0.5	1.5398	1.5675
053	Major cardiovascular diseases	796,919	798,435	0.9981	0.0002	0.0	0.9977	0.9985
054	Diseases of heart	615,564	624,405	0.9858	0.0002	0.0	0.9854	0.9863
055	Acute rheumatic fever and chronic rheumatic heart diseases	2,446	2,980	0.8208	0.0089	1.1	0.8034	0.8382
056	Hypertensive heart disease	17,322	21,577	0.8028	0.0028	0.3	0.7973	0.8083
057	Hypertensive heart and renal disease	2,170	2,027	1.0705	0.0160	1.5	1.0392	1.1019
058	Ischemic heart diseases	466,459	466,935	0.9990	0.0002	0.0	0.9985	0.9994
059	Acute myocardial infarction	178,125	180,169	0.9887	0.0003	0.0	0.9880	0.9893
060	Other acute ischemic heart diseases	2,667	2,638	1.0110	0.0117	1.2	0.9880	1.0340
061	Other forms of chronic ischemic heart disease	285,667	284,128	1.0054	0.0004	0.0	1.0046	1.0062

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
062	Atherosclerotic cardiovascular disease, so described.....	64,354	61,362	1.0488	0.0016	0.2	1.0456	1.0519
063	All other forms of chronic ischemic heart disease.....	221,313	222,766	0.9935	0.0004	0.0	0.9927	0.9942
064	Other heart diseases.....	127,167	130,886	0.9716	0.0010	0.1	0.9696	0.9736
065	Acute and subacute endocarditis.....	552	554	0.9964	0.0137	1.4	0.9695	1.0233
066	Diseases of pericardium and acute myocarditis.....	489	475	1.0295	0.0160	1.6	0.9981	1.0608
067	Heart failure.....	44,297	42,554	1.0410	0.0013	0.1	1.0384	1.0435
068	All other forms of heart disease.....	81,829	87,303	0.9373	0.0014	0.2	0.9345	0.9401
069	Essential (primary) hypertension and hypertensive renal disease.....	11,958	10,684	1.1192	0.0050	0.4	1.1094	1.1291
070	Cerebrovascular diseases.....	137,264	129,640	1.0588	0.0008	0.1	1.0572	1.0604
071	Atherosclerosis.....	13,894	14,417	0.9637	0.0025	0.3	0.9588	0.9686
072	Other diseases of circulatory system.....	18,239	19,289	0.9456	0.0021	0.2	0.9414	0.9498
073	Aortic aneurysm and dissection.....	12,216	12,201	1.0012	0.0010	0.1	0.9992	1.0032
074	Other diseases of arteries, arterioles and capillaries.....	6,023	7,088	0.8497	0.0053	0.6	0.8394	0.8601
075	Other disorders of circulatory system.....	2,984	2,899	1.0293	0.0172	1.7	0.9956	1.0631
076	Influenza and pneumonia.....	50,526	72,371	0.6982	0.0018	0.3	0.6947	0.7016
077	Influenza.....	572	567	1.0088	0.0073	0.7	0.9945	1.0231
078	Pneumonia.....	49,954	71,804	0.6957	0.0018	0.3	0.6922	0.6992
079	Other acute lower respiratory infections.....	346	355	0.9746	0.0392	4.0	0.8978	1.0515
080	Acute bronchitis and bronchiolitis.....	265	355	0.7465	0.0264	3.5	0.6947	0.7983
081	Unspecified acute lower respiratory infection.....	*	*	*	*	*	*	*
082	Chronic lower respiratory diseases.....	94,326	90,022	1.0478	0.0009	0.1	1.0460	1.0496
083	Bronchitis, chronic and unspecified.....	913	2,320	0.3935	0.0107	2.7	0.3726	0.4145
084	Emphysema.....	14,369	14,774	0.9726	0.0031	0.3	0.9666	0.9786
085	Asthma.....	4,217	4,718	0.8938	0.0061	0.7	0.8819	0.9057
086	Other chronic lower respiratory diseases.....	74,827	68,210	1.0970	0.0014	0.1	1.0943	1.0998
087	Pneumoconioses and chemical effects.....	860	845	1.0178	0.0099	1.0	0.9983	1.0372
088	Pneumonitis due to solids and liquids.....	10,183	9,104	1.1185	0.0048	0.4	1.1092	1.1279
089	Other diseases of respiratory system.....	16,656	14,269	1.1673	0.0052	0.4	1.1572	1.1774
090	Peptic ulcer.....	3,574	3,686	0.9696	0.0045	0.5	0.9608	0.9784
091	Diseases of appendix.....	209	202	1.0347	0.0242	2.3	0.9873	1.0820
092	Hernia.....	658	633	1.0395	0.0154	1.5	1.0094	1.0696
093	Chronic liver disease and cirrhosis.....	21,688	20,920	1.0367	0.0027	0.3	1.0314	1.0420
094	Alcoholic liver disease.....	10,147	9,965	1.0183	0.0050	0.5	1.0085	1.0281
095	Other chronic liver disease and cirrhosis.....	11,541	10,955	1.0535	0.0041	0.4	1.0454	1.0615
096	Cholelithiasis and other disorders of gallbladder.....	1,725	1,803	0.9567	0.0060	0.6	0.9450	0.9685
097	Nephritis, nephrotic syndrome and nephrosis.....	24,939	20,242	1.2320	0.0044	0.4	1.2234	1.2407
098	Acute and rapidly progressive nephritic and nephrotic syndrome.....	161	249	0.6466	0.0342	5.3	0.5796	0.7136
099	Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified.....	468	1,213	0.3858	0.0144	3.7	0.3575	0.4141
100	Renal failure.....	24,290	18,758	1.2949	0.0050	0.4	1.2852	1.3047
101	Other disorders of kidney.....	20	22	0.9091	0.0867	9.5	0.7392	1.0790
102	Infections of kidney.....	731	726	1.0069	0.0144	1.4	0.9786	1.0352
103	Hyperplasia of prostate.....	326	327	0.9969	0.0159	1.6	0.9658	1.0280
104	Inflammatory diseases of female pelvic organs.....	63	64	0.9844	0.0410	4.2	0.9040	1.0648
105	Pregnancy, childbirth and the puerperium.....	*	*	*	*	*	*	*
106	Pregnancy with abortive outcome.....	*	*	*	*	*	*	*
107	Other complications of pregnancy, childbirth and the puerperium.....	*	*	*	*	*	*	*
108	Certain conditions originating in the perinatal period.....	10,184	9,555	1.0658	0.0033	0.3	1.0593	1.0724
109	Congenital malformations, deformations and chromosomal abnormalities.....	5,950	7,025	0.8470	0.0055	0.6	0.8362	0.8577
110	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified.....	16,940	17,732	0.9553	0.0034	0.4	0.9487	0.9620
111	All other diseases (Residual).....	109,853	122,107	0.8996	0.0015	0.2	0.8968	0.9025
112	Accidents (unintentional injuries).....	31,084	30,163	1.0305	0.0014	0.1	1.0278	1.0333
113	Transport accidents.....	17,547	17,586	0.9978	0.0006	0.1	0.9966	0.9990
114	Motor vehicle accidents.....	14,539	17,051	0.8527	0.0027	0.3	0.8473	0.8881
115	Other land transport accidents.....	*	*	*	*	*	*	*
116	Water, air and space, and other and unspecified transport accidents and their sequelae.....	351	347	1.0115	0.0209	2.1	0.9706	1.0525
117	Nontransport accidents.....	13,537	12,577	1.0763	0.0035	0.3	1.0696	1.0831
118	Falls.....	5,173	6,152	0.8409	0.0049	0.6	0.8313	0.8505
119	Accidental discharge of firearms.....	493	466	1.0579	0.0127	1.2	1.0331	1.0828
120	Accidental drowning and submersion.....	283	284	0.9965	0.0127	1.3	0.9716	1.0213
121	Accidental exposure to smoke, fire and flames.....	493	506	0.9743	0.0089	0.9	0.9568	0.9918
122	Accidental poisoning and exposure to noxious substances.....	*	*	*	*	*	*	*
123	Other and unspecified nontransport accidents and their sequelae.....	6,698	4,721	1.4188	0.0123	0.9	1.3947	1.4428

See footnotes at end of table.

Estimated comparability ratios for 113 selected causes of death—Con.

List number	Cause of death ¹	Number of deaths allocated according to		Estimated comparability ratio	Standard error	Relative standard error	95 percent confidence limits	
		ICD-10 ²	ICD-9 ²				Lower	Upper
124	Intentional self-harm (suicide)	18,352	18,422	0.9962	0.0005	0.0	0.9952	0.9972
125	Intentional self-harm (suicide) by discharge of firearms	14,157	14,183	0.9982	0.0007	0.1	0.9968	0.9996
126	Intentional self-harm (suicide) by other and unspecified means and their sequelae	4,195	4,239	0.9896	0.0023	0.2	0.9850	0.9942
127	Assault (homicide)	12,287	12,308	0.9983	0.0006	0.1	0.9972	0.9994
128	Assault (homicide) by discharge of firearms	8,718	8,745	0.9969	0.0008	0.1	0.9953	0.9985
129	Assault (homicide) by other and unspecified means and their sequelae	3,569	3,563	1.0017	0.0024	0.2	0.9969	1.0064
130	Legal intervention	*	*	*	*	*	*	*
131	Events of undetermined intent	*	*	*	*	*	*	*
132	Discharge of firearms, undetermined intent	*	*	*	*	*	*	*
133	Other and unspecified events of undetermined intent and their sequelae	*	*	*	*	*	*	*
134	Operations of war and their sequelae	*	*	*	*	*	*	*
135	Complications of medical and surgical care	*	*	*	*	*	*	*

* Figure does not meet standards of reliability or precision; see Technical notes.

.0 Quantity more than zero but less than 0.05.

¹Based on the Ninth and Tenth Revision categories shown in table B.

²ICD-10 is *International Classification of Diseases*, Tenth Revision, and ICD-9 is *International Classification of Diseases*, Ninth Revision.

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
CERTIFICATE OF LIVE BIRTH

139 -

BIRTH NUMBER

CHILD	1. CHILD'S NAME (First, Middle, Last, Suffix)		2. TIME OF BIRTH (24HR)	3. SEX	4. DATE OF BIRTH (Mo/Day/Yr)	
	5. FACILITY NAME (If not institution, give street and number)		6. CITY, TOWN, OR LOCATION OF BIRTH		7. COUNTY OF BIRTH	
MOTHER	8a. MOTHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)		8b. DATE OF BIRTH (Mo/Day/Yr)			
	8c. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last, Suffix)		8d. BIRTHPLACE (State, Territory, or Foreign Country)			
	9a. RESIDENCE OF MOTHER - STATE	9b. COUNTY	9c. CITY, TOWN, OR LOCATION			
	9d. STREET AND NUMBER		9e. APT. NO.	9f. ZIP CODE	9g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No	
FATHER	10a. FATHER'S CURRENT LEGAL NAME (First, Middle, Last, Suffix)		10b. DATE OF BIRTH (Mo/Day/Yr)	10c. BIRTHPLACE (State, Territory, or Foreign Country)		
CERTIFIER	11. CERTIFIER'S NAME TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> HOSPITAL ADMIN. <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> OTHER (Specify) _____		12. DATE CERTIFIED MM / DD / YYYY	13. DATE FILED BY REGISTRAR MM / DD / YYYY		
INFORMATION FOR ADMINISTRATIVE USE						
MOTHER	14. MOTHER'S MAILING ADDRESS <input type="checkbox"/> Same as residence, or: State: Street & Number:			City, Town, or Location: Apartment No.: Zip Code:		
	15. MOTHER MARRIED? (At birth, conception, or any time between) <input type="checkbox"/> Yes <input type="checkbox"/> No IF NO, HAS PATERNITY ACKNOWLEDGMENT BEEN SIGNED IN THE HOSPITAL? <input type="checkbox"/> Yes <input type="checkbox"/> No			16. SOCIAL SECURITY NUMBER REQUESTED FOR CHILD? <input type="checkbox"/> Yes <input type="checkbox"/> No		17. FACILITY ID. (NPI)
	18. MOTHER'S SOCIAL SECURITY NUMBER:			19. FATHER'S SOCIAL SECURITY NUMBER:		
INFORMATION FOR MEDICAL AND HEALTH PURPOSES ONLY						
MOTHER	20. MOTHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery)	21. MOTHER OF HISPANIC ORIGIN? (Check the box that best describes whether the mother is Spanish/Hispanic/Latina. Check the "No" box if mother is not Spanish/Hispanic/Latina) <input type="checkbox"/> No, not Spanish/Hispanic/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latina (Specify) _____	22. MOTHER'S RACE (Check one or more races to indicate what the mother considers herself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____			
MOTHER'S MEDICAL RECORD NO. _____						
FATHER	23. FATHER'S EDUCATION (Check the box that best describes the highest degree or level of school completed at the time of delivery)	24. FATHER OF HISPANIC ORIGIN? (Check the box that best describes whether the father is Spanish/Hispanic/Latino. Check the "No" box if father is not Spanish/Hispanic/Latino) <input type="checkbox"/> No, not Spanish/Hispanic/Latino <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino (Specify) _____	25. FATHER'S RACE (Check one or more races to indicate what the father considers himself to be) <input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____			
STATE OFFICE USE ONLY	26. PLACE WHERE BIRTH OCCURRED (Check one) <input type="checkbox"/> Hospital <input type="checkbox"/> Freestanding birthing center <input type="checkbox"/> Home birth: Planned to deliver at home? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Clinic/Doctor's office <input type="checkbox"/> Other (Specify) _____	27. ATTENDANT'S NAME, TITLE, AND NPI NAME _____ NPI _____ TITLE: <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> CNM/CM <input type="checkbox"/> OTHER MIDWIFE <input type="checkbox"/> Other (Specify) _____	28. MOTHER TRANSFERRED FOR MATERNAL MEDICAL OR FETAL INDICATIONS FOR DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, ENTER NAME OF FACILITY MOTHER TRANSFERRED FROM: _____			

MOTHER	29a. DATE OF FIRST PRENATAL CARE VISIT _____/_____/_____ MM DD YYYY		29b. DATE OF LAST PRENATAL CARE VISIT _____/_____/_____ MM DD YYYY	30. TOTAL NUMBER OF PRENATAL VISITS FOR THIS PREGNANCY (If none, enter "0".)			
	31. MOTHER'S HEIGHT _____ (feet/inches)		32. MOTHER'S PREPREGNANCY WEIGHT _____ (pounds)	33. MOTHER'S WEIGHT AT DELIVERY _____ (pounds)	34. DID MOTHER GET WIC FOOD FOR HERSELF DURING THIS PREGNANCY? <input type="checkbox"/> Yes <input type="checkbox"/> No		
	35. NUMBER OF PREVIOUS LIVE BIRTHS (Do not include this child) _____		36. NUMBER OF OTHER PREGNANCY OUTCOMES (Spontaneous or induced losses or ectopic pregnancies) Number _____ <input type="checkbox"/> None	37. CIGARETTE SMOKING BEFORE AND DURING PREGNANCY For each time period, enter either the number of cigarettes or the number of packs of cigarettes smoked. IF NONE, ENTER "0". Average number of cigarettes or packs of cigarettes smoked per day. Number of cigarettes Number of packs Three months before pregnancy _____ OR _____ First three months of pregnancy _____ OR _____ Second three months of pregnancy _____ OR _____ Last three months of pregnancy _____ OR _____		38. PRINCIPAL SOURCE OF PAYMENT FOR THIS DELIVERY: <input type="checkbox"/> Private Insurance <input type="checkbox"/> Medicaid <input type="checkbox"/> Self-pay <input type="checkbox"/> Other (Specify) _____	
	35a. Now Living Number _____		35b. Now Dead Number _____ <input type="checkbox"/> None				
	35c. DATE OF LAST LIVE BIRTH _____/_____ MM YYYY		36a. DATE OF LAST OTHER PREGNANCY OUTCOME _____/_____ MM YYYY	39. DATE LAST NORMAL MENSES BEGAN _____/_____/_____ MM DD YYYY	40. MOTHER'S MEDICAL RECORD NUMBER		
	MEDICAL AND HEALTH INFORMATION	41. RISK FACTORS IN THIS PREGNANCY (Check all that apply) Diabetes <input type="checkbox"/> Prepregnancy (Diagnosis prior to this pregnancy) <input type="checkbox"/> Gestational (Diagnosis in this pregnancy) Hypertension <input type="checkbox"/> Prepregnancy (Chronic) <input type="checkbox"/> Gestational (PIH, preeclampsia, eclampsia) <input type="checkbox"/> Previous preterm birth <input type="checkbox"/> Other previous poor pregnancy outcome (Includes perinatal death, small-for-gestational age/intrauterine growth restricted birth) <input type="checkbox"/> Vaginal bleeding during this pregnancy prior to the onset of labor <input type="checkbox"/> Pregnancy resulted from infertility treatment <input type="checkbox"/> Mother had a previous cesarean delivery If yes, how many _____ <input type="checkbox"/> None of the above		44. ONSET OF LABOR (Check all that apply) <input type="checkbox"/> Premature Rupture of the Membranes (prolonged, ≥12 hrs.) <input type="checkbox"/> Precipitous Labor (<3 hrs.) <input type="checkbox"/> Prolonged Labor (≥ 20 hrs.) <input type="checkbox"/> None of the above		46. METHOD OF DELIVERY A. Was delivery with forceps attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No B. Was delivery with vacuum extraction attempted but unsuccessful? <input type="checkbox"/> Yes <input type="checkbox"/> No C. Fetal presentation at birth <input type="checkbox"/> Cephalic <input type="checkbox"/> Breech <input type="checkbox"/> Other D. Final route and method of delivery (Check one) <input type="checkbox"/> Vaginal/Spontaneous <input type="checkbox"/> Vaginal/Forceps <input type="checkbox"/> Vaginal/Vacuum <input type="checkbox"/> Cesarean If Cesarean, was a trial of labor attempted? <input type="checkbox"/> Yes <input type="checkbox"/> No	
		42. INFECTIONS PRESENT AND/OR TREATED DURING THIS PREGNANCY (Check all that apply) <input type="checkbox"/> Gonorrhea <input type="checkbox"/> Syphilis <input type="checkbox"/> Herpes Simplex Virus (HSV) <input type="checkbox"/> Chlamydia <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> None of the above		45. CHARACTERISTICS OF LABOR AND DELIVERY (Check all that apply) <input type="checkbox"/> Induction of labor <input type="checkbox"/> Augmentation of labor <input type="checkbox"/> Non-vertex presentation <input type="checkbox"/> Steroids (glucocorticoids) for fetal lung maturation received by the mother prior to delivery <input type="checkbox"/> Antibiotics received by the mother during labor <input type="checkbox"/> Clinical chorioamnionitis diagnosed during labor or maternal temperature ≥ 38°C (100.4°F) <input type="checkbox"/> Moderate/heavy meconium staining of the amniotic fluid <input type="checkbox"/> Fetal intolerance of labor such that one or more of the following actions was taken: in-utero resuscitative measures, further fetal assessment, or operative delivery <input type="checkbox"/> Epidural or spinal anesthesia during labor <input type="checkbox"/> None of the above		47. MATERNAL MORBIDITY (Check all that apply) (Complications associated with labor and delivery) <input type="checkbox"/> Maternal transfusion <input type="checkbox"/> Third or fourth degree perineal laceration <input type="checkbox"/> Ruptured uterus <input type="checkbox"/> Unplanned hysterectomy <input type="checkbox"/> Admission to intensive care unit <input type="checkbox"/> Unplanned operating room procedure following delivery <input type="checkbox"/> None of the above	
		NEWBORN INFORMATION					
		NEWBORN	48. NEWBORN MEDICAL RECORD NUMBER:		54. ABNORMAL CONDITIONS OF THE NEWBORN (Check all that apply)		55. CONGENITAL ANOMALIES OF THE NEWBORN (Check all that apply)
			49. BIRTHWEIGHT (grams preferred, specify unit) _____ <input type="checkbox"/> grams <input type="checkbox"/> lb/oz		<input type="checkbox"/> Assisted ventilation required immediately following delivery <input type="checkbox"/> Assisted ventilation required for more than six hours <input type="checkbox"/> NICU admission <input type="checkbox"/> Newborn given surfactant replacement therapy <input type="checkbox"/> Antibiotics received by the newborn for suspected neonatal sepsis <input type="checkbox"/> Seizure or serious neurologic dysfunction <input type="checkbox"/> Significant birth injury (skeletal fracture(s), peripheral nerve injury, and/or soft tissue/solid organ hemorrhage which requires intervention) <input type="checkbox"/> None of the above		<input type="checkbox"/> Anencephaly <input type="checkbox"/> Meningomyelocele/Spina bifida <input type="checkbox"/> Cyanotic congenital heart disease <input type="checkbox"/> Congenital diaphragmatic hernia <input type="checkbox"/> Omphalocele <input type="checkbox"/> Gastrochisis <input type="checkbox"/> Limb reduction defect (excluding congenital amputation and dwarfing syndromes) <input type="checkbox"/> Cleft Lip with or without Cleft Palate <input type="checkbox"/> Cleft Palate alone <input type="checkbox"/> Down Syndrome <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Suspected chromosomal disorder <input type="checkbox"/> Karyotype confirmed <input type="checkbox"/> Karyotype pending <input type="checkbox"/> Hypospadias <input type="checkbox"/> None of the anomalies listed above
50. OBSTETRIC ESTIMATE OF GESTATION: _____ (completed weeks)							
51. APGAR SCORE: Score at 5 minutes: _____ If 5 minute score is less than 6, Score at 10 minutes: _____							
52. PLURALITY - Single, Twin, Triplet, etc. (Specify) _____							
53. IF NOT SINGLE BIRTH - Born First, Second, Third, etc. (Specify) _____							
56. WAS INFANT TRANSFERRED WITHIN 24 HOURS OF DELIVERY? <input type="checkbox"/> Yes <input type="checkbox"/> No IF YES, NAME OF FACILITY INFANT TRANSFERRED TO: _____			57. IS INFANT LIVING AT TIME OF REPORT? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Infant transferred, status unknown		58. IS INFANT BEING BREASTFED? <input type="checkbox"/> Yes <input type="checkbox"/> No		
59. WHAT PROPHYLACTIC USED IN EYES? (Specify)							
			TIME USED	(24-hour clock)			

State of South Carolina
Department of Health and Environmental Control
CERTIFICATE OF DEATH

STATE BIRTH NUMBER

STATE FILE NUMBER

NAME OF DECEASED
For use by physician or institution

1. DECEDENT'S LEGAL NAME (Include AKAs, if any) (First, Middle, Last)					2. SEX	3. SOCIAL SECURITY NUMBER		
4a. AGE-Last Birthday (Years)		4b. UNDER 1 YEAR Months	4c. UNDER 1 DAY Hours	5. DATE OF BIRTH MM/DD/YYYY	6. BIRTHPLACE (City and State or Foreign Country)			
7a. RESIDENCE-STATE		7b. COUNTY			7c. CITY OR TOWN			
7d. STREET AND NUMBER			7e. APT. NO.	7f. ZIP CODE	7g. INSIDE CITY LIMITS? <input type="checkbox"/> Yes <input type="checkbox"/> No			
8. EVER IN US ARMED FORCES? <input type="checkbox"/> Yes <input type="checkbox"/> No		9. MARITAL STATUS AT TIME OF DEATH <input type="checkbox"/> Married <input type="checkbox"/> Married, but separated <input type="checkbox"/> Widowed <input type="checkbox"/> Divorced <input type="checkbox"/> Never Married <input type="checkbox"/> Unknown		10. SURVIVING SPOUSE'S NAME (If wife, give name prior to first marriage)				
11. FATHER'S NAME (First, Middle, Last)				12. MOTHER'S NAME PRIOR TO FIRST MARRIAGE (First, Middle, Last)				
13a. INFORMANT'S NAME		13b. RELATIONSHIP TO DECEDENT			13c. MAILING ADDRESS (Street and Number, City, State, Zip Code)			
14. PLACE OF DEATH (Check only one: see instructions)								
IF DEATH OCCURRED IN A HOSPITAL: <input type="checkbox"/> Inpatient <input type="checkbox"/> Emergency Room/Outpatient <input type="checkbox"/> Dead on Arrival		IF DEATH OCCURRED SOMEWHERE OTHER THAN A HOSPITAL: <input type="checkbox"/> Hospice facility <input type="checkbox"/> Nursing home/Long term care facility <input type="checkbox"/> Decedent's home <input type="checkbox"/> Other (Specify) _____						
15. FACILITY NAME (If not institution, give street and number)				16. CITY OR TOWN, STATE AND ZIP CODE			17. COUNTY OF DEATH	
18. METHOD OF DISPOSITION <input type="checkbox"/> Burial <input type="checkbox"/> Cremation <input type="checkbox"/> Donation <input type="checkbox"/> Embalming <input type="checkbox"/> Removal from state <input type="checkbox"/> Other (Specify) _____				19. PLACE OF DISPOSITION (Name of cemetery, crematory, other place)				
20. LOCATION-CITY, TOWN, AND STATE				21. NAME AND ADDRESS OF FUNERAL FACILITY				
22. SIGNATURE OF FUNERAL SERVICE LICENSEE OR OTHER AGENT				23. LICENSE NUMBER (Of Licensee)				
23a. EMBALMER (Signature)				23b. EMBALMER LICENSE NUMBER		23c. LICENSE NUMBER (Of Facility)		
ITEMS 24-28 MUST BE COMPLETED BY PERSON WHO PRONOUNCES OR CERTIFIES DEATH				24. DATE PRONOUNCED DEAD (MM/DD/YYYY)		25. TIME PRONOUNCED DEAD		
26. SIGNATURE OF PERSON PRONOUNCING DEATH (Only when applicable)				27. LICENSE NUMBER		28. DATE SIGNED (MM/DD/YYYY)		
29. ACTUAL OR PRESUMED DATE OF DEATH (Spell Month)				30. ACTUAL OR PRESUMED TIME OF DEATH		31. WAS CORONER OR MEDICAL EXAMINER CONTACTED? <input type="checkbox"/> Yes <input type="checkbox"/> No		
32. PART I. Enter the chain of events-diseases, injuries, or complications-that directly caused the death. DO NOT enter terminal events such as cardiac arrest, respiratory arrest, or ventricular fibrillation without showing the etiology. DO NOT ABBREVIATE. Enter only one cause on a line. Add additional lines if necessary. IMMEDIATE CAUSE (Final disease or condition → a. _____ resulting in death) Sequentially list conditions, if any, leading to the cause b. _____ any, leading to the cause c. _____ any, leading to the cause d. _____				Due to (or as a consequence of): Due to (or as a consequence of): Due to (or as a consequence of): Due to (or as a consequence of):		Approximate interval: Onset to death		
PART II. Enter other significant conditions contributing to death but not resulting in the underlying cause given in PART I.				33. WAS AN AUTOPSY PERFORMED? <input type="checkbox"/> Yes <input type="checkbox"/> No				
				34. WERE AUTOPSY FINDINGS AVAILABLE TO COMPLETE THE CAUSE OF DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> No				
35. DID TOBACCO USE CONTRIBUTE TO DEATH? <input type="checkbox"/> Yes <input type="checkbox"/> Probably <input type="checkbox"/> No <input type="checkbox"/> Unknown		36. IF FEMALE: <input type="checkbox"/> Not pregnant within past year <input type="checkbox"/> Pregnant at time of death <input type="checkbox"/> Not pregnant, but pregnant within 42 days of death <input type="checkbox"/> Not pregnant, but pregnant 43 days to one year before death <input type="checkbox"/> Unknown if pregnant within the past year		37. MANNER OF DEATH <input type="checkbox"/> Natural <input type="checkbox"/> Homicide <input type="checkbox"/> Accident <input type="checkbox"/> Pending investigation <input type="checkbox"/> Suicide <input type="checkbox"/> Could not be determined				
38. DATE OF INJURY (Spell Month)		39. TIME OF INJURY	40. PLACE OF INJURY (e.g., Decedent's home, construction site, restaurant, wooded area)	41. INJURY AT WORK? <input type="checkbox"/> Yes <input type="checkbox"/> No				
42. LOCATION OF INJURY: State: _____ Street & Number: _____				City or Town: _____ County: _____ Apartment Number: _____ Zip Code: _____				
43. DESCRIBE HOW INJURY OCCURRED:				44. IF TRANSPORTATION INJURY, SPECIFY: <input type="checkbox"/> Driver/Operator <input type="checkbox"/> Pedestrian <input type="checkbox"/> Passenger <input type="checkbox"/> Other (Specify) _____				
45. CERTIFIER (Check only one) <input type="checkbox"/> Certifying physician-To the best of my knowledge, death occurred due to the cause(s) and manner stated. <input type="checkbox"/> Pronouncing and Certifying physician-To the best of my knowledge, death occurred at the time, date, and place, and due to the cause(s) and manner stated. <input type="checkbox"/> Coroner/Medical Examiner-On the basis of examination and/or investigation, in my opinion, death occurred at the time, date, and place, and due to the cause(s) and manner stated. Signature of certifier: _____								
46. NAME, ADDRESS, AND ZIP CODE OF PERSON COMPLETING CAUSE OF DEATH (Item 32)				46a. NAME OF ATTENDING PHYSICIAN IF OTHER THAN CERTIFIER				
47. TITLE OF CERTIFIER		48. LICENSE NUMBER	49. DATE CERTIFIED (MM/DD/YYYY)	50. FOR REGISTRAR ONLY-DATE FILED (MM/DD/YYYY)				
51. DECEDENT'S EDUCATION-Check the box that best describes the highest degree or level of school completed at the time of death.		52. DECEDENT OF HISPANIC ORIGIN?-Check the box that best describes whether the decedent is Spanish/Hispanic/Latino/Latina. Check the "No" box if decedent is not Spanish/Hispanic/Latino/Latina.			53. DECEDENT'S RACE-(Check one or more races to indicate what the decedent considered himself or herself to be)			
<input type="checkbox"/> 8th grade or less <input type="checkbox"/> 9th-12th grade; no diploma <input type="checkbox"/> High school graduate or GED completed <input type="checkbox"/> Some college credit, but no degree <input type="checkbox"/> Associate degree (e.g., AA, AS) <input type="checkbox"/> Bachelor's degree (e.g., BA, AB, BS) <input type="checkbox"/> Master's degree (e.g., MA, MS, MEng, MEd, MSW, MBA) <input type="checkbox"/> Doctorate (e.g., PhD, EdD) or Professional degree (e.g., MD, DDS, DVM, LLB, JD)		<input type="checkbox"/> No, not Spanish/Hispanic/Latino/Latina <input type="checkbox"/> Yes, Mexican, Mexican American, Chicano/Chicana <input type="checkbox"/> Yes, Puerto Rican <input type="checkbox"/> Yes, Cuban <input type="checkbox"/> Yes, other Spanish/Hispanic/Latino/Latina (Specify) _____			<input type="checkbox"/> White <input type="checkbox"/> Black or African American <input type="checkbox"/> American Indian or Alaska Native (Name of the enrolled or principal tribe) _____ <input type="checkbox"/> Asian Indian <input type="checkbox"/> Chinese <input type="checkbox"/> Filipino <input type="checkbox"/> Japanese <input type="checkbox"/> Korean <input type="checkbox"/> Vietnamese <input type="checkbox"/> Other Asian (Specify) _____ <input type="checkbox"/> Native Hawaiian <input type="checkbox"/> Guamanian or Chamorro <input type="checkbox"/> Samoan <input type="checkbox"/> Other Pacific Islander (Specify) _____ <input type="checkbox"/> Other (Specify) _____			
54. DECEDENT'S USUAL OCCUPATION (Indicate type of work done during most of working life. DO NOT USE THE TERM "RETIRED.")								
55. KIND OF BUSINESS/INDUSTRY								

BRTP NO.

DHEC 670
Rev. 11/04

Items 1-23c To Be Completed/Verified By: FUNERAL DIRECTOR

Items 24-49 To Be Completed By: MEDICAL CERTIFIER

Items 51-55 To Be Completed By: FUNERAL DIRECTOR



REPORT OF INDUCED TERMINATION OF PREGNANCY

STATE FILE NUMBER

**TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK**

1. 2. 3. 8a. 8b. 8c. 12. 13. 14. 16a. 17a. 17b. 18a. 19. 20. 		<p style="text-align: center;">SAMPLE</p> <p>1. FACILITY NAME (if not clinic or hospital, give address)</p> <p>2. CITY, TOWN OR LOCATION OF PREGNANCY TERMINATION</p> <p>3. COUNTY OF PREGNANCY TERMINATION</p> <p>4. PATIENT IDENTIFICATION NUMBER (Do Not Enter Patient's Name)</p> <p>5. AGE LAST BIRTHDAY</p> <p>6. MARRIED? <input type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>7. DATE OF PREGNANCY TERMINATION (Month, Day, Year)</p> <p>8a. RESIDENCE-STATE</p> <p>8b. COUNTY</p> <p>8c. CITY, TOWN OR LOCATION</p> <p>8d. INSIDE CITY LIMITS? <input type="checkbox"/> YES <input type="checkbox"/> NO</p> <p>8e. ZIP CODE</p> <p>9. OF HISPANIC ORIGIN? (Specify Yes or No — If yes, specify Cuban, Mexican, Puerto Rican, etc.)</p> <p>10. RACE</p> <p>11. EDUCATION (Specify Grade completed)</p> <p>12. DATE LAST NORMAL (Month, Day, Year)</p> <p>13. DATE OF CONCEPTION (Month, Day, Year)</p> <p>14. CLINICAL ESTIMATE OF GESTATION (Weeks)</p> <p>15. PREVIOUS PREGNANCIES (Check one in each section)</p> <p>LIVE BIRTHS</p> <p>15a. Now Living Number _____ <input type="checkbox"/> None</p> <p>15b. Now Dead Number _____ <input type="checkbox"/> None</p> <p>15c. Spontaneous Number _____ <input type="checkbox"/> None</p> <p>15d. Induced (Do not include this termination) Number _____ <input type="checkbox"/> None</p> <p>16. TERMINATION PROCEDURES</p> <p>16a. PROCEDURE THAT TERMINATED PREGNANCY</p> <p>16b. ADDITIONAL PROCEDURES USED FOR THIS TERMINATION, IF ANY</p> <p><i>(Check only one)</i></p> <p>1 <input type="checkbox"/> Suction Curettage 1 <input type="checkbox"/> 2 <input type="checkbox"/> Sharp Curettage 2 <input type="checkbox"/> 3 <input type="checkbox"/> Dilation and Evacuation (D & E) 3 <input type="checkbox"/> 4 <input type="checkbox"/> Intra-Uterine Saline Instillation 4 <input type="checkbox"/> 5 <input type="checkbox"/> Intra-Uterine Prostaglandin Instillation 5 <input type="checkbox"/> 6 <input type="checkbox"/> Hysterotomy/Hysterectomy 6 <input type="checkbox"/> 7 <input type="checkbox"/> Medical (Nonsurgical), Specify Medication(s) 7 <input type="checkbox"/> 8 <input type="checkbox"/> Other (Specify) 8 <input type="checkbox"/> None 0 <input type="checkbox"/></p> <p><i>(Check all that apply)</i></p> <p>17-18. CONSENT REQUIREMENTS (Pursuant to Chapter 41, Title 44, of the Code of Laws of South Carolina, 1976, as amended)</p> <p>ITEM 17 MUST → BE COMPLETED FOR EACH PATIENT, REGARDLESS OF AGE.</p> <p>17a. WAS INFORMED WRITTEN CONSENT OBTAINED FROM THE PATIENT? <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>17b. IF NO, INFORMED WRITTEN CONSENT WAS NOT OBTAINED DUE TO: <i>(check one)</i> 1 <input type="checkbox"/> MEDICAL EMERGENCY 2 <input type="checkbox"/> INCEST 3 <input type="checkbox"/> NOT CAPABLE/MENTALLY INCOMPETENT 4 <input type="checkbox"/> NONE OF THE ABOVE</p> <p>17c. IF PATIENT HAS BEEN COURT ADJUDGED MENTALLY INCOMPETENT, INFORMED WRITTEN CONSENT OBTAINED FROM: <i>(check one)</i> 1 <input type="checkbox"/> SPOUSE 2 <input type="checkbox"/> PARENT 3 <input type="checkbox"/> LEGAL GUARDIAN 4 <input type="checkbox"/> NONE OF THE ABOVE</p> <p>ITEM 18 MUST → BE COMPLETED FOR EACH PATIENT UNDER 17 YEARS OF AGE.</p> <p>18a. IF PATIENT IS UNDER 17 YEARS OF AGE, ADDITIONAL INFORMED WRITTEN CONSENT OBTAINED FROM: <i>(check one)</i> 1 <input type="checkbox"/> PARENT 2 <input type="checkbox"/> LEGAL GUARDIAN 3 <input type="checkbox"/> GRANDPARENT 4 <input type="checkbox"/> PERSON IN LOCO PARENTIS 5 <input type="checkbox"/> NONE OF THE ABOVE</p> <p>18b. IF PATIENT IS UNDER 17 YEARS OF AGE AND ADDITIONAL INFORMED WRITTEN CONSENT WAS NOT OBTAINED, CHECK REASON BELOW: <i>(check one)</i> 1 <input type="checkbox"/> EMANCIPATED MINOR 2 <input type="checkbox"/> COURT ORDER 3 <input type="checkbox"/> MEDICAL EMERGENCY 4 <input type="checkbox"/> INCEST 5 <input type="checkbox"/> NONE OF THE ABOVE</p> <p>19. NAME OF PERSON COMPLETING FORM (Type/Print)</p> <p>TITLE</p> <p>20. DATE REPORT COMPLETED (Month, Day, Year)</p> <p>FOR STATE OFFICE USE ONLY</p> <p>21. DATE REPORT RECEIVED</p>			
---	--	---	--	--	--

TYPE/PRINT
IN
PERMANENT
BLACK INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
REPORT OF FETAL DEATH

STATE FILE NUMBER

1. FACILITY NAME (If not institution, give street and number)						
2. CITY, TOWN, OR LOCATION OF DELIVERY		3. COUNTY OF DELIVERY		4. DATE OF DELIVERY (Month, Day, Year)		5. SEX OF FETUS
6a. MOTHER'S NAME First Middle Last		6b. MAIDEN SURNAME		7. DATE OF BIRTH (Month, Day, Year)		
8a. RESIDENCE-STATE	8b. COUNTY	8c. CITY, TOWN, OR LOCATION		8d. STREET AND NUMBER		
8e. INSIDE CITY LIMITS? Yes <input type="checkbox"/> No <input type="checkbox"/>	8f. ZIP CODE	9. FATHER'S NAME First Middle Last				10. DATE OF BIRTH (Month, Day, Year)
11. OF HISPANIC ORIGIN?		12. RACE — American Indian, Black, White, etc. (Specify below)	13. EDUCATION (Specify only highest grade completed) Elementary/Secondary (0-12) College (1 - 4 or 5 +)		14. OCCUPATION AND BUSINESS/INDUSTRY (Worked during last year) Occupation Business/Industry	
11a. MOTHER YES <input type="checkbox"/> NO <input type="checkbox"/> if yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.	11b. FATHER YES <input type="checkbox"/> NO <input type="checkbox"/> if yes indicate <input type="checkbox"/> Mexican <input type="checkbox"/> Cuban <input type="checkbox"/> Puerto Rican <input type="checkbox"/> Of Spanish origin not listed.	12a. MOTHER	13a. MOTHER	14a. MOTHER	14b. FATHER	
15. PREGNANCY HISTORY (Complete each section)			16. MOTHER MARRIED? (At delivery, conception, or any time between) (Yes or no)	17. DATE LAST NORMAL MENSES BEGAN (Month, Day, Year)		
15a. Now Number <input type="checkbox"/> No	15b. Now Dead Number <input type="checkbox"/> No	15d. (Specify date of fetus)	18. MOTHER'S PREGNANCY STATUS (Specify)	19. PRE-DELIVERY VISITS - Total Number physician, clinic, Health Department Number	20. CLINICAL ESTIMATE OF GESTATION (Weeks)	21. IF PREGNANT AGAIN First Time Third Time
15c. DATE OF LAST GESTATIONAL (Month, Year)	15d. DATE OF LAST GESTATIONAL (Month, Year)	15e. GESTATIONAL AGE (Specify)	15f. GESTATIONAL AGE (Specify)	15g. GESTATIONAL AGE (Specify)	15h. GESTATIONAL AGE (Specify)	15i. GESTATIONAL AGE (Specify)
23a. MEDICAL RISK FACTORS FOR THIS PREGNANCY (Check all that apply)		25. COMPLICATIONS OF LABOR AND/OR DELIVERY (Check all that apply)		27. CONGENITAL ANOMALIES OF FETUS (Check all that apply)		
Anemia (Hct. < 30/Hgb. < 10) Cardiac disease Acute or chronic lung disease Diabetes Genital herpes Hydranios/Oligohydramnios Hemoglobinopathy Hypertension, chronic Hypertension, pregnancy-associated Eclampsia Incompetent cervix Previous infant 4000+ grams Previous preterm or small-for-gestational-age infant Renal disease Rh sensitization Uterine bleeding None Other (Specify)	01 <input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 05 <input type="checkbox"/> 06 <input type="checkbox"/> 07 <input type="checkbox"/> 08 <input type="checkbox"/> 09 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/>	Febrile (>100 °F. or 38 °C.) Meconium, moderate/heavy Premature rupture of membrane (> 12 hours) Abruptio placenta Placenta previa Other excessive bleeding Seizures during labor Precipitous labor (< 3 hours) Prolonged labor (> 20 hours) Dysfunctional labor Breech/Malpresentation Cephalopelvic disproportion Cord prolapse Anesthetic complications Fetal distress None Other (Specify)	01 <input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 05 <input type="checkbox"/> 06 <input type="checkbox"/> 07 <input type="checkbox"/> 08 <input type="checkbox"/> 09 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/>	Anencephalus Spina bifida/Meningocele Hydrocephalus Microcephalus Other central nervous system anomalies (Specify) Heart malformations (Specify) Other circulatory anomalies (Specify) Respiratory anomalies (Specify) Rectal atresia/stenosis Tracheo esophageal fistula/Esophageal atresia Omphalocele/Gastroschisis Other gastrointestinal anomalies (Specify) Malformed genitalia Renal agenesis Other urogenital anomalies (Specify) Cleft lip/palate Polydactyl/Syndactyl/Adactyl Club foot Diaphragmatic hernia Other musculoskeletal/integumental anomalies (Specify) Down's syndrome Other chromosomal anomalies (Specify) None Other (Specify)	01 <input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 05 <input type="checkbox"/> 06 <input type="checkbox"/> 07 <input type="checkbox"/> 08 <input type="checkbox"/> 09 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18 <input type="checkbox"/> 19 <input type="checkbox"/> 20 <input type="checkbox"/> 21 <input type="checkbox"/> 22 <input type="checkbox"/> 00 <input type="checkbox"/> 23 <input type="checkbox"/>	
23b. OTHER RISK FACTORS FOR THIS PREGNANCY (Complete all items)		26. METHOD OF DELIVERY (Check all that apply)				
Tobacco use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number cigarettes per day Alcohol use during pregnancy Yes <input type="checkbox"/> No <input type="checkbox"/> Average number drinks per week Weight gained during pregnancy lbs.	01 <input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 05 <input type="checkbox"/> 06 <input type="checkbox"/> 07 <input type="checkbox"/> 08 <input type="checkbox"/> 09 <input type="checkbox"/> 00 <input type="checkbox"/>	Vaginal Vaginal birth after previous C-section Primary C-section Repeat C-section Forceps Vacuum Hysterotomy/Hysterectomy	01 <input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 05 <input type="checkbox"/> 06 <input type="checkbox"/> 07 <input type="checkbox"/>	Cleft lip/palate Polydactyl/Syndactyl/Adactyl Club foot Diaphragmatic hernia Other musculoskeletal/integumental anomalies (Specify) Down's syndrome Other chromosomal anomalies (Specify) None Other (Specify)	16 <input type="checkbox"/> 17 <input type="checkbox"/> 18 <input type="checkbox"/> 19 <input type="checkbox"/> 20 <input type="checkbox"/> 21 <input type="checkbox"/> 22 <input type="checkbox"/> 00 <input type="checkbox"/> 23 <input type="checkbox"/>	
24. OBSTETRIC PROCEDURES (Check all that apply)		28. PART I. Fetal or maternal condition directly causing fetal death.				
Amniocentesis Electronic fetal monitoring Induction of labor Stimulation of labor Tocolysis Ultrasound None Other (Specify)	01 <input type="checkbox"/> 02 <input type="checkbox"/> 03 <input type="checkbox"/> 04 <input type="checkbox"/> 05 <input type="checkbox"/> 06 <input type="checkbox"/> 00 <input type="checkbox"/> 07 <input type="checkbox"/>	IMMEDIATE CAUSE Enter only one cause per line for a, b, and c. a. _____ Due to (or as a consequence of): _____ b. _____ Due to (or as a consequence of): _____ c. _____		Specify Fetal or Maternal Specify Fetal or Maternal Specify Fetal or Maternal		
Fetal and/or maternal conditions, if any, giving rise to the immediate cause(s), stating the underlying cause last.		PART II. Other significant conditions of fetus or mother contributing to fetal death but not resulting in the underlying cause given in Part I.		29. FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY UNKNOWN (Specify)		
31. ATTENDANT'S NAME AND TITLE (Type/Print)		32. NAME AND TITLE OF PERSON COMPLETING REPORT (Type/Print)		30. AUTOPSY (Specify Yes or No)		
Name _____ <input type="checkbox"/> M.D. <input type="checkbox"/> C.N.M. <input type="checkbox"/> Other (Specify) _____	Name _____ Title _____					
33. DATE REPORT COMPLETED		34. DATE RECEIVED BY HEALTH DEPARTMENT				

LICENSE AND CERTIFICATE FOR MARRIAGE
STATE OF SOUTH CAROLINA

LICENSE NUMBER		COUNTY		BIRTHDATE (MONTH, DAY, YEAR)	AGE (2b)
GROOM-NAME (1)	(FIRST)	(MIDDLE)	(LAST)		
BIRTHPLACE (State of foreign country) (3)	RACE (4)	RESIDENCE (Street and Number) (5a)			
CITY, TOWN OR LOCATION (5b)	COUNTY (5c)	STATE (5d)		NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)	
BRIDE-NAME (7)	(FIRST)	(MIDDLE)	(LAST)	BIRTHDATE (MONTH, DAY, YEAR) (8a)	AGE (8b)
BIRTHPLACE (State of foreign country) (9)	RACE (10)	RESIDENCE (Street and Number) (11a)			
CITY, TOWN OR LOCATION (11b)	COUNTY (11c)	STATE (11d)		NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)	
MAIDEN NAME OF BRIDE (If Different From Above) (13)					

Application for a license was filed with this court at _____ M., on the _____ day of _____, _____. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named and for the so doing this shall be sufficient warrant. Given under my hand and seal at _____ M., this the _____ day of _____, A.D. _____.

Signature of Issuing Officer		Title of Issuing Officer	
GROOM-Signature (14)	BRIDE-Signature (15)		
I certify that the above named persons were married on (16)	Place of Marriage (17) (CITY) (COUNTY) SOUTHERN CAROLINA		
OFFICIANT-Signature (18a)	OFFICIANT-Title (18b)		
OFFICIANT-Mailing Address (18c)			

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL
DIVISION OF VITAL RECORDS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

HUSBAND-NAME (first) (middle) (last)			DATE OF BIRTH 2	STATE OF BIRTH 3
1 RESIDENCE (state) (county) (city)			NUMBER OF THIS MARRIAGE 5	RACE (specify) 6
4 WIFE-MAIDEN NAME (first) (middle) (last)			DATE OF BIRTH 8	STATE OF BIRTH 9
7 RESIDENCE (state) (county) (city)			NUMBER OF THIS MARRIAGE 11	RACE (specify) 12
10 PLACE OF THIS MARRIAGE (state) (county)			DATE OF MARRIAGE (month) (day) (year) 14	NUMBER OF CHILDREN UNDER 18 15
13 PLAINTIFF (specify)	16 DECREE GRANTED TO (specify)		17 WAS DIVORCE CONTESTED (specify yes or no) 18	19 LEGAL GROUNDS
16 DATE DECREE SIGNED (month) (day) (year)			20 TYPE OF DECREE absolute divorce or annulment (specify) 21	
22a <input type="checkbox"/> Yes <input type="checkbox"/> No COUNTY			22b 23 MAIDEN NAME RESUMED BY DECREE 24 DOCKET NUMBER	
25 I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON: signature of clerk of court month day year				

HUSBAND - SOCIAL SECURITY # 26	WIFE - SOCIAL SECURITY # 27
---------------------------------------	------------------------------------

DHEC 0682 (08/1997)



PROMOTE PROTECT PROSPER

Division of Biostatistics

Office of Public Health Statistics and Information Services
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201