

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Shigellosis and amebiasis (A03,A06)													
All races, both sexes.....	7	-	-	-	-	-	-	-	-	2	1	-	-
Male.....	5	-	-	-	-	-	-	-	-	1	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	-
White, both sexes.....	6	-	-	-	-	-	-	-	-	1	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections (A04,A07-A09)													
All races, both sexes.....	3,090	10	4	4	3	1	3	-	8	4	10	21	43
Male.....	1,109	6	4	1	1	1	1	-	4	3	2	11	21
Female.....	1,981	4	-	3	2	-	2	-	4	1	8	10	22
White, both sexes.....	2,877	5	3	4	2	1	2	-	6	4	7	18	32
Male.....	1,036	2	3	1	1	1	1	-	3	3	2	9	17
Female.....	1,841	3	-	3	1	-	1	-	3	1	5	9	15
Black, both sexes.....	186	5	1	-	1	-	1	-	1	-	2	3	8
Male.....	66	4	1	-	-	-	-	-	1	-	-	2	3
Female.....	120	1	-	-	1	-	1	-	-	-	2	1	5
American Indian 1/, both sexes.....	8	-	-	-	-	-	-	-	-	-	-	-	1
Male.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	6	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	19	-	-	-	-	-	-	-	1	-	1	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	14	-	-	-	-	-	-	-	1	-	1	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Tuberculosis (A16-A19)													
All races, both sexes.....	711	-	1	-	2	3	7	8	10	11	24	54	51
Male.....	427	-	1	-	2	1	2	6	7	8	17	39	40
Female.....	284	-	-	-	-	2	5	2	3	3	7	15	11
White, both sexes.....	437	-	1	-	2	2	4	4	4	4	7	22	23
Male.....	255	-	1	-	2	1	2	3	2	4	5	18	19
Female.....	182	-	-	-	-	1	2	1	2	-	2	4	4
Black, both sexes.....	172	-	-	-	-	1	3	1	5	5	11	24	23
Male.....	114	-	-	-	-	-	-	1	4	3	8	17	18
Female.....	58	-	-	-	-	1	3	-	1	2	3	7	5
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	1	1	4	2
Male.....	6	-	-	-	-	-	-	-	-	-	1	2	1
Female.....	9	-	-	-	-	-	-	-	-	1	-	2	1
Asian or Pacific Islander 2/, both sexes.....	87	-	-	-	-	-	-	3	1	1	5	4	3
Male.....	52	-	-	-	-	-	-	2	1	1	3	2	2
Female.....	35	-	-	-	-	-	-	1	-	-	2	2	1
Respiratory tuberculosis (A16)													
All races, both sexes.....	562	-	1	-	2	2	7	2	4	5	21	44	42
Male.....	344	-	1	-	2	1	2	2	4	3	14	32	32
Female.....	218	-	-	-	-	1	5	-	-	2	7	12	10
White, both sexes.....	347	-	1	-	2	2	4	2	2	3	6	18	17
Male.....	208	-	1	-	2	1	2	2	2	3	4	16	13
Female.....	139	-	-	-	-	1	2	-	-	-	2	2	4
Black, both sexes.....	138	-	-	-	-	-	3	-	2	1	10	20	21
Male.....	93	-	-	-	-	-	-	-	2	-	7	13	16
Female.....	45	-	-	-	-	-	3	-	-	1	3	7	5
American Indian 1/, both sexes.....	10	-	-	-	-	-	-	-	-	1	-	3	2
Male.....	4	-	-	-	-	-	-	-	-	-	-	2	1
Female.....	6	-	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	67	-	-	-	-	-	-	-	-	-	5	3	2
Male.....	39	-	-	-	-	-	-	-	-	-	3	1	2
Female.....	28	-	-	-	-	-	-	-	-	-	2	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Measles (B05)													
All races, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races, both sexes.....	5,431	1	-	-	-	5	9	21	43	174	478	1,053	1,206
Male.....	3,546	-	-	-	-	2	5	12	30	126	335	763	903
Female.....	1,885	1	-	-	-	3	4	9	13	48	143	290	303
White, both sexes.....	4,295	-	-	-	-	5	4	17	32	146	385	878	955
Male.....	2,848	-	-	-	-	2	1	10	20	104	275	648	723
Female.....	1,447	-	-	-	-	3	3	7	12	42	110	230	232
Black, both sexes.....	854	-	-	-	-	-	4	2	9	20	78	138	219
Male.....	544	-	-	-	-	-	3	1	8	15	49	93	161
Female.....	310	-	-	-	-	-	1	1	1	5	29	45	58
American Indian 1/, both sexes.....	62	-	-	-	-	-	1	1	2	2	7	17	10
Male.....	32	-	-	-	-	-	1	-	2	1	5	4	5
Female.....	30	-	-	-	-	-	-	1	-	1	2	13	5
Asian or Pacific Islander 2/, both sexes.....	220	1	-	-	-	-	-	1	-	6	8	20	22
Male.....	122	-	-	-	-	-	-	1	-	6	6	18	14
Female.....	98	1	-	-	-	-	-	-	-	-	2	2	8

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1, A85.8,A86-B04,B06-B09,B25-B49,B55-B99)													
All races, both sexes.....	7,427	174	85	29	22	49	39	54	86	158	289	526	659
Male.....	3,964	86	43	14	11	30	22	30	53	96	188	351	441
Female.....	3,463	88	42	15	11	19	17	24	33	62	101	175	218
White, both sexes.....	6,182	110	53	22	17	36	27	37	60	110	224	418	521
Male.....	3,289	51	26	12	7	24	16	22	35	71	149	287	353
Female.....	2,893	59	27	10	10	12	11	15	25	39	75	131	168
Black, both sexes.....	960	53	25	5	4	11	7	13	20	40	61	94	114
Male.....	523	30	13	2	3	4	5	5	15	21	36	57	70
Female.....	437	23	12	3	1	7	2	8	5	19	25	37	44
American Indian 1/, both sexes.....	72	4	4	1	1	-	2	1	1	4	1	7	12
Male.....	33	1	2	-	1	-	-	1	1	2	-	3	7
Female.....	39	3	2	1	-	-	2	-	-	2	1	4	5
Asian or Pacific Islander 2/, both sexes.....	213	7	3	1	-	2	3	3	5	4	3	7	12
Male.....	119	4	2	-	-	2	1	2	2	2	3	4	11
Female.....	94	3	1	1	-	-	2	1	3	2	-	3	1
Malignant neoplasms (C00-C97)													
All races, both sexes.....	556,902	75	392	516	560	690	961	1,307	2,434	4,919	10,590	19,552	30,291
Male.....	287,990	34	227	293	298	438	541	664	1,140	2,070	4,755	9,727	15,815
Female.....	268,912	41	165	223	262	252	420	643	1,294	2,849	5,835	9,825	14,476
White, both sexes.....	481,556	64	317	427	426	563	761	1,015	1,853	3,818	8,248	15,226	24,033
Male.....	249,053	29	182	248	224	358	432	543	889	1,679	3,743	7,612	12,546
Female.....	232,503	35	135	179	202	205	329	472	964	2,139	4,505	7,614	11,487
Black, both sexes.....	62,660	7	57	73	100	94	153	229	438	880	1,937	3,646	5,257
Male.....	32,442	4	31	40	56	57	86	90	179	291	836	1,786	2,804
Female.....	30,218	3	26	33	44	37	67	139	259	589	1,101	1,860	2,453
American Indian 1/, both sexes.....	2,154	-	7	4	4	9	10	10	14	36	65	114	189
Male.....	1,092	-	7	1	1	6	7	4	7	15	29	61	92
Female.....	1,062	-	-	3	3	3	3	6	7	21	36	53	97
Asian or Pacific Islander 2/, both sexes.....	10,532	4	11	12	30	24	37	53	129	185	340	566	812
Male.....	5,403	1	7	4	17	17	16	27	65	85	147	268	373
Female.....	5,129	3	4	8	13	7	21	26	64	100	193	298	439

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)													
All races, both sexes.....	7,778	-	4	4	4	11	19	19	40	64	210	445	686
Male.....	5,298	-	2	1	3	8	13	11	28	40	155	346	575
Female.....	2,480	-	2	3	1	3	6	8	12	24	55	99	111
White, both sexes.....	6,409	-	3	4	1	5	14	14	27	47	149	322	502
Male.....	4,282	-	1	1	1	4	9	8	17	32	121	243	432
Female.....	2,127	-	2	3	-	1	5	6	10	15	28	79	70
Black, both sexes.....	1,107	-	1	-	3	5	4	4	7	14	49	104	140
Male.....	837	-	1	-	2	3	3	3	7	6	26	86	113
Female.....	270	-	-	-	1	2	1	1	-	8	23	18	27
American Indian 1/, both sexes.....	33	-	-	-	-	-	-	-	-	-	-	1	5
Male.....	17	-	-	-	-	-	-	-	-	-	-	1	4
Female.....	16	-	-	-	-	-	-	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	229	-	-	-	-	1	1	1	6	3	12	18	39
Male.....	162	-	-	-	-	1	1	-	4	2	8	16	26
Female.....	67	-	-	-	-	-	-	1	2	1	4	2	13
Malignant neoplasm of esophagus (C15)													
All races, both sexes.....	12,860	-	-	-	-	2	3	11	18	76	212	526	881
Male.....	9,921	-	-	-	-	2	2	8	15	66	174	445	757
Female.....	2,939	-	-	-	-	-	1	3	3	10	38	81	124
White, both sexes.....	11,058	-	-	-	-	2	3	9	16	65	174	406	682
Male.....	8,617	-	-	-	-	2	2	7	14	58	146	349	601
Female.....	2,441	-	-	-	-	-	1	2	2	7	28	57	81
Black, both sexes.....	1,591	-	-	-	-	-	-	1	2	10	37	109	181
Male.....	1,133	-	-	-	-	-	-	1	1	8	28	87	139
Female.....	458	-	-	-	-	-	-	-	1	2	9	22	42
American Indian 1/, both sexes.....	49	-	-	-	-	-	-	-	-	-	-	6	5
Male.....	38	-	-	-	-	-	-	-	-	-	-	5	5
Female.....	11	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	162	-	-	-	-	-	-	1	-	1	1	5	13
Male.....	133	-	-	-	-	-	-	-	-	-	-	4	12
Female.....	29	-	-	-	-	-	-	1	-	1	1	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of stomach (C16)													
All races, both sexes.....	12,110	-	-	-	1	5	14	34	93	178	302	493	717
Male.....	7,055	-	-	-	1	3	4	16	47	91	171	305	462
Female.....	5,055	-	-	-	-	2	10	18	46	87	131	188	255
White, both sexes.....	9,282	-	-	-	1	5	10	24	64	123	200	330	497
Male.....	5,428	-	-	-	1	3	4	12	34	71	112	206	323
Female.....	3,854	-	-	-	-	2	6	12	30	52	88	124	174
Black, both sexes.....	2,041	-	-	-	-	-	1	6	16	34	69	114	161
Male.....	1,187	-	-	-	-	-	-	3	7	10	45	76	108
Female.....	854	-	-	-	-	-	1	3	9	24	24	38	53
American Indian 1/, both sexes.....	84	-	-	-	-	-	1	1	3	1	6	8	8
Male.....	50	-	-	-	-	-	-	1	1	-	2	4	6
Female.....	34	-	-	-	-	-	1	-	2	1	4	4	2
Asian or Pacific Islander 2/, both sexes.....	703	-	-	-	-	-	2	3	10	20	27	41	51
Male.....	390	-	-	-	-	-	-	-	5	10	12	19	25
Female.....	313	-	-	-	-	-	2	3	5	10	15	22	26
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races, both sexes.....	55,958	-	-	1	3	8	32	96	195	445	870	1,724	2,718
Male.....	28,007	-	-	-	3	6	19	59	99	235	479	965	1,544
Female.....	27,951	-	-	1	-	2	13	37	96	210	391	759	1,174
White, both sexes.....	47,711	-	-	1	3	7	22	72	145	329	636	1,310	2,060
Male.....	24,013	-	-	-	3	5	15	45	73	177	362	746	1,195
Female.....	23,698	-	-	1	-	2	7	27	72	152	274	564	865
Black, both sexes.....	6,943	-	-	-	-	1	7	17	33	96	192	348	551
Male.....	3,335	-	-	-	-	1	3	9	16	44	97	187	300
Female.....	3,608	-	-	-	-	-	4	8	17	52	95	161	251
American Indian 1/, both sexes.....	205	-	-	-	-	-	-	-	-	3	7	18	15
Male.....	111	-	-	-	-	-	-	-	-	2	3	11	6
Female.....	94	-	-	-	-	-	-	-	-	1	4	7	9
Asian or Pacific Islander 2/, both sexes.....	1,099	-	-	-	-	-	3	7	17	17	35	48	92
Male.....	548	-	-	-	-	-	1	5	10	12	17	21	43
Female.....	551	-	-	-	-	-	2	2	7	5	18	27	49

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races, both sexes.....	14,706	6	23	6	8	10	26	25	64	113	282	815	1,408
Male.....	9,482	2	18	5	4	6	14	12	41	83	205	643	1,136
Female.....	5,224	4	5	1	4	4	12	13	23	30	77	172	272
White, both sexes.....	11,660	4	19	4	4	7	16	12	33	73	191	555	1,001
Male.....	7,489	2	15	4	3	4	9	3	20	50	133	441	801
Female.....	4,171	2	4	-	1	3	7	9	13	23	58	114	200
Black, both sexes.....	1,877	2	1	2	1	2	5	6	19	23	55	164	306
Male.....	1,234	-	-	1	1	1	3	3	12	18	41	126	253
Female.....	643	2	1	1	-	1	2	3	7	5	14	38	53
American Indian 1/, both sexes.....	105	-	2	-	1	-	-	-	1	1	3	9	19
Male.....	71	-	2	-	-	-	-	-	1	1	3	7	15
Female.....	34	-	-	-	1	-	-	-	-	-	-	2	4
Asian or Pacific Islander 2/, both sexes.....	1,064	-	1	-	2	1	5	7	11	16	33	87	82
Male.....	688	-	1	-	-	1	2	6	8	14	28	69	67
Female.....	376	-	-	-	2	-	3	1	3	2	5	18	15
Malignant neoplasm of pancreas (C25)													
All races, both sexes.....	30,777	-	-	-	1	-	10	20	40	153	395	891	1,649
Male.....	15,060	-	-	-	1	-	6	11	24	97	232	556	992
Female.....	15,717	-	-	-	-	-	4	9	16	56	163	335	657
White, both sexes.....	26,418	-	-	-	-	-	7	18	30	121	300	699	1,287
Male.....	13,033	-	-	-	-	-	3	10	16	78	173	434	784
Female.....	13,385	-	-	-	-	-	4	8	14	43	127	265	503
Black, both sexes.....	3,616	-	-	-	1	-	3	1	9	23	80	168	313
Male.....	1,675	-	-	-	1	-	3	1	7	16	48	110	184
Female.....	1,941	-	-	-	-	-	-	-	2	7	32	58	129
American Indian 1/, both sexes.....	103	-	-	-	-	-	-	1	-	4	3	6	5
Male.....	51	-	-	-	-	-	-	-	-	1	2	3	3
Female.....	52	-	-	-	-	-	-	1	-	3	1	3	2
Asian or Pacific Islander 2/, both sexes.....	640	-	-	-	-	-	-	-	1	5	12	18	44
Male.....	301	-	-	-	-	-	-	-	1	2	9	9	21
Female.....	339	-	-	-	-	-	-	-	-	3	3	9	23

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of larynx (C32)													
All races, both sexes.....	3,792	-	-	-	-	-	-	-	1	10	69	157	263
Male.....	3,020	-	-	-	-	-	-	-	1	7	53	129	225
Female.....	772	-	-	-	-	-	-	-	-	3	16	28	38
White, both sexes.....	3,052	-	-	-	-	-	-	-	1	9	53	110	182
Male.....	2,410	-	-	-	-	-	-	-	1	6	43	94	154
Female.....	642	-	-	-	-	-	-	-	-	3	10	16	28
Black, both sexes.....	693	-	-	-	-	-	-	-	-	1	15	44	77
Male.....	571	-	-	-	-	-	-	-	-	1	9	33	67
Female.....	122	-	-	-	-	-	-	-	-	-	6	11	10
American Indian 1/, both sexes.....	14	-	-	-	-	-	-	-	-	-	-	2	3
Male.....	11	-	-	-	-	-	-	-	-	-	-	1	3
Female.....	3	-	-	-	-	-	-	-	-	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	33	-	-	-	-	-	-	-	-	-	1	1	1
Male.....	28	-	-	-	-	-	-	-	-	-	1	1	1
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races, both sexes.....	158,086	-	2	-	2	7	18	29	125	520	1,958	4,617	7,757
Male.....	89,964	-	1	-	1	4	10	9	69	258	1,086	2,659	4,654
Female.....	68,122	-	1	-	1	3	8	20	56	262	872	1,958	3,103
White, both sexes.....	138,743	-	2	-	1	7	15	24	103	409	1,541	3,571	6,215
Male.....	78,215	-	1	-	-	4	8	8	54	203	838	2,042	3,682
Female.....	60,528	-	1	-	1	3	7	16	49	206	703	1,529	2,533
Black, both sexes.....	16,372	-	-	-	1	-	3	2	17	81	361	932	1,340
Male.....	9,988	-	-	-	1	-	2	1	12	39	213	553	858
Female.....	6,384	-	-	-	-	-	1	1	5	42	148	379	482
American Indian 1/, both sexes.....	556	-	-	-	-	-	-	-	-	3	8	21	41
Male.....	301	-	-	-	-	-	-	-	-	2	5	11	21
Female.....	255	-	-	-	-	-	-	-	-	1	3	10	20
Asian or Pacific Islander 2/, both sexes.....	2,415	-	-	-	-	-	-	3	5	27	48	93	161
Male.....	1,460	-	-	-	-	-	-	-	3	14	30	53	93
Female.....	955	-	-	-	-	-	-	3	2	13	18	40	68

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant melanoma of skin (C43)													
All races, both sexes.....	7,818	-	1	1	1	9	29	63	128	189	372	541	638
Male.....	4,963	-	-	-	-	6	18	40	79	114	222	328	425
Female.....	2,855	-	1	1	1	3	11	23	49	75	150	213	213
White, both sexes.....	7,648	-	1	1	1	9	27	61	125	186	363	528	623
Male.....	4,887	-	-	-	-	6	18	40	77	113	219	322	417
Female.....	2,761	-	1	1	1	3	9	21	48	73	144	206	206
Black, both sexes.....	121	-	-	-	-	-	1	1	2	2	9	8	8
Male.....	50	-	-	-	-	-	-	-	2	1	3	4	4
Female.....	71	-	-	-	-	-	1	1	-	1	6	4	4
American Indian 1/, both sexes.....	14	-	-	-	-	-	1	-	-	-	-	-	2
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	1
Female.....	9	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	35	-	-	-	-	-	-	1	1	1	-	5	5
Male.....	21	-	-	-	-	-	-	-	-	-	-	2	3
Female.....	14	-	-	-	-	-	-	1	1	1	-	3	2
Malignant neoplasm of breast (C50)													
All races, both sexes.....	42,000	-	-	-	-	1	15	55	352	912	1,804	2,734	3,631
Male.....	380	-	-	-	-	-	-	1	1	2	7	14	34
Female.....	41,620	-	-	-	-	1	15	54	351	910	1,797	2,720	3,597
White, both sexes.....	35,358	-	-	-	-	1	10	27	242	652	1,329	2,052	2,823
Male.....	326	-	-	-	-	-	-	-	1	1	3	9	30
Female.....	35,032	-	-	-	-	1	10	27	241	651	1,326	2,043	2,793
Black, both sexes.....	5,746	-	-	-	-	-	5	24	95	228	412	595	675
Male.....	51	-	-	-	-	-	-	1	-	1	4	4	4
Female.....	5,695	-	-	-	-	-	5	23	95	227	408	591	671
American Indian 1/, both sexes.....	148	-	-	-	-	-	-	2	2	4	5	8	20
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	147	-	-	-	-	-	-	2	2	4	5	8	20
Asian or Pacific Islander 2/, both sexes.....	748	-	-	-	-	-	-	2	13	28	58	79	113
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	746	-	-	-	-	-	-	2	13	28	58	78	113

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasm of cervix uteri (C53)													
All races, both sexes.....	3,919	-	-	-	-	1	15	59	142	250	383	440	450
Male.....
Female.....	3,919	-	-	-	-	1	15	59	142	250	383	440	450
White, both sexes.....	2,953	-	-	-	-	1	12	40	99	182	296	334	341
Male.....
Female.....	2,953	-	-	-	-	1	12	40	99	182	296	334	341
Black, both sexes.....	794	-	-	-	-	-	2	17	33	57	70	92	83
Male.....
Female.....	794	-	-	-	-	-	2	17	33	57	70	92	83
American Indian 1/, both sexes.....	31	-	-	-	-	-	-	1	1	3	4	2	3
Male.....
Female.....	31	-	-	-	-	-	-	1	1	3	4	2	3
Asian or Pacific Islander 2/, both sexes.....	141	-	-	-	-	-	1	1	9	8	13	12	23
Male.....
Female.....	141	-	-	-	-	-	1	1	9	8	13	12	23
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)													
All races, both sexes.....	6,899	-	-	-	-	1	3	8	19	37	117	171	363
Male.....
Female.....	6,899	-	-	-	-	1	3	8	19	37	117	171	363
White, both sexes.....	5,641	-	-	-	-	1	2	5	11	29	79	133	295
Male.....
Female.....	5,641	-	-	-	-	1	2	5	11	29	79	133	295
Black, both sexes.....	1,107	-	-	-	-	-	1	2	6	6	25	29	55
Male.....
Female.....	1,107	-	-	-	-	-	1	2	6	6	25	29	55
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	1	-	-	1	1	1
Male.....
Female.....	11	-	-	-	-	-	-	1	-	-	1	1	1
Asian or Pacific Islander 2/, both sexes.....	140	-	-	-	-	-	-	-	2	2	12	8	12
Male.....
Female.....	140	-	-	-	-	-	-	-	2	2	12	8	12

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)													
All races, both sexes.....	12,901	18	104	175	161	119	117	165	240	411	668	857	1,105
Male.....	7,122	9	56	89	86	68	68	85	147	246	393	544	689
Female.....	5,779	9	48	86	75	51	49	80	93	165	275	313	416
White, both sexes.....	11,849	15	85	140	131	99	98	144	211	366	610	767	1,008
Male.....	6,543	8	48	70	69	55	57	75	131	217	355	495	625
Female.....	5,306	7	37	70	62	44	41	69	80	149	255	272	383
Black, both sexes.....	811	2	17	27	21	17	17	19	17	35	48	70	77
Male.....	447	1	6	16	11	11	10	9	10	23	33	38	51
Female.....	364	1	11	11	10	6	7	10	7	12	15	32	26
American Indian 1/, both sexes.....	45	-	1	2	2	1	1	-	1	2	1	5	6
Male.....	26	-	1	1	1	1	-	-	-	1	1	4	4
Female.....	19	-	-	1	1	-	1	-	1	1	-	1	2
Asian or Pacific Islander 2/, both sexes.....	196	1	1	6	7	2	1	2	11	8	9	15	14
Male.....	106	-	1	2	5	1	1	1	6	5	4	7	9
Female.....	90	1	-	4	2	1	-	1	5	3	5	8	5
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)													
All races, both sexes.....	55,679	31	138	173	221	252	354	373	492	655	1,073	1,557	2,228
Male.....	30,076	10	80	102	123	166	209	220	315	380	663	947	1,347
Female.....	25,603	21	58	71	98	86	145	153	177	275	410	610	881
White, both sexes.....	49,420	29	115	146	168	201	282	292	378	509	857	1,258	1,797
Male.....	26,943	8	67	92	92	136	165	175	244	300	536	775	1,094
Female.....	22,477	21	48	54	76	65	117	117	134	209	321	483	703
Black, both sexes.....	5,103	1	14	20	37	34	54	65	91	117	184	250	374
Male.....	2,537	1	8	9	22	19	33	32	56	63	109	146	223
Female.....	2,566	-	6	11	15	15	21	33	35	54	75	104	151
American Indian 1/, both sexes.....	210	-	3	2	1	7	5	2	3	5	7	9	10
Male.....	99	-	3	-	-	4	5	2	3	2	4	5	6
Female.....	111	-	-	2	1	3	-	-	-	3	3	4	4
Asian or Pacific Islander 2/, both sexes.....	946	1	6	5	15	10	13	14	20	24	25	40	47
Male.....	497	1	2	1	9	7	6	11	12	15	14	21	24
Female.....	449	-	4	4	6	3	7	3	8	9	11	19	23

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hodgkin's disease (C81)													
All races, both sexes.....	1,347	-	-	-	5	16	48	71	96	76	78	71	83
Male.....	725	-	-	-	4	7	23	35	53	43	52	44	47
Female.....	622	-	-	-	1	9	25	36	43	33	26	27	36
White, both sexes.....	1,192	-	-	-	5	15	36	56	78	65	67	64	75
Male.....	638	-	-	-	4	7	17	30	44	39	45	40	41
Female.....	554	-	-	-	1	8	19	26	34	26	22	24	34
Black, both sexes.....	120	-	-	-	-	-	10	15	16	9	9	6	8
Male.....	68	-	-	-	-	-	5	5	7	4	6	3	6
Female.....	52	-	-	-	-	-	5	10	9	5	3	3	2
American Indian 1/, both sexes.....	9	-	-	-	-	-	-	-	-	-	1	-	-
Male.....	4	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	26	-	-	-	-	1	2	-	2	2	1	1	-
Male.....	15	-	-	-	-	-	1	-	2	-	-	1	-
Female.....	11	-	-	-	-	1	1	-	-	2	1	-	-
Non-Hodgkin's lymphoma (C82-C85)													
All races, both sexes.....	21,475	-	5	17	28	53	87	96	156	233	397	649	899
Male.....	11,399	-	5	12	14	34	54	59	106	153	253	414	558
Female.....	10,076	-	-	5	14	19	33	37	50	80	144	235	341
White, both sexes.....	19,598	-	4	14	17	39	73	66	111	183	316	524	754
Male.....	10,447	-	4	10	7	27	45	44	76	125	202	332	473
Female.....	9,151	-	-	4	10	12	28	22	35	58	114	192	281
Black, both sexes.....	1,371	-	-	3	7	11	12	24	34	42	66	103	127
Male.....	687	-	-	2	6	4	8	10	24	22	41	70	74
Female.....	684	-	-	1	1	7	4	14	10	20	25	33	53
American Indian 1/, both sexes.....	69	-	1	-	-	-	-	1	1	1	2	7	1
Male.....	34	-	1	-	-	-	-	1	1	-	2	3	-
Female.....	35	-	-	-	-	-	-	-	-	1	-	4	1
Asian or Pacific Islander 2/, both sexes.....	437	-	-	-	4	3	2	5	10	7	13	15	17
Male.....	231	-	-	-	1	3	1	4	5	6	8	9	11
Female.....	206	-	-	-	3	-	1	1	5	1	5	6	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Leukemia (C91-C95)													
All races, both sexes.....	21,535	30	133	156	186	183	219	205	228	321	475	595	770
Male.....	12,073	9	75	90	105	125	132	125	149	167	277	347	454
Female.....	9,462	21	58	66	81	58	87	80	79	154	198	248	316
White, both sexes.....	19,353	28	111	132	144	147	173	169	180	244	387	510	635
Male.....	10,938	7	63	82	81	102	103	100	118	123	228	306	376
Female.....	8,415	21	48	50	63	45	70	69	62	121	159	204	259
Black, both sexes.....	1,762	1	14	17	30	23	32	26	39	58	74	67	111
Male.....	918	1	8	7	16	15	20	17	24	33	42	33	67
Female.....	844	-	6	10	14	8	12	9	15	25	32	34	44
American Indian 1/, both sexes.....	77	-	2	2	1	7	5	1	2	4	3	2	6
Male.....	38	-	2	-	-	4	5	1	2	2	1	2	4
Female.....	39	-	-	2	1	3	-	-	-	2	-	-	2
Asian or Pacific Islander 2/, both sexes.....	343	1	6	5	11	6	9	9	7	15	11	16	18
Male.....	179	1	2	1	8	4	4	7	5	9	6	6	7
Female.....	164	-	4	4	3	2	5	2	2	6	5	10	11
Multiple myeloma and immunoproliferative neoplasms (C88,C90)													
All races, both sexes.....	11,267	-	-	-	1	-	-	1	11	25	122	238	473
Male.....	5,848	-	-	-	-	-	-	1	6	17	80	139	287
Female.....	5,419	-	-	-	1	-	-	-	5	8	42	99	186
White, both sexes.....	9,227	-	-	-	1	-	-	1	8	17	86	158	330
Male.....	4,892	-	-	-	-	-	-	1	5	13	60	96	203
Female.....	4,335	-	-	-	1	-	-	-	3	4	26	62	127
Black, both sexes.....	1,847	-	-	-	-	-	-	-	2	8	35	73	128
Male.....	863	-	-	-	-	-	-	-	1	4	20	39	76
Female.....	984	-	-	-	-	-	-	-	1	4	15	34	52
American Indian 1/, both sexes.....	55	-	-	-	-	-	-	-	-	-	1	-	3
Male.....	23	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	32	-	-	-	-	-	-	-	-	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	138	-	-	-	-	-	-	-	1	-	-	7	12
Male.....	70	-	-	-	-	-	-	-	-	-	-	4	6
Female.....	68	-	-	-	-	-	-	-	1	-	-	3	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	55	1	-	-	1	-	-	-	1	-	1	4	3
Male.....	31	1	-	-	-	-	-	-	1	-	1	3	1
Female.....	24	-	-	-	1	-	-	-	-	-	-	1	2
White, both sexes.....	50	1	-	-	1	-	-	-	1	-	1	2	3
Male.....	28	1	-	-	-	-	-	-	1	-	1	1	1
Female.....	22	-	-	-	1	-	-	-	-	-	-	1	2
Black, both sexes.....	3	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	1	-
Male.....	2	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	62,639	19	106	127	147	242	274	298	392	664	1,221	2,234	3,377
Male.....	31,845	12	66	80	72	161	168	181	246	377	669	1,274	1,869
Female.....	30,794	7	40	47	75	81	106	117	146	287	552	960	1,508
White, both sexes.....	54,660	15	78	106	110	201	221	236	296	536	940	1,741	2,703
Male.....	27,830	10	46	68	53	133	135	154	190	317	512	988	1,507
Female.....	26,830	5	32	38	57	68	86	82	106	219	428	753	1,196
Black, both sexes.....	6,618	2	24	20	31	30	41	50	74	106	227	421	572
Male.....	3,324	2	16	11	16	20	26	22	40	48	128	243	311
Female.....	3,294	-	8	9	15	10	15	28	34	58	99	178	261
American Indian 1/, both sexes.....	275	-	1	-	-	1	2	2	3	6	17	10	27
Male.....	147	-	1	-	-	1	2	1	2	3	9	7	13
Female.....	128	-	-	-	-	-	-	1	1	3	8	3	14
Asian or Pacific Islander 2/, both sexes.....	1,086	2	3	1	6	10	10	10	19	16	37	62	75
Male.....	544	-	3	1	3	7	5	4	14	9	20	36	38
Female.....	542	2	-	-	3	3	5	6	5	7	17	26	37

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)													
All races, both sexes.....	13,563	62	51	38	41	41	55	69	109	142	197	295	387
Male.....	6,687	32	31	21	22	24	30	40	58	79	116	148	218
Female.....	6,876	30	20	17	19	17	25	29	51	63	81	147	169
White, both sexes.....	12,181	48	39	26	29	31	47	54	90	101	161	231	318
Male.....	6,036	25	22	13	17	19	27	31	46	62	96	120	182
Female.....	6,145	23	17	13	12	12	20	23	44	39	65	111	136
Black, both sexes.....	1,123	11	9	10	8	8	8	14	15	37	30	59	59
Male.....	525	5	8	6	3	4	3	9	9	15	16	26	29
Female.....	598	6	1	4	5	4	5	5	6	22	14	33	30
American Indian 1/, both sexes.....	39	-	-	-	1	-	-	-	2	1	1	1	-
Male.....	20	-	-	-	1	-	-	-	1	-	-	1	-
Female.....	19	-	-	-	-	-	-	-	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	220	3	3	2	3	2	-	1	2	3	5	4	10
Male.....	106	2	1	2	1	1	-	-	2	2	4	1	7
Female.....	114	1	2	-	2	1	-	1	-	1	1	3	3
Anemias (D50-D64)													
All races, both sexes.....	4,594	22	24	16	31	37	68	69	88	81	102	137	104
Male.....	1,832	11	14	8	15	19	33	37	46	37	54	77	48
Female.....	2,762	11	10	8	16	18	35	32	42	44	48	60	56
White, both sexes.....	3,476	9	10	4	17	15	8	16	23	17	28	46	44
Male.....	1,319	4	5	3	8	6	5	8	14	8	14	29	22
Female.....	2,157	5	5	1	9	9	3	8	9	9	14	17	22
Black, both sexes.....	1,037	6	12	12	13	19	60	52	62	62	72	87	58
Male.....	487	4	7	5	7	12	28	28	30	29	40	48	26
Female.....	550	2	5	7	6	7	32	24	32	33	32	39	32
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	1	1	1	1	1
Male.....	4	-	-	-	-	-	-	-	1	-	-	-	-
Female.....	11	-	-	-	-	-	-	-	-	1	1	1	1
Asian or Pacific Islander 2/, both sexes.....	66	7	2	-	1	3	-	1	2	1	1	3	1
Male.....	22	3	2	-	-	1	-	1	1	-	-	-	-
Female.....	44	4	-	-	1	2	-	-	1	1	1	3	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alzheimer's disease (G30)													
All races, both sexes.....	63,457	-	-	-	-	-	-	-	-	2	9	21	57
Male.....	18,335	-	-	-	-	-	-	-	-	1	3	9	25
Female.....	45,122	-	-	-	-	-	-	-	-	1	6	12	32
White, both sexes.....	59,184	-	-	-	-	-	-	-	-	2	9	19	55
Male.....	17,086	-	-	-	-	-	-	-	-	1	3	8	24
Female.....	42,098	-	-	-	-	-	-	-	-	1	6	11	31
Black, both sexes.....	3,718	-	-	-	-	-	-	-	-	-	-	2	2
Male.....	1,087	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	2,631	-	-	-	-	-	-	-	-	-	-	1	1
American Indian 1/, both sexes.....	122	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	22	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	100	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	433	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	140	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	293	-	-	-	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (I00-I78)													
All races, both sexes.....	902,443	555	234	134	213	519	928	1,352	2,737	5,375	11,555	19,091	27,188
Male.....	423,810	310	116	75	129	323	570	830	1,779	3,585	7,717	13,215	19,045
Female.....	478,633	245	118	59	84	196	358	522	958	1,790	3,838	5,876	8,143
White, both sexes.....	780,020	343	148	88	146	355	596	861	1,802	3,676	8,143	13,669	19,822
Male.....	365,390	184	67	48	92	220	373	544	1,210	2,557	5,701	9,879	14,424
Female.....	414,630	159	81	40	54	135	223	317	592	1,119	2,442	3,790	5,398
Black, both sexes.....	104,181	173	73	39	56	141	297	433	818	1,497	3,038	4,845	6,610
Male.....	48,853	105	43	23	30	92	179	252	480	881	1,772	2,941	4,091
Female.....	55,328	68	30	16	26	49	118	181	338	616	1,266	1,904	2,519
American Indian 1/, both sexes.....	3,488	9	5	1	2	5	9	13	39	64	112	168	217
Male.....	1,882	5	2	-	-	3	7	6	32	48	67	113	145
Female.....	1,606	4	3	1	2	2	2	7	7	16	45	55	72
Asian or Pacific Islander 2/, both sexes.....	14,754	30	8	6	9	18	26	45	78	138	262	409	539
Male.....	7,685	16	4	4	7	8	11	28	57	99	177	282	385
Female.....	7,069	14	4	2	2	10	15	17	21	39	85	127	154

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of heart (I00-I09,I11,I13,I20-I51)													
All races, both sexes.....	685,089	439	186	104	160	393	740	1,075	2,175	4,310	9,290	15,520	22,212
Male.....	336,095	247	89	56	99	249	469	677	1,452	2,977	6,486	11,164	16,140
Female.....	348,994	192	97	48	61	144	271	398	723	1,333	2,804	4,356	6,072
White, both sexes.....	594,842	273	117	66	108	264	472	679	1,441	3,050	6,730	11,428	16,629
Male.....	291,560	150	52	35	70	166	298	444	1,005	2,189	4,904	8,539	12,523
Female.....	303,282	123	65	31	38	98	174	235	436	861	1,826	2,889	4,106
Black, both sexes.....	77,372	133	57	33	43	111	243	348	643	1,125	2,303	3,680	5,024
Male.....	37,466	81	32	18	24	74	158	202	378	685	1,402	2,308	3,194
Female.....	39,906	52	25	15	19	37	85	146	265	440	901	1,372	1,830
American Indian 1/, both sexes.....	2,712	9	4	-	2	4	7	10	34	48	87	135	173
Male.....	1,529	5	1	-	-	2	5	5	27	37	58	96	122
Female.....	1,183	4	3	-	2	2	2	5	7	11	29	39	51
Asian or Pacific Islander 2/, both sexes.....	10,163	24	8	5	7	14	18	38	57	87	170	277	386
Male.....	5,540	11	4	3	5	7	8	26	42	66	122	221	301
Female.....	4,623	13	4	2	2	7	10	12	15	21	48	56	85
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)													
All races, both sexes.....	3,624	1	1	2	4	4	7	11	14	41	58	107	117
Male.....	1,153	1	-	2	2	3	4	8	6	19	25	39	39
Female.....	2,471	-	1	-	2	1	3	3	8	22	33	68	78
White, both sexes.....	3,226	1	1	2	2	-	5	9	9	25	36	71	78
Male.....	1,023	1	-	2	1	-	4	6	3	12	14	29	27
Female.....	2,203	-	1	-	1	-	1	3	6	13	22	42	51
Black, both sexes.....	308	-	-	-	2	2	2	2	4	13	16	32	31
Male.....	110	-	-	-	1	2	-	2	2	6	9	9	11
Female.....	198	-	-	-	1	-	2	-	2	7	7	23	20
American Indian 1/, both sexes.....	11	-	-	-	-	-	-	-	-	1	-	-	1
Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	1	-	-	1
Asian or Pacific Islander 2/, both sexes.....	79	-	-	-	-	2	-	-	1	2	6	4	7
Male.....	17	-	-	-	-	1	-	-	1	1	2	1	1
Female.....	62	-	-	-	-	1	-	-	-	1	4	3	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Ischemic heart diseases (I20-I25)													
All races, both sexes.....	480,028	22	12	12	12	32	128	274	808	2,152	5,395	9,989	15,372
Male.....	246,342	13	6	4	6	21	86	197	616	1,630	4,049	7,661	11,820
Female.....	233,686	9	6	8	6	11	42	77	192	522	1,346	2,328	3,552
White, both sexes.....	421,482	16	6	7	8	25	87	192	604	1,680	4,206	7,811	12,085
Male.....	216,751	9	3	2	5	17	59	143	465	1,304	3,238	6,156	9,555
Female.....	204,731	7	3	5	3	8	28	49	139	376	968	1,655	2,530
Black, both sexes.....	49,274	4	5	4	4	7	36	64	170	399	1,026	1,884	2,881
Male.....	24,273	3	3	2	1	4	24	40	122	262	686	1,266	1,938
Female.....	25,001	1	2	2	3	3	12	24	48	137	340	618	943
American Indian 1/, both sexes.....	1,905	-	-	-	-	-	2	2	14	25	57	95	120
Male.....	1,133	-	-	-	-	-	1	1	10	22	41	70	93
Female.....	772	-	-	-	-	-	1	1	4	3	16	25	27
Asian or Pacific Islander 2/, both sexes.....	7,367	2	1	1	-	-	3	16	20	48	106	199	286
Male.....	4,185	1	-	-	-	-	2	13	19	42	84	169	234
Female.....	3,182	1	1	1	-	-	1	3	1	6	22	30	52
Acute myocardial infarction (I21-I22)													
All races, both sexes.....	170,564	9	6	6	6	17	56	105	308	881	2,213	4,092	6,328
Male.....	89,515	4	2	2	4	11	35	75	225	664	1,637	3,130	4,854
Female.....	81,049	5	4	4	2	6	21	30	83	217	576	962	1,474
White, both sexes.....	149,915	7	3	5	4	14	39	75	235	705	1,747	3,263	5,096
Male.....	79,157	3	1	1	3	10	25	58	171	548	1,328	2,573	4,019
Female.....	70,758	4	2	4	1	4	14	17	64	157	419	690	1,077
Black, both sexes.....	17,441	1	2	1	2	3	16	24	64	160	420	726	1,071
Male.....	8,472	-	1	1	1	1	10	13	46	101	273	473	702
Female.....	8,969	1	1	-	1	2	6	11	18	59	147	253	369
American Indian 1/, both sexes.....	706	-	-	-	-	-	-	2	3	7	20	40	45
Male.....	430	-	-	-	-	-	-	1	2	6	16	32	38
Female.....	276	-	-	-	-	-	-	1	1	1	4	8	7
Asian or Pacific Islander 2/, both sexes.....	2,502	1	1	-	-	-	1	4	6	9	26	63	116
Male.....	1,456	1	-	-	-	-	-	3	6	9	20	52	95
Female.....	1,046	-	1	-	-	-	1	1	-	-	6	11	21

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other acute ischemic heart diseases (I24)													
All races, both sexes.....	3,158	4	1	1	-	-	5	3	8	27	71	106	171
Male.....	1,621	2	1	-	-	-	5	2	5	20	53	75	122
Female.....	1,537	2	-	1	-	-	-	1	3	7	18	31	49
White, both sexes.....	2,663	2	-	1	-	-	4	2	4	20	49	73	132
Male.....	1,338	1	-	-	-	-	4	2	3	16	40	51	97
Female.....	1,325	1	-	1	-	-	-	-	1	4	9	22	35
Black, both sexes.....	436	1	1	-	-	-	1	1	2	7	20	30	32
Male.....	256	1	1	-	-	-	1	-	1	4	12	21	22
Female.....	180	-	-	-	-	-	-	1	1	3	8	9	10
American Indian 1/, both sexes.....	37	-	-	-	-	-	-	-	1	-	2	2	4
Male.....	15	-	-	-	-	-	-	-	-	-	1	2	2
Female.....	22	-	-	-	-	-	-	-	1	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	22	1	-	-	-	-	-	-	1	-	-	1	3
Male.....	12	-	-	-	-	-	-	-	1	-	-	1	1
Female.....	10	1	-	-	-	-	-	-	-	-	-	-	2
Other forms of chronic ischemic heart disease (I20,I25)													
All races, both sexes.....	306,306	9	5	5	6	15	67	166	492	1,244	3,111	5,791	8,873
Male.....	155,206	7	3	2	2	10	46	120	386	946	2,359	4,456	6,844
Female.....	151,100	2	2	3	4	5	21	46	106	298	752	1,335	2,029
White, both sexes.....	268,904	7	3	1	4	11	44	115	365	955	2,410	4,475	6,857
Male.....	136,256	5	2	1	2	7	30	83	291	740	1,870	3,532	5,439
Female.....	132,648	2	1	-	2	4	14	32	74	215	540	943	1,418
Black, both sexes.....	31,397	2	2	3	2	4	19	39	104	232	586	1,128	1,778
Male.....	15,545	2	1	1	-	3	13	27	75	157	401	772	1,214
Female.....	15,852	-	1	2	2	1	6	12	29	75	185	356	564
American Indian 1/, both sexes.....	1,162	-	-	-	-	-	2	-	10	18	35	53	71
Male.....	688	-	-	-	-	-	1	-	8	16	24	36	53
Female.....	474	-	-	-	-	-	1	-	2	2	11	17	18
Asian or Pacific Islander 2/, both sexes.....	4,843	-	-	1	-	-	2	12	13	39	80	135	167
Male.....	2,717	-	-	-	-	-	2	10	12	33	64	116	138
Female.....	2,126	-	-	1	-	-	-	2	1	6	16	19	29

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Atherosclerotic cardiovascular disease, so described (I25.0)													
All races, both sexes.....	67,232	2	-	-	-	2	14	50	161	414	1,074	2,151	3,533
Male.....	36,042	2	-	-	-	1	11	40	141	315	842	1,715	2,837
Female.....	31,190	-	-	-	-	1	3	10	20	99	232	436	696
White, both sexes.....	55,760	1	-	-	-	2	10	35	121	324	820	1,609	2,653
Male.....	29,560	1	-	-	-	1	8	27	106	246	653	1,323	2,180
Female.....	26,200	-	-	-	-	1	2	8	15	78	167	286	473
Black, both sexes.....	9,923	1	-	-	-	-	3	12	35	73	212	459	775
Male.....	5,543	1	-	-	-	-	2	10	30	52	155	324	573
Female.....	4,380	-	-	-	-	-	1	2	5	21	57	135	202
American Indian 1/, both sexes.....	358	-	-	-	-	-	-	-	2	6	12	22	31
Male.....	227	-	-	-	-	-	-	-	2	6	9	16	24
Female.....	131	-	-	-	-	-	-	-	-	-	3	6	7
Asian or Pacific Islander 2/, both sexes.....	1,191	-	-	-	-	-	1	3	3	11	30	61	74
Male.....	712	-	-	-	-	-	1	3	3	11	25	52	60
Female.....	479	-	-	-	-	-	-	-	-	-	5	9	14
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)													
All races, both sexes.....	239,074	7	5	5	6	13	53	116	331	830	2,037	3,640	5,340
Male.....	119,164	5	3	2	2	9	35	80	245	631	1,517	2,741	4,007
Female.....	119,910	2	2	3	4	4	18	36	86	199	520	899	1,333
White, both sexes.....	213,144	6	3	1	4	9	34	80	244	631	1,590	2,866	4,204
Male.....	106,696	4	2	1	2	6	22	56	185	494	1,217	2,209	3,259
Female.....	106,448	2	1	-	2	3	12	24	59	137	373	657	945
Black, both sexes.....	21,474	1	2	3	2	4	16	27	69	159	374	669	1,003
Male.....	10,002	1	1	1	-	3	11	17	45	105	246	448	641
Female.....	11,472	-	1	2	2	1	5	10	24	54	128	221	362
American Indian 1/, both sexes.....	804	-	-	-	-	-	2	-	8	12	23	31	40
Male.....	461	-	-	-	-	-	1	-	6	10	15	20	29
Female.....	343	-	-	-	-	-	1	-	2	2	8	11	11
Asian or Pacific Islander 2/, both sexes.....	3,652	-	-	1	-	-	1	9	10	28	50	74	93
Male.....	2,005	-	-	-	-	-	1	7	9	22	39	64	78
Female.....	1,647	-	-	1	-	-	-	2	1	6	11	10	15

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other heart diseases (I26-I51)													
All races, both sexes.....	169,984	416	171	90	144	348	556	692	1,118	1,673	2,882	3,891	4,825
Male.....	74,738	233	81	50	91	219	341	404	677	1,017	1,784	2,439	3,019
Female.....	95,246	183	90	40	53	129	215	288	441	656	1,098	1,452	1,806
White, both sexes.....	147,127	256	109	57	98	235	355	425	717	1,106	1,972	2,736	3,395
Male.....	63,973	140	48	31	64	147	215	252	457	686	1,269	1,763	2,161
Female.....	83,154	116	61	26	34	88	140	173	260	420	703	973	1,234
Black, both sexes.....	20,034	129	51	29	37	97	182	238	356	516	843	1,075	1,320
Male.....	9,372	78	28	16	22	64	116	136	189	301	474	626	788
Female.....	10,662	51	23	13	15	33	66	102	167	215	369	449	532
American Indian 1/, both sexes.....	676	9	4	-	2	4	5	7	14	19	25	31	41
Male.....	333	5	1	-	-	2	4	3	13	12	15	20	24
Female.....	343	4	3	-	2	2	1	4	1	7	10	11	17
Asian or Pacific Islander 2/, both sexes.....	2,147	22	7	4	7	12	14	22	31	32	42	49	69
Male.....	1,060	10	4	3	5	6	6	13	18	18	26	30	46
Female.....	1,087	12	3	1	2	6	8	9	13	14	16	19	23
Acute and subacute endocarditis (I33)													
All races, both sexes.....	1,245	1	-	-	1	3	13	18	15	43	69	89	94
Male.....	682	1	-	-	1	-	6	11	8	22	41	60	65
Female.....	563	-	-	-	-	3	7	7	7	21	28	29	29
White, both sexes.....	990	-	-	-	1	2	12	14	11	27	51	57	61
Male.....	541	-	-	-	1	-	6	9	5	14	32	36	41
Female.....	449	-	-	-	-	2	6	5	6	13	19	21	20
Black, both sexes.....	225	1	-	-	-	1	1	2	3	15	17	29	32
Male.....	122	1	-	-	-	-	-	2	2	7	8	21	23
Female.....	103	-	-	-	-	1	1	-	1	8	9	8	9
American Indian 1/, both sexes.....	12	-	-	-	-	-	-	1	1	1	1	2	-
Male.....	7	-	-	-	-	-	-	-	1	1	1	2	-
Female.....	5	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	-	-	-	-	-	-	1	-	-	-	1	1
Male.....	12	-	-	-	-	-	-	-	-	-	-	1	1
Female.....	6	-	-	-	-	-	-	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Diseases of pericardium and acute myocarditis (I30-I31,I40)													
All races, both sexes.....	868	33	22	14	14	21	34	23	25	32	54	63	48
Male.....	449	15	8	4	8	14	20	13	16	21	31	41	30
Female.....	419	18	14	10	6	7	14	10	9	11	23	22	18
White, both sexes.....	677	15	13	9	8	17	21	10	14	17	38	46	38
Male.....	359	9	4	2	5	13	12	5	8	13	23	31	25
Female.....	318	6	9	7	3	4	9	5	6	4	15	15	13
Black, both sexes.....	168	14	9	4	5	3	12	12	10	14	16	16	7
Male.....	81	4	4	2	3	1	8	8	7	8	8	9	4
Female.....	87	10	5	2	2	2	4	4	3	6	8	7	3
American Indian 1/, both sexes.....	6	3	-	-	-	-	-	-	-	-	-	-	1
Male.....	5	2	-	-	-	-	-	-	-	-	-	-	1
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	1	-	1	1	1	1	1	1	1	-	1	2
Male.....	4	-	-	-	-	-	-	-	1	-	-	1	-
Female.....	13	1	-	1	1	1	1	1	-	1	-	-	2
Heart failure (I50)													
All races, both sexes.....	57,448	38	5	5	7	18	20	28	69	91	224	358	623
Male.....	22,427	28	3	4	3	13	11	16	44	50	143	223	364
Female.....	35,021	10	2	1	4	5	9	12	25	41	81	135	259
White, both sexes.....	51,454	20	4	3	4	9	11	19	39	56	122	229	406
Male.....	19,987	13	2	2	2	5	7	13	25	30	86	151	239
Female.....	31,467	7	2	1	2	4	4	6	14	26	36	78	167
Black, both sexes.....	5,330	15	-	2	3	9	9	8	29	34	97	124	204
Male.....	2,150	13	-	2	1	8	4	2	18	20	53	68	115
Female.....	3,180	2	-	-	2	1	5	6	11	14	44	56	89
American Indian 1/, both sexes.....	180	1	-	-	-	-	-	-	1	-	2	3	6
Male.....	75	1	-	-	-	-	-	-	1	-	1	2	4
Female.....	105	-	-	-	-	-	-	-	-	-	1	1	2
Asian or Pacific Islander 2/, both sexes.....	484	2	1	-	-	-	-	1	-	1	3	2	7
Male.....	215	1	1	-	-	-	-	1	-	-	3	2	6
Female.....	269	1	-	-	-	-	-	-	-	1	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)													
All races, both sexes.....	110,423	344	144	71	122	306	489	623	1,009	1,507	2,535	3,381	4,060
Male.....	51,180	189	70	42	79	192	304	364	609	924	1,569	2,115	2,560
Female.....	59,243	155	74	29	43	114	185	259	400	583	966	1,266	1,500
White, both sexes.....	94,006	221	92	45	85	207	311	382	653	1,006	1,761	2,404	2,890
Male.....	43,086	118	42	27	56	129	190	225	419	629	1,128	1,545	1,856
Female.....	50,920	103	50	18	29	78	121	157	234	377	633	859	1,034
Black, both sexes.....	14,311	99	42	23	29	84	160	216	314	453	713	906	1,077
Male.....	7,019	60	24	12	18	55	104	124	162	266	405	528	646
Female.....	7,292	39	18	11	11	29	56	92	152	187	308	378	431
American Indian 1/, both sexes.....	478	5	4	-	2	4	5	6	12	18	22	26	34
Male.....	246	2	1	-	-	2	4	3	11	11	13	16	19
Female.....	232	3	3	-	2	2	1	3	1	7	9	10	15
Asian or Pacific Islander 2/, both sexes.....	1,628	19	6	3	6	11	13	19	30	30	39	45	59
Male.....	829	9	3	3	5	6	6	12	17	18	23	26	39
Female.....	799	10	3	-	1	5	7	7	13	12	16	19	20
Essential (primary) hypertension and hypertensive renal disease (I10,I12)													
All races, both sexes.....	21,940	1	2	-	2	7	15	27	71	126	246	400	631
Male.....	8,213	1	2	-	1	5	7	9	49	72	143	265	395
Female.....	13,727	-	-	-	1	2	8	18	22	54	103	135	236
White, both sexes.....	16,927	-	1	-	1	5	7	12	31	58	128	208	358
Male.....	6,108	-	1	-	-	3	4	4	17	39	79	144	226
Female.....	10,819	-	-	-	1	2	3	8	14	19	49	64	132
Black, both sexes.....	4,489	1	1	-	-	2	8	15	38	63	113	186	260
Male.....	1,895	1	1	-	-	2	3	5	30	31	62	120	162
Female.....	2,594	-	-	-	-	-	5	10	8	32	51	66	98
American Indian 1/, both sexes.....	88	-	-	-	-	-	-	-	-	1	2	2	5
Male.....	39	-	-	-	-	-	-	-	-	-	-	-	3
Female.....	49	-	-	-	-	-	-	-	-	1	2	2	2
Asian or Pacific Islander 2/, both sexes.....	436	-	-	-	1	-	-	-	2	4	3	4	8
Male.....	171	-	-	-	1	-	-	-	2	2	2	1	4
Female.....	265	-	-	-	-	-	-	-	-	2	1	3	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of circulatory system (I71-I78)													
All races, both sexes.....	24,672	11	-	1	11	30	38	62	89	167	284	524	675
Male.....	13,217	3	-	-	7	17	28	43	60	117	189	343	472
Female.....	11,455	8	-	1	4	13	10	19	29	50	95	181	203
White, both sexes.....	21,661	6	-	1	7	23	26	44	63	104	202	364	497
Male.....	11,708	2	-	-	4	15	19	30	40	79	138	250	359
Female.....	9,953	4	-	1	3	8	7	14	23	25	64	114	138
Black, both sexes.....	2,519	5	-	-	3	6	8	16	21	57	76	140	158
Male.....	1,216	1	-	-	2	2	5	12	17	34	48	84	98
Female.....	1,303	4	-	-	1	4	3	4	4	23	28	56	60
American Indian 1/, both sexes.....	102	-	-	-	-	-	2	1	2	1	1	5	5
Male.....	55	-	-	-	-	-	2	-	2	-	-	2	5
Female.....	47	-	-	-	-	-	-	1	-	1	1	3	-
Asian or Pacific Islander 2/, both sexes.....	390	-	-	-	1	1	2	1	3	5	5	15	15
Male.....	238	-	-	-	1	-	2	1	1	4	3	7	10
Female.....	152	-	-	-	-	1	-	-	2	1	2	8	5
Aortic aneurysm and dissection (I71)													
All races, both sexes.....	14,810	1	-	-	3	16	25	43	69	124	192	368	452
Male.....	8,976	-	-	-	2	10	21	32	51	96	150	269	347
Female.....	5,834	1	-	-	1	6	4	11	18	28	42	99	105
White, both sexes.....	13,246	-	-	-	1	14	19	28	49	77	137	252	334
Male.....	8,074	-	-	-	-	10	15	20	34	64	110	189	266
Female.....	5,172	-	-	-	1	4	4	8	15	13	27	63	68
Black, both sexes.....	1,230	1	-	-	1	1	3	13	16	43	52	101	102
Male.....	686	-	-	-	1	-	3	11	15	28	38	71	70
Female.....	544	1	-	-	-	1	-	2	1	15	14	30	32
American Indian 1/, both sexes.....	46	-	-	-	-	-	1	1	1	-	1	3	2
Male.....	26	-	-	-	-	-	1	-	1	-	-	2	2
Female.....	20	-	-	-	-	-	-	1	-	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	288	-	-	-	1	1	2	1	3	4	2	12	14
Male.....	190	-	-	-	1	-	2	1	1	4	2	7	9
Female.....	98	-	-	-	-	1	-	-	2	-	-	5	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Other diseases of arteries, arterioles and capillaries (I72-I78)													
All races, both sexes.....	9,862	10	-	1	8	14	13	19	20	43	92	156	223
Male.....	4,241	3	-	-	5	7	7	11	9	21	39	74	125
Female.....	5,621	7	-	1	3	7	6	8	11	22	53	82	98
White, both sexes.....	8,415	6	-	1	6	9	7	16	14	27	65	112	163
Male.....	3,634	2	-	-	4	5	4	10	6	15	28	61	93
Female.....	4,781	4	-	1	2	4	3	6	8	12	37	51	70
Black, both sexes.....	1,289	4	-	-	2	5	5	3	5	14	24	39	56
Male.....	530	1	-	-	1	2	2	1	2	6	10	13	28
Female.....	759	3	-	-	1	3	3	2	3	8	14	26	28
American Indian 1/, both sexes.....	56	-	-	-	-	-	1	-	1	1	-	2	3
Male.....	29	-	-	-	-	-	1	-	1	-	-	-	3
Female.....	27	-	-	-	-	-	-	-	-	1	-	2	-
Asian or Pacific Islander 2/, both sexes.....	102	-	-	-	-	-	-	-	-	1	3	3	1
Male.....	48	-	-	-	-	-	-	-	-	-	1	-	1
Female.....	54	-	-	-	-	-	-	-	-	1	2	3	-
Other disorders of circulatory system (I80-I99)													
All races, both sexes.....	4,737	36	4	1	3	14	36	53	86	126	216	273	282
Male.....	1,966	21	3	1	1	5	15	23	37	57	110	147	165
Female.....	2,771	15	1	-	2	9	21	30	49	69	106	126	117
White, both sexes.....	3,843	28	4	1	2	9	21	36	51	78	146	202	221
Male.....	1,569	16	3	1	-	3	8	11	25	45	84	103	127
Female.....	2,274	12	1	-	2	6	13	25	26	33	62	99	94
Black, both sexes.....	824	6	-	-	-	5	14	17	32	45	67	69	55
Male.....	368	5	-	-	-	2	7	12	11	11	25	42	34
Female.....	456	1	-	-	-	3	7	5	21	34	42	27	21
American Indian 1/, both sexes.....	15	-	-	-	-	-	-	-	-	-	2	1	2
Male.....	7	-	-	-	-	-	-	-	-	-	1	1	2
Female.....	8	-	-	-	-	-	-	-	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	55	2	-	-	1	-	1	-	3	3	1	1	4
Male.....	22	-	-	-	1	-	-	-	1	1	-	1	2
Female.....	33	2	-	-	-	-	1	-	2	2	1	-	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Chronic lower respiratory diseases (J40-J47)													
All races, both sexes.....	126,382	31	55	37	81	84	107	118	164	301	649	1,276	2,261
Male.....	60,714	23	38	23	52	50	64	67	89	142	287	681	1,145
Female.....	65,668	8	17	14	29	34	43	51	75	159	362	595	1,116
White, both sexes.....	116,917	23	24	14	40	38	63	70	99	211	464	1,012	1,861
Male.....	55,397	20	14	7	24	20	39	34	45	100	205	549	946
Female.....	61,520	3	10	7	16	18	24	36	54	111	259	463	915
Black, both sexes.....	7,709	8	26	23	40	41	41	45	59	81	166	241	360
Male.....	4,247	3	21	16	27	26	23	31	41	38	70	120	175
Female.....	3,462	5	5	7	13	15	18	14	18	43	96	121	185
American Indian 1/, both sexes.....	512	-	1	-	-	1	1	-	3	5	9	12	23
Male.....	269	-	-	-	-	1	1	-	1	2	6	6	13
Female.....	243	-	1	-	-	-	-	-	2	3	3	6	10
Asian or Pacific Islander 2/, both sexes.....	1,244	-	4	-	1	4	2	3	3	4	10	11	17
Male.....	801	-	3	-	1	3	1	2	2	2	6	6	11
Female.....	443	-	1	-	-	1	1	1	1	2	4	5	6
Bronchitis, chronic and unspecified (J40-J42)													
All races, both sexes.....	850	20	13	1	5	2	5	5	5	8	9	17	18
Male.....	351	15	6	-	3	2	4	1	2	5	4	13	10
Female.....	499	5	7	1	2	-	1	4	3	3	5	4	8
White, both sexes.....	751	15	8	1	2	1	5	1	5	6	7	11	13
Male.....	309	12	5	-	1	1	4	-	2	4	3	9	8
Female.....	442	3	3	1	1	-	1	1	3	2	4	2	5
Black, both sexes.....	75	5	3	-	3	1	-	3	-	2	2	6	5
Male.....	30	3	-	-	2	1	-	1	-	1	1	4	2
Female.....	45	2	3	-	1	-	-	2	-	1	1	2	3
American Indian 1/, both sexes.....	5	-	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	4	-	1	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	-	1	-	-	-	-	1	-	-	-	-	-
Male.....	11	-	1	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Emphysema (J43)													
All races, both sexes.....	14,861	-	1	-	-	1	3	2	3	21	66	157	293
Male.....	7,549	-	1	-	-	-	2	2	1	14	35	105	174
Female.....	7,312	-	-	-	-	1	1	-	2	7	31	52	119
White, both sexes.....	13,856	-	1	-	-	1	3	1	2	17	53	129	258
Male.....	6,915	-	1	-	-	-	2	1	-	11	28	86	148
Female.....	6,941	-	-	-	-	1	1	-	2	6	25	43	110
Black, both sexes.....	810	-	-	-	-	-	-	1	1	3	12	27	29
Male.....	498	-	-	-	-	-	-	1	1	2	6	18	20
Female.....	312	-	-	-	-	-	-	-	-	1	6	9	9
American Indian 1/, both sexes.....	46	-	-	-	-	-	-	-	-	-	-	1	3
Male.....	28	-	-	-	-	-	-	-	-	-	-	1	3
Female.....	18	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	149	-	-	-	-	-	-	-	-	1	1	-	3
Male.....	108	-	-	-	-	-	-	-	-	1	1	-	3
Female.....	41	-	-	-	-	-	-	-	-	-	-	-	-
Asthma (J45-J46)													
All races, both sexes.....	4,099	7	37	35	75	70	88	98	129	152	259	317	315
Male.....	1,493	4	29	23	48	40	51	58	69	60	100	127	109
Female.....	2,606	3	8	12	27	30	37	40	60	92	159	190	206
White, both sexes.....	2,888	4	13	12	37	31	47	59	72	90	152	197	180
Male.....	961	4	8	7	22	16	28	29	31	32	59	78	61
Female.....	1,927	-	5	5	15	15	19	30	41	58	93	119	119
Black, both sexes.....	1,030	3	22	23	37	36	39	37	53	57	100	109	123
Male.....	445	-	20	16	25	22	21	27	36	26	37	43	44
Female.....	585	3	2	7	12	14	18	10	17	31	63	66	79
American Indian 1/, both sexes.....	38	-	-	-	-	-	1	-	3	3	2	5	4
Male.....	18	-	-	-	-	-	1	-	1	2	2	2	-
Female.....	20	-	-	-	-	-	-	-	2	1	-	3	4
Asian or Pacific Islander 2/, both sexes.....	143	-	2	-	1	3	1	2	1	2	5	6	8
Male.....	69	-	1	-	1	2	1	2	1	-	2	4	4
Female.....	74	-	1	-	-	1	-	-	-	2	3	2	4

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pneumonitis due to solids and liquids (J69)													
All races, both sexes.....	17,335	13	10	4	12	13	33	26	43	66	100	188	204
Male.....	8,702	8	5	4	5	6	25	16	26	39	50	110	129
Female.....	8,633	5	5	-	7	7	8	10	17	27	50	78	75
White, both sexes.....	15,395	7	8	3	10	8	21	19	36	50	74	152	174
Male.....	7,731	4	5	3	4	4	17	11	22	31	40	89	112
Female.....	7,664	3	3	-	6	4	4	8	14	19	34	63	62
Black, both sexes.....	1,607	4	1	1	2	4	10	6	6	15	26	34	27
Male.....	781	3	-	1	1	2	6	5	4	7	10	21	15
Female.....	826	1	1	-	1	2	4	1	2	8	16	13	12
American Indian 1/, both sexes.....	70	2	1	-	-	-	-	-	1	-	-	1	-
Male.....	33	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	37	1	1	-	-	-	-	-	1	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	263	-	-	-	-	1	2	1	-	1	-	1	3
Male.....	157	-	-	-	-	-	2	-	-	1	-	-	2
Female.....	106	-	-	-	-	1	-	1	-	-	-	1	1
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races, both sexes.....	25,520	279	86	25	35	59	77	80	130	188	307	573	762
Male.....	12,391	163	49	16	22	31	45	49	66	97	154	301	403
Female.....	13,129	116	37	9	13	28	32	31	64	91	153	272	359
White, both sexes.....	22,706	169	53	21	25	40	48	55	92	128	206	402	590
Male.....	11,014	92	28	15	14	17	29	34	49	69	112	225	322
Female.....	11,692	77	25	6	11	23	19	21	43	59	94	177	268
Black, both sexes.....	2,233	99	27	2	6	15	26	22	34	52	89	149	157
Male.....	1,097	62	18	1	5	12	15	13	15	26	34	67	72
Female.....	1,136	37	9	1	1	3	11	9	19	26	55	82	85
American Indian 1/, both sexes.....	166	2	-	1	1	2	-	-	-	4	3	10	8
Male.....	74	2	-	-	1	1	-	-	-	1	2	3	4
Female.....	92	-	-	1	-	1	-	-	-	3	1	7	4
Asian or Pacific Islander 2/, both sexes.....	415	9	6	1	3	2	3	3	4	4	9	12	7
Male.....	206	7	3	-	2	1	1	2	2	1	6	6	5
Female.....	209	2	3	1	1	1	2	1	2	3	3	6	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Hernia (K40-K46)													
All races, both sexes.....	1,613	37	6	4	2	-	3	1	4	7	21	45	60
Male.....	668	20	4	2	2	-	1	1	3	6	10	24	35
Female.....	945	17	2	2	-	-	2	-	1	1	11	21	25
White, both sexes.....	1,421	29	3	2	1	-	2	1	2	4	16	37	48
Male.....	585	16	3	1	1	-	1	1	1	3	8	19	30
Female.....	836	13	-	1	-	-	1	-	1	1	8	18	18
Black, both sexes.....	164	8	3	2	1	-	-	-	2	3	5	7	11
Male.....	72	4	1	1	1	-	-	-	2	3	2	4	5
Female.....	92	4	2	1	-	-	-	-	-	-	3	3	6
American Indian 1/, both sexes.....	15	-	-	-	-	-	1	-	-	-	-	1	1
Male.....	6	-	-	-	-	-	-	-	-	-	-	1	-
Female.....	9	-	-	-	-	-	1	-	-	-	-	-	1
Asian or Pacific Islander 2/, both sexes.....	13	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	5	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	8	-	-	-	-	-	-	-	-	-	-	-	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races, both sexes.....	27,503	2	-	-	-	3	13	78	280	882	2,138	3,457	4,009
Male.....	17,912	2	-	-	-	1	7	54	198	574	1,459	2,510	3,004
Female.....	9,591	-	-	-	-	2	6	24	82	308	679	947	1,005
White, both sexes.....	24,005	1	-	-	-	2	7	53	233	729	1,811	2,910	3,331
Male.....	15,662	1	-	-	-	1	4	38	167	486	1,262	2,151	2,516
Female.....	8,343	-	-	-	-	1	3	15	66	243	549	759	815
Black, both sexes.....	2,621	1	-	-	-	-	3	18	23	101	225	394	554
Male.....	1,727	1	-	-	-	-	2	11	14	58	133	263	411
Female.....	894	-	-	-	-	-	1	7	9	43	92	131	143
American Indian 1/, both sexes.....	570	-	-	-	-	1	3	6	19	45	82	108	95
Male.....	317	-	-	-	-	-	1	4	13	24	48	61	57
Female.....	253	-	-	-	-	1	2	2	6	21	34	47	38
Asian or Pacific Islander 2/, both sexes.....	307	-	-	-	-	-	-	1	5	7	20	45	29
Male.....	206	-	-	-	-	-	-	1	4	6	16	35	20
Female.....	101	-	-	-	-	-	-	-	1	1	4	10	9

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcoholic liver disease (K70)													
All races, both sexes.....	12,360	-	-	-	-	1	5	49	194	612	1,359	2,050	2,238
Male.....	9,104	-	-	-	-	-	3	39	143	402	915	1,524	1,704
Female.....	3,256	-	-	-	-	1	2	10	51	210	444	526	534
White, both sexes.....	10,625	-	-	-	-	-	4	37	161	499	1,159	1,743	1,876
Male.....	7,905	-	-	-	-	-	2	31	118	339	792	1,306	1,444
Female.....	2,720	-	-	-	-	-	2	6	43	160	367	437	432
Black, both sexes.....	1,222	-	-	-	-	-	-	6	13	67	121	199	274
Male.....	865	-	-	-	-	-	-	4	10	37	74	147	204
Female.....	357	-	-	-	-	-	-	2	3	30	47	52	70
American Indian 1/, both sexes.....	403	-	-	-	-	1	1	5	16	42	66	81	75
Male.....	241	-	-	-	-	-	1	3	11	23	38	47	45
Female.....	162	-	-	-	-	1	-	2	5	19	28	34	30
Asian or Pacific Islander 2/, both sexes.....	110	-	-	-	-	-	-	1	4	4	13	27	13
Male.....	93	-	-	-	-	-	-	1	4	3	11	24	11
Female.....	17	-	-	-	-	-	-	-	-	1	2	3	2
Other chronic liver disease and cirrhosis (K73-K74)													
All races, both sexes.....	15,143	2	-	-	-	2	8	29	86	270	779	1,407	1,771
Male.....	8,808	2	-	-	-	1	4	15	55	172	544	986	1,300
Female.....	6,335	-	-	-	-	1	4	14	31	98	235	421	471
White, both sexes.....	13,380	1	-	-	-	2	3	16	72	230	652	1,167	1,455
Male.....	7,757	1	-	-	-	1	2	7	49	147	470	845	1,072
Female.....	5,623	-	-	-	-	1	1	9	23	83	182	322	383
Black, both sexes.....	1,399	1	-	-	-	-	3	12	10	34	104	195	280
Male.....	862	1	-	-	-	-	2	7	4	21	59	116	207
Female.....	537	-	-	-	-	-	1	5	6	13	45	79	73
American Indian 1/, both sexes.....	167	-	-	-	-	-	2	1	3	3	16	27	20
Male.....	76	-	-	-	-	-	-	1	2	1	10	14	12
Female.....	91	-	-	-	-	-	2	-	1	2	6	13	8
Asian or Pacific Islander 2/, both sexes.....	197	-	-	-	-	-	-	-	1	3	7	18	16
Male.....	113	-	-	-	-	-	-	-	-	3	5	11	9
Female.....	84	-	-	-	-	-	-	-	1	-	2	7	7

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Cholelithiasis and other disorders of gallbladder (K80-K82)													
All races, both sexes.....	2,948	-	-	-	1	1	3	9	16	14	26	46	80
Male.....	1,318	-	-	-	-	1	3	3	8	7	14	20	44
Female.....	1,630	-	-	-	1	-	-	6	8	7	12	26	36
White, both sexes.....	2,573	-	-	-	1	1	2	8	10	11	17	33	52
Male.....	1,150	-	-	-	-	1	2	2	4	6	7	16	31
Female.....	1,423	-	-	-	1	-	-	6	6	5	10	17	21
Black, both sexes.....	286	-	-	-	-	-	1	1	6	3	8	13	22
Male.....	127	-	-	-	-	-	1	1	4	1	7	4	11
Female.....	159	-	-	-	-	-	-	-	2	2	1	9	11
American Indian 1/, both sexes.....	29	-	-	-	-	-	-	-	-	-	1	-	2
Male.....	12	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	17	-	-	-	-	-	-	-	-	-	1	-	2
Asian or Pacific Islander 2/, both sexes.....	60	-	-	-	-	-	-	-	-	-	-	-	4
Male.....	29	-	-	-	-	-	-	-	-	-	-	-	2
Female.....	31	-	-	-	-	-	-	-	-	-	-	-	2
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)													
All races, both sexes.....	42,453	181	14	7	15	29	66	103	179	270	526	835	1,166
Male.....	20,481	106	7	3	6	19	40	53	94	148	311	482	711
Female.....	21,972	75	7	4	9	10	26	50	85	122	215	353	455
White, both sexes.....	33,707	117	10	6	9	18	38	63	94	138	279	472	677
Male.....	16,408	71	5	2	5	14	22	33	47	73	180	280	403
Female.....	17,299	46	5	4	4	4	16	30	47	65	99	192	274
Black, both sexes.....	7,855	60	3	1	6	11	23	37	82	125	231	332	453
Male.....	3,642	32	1	1	1	5	15	18	46	72	120	181	290
Female.....	4,213	28	2	-	5	6	8	19	36	53	111	151	163
American Indian 1/, both sexes.....	255	1	-	-	-	-	3	-	2	3	8	18	14
Male.....	127	1	-	-	-	-	1	-	1	-	6	10	8
Female.....	128	-	-	-	-	-	2	-	1	3	2	8	6
Asian or Pacific Islander 2/, both sexes.....	636	3	1	-	-	-	2	3	1	4	8	13	22
Male.....	304	2	1	-	-	-	2	2	-	3	5	11	10
Female.....	332	1	-	-	-	-	-	1	1	1	3	2	12

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Inflammatory diseases of female pelvic organs (N70-N76)													
All races, both sexes.....	125	1	-	-	1	1	5	1	2	7	7	7	7
Male.....
Female.....	125	1	-	-	1	1	5	1	2	7	7	7	7
White, both sexes.....	101	-	-	-	1	1	2	1	1	6	4	5	4
Male.....
Female.....	101	-	-	-	1	1	2	1	1	6	4	5	4
Black, both sexes.....	20	1	-	-	-	-	2	-	1	1	3	2	3
Male.....
Female.....	20	1	-	-	-	-	2	-	1	1	3	2	3
American Indian 1/, both sexes.....	2	-	-	-	-	-	1	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Male.....
Female.....	2	-	-	-	-	-	-	-	-	-	-	-	-
Pregnancy, childbirth and the puerperium (000-099)													
All races, both sexes.....	545	1	27	89	110	119	106	60	19	11
Male.....
Female.....	545	1	27	89	110	119	106	60	19	11
White, both sexes.....	317	-	15	51	73	59	56	38	14	9
Male.....
Female.....	317	-	15	51	73	59	56	38	14	9
Black, both sexes.....	193	1	12	32	32	51	40	18	5	2
Male.....
Female.....	193	1	12	32	32	51	40	18	5	2
American Indian 1/, both sexes.....	8	-	-	1	1	1	4	1	-	-
Male.....
Female.....	8	-	-	1	1	1	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	-	-	5	4	8	6	3	-	-
Male.....
Female.....	27	-	-	5	4	8	6	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Pregnancy with abortive outcome (000-007)													
All races, both sexes.....	40	-	6	5	8	11	6	3	1	-
Male.....
Female.....	40	-	6	5	8	11	6	3	1	-
White, both sexes.....	18	-	1	2	7	4	3	1	-	-
Male.....
Female.....	18	-	1	2	7	4	3	1	-	-
Black, both sexes.....	18	-	5	3	-	5	2	2	1	-
Male.....
Female.....	18	-	5	3	-	5	2	2	1	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	1	-	-	-
Male.....
Female.....	1	-	-	-	-	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	3	-	-	-	1	2	-	-	-	-
Male.....
Female.....	3	-	-	-	1	2	-	-	-	-
Other complications of pregnancy, childbirth and the puerperium (010-099)													
All races, both sexes.....	505	1	21	84	102	108	100	57	18	11
Male.....
Female.....	505	1	21	84	102	108	100	57	18	11
White, both sexes.....	299	-	14	49	66	55	53	37	14	9
Male.....
Female.....	299	-	14	49	66	55	53	37	14	9
Black, both sexes.....	175	1	7	29	32	46	38	16	4	2
Male.....
Female.....	175	1	7	29	32	46	38	16	4	2
American Indian 1/, both sexes.....	7	-	-	1	1	1	3	1	-	-
Male.....
Female.....	7	-	-	1	1	1	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	24	-	-	5	3	6	6	3	-	-
Male.....
Female.....	24	-	-	5	3	6	6	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Certain conditions originating in the perinatal period (P00-P96)													
All races, both sexes.....	14,378	14,254	79	10	9	12	4	2	1	1	2	1	1
Male.....	8,197	8,129	43	5	6	6	2	1	1	1	-	-	1
Female.....	6,181	6,125	36	5	3	6	2	1	-	-	2	1	-
White, both sexes.....	8,975	8,891	45	9	7	12	3	2	1	1	2	1	-
Male.....	5,134	5,087	25	5	5	6	2	1	1	1	-	-	-
Female.....	3,841	3,804	20	4	2	6	1	1	-	-	2	1	-
Black, both sexes.....	4,879	4,844	30	-	2	-	1	-	-	-	-	-	1
Male.....	2,775	2,756	16	-	1	-	-	-	-	-	-	-	1
Female.....	2,104	2,088	14	-	1	-	1	-	-	-	-	-	-
American Indian 1/, both sexes.....	108	107	-	1	-	-	-	-	-	-	-	-	-
Male.....	69	69	-	-	-	-	-	-	-	-	-	-	-
Female.....	39	38	-	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	416	412	4	-	-	-	-	-	-	-	-	-	-
Male.....	219	217	2	-	-	-	-	-	-	-	-	-	-
Female.....	197	195	2	-	-	-	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)													
All races, both sexes.....	10,518	5,621	541	180	206	223	228	198	228	242	322	324	343
Male.....	5,460	3,020	275	94	104	144	128	119	114	129	175	177	172
Female.....	5,058	2,601	266	86	102	79	100	79	114	113	147	147	171
White, both sexes.....	8,378	4,292	392	131	157	171	171	159	184	199	278	264	305
Male.....	4,288	2,282	198	67	79	110	96	95	94	108	152	138	155
Female.....	4,090	2,010	194	64	78	61	75	64	90	91	126	126	150
Black, both sexes.....	1,700	1,039	120	36	38	40	52	33	43	34	36	51	28
Male.....	923	574	62	20	19	27	28	19	19	15	18	32	10
Female.....	777	465	58	16	19	13	24	14	24	19	18	19	18
American Indian 1/, both sexes.....	118	72	10	5	6	2	4	1	-	3	3	2	2
Male.....	58	35	4	2	3	1	3	1	-	2	2	2	1
Female.....	60	37	6	3	3	1	1	-	-	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	322	218	19	8	5	10	1	5	1	6	5	7	8
Male.....	191	129	11	5	3	6	1	4	1	4	3	5	6
Female.....	131	89	8	3	2	4	-	1	-	2	2	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)													
All races, both sexes.....	31,444	3,318	256	75	103	300	537	617	710	1,037	1,345	1,578	1,296
Male.....	14,583	1,974	143	30	62	197	366	434	473	685	841	1,011	829
Female.....	16,861	1,344	113	45	41	103	171	183	237	352	504	567	467
White, both sexes.....	26,147	2,125	166	57	61	244	415	464	550	806	1,043	1,188	985
Male.....	11,802	1,313	91	26	35	163	290	328	378	534	655	772	644
Female.....	14,345	812	75	31	26	81	125	136	172	272	388	416	341
Black, both sexes.....	4,708	1,051	80	14	37	47	107	132	139	203	284	354	290
Male.....	2,459	574	44	3	24	29	65	94	82	129	171	215	176
Female.....	2,249	477	36	11	13	18	42	38	57	74	113	139	114
American Indian 1/, both sexes.....	231	76	4	1	3	5	5	6	6	19	9	17	13
Male.....	135	44	3	-	3	3	5	4	5	15	6	14	3
Female.....	96	32	1	1	-	2	-	2	1	4	3	3	10
Asian or Pacific Islander 2/, both sexes.....	358	66	6	3	2	4	10	15	15	9	9	19	8
Male.....	187	43	5	1	-	2	6	8	8	7	9	10	6
Female.....	171	23	1	2	2	2	4	7	7	2	-	9	2
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)													
All races, both sexes.....	201,676	1,190	635	408	519	830	1,193	1,413	1,917	3,099	5,308	7,248	8,635
Male.....	81,907	711	342	234	307	489	700	802	1,083	1,765	3,167	4,320	5,136
Female.....	119,769	479	293	174	212	341	493	611	834	1,334	2,141	2,928	3,499
White, both sexes.....	174,660	796	461	307	380	635	895	1,003	1,353	2,228	4,010	5,532	6,608
Male.....	69,977	502	241	187	219	392	561	609	805	1,323	2,485	3,404	3,989
Female.....	104,683	294	220	120	161	243	334	394	548	905	1,525	2,128	2,619
Black, both sexes.....	23,223	342	137	72	114	159	251	356	471	773	1,127	1,534	1,806
Male.....	10,126	186	80	29	71	77	111	167	226	384	574	809	1,015
Female.....	13,097	156	57	43	43	82	140	189	245	389	553	725	791
American Indian 1/, both sexes.....	1,243	10	12	7	9	18	18	17	42	52	107	98	123
Male.....	606	3	8	5	6	11	13	11	21	31	60	62	79
Female.....	637	7	4	2	3	7	5	6	21	21	47	36	44
Asian or Pacific Islander 2/, both sexes.....	2,550	42	25	22	16	18	29	37	51	46	64	84	98
Male.....	1,198	20	13	13	11	9	15	15	31	27	48	45	53
Female.....	1,352	22	12	9	5	9	14	22	20	19	16	39	45

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidents (unintentional injuries) (V01-X59,Y85-Y86)													
All races, both sexes.....	109,277	945	1,717	1,096	1,522	6,755	8,517	6,284	6,257	7,495	9,271	8,865	6,972
Male.....	70,532	539	1,048	650	1,012	4,706	6,585	4,826	4,708	5,390	6,613	6,325	4,871
Female.....	38,745	406	669	446	510	2,049	1,932	1,458	1,549	2,105	2,658	2,540	2,101
White, both sexes.....	93,381	624	1,304	805	1,149	5,771	7,219	5,217	5,183	6,226	7,790	7,353	5,667
Male.....	59,912	359	807	472	761	4,005	5,591	4,041	3,923	4,480	5,608	5,247	3,973
Female.....	33,469	265	497	333	388	1,766	1,628	1,176	1,260	1,746	2,182	2,106	1,694
Black, both sexes.....	12,351	287	343	235	288	667	951	800	835	1,010	1,214	1,263	1,061
Male.....	8,385	160	204	142	192	490	737	601	620	735	830	907	745
Female.....	3,966	127	139	93	96	177	214	199	215	275	384	356	316
American Indian 1/, both sexes.....	1,573	20	33	28	40	153	162	137	127	157	156	127	114
Male.....	1,043	14	19	19	29	102	126	88	89	111	104	89	72
Female.....	530	6	14	9	11	51	36	49	38	46	52	38	42
Asian or Pacific Islander 2/, both sexes.....	1,972	14	37	28	45	164	185	130	112	102	111	122	130
Male.....	1,192	6	18	17	30	109	131	96	76	64	71	82	81
Female.....	780	8	19	11	15	55	54	34	36	38	40	40	49
Transport accidents (V01-V99,Y85)													
All races, both sexes.....	48,071	148	649	694	1,071	5,471	5,961	3,855	3,425	3,579	4,015	3,656	3,098
Male.....	33,291	81	366	401	683	3,653	4,518	2,915	2,596	2,585	2,912	2,667	2,198
Female.....	14,780	67	283	293	388	1,818	1,443	940	829	994	1,103	989	900
White, both sexes.....	40,282	111	491	538	859	4,686	4,957	3,125	2,760	2,925	3,328	3,043	2,564
Male.....	27,925	63	285	305	546	3,114	3,753	2,383	2,106	2,110	2,430	2,225	1,832
Female.....	12,357	48	206	233	313	1,572	1,204	742	654	815	898	818	732
Black, both sexes.....	5,771	28	129	117	161	521	721	546	510	508	546	476	394
Male.....	4,119	12	66	73	102	371	562	410	389	381	387	357	286
Female.....	1,652	16	63	44	59	150	159	136	121	127	159	119	108
American Indian 1/, both sexes.....	915	7	18	20	26	126	137	98	80	82	72	67	56
Male.....	595	5	8	11	20	82	103	64	57	55	52	41	34
Female.....	320	2	10	9	6	44	34	34	23	27	20	26	22
Asian or Pacific Islander 2/, both sexes.....	1,103	2	11	19	25	138	146	86	75	64	69	70	84
Male.....	652	1	7	12	15	86	100	58	44	39	43	44	46
Female.....	451	1	4	7	10	52	46	28	31	25	26	26	38

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)													
All races, both sexes.....	44,757	145	621	646	996	5,269	5,703	3,644	3,189	3,289	3,672	3,286	2,788
Male.....	30,655	80	353	373	636	3,500	4,306	2,753	2,403	2,350	2,634	2,366	1,937
Female.....	14,102	65	268	273	360	1,769	1,397	891	786	939	1,038	920	851
White, both sexes.....	37,424	108	467	501	793	4,517	4,740	2,942	2,565	2,675	3,030	2,735	2,295
Male.....	25,660	62	273	286	508	2,986	3,576	2,242	1,947	1,909	2,187	1,975	1,607
Female.....	11,764	46	194	215	285	1,531	1,164	700	618	766	843	760	688
Black, both sexes.....	5,431	28	125	110	153	497	692	524	483	476	511	428	364
Male.....	3,834	12	65	67	94	352	535	393	366	353	361	317	258
Female.....	1,597	16	60	43	59	145	157	131	117	123	150	111	106
American Indian 1/, both sexes.....	865	7	18	19	25	121	133	95	69	77	68	63	53
Male.....	557	5	8	11	19	78	99	61	48	52	49	38	33
Female.....	308	2	10	8	6	43	34	34	21	25	19	25	20
Asian or Pacific Islander 2/, both sexes.....	1,037	2	11	16	25	134	138	83	72	61	63	60	76
Male.....	604	1	7	9	15	84	96	57	42	36	37	36	39
Female.....	433	1	4	7	10	50	42	26	30	25	26	24	37
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)													
All races, both sexes.....	1,357	2	17	23	37	129	135	100	104	107	132	137	97
Male.....	1,044	-	9	12	26	95	110	80	86	85	101	114	78
Female.....	313	2	8	11	11	34	25	20	18	22	31	23	19
White, both sexes.....	1,121	2	14	16	33	110	117	85	80	88	106	103	77
Male.....	856	-	8	7	22	81	96	67	67	69	85	82	62
Female.....	265	2	6	9	11	29	21	18	13	19	21	21	15
Black, both sexes.....	190	-	3	5	3	14	13	13	17	16	23	29	17
Male.....	155	-	1	4	3	10	11	11	14	14	14	27	15
Female.....	35	-	2	1	-	4	2	2	3	2	9	2	2
American Indian 1/, both sexes.....	28	-	-	1	1	5	2	2	7	3	1	2	1
Male.....	21	-	-	-	1	4	2	2	5	2	-	2	-
Female.....	7	-	-	1	-	1	-	-	2	1	1	-	1
Asian or Pacific Islander 2/, both sexes.....	18	-	-	1	-	-	3	-	-	-	2	3	2
Male.....	12	-	-	1	-	-	1	-	-	-	2	3	1
Female.....	6	-	-	-	-	-	2	-	-	-	-	-	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)													
All races, both sexes.....	1,957	1	11	25	38	73	123	111	132	183	211	233	213
Male.....	1,592	1	4	16	21	58	102	82	107	150	177	187	183
Female.....	365	-	7	9	17	15	21	29	25	33	34	46	30
White, both sexes.....	1,737	1	10	21	33	59	100	98	115	162	192	205	192
Male.....	1,409	1	4	12	16	47	81	74	92	132	158	168	163
Female.....	328	-	6	9	17	12	19	24	23	30	34	37	29
Black, both sexes.....	150	-	1	2	5	10	16	9	10	16	12	19	13
Male.....	130	-	-	2	5	9	16	6	9	14	12	13	13
Female.....	20	-	1	-	-	1	-	3	1	2	-	6	-
American Indian 1/, both sexes.....	22	-	-	-	-	-	2	1	4	2	3	2	2
Male.....	17	-	-	-	-	-	2	1	4	1	3	1	1
Female.....	5	-	-	-	-	-	-	-	-	1	-	1	1
Asian or Pacific Islander 2/, both sexes.....	48	-	-	2	-	4	5	3	3	3	4	7	6
Male.....	36	-	-	2	-	2	3	1	2	3	4	5	6
Female.....	12	-	-	-	-	2	2	2	1	-	-	2	-
Nontransport accidents (W00-X59,Y86)													
All races, both sexes.....	61,206	797	1,068	402	451	1,284	2,556	2,429	2,832	3,916	5,256	5,209	3,874
Male.....	37,241	458	682	249	329	1,053	2,067	1,911	2,112	2,805	3,701	3,658	2,673
Female.....	23,965	339	386	153	122	231	489	518	720	1,111	1,555	1,551	1,201
White, both sexes.....	53,099	513	813	267	290	1,085	2,262	2,092	2,423	3,301	4,462	4,310	3,103
Male.....	31,987	296	522	167	215	891	1,838	1,658	1,817	2,370	3,178	3,022	2,141
Female.....	21,112	217	291	100	75	194	424	434	606	931	1,284	1,288	962
Black, both sexes.....	6,580	259	214	118	127	146	230	254	325	502	668	787	667
Male.....	4,266	148	138	69	90	119	175	191	231	354	443	550	459
Female.....	2,314	111	76	49	37	27	55	63	94	148	225	237	208
American Indian 1/, both sexes.....	658	13	15	8	14	27	25	39	47	75	84	60	58
Male.....	448	9	11	8	9	20	23	24	32	56	52	48	38
Female.....	210	4	4	-	5	7	2	15	15	19	32	12	20
Asian or Pacific Islander 2/, both sexes.....	869	12	26	9	20	26	39	44	37	38	42	52	46
Male.....	540	5	11	5	15	23	31	38	32	25	28	38	35
Female.....	329	7	15	4	5	3	8	6	5	13	14	14	11

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental drowning and submersion (W65-W74)													
All races, both sexes.....	3,306	58	456	126	142	280	287	191	165	217	245	211	186
Male.....	2,632	34	301	90	109	262	263	177	146	186	206	173	147
Female.....	674	24	155	36	33	18	24	14	19	31	39	38	39
White, both sexes.....	2,622	44	386	85	75	201	218	144	125	177	195	173	153
Male.....	2,067	24	252	61	56	188	201	134	108	148	166	138	119
Female.....	555	20	134	24	19	13	17	10	17	29	29	35	34
Black, both sexes.....	480	13	54	33	56	58	43	30	31	24	27	23	24
Male.....	407	9	39	23	44	55	40	27	29	23	25	22	22
Female.....	73	4	15	10	12	3	3	3	2	1	2	1	2
American Indian 1/, both sexes.....	62	1	6	4	4	4	6	1	1	10	11	8	3
Male.....	51	1	4	4	3	3	6	1	1	9	7	8	1
Female.....	11	-	2	-	1	-	-	-	-	1	4	-	2
Asian or Pacific Islander 2/, both sexes.....	142	-	10	4	7	17	20	16	8	6	12	7	6
Male.....	107	-	6	2	6	16	16	15	8	6	8	5	5
Female.....	35	-	4	2	1	1	4	1	-	-	4	2	1
Accidental exposure to smoke, fire and flames (X00-X09)													
All races, both sexes.....	3,369	30	224	137	78	75	124	118	134	167	228	270	256
Male.....	1,948	8	131	72	40	43	78	70	84	115	142	181	148
Female.....	1,421	22	93	65	38	32	46	48	50	52	86	89	108
White, both sexes.....	2,526	22	144	74	41	53	103	88	107	137	180	207	188
Male.....	1,480	7	85	39	19	33	67	52	68	96	118	138	115
Female.....	1,046	15	59	35	22	20	36	36	39	41	62	69	73
Black, both sexes.....	775	7	76	60	34	20	19	25	22	28	40	61	63
Male.....	433	1	42	31	19	9	10	16	12	18	21	41	32
Female.....	342	6	34	29	15	11	9	9	10	10	19	20	31
American Indian 1/, both sexes.....	33	-	4	1	2	1	1	3	2	1	6	-	3
Male.....	16	-	4	1	1	-	1	1	1	1	3	-	1
Female.....	17	-	-	-	1	1	-	2	1	-	3	-	2
Asian or Pacific Islander 2/, both sexes.....	35	1	-	2	1	1	1	2	3	1	2	2	2
Male.....	19	-	-	1	1	1	-	1	3	-	-	2	-
Female.....	16	1	-	1	-	-	1	1	-	1	2	-	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Accidental poisoning and exposure to noxious substances (X40-X49)													
All races, both sexes.....	19,457	20	49	18	43	520	1,479	1,517	1,918	2,674	3,556	3,351	2,083
Male.....	13,176	9	27	4	27	398	1,164	1,145	1,369	1,804	2,362	2,230	1,368
Female.....	6,281	11	22	14	16	122	315	372	549	870	1,194	1,121	715
White, both sexes.....	16,690	12	31	12	23	490	1,390	1,367	1,671	2,278	3,058	2,814	1,676
Male.....	11,333	8	16	3	17	379	1,093	1,042	1,206	1,544	2,050	1,870	1,088
Female.....	5,357	4	15	9	6	111	297	325	465	734	1,008	944	588
Black, both sexes.....	2,396	7	16	4	14	17	70	107	205	335	442	495	366
Male.....	1,609	1	9	-	7	10	54	73	135	224	280	327	255
Female.....	787	6	7	4	7	7	16	34	70	111	162	168	111
American Indian 1/, both sexes.....	231	-	-	-	3	10	10	23	26	42	43	26	25
Male.....	141	-	-	-	2	7	9	14	15	26	22	20	15
Female.....	90	-	-	-	1	3	1	9	11	16	21	6	10
Asian or Pacific Islander 2/, both sexes.....	140	1	2	2	3	3	9	20	16	19	13	16	16
Male.....	93	-	2	1	1	2	8	16	13	10	10	13	10
Female.....	47	1	-	1	2	1	1	4	3	9	3	3	6
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)													
All races, both sexes.....	17,115	675	278	94	121	224	421	390	423	546	785	821	770
Male.....	9,919	398	177	63	97	191	353	327	358	432	629	640	566
Female.....	7,196	277	101	31	24	33	68	63	65	114	156	181	204
White, both sexes.....	14,820	425	210	73	97	190	350	324	357	449	654	664	616
Male.....	8,483	251	136	48	79	162	305	279	302	355	532	520	460
Female.....	6,337	174	74	25	18	28	45	45	55	94	122	144	156
Black, both sexes.....	1,881	230	52	17	15	22	60	53	45	78	108	125	134
Male.....	1,164	136	36	11	12	19	40	39	38	62	77	97	91
Female.....	717	94	16	6	3	3	20	14	7	16	31	28	43
American Indian 1/, both sexes.....	199	12	5	3	3	9	4	9	14	12	16	17	12
Male.....	145	8	3	3	1	7	3	5	12	10	15	14	9
Female.....	54	4	2	-	2	2	1	4	2	2	1	3	3
Asian or Pacific Islander 2/, both sexes.....	215	8	11	1	6	3	7	4	7	7	7	15	8
Male.....	127	3	2	1	5	3	5	4	6	5	5	9	6
Female.....	88	5	9	-	1	-	2	-	1	2	2	6	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)													
All races, both sexes.....	31,484	6	244	1,487	2,501	2,276	2,789	2,958	3,644	3,485	2,996
Male.....	25,203	6	188	1,222	2,159	1,901	2,255	2,347	2,791	2,616	2,271
Female.....	6,281	-	56	265	342	375	534	611	853	869	725
White, both sexes.....	28,485	5	188	1,274	2,044	1,895	2,410	2,629	3,354	3,254	2,810
Male.....	22,830	5	147	1,047	1,781	1,580	1,950	2,080	2,571	2,447	2,141
Female.....	5,655	-	41	227	263	315	460	549	783	807	669
Black, both sexes.....	1,955	1	43	121	326	255	254	212	204	141	128
Male.....	1,597	1	34	107	278	224	208	173	156	109	93
Female.....	358	-	9	14	48	31	46	39	48	32	35
American Indian 1/, both sexes.....	322	-	7	50	53	44	42	42	35	15	11
Male.....	265	-	6	37	43	38	38	36	30	11	8
Female.....	57	-	1	13	10	6	4	6	5	4	3
Asian or Pacific Islander 2/, both sexes.....	722	-	6	42	78	82	83	75	51	75	47
Male.....	511	-	1	31	57	59	59	58	34	49	29
Female.....	211	-	5	11	21	23	24	17	17	26	18
Intentional self-harm (suicide) by discharge of firearms (X72-X74)													
All races, both sexes.....	16,907	1	73	736	1,339	1,114	1,267	1,280	1,647	1,705	1,574
Male.....	14,827	1	62	659	1,220	990	1,109	1,092	1,378	1,419	1,349
Female.....	2,080	-	11	77	119	124	158	188	269	286	225
White, both sexes.....	15,587	1	64	638	1,090	927	1,091	1,166	1,550	1,627	1,487
Male.....	13,649	1	55	569	997	815	950	985	1,299	1,351	1,275
Female.....	1,938	-	9	69	93	112	141	181	251	276	212
Black, both sexes.....	1,004	-	7	67	202	148	133	80	71	50	69
Male.....	902	-	5	64	184	142	120	74	57	46	59
Female.....	102	-	2	3	18	6	13	6	14	4	10
American Indian 1/, both sexes.....	127	-	1	21	18	19	16	13	13	8	5
Male.....	117	-	1	18	17	16	15	13	12	8	4
Female.....	10	-	-	3	1	3	1	-	1	-	1
Asian or Pacific Islander 2/, both sexes.....	189	-	1	10	29	20	27	21	13	20	13
Male.....	159	-	1	8	22	17	24	20	10	14	11
Female.....	30	-	-	2	7	3	3	1	3	6	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)													
All races, both sexes.....	14,577	5	171	751	1,162	1,162	1,522	1,678	1,997	1,780	1,422
Male.....	10,376	5	126	563	939	911	1,146	1,255	1,413	1,197	922
Female.....	4,201	-	45	188	223	251	376	423	584	583	500
White, both sexes.....	12,898	4	124	636	954	968	1,319	1,463	1,804	1,627	1,323
Male.....	9,181	4	92	478	784	765	1,000	1,095	1,272	1,096	866
Female.....	3,717	-	32	158	170	203	319	368	532	531	457
Black, both sexes.....	951	1	36	54	124	107	121	132	133	91	59
Male.....	695	1	29	43	94	82	88	99	99	63	34
Female.....	256	-	7	11	30	25	33	33	34	28	25
American Indian 1/, both sexes.....	195	-	6	29	35	25	26	29	22	7	6
Male.....	148	-	5	19	26	22	23	23	18	3	4
Female.....	47	-	1	10	9	3	3	6	4	4	2
Asian or Pacific Islander 2/, both sexes.....	533	-	5	32	49	62	56	54	38	55	34
Male.....	352	-	-	23	35	42	35	38	24	35	18
Female.....	181	-	5	9	14	20	21	16	14	20	16

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All races, both sexes.....	17,732	341	376	122	202	1,938	3,430	2,566	1,950	1,636	1,474	1,219	798
Male.....	13,882	205	202	70	145	1,677	2,947	2,191	1,550	1,224	1,084	893	595
Female.....	3,850	136	174	52	57	261	483	375	400	412	390	326	203
White, both sexes.....	8,709	216	204	61	98	798	1,373	1,042	869	857	796	702	493
Male.....	6,337	129	96	34	72	660	1,121	830	657	601	546	487	354
Female.....	2,372	87	108	27	26	138	252	212	212	256	250	215	139
Black, both sexes.....	8,392	106	156	54	95	1,068	1,938	1,462	1,013	721	624	466	274
Male.....	7,083	60	96	33	66	962	1,727	1,310	846	585	502	368	216
Female.....	1,309	46	60	21	29	106	211	152	167	136	122	98	58
American Indian 1/, both sexes.....	237	10	7	2	2	31	47	26	25	25	19	23	9
Male.....	175	8	5	1	1	23	35	23	18	17	12	18	8
Female.....	62	2	2	1	1	8	12	3	7	8	7	5	1
Asian or Pacific Islander 2/, both sexes.....	394	9	9	5	7	41	72	36	43	33	35	28	22
Male.....	287	8	5	2	6	32	64	28	29	21	24	20	17
Female.....	107	1	4	3	1	9	8	8	14	12	11	8	5

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)													
All races, both sexes.....	11,920	8	40	48	139	1,587	2,823	2,070	1,470	1,066	875	683	427
Male.....	10,126	7	20	27	107	1,436	2,541	1,867	1,258	860	675	534	326
Female.....	1,794	1	20	21	32	151	282	203	212	206	200	149	101
White, both sexes.....	5,173	2	20	22	59	604	1,030	742	589	520	446	388	265
Male.....	4,108	1	8	10	48	528	898	641	476	384	321	281	196
Female.....	1,065	1	12	12	11	76	132	101	113	136	125	107	69
Black, both sexes.....	6,397	6	19	23	72	932	1,715	1,286	839	515	400	269	147
Male.....	5,740	6	11	15	52	869	1,574	1,191	746	454	332	234	118
Female.....	657	-	8	8	20	63	141	95	93	61	68	35	29
American Indian 1/, both sexes.....	109	-	-	2	2	20	29	13	12	7	10	9	1
Male.....	81	-	-	1	1	14	24	12	10	4	6	7	1
Female.....	28	-	-	1	1	6	5	1	2	3	4	2	-
Asian or Pacific Islander 2/, both sexes.....	241	-	1	1	6	31	49	29	30	24	19	17	14
Male.....	197	-	1	1	6	25	45	23	26	18	16	12	11
Female.....	44	-	-	-	-	6	4	6	4	6	3	5	3
Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)													
All races, both sexes.....	5,812	333	336	74	63	351	607	496	480	570	599	536	371
Male.....	3,756	198	182	43	38	241	406	324	292	364	409	359	269
Female.....	2,056	135	154	31	25	110	201	172	188	206	190	177	102
White, both sexes.....	3,536	214	184	39	39	194	343	300	280	337	350	314	228
Male.....	2,229	128	88	24	24	132	223	189	181	217	225	206	158
Female.....	1,307	86	96	15	15	62	120	111	99	120	125	108	70
Black, both sexes.....	1,995	100	137	31	23	136	223	176	174	206	224	197	127
Male.....	1,343	54	85	18	14	93	153	119	100	131	170	134	98
Female.....	652	46	52	13	9	43	70	57	74	75	54	63	29
American Indian 1/, both sexes.....	128	10	7	-	-	11	18	13	13	18	9	14	8
Male.....	94	8	5	-	-	9	11	11	8	13	6	11	7
Female.....	34	2	2	-	-	2	7	2	5	5	3	3	1
Asian or Pacific Islander 2/, both sexes.....	153	9	8	4	1	10	23	7	13	9	16	11	8
Male.....	90	8	4	1	-	7	19	5	3	3	8	8	6
Female.....	63	1	4	3	1	3	4	2	10	6	8	3	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Legal intervention (Y35,Y89.0)													
All races, both sexes.....	423	-	-	-	2	20	73	63	72	66	51	29	22
Male.....	405	-	-	-	1	19	70	61	70	65	49	27	19
Female.....	18	-	-	-	1	1	3	2	2	1	2	2	3
White, both sexes.....	284	-	-	-	1	11	43	30	46	52	38	22	19
Male.....	271	-	-	-	-	10	42	30	44	51	36	20	17
Female.....	13	-	-	-	1	1	1	-	2	1	2	2	2
Black, both sexes.....	120	-	-	-	1	8	27	29	24	12	10	6	1
Male.....	117	-	-	-	1	8	25	28	24	12	10	6	1
Female.....	3	-	-	-	-	-	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	12	-	-	-	-	1	2	3	1	1	2	-	1
Male.....	12	-	-	-	-	1	2	3	1	1	2	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	-	-	-	-	-	1	1	1	1	1	1	1
Male.....	5	-	-	-	-	-	1	-	1	1	1	1	-
Female.....	2	-	-	-	-	-	-	1	-	-	-	-	1

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes.....	5,072	75	31	16	39	169	394	351	484	686	895	777	490
Male.....	3,295	50	17	9	32	124	288	249	331	450	563	493	318
Female.....	1,777	25	14	7	7	45	106	102	153	236	332	284	172
White, both sexes.....	4,255	52	21	7	30	149	339	300	419	578	755	654	403
Male.....	2,709	30	11	3	26	108	243	209	280	380	468	405	251
Female.....	1,546	22	10	4	4	41	96	91	139	198	287	249	152
Black, both sexes.....	687	21	9	7	7	16	35	38	58	92	124	115	75
Male.....	498	19	5	4	4	13	30	32	45	59	85	83	58
Female.....	189	2	4	3	3	3	5	6	13	33	39	32	17
American Indian 1/, both sexes.....	64	2	-	1	1	1	7	8	3	11	10	5	6
Male.....	47	1	-	1	1	-	7	4	3	9	7	3	3
Female.....	17	1	-	-	-	1	-	4	-	2	3	2	3
Asian or Pacific Islander 2/, both sexes.....	66	-	1	1	1	3	13	5	4	5	6	3	6
Male.....	41	-	1	1	1	3	8	4	3	2	3	2	6
Female.....	25	-	-	-	-	-	5	1	1	3	3	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Discharge of firearms, undetermined intent (Y22-Y24)													
All races, both sexes.....	232	-	1	1	11	31	38	21	17	21	22	19	12
Male.....	186	-	1	1	11	29	31	18	15	12	14	11	11
Female.....	46	-	-	-	-	2	7	3	2	9	8	8	1
White, both sexes.....	183	-	-	-	7	23	24	14	13	18	20	18	11
Male.....	144	-	-	-	7	21	19	12	11	10	12	11	10
Female.....	39	-	-	-	-	2	5	2	2	8	8	7	1
Black, both sexes.....	35	-	1	1	3	7	10	4	3	2	1	1	1
Male.....	32	-	1	1	3	7	9	4	3	1	1	-	1
Female.....	3	-	-	-	-	-	1	-	-	1	-	1	-
American Indian 1/, both sexes.....	9	-	-	-	1	-	2	3	1	1	1	-	-
Male.....	8	-	-	-	1	-	2	2	1	1	1	-	-
Female.....	1	-	-	-	-	-	-	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	-	-	-	1	2	-	-	-	-	-	-
Male.....	2	-	-	-	-	1	1	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	1	-	-	-	-	-	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)													
All races, both sexes.....	4,840	75	30	15	28	138	356	330	467	665	873	758	478
Male.....	3,109	50	16	8	21	95	257	231	316	438	549	482	307
Female.....	1,731	25	14	7	7	43	99	99	151	227	324	276	171
White, both sexes.....	4,072	52	21	7	23	126	315	286	406	560	735	636	392
Male.....	2,565	30	11	3	19	87	224	197	269	370	456	394	241
Female.....	1,507	22	10	4	4	39	91	89	137	190	279	242	151
Black, both sexes.....	652	21	8	6	4	9	25	34	55	90	123	114	74
Male.....	466	19	4	3	1	6	21	28	42	58	84	83	57
Female.....	186	2	4	3	3	3	4	6	13	32	39	31	17
American Indian 1/, both sexes.....	55	2	-	1	-	1	5	5	2	10	9	5	6
Male.....	39	1	-	1	-	-	5	2	2	8	6	3	3
Female.....	16	1	-	-	-	1	-	3	-	2	3	2	3
Asian or Pacific Islander 2/, both sexes.....	61	-	1	1	1	2	11	5	4	5	6	3	6
Male.....	39	-	1	1	1	2	7	4	3	2	3	2	6
Female.....	22	-	-	-	-	-	4	1	1	3	3	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Operations of war and their sequelae (Y36,Y89.1)													
All races, both sexes.....	14	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	14	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	13	-	-	-	-	-	1	-	-	-	-	-	1
Male.....	13	-	-	-	-	-	1	-	-	-	-	-	1
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)													
All races, both sexes.....	2,855	15	24	6	6	21	23	26	43	75	104	145	128
Male.....	1,333	8	16	2	2	18	8	14	22	36	60	80	66
Female.....	1,522	7	8	4	4	3	15	12	21	39	44	65	62
White, both sexes.....	2,356	9	13	5	3	18	19	16	32	57	84	103	89
Male.....	1,121	5	9	2	1	15	7	8	17	29	52	56	43
Female.....	1,235	4	4	3	2	3	12	8	15	28	32	47	46
Black, both sexes.....	432	5	10	-	3	2	4	7	9	17	17	34	34
Male.....	177	3	6	-	1	2	1	3	5	6	6	19	21
Female.....	255	2	4	-	2	-	3	4	4	11	11	15	13
American Indian 1/, both sexes.....	24	1	-	-	-	1	-	2	1	1	-	4	1
Male.....	10	-	-	-	-	1	-	2	-	1	-	3	-
Female.....	14	1	-	-	-	-	-	-	1	-	-	1	1
Asian or Pacific Islander 2/, both sexes.....	43	-	1	1	-	-	-	1	1	-	3	4	4
Male.....	25	-	1	-	-	-	-	1	-	-	2	2	2
Female.....	18	-	-	1	-	-	-	-	1	-	1	2	2

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/													
All races, both sexes.....	20,687	-	-	-	5	49	75	167	429	1,144	2,428	3,472	3,591
Male.....	15,630	-	-	-	3	37	64	139	333	799	1,735	2,627	2,787
Female.....	5,057	-	-	-	2	12	11	28	96	345	693	845	804
White, both sexes.....	17,437	-	-	-	4	38	58	133	350	931	2,033	2,913	2,965
Male.....	13,218	-	-	-	3	32	50	113	270	662	1,471	2,212	2,300
Female.....	4,219	-	-	-	1	6	8	20	80	269	562	701	665
Black, both sexes.....	2,406	-	-	-	1	2	6	24	36	135	254	397	488
Male.....	1,824	-	-	-	-	2	4	19	29	87	172	303	390
Female.....	582	-	-	-	1	-	2	5	7	48	82	94	98
American Indian 1/, both sexes.....	664	-	-	-	-	8	9	7	29	68	117	126	113
Male.....	431	-	-	-	-	2	9	5	21	41	70	80	75
Female.....	233	-	-	-	-	6	-	2	8	27	47	46	38
Asian or Pacific Islander 2/, both sexes.....	180	-	-	-	-	1	2	3	14	10	24	36	25
Male.....	157	-	-	-	-	1	1	2	13	9	22	32	22
Female.....	23	-	-	-	-	-	1	1	1	1	2	4	3

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	28,723	25	35	9	32	669	1,950	2,086	2,759	3,918	5,240	4,946	3,228
Male.....	18,426	17	21	2	18	477	1,478	1,508	1,853	2,549	3,324	3,131	2,022
Female.....	10,297	8	14	7	14	192	472	578	906	1,369	1,916	1,815	1,206
White, both sexes.....	24,683	16	22	7	24	631	1,820	1,868	2,408	3,337	4,472	4,146	2,621
Male.....	15,824	14	14	2	15	457	1,387	1,372	1,633	2,186	2,853	2,611	1,604
Female.....	8,859	2	8	5	9	174	433	496	775	1,151	1,619	1,535	1,017
Black, both sexes.....	3,527	9	13	2	7	23	91	155	291	508	688	742	549
Male.....	2,303	3	7	-	3	10	68	99	180	325	424	482	381
Female.....	1,224	6	6	2	4	13	23	56	111	183	264	260	168
American Indian 1/, both sexes.....	295	-	-	-	1	9	18	31	33	53	56	31	35
Male.....	168	-	-	-	-	6	12	17	21	28	31	19	22
Female.....	127	-	-	-	1	3	6	14	12	25	25	12	13
Asian or Pacific Islander 2/, both sexes.....	218	-	-	-	-	6	21	32	27	20	24	27	23
Male.....	131	-	-	-	-	4	11	20	19	10	16	19	15
Female.....	87	-	-	-	-	2	10	12	8	10	8	8	8

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	All ages	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/													
All races, both sexes.....	30,136	8	48	63	261	2,469	4,377	3,336	2,852	2,476	2,642	2,475	2,075
Male.....	26,124	7	28	40	216	2,231	3,955	2,999	2,473	2,065	2,157	2,025	1,736
Female.....	4,012	1	20	23	45	238	422	337	379	411	485	450	339
White, both sexes.....	21,763	2	24	33	159	1,348	2,262	1,757	1,764	1,796	2,098	2,088	1,820
Male.....	18,647	1	12	19	137	1,194	2,022	1,538	1,502	1,465	1,708	1,691	1,528
Female.....	3,116	1	12	14	22	154	240	219	262	331	390	397	292
Black, both sexes.....	7,659	6	23	27	89	1,036	1,981	1,490	998	610	485	327	220
Male.....	6,882	6	15	19	67	969	1,817	1,387	892	540	401	287	180
Female.....	777	-	8	8	22	67	164	103	106	70	84	40	40
American Indian 1/, both sexes.....	269	-	-	2	6	43	53	39	31	24	26	20	7
Male.....	229	-	-	1	5	34	47	34	27	21	21	18	6
Female.....	40	-	-	1	1	9	6	5	4	3	5	2	1
Asian or Pacific Islander 2/, both sexes.....	445	-	1	1	7	42	81	50	59	46	33	40	28
Male.....	366	-	1	1	7	34	69	40	52	39	27	29	22
Female.....	79	-	-	-	-	8	12	10	7	7	6	11	6

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Shigellosis and amebiasis (A03,A06)

All races, both sexes.....	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	1	1	-	1	1	-	-	-	-	-	-
Male.....	-	1	-	1	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races, both sexes.....	70	106	161	283	524	668	647	383	120	17	-
Male.....	35	47	68	117	213	265	198	86	23	2	-
Female.....	35	59	93	166	311	403	449	297	97	15	-
White, both sexes.....	61	89	147	266	478	642	619	363	112	16	-
Male.....	28	40	64	109	200	255	189	85	21	2	-
Female.....	33	49	83	157	278	387	430	278	91	14	-
Black, both sexes.....	8	15	13	12	40	24	26	18	7	1	-
Male.....	6	6	4	5	13	10	8	1	2	-	-
Female.....	2	9	9	7	27	14	18	17	5	1	-
American Indian 1/, both sexes.....	-	2	1	2	2	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-
Female.....	-	1	1	1	2	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	-	-	3	4	2	2	2	1	-	-
Male.....	1	-	-	2	-	-	1	-	-	-	-
Female.....	-	-	-	1	4	2	1	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Tuberculosis (A16-A19)

All races, both sexes.....	63	39	48	66	106	111	70	33	4	-	-
Male.....	46	25	28	44	61	55	32	11	2	-	-
Female.....	17	14	20	22	45	56	38	22	2	-	-
White, both sexes.....	39	21	23	53	69	81	50	25	3	-	-
Male.....	29	14	12	34	36	41	23	7	2	-	-
Female.....	10	7	11	19	33	40	27	18	1	-	-
Black, both sexes.....	21	10	14	6	16	17	11	4	-	-	-
Male.....	16	5	10	5	12	8	5	2	-	-	-
Female.....	5	5	4	1	4	9	6	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	1	2	2	1	-	1	-	-
Male.....	-	-	-	-	-	1	1	-	-	-	-
Female.....	-	-	-	1	2	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	8	11	6	19	11	8	4	-	-	-
Male.....	1	6	6	5	13	5	3	2	-	-	-
Female.....	2	2	5	1	6	6	5	2	-	-	-

Respiratory tuberculosis (A16)

All races, both sexes.....	52	29	36	52	89	88	55	28	3	-	-
Male.....	38	19	23	38	52	45	26	9	1	-	-
Female.....	14	10	13	14	37	43	29	19	2	-	-
White, both sexes.....	31	17	16	41	59	66	38	20	2	-	-
Male.....	23	12	10	29	30	34	18	5	1	-	-
Female.....	8	5	6	12	29	32	20	15	1	-	-
Black, both sexes.....	18	7	11	6	12	14	9	4	-	-	-
Male.....	14	4	8	5	10	7	5	2	-	-	-
Female.....	4	3	3	1	2	7	4	2	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	1	2	-	-	1	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	1	1	-	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	3	5	9	5	17	6	8	4	-	-	-
Male.....	1	3	5	4	12	3	3	2	-	-	-
Female.....	2	2	4	1	5	3	5	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Measles (B05)

All races, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Viral hepatitis (B15-B19)

All races, both sexes.....	709	376	330	368	323	220	87	24	4	-	-
Male.....	506	223	169	183	147	102	30	8	2	-	-
Female.....	203	153	161	185	176	118	57	16	2	-	-
White, both sexes.....	517	278	244	289	262	185	74	21	3	-	-
Male.....	378	171	130	145	116	89	27	7	2	-	-
Female.....	139	107	114	144	146	96	47	14	1	-	-
Black, both sexes.....	148	74	49	43	38	21	8	2	1	-	-
Male.....	106	39	22	21	17	5	3	1	-	-	-
Female.....	42	35	27	22	21	16	5	1	1	-	-
American Indian 1/, both sexes.....	9	7	3	2	1	-	-	-	-	-	-
Male.....	7	3	2	1	1	-	-	-	-	-	-
Female.....	2	4	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	35	17	34	34	22	14	5	1	-	-	-
Male.....	15	10	15	16	13	8	-	-	-	-	-
Female.....	20	7	19	18	9	6	5	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races, both sexes.....	590	546	577	767	913	802	594	335	113	20	-
Male.....	376	313	316	395	430	386	232	123	24	4	-
Female.....	214	233	261	372	483	416	362	212	89	16	-
White, both sexes.....	469	440	491	670	781	716	543	310	108	19	-
Male.....	302	251	269	339	375	345	212	115	24	4	-
Female.....	167	189	222	331	406	371	331	195	84	15	-
Black, both sexes.....	95	73	56	63	95	64	38	24	4	1	-
Male.....	55	43	36	40	36	30	14	8	-	-	-
Female.....	40	30	20	23	59	34	24	16	4	1	-
American Indian 1/, both sexes.....	8	6	6	2	5	3	2	1	1	-	-
Male.....	5	3	3	-	3	-	1	-	-	-	-
Female.....	3	3	3	2	2	3	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	18	27	24	32	32	19	11	-	-	-	-
Male.....	14	16	8	16	16	11	5	-	-	-	-
Female.....	4	11	16	16	16	8	6	-	-	-	-

Malignant neoplasms (C00-C97)

All races, both sexes.....	42,315	53,377	63,141	78,107	89,086	78,531	50,789	22,660	5,827	770	12
Male.....	22,671	29,256	35,048	42,745	47,516	39,866	23,531	9,124	2,006	217	8
Female.....	19,644	24,121	28,093	35,362	41,570	38,665	27,258	13,536	3,821	553	4
White, both sexes.....	35,179	45,119	54,000	68,223	79,174	70,674	46,109	20,524	5,156	636	11
Male.....	18,836	24,690	29,981	37,449	42,224	35,860	21,387	8,219	1,735	179	8
Female.....	16,343	20,429	24,019	30,774	36,950	34,814	24,722	12,305	3,421	457	3
Black, both sexes.....	6,043	6,972	7,652	8,164	8,142	6,464	3,863	1,807	566	116	-
Male.....	3,314	3,876	4,248	4,432	4,328	3,274	1,726	740	217	27	-
Female.....	2,729	3,096	3,404	3,732	3,814	3,190	2,137	1,067	349	89	-
American Indian 1/, both sexes.....	220	245	257	300	283	211	108	48	16	4	-
Male.....	109	130	146	155	135	99	55	21	10	2	-
Female.....	111	115	111	145	148	112	53	27	6	2	-
Asian or Pacific Islander 2/, both sexes.....	873	1,041	1,232	1,420	1,487	1,182	709	281	89	14	1
Male.....	412	560	673	709	829	633	363	144	44	9	-
Female.....	461	481	559	711	658	549	346	137	45	5	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races, both sexes.....	867	959	950	924	955	737	543	242	78	16	1
Male.....	694	729	678	626	589	410	255	108	20	6	1
Female.....	173	230	272	298	366	327	288	134	58	10	-
White, both sexes.....	706	761	781	780	832	651	504	216	73	16	1
Male.....	562	564	553	515	506	356	234	97	19	6	1
Female.....	144	197	228	265	326	295	270	119	54	10	-
Black, both sexes.....	139	170	148	116	87	63	30	20	3	-	-
Male.....	116	144	112	92	58	41	15	9	-	-	-
Female.....	23	26	36	24	29	22	15	11	3	-	-
American Indian 1/, both sexes.....	4	5	1	5	7	3	1	1	-	-	-
Male.....	2	2	1	3	2	1	-	1	-	-	-
Female.....	2	3	-	2	5	2	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	23	20	23	29	20	8	5	2	-	-
Male.....	14	19	12	16	23	12	6	1	1	-	-
Female.....	4	4	8	7	6	8	2	4	1	-	-

Malignant neoplasm of esophagus (C15)

All races, both sexes.....	1,389	1,551	1,714	1,905	1,895	1,497	806	306	63	5	-
Male.....	1,175	1,308	1,385	1,466	1,415	1,049	476	156	22	-	-
Female.....	214	243	329	439	480	448	330	150	41	5	-
White, both sexes.....	1,145	1,279	1,426	1,689	1,710	1,355	751	286	55	5	-
Male.....	990	1,098	1,159	1,317	1,292	972	446	147	17	-	-
Female.....	155	181	267	372	418	383	305	139	38	5	-
Black, both sexes.....	222	245	249	188	158	116	50	16	7	-	-
Male.....	166	188	189	126	104	59	26	7	4	-	-
Female.....	56	57	60	62	54	57	24	9	3	-	-
American Indian 1/, both sexes.....	6	6	9	6	5	6	-	-	-	-	-
Male.....	5	2	8	5	5	3	-	-	-	-	-
Female.....	1	4	1	1	-	3	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	21	30	22	22	20	5	4	1	-	-
Male.....	14	20	29	18	14	15	4	2	1	-	-
Female.....	2	1	1	4	8	5	1	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of stomach (C16)

All races, both sexes.....	830	1,044	1,211	1,582	1,805	1,744	1,263	619	161	14	-
Male.....	574	708	810	1,016	1,061	919	574	238	51	4	-
Female.....	256	336	401	566	744	825	689	381	110	10	-
White, both sexes.....	622	788	922	1,227	1,420	1,403	1,026	498	114	8	-
Male.....	436	531	610	794	843	749	459	200	36	4	-
Female.....	186	257	312	433	577	654	567	298	78	4	-
Black, both sexes.....	152	198	213	250	287	246	157	96	35	6	-
Male.....	106	135	148	165	164	118	71	22	9	-	-
Female.....	46	63	65	85	123	128	86	74	26	6	-
American Indian 1/, both sexes.....	3	7	11	11	12	4	5	2	1	-	-
Male.....	2	4	9	8	5	3	3	2	-	-	-
Female.....	1	3	2	3	7	1	2	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	53	51	65	94	86	91	75	23	11	-	-
Male.....	30	38	43	49	49	49	41	14	6	-	-
Female.....	23	13	22	45	37	42	34	9	5	-	-

Malignant neoplasms of colon, rectum and anus (C18-C21)

All races, both sexes.....	3,631	4,673	5,775	7,159	8,720	8,611	6,590	3,547	1,024	135	1
Male.....	2,117	2,714	3,393	3,953	4,433	4,038	2,565	1,112	245	27	1
Female.....	1,514	1,959	2,382	3,206	4,287	4,573	4,025	2,435	779	108	-
White, both sexes.....	2,898	3,836	4,853	6,057	7,625	7,705	5,911	3,212	914	114	1
Male.....	1,730	2,245	2,891	3,407	3,911	3,641	2,326	1,002	215	23	1
Female.....	1,168	1,591	1,962	2,650	3,714	4,064	3,585	2,210	699	91	-
Black, both sexes.....	622	707	774	942	909	779	563	291	93	18	-
Male.....	329	396	417	477	427	328	184	90	28	2	-
Female.....	293	311	357	465	482	451	379	201	65	16	-
American Indian 1/, both sexes.....	13	25	24	25	33	18	13	9	2	-	-
Male.....	7	13	17	13	17	7	10	5	-	-	-
Female.....	6	12	7	12	16	11	3	4	2	-	-
Asian or Pacific Islander 2/, both sexes.....	98	105	124	135	153	109	103	35	15	3	-
Male.....	51	60	68	56	78	62	45	15	2	2	-
Female.....	47	45	56	79	75	47	58	20	13	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes.....	1,348	1,417	1,612	2,018	2,208	1,741	1,056	396	113	11	-
Male.....	999	996	1,054	1,276	1,354	947	495	154	36	2	-
Female.....	349	421	558	742	854	794	561	242	77	9	-
White, both sexes.....	1,011	1,069	1,270	1,633	1,878	1,512	923	349	89	7	-
Male.....	752	761	840	1,060	1,162	833	435	132	28	1	-
Female.....	259	308	430	573	716	679	488	217	61	6	-
Black, both sexes.....	232	218	180	211	178	129	91	30	19	3	-
Male.....	171	148	109	129	96	61	39	14	7	1	-
Female.....	61	70	71	82	82	68	52	16	12	2	-
American Indian 1/, both sexes.....	15	12	10	12	12	4	3	-	-	1	-
Male.....	7	8	7	7	10	2	1	-	-	-	-
Female.....	8	4	3	5	2	2	2	-	-	1	-
Asian or Pacific Islander 2/, both sexes.....	90	118	152	162	140	96	39	17	5	-	-
Male.....	69	79	98	80	86	51	20	8	1	-	-
Female.....	21	39	54	82	54	45	19	9	4	-	-

Malignant neoplasm of pancreas (C25)

All races, both sexes.....	2,327	2,993	3,550	4,554	5,038	4,670	2,897	1,264	293	32	-
Male.....	1,391	1,715	1,924	2,327	2,358	2,044	992	327	55	8	-
Female.....	936	1,278	1,626	2,227	2,680	2,626	1,905	937	238	24	-
White, both sexes.....	1,924	2,475	3,013	3,923	4,449	4,152	2,586	1,150	259	25	-
Male.....	1,168	1,443	1,678	2,033	2,115	1,844	898	301	47	8	-
Female.....	756	1,032	1,335	1,890	2,334	2,308	1,688	849	212	17	-
Black, both sexes.....	327	427	449	514	491	423	252	100	29	6	-
Male.....	187	222	203	246	195	152	73	22	5	-	-
Female.....	140	205	246	268	296	271	179	78	24	6	-
American Indian 1/, both sexes.....	11	18	14	16	9	10	2	3	1	-	-
Male.....	4	13	8	7	3	5	1	-	1	-	-
Female.....	7	5	6	9	6	5	1	3	-	-	-
Asian or Pacific Islander 2/, both sexes.....	65	73	74	101	89	85	57	11	4	1	-
Male.....	32	37	35	41	45	43	20	4	2	-	-
Female.....	33	36	39	60	44	42	37	7	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of larynx (C32)

All races, both sexes.....	404	552	568	568	490	401	225	70	13	-	1
Male.....	324	453	464	435	391	317	164	47	10	-	-
Female.....	80	99	104	133	99	84	61	23	3	-	1
White, both sexes.....	312	432	459	464	420	344	199	57	9	-	1
Male.....	247	358	365	353	331	268	144	39	7	-	-
Female.....	65	74	94	111	89	76	55	18	2	-	1
Black, both sexes.....	91	115	101	96	65	50	24	11	3	-	-
Male.....	76	91	92	77	56	43	18	6	2	-	-
Female.....	15	24	9	19	9	7	6	5	1	-	-
American Indian 1/, both sexes.....	-	2	1	2	2	1	1	-	-	-	-
Male.....	-	2	1	-	2	1	1	-	-	-	-
Female.....	-	-	-	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	3	7	6	3	6	1	2	1	-	-
Male.....	1	2	6	5	2	5	1	2	1	-	-
Female.....	-	1	1	1	1	1	-	-	-	-	-

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All races, both sexes.....	12,920	18,036	22,414	26,972	28,031	20,588	10,076	3,319	617	76	2
Male.....	7,758	10,589	13,218	15,717	15,934	11,130	5,099	1,485	255	26	2
Female.....	5,162	7,447	9,196	11,255	12,097	9,458	4,977	1,834	362	50	-
White, both sexes.....	10,870	15,565	19,553	24,005	25,257	18,731	9,234	3,023	549	66	2
Male.....	6,420	9,006	11,435	13,929	14,262	10,068	4,660	1,344	224	25	2
Female.....	4,450	6,559	8,118	10,076	10,995	8,663	4,574	1,679	325	41	-
Black, both sexes.....	1,814	2,165	2,446	2,486	2,275	1,486	662	235	57	9	-
Male.....	1,197	1,389	1,528	1,507	1,355	851	343	114	24	1	-
Female.....	617	776	918	979	920	635	319	121	33	8	-
American Indian 1/, both sexes.....	67	67	94	97	74	56	19	8	1	-	-
Male.....	42	43	47	52	39	28	8	2	1	-	-
Female.....	25	24	47	45	35	28	11	6	-	-	-
Asian or Pacific Islander 2/, both sexes.....	169	239	321	384	425	315	161	53	10	1	-
Male.....	99	151	208	229	278	183	88	25	6	-	-
Female.....	70	88	113	155	147	132	73	28	4	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant melanoma of skin (C43)

All races, both sexes.....	778	769	710	883	1,033	842	500	243	78	10	-
Male.....	528	514	471	579	692	511	291	110	32	3	-
Female.....	250	255	239	304	341	331	209	133	46	7	-
White, both sexes.....	760	753	694	870	1,005	829	490	236	77	9	-
Male.....	519	505	461	577	679	504	288	107	32	3	-
Female.....	241	248	233	293	326	325	202	129	45	6	-
Black, both sexes.....	12	11	16	10	20	8	7	5	-	1	-
Male.....	6	6	10	2	7	3	-	2	-	-	-
Female.....	6	5	6	8	13	5	7	3	-	1	-
American Indian 1/, both sexes.....	2	2	-	2	2	3	-	-	-	-	-
Male.....	1	1	-	-	-	2	-	-	-	-	-
Female.....	1	1	-	2	2	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	3	-	1	6	2	3	2	1	-	-
Male.....	2	2	-	-	6	2	3	1	-	-	-
Female.....	2	1	-	1	-	-	-	1	1	-	-

Malignant neoplasm of breast (C50)

All races, both sexes.....	4,206	4,061	3,887	4,451	4,916	4,728	3,530	1,965	630	120	2
Male.....	30	41	42	47	46	58	35	17	4	-	1
Female.....	4,176	4,020	3,845	4,404	4,870	4,670	3,495	1,948	626	120	1
White, both sexes.....	3,406	3,380	3,279	3,879	4,374	4,264	3,196	1,779	568	96	1
Male.....	24	35	36	40	42	53	31	16	4	-	1
Female.....	3,382	3,345	3,243	3,839	4,332	4,211	3,165	1,763	564	96	-
Black, both sexes.....	685	569	521	492	472	419	303	169	59	23	-
Male.....	6	6	6	7	3	4	4	1	-	-	-
Female.....	679	563	515	485	469	415	299	168	59	23	-
American Indian 1/, both sexes.....	17	19	9	15	18	15	10	4	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	17	19	9	15	18	14	10	4	-	-	-
Asian or Pacific Islander 2/, both sexes.....	98	93	78	65	52	30	21	13	3	1	1
Male.....	-	-	-	-	1	-	-	-	-	-	-
Female.....	98	93	78	65	51	30	21	13	3	1	1

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasm of cervix uteri (C53)

All races, both sexes.....	445	348	308	256	274	278	166	78	22	4	-
Male.....
Female.....	445	348	308	256	274	278	166	78	22	4	-
White, both sexes.....	348	265	231	183	188	223	132	54	20	4	-
Male.....
Female.....	348	265	231	183	188	223	132	54	20	4	-
Black, both sexes.....	81	72	68	58	66	45	29	19	2	-	-
Male.....
Female.....	81	72	68	58	66	45	29	19	2	-	-
American Indian 1/, both sexes.....	6	2	1	2	2	2	-	2	-	-	-
Male.....
Female.....	6	2	1	2	2	2	-	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	10	9	8	13	18	8	5	3	-	-	-
Male.....
Female.....	10	9	8	13	18	8	5	3	-	-	-

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races, both sexes.....	557	744	878	973	1,025	926	668	316	76	17	-
Male.....
Female.....	557	744	878	973	1,025	926	668	316	76	17	-
White, both sexes.....	455	561	663	789	860	790	597	287	72	12	-
Male.....
Female.....	455	561	663	789	860	790	597	287	72	12	-
Black, both sexes.....	83	165	190	169	150	123	66	28	4	5	-
Male.....
Female.....	83	165	190	169	150	123	66	28	4	5	-
American Indian 1/, both sexes.....	-	1	1	3	-	2	-	-	-	-	-
Male.....
Female.....	-	1	1	3	-	2	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	19	17	24	12	15	11	5	1	-	-	-
Male.....
Female.....	19	17	24	12	15	11	5	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of kidney and renal pelvis (C64-C65)

All races, both sexes.....	1,121	1,377	1,409	1,681	1,849	1,626	1,033	420	107	7	-
Male.....	798	989	916	1,059	1,114	922	486	175	40	2	-
Female.....	323	388	493	622	735	704	547	245	67	5	-
White, both sexes.....	967	1,208	1,252	1,520	1,684	1,499	956	380	98	5	-
Male.....	703	871	819	954	1,015	858	456	161	36	1	-
Female.....	264	337	433	566	669	641	500	219	62	4	-
Black, both sexes.....	130	132	128	122	131	103	71	36	7	2	-
Male.....	82	88	79	79	78	53	26	13	2	1	-
Female.....	48	44	49	43	53	50	45	23	5	1	-
American Indian 1/, both sexes.....	10	10	8	15	7	10	1	1	-	-	-
Male.....	6	10	5	11	3	4	-	-	-	-	-
Female.....	4	-	3	4	4	6	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	27	21	24	27	14	5	3	2	-	-
Male.....	7	20	13	15	18	7	4	1	2	-	-
Female.....	7	7	8	9	9	7	1	2	-	-	-

Malignant neoplasm of bladder (C67)

All races, both sexes.....	554	837	1,148	1,588	2,239	2,440	1,850	888	278	36	-
Male.....	419	630	865	1,133	1,603	1,651	1,157	508	131	11	-
Female.....	135	207	283	455	636	789	693	380	147	25	-
White, both sexes.....	492	761	1,024	1,472	2,058	2,252	1,717	835	253	32	-
Male.....	378	584	779	1,069	1,496	1,551	1,098	484	121	9	-
Female.....	114	177	245	403	562	701	619	351	132	23	-
Black, both sexes.....	50	59	109	96	156	161	115	43	22	3	-
Male.....	32	34	74	50	90	83	51	18	7	1	-
Female.....	18	25	35	46	66	78	64	25	15	2	-
American Indian 1/, both sexes.....	5	5	3	1	5	6	2	1	-	-	-
Male.....	2	4	2	1	2	3	1	1	-	-	-
Female.....	3	1	1	-	3	3	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	7	12	12	19	20	21	16	9	3	1	-
Male.....	7	8	10	13	15	14	7	5	3	1	-
Female.....	-	4	2	6	5	7	9	4	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races, both sexes.....	1,337	1,361	1,349	1,487	1,449	1,061	513	173	28	3	-
Male.....	741	789	741	815	745	522	214	65	8	2	-
Female.....	596	572	608	672	704	539	299	108	20	1	-
White, both sexes.....	1,225	1,271	1,247	1,390	1,368	1,007	478	164	22	3	-
Male.....	682	741	684	764	702	494	201	61	7	2	-
Female.....	543	530	563	626	666	513	277	103	15	1	-
Black, both sexes.....	87	66	79	73	62	41	23	7	6	-	-
Male.....	47	35	48	37	35	19	4	2	1	-	-
Female.....	40	31	31	36	27	22	19	5	5	-	-
American Indian 1/, both sexes.....	4	5	5	3	2	1	3	-	-	-	-
Male.....	2	2	2	1	2	1	2	-	-	-	-
Female.....	2	3	3	2	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	21	19	18	21	17	12	9	2	-	-	-
Male.....	10	11	7	13	6	8	7	2	-	-	-
Female.....	11	8	11	8	11	4	2	-	-	-	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races, both sexes.....	3,171	4,300	5,384	7,501	9,497	8,945	6,087	2,541	644	62	-
Male.....	1,929	2,628	3,255	4,295	5,068	4,456	2,722	943	202	16	-
Female.....	1,242	1,672	2,129	3,206	4,429	4,489	3,365	1,598	442	46	-
White, both sexes.....	2,710	3,719	4,701	6,661	8,633	8,259	5,697	2,368	587	53	-
Male.....	1,657	2,310	2,891	3,892	4,690	4,167	2,571	881	185	15	-
Female.....	1,053	1,409	1,810	2,769	3,943	4,092	3,126	1,487	402	38	-
Black, both sexes.....	372	486	566	684	690	548	317	148	43	8	-
Male.....	228	265	298	320	302	226	117	49	11	-	-
Female.....	144	221	268	364	388	322	200	99	32	8	-
American Indian 1/, both sexes.....	23	18	19	29	29	21	11	4	1	1	-
Male.....	9	9	12	13	7	9	4	1	-	1	-
Female.....	14	9	7	16	22	12	7	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	66	77	98	127	145	117	62	21	13	-	-
Male.....	35	44	54	70	69	54	30	12	6	-	-
Female.....	31	33	44	57	76	63	32	9	7	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hodgkin's disease (C81)											
All races, both sexes.....	98	100	83	133	153	124	75	34	3	-	-
Male.....	57	62	52	76	73	59	31	7	-	-	-
Female.....	41	38	31	57	80	65	44	27	3	-	-
White, both sexes.....	79	91	71	125	143	115	71	33	3	-	-
Male.....	45	56	43	69	67	56	28	7	-	-	-
Female.....	34	35	28	56	76	59	43	26	3	-	-
Black, both sexes.....	15	6	11	6	6	3	-	-	-	-	-
Male.....	10	5	8	5	3	1	-	-	-	-	-
Female.....	5	1	3	1	3	2	-	-	-	-	-
American Indian 1/, both sexes.....	2	-	1	-	1	3	-	1	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	3	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	-	2	3	3	4	-	-	-	-
Male.....	1	1	-	2	2	2	3	-	-	-	-
Female.....	1	2	-	-	1	1	1	-	-	-	-
Non-Hodgkin's lymphoma (C82-C85)											
All races, both sexes.....	1,272	1,735	2,104	2,815	3,674	3,543	2,520	949	213	30	-
Male.....	773	1,075	1,260	1,569	1,882	1,681	1,065	345	78	9	-
Female.....	499	660	844	1,246	1,792	1,862	1,455	604	135	21	-
White, both sexes.....	1,138	1,543	1,907	2,571	3,432	3,361	2,421	904	191	29	-
Male.....	698	966	1,163	1,457	1,777	1,607	1,030	326	69	9	-
Female.....	440	577	744	1,114	1,655	1,754	1,391	578	122	20	-
Black, both sexes.....	96	150	139	172	156	122	64	29	13	1	-
Male.....	55	83	70	75	63	47	18	11	4	-	-
Female.....	41	67	69	97	93	75	46	18	9	1	-
American Indian 1/, both sexes.....	11	6	9	11	10	5	1	1	1	-	-
Male.....	6	4	4	6	3	3	-	-	-	-	-
Female.....	5	2	5	5	7	2	1	1	1	-	-
Asian or Pacific Islander 2/, both sexes.....	27	36	49	61	76	55	34	15	8	-	-
Male.....	14	22	23	31	39	24	17	8	5	-	-
Female.....	13	14	26	30	37	31	17	7	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Leukemia (C91-C95)

All races, both sexes.....	1,102	1,503	1,911	2,795	3,532	3,405	2,317	1,091	350	28	-
Male.....	683	910	1,215	1,715	2,054	1,826	1,102	416	91	6	-
Female.....	419	593	696	1,080	1,478	1,579	1,215	675	259	22	-
White, both sexes.....	962	1,323	1,702	2,522	3,265	3,168	2,180	1,019	329	23	-
Male.....	593	819	1,090	1,569	1,925	1,725	1,047	390	85	6	-
Female.....	369	504	612	953	1,340	1,443	1,133	629	244	17	-
Black, both sexes.....	113	151	171	224	219	189	115	67	16	5	-
Male.....	76	75	101	120	110	79	46	23	5	-	-
Female.....	37	76	70	104	109	110	69	44	11	5	-
American Indian 1/, both sexes.....	4	6	4	10	6	6	6	-	-	-	-
Male.....	1	2	3	4	1	3	1	-	-	-	-
Female.....	3	4	1	6	5	3	5	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	23	23	34	39	42	42	16	5	5	-	-
Male.....	13	14	21	22	18	19	8	3	1	-	-
Female.....	10	9	13	17	24	23	8	2	4	-	-

Multiple myeloma and immunoproliferative neoplasms (C88,C90)

All races, both sexes.....	698	961	1,280	1,749	2,127	1,870	1,165	464	78	4	-
Male.....	415	580	725	929	1,052	889	520	174	33	1	-
Female.....	283	381	555	820	1,075	981	645	290	45	3	-
White, both sexes.....	530	761	1,016	1,434	1,782	1,613	1,016	409	64	1	-
Male.....	320	468	592	791	914	779	462	157	31	-	-
Female.....	210	293	424	643	868	834	554	252	33	1	-
Black, both sexes.....	148	179	244	282	309	234	137	52	14	2	-
Male.....	87	102	119	120	126	99	53	15	2	-	-
Female.....	61	77	125	162	183	135	84	37	12	2	-
American Indian 1/, both sexes.....	6	6	5	8	12	7	4	2	-	1	-
Male.....	1	3	4	3	2	3	3	1	-	1	-
Female.....	5	3	1	5	10	4	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	14	15	15	25	24	16	8	1	-	-	-
Male.....	7	7	10	15	10	8	2	1	-	-	-
Female.....	7	8	5	10	14	8	6	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races, both sexes.....	1	1	6	9	11	3	10	3	-	-	-
Male.....	1	1	3	6	7	1	4	1	-	-	-
Female.....	-	-	3	3	4	2	6	2	-	-	-
White, both sexes.....	1	1	5	9	11	2	9	3	-	-	-
Male.....	1	1	3	6	7	-	4	1	-	-	-
Female.....	-	-	2	3	4	2	5	2	-	-	-
Black, both sexes.....	-	-	1	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	1	-	-	-	-	-
Male.....	-	-	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races, both sexes.....	4,446	5,374	6,299	7,978	9,798	9,082	6,421	3,159	847	129	5
Male.....	2,525	3,048	3,544	4,256	5,042	4,279	2,648	1,055	242	28	3
Female.....	1,921	2,326	2,755	3,722	4,756	4,803	3,773	2,104	605	101	2
White, both sexes.....	3,683	4,567	5,417	7,025	8,793	8,285	5,931	2,894	762	115	5
Male.....	2,096	2,607	3,064	3,771	4,562	3,943	2,464	968	215	24	3
Female.....	1,587	1,960	2,353	3,254	4,231	4,342	3,467	1,926	547	91	2
Black, both sexes.....	649	683	734	774	819	654	411	220	67	9	-
Male.....	378	375	400	391	386	279	146	69	16	1	-
Female.....	271	308	334	383	433	375	265	151	51	8	-
American Indian 1/, both sexes.....	25	23	31	37	35	23	15	8	8	1	-
Male.....	15	10	17	21	20	8	7	4	6	-	-
Female.....	10	13	14	16	15	15	8	4	2	1	-
Asian or Pacific Islander 2/, both sexes.....	89	101	117	142	151	120	64	37	10	4	-
Male.....	36	56	63	73	74	49	31	14	5	3	-
Female.....	53	45	54	69	77	71	33	23	5	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)											
All races, both sexes.....	506	732	955	1,399	2,123	2,566	2,203	1,215	337	40	-
Male.....	279	406	524	810	1,114	1,265	955	411	94	10	-
Female.....	227	326	431	589	1,009	1,301	1,248	804	243	30	-
White, both sexes.....	423	638	820	1,261	1,957	2,374	2,065	1,127	311	30	-
Male.....	230	353	464	736	1,039	1,176	905	379	86	8	-
Female.....	193	285	356	525	918	1,198	1,160	748	225	22	-
Black, both sexes.....	66	78	107	116	133	157	98	70	22	8	-
Male.....	39	44	50	65	58	72	34	23	6	1	-
Female.....	27	34	57	51	75	85	64	47	16	7	-
American Indian 1/, both sexes.....	4	4	6	3	4	5	4	1	1	1	-
Male.....	3	2	1	2	3	3	2	1	-	-	-
Female.....	1	2	5	1	1	2	2	-	1	1	-
Asian or Pacific Islander 2/, both sexes.....	13	12	22	19	29	30	36	17	3	1	-
Male.....	7	7	9	7	14	14	14	8	2	1	-
Female.....	6	5	13	12	15	16	22	9	1	-	-

Anemias (D50-D64)

All races, both sexes.....	121	155	184	300	447	689	784	721	342	72	-
Male.....	67	89	104	147	203	274	270	196	75	8	-
Female.....	54	66	80	153	244	415	514	525	267	64	-
White, both sexes.....	56	97	135	239	379	606	718	638	306	65	-
Male.....	32	53	78	111	175	249	249	174	64	8	-
Female.....	24	44	57	128	204	357	469	464	242	57	-
Black, both sexes.....	64	52	41	54	64	78	59	75	30	5	-
Male.....	35	32	23	33	28	25	19	19	9	-	-
Female.....	29	20	18	21	36	53	40	56	21	5	-
American Indian 1/, both sexes.....	-	2	4	1	1	1	-	1	-	-	-
Male.....	-	1	1	1	-	-	-	-	-	-	-
Female.....	-	1	3	-	1	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	4	6	3	4	7	7	6	2	-
Male.....	-	3	2	2	-	-	2	3	2	-	-
Female.....	1	1	2	4	3	4	5	4	4	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diabetes mellitus (E10-E14)											
All races, both sexes.....	4,806	5,925	7,310	9,346	11,574	11,725	8,758	4,572	1,424	210	3
Male.....	2,715	3,329	3,929	4,758	5,547	5,132	3,260	1,318	306	39	3
Female.....	2,091	2,596	3,381	4,588	6,027	6,593	5,498	3,254	1,118	171	-
White, both sexes.....	3,552	4,435	5,570	7,364	9,481	9,877	7,507	3,926	1,208	162	3
Male.....	2,082	2,572	3,106	3,896	4,731	4,479	2,889	1,157	276	35	3
Female.....	1,470	1,863	2,464	3,468	4,750	5,398	4,618	2,769	932	127	-
Black, both sexes.....	1,102	1,265	1,488	1,672	1,763	1,536	1,035	543	185	45	-
Male.....	551	631	693	708	671	525	289	121	22	3	-
Female.....	551	634	795	964	1,092	1,011	746	422	163	42	-
American Indian 1/, both sexes.....	68	94	102	104	91	82	48	15	10	-	-
Male.....	33	41	44	51	39	33	14	9	2	-	-
Female.....	35	53	58	53	52	49	34	6	8	-	-
Asian or Pacific Islander 2/, both sexes.....	84	131	150	206	239	230	168	88	21	3	-
Male.....	49	85	86	103	106	95	68	31	6	1	-
Female.....	35	46	64	103	133	135	100	57	15	2	-
Nutritional deficiencies (E40-E64)											
All races, both sexes.....	77	91	125	215	428	564	727	570	301	74	-
Male.....	38	41	63	103	175	225	243	139	49	11	-
Female.....	39	50	62	112	253	339	484	431	252	63	-
White, both sexes.....	60	67	101	176	369	479	646	498	258	55	-
Male.....	26	28	53	79	144	187	218	120	42	7	-
Female.....	34	39	48	97	225	292	428	378	216	48	-
Black, both sexes.....	17	22	19	35	53	77	73	66	35	15	-
Male.....	12	12	9	22	30	33	22	16	5	3	-
Female.....	5	10	10	13	23	44	51	50	30	12	-
American Indian 1/, both sexes.....	-	-	1	3	5	2	2	2	2	1	-
Male.....	-	-	-	2	-	2	-	-	-	-	-
Female.....	-	-	1	1	5	-	2	2	2	1	-
Asian or Pacific Islander 2/, both sexes.....	-	2	4	1	1	6	6	4	6	3	-
Male.....	-	1	1	-	1	3	3	3	2	1	-
Female.....	-	1	3	1	-	3	3	1	4	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Meningitis (G00,G03)

All races, both sexes.....	55	53	57	39	55	35	33	18	1	-	1
Male.....	30	31	27	18	26	14	13	5	1	-	1
Female.....	25	22	30	21	29	21	20	13	-	-	-
White, both sexes.....	36	36	46	30	48	30	28	13	1	-	1
Male.....	22	21	23	14	25	12	11	4	1	-	1
Female.....	14	15	23	16	23	18	17	9	-	-	-
Black, both sexes.....	18	17	10	8	5	4	4	5	-	-	-
Male.....	8	10	4	4	-	2	1	1	-	-	-
Female.....	10	7	6	4	5	2	3	4	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	1	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	2	1	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	-	-	1	1	1	-	-	-	-	-

Parkinson's disease (G20-G21)

All races, both sexes.....	112	240	624	1,706	3,671	5,052	4,157	1,900	425	31	-
Male.....	65	154	402	1,115	2,300	2,891	2,210	846	143	14	-
Female.....	47	86	222	591	1,371	2,161	1,947	1,054	282	17	-
White, both sexes.....	97	210	566	1,592	3,472	4,823	3,963	1,823	405	26	-
Male.....	56	133	368	1,043	2,179	2,767	2,097	806	133	12	-
Female.....	41	77	198	549	1,293	2,056	1,866	1,017	272	14	-
Black, both sexes.....	11	22	39	81	134	151	113	53	11	4	-
Male.....	7	14	22	51	81	80	62	25	5	1	-
Female.....	4	8	17	30	53	71	51	28	6	3	-
American Indian 1/, both sexes.....	-	4	3	10	9	17	11	5	1	-	-
Male.....	-	3	2	5	5	7	9	1	-	-	-
Female.....	-	1	1	5	4	10	2	4	1	-	-
Asian or Pacific Islander 2/, both sexes.....	4	4	16	23	56	61	70	19	8	1	-
Male.....	2	4	10	16	35	37	42	14	5	1	-
Female.....	2	-	6	7	21	24	28	5	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Alzheimer's disease (G30)											
All races, both sexes.....	152	402	979	2,857	7,348	13,809	17,368	13,774	5,704	975	-
Male.....	76	167	456	1,228	2,855	4,751	4,916	2,933	824	91	-
Female.....	76	235	523	1,629	4,493	9,058	12,452	10,841	4,880	884	-
White, both sexes.....	142	376	861	2,591	6,745	12,880	16,313	12,967	5,351	873	-
Male.....	72	152	405	1,117	2,637	4,431	4,643	2,755	757	81	-
Female.....	70	224	456	1,474	4,108	8,449	11,670	10,212	4,594	792	-
Black, both sexes.....	8	21	100	228	537	819	903	701	307	90	-
Male.....	3	14	45	99	204	279	234	149	50	8	-
Female.....	5	7	55	129	333	540	669	552	257	82	-
American Indian 1/, both sexes.....	1	-	6	9	15	26	34	22	6	3	-
Male.....	-	-	1	3	1	8	7	2	-	-	-
Female.....	1	-	5	6	14	18	27	20	6	3	-
Asian or Pacific Islander 2/, both sexes.....	1	5	12	29	51	84	118	84	40	9	-
Male.....	1	1	5	9	13	33	32	27	17	2	-
Female.....	-	4	7	20	38	51	86	57	23	7	-
Major cardiovascular diseases (I00-I78)											
All races, both sexes.....	35,465	44,032	55,941	81,279	121,274	158,084	160,879	117,184	47,760	10,626	38
Male.....	24,105	28,699	34,660	46,852	63,584	72,284	60,672	33,792	9,930	1,509	29
Female.....	11,360	15,333	21,281	34,427	57,690	85,800	100,207	83,392	37,830	9,117	9
White, both sexes.....	27,384	34,591	45,019	68,111	105,565	141,763	147,197	107,725	43,755	9,230	31
Male.....	19,129	23,149	28,570	40,000	56,232	65,416	56,024	31,234	9,030	1,285	22
Female.....	8,255	11,442	16,449	28,111	49,333	76,347	91,173	76,491	34,725	7,945	9
Black, both sexes.....	7,135	8,233	9,377	11,254	13,221	13,415	11,138	7,770	3,402	1,211	5
Male.....	4,349	4,794	5,173	5,785	6,112	5,466	3,549	1,887	674	170	5
Female.....	2,786	3,439	4,204	5,469	7,109	7,949	7,589	5,883	2,728	1,041	-
American Indian 1/, both sexes.....	248	344	366	393	420	419	336	215	67	34	2
Male.....	167	202	203	230	211	188	137	83	18	13	2
Female.....	81	142	163	163	209	231	199	132	49	21	-
Asian or Pacific Islander 2/, both sexes.....	698	864	1,179	1,521	2,068	2,487	2,208	1,474	536	151	-
Male.....	460	554	714	837	1,029	1,214	962	588	208	41	-
Female.....	238	310	465	684	1,039	1,273	1,246	886	328	110	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Diseases of heart (I00-I09,I11,I13,I20-I51)

All races, both sexes.....	29,217	35,843	44,470	62,793	90,796	116,535	118,106	86,773	35,782	8,135	35
Male.....	20,538	23,984	28,270	37,298	49,241	55,405	46,400	25,955	7,662	1,210	27
Female.....	8,679	11,859	16,200	25,495	41,555	61,130	71,706	60,818	28,120	6,925	8
White, both sexes.....	23,022	28,626	36,181	53,052	79,469	104,888	108,344	80,010	32,867	7,098	28
Male.....	16,624	19,670	23,530	32,089	43,802	50,349	42,981	24,092	7,002	1,026	20
Female.....	6,398	8,956	12,651	20,963	35,667	54,539	65,363	55,918	25,865	6,072	8
Black, both sexes.....	5,504	6,317	7,176	8,429	9,628	9,633	7,982	5,563	2,495	897	5
Male.....	3,431	3,724	4,050	4,445	4,564	4,039	2,620	1,390	503	139	5
Female.....	2,073	2,593	3,126	3,984	5,064	5,594	5,362	4,173	1,992	758	-
American Indian 1/, both sexes.....	212	280	299	293	317	306	257	151	54	28	2
Male.....	146	169	169	180	161	147	109	63	14	11	2
Female.....	66	111	130	113	156	159	148	88	40	17	-
Asian or Pacific Islander 2/, both sexes.....	479	620	814	1,019	1,382	1,708	1,523	1,049	366	112	-
Male.....	337	421	521	584	714	870	690	410	143	34	-
Female.....	142	199	293	435	668	838	833	639	223	78	-

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races, both sexes.....	151	216	295	398	603	630	557	291	93	23	-
Male.....	62	84	105	136	199	185	160	62	10	2	-
Female.....	89	132	190	262	404	445	397	229	83	21	-
White, both sexes.....	109	168	259	352	568	604	532	284	89	22	-
Male.....	43	64	91	125	193	182	154	60	10	2	-
Female.....	66	104	168	227	375	422	378	224	79	20	-
Black, both sexes.....	34	38	30	36	23	17	18	4	3	1	-
Male.....	17	16	13	8	6	2	4	2	-	-	-
Female.....	17	22	17	28	17	15	14	2	3	1	-
American Indian 1/, both sexes.....	-	3	-	4	1	-	1	-	-	-	-
Male.....	-	2	-	1	-	-	-	-	-	-	-
Female.....	-	1	-	3	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	7	6	6	11	9	6	3	1	-	-
Male.....	2	2	1	2	-	1	2	-	-	-	-
Female.....	6	5	5	4	11	8	4	3	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Hypertensive heart disease (I11)											
All races, both sexes.....	1,852	1,799	1,892	2,153	2,945	3,620	3,976	3,285	1,590	338	-
Male.....	1,222	1,086	1,141	1,123	1,326	1,301	1,143	669	206	36	-
Female.....	630	713	751	1,030	1,619	2,319	2,833	2,616	1,384	302	-
White, both sexes.....	1,150	1,185	1,235	1,518	2,199	2,982	3,362	2,859	1,399	269	-
Male.....	804	750	761	799	1,003	1,075	960	559	175	30	-
Female.....	346	435	474	719	1,196	1,907	2,402	2,300	1,224	239	-
Black, both sexes.....	662	572	601	583	666	574	535	369	170	65	-
Male.....	393	310	352	304	284	202	151	93	26	6	-
Female.....	269	262	249	279	382	372	384	276	144	59	-
American Indian 1/, both sexes.....	13	12	13	5	7	7	9	9	3	-	-
Male.....	9	8	6	2	4	2	-	3	-	-	-
Female.....	4	4	7	3	3	5	9	6	3	-	-
Asian or Pacific Islander 2/, both sexes.....	27	30	43	47	73	57	70	48	18	4	-
Male.....	16	18	22	18	35	22	32	14	5	-	-
Female.....	11	12	21	29	38	35	38	34	13	4	-
Hypertensive heart and renal disease (I13)											
All races, both sexes.....	136	131	154	247	386	517	560	456	167	26	-
Male.....	86	73	75	114	174	208	207	128	45	6	-
Female.....	50	58	79	133	212	309	353	328	122	20	-
White, both sexes.....	47	64	75	154	279	406	442	391	144	17	-
Male.....	30	38	43	75	135	172	161	115	39	2	-
Female.....	17	26	32	79	144	234	281	276	105	15	-
Black, both sexes.....	84	65	71	83	97	95	100	54	21	7	-
Male.....	54	33	27	36	34	33	35	7	4	2	-
Female.....	30	32	44	47	63	62	65	47	17	5	-
American Indian 1/, both sexes.....	1	1	-	1	1	1	-	1	-	1	-
Male.....	-	1	-	1	-	1	-	1	-	1	-
Female.....	1	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	4	1	8	9	9	15	18	10	2	1	-
Male.....	2	1	5	2	5	2	11	5	2	1	-
Female.....	2	-	3	7	4	13	7	5	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Ischemic heart diseases (I20-I25)											
All races, both sexes.....	20,907	26,470	32,648	46,232	66,062	83,308	81,998	58,794	23,939	5,433	29
Male.....	15,342	18,425	21,547	28,452	37,191	41,382	33,563	18,269	5,232	808	22
Female.....	5,565	8,045	11,101	17,780	28,871	41,926	48,435	40,525	18,707	4,625	7
White, both sexes.....	17,028	21,621	27,015	39,524	58,115	75,130	75,347	54,228	21,994	4,730	23
Male.....	12,813	15,409	18,245	24,721	33,242	37,693	31,182	17,003	4,783	688	16
Female.....	4,215	6,212	8,770	14,803	24,873	37,437	44,165	37,225	17,211	4,042	7
Black, both sexes.....	3,377	4,168	4,795	5,720	6,698	6,682	5,361	3,732	1,645	608	4
Male.....	2,158	2,544	2,750	3,129	3,289	2,897	1,792	935	335	89	4
Female.....	1,219	1,624	2,045	2,591	3,409	3,785	3,569	2,797	1,310	519	-
American Indian 1/, both sexes.....	147	193	225	225	247	218	185	97	35	16	2
Male.....	104	125	138	143	133	115	80	38	11	6	2
Female.....	43	68	87	82	114	103	105	59	24	10	-
Asian or Pacific Islander 2/, both sexes.....	355	488	613	763	1,002	1,278	1,105	737	265	79	-
Male.....	267	347	414	459	527	677	509	293	103	25	-
Female.....	88	141	199	304	475	601	596	444	162	54	-
Acute myocardial infarction (I21-I22)											
All races, both sexes.....	8,769	10,998	13,108	17,815	24,265	28,843	27,055	17,795	6,527	1,357	5
Male.....	6,386	7,586	8,531	10,759	13,324	14,026	10,866	5,704	1,469	217	4
Female.....	2,383	3,412	4,577	7,056	10,941	14,817	16,189	12,091	5,058	1,140	1
White, both sexes.....	7,321	9,248	11,079	15,416	21,479	25,961	24,802	16,359	5,905	1,148	4
Male.....	5,478	6,526	7,397	9,464	11,962	12,739	10,067	5,274	1,330	177	3
Female.....	1,843	2,722	3,682	5,952	9,517	13,222	14,735	11,085	4,575	971	1
Black, both sexes.....	1,254	1,471	1,719	2,042	2,359	2,352	1,828	1,197	545	183	1
Male.....	771	871	935	1,076	1,131	997	603	325	106	34	1
Female.....	483	600	784	966	1,228	1,355	1,225	872	439	149	-
American Indian 1/, both sexes.....	58	94	92	80	89	83	56	25	10	2	-
Male.....	38	63	58	47	48	42	25	11	3	-	-
Female.....	20	31	34	33	41	41	31	14	7	2	-
Asian or Pacific Islander 2/, both sexes.....	136	185	218	277	338	447	369	214	67	24	-
Male.....	99	126	141	172	183	248	171	94	30	6	-
Female.....	37	59	77	105	155	199	198	120	37	18	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other acute ischemic heart diseases (I24)											
All races, both sexes.....	198	205	267	312	389	448	447	337	129	28	1
Male.....	137	141	173	188	220	194	159	93	21	9	1
Female.....	61	64	94	124	169	254	288	244	108	19	-
White, both sexes.....	150	161	214	259	332	397	406	307	124	25	1
Male.....	102	111	141	161	185	166	144	86	21	6	1
Female.....	48	50	73	98	147	231	262	221	103	19	-
Black, both sexes.....	43	39	47	47	51	46	36	26	4	2	-
Male.....	33	26	30	24	31	26	14	7	-	2	-
Female.....	10	13	17	23	20	20	22	19	4	-	-
American Indian 1/, both sexes.....	4	4	4	5	3	3	2	2	-	1	-
Male.....	1	4	1	2	1	-	-	-	-	1	-
Female.....	3	-	3	3	2	3	2	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	1	3	2	3	2	1	-	-
Male.....	1	-	1	1	3	2	1	-	-	-	-
Female.....	-	1	1	-	-	-	2	2	1	-	-
Other forms of chronic ischemic heart disease (I20,I25)											
All races, both sexes.....	11,940	15,267	19,273	28,105	41,408	54,017	54,496	40,662	17,283	4,048	23
Male.....	8,819	10,698	12,843	17,505	23,647	27,162	22,538	12,472	3,742	582	17
Female.....	3,121	4,569	6,430	10,600	17,761	26,855	31,958	28,190	13,541	3,466	6
White, both sexes.....	9,557	12,212	15,722	23,849	36,304	48,772	50,139	37,562	15,965	3,557	18
Male.....	7,233	8,772	10,707	15,096	21,095	24,788	20,971	11,643	3,432	505	12
Female.....	2,324	3,440	5,015	8,753	15,209	23,984	29,168	25,919	12,533	3,052	6
Black, both sexes.....	2,080	2,658	3,029	3,631	4,288	4,284	3,497	2,509	1,096	423	3
Male.....	1,354	1,647	1,785	2,029	2,127	1,874	1,175	603	229	53	3
Female.....	726	1,011	1,244	1,602	2,161	2,410	2,322	1,906	867	370	-
American Indian 1/, both sexes.....	85	95	129	140	155	132	127	70	25	13	2
Male.....	65	58	79	94	84	73	55	27	8	5	2
Female.....	20	37	50	46	71	59	72	43	17	8	-
Asian or Pacific Islander 2/, both sexes.....	218	302	393	485	661	829	733	521	197	55	-
Male.....	167	221	272	286	341	427	337	199	73	19	-
Female.....	51	81	121	199	320	402	396	322	124	36	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Atherosclerotic cardiovascular disease, so described (I25.0)											
All races, both sexes.....	4,208	4,902	5,194	6,300	8,253	10,086	9,600	7,316	3,135	823	14
Male.....	3,203	3,491	3,490	3,932	4,543	4,790	3,759	2,106	700	112	12
Female.....	1,005	1,411	1,704	2,368	3,710	5,296	5,841	5,210	2,435	711	2
White, both sexes.....	3,255	3,672	3,976	5,000	6,822	8,750	8,563	6,593	2,837	707	10
Male.....	2,530	2,664	2,718	3,127	3,805	4,169	3,376	1,902	623	93	8
Female.....	725	1,008	1,258	1,873	3,017	4,581	5,187	4,691	2,214	614	2
Black, both sexes.....	840	1,086	1,062	1,128	1,258	1,114	880	620	264	98	3
Male.....	580	726	655	697	660	515	320	160	67	13	3
Female.....	260	360	407	431	598	599	560	460	197	85	-
American Indian 1/, both sexes.....	35	26	45	49	39	31	27	18	7	7	1
Male.....	26	16	29	37	17	20	10	9	2	3	1
Female.....	9	10	16	12	22	11	17	9	5	4	-
Asian or Pacific Islander 2/, both sexes.....	78	118	111	123	134	191	130	85	27	11	-
Male.....	67	85	88	71	61	86	53	35	8	3	-
Female.....	11	33	23	52	73	105	77	50	19	8	-
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)											
All races, both sexes.....	7,732	10,365	14,079	21,805	33,155	43,931	44,896	33,346	14,148	3,225	9
Male.....	5,616	7,207	9,353	13,573	19,104	22,372	18,779	10,366	3,042	470	5
Female.....	2,116	3,158	4,726	8,232	14,051	21,559	26,117	22,980	11,106	2,755	4
White, both sexes.....	6,302	8,540	11,746	18,849	29,482	40,022	41,576	30,969	13,128	2,850	8
Male.....	4,703	6,108	7,989	11,969	17,290	20,619	17,595	9,741	2,809	412	4
Female.....	1,599	2,432	3,757	6,880	12,192	19,403	23,981	21,228	10,319	2,438	4
Black, both sexes.....	1,240	1,572	1,967	2,503	3,030	3,170	2,617	1,889	832	325	-
Male.....	774	921	1,130	1,332	1,467	1,359	855	443	162	40	-
Female.....	466	651	837	1,171	1,563	1,811	1,762	1,446	670	285	-
American Indian 1/, both sexes.....	50	69	84	91	116	101	100	52	18	6	1
Male.....	39	42	50	57	67	53	45	18	6	2	1
Female.....	11	27	34	34	49	48	55	34	12	4	-
Asian or Pacific Islander 2/, both sexes.....	140	184	282	362	527	638	603	436	170	44	-
Male.....	100	136	184	215	280	341	284	164	65	16	-
Female.....	40	48	98	147	247	297	319	272	105	28	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other heart diseases (I26-I51)											
All races, both sexes.....	6,171	7,227	9,481	13,763	20,800	28,460	31,015	23,947	9,993	2,315	6
Male.....	3,826	4,316	5,402	7,473	10,351	12,329	11,327	6,827	2,169	358	5
Female.....	2,345	2,911	4,079	6,290	10,449	16,131	19,688	17,120	7,824	1,957	1
White, both sexes.....	4,688	5,588	7,597	11,504	18,308	25,766	28,661	22,248	9,241	2,060	5
Male.....	2,934	3,409	4,390	6,369	9,229	11,227	10,524	6,355	1,995	304	4
Female.....	1,754	2,179	3,207	5,135	9,079	14,539	18,137	15,893	7,246	1,756	1
Black, both sexes.....	1,347	1,474	1,679	2,007	2,144	2,265	1,968	1,404	656	216	1
Male.....	809	821	908	968	951	905	638	353	138	42	1
Female.....	538	653	771	1,039	1,193	1,360	1,330	1,051	518	174	-
American Indian 1/, both sexes.....	51	71	61	58	61	80	62	44	16	11	-
Male.....	33	33	25	33	24	29	29	21	3	4	-
Female.....	18	38	36	25	37	51	33	23	13	7	-
Asian or Pacific Islander 2/, both sexes.....	85	94	144	194	287	349	324	251	80	28	-
Male.....	50	53	79	103	147	168	136	98	33	8	-
Female.....	35	41	65	91	140	181	188	153	47	20	-
Acute and subacute endocarditis (I33)											
All races, both sexes.....	95	114	102	130	172	146	104	32	3	1	-
Male.....	60	63	57	62	89	77	43	15	1	-	-
Female.....	35	51	45	68	83	69	61	17	2	1	-
White, both sexes.....	66	83	83	104	150	134	98	32	3	1	-
Male.....	40	51	47	50	79	72	42	15	1	-	-
Female.....	26	32	36	54	71	62	56	17	2	1	-
Black, both sexes.....	27	26	17	21	19	10	4	-	-	-	-
Male.....	18	9	9	9	8	5	-	-	-	-	-
Female.....	9	17	8	12	11	5	4	-	-	-	-
American Indian 1/, both sexes.....	-	2	1	1	1	-	1	-	-	-	-
Male.....	-	-	-	-	1	-	1	-	-	-	-
Female.....	-	2	1	1	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	1	4	2	2	1	-	-	-	-
Male.....	2	3	1	3	1	-	-	-	-	-	-
Female.....	-	-	-	1	1	2	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Diseases of pericardium and acute myocarditis (I30-I31,I40)											
All races, both sexes.....	59	45	80	71	70	83	45	27	5	-	-
Male.....	32	25	44	40	34	31	13	8	1	-	-
Female.....	27	20	36	31	36	52	32	19	4	-	-
White, both sexes.....	51	39	71	62	63	73	41	26	5	-	-
Male.....	26	23	41	36	31	30	13	8	1	-	-
Female.....	25	16	30	26	32	43	28	18	4	-	-
Black, both sexes.....	7	5	7	9	5	8	4	1	-	-	-
Male.....	5	2	1	4	2	1	-	-	-	-	-
Female.....	2	3	6	5	3	7	4	1	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	-	-	-	-	-	-	-
Male.....	1	-	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	1	-	2	2	-	-	-	-	-
Male.....	-	-	1	-	1	-	-	-	-	-	-
Female.....	-	1	-	-	1	2	-	-	-	-	-
Heart failure (I50)											
All races, both sexes.....	1,007	1,462	2,302	3,836	6,697	10,439	12,844	11,082	5,071	1,222	-
Male.....	605	849	1,281	2,032	3,262	4,396	4,668	3,115	1,111	206	-
Female.....	402	613	1,021	1,804	3,435	6,043	8,176	7,967	3,960	1,016	-
White, both sexes.....	750	1,109	1,873	3,245	5,926	9,516	11,935	10,361	4,723	1,094	-
Male.....	459	653	1,059	1,761	2,943	4,033	4,358	2,939	1,033	174	-
Female.....	291	456	814	1,484	2,983	5,483	7,577	7,422	3,690	920	-
Black, both sexes.....	241	328	392	536	674	802	788	620	308	107	-
Male.....	138	186	207	242	273	308	260	143	63	26	-
Female.....	103	142	185	294	401	494	528	477	245	81	-
American Indian 1/, both sexes.....	9	15	14	16	24	32	25	20	4	8	-
Male.....	5	8	5	9	6	12	12	6	1	2	-
Female.....	4	7	9	7	18	20	13	14	3	6	-
Asian or Pacific Islander 2/, both sexes.....	7	10	23	39	73	89	96	81	36	13	-
Male.....	3	2	10	20	40	43	38	27	14	4	-
Female.....	4	8	13	19	33	46	58	54	22	9	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races, both sexes.....	5,010	5,606	6,997	9,726	13,861	17,792	18,022	12,806	4,914	1,092	6
Male.....	3,129	3,379	4,020	5,339	6,966	7,825	6,603	3,689	1,056	152	5
Female.....	1,881	2,227	2,977	4,387	6,895	9,967	11,419	9,117	3,858	940	1
White, both sexes.....	3,821	4,357	5,570	8,093	12,169	16,043	16,587	11,829	4,510	965	5
Male.....	2,409	2,682	3,243	4,522	6,176	7,092	6,111	3,393	960	130	4
Female.....	1,412	1,675	2,327	3,571	5,993	8,951	10,476	8,436	3,550	835	1
Black, both sexes.....	1,072	1,115	1,263	1,441	1,446	1,445	1,172	783	348	109	1
Male.....	648	624	691	713	668	591	378	210	75	16	1
Female.....	424	491	572	728	778	854	794	573	273	93	-
American Indian 1/, both sexes.....	41	54	45	41	36	48	36	24	12	3	-
Male.....	27	25	19	24	17	17	16	15	2	2	-
Female.....	14	29	26	17	19	31	20	9	10	1	-
Asian or Pacific Islander 2/, both sexes.....	76	80	119	151	210	256	227	170	44	15	-
Male.....	45	48	67	80	105	125	98	71	19	4	-
Female.....	31	32	52	71	105	131	129	99	25	11	-

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races, both sexes.....	785	970	1,272	1,832	2,864	3,785	3,949	3,233	1,348	374	-
Male.....	457	532	676	859	1,163	1,359	1,163	773	240	42	-
Female.....	328	438	596	973	1,701	2,426	2,786	2,460	1,108	332	-
White, both sexes.....	438	601	817	1,248	2,185	3,124	3,420	2,801	1,174	310	-
Male.....	270	330	454	608	910	1,120	998	664	204	33	-
Female.....	168	271	363	640	1,275	2,004	2,422	2,137	970	277	-
Black, both sexes.....	324	343	409	521	600	573	449	369	155	59	-
Male.....	173	188	203	227	224	200	136	87	32	8	-
Female.....	151	155	206	294	376	373	313	282	123	51	-
American Indian 1/, both sexes.....	7	10	8	19	7	8	8	10	1	-	-
Male.....	6	6	3	8	6	3	1	3	-	-	-
Female.....	1	4	5	11	1	5	7	7	1	-	-
Asian or Pacific Islander 2/, both sexes.....	16	16	38	44	72	80	72	53	18	5	-
Male.....	8	8	16	16	23	36	28	19	4	1	-
Female.....	8	8	22	28	49	44	44	34	14	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cerebrovascular diseases (I60-I69)

All races, both sexes.....	4,392	5,554	7,765	12,943	21,917	30,930	32,139	22,367	8,493	1,580	2
Male.....	2,394	3,084	4,138	6,530	9,993	12,241	10,471	5,634	1,575	179	1
Female.....	1,998	2,470	3,627	6,413	11,924	18,689	21,668	16,733	6,918	1,401	1
White, both sexes.....	3,045	3,974	5,928	10,537	18,762	27,567	29,266	20,465	7,753	1,355	2
Male.....	1,633	2,222	3,213	5,358	8,619	10,969	9,587	5,144	1,406	158	1
Female.....	1,412	1,752	2,715	5,179	10,143	16,598	19,679	15,321	6,347	1,197	1
Black, both sexes.....	1,143	1,338	1,501	1,937	2,546	2,667	2,288	1,538	601	196	-
Male.....	646	735	751	936	1,102	986	659	345	113	15	-
Female.....	497	603	750	1,001	1,444	1,681	1,629	1,193	488	181	-
American Indian 1/, both sexes.....	23	40	46	67	75	92	54	45	7	3	-
Male.....	13	20	20	34	34	32	19	15	2	-	-
Female.....	10	20	26	33	41	60	35	30	5	3	-
Asian or Pacific Islander 2/, both sexes.....	181	202	290	402	534	604	531	319	132	26	-
Male.....	102	107	154	202	238	254	206	130	54	6	-
Female.....	79	95	136	200	296	350	325	189	78	20	-

Atherosclerosis (I70)

All races, both sexes.....	171	295	436	775	1,482	2,355	2,946	2,582	1,375	385	1
Male.....	113	185	245	404	742	992	1,009	668	272	53	1
Female.....	58	110	191	371	740	1,363	1,937	1,914	1,103	332	-
White, both sexes.....	139	246	365	666	1,338	2,146	2,755	2,405	1,287	342	1
Male.....	93	156	206	343	663	899	943	625	257	47	1
Female.....	46	90	159	323	675	1,247	1,812	1,780	1,030	295	-
Black, both sexes.....	30	42	62	96	122	179	153	149	78	35	-
Male.....	19	25	33	55	63	80	50	33	12	5	-
Female.....	11	17	29	41	59	99	103	116	66	30	-
American Indian 1/, both sexes.....	1	4	2	6	2	4	3	5	1	2	-
Male.....	-	2	2	3	1	3	2	-	-	1	-
Female.....	1	2	-	3	1	1	1	5	1	1	-
Asian or Pacific Islander 2/, both sexes.....	1	3	7	7	20	26	35	23	9	6	-
Male.....	1	2	4	3	15	10	14	10	3	-	-
Female.....	-	1	3	4	5	16	21	13	6	6	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Other diseases of circulatory system (I71-I78)

All races, both sexes.....	900	1,370	1,998	2,936	4,215	4,479	3,739	2,229	762	152	-
Male.....	603	914	1,331	1,761	2,445	2,287	1,629	762	181	25	-
Female.....	297	456	667	1,175	1,770	2,192	2,110	1,467	581	127	-
White, both sexes.....	740	1,144	1,728	2,608	3,811	4,038	3,412	2,044	674	125	-
Male.....	509	771	1,167	1,602	2,238	2,079	1,515	709	161	21	-
Female.....	231	373	561	1,006	1,573	1,959	1,897	1,335	513	104	-
Black, both sexes.....	134	193	229	271	325	363	266	151	73	24	-
Male.....	80	122	136	122	159	161	84	32	14	3	-
Female.....	54	71	93	149	166	202	182	119	59	21	-
American Indian 1/, both sexes.....	5	10	11	8	19	9	14	4	4	1	-
Male.....	2	5	9	5	9	3	6	2	2	1	-
Female.....	3	5	2	3	10	6	8	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	21	23	30	49	60	69	47	30	11	2	-
Male.....	12	16	19	32	39	44	24	19	4	-	-
Female.....	9	7	11	17	21	25	23	11	7	2	-

Aortic aneurysm and dissection (I71)

All races, both sexes.....	590	887	1,317	1,954	2,726	2,745	2,059	965	245	29	-
Male.....	448	659	912	1,262	1,667	1,525	1,033	411	74	7	-
Female.....	142	228	405	692	1,059	1,220	1,026	554	171	22	-
White, both sexes.....	482	761	1,176	1,773	2,521	2,542	1,921	915	219	25	-
Male.....	379	570	827	1,170	1,561	1,421	977	388	67	6	-
Female.....	103	191	349	603	960	1,121	944	527	152	19	-
Black, both sexes.....	90	107	112	135	152	142	99	36	22	2	-
Male.....	57	76	66	62	72	67	33	11	5	-	-
Female.....	33	31	46	73	80	75	66	25	17	2	-
American Indian 1/, both sexes.....	2	4	4	4	12	4	5	-	1	1	-
Male.....	1	3	3	2	6	1	2	-	1	1	-
Female.....	1	1	1	2	6	3	3	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	15	25	42	41	57	34	14	3	1	-
Male.....	11	10	16	28	28	36	21	12	1	-	-
Female.....	5	5	9	14	13	21	13	2	2	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Other diseases of arteries, arterioles and capillaries (I72-I78)											
All races, both sexes.....	310	483	681	982	1,489	1,734	1,680	1,264	517	123	-
Male.....	155	255	419	499	778	762	596	351	107	18	-
Female.....	155	228	262	483	711	972	1,084	913	410	105	-
White, both sexes.....	258	383	552	835	1,290	1,496	1,491	1,129	455	100	-
Male.....	130	201	340	432	677	658	538	321	94	15	-
Female.....	128	182	212	403	613	838	953	808	361	85	-
Black, both sexes.....	44	86	117	136	173	221	167	115	51	22	-
Male.....	23	46	70	60	87	94	51	21	9	3	-
Female.....	21	40	47	76	86	127	116	94	42	19	-
American Indian 1/, both sexes.....	3	6	7	4	7	5	9	4	3	-	-
Male.....	1	2	6	3	3	2	4	2	1	-	-
Female.....	2	4	1	1	4	3	5	2	2	-	-
Asian or Pacific Islander 2/, both sexes.....	5	8	5	7	19	12	13	16	8	1	-
Male.....	1	6	3	4	11	8	3	7	3	-	-
Female.....	4	2	2	3	8	4	10	9	5	1	-

Other disorders of circulatory system (I80-I99)

All races, both sexes.....	272	297	319	425	518	643	577	382	148	26	-
Male.....	166	154	160	188	214	223	163	82	27	4	-
Female.....	106	143	159	237	304	420	414	300	121	22	-
White, both sexes.....	212	230	255	350	429	564	514	339	130	21	-
Male.....	139	113	126	156	178	189	143	73	23	3	-
Female.....	73	117	129	194	251	375	371	266	107	18	-
Black, both sexes.....	57	62	59	70	81	70	53	41	16	5	-
Male.....	26	38	31	31	34	28	18	8	4	1	-
Female.....	31	24	28	39	47	42	35	33	12	4	-
American Indian 1/, both sexes.....	2	1	1	-	3	1	1	-	1	-	-
Male.....	-	1	-	-	1	1	-	-	-	-	-
Female.....	2	-	1	-	2	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	4	4	5	5	8	9	2	1	-	-
Male.....	1	2	3	1	1	5	2	1	-	-	-
Female.....	-	2	1	4	4	3	7	1	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Influenza and pneumonia (J10-J18)

All races, both sexes.....	1,292	1,838	2,588	4,243	7,698	11,744	13,653	11,200	5,172	1,372	2
Male.....	739	1,032	1,506	2,376	4,032	5,597	5,592	3,715	1,360	283	1
Female.....	553	806	1,082	1,867	3,666	6,147	8,061	7,485	3,812	1,089	1
White, both sexes.....	996	1,456	2,107	3,596	6,784	10,638	12,611	10,319	4,775	1,213	1
Male.....	562	785	1,211	2,001	3,535	5,042	5,169	3,387	1,227	241	-
Female.....	434	671	896	1,595	3,249	5,596	7,442	6,932	3,548	972	1
Black, both sexes.....	248	321	397	530	720	810	758	649	280	114	1
Male.....	152	206	250	306	389	386	286	223	76	30	1
Female.....	96	115	147	224	331	424	472	426	204	84	-
American Indian 1/, both sexes.....	21	28	30	26	31	51	51	42	11	13	-
Male.....	10	17	15	16	14	26	13	14	8	2	-
Female.....	11	11	15	10	17	25	38	28	3	11	-
Asian or Pacific Islander 2/, both sexes.....	27	33	54	91	163	245	233	190	106	32	-
Male.....	15	24	30	53	94	143	124	91	49	10	-
Female.....	12	9	24	38	69	102	109	99	57	22	-

Influenza (J10-J11)

All races, both sexes.....	47	38	72	111	200	257	341	303	128	31	-
Male.....	26	16	38	51	89	100	132	84	26	3	-
Female.....	21	22	34	60	111	157	209	219	102	28	-
White, both sexes.....	41	35	64	106	191	248	330	292	123	29	-
Male.....	22	14	35	49	85	97	129	83	24	3	-
Female.....	19	21	29	57	106	151	201	209	99	26	-
Black, both sexes.....	5	2	6	4	5	8	8	8	3	1	-
Male.....	4	1	3	1	2	2	2	-	1	-	-
Female.....	1	1	3	3	3	6	6	8	2	1	-
American Indian 1/, both sexes.....	-	-	-	1	2	1	1	2	1	1	-
Male.....	-	-	-	1	-	1	-	-	1	-	-
Female.....	-	-	-	-	2	-	1	2	-	1	-
Asian or Pacific Islander 2/, both sexes.....	1	1	2	-	2	-	2	1	1	-	-
Male.....	-	1	-	-	2	-	1	1	-	-	-
Female.....	1	-	2	-	-	-	1	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Chronic lower respiratory diseases (J40-J47)

All races, both sexes.....	4,344	7,733	11,805	18,114	24,593	24,693	18,193	8,874	2,516	351	2
Male.....	2,252	3,991	6,001	9,332	12,266	11,697	8,055	3,547	812	98	2
Female.....	2,092	3,742	5,804	8,782	12,327	12,996	10,138	5,327	1,704	253	-
White, both sexes.....	3,777	6,993	10,843	16,763	22,999	23,332	17,255	8,377	2,345	312	2
Male.....	1,942	3,569	5,471	8,531	11,312	10,880	7,556	3,301	744	86	2
Female.....	1,835	3,424	5,372	8,232	11,687	12,452	9,699	5,076	1,601	226	-
Black, both sexes.....	494	624	825	1,109	1,245	1,071	681	365	129	35	-
Male.....	271	351	455	647	716	639	349	171	45	12	-
Female.....	223	273	370	462	529	432	332	194	84	23	-
American Indian 1/, both sexes.....	38	54	59	71	99	64	50	16	6	-	-
Male.....	20	27	26	41	57	34	25	5	4	-	-
Female.....	18	27	33	30	42	30	25	11	2	-	-
Asian or Pacific Islander 2/, both sexes.....	35	62	78	171	250	226	207	116	36	4	-
Male.....	19	44	49	113	181	144	125	70	19	-	-
Female.....	16	18	29	58	69	82	82	46	17	4	-

Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes.....	21	26	40	64	107	139	151	129	51	14	-
Male.....	12	14	17	29	59	54	51	35	13	2	-
Female.....	9	12	23	35	48	85	100	94	38	12	-
White, both sexes.....	14	24	38	56	100	125	139	121	46	13	-
Male.....	10	13	17	23	54	48	46	34	13	2	-
Female.....	4	11	21	33	46	77	93	87	33	11	-
Black, both sexes.....	6	2	2	4	3	9	9	5	4	1	-
Male.....	2	1	-	2	3	4	3	-	-	-	-
Female.....	4	1	2	2	-	5	6	5	4	1	-
American Indian 1/, both sexes.....	1	-	-	-	1	1	1	-	-	-	-
Male.....	-	-	-	-	-	-	1	-	-	-	-
Female.....	1	-	-	-	1	1	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	4	3	4	2	3	1	-	-
Male.....	-	-	-	4	2	2	1	1	-	-	-
Female.....	-	-	-	-	1	2	1	2	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Emphysema (J43)											
All races, both sexes.....	630	1,125	1,618	2,445	3,124	2,796	1,740	672	143	19	2
Male.....	339	593	827	1,314	1,608	1,387	792	300	48	5	2
Female.....	291	532	791	1,131	1,516	1,409	948	372	95	14	-
White, both sexes.....	569	1,026	1,508	2,287	2,934	2,640	1,657	622	129	17	2
Male.....	300	531	765	1,215	1,480	1,294	741	264	42	4	2
Female.....	269	495	743	1,072	1,454	1,346	916	358	87	13	-
Black, both sexes.....	57	85	97	124	148	120	57	37	11	1	-
Male.....	37	53	54	75	95	68	36	27	4	1	-
Female.....	20	32	43	49	53	52	21	10	7	-	-
American Indian 1/, both sexes.....	2	6	2	7	11	7	5	2	-	-	-
Male.....	1	4	-	4	10	3	2	-	-	-	-
Female.....	1	2	2	3	1	4	3	2	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	8	11	27	31	29	21	11	3	1	-
Male.....	1	5	8	20	23	22	13	9	2	-	-
Female.....	1	3	3	7	8	7	8	2	1	1	-
Asthma (J45-J46)											
All races, both sexes.....	299	263	262	270	364	388	335	236	75	25	-
Male.....	117	97	80	93	116	118	78	57	14	5	-
Female.....	182	166	182	177	248	270	257	179	61	20	-
White, both sexes.....	196	183	194	195	291	328	303	211	71	22	-
Male.....	76	60	60	67	83	101	69	52	13	5	-
Female.....	120	123	134	128	208	227	234	159	58	17	-
Black, both sexes.....	82	59	63	57	48	41	18	17	4	2	-
Male.....	27	25	20	18	20	11	3	3	1	-	-
Female.....	55	34	43	39	28	30	15	14	3	2	-
American Indian 1/, both sexes.....	3	5	1	2	4	3	1	1	-	-	-
Male.....	2	3	-	-	2	2	1	-	-	-	-
Female.....	1	2	1	2	2	1	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	18	16	4	16	21	16	13	7	-	1	-
Male.....	12	9	-	8	11	4	5	2	-	-	-
Female.....	6	7	4	8	10	12	8	5	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Pneumonitis due to solids and liquids (J69)											
All races, both sexes.....	317	456	610	1,144	2,245	3,544	3,908	2,945	1,204	250	-
Male.....	196	275	388	681	1,285	1,896	1,861	1,223	407	67	-
Female.....	121	181	222	463	960	1,648	2,047	1,722	797	183	-
White, both sexes.....	268	347	496	982	1,968	3,167	3,590	2,697	1,101	217	-
Male.....	165	210	323	582	1,129	1,703	1,720	1,127	368	62	-
Female.....	103	137	173	400	839	1,464	1,870	1,570	733	155	-
Black, both sexes.....	42	100	105	130	234	300	253	205	78	24	-
Male.....	27	60	59	80	130	146	102	71	27	4	-
Female.....	15	40	46	50	104	154	151	134	51	20	-
American Indian 1/, both sexes.....	3	4	4	9	7	15	11	7	2	3	-
Male.....	1	2	2	3	4	7	5	5	2	1	-
Female.....	2	2	2	6	3	8	6	2	-	2	-
Asian or Pacific Islander 2/, both sexes.....	4	5	5	23	36	62	54	36	23	6	-
Male.....	3	3	4	16	22	40	34	20	10	-	-
Female.....	1	2	1	7	14	22	20	16	13	6	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)											
All races, both sexes.....	1,037	1,405	2,050	3,106	4,272	4,538	3,721	1,926	723	140	1
Male.....	573	794	1,174	1,675	2,226	2,169	1,531	633	187	33	-
Female.....	464	611	876	1,431	2,046	2,369	2,190	1,293	536	107	1
White, both sexes.....	843	1,197	1,800	2,805	3,877	4,260	3,505	1,799	667	123	1
Male.....	469	682	1,037	1,527	2,022	2,043	1,442	583	170	33	-
Female.....	374	515	763	1,278	1,855	2,217	2,063	1,216	497	90	1
Black, both sexes.....	166	170	193	220	302	197	154	86	50	17	-
Male.....	90	96	104	115	155	88	66	29	14	-	-
Female.....	76	74	89	105	147	109	88	57	36	17	-
American Indian 1/, both sexes.....	8	18	15	25	25	18	14	12	-	-	-
Male.....	4	9	7	10	14	7	3	6	-	-	-
Female.....	4	9	8	15	11	11	11	6	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	20	42	56	68	63	48	29	6	-	-
Male.....	10	7	26	23	35	31	20	15	3	-	-
Female.....	10	13	16	33	33	32	28	14	3	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Peptic ulcer (K25-K28)											
All races, both sexes.....	183	200	228	359	545	734	685	391	138	30	-
Male.....	105	132	141	205	273	333	262	126	25	5	-
Female.....	78	68	87	154	272	401	423	265	113	25	-
White, both sexes.....	148	164	197	317	475	655	630	365	127	24	-
Male.....	83	108	120	179	238	290	240	115	21	3	-
Female.....	65	56	77	138	237	365	390	250	106	21	-
Black, both sexes.....	33	28	20	34	51	57	34	16	4	4	-
Male.....	22	20	15	22	25	32	13	5	1	-	-
Female.....	11	8	5	12	26	25	21	11	3	4	-
American Indian 1/, both sexes.....	1	-	2	-	5	-	1	-	1	-	-
Male.....	-	-	2	-	1	-	-	-	-	-	-
Female.....	1	-	-	-	4	-	1	-	1	-	-
Asian or Pacific Islander 2/, both sexes.....	1	8	9	8	14	22	20	10	6	2	-
Male.....	-	4	4	4	9	11	9	6	3	2	-
Female.....	1	4	5	4	5	11	11	4	3	-	-

Diseases of appendix (K35-K38)

All races, both sexes.....	18	25	29	35	56	76	42	28	7	1	-
Male.....	13	17	20	26	28	47	21	10	3	-	-
Female.....	5	8	9	9	28	29	21	18	4	1	-
White, both sexes.....	15	17	23	30	46	71	39	25	7	1	-
Male.....	11	12	16	22	23	44	20	10	3	-	-
Female.....	4	5	7	8	23	27	19	15	4	1	-
Black, both sexes.....	3	7	4	5	9	2	3	2	-	-	-
Male.....	2	4	3	4	4	1	1	-	-	-	-
Female.....	1	3	1	1	5	1	2	2	-	-	-
American Indian 1/, both sexes.....	-	1	-	-	-	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	2	-	1	3	-	1	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Hernia (K40-K46)

All races, both sexes.....	76	85	101	136	203	259	296	202	56	9	-
Male.....	30	42	48	63	93	106	95	62	17	4	-
Female.....	46	43	53	73	110	153	201	140	39	5	-
White, both sexes.....	60	71	88	120	185	230	276	184	55	7	-
Male.....	27	35	42	54	86	94	87	57	17	2	-
Female.....	33	36	46	66	99	136	189	127	38	5	-
Black, both sexes.....	16	12	12	12	17	22	14	15	1	1	-
Male.....	3	7	6	7	6	9	6	4	-	1	-
Female.....	13	5	6	5	11	13	8	11	1	-	-
American Indian 1/, both sexes.....	-	1	1	3	-	1	3	2	-	1	-
Male.....	-	-	-	1	-	-	2	1	-	1	-
Female.....	-	1	1	2	-	1	1	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	-	1	1	6	3	1	-	-	-
Male.....	-	-	-	1	1	3	-	-	-	-	-
Female.....	-	1	-	-	-	3	3	1	-	-	-

Chronic liver disease and cirrhosis (K70,K73-K74)

All races, both sexes.....	3,476	2,952	2,729	2,677	2,314	1,544	712	204	29	1	3
Male.....	2,485	2,052	1,736	1,529	1,181	720	304	80	13	-	3
Female.....	991	900	993	1,148	1,133	824	408	124	16	1	-
White, both sexes.....	2,960	2,559	2,423	2,460	2,182	1,453	670	191	26	1	3
Male.....	2,122	1,792	1,550	1,412	1,114	672	286	74	11	-	3
Female.....	838	767	873	1,048	1,068	781	384	117	15	1	-
Black, both sexes.....	417	296	242	164	83	58	31	9	2	-	-
Male.....	301	202	149	88	43	30	16	4	1	-	-
Female.....	116	94	93	76	40	28	15	5	1	-	-
American Indian 1/, both sexes.....	67	67	32	18	17	6	2	2	-	-	-
Male.....	38	34	18	8	7	2	-	2	-	-	-
Female.....	29	33	14	10	10	4	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	32	30	32	35	32	27	9	2	1	-	-
Male.....	24	24	19	21	17	16	2	-	1	-	-
Female.....	8	6	13	14	15	11	7	2	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Alcoholic liver disease (K70)

All races, both sexes.....	1,837	1,410	1,075	713	491	238	67	19	-	-	2
Male.....	1,386	1,073	800	543	349	169	40	12	-	-	2
Female.....	451	337	275	170	142	69	27	7	-	-	-
White, both sexes.....	1,590	1,207	941	645	462	220	62	17	-	-	2
Male.....	1,209	934	704	494	329	153	37	11	-	-	2
Female.....	381	273	237	151	133	67	25	6	-	-	-
Black, both sexes.....	192	153	107	52	18	15	4	1	-	-	-
Male.....	139	108	76	38	11	13	3	1	-	-	-
Female.....	53	45	31	14	7	2	1	-	-	-	-
American Indian 1/, both sexes.....	43	38	18	9	7	-	1	-	-	-	-
Male.....	29	22	13	4	5	-	-	-	-	-	-
Female.....	14	16	5	5	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	12	12	9	7	4	3	-	1	-	-	-
Male.....	9	9	7	7	4	3	-	-	-	-	-
Female.....	3	3	2	-	-	-	-	1	-	-	-

Other chronic liver disease and cirrhosis (K73-K74)

All races, both sexes.....	1,639	1,542	1,654	1,964	1,823	1,306	645	185	29	1	1
Male.....	1,099	979	936	986	832	551	264	68	13	-	1
Female.....	540	563	718	978	991	755	381	117	16	1	-
White, both sexes.....	1,370	1,352	1,482	1,815	1,720	1,233	608	174	26	1	1
Male.....	913	858	846	918	785	519	249	63	11	-	1
Female.....	457	494	636	897	935	714	359	111	15	1	-
Black, both sexes.....	225	143	135	112	65	43	27	8	2	-	-
Male.....	162	94	73	50	32	17	13	3	1	-	-
Female.....	63	49	62	62	33	26	14	5	1	-	-
American Indian 1/, both sexes.....	24	29	14	9	10	6	1	2	-	-	-
Male.....	9	12	5	4	2	2	-	2	-	-	-
Female.....	15	17	9	5	8	4	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	18	23	28	28	24	9	1	1	-	-
Male.....	15	15	12	14	13	13	2	-	1	-	-
Female.....	5	3	11	14	15	11	7	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races, both sexes.....	77	105	193	296	440	614	498	371	133	25	-
Male.....	45	61	101	164	233	286	199	99	27	3	-
Female.....	32	44	92	132	207	328	299	272	106	22	-
White, both sexes.....	59	83	154	267	390	552	455	335	121	22	-
Male.....	35	47	82	150	208	258	184	90	25	2	-
Female.....	24	36	72	117	182	294	271	245	96	20	-
Black, both sexes.....	15	18	29	21	35	43	35	21	12	3	-
Male.....	8	10	15	8	18	19	11	6	2	1	-
Female.....	7	8	14	13	17	24	24	15	10	2	-
American Indian 1/, both sexes.....	1	3	4	2	4	5	2	5	-	-	-
Male.....	1	3	2	2	2	2	-	-	-	-	-
Female.....	-	-	2	-	2	3	2	5	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	1	6	6	11	14	6	10	-	-	-
Male.....	1	1	2	4	5	7	4	3	-	-	-
Female.....	1	-	4	2	6	7	2	7	-	-	-

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races, both sexes.....	1,638	2,168	2,996	4,349	6,298	7,795	7,277	4,584	1,641	314	2
Male.....	936	1,129	1,565	2,220	3,188	3,861	3,232	1,795	492	81	2
Female.....	702	1,039	1,431	2,129	3,110	3,934	4,045	2,789	1,149	233	-
White, both sexes.....	1,054	1,463	2,113	3,265	5,141	6,627	6,406	4,028	1,430	258	1
Male.....	604	774	1,142	1,706	2,694	3,339	2,933	1,590	423	67	1
Female.....	450	689	971	1,559	2,447	3,288	3,473	2,438	1,007	191	-
Black, both sexes.....	542	641	799	966	1,005	1,027	776	496	190	48	1
Male.....	309	325	382	474	420	452	254	172	58	13	1
Female.....	233	316	417	492	585	575	522	324	132	35	-
American Indian 1/, both sexes.....	18	24	24	22	49	27	23	14	5	-	-
Male.....	11	10	11	8	29	14	10	4	3	-	-
Female.....	7	14	13	14	20	13	13	10	2	-	-
Asian or Pacific Islander 2/, both sexes.....	24	40	60	96	103	114	72	46	16	8	-
Male.....	12	20	30	32	45	56	35	29	8	1	-
Female.....	12	20	30	64	58	58	37	17	8	7	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races, both sexes.....	5	9	11	19	18	32	17	5	2	2	-
Male.....	3	4	6	9	7	13	2	3	-	-	-
Female.....	2	5	5	10	11	19	15	2	2	2	-
White, both sexes.....	3	6	9	17	16	26	14	5	2	-	-
Male.....	2	1	4	8	5	9	2	3	-	-	-
Female.....	1	5	5	9	11	17	12	2	2	-	-
Black, both sexes.....	1	2	2	2	2	4	1	-	-	1	-
Male.....	-	2	2	1	2	3	-	-	-	-	-
Female.....	1	-	-	1	-	1	1	-	-	1	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	1	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	2	1	-	-	1	-
Male.....	1	1	-	-	-	1	-	-	-	-	-
Female.....	-	-	-	-	-	1	1	-	-	1	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races, both sexes.....	22	28	42	60	77	88	72	37	16	5	-
Male.....	10	12	24	24	39	41	32	20	6	1	-
Female.....	12	16	18	36	38	47	40	17	10	4	-
White, both sexes.....	21	21	36	43	62	75	64	28	15	4	-
Male.....	10	9	21	17	30	35	28	15	6	1	-
Female.....	11	12	15	26	32	40	36	13	9	3	-
Black, both sexes.....	1	5	4	11	11	8	3	8	-	1	-
Male.....	-	2	2	5	6	4	1	4	-	-	-
Female.....	1	3	2	6	5	4	2	4	-	1	-
American Indian 1/, both sexes.....	-	-	-	2	2	-	-	-	-	-	-
Male.....	-	-	-	2	2	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	2	2	4	2	5	5	1	1	-	-
Male.....	-	1	1	-	1	2	3	1	-	-	-
Female.....	-	1	1	4	1	3	2	-	1	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Renal failure (N17-N19)											
All races, both sexes.....	1,611	2,130	2,939	4,267	6,198	7,672	7,184	4,541	1,621	307	2
Male.....	923	1,113	1,532	2,187	3,140	3,807	3,198	1,771	486	80	2
Female.....	688	1,017	1,407	2,080	3,058	3,865	3,986	2,770	1,135	227	-
White, both sexes.....	1,030	1,435	2,067	3,203	5,058	6,524	6,324	3,994	1,411	254	1
Male.....	592	764	1,116	1,681	2,657	3,295	2,903	1,571	417	66	1
Female.....	438	671	951	1,522	2,401	3,229	3,421	2,423	994	188	-
Black, both sexes.....	540	634	790	953	992	1,014	772	488	190	46	1
Male.....	309	321	376	468	412	445	253	168	58	13	1
Female.....	231	313	414	485	580	569	519	320	132	33	-
American Indian 1/, both sexes.....	18	24	24	20	47	27	22	14	5	-	-
Male.....	11	10	11	6	27	14	10	4	3	-	-
Female.....	7	14	13	14	20	13	12	10	2	-	-
Asian or Pacific Islander 2/, both sexes.....	23	37	58	91	101	107	66	45	15	7	-
Male.....	11	18	29	32	44	53	32	28	8	1	-
Female.....	12	19	29	59	57	54	34	17	7	6	-
Other disorders of kidney (N25,N27)											
All races, both sexes.....	-	1	4	3	5	3	4	1	2	-	-
Male.....	-	-	3	-	2	-	-	1	-	-	-
Female.....	-	1	1	3	3	3	4	-	2	-	-
White, both sexes.....	-	1	1	2	5	2	4	1	2	-	-
Male.....	-	-	1	-	2	-	-	1	-	-	-
Female.....	-	1	-	2	3	2	4	-	2	-	-
Black, both sexes.....	-	-	3	-	-	1	-	-	-	-	-
Male.....	-	-	2	-	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	1	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Certain conditions originating in the perinatal period (P00-P96)

All races, both sexes.....	-	-	-	2	-	-	-	-	-	-	-
Male.....	-	-	-	2	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	-	-	-	1	-	-	-	-	-	-	-
Male.....	-	-	-	1	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races, both sexes.....	376	290	223	190	224	240	170	100	40	9	-
Male.....	189	147	108	90	86	92	57	27	12	1	-
Female.....	187	143	115	100	138	148	113	73	28	8	-
White, both sexes.....	335	261	191	169	204	220	160	90	36	9	-
Male.....	169	129	92	77	78	79	55	24	10	1	-
Female.....	166	132	99	92	126	141	105	66	26	8	-
Black, both sexes.....	34	26	24	16	15	15	8	8	4	-	-
Male.....	18	15	14	11	5	11	2	2	2	-	-
Female.....	16	11	10	5	10	4	6	6	2	-	-
American Indian 1/, both sexes.....	2	1	2	1	-	-	2	-	-	-	-
Male.....	1	1	-	-	-	-	-	-	-	-	-
Female.....	1	-	2	1	-	-	2	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	6	4	5	5	-	2	-	-	-
Male.....	1	2	2	2	3	2	-	1	-	-	-
Female.....	4	-	4	2	2	3	-	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)											
All races, both sexes.....	1,077	990	1,033	1,489	1,989	3,017	3,723	3,702	2,225	915	112
Male.....	682	612	618	813	967	1,193	1,148	919	385	118	83
Female.....	395	378	415	676	1,022	1,824	2,575	2,783	1,840	797	29
White, both sexes.....	855	790	846	1,249	1,755	2,733	3,444	3,401	2,063	811	96
Male.....	535	486	504	690	861	1,074	1,057	840	354	101	71
Female.....	320	304	342	559	894	1,659	2,387	2,561	1,709	710	25
Black, both sexes.....	205	186	171	229	205	240	242	257	135	89	11
Male.....	132	118	105	118	91	95	80	69	23	14	8
Female.....	73	68	66	111	114	145	162	188	112	75	3
American Indian 1/, both sexes.....	8	8	4	1	5	9	8	12	5	5	2
Male.....	6	5	2	-	4	5	3	1	1	1	2
Female.....	2	3	2	1	1	4	5	11	4	4	-
Asian or Pacific Islander 2/, both sexes.....	9	6	12	10	24	35	29	32	22	10	3
Male.....	9	3	7	5	11	19	8	9	7	2	2
Female.....	-	3	5	5	13	16	21	23	15	8	1

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races, both sexes.....	8,940	9,794	11,160	15,315	22,635	30,320	32,746	24,949	10,915	2,490	17
Male.....	5,027	5,247	5,689	7,304	9,807	11,586	10,145	5,900	1,838	295	13
Female.....	3,913	4,547	5,471	8,011	12,828	18,734	22,601	19,049	9,077	2,195	4
White, both sexes.....	7,205	8,002	9,374	13,174	19,995	27,379	30,194	22,976	9,981	2,159	13
Male.....	4,092	4,303	4,777	6,287	8,656	10,422	9,364	5,450	1,656	244	9
Female.....	3,113	3,699	4,597	6,887	11,339	16,957	20,830	17,526	8,325	1,915	4
Black, both sexes.....	1,518	1,559	1,542	1,823	2,246	2,468	2,144	1,681	803	293	4
Male.....	806	823	778	882	968	962	632	355	147	40	4
Female.....	712	736	764	941	1,278	1,506	1,512	1,326	656	253	-
American Indian 1/, both sexes.....	101	88	94	71	88	108	82	58	31	9	-
Male.....	55	44	50	33	40	35	22	13	2	2	-
Female.....	46	44	44	38	48	73	60	45	29	7	-
Asian or Pacific Islander 2/, both sexes.....	116	145	150	247	306	365	326	234	100	29	-
Male.....	74	77	84	102	143	167	127	82	33	9	-
Female.....	42	68	66	145	163	198	199	152	67	20	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidents (unintentional injuries) (V01-X59,Y85-Y86)											
All races, both sexes.....	5,186	3,984	3,711	4,370	5,875	7,233	6,839	4,352	1,620	335	76
Male.....	3,613	2,711	2,365	2,556	3,251	3,600	2,991	1,595	440	67	70
Female.....	1,573	1,273	1,346	1,814	2,624	3,633	3,848	2,757	1,180	268	6
White, both sexes.....	4,328	3,373	3,126	3,826	5,311	6,649	6,451	4,088	1,544	307	70
Male.....	3,009	2,299	1,997	2,262	2,940	3,295	2,819	1,484	416	60	64
Female.....	1,319	1,074	1,129	1,564	2,371	3,354	3,632	2,604	1,128	247	6
Black, both sexes.....	691	478	455	407	398	414	280	190	59	20	5
Male.....	500	336	302	226	230	207	122	72	17	5	5
Female.....	191	142	153	181	168	207	158	118	42	15	-
American Indian 1/, both sexes.....	74	54	49	35	35	27	24	15	3	2	1
Male.....	46	36	29	22	16	13	10	7	-	1	1
Female.....	28	18	20	13	19	14	14	8	3	1	-
Asian or Pacific Islander 2/, both sexes.....	93	79	81	102	131	143	84	59	14	6	-
Male.....	58	40	37	46	65	85	40	32	7	1	-
Female.....	35	39	44	56	66	58	44	27	7	5	-
Transport accidents (V01-V99,Y85)											
All races, both sexes.....	2,507	1,934	1,578	1,632	1,782	1,595	994	350	55	2	20
Male.....	1,778	1,309	1,019	956	1,019	866	534	187	30	-	18
Female.....	729	625	559	676	763	729	460	163	25	2	2
White, both sexes.....	2,109	1,644	1,338	1,439	1,586	1,462	924	322	51	1	19
Male.....	1,504	1,129	873	860	908	792	495	168	27	-	17
Female.....	605	515	465	579	678	670	429	154	24	1	2
Black, both sexes.....	299	211	176	135	134	86	48	22	2	-	1
Male.....	216	143	116	73	82	51	27	13	1	-	1
Female.....	83	68	60	62	52	35	21	9	1	-	-
American Indian 1/, both sexes.....	38	27	19	17	9	7	8	1	-	-	-
Male.....	23	14	10	7	3	2	3	1	-	-	-
Female.....	15	13	9	10	6	5	5	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	61	52	45	41	53	40	14	5	2	1	-
Male.....	35	23	20	16	26	21	9	5	2	-	-
Female.....	26	29	25	25	27	19	5	-	-	1	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
V88.0-V88.8,V89.0,V89.2) (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,											
All races, both sexes.....	2,232	1,726	1,444	1,523	1,680	1,530	961	343	53	1	16
Male.....	1,553	1,130	908	870	944	823	511	182	29	-	14
Female.....	679	596	536	653	736	707	450	161	24	1	2
White, both sexes.....	1,861	1,458	1,226	1,338	1,497	1,404	892	316	49	-	15
Male.....	1,302	968	781	779	841	755	473	164	26	-	13
Female.....	559	490	445	559	656	649	419	152	23	-	2
Black, both sexes.....	277	194	161	130	125	81	48	21	2	-	1
Male.....	197	127	102	70	77	47	27	12	1	-	1
Female.....	80	67	59	60	48	34	21	9	1	-	-
American Indian 1/, both sexes.....	35	26	17	15	9	7	7	1	-	-	-
Male.....	21	14	8	5	3	2	2	1	-	-	-
Female.....	14	12	9	10	6	5	5	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	59	48	40	40	49	38	14	5	2	1	-
Male.....	33	21	17	16	23	19	9	5	2	-	-
Female.....	26	27	23	24	26	19	5	-	-	1	-

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9, V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races, both sexes.....	87	60	42	39	42	38	18	5	1	1	4
Male.....	68	45	35	28	25	27	11	4	1	-	4
Female.....	19	15	7	11	17	11	7	1	-	1	-
White, both sexes.....	74	52	34	33	37	33	17	4	1	1	4
Male.....	57	38	28	24	22	23	10	3	1	-	4
Female.....	17	14	6	9	15	10	7	1	-	1	-
Black, both sexes.....	12	7	6	4	4	3	-	1	-	-	-
Male.....	10	7	6	3	2	2	-	1	-	-	-
Female.....	2	-	-	1	2	1	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	1	-	-	1	-	-	-	-
Male.....	1	-	-	1	-	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	1	2	1	1	2	-	-	-	-	-
Male.....	-	-	1	-	1	2	-	-	-	-	-
Female.....	-	1	1	1	-	-	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)											
All races, both sexes.....	188	148	92	70	60	27	15	2	1	-	-
Male.....	157	134	76	58	50	16	12	1	-	-	-
Female.....	31	14	16	12	10	11	3	1	1	-	-
White, both sexes.....	174	134	78	68	52	25	15	2	1	-	-
Male.....	145	123	64	57	45	14	12	1	-	-	-
Female.....	29	11	14	11	7	11	3	1	1	-	-
Black, both sexes.....	10	10	9	1	5	2	-	-	-	-	-
Male.....	9	9	8	-	3	2	-	-	-	-	-
Female.....	1	1	1	1	2	-	-	-	-	-	-
American Indian 1/, both sexes.....	2	1	2	1	-	-	-	-	-	-	-
Male.....	1	-	2	1	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	3	3	-	3	-	-	-	-	-	-
Male.....	2	2	2	-	2	-	-	-	-	-	-
Female.....	-	1	1	-	1	-	-	-	-	-	-

Nontransport accidents (W00-X59,Y86)

All races, both sexes.....	2,679	2,050	2,133	2,738	4,093	5,638	5,845	4,002	1,565	333	56
Male.....	1,835	1,402	1,346	1,600	2,232	2,734	2,457	1,408	410	67	52
Female.....	844	648	787	1,138	1,861	2,904	3,388	2,594	1,155	266	4
White, both sexes.....	2,219	1,729	1,788	2,387	3,725	5,187	5,527	3,766	1,493	306	51
Male.....	1,505	1,170	1,124	1,402	2,032	2,503	2,324	1,316	389	60	47
Female.....	714	559	664	985	1,693	2,684	3,203	2,450	1,104	246	4
Black, both sexes.....	392	267	279	272	264	328	232	168	57	20	4
Male.....	284	193	186	153	148	156	95	59	16	5	4
Female.....	108	74	93	119	116	172	137	109	41	15	-
American Indian 1/, both sexes.....	36	27	30	18	26	20	16	14	3	2	1
Male.....	23	22	19	15	13	11	7	6	-	1	1
Female.....	13	5	11	3	13	9	9	8	3	1	-
Asian or Pacific Islander 2/, both sexes.....	32	27	36	61	78	103	70	54	12	5	-
Male.....	23	17	17	30	39	64	31	27	5	1	-
Female.....	9	10	19	31	39	39	39	27	7	4	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Accidental drowning and submersion (W65-W74)

All races, both sexes.....	153	112	102	100	94	68	58	20	5	-	30
Male.....	125	86	73	72	57	47	31	15	2	-	30
Female.....	28	26	29	28	37	21	27	5	3	-	-
White, both sexes.....	131	93	92	86	80	65	49	17	4	-	29
Male.....	105	70	66	63	51	45	29	12	2	-	29
Female.....	26	23	26	23	29	20	20	5	2	-	-
Black, both sexes.....	19	15	5	11	6	2	4	1	-	-	1
Male.....	17	13	3	7	3	2	2	1	-	-	1
Female.....	2	2	2	4	3	-	2	-	-	-	-
American Indian 1/, both sexes.....	1	-	1	-	1	-	-	-	-	-	-
Male.....	1	-	1	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	4	3	7	1	5	2	1	-	-
Male.....	2	3	3	2	2	-	-	2	-	-	-
Female.....	-	1	1	1	5	1	5	-	1	-	-

Accidental exposure to smoke, fire and flames (X00-X09)

All races, both sexes.....	204	188	198	221	226	234	157	67	24	5	4
Male.....	138	116	113	131	124	104	72	27	8	-	3
Female.....	66	72	85	90	102	130	85	40	16	5	1
White, both sexes.....	156	147	152	168	175	181	119	59	19	2	4
Male.....	103	93	87	102	90	78	58	23	6	-	3
Female.....	53	54	65	66	85	103	61	36	13	2	1
Black, both sexes.....	45	34	42	48	51	49	36	8	4	3	-
Male.....	33	20	26	27	34	23	13	4	1	-	-
Female.....	12	14	16	21	17	26	23	4	3	3	-
American Indian 1/, both sexes.....	1	3	2	3	-	-	-	-	-	-	-
Male.....	-	1	-	1	-	-	-	-	-	-	-
Female.....	1	2	2	2	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	2	4	2	2	-	4	2	-	1	-	-
Male.....	2	2	-	1	-	3	1	-	1	-	-
Female.....	-	2	2	1	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Accidental poisoning and exposure to noxious substances (X40-X49)											
All races, both sexes.....	957	413	229	174	146	138	105	47	10	4	6
Male.....	584	257	137	86	71	71	34	19	4	1	5
Female.....	373	156	92	88	75	67	71	28	6	3	1
White, both sexes.....	787	350	167	149	133	130	94	41	9	4	4
Male.....	461	211	90	73	64	67	29	15	3	1	3
Female.....	326	139	77	76	69	63	65	26	6	3	1
Black, both sexes.....	152	57	52	18	13	7	10	6	1	-	2
Male.....	113	45	42	12	7	3	5	4	1	-	2
Female.....	39	12	10	6	6	4	5	2	-	-	-
American Indian 1/, both sexes.....	10	4	8	1	-	-	-	-	-	-	-
Male.....	5	1	4	1	-	-	-	-	-	-	-
Female.....	5	3	4	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	2	2	6	-	1	1	-	-	-	-
Male.....	5	-	1	-	-	1	-	-	-	-	-
Female.....	3	2	1	6	-	-	1	-	-	-	-
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)											
All races, both sexes.....	750	670	794	966	1,475	2,064	2,302	1,644	720	167	15
Male.....	545	500	518	577	820	978	958	548	190	41	13
Female.....	205	170	276	389	655	1,086	1,344	1,096	530	126	2
White, both sexes.....	618	556	668	833	1,327	1,870	2,171	1,527	677	150	14
Male.....	453	409	446	497	739	879	900	507	178	34	12
Female.....	165	147	222	336	588	991	1,271	1,020	499	116	2
Black, both sexes.....	106	95	107	111	115	156	107	93	38	13	1
Male.....	74	72	62	68	64	77	42	30	11	5	1
Female.....	32	23	45	43	51	79	65	63	27	8	-
American Indian 1/, both sexes.....	16	12	11	6	14	9	7	6	1	1	-
Male.....	12	12	7	6	8	3	3	3	-	1	-
Female.....	4	-	4	-	6	6	4	3	1	-	-
Asian or Pacific Islander 2/, both sexes.....	10	7	8	16	19	29	17	18	4	3	-
Male.....	6	7	3	6	9	19	13	8	1	1	-
Female.....	4	-	5	10	10	10	4	10	3	2	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Intentional self-harm (suicide) (*U03,X60-X84,Y87.0)

All races, both sexes.....	2,314	1,529	1,167	1,168	1,159	956	558	205	34	1	7
Male.....	1,771	1,216	958	996	985	824	484	178	28	-	7
Female.....	543	313	209	172	174	132	74	27	6	1	-
White, both sexes.....	2,181	1,437	1,092	1,106	1,107	922	534	204	31	1	7
Male.....	1,673	1,143	901	944	944	797	468	177	27	-	7
Female.....	508	294	191	162	163	125	66	27	4	1	-
Black, both sexes.....	76	61	43	34	26	18	11	-	1	-	-
Male.....	57	50	32	27	24	16	8	-	-	-	-
Female.....	19	11	11	7	2	2	3	-	1	-	-
American Indian 1/, both sexes.....	5	7	4	2	4	-	1	-	-	-	-
Male.....	4	5	3	2	3	-	1	-	-	-	-
Female.....	1	2	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	52	24	28	26	22	16	12	1	2	-	-
Male.....	37	18	22	23	14	11	7	1	1	-	-
Female.....	15	6	6	3	8	5	5	-	1	-	-

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races, both sexes.....	1,329	988	833	867	886	709	399	136	24	-	-
Male.....	1,122	879	747	791	815	665	375	132	22	-	-
Female.....	207	109	86	76	71	44	24	4	2	-	-
White, both sexes.....	1,276	945	797	835	856	687	391	136	23	-	-
Male.....	1,079	839	717	762	787	646	368	132	22	-	-
Female.....	197	106	80	73	69	41	23	4	1	-	-
Black, both sexes.....	39	36	32	24	23	16	6	-	1	-	-
Male.....	30	33	26	21	21	14	6	-	-	-	-
Female.....	9	3	6	3	2	2	-	-	1	-	-
American Indian 1/, both sexes.....	3	3	2	2	2	-	1	-	-	-	-
Male.....	3	3	2	2	2	-	1	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	11	4	2	6	5	6	1	-	-	-	-
Male.....	10	4	2	6	5	5	-	-	-	-	-
Female.....	1	-	-	-	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Intentional self-harm (suicide) by other and unspecified means and their sequelae (*U03,X60-X71,X75-X84,Y87.0)											
All races, both sexes.....	985	541	334	301	273	247	159	69	10	1	7
Male.....	649	337	211	205	170	159	109	46	6	-	7
Female.....	336	204	123	96	103	88	50	23	4	1	-
White, both sexes.....	905	492	295	271	251	235	143	68	8	1	7
Male.....	594	304	184	182	157	151	100	45	5	-	7
Female.....	311	188	111	89	94	84	43	23	3	1	-
Black, both sexes.....	37	25	11	10	3	2	5	-	-	-	-
Male.....	27	17	6	6	3	2	2	-	-	-	-
Female.....	10	8	5	4	-	-	3	-	-	-	-
American Indian 1/, both sexes.....	2	4	2	-	2	-	-	-	-	-	-
Male.....	1	2	1	-	1	-	-	-	-	-	-
Female.....	1	2	1	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	41	20	26	20	17	10	11	1	2	-	-
Male.....	27	14	20	17	9	6	7	1	1	-	-
Female.....	14	6	6	3	8	4	4	-	1	-	-

Assault (homicide) (*U01-*U02,X85-Y09,Y87.1)

All races, both sexes.....	490	296	227	205	187	130	77	22	5	-	41
Male.....	352	216	156	129	110	61	32	13	1	-	29
Female.....	138	80	71	76	77	69	45	9	4	-	12
White, both sexes.....	327	203	160	144	143	101	65	18	3	-	36
Male.....	217	147	105	89	82	46	27	11	1	-	25
Female.....	110	56	55	55	61	55	38	7	2	-	11
Black, both sexes.....	143	80	54	52	39	26	11	4	2	-	4
Male.....	123	59	44	35	27	14	5	2	-	-	3
Female.....	20	21	10	17	12	12	6	2	2	-	1
American Indian 1/, both sexes.....	3	1	3	2	1	-	1	-	-	-	-
Male.....	1	1	2	2	-	-	-	-	-	-	-
Female.....	2	-	1	-	1	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	12	10	7	4	3	-	-	-	-	1
Male.....	11	9	5	3	1	1	-	-	-	-	1
Female.....	6	3	5	4	3	2	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Assault (homicide) by discharge of firearms (*U01.4,X93-X95)											
All races, both sexes.....	250	144	83	78	55	33	17	5	1	-	18
Male.....	186	106	63	52	27	8	9	1	-	-	16
Female.....	64	38	20	26	28	25	8	4	1	-	2
White, both sexes.....	168	100	58	58	41	27	17	3	-	-	14
Male.....	116	72	43	38	20	5	9	-	-	-	13
Female.....	52	28	15	20	21	22	8	3	-	-	1
Black, both sexes.....	72	37	23	19	11	6	-	2	1	-	3
Male.....	65	27	19	14	7	3	-	1	-	-	2
Female.....	7	10	4	5	4	3	-	1	1	-	1
American Indian 1/, both sexes.....	2	1	-	-	1	-	-	-	-	-	-
Male.....	-	1	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	8	6	2	1	2	-	-	-	-	-	1
Male.....	5	6	1	-	-	-	-	-	-	-	1
Female.....	3	-	1	1	2	-	-	-	-	-	-

Assault (homicide) by other and unspecified means and their sequelae (*U01.0-*U01.3,*U01.5-*U01.9,*U02,X85-X92,X96-Y09,Y87.1)

All races, both sexes.....	240	152	144	127	132	97	60	17	4	-	23
Male.....	166	110	93	77	83	53	23	12	1	-	13
Female.....	74	42	51	50	49	44	37	5	3	-	10
White, both sexes.....	159	103	102	86	102	74	48	15	3	-	22
Male.....	101	75	62	51	62	41	18	11	1	-	12
Female.....	58	28	40	35	40	33	30	4	2	-	10
Black, both sexes.....	71	43	31	33	28	20	11	2	1	-	1
Male.....	58	32	25	21	20	11	5	1	-	-	1
Female.....	13	11	6	12	8	9	6	1	1	-	-
American Indian 1/, both sexes.....	1	-	3	2	-	-	1	-	-	-	-
Male.....	1	-	2	2	-	-	-	-	-	-	-
Female.....	-	-	1	-	-	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	9	6	8	6	2	3	-	-	-	-	-
Male.....	6	3	4	3	1	1	-	-	-	-	-
Female.....	3	3	4	3	1	2	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Legal intervention (Y35,Y89.0)

All races, both sexes.....	12	7	2	2	2	-	-	-	-	-	-
Male.....	11	7	2	2	2	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	10	7	2	2	1	-	-	-	-	-	-
Male.....	9	7	2	2	1	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	1	-	-	-	-	-	-
Male.....	1	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races, both sexes.....	245	123	74	57	45	51	36	12	4	-	18
Male.....	153	69	37	28	26	23	15	4	2	-	14
Female.....	92	54	37	29	19	28	21	8	2	-	4
White, both sexes.....	203	96	59	44	40	45	34	12	4	-	11
Male.....	120	51	28	23	24	21	14	4	2	-	8
Female.....	83	45	31	21	16	24	20	8	2	-	3
Black, both sexes.....	31	22	9	12	3	4	2	-	-	-	7
Male.....	25	15	8	4	1	1	1	-	-	-	6
Female.....	6	7	1	8	2	3	1	-	-	-	1
American Indian 1/, both sexes.....	5	2	1	-	1	-	-	-	-	-	-
Male.....	5	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	6	3	5	1	1	2	-	-	-	-	-
Male.....	3	1	-	1	1	1	-	-	-	-	-
Female.....	3	2	5	-	-	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Discharge of firearms, undetermined intent (Y22-Y24)

All races, both sexes.....	14	6	4	4	4	5	1	-	-	-	-
Male.....	12	4	3	4	4	4	1	-	-	-	-
Female.....	2	2	1	-	-	1	-	-	-	-	-
White, both sexes.....	12	5	4	4	4	5	1	-	-	-	-
Male.....	11	4	3	4	4	4	1	-	-	-	-
Female.....	1	1	1	-	-	1	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	1	1	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races, both sexes.....	231	117	70	53	41	46	35	12	4	-	18
Male.....	141	65	34	24	22	19	14	4	2	-	14
Female.....	90	52	36	29	19	27	21	8	2	-	4
White, both sexes.....	191	91	55	40	36	40	33	12	4	-	11
Male.....	109	47	25	19	20	17	13	4	2	-	8
Female.....	82	44	30	21	16	23	20	8	2	-	3
Black, both sexes.....	30	22	9	12	3	4	2	-	-	-	7
Male.....	24	15	8	4	1	1	1	-	-	-	6
Female.....	6	7	1	8	2	3	1	-	-	-	1
American Indian 1/, both sexes.....	5	2	1	-	1	-	-	-	-	-	-
Male.....	5	2	1	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	2	5	1	1	2	-	-	-	-	-
Male.....	3	1	-	1	1	1	-	-	-	-	-
Female.....	2	1	5	-	-	1	-	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
---	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	--------------------	----------------

Operations of war and their sequelae (Y36,Y89.1)

All races, both sexes.....	5	-	-	2	2	3	-	-	-	-	-
Male.....	5	-	-	2	2	3	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
White, both sexes.....	4	-	-	2	2	3	-	-	-	-	-
Male.....	4	-	-	2	2	3	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Black, both sexes.....	1	-	-	-	-	-	-	-	-	-	-
Male.....	1	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
American Indian 1/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races, both sexes.....	178	202	214	320	398	396	307	152	58	13	1
Male.....	101	94	103	161	174	181	129	46	8	3	1
Female.....	77	108	111	159	224	215	178	106	50	10	-
White, both sexes.....	133	164	178	267	336	360	269	135	54	11	1
Male.....	78	79	90	139	154	169	114	43	7	3	1
Female.....	55	85	88	128	182	191	155	92	47	8	-
Black, both sexes.....	39	35	34	44	56	30	31	15	4	2	-
Male.....	20	15	13	15	17	10	10	3	1	-	-
Female.....	19	20	21	29	39	20	21	12	3	2	-
American Indian 1/, both sexes.....	1	3	1	2	1	2	2	1	-	-	-
Male.....	-	-	-	1	-	-	2	-	-	-	-
Female.....	1	3	1	1	1	2	-	1	-	-	-
Asian or Pacific Islander 2/, both sexes.....	5	-	1	7	5	4	5	1	-	-	-
Male.....	3	-	-	6	3	2	3	-	-	-	-
Female.....	2	-	1	1	2	2	2	1	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex

	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	-----------------------	-------------------

Alcohol-induced causes (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K86.0,R78.0,X45,X65,Y15) 3/

All races, both sexes.....	2,891	2,277	1,641	1,130	770	413	149	38	7	-	11
Male.....	2,233	1,764	1,249	871	558	308	90	20	3	-	10
Female.....	658	513	392	259	212	105	59	18	4	-	1
White, both sexes.....	2,452	1,888	1,420	993	702	372	136	35	6	-	8
Male.....	1,905	1,459	1,085	768	507	272	81	18	3	-	7
Female.....	547	429	335	225	195	100	55	17	3	-	1
Black, both sexes.....	354	316	181	108	53	34	12	1	1	-	3
Male.....	265	255	134	84	38	29	9	1	-	-	3
Female.....	89	61	47	24	15	5	3	-	1	-	-
American Indian 1/, both sexes.....	68	54	31	20	11	2	1	-	-	-	-
Male.....	50	34	23	10	9	2	-	-	-	-	-
Female.....	18	20	8	10	2	-	1	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	17	19	9	9	4	5	-	2	-	-	-
Male.....	13	16	7	9	4	5	-	1	-	-	-
Female.....	4	3	2	-	-	-	-	1	-	-	-

Drug-induced causes (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7-F14.9,F15.0-F15.5,F15.7-F15.9,F16.0-F16.5,F16.7-F16.9,F17.0-F17.3,F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-Y14) 3/

All races, both sexes.....	1,546	693	441	314	288	249	187	79	13	4	12
Male.....	883	383	234	150	145	108	72	35	4	1	11
Female.....	663	310	207	164	143	141	115	44	9	3	1
White, both sexes.....	1,286	585	371	282	276	237	175	76	12	4	7
Male.....	704	307	184	133	137	103	66	32	3	1	6
Female.....	582	278	187	149	139	134	109	44	9	3	1
Black, both sexes.....	231	92	61	24	12	10	10	3	1	-	5
Male.....	166	68	47	14	8	4	5	3	1	-	5
Female.....	65	24	14	10	4	6	5	-	-	-	-
American Indian 1/, both sexes.....	13	9	5	1	-	-	-	-	-	-	-
Male.....	6	4	1	1	-	-	-	-	-	-	-
Female.....	7	5	4	-	-	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	16	7	4	7	-	2	2	-	-	-	-
Male.....	7	4	2	2	-	1	1	-	-	-	-
Female.....	9	3	2	5	-	1	1	-	-	-	-

Worktable 210F. Deaths from 113 selected causes, alcohol-induced causes, drug-induced causes, and injury by firearms, by 5-year age groups, race and sex: United States, 2003

[Race categories are consistent with the 1977 Office of Management and Budget standards. California, Hawaii, Idaho, Maine, Montana, New York, and Wisconsin reported multiple-race data in 2003. The multiple-race data for these States were bridged to the single race categories of the 1977 Office of Management and Budget standards for comparability with other States; see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003." Data for specified races other than white and black should be interpreted with caution because of inconsistencies between reporting race on death certificates and on censuses and surveys. For explanation of asterisks preceding cause-of-death codes, see <http://www.cdc.gov/nchs> and refer to "Technical Appendix from Vital Statistics of the United States: Mortality, 2003"]

Cause of death (Based on the International Classification of Diseases, Tenth Revision, 1992), race, and sex	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Age not stated
Injury by firearms (*U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0) 3/											
All races, both sexes.....	1,637	1,167	945	967	963	768	420	144	25	-	18
Male.....	1,362	1,016	835	859	863	695	388	136	22	-	16
Female.....	275	151	110	108	100	73	32	8	3	-	2
White, both sexes.....	1,497	1,078	883	911	918	736	411	141	23	-	14
Male.....	1,246	941	784	814	827	669	380	134	22	-	13
Female.....	251	137	99	97	91	67	31	7	1	-	1
Black, both sexes.....	115	74	56	47	35	25	7	3	2	-	3
Male.....	98	61	46	37	29	20	7	2	-	-	2
Female.....	17	13	10	10	6	5	-	1	2	-	1
American Indian 1/, both sexes.....	5	4	2	2	3	1	1	-	-	-	-
Male.....	3	4	2	2	2	1	1	-	-	-	-
Female.....	2	-	-	-	1	-	-	-	-	-	-
Asian or Pacific Islander 2/, both sexes.....	20	11	4	7	7	6	1	-	-	-	1
Male.....	15	10	3	6	5	5	-	-	-	-	1
Female.....	5	1	1	1	2	1	1	-	-	-	-

- Quantity zero.

... Category not applicable.

1/ Includes Aleuts and Eskimos.

2/ Includes Chinese, Filipino, Hawaiian, Japanese, and Other Asian or Pacific Islander.

3/ Included in selected categories.

Source: CDC/NCHS, National Vital Statistics System, Mortality.