


EUROPEAN ORGANIZATION FOR NUCLEAR RESEARCH



ALICE



CERN-PH-EP-2013-042

March 20, 2013

J/ ψ Elliptic Flow in Pb-Pb Collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$

ALICE Collaboration*

Abstract

We report on the first measurement of inclusive J/ ψ elliptic flow, v_2 , in heavy-ion collisions at the LHC. The measurement is performed with the ALICE detector in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ in the rapidity range $2.5 < y < 4.0$. The dependence of the J/ ψ v_2 on the collision centrality and on the J/ ψ transverse momentum is studied in the range $0 \leq p_T < 10 \text{ GeV}/c$. For semi-central Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$, an indication of non-zero v_2 is observed with a maximum value of $v_2 = 0.116 \pm 0.046(\text{stat.}) \pm 0.029(\text{syst.})$ for J/ ψ in the transverse momentum range $2 \leq p_T < 4 \text{ GeV}/c$. The elliptic flow measurement complements the previously reported ALICE results on the inclusive J/ ψ nuclear modification factor and favors the scenario of a significant fraction of J/ ψ production from charm quarks in a deconfined partonic phase.

*See Appendix A for the list of collaboration members

Ultra-relativistic heavy-ion collisions enable the study of matter at high temperature and pressure where Quantum Chromodynamics predicts the existence of a deconfined state of partonic matter, the Quark-Gluon Plasma (QGP). Heavy quarks are expected to be produced in the primary partonic scatterings and to interact with this partonic medium making them ideal probes of the QGP. Quarkonia (a heavy quark and anti-quark bound state) are therefore expected to be sensitive to the properties of the strongly-interacting system formed in the early stages of heavy-ion collisions [1]. According to the color-screening model [2], quarkonium states are suppressed in the medium with different dissociation probabilities for the various states. Recently, the CMS Collaboration at the Large Hadron Collider (LHC) reported about the observation of the sequential suppression in the Υ sector [3]. The ALICE Collaboration published the inclusive¹ J/ ψ nuclear modification factor R_{AA} down to zero transverse momentum (p_T) at forward rapidity in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV [4]. The R_{AA} compares the yields in Pb-Pb to those in pp collisions scaled by the number of binary nucleon-nucleon collisions. The inclusive J/ ψ R_{AA} reported is larger than that measured at the SPS [5] and at RHIC [6, 7] for central collisions and does not exhibit a significant centrality dependence. Complementarily, the CMS Collaboration measured the high p_T ($6.5 \leq p_T < 30$ GeV/c) prompt J/ ψ R_{AA} in the rapidity range $|y| < 2.4$ [8]. The CMS data show that high p_T J/ ψ are more suppressed than low p_T J/ ψ and that this suppression does exhibit a strong centrality dependence.

The low p_T J/ ψ R_{AA} can be qualitatively understood with models including full [9, 10] or partial [11, 12] regeneration of J/ ψ from deconfined charm quarks in the medium. This mechanism was first proposed by the statistical hadronization model, which assumes deconfinement and thermal equilibrium of the bulk of $c\bar{c}$ pairs to produce J/ ψ at the phase boundary by statistical hadronization only [9]. Later, the transport models proposed a dynamical competition between the J/ ψ suppression by the QGP and the regeneration mechanism, which enables them to also describe the J/ ψ R_{AA} versus p_T [11, 12]. More differential studies, like the J/ ψ elliptic flow, could help to assess the assumption of charm quark thermalization in the medium.

The azimuthal distribution of particles in the transverse plane is also sensitive to the dynamics of the early stages of heavy-ion collisions. In non-central collisions, the geometrical overlap region and, therefore, the initial matter distribution are anisotropic (almond-shaped). If the matter is strongly interacting, this spatial asymmetry is converted via multiple collisions into an anisotropic momentum distribution [13]. The second coefficient of the Fourier expansion describing the final state particle azimuthal distribution with respect to the reaction plane, v_2 , is called elliptic flow. The reaction plane is defined by the beam axis and the impact parameter vector of the colliding nuclei.

Within the transport model scenario [11, 12] observed J/ ψ have two origins. First, primordial J/ ψ produced in the initial hard scatterings, traverse and interact with the created medium. During this process they may be dissociated. Second, J/ ψ could be regenerated from deconfined charm quarks in the QGP. Primordial J/ ψ emitted in-plane traverse a shorter path through the medium than those emitted out-of-plane resulting in a small azimuthal anisotropy for the surviving J/ ψ . Regenerated J/ ψ inherit the elliptic flow of the charm quarks in the QGP. If charm quarks do thermalize in the QGP, then J/ ψ formed there can exhibit a large elliptic flow. In the calculation by Zhao *et al.* [14], the v_2 of J/ ψ at $p_T \approx 2.5$ GeV/c is 0.02 and 0.2 for primordial and regenerated J/ ψ , respectively.

At RHIC, the (preliminary) measurements by the (PHENIX) STAR Collaboration of the J/ ψ v_2 in Au-Au collisions at $\sqrt{s_{\text{NN}}} = 200$ GeV [15, 16] are consistent with zero albeit with large uncertainties in the p_T and centrality ranges (0–5 GeV/c) 2–10 GeV/c and (20%–60%) 10%–40%. In Pb-Pb collisions at the LHC, the higher energy density of the medium should favor the charm quark thermalization, and thus increase its flow. In addition, the large number of $c\bar{c}$ pairs produced should favor the formation of J/ ψ by regeneration mechanisms. Both effects should lead to an increase of the v_2 of the observed J/ ψ .

¹Inclusive J/ ψ include prompt J/ ψ (direct and decays from higher mass charmonium states) and non-prompt J/ ψ (feed down from b-hadron decays).

In this Letter, we report ALICE results on inclusive J/ ψ elliptic flow in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV at forward rapidity, measured via the $\mu^+\mu^-$ decay channel. The results are presented as a function of transverse momentum and collision centrality.

The ALICE detector is described in [17]. At forward rapidity ($2.5 < y < 4$) the production of quarkonia is measured in the muon spectrometer² down to $p_T = 0$. The spectrometer consists of an absorber stopping the hadrons in front of five tracking stations comprising two planes of cathode pad chambers each, with the third station inside a dipole magnet. The tracking apparatus is completed by a triggering system made of four planes of resistive plate chambers downstream of an iron wall, which absorbs secondary hadrons escaping from the front absorber and low momentum muons. Also used in this analysis are two cylindrical layers of silicon pixel detectors, to determine the location of the interaction point, and two scintillator arrays (VZERO). The VZERO counters consist of two arrays of 32 scintillator sectors each distributed in four rings covering $2.8 \leq \eta \leq 5.1$ (VZERO-A) and $-3.7 \leq \eta \leq -1.7$ (VZERO-C). All of these detectors have full azimuthal coverage. The data sample used for this analysis, collected in 2011, amounts to 17×10^6 dimuon unlike sign (MU) triggered Pb-Pb collisions and corresponds to an integrated luminosity $\mathcal{L}_{\text{int}} \approx 70 \mu\text{b}^{-1}$. The MU trigger requires a minimum bias (MB) trigger and at least a pair of opposite-sign (OS) track segments, each with a p_T above the threshold of the on-line trigger algorithm. This p_T threshold was set to provide 50% efficiency for muon tracks with $p_T = 1 \text{ GeV}/c$. The MB trigger requires a signal in both VZERO-A and VZERO-C. The beam-induced background was further reduced offline using the VZERO and the zero degree calorimeter (ZDC) timing information. The contribution from electromagnetic processes was removed by requiring a minimum energy deposited in the neutron ZDCs [18]. The centrality determination is based on a fit of the VZERO amplitude distribution [19, 20]. The average number of participating nucleons $\langle N_{\text{part}} \rangle$ for the centrality classes used in this analysis (see Table. 1) are derived from a Glauber model calculation [19, 20].

J/ ψ candidates are formed by combining pairs of OS tracks reconstructed in the geometrical acceptance of the muon spectrometer. To improve the muon identification, the reconstructed tracks in the tracking chambers are required to match a track segment in the trigger system above the p_T threshold aforementioned.

The J/ ψ v_2 is calculated using event plane (EP) based methods. The azimuthal angle Ψ of the second harmonic EP is used to estimate the reaction plane angle [21]. Ψ is determined from the azimuthal distribution of the VZERO amplitude. A two step flattening procedure of the EP azimuthal distribution was applied as described in [22] and [23], respectively. It results in an EP azimuthal distribution uniform to better than 2% for all centrality classes under study. The VZERO-C has a common acceptance region with the muon spectrometer. Therefore, only the VZERO-A was used for the EP determination to avoid autocorrelations. The J/ ψ v_2 results were obtained determining $v_2 = \langle \cos 2(\phi - \Psi) \rangle$ versus the invariant mass ($m_{\mu\mu}$) [24], where ϕ is the OS dimuon azimuthal angle. The resulting $v_2(m_{\mu\mu})$ distribution is fitted using

$$v_2(m_{\mu\mu}) = v_2^{\text{sig}} \alpha(m_{\mu\mu}) + v_2^{\text{bkg}}(m_{\mu\mu})[1 - \alpha(m_{\mu\mu})], \quad (1)$$

where v_2^{sig} and v_2^{bkg} correspond to the v_2 of the J/ ψ signal and of the background, respectively (see Fig. 1 (b)). v_2^{bkg} was parametrized using a second order polynomial. Here, $\alpha(m_{\mu\mu}) = S/(S+B)$ is the ratio of the signal over the sum of the signal plus background of the $m_{\mu\mu}$ distributions. It is extracted from fits to the OS invariant mass distribution (see Fig. 1 (a)) in each p_T and centrality class. The J/ ψ line shape was described with a Crystal Ball (CB) function and the underlying continuum with either a third order polynomial or a Gaussian with a width linearly varying with mass. The CB function connects a Gaussian core with a power-law tail [25] at low mass to account for energy loss fluctuations and radiative decays. An extended CB function with an additional power-law tail at high mass, to account for alignment and calibration biases, was also used. The combination of several CB and underlying

²In the ALICE reference frame, the muon spectrometer covers a negative η range and consequently a negative y range. We have chosen to present our results with a positive y notation.




Fig. 1: (color online) Invariant mass distribution (a) and $\langle \cos 2(\phi - \Psi) \rangle$ as a function of $m_{\mu\mu}$ (b) of OS dimuons with $2 \leq p_T < 4$ GeV/c and $2.5 < y < 4$ in semi-central (20%–40%) Pb-Pb collisions.

continuum parametrizations described before were tested to assess the signal and the related systematic uncertainties. The J/ ψ v_2 and its statistical uncertainty in each p_T and centrality class were determined as the average of the v_2^{sig} obtained by fitting $v_2(m_{\mu\mu})$ using Eq. 1 with the various $\alpha(m_{\mu\mu})$, while the corresponding systematic uncertainties were defined as the RMS of these results. Figure 1 shows typical fits of the OS invariant mass distribution (a) and of the $\langle \cos 2(\phi - \Psi) \rangle$ as a function of $m_{\mu\mu}$ (b) in the 20%–40% centrality class. The procedure above was repeated using either a first order polynomial or its inverse as v_2^{bkg} parametrization. The largest deviation of the results obtained with the three different v_2^{bkg} parametrizations was conservatively adopted as the systematic uncertainty related to the unknown shape of the $v_2^{\text{bkg}}(m_{\mu\mu})$. This turns out to be often the dominant source of systematic uncertainties with the uncertainty from the signal extraction being the second one. It was checked that different choices of invariant mass binnings yield v_2 values that are consistent within uncertainties. A similar method was used to extract the uncorrected (for detector acceptance and efficiency) average transverse momentum ($\langle p_T \rangle^{\text{uncor}}$) of the reconstructed J/ ψ in each centrality and p_T class. The $\langle p_T \rangle^{\text{uncor}}$ is used to locate the data points when plotted as a function of p_T . Consistent v_2 values were obtained using an alternative method [21] in which the J/ ψ raw yield is extracted, as described before, in bins of $(\phi - \Psi)$ and v_2 is evaluated by fitting the data with the function $\frac{dN}{d(\phi - \Psi)} = A[1 + 2v_2 \cos 2(\phi - \Psi)]$, where A is a normalization constant. As an additional check the first analysis procedure [24] was also applied to the same-sign (SS) dimuons. As expected, no J/ ψ signal is seen in either the invariant mass distribution or the $\langle \cos 2(\phi - \Psi) \rangle$ as a function of $m_{\mu\mu}$ of SS dimuons. In both cases the SS dimuons exhibit the same trend as the continuum of the OS dimuons.

The finite resolution in the EP determination smears out the azimuthal distributions and lowers the value of the measured anisotropy [21]. The VZERO-A EP resolution as a function of the centrality was determined using MB events and the 3 sub-event method [21]. To estimate the systematic uncertainty from the EP determination two sets of 3 sub-events were used: first, VZERO-A, VZERO-C and

Table 1: $\langle N_{\text{part}} \rangle$ and VZERO-A EP resolution for the centrality classes expressed in percentages of the nuclear cross section [19].

Centrality	$\langle N_{\text{part}} \rangle$	EP resolution \pm (stat.) \pm (syst.)
5%–20%	283 ± 4	$0.548 \pm 0.003 \pm 0.009$
20%–40%	157 ± 3	$0.610 \pm 0.002 \pm 0.008$
40%–60%	69 ± 2	$0.451 \pm 0.003 \pm 0.008$
60%–90%	15 ± 1	$0.185 \pm 0.005 \pm 0.013$
20%–60%	113 ± 3	$0.576 \pm 0.002 \pm 0.008$




Fig. 2: (color online) Inclusive J/ ψ $v_2(p_T)$ for semi-central (20%–40%) Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV (see text for details on uncertainties). The used p_T ranges are: 0–2, 2–4, 4–6 and 6–10 GeV/ c .

the time projection chamber (TPC), with pseudo-rapidity gaps $\Delta\eta_{\text{V0A-TPC}}=1.9$, $\Delta\eta_{\text{V0A-V0C}}=4.5$ and $\Delta\eta_{\text{TPC-V0C}}=0.8$; second, VZERO-A, ring 0 of VZERO-C and VZERO-C-3rd ring, with pseudo-rapidity gaps $\Delta\eta_{\text{V0A-V0C0}}=6.0$, $\Delta\eta_{\text{V0C0-V0C3}}=1.0$ and $\Delta\eta_{\text{V0A-V0C3}}=4.5$. The differences between the EP resolution for VZERO-A obtained from these two sets of sub-events are taken as systematic uncertainties. Since v_2 is measured here in a wide centrality class, the resolution must reflect the distribution of events with a J/ ψ within the class. Therefore, the EP resolution for each wide class was calculated as the average of the values obtained in finer centrality classes weighted by the number of reconstructed J/ ψ . Table 1 shows the corresponding resolution for each centrality class which is applied to the results reported in this Letter.

The J/ ψ reconstruction efficiency depends on the detector occupancy, which could bias the v_2 measurement. This effect was evaluated by embedding azimuthally isotropic simulated J/ $\psi \rightarrow \mu^+ \mu^-$ decays into real events. The measured v_2 of those embedded J/ ψ does not deviate from zero by more than 0.015 in the centrality and p_T classes considered. This value is used as a conservative systematic uncertainty on all measured v_2 values.




Fig. 3: (color online) v_2 (a) and $\langle p_T \rangle^{\text{uncor}}$ (b) of inclusive J/ ψ with $1.5 \leq p_T < 10$ GeV/c as a function of $\langle N_{\text{part}} \rangle$ in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV (see text for details on uncertainties).

Figure 2 shows the p_T dependence of the inclusive J/ ψ v_2 for semi-central (20%–40%) Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. The vertical bars show the statistical uncertainties while the boxes indicate the point-to-point uncorrelated systematic uncertainties, which include those from the signal extraction, the v_2^{bkg} shape and the reconstruction efficiency. The global correlated relative systematic uncertainty on the EP resolution is 1.3%. A non-zero v_2 is observed in the intermediate p_T range $2 \leq p_T < 6$ GeV/c. Including statistical and systematic uncertainties the combined significance of a non-zero v_2 in this p_T range is 2.7σ . At lower and higher p_T the inclusive J/ ψ v_2 is compatible with zero within uncertainties.

To study the centrality dependence of the v_2 we select J/ ψ with $1.5 \leq p_T < 10$ GeV/c. Indeed, below 1.5 GeV/c the v_2 of the J/ ψ is expected to be small [14] and the signal to background ratio is also low. Since the initial spatial anisotropy for head-on collisions is small, the expected v_2 is also small. In addition, for the 0%–5% centrality range the VZERO-A EP resolution is quite low and has higher systematic uncertainties. Therefore, the 0%–5% centrality range was excluded. Figure 3 (a) shows v_2 for inclusive J/ ψ with $1.5 \leq p_T < 10$ GeV/c as a function of $\langle N_{\text{part}} \rangle$ in Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. Here, the point-to-point uncorrelated systematic uncertainties (boxes) also include, in addition to those discussed above, the uncertainty from the EP resolution determination. The measured v_2 depends on the p_T distribution of the reconstructed J/ ψ , which could vary with the collision centrality. Therefore, $\langle p_T \rangle^{\text{uncor}}$ of the reconstructed J/ ψ is also shown in Fig. 3 (b). The error bar indicates the statistical uncertainties while the boxes show the systematic uncertainties due to the J/ ψ signal extraction. For the most central collisions, 5%–20% and 20%–40% the inclusive J/ ψ v_2 for $1.5 \leq p_T < 10$ GeV/c are $0.101 \pm 0.044(\text{stat.}) \pm 0.032(\text{syst.})$ and $0.116 \pm 0.045(\text{stat.}) \pm 0.041(\text{syst.})$, respectively. The combined significance of a non-zero v_2 is 2.9σ . For more peripheral Pb-Pb collisions, the v_2 is consistent with zero within uncertainties. Although there is a small variation with centrality, the $\langle p_T \rangle^{\text{uncor}}$ stays in the range 3.0–3.3 GeV/c, indicating that the bulk of the reconstructed J/ ψ are in the same p_T range for




Fig. 4: (color online) Inclusive J/ ψ $v_2(p_T)$ for non-central (20%–60%) Pb-Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV (see text for details on uncertainties). The used p_T ranges are: 0–2, 2–4, 4–6 and 6–10 GeV/c. Calculations from two transport models [26] and [14] are also shown (see text for details).

all centralities. Thus, the observed centrality dependence of the v_2 for inclusive J/ ψ with $1.5 \leq p_T < 10$ GeV/c does not result from any bias in the sampled p_T distributions. For J/ ψ with $p_T < 1.5$ GeV/c (not shown), the v_2 is compatible with zero within one standard deviation for the four centrality classes. The $\langle p_T \rangle^{\text{uncor}}$ ranges from about 0.75 to 0.9 GeV/c.

To allow a direct comparison with current model calculations, the inclusive J/ ψ $v_2(p_T)$ was also calculated in a broader centrality range, namely 20%–60%, and it is shown in Fig. 4. In this broader centrality range, the measured v_2 signal in the p_T range 2–4 GeV/c deviates from zero by 2σ . The same trend of $v_2(p_T)$ is observed in the 20%–60% and in the 20%–40% centrality classes. This trend seems qualitatively different from that of the STAR measurement [16] at lower collision energy, which is compatible with zero for $p_T \geq 2$ GeV/c albeit in somewhat different (10%–40% and 0%–80%) centrality ranges. Also shown in Fig. 4 are two transport model calculations that include a J/ ψ regeneration component from deconfined charm quarks in the medium [14, 26]. In both models about 30% of the measured J/ ψ in the 20%–60% centrality range are regenerated. First, thermalized charm quarks in the medium transfer a significant elliptic flow to regenerated J/ ψ . Second, primordial J/ ψ emitted out-of-plane traverse a longer path through the medium than those emitted in-plane resulting in a small apparent v_2 . The predicted maximum v_2 at $p_T \sim 2.5$ GeV/c results from an interplay between the regeneration component, dominant at lower p_T , and the primordial J/ ψ component which takes over at higher p_T . The first model [26] is shown for the hypothesis of thermalization (full line) and non-thermalization (dashed line) of b quarks. The LHCb Collaboration measured the fraction of J/ ψ from B hadron decays in pp collisions at $\sqrt{s} = 2.76$ and 7 TeV [27, 28] in the rapidity acceptance used for this measurement. At 7 TeV this fraction increases from 7% at $p_T \sim 0$ to 15% at $p_T \sim 7$ GeV/c, while at 2.76 TeV it is about 7% for $p_T < 12$ GeV/c. In Pb-Pb collisions this fraction could increase up to 11% if the B hadron $R_{\text{AA}} = 1$. If

b quarks do thermalize then their elliptic flow will be transferred to B mesons at hadronization and to the J/ ψ at the B meson decay. In the second model [14] (dash-dotted line) only the case assuming b quark thermalization is shown. Both models qualitatively describe the p_{T} dependence of the v_2 and the R_{AA} of inclusive J/ ψ [4].

In summary, we reported the ALICE measurement of inclusive J/ ψ elliptic flow in the range $0 \leq p_{\text{T}} < 10$ GeV/c at forward rapidity in Pb-Pb collisions at $\sqrt{s_{\text{NN}}}=2.76$ TeV. For semi-central collisions indications of a non-zero J/ ψ v_2 are observed in the intermediate p_{T} range. This measurement complements the results on the J/ ψ R_{AA} , where a smaller suppression was seen at low p_{T} at the LHC compared to RHIC. Both results seem in agreement with the global picture in which a significant fraction of the observed J/ ψ is produced from deconfined charm quarks in the QGP phase.

Acknowledgements

The ALICE collaboration would like to thank all its engineers and technicians for their invaluable contributions to the construction of the experiment and the CERN accelerator teams for the outstanding performance of the LHC complex.

The ALICE collaboration acknowledges the following funding agencies for their support in building and running the ALICE detector:

State Committee of Science, World Federation of Scientists (WFS) and Swiss Fonds Kidagan, Armenia, Conselho Nacional de Desenvolvimento Científico e Tecnológico (CNPq), Financiadora de Estudos e Projetos (FINEP), Fundação de Amparo à Pesquisa do Estado de São Paulo (FAPESP);

National Natural Science Foundation of China (NSFC), the Chinese Ministry of Education (CMOE) and the Ministry of Science and Technology of China (MSTC);

Ministry of Education and Youth of the Czech Republic;

Danish Natural Science Research Council, the Carlsberg Foundation and the Danish National Research Foundation;

The European Research Council under the European Community's Seventh Framework Programme; Helsinki Institute of Physics and the Academy of Finland;

French CNRS-IN2P3, the 'Region Pays de Loire', 'Region Alsace', 'Region Auvergne' and CEA, France;

German BMBF and the Helmholtz Association;

General Secretariat for Research and Technology, Ministry of Development, Greece;

Hungarian OTKA and National Office for Research and Technology (NKTH);

Department of Atomic Energy and Department of Science and Technology of the Government of India;

Istituto Nazionale di Fisica Nucleare (INFN) and Centro Fermi - Museo Storico della Fisica e Centro Studi e Ricerche "Enrico Fermi", Italy;

MEXT Grant-in-Aid for Specially Promoted Research, Japan;

Joint Institute for Nuclear Research, Dubna;

National Research Foundation of Korea (NRF);

CONACYT, DGAPA, México, ALFA-EC and the EPLANET Program (European Particle Physics Latin American Network)

Stichting voor Fundamenteel Onderzoek der Materie (FOM) and the Nederlandse Organisatie voor Wetenschappelijk Onderzoek (NWO), Netherlands;

Research Council of Norway (NFR);

Polish Ministry of Science and Higher Education;

National Authority for Scientific Research - NASR (Autoritatea Națională pentru Cercetare Științifică - ANCS);

Ministry of Education and Science of Russian Federation, Russian Academy of Sciences, Russian Federal Agency of Atomic Energy, Russian Federal Agency for Science and Innovations and The Russian

Foundation for Basic Research;
 Ministry of Education of Slovakia;
 Department of Science and Technology, South Africa;
 CIEMAT, EELA, Ministerio de Economía y Competitividad (MINECO) of Spain, Xunta de Galicia (Consellería de Educación), CEADEN, Cubaenergía, Cuba, and IAEA (International Atomic Energy Agency);
 Swedish Research Council (VR) and Knut & Alice Wallenberg Foundation (KAW);
 Ukraine Ministry of Education and Science;
 United Kingdom Science and Technology Facilities Council (STFC);
 The United States Department of Energy, the United States National Science Foundation, the State of Texas, and the State of Ohio.

References

- [1] M. Bedjidian, D. Blaschke, G. T. Bodwin, N. Carrer, B. Cole, *et al.*, CERN Report (2003), arXiv:hep-ph/0311048 [hep-ph].
- [2] T. Matsui and H. Satz, Phys. Lett. **B178**, 416 (1986).
- [3] S. Chatrchyan *et al.* (CMS Collaboration), Phys. Rev. Lett. **109**, 222301 (2012), arXiv:1208.2826 [nucl-ex].
- [4] B. Abelev *et al.* (ALICE Collaboration), Phys. Rev. Lett. **109**, 072301 (2012), arXiv:1202.1383 [hep-ex].
- [5] B. Alessandro *et al.* (NA50 Collaboration), Eur. Phys. J. **C39**, 335 (2005).
- [6] A. Adare *et al.* (PHENIX Collaboration), Phys. Rev. Lett. **98**, 232301 (2007).
- [7] A. Adare *et al.* (PHENIX Collaboration), Phys. Rev. **C84**, 054912 (2011).
- [8] S. Chatrchyan *et al.* (CMS Collaboration), JHEP **1205**, 063 (2012), arXiv:1201.5069 [nucl-ex].
- [9] P. Braun-Munzinger and J. Stachel, Phys. Lett. **B490**, 196 (2000).
- [10] A. Andronic, P. Braun-Munzinger, K. Redlich, and J. Stachel, J. Phys. G **38**, 124081 (2011).
- [11] X. Zhao and R. Rapp, Nucl. Phys. **A859**, 114 (2011).
- [12] Y.-P. Liu, Z. Qu, N. Xu, and P.-F. Zhuang, Phys. Lett. **B678**, 72 (2009).
- [13] J.-Y. Ollitrault, Phys. Rev. **D46**, 229 (1992).
- [14] X. Zhao, A. Emerick, and R. Rapp, Nuclear Physics A **904 - 905**, 611c (2013).
- [15] C. Silvestre (for the PHENIX Collaboration), J. Phys. **G35**, 104136 (2008), arXiv:0806.0475 [nucl-ex].
- [16] L. Adamczyk *et al.* (STAR Collaboration), Phys. Rev. Lett. **111**, 052301 (2013), arXiv:1212.3304 [nucl-ex].
- [17] K. Aamodt *et al.* (ALICE Collaboration), JINST **3**, S08002 (2008).
- [18] B. Abelev *et al.* (ALICE Collaboration), Phys. Rev. Lett. **109**, 252302 (2012), arXiv:1203.2436 [nucl-ex].
- [19] K. Aamodt *et al.* (ALICE Collaboration), Phys. Rev. Lett. **106**, 032301 (2011).

- [20] B. Abelev *et al.* (ALICE Collaboration), (2013), arXiv:1301.4361 [nucl-ex] .
- [21] A. M. Poskanzer and S. Voloshin, Phys. Rev. **C58**, 1671 (1998), arXiv:nucl-ex/9805001 [nucl-ex] .
- [22] I. Selyuzhenkov and S. Voloshin, Phys. Rev. **C77**, 034904 (2008), arXiv:0707.4672 [nucl-th] .
- [23] J. Barrette *et al.* (E877 Collaboration), Phys. Rev. **C56**, 3254 (1997), arXiv:nucl-ex/9707002 [nucl-ex] .
- [24] N. Borghini and J. Ollitrault, Phys. Rev. **C70**, 064905 (2004), arXiv:nucl-th/0407041 [nucl-th] .
- [25] J. E. Gaiser, *Charmonium Spectroscopy from Radiative Decays of the J/ ψ and ψ'* , Ph.D. thesis, Standford (1982), appendix-F, SLAC-R-255.
- [26] Y. Liu, N. Xu, and P. Zhuang, Nucl. Phys. **A834**, 317C (2010), and Priv. Comm., arXiv:0910.0959 [nucl-th] .
- [27] R. Aaij *et al.* (LHCb collaboration), JHEP **1302**, 041 (2013), arXiv:1212.1045 [hep-ex] .
- [28] R. Aaij *et al.* (LHCb Collaboration), Eur. Phys. J. **C71**, 1645 (2011).

A The ALICE Collaboration

E. Abbas¹, B. Abelev⁷², J. Adam³⁸, D. Adamová⁷⁹, A.M. Adare¹²⁹, M.M. Aggarwal⁸³, G. Aglieri Rinella³⁴, M. Agnello^{100,89}, A.G. Agocs¹²⁸, A. Agostinelli²⁸, Z. Ahammed¹²³, N. Ahmad¹⁸, A. Ahmad Masoodi¹⁸, S.A. Ahn⁶⁵, S.U. Ahn⁶⁵, I. Aimo^{25,100,89}, M. Ajaz¹⁶, A. Akindinov⁵¹, D. Aleksandrov⁹⁵, B. Alessandro¹⁰⁰, A. Alici^{102,13}, A. Alkin⁴, E. Almaráz Aviña⁶¹, J. Alme³⁶, T. Alt⁴⁰, V. Altini³², S. Altinpinar¹⁹, I. Altsybeev¹²⁵, C. Andrei⁷⁵, A. Andronic⁹², V. Anguelov⁸⁸, J. Anielski⁵⁹, C. Anson²⁰, T. Antićić⁹³, F. Antinori¹⁰¹, P. Antonioli¹⁰², L. Aphecetche¹⁰⁸, H. Appelshäuser⁵⁷, N. Arbor⁶⁸, S. Arcelli²⁸, A. Arend⁵⁷, N. Armesto¹⁷, R. Arnaldi¹⁰⁰, T. Aronsson¹²⁹, I.C. Arsene⁹², M. Arslandok⁵⁷, A. Asryan¹²⁵, A. Augustinus³⁴, R. Averbeck⁹², T.C. Awes⁸⁰, J. Äystö⁴³, M.D. Azmi^{18,85}, M. Bach⁴⁰, A. Badalà⁹⁹, Y.W. Baek^{57,41}, R. Bailhache⁵⁷, R. Bala^{86,100}, A. Baldissari¹⁵, F. Baltasar Dos Santos Pedrosa³⁴, J. Bán⁵², R.C. Baral⁵³, R. Barbera²⁷, F. Barile³², G.G. Barnaföldi¹²⁸, L.S. Barnby⁹⁷, V. Barret⁶⁷, J. Bartke¹¹², M. Basile²⁸, N. Bastid⁶⁷, S. Basu¹²³, B. Bathen⁵⁹, G. Batigne¹⁰⁸, B. Batyunya⁶³, P.C. Batzing²², C. Baumann⁵⁷, I.G. Bearden⁷⁷, H. Beck⁵⁷, N.K. Behera⁴⁵, I. Belikov⁶², F. Bellini²⁸, R. Bellwied¹¹⁸, E. Belmont-Moreno⁶¹, G. Bencedi¹²⁸, S. Beole²⁵, I. Berceanu⁷⁵, A. Bercuci⁷⁵, Y. Berdnikov⁸¹, D. Berenyi¹²⁸, A.A.E. Bergognon¹⁰⁸, R.A. Bertens⁵⁰, D. Berzana^{25,100}, L. Betev³⁴, A. Bhasin⁸⁶, A.K. Bhati⁸³, J. Bhom¹²¹, N. Bianchi⁶⁹, L. Bianchi²⁵, C. Bianchin⁵⁰, J. Bielčík³⁸, J. Bielčíková⁷⁹, A. Bilandžić⁷⁷, S. Bjelogrlic⁵⁰, F. Blanco¹¹⁸, F. Blanco¹¹, D. Blau⁹⁵, C. Blume⁵⁷, M. Boccioli³⁴, S. Böttger⁵⁶, A. Bogdanov⁷³, H. Bøggild⁷⁷, M. Bogolyubsky⁴⁸, L. Boldizsár¹²⁸, M. Bombara³⁹, J. Book⁵⁷, H. Borel¹⁵, A. Borissov¹²⁷, F. Bossú⁸⁵, M. Botje⁷⁸, E. Botta²⁵, E. Braidot⁷¹, P. Braun-Munzinger⁹², M. Bregant¹⁰⁸, T. Breitner⁵⁶, T.A. Broker⁵⁷, T.A. Browning⁹⁰, M. Broz³⁷, R. Brun³⁴, E. Bruna^{25,100}, G.E. Bruno³², D. Budnikov⁹⁴, H. Buesching⁵⁷, S. Bufalino^{25,100}, P. Buncic³⁴, O. Busch⁸⁸, Z. Buthelezi⁸⁵, D. Caffarri^{29,101}, X. Cai⁸, H. Caines¹²⁹, E. Calvo Villar⁹⁸, P. Camerini²³, V. Canoa Roman¹², G. Cara Romeo¹⁰², W. Carena³⁴, F. Carena³⁴, N. Carlin Filho¹¹⁵, F. Carminati³⁴, A. Casanova Díaz⁶⁹, J. Castillo Castellanos¹⁵, J.F. Castillo Hernandez⁹², E.A.R. Casula²⁴, V. Catanescu⁷⁵, C. Cavicchioli³⁴, C. Ceballos Sanchez¹⁰, J. Cepila³⁸, P. Cerello¹⁰⁰, B. Chang^{43,131}, S. Chapelard³⁴, J.L. Charvet¹⁵, S. Chattopadhyay⁹⁶, S. Chattopadhyay¹²³, M. Cherney⁸², C. Cheshkov^{34,117}, B. Cheynis¹¹⁷, V. Chibante Barroso³⁴, D.D. Chinellato¹¹⁸, P. Chochula³⁴, M. Chojnacki⁷⁷, S. Choudhury¹²³, P. Christakoglou⁷⁸, C.H. Christensen⁷⁷, P. Christiansen³³, T. Chujo¹²¹, S.U. Chung⁹¹, C. Cicalo¹⁰³, L. Cifarelli^{28,13}, F. Cindolo¹⁰², J. Cleymans⁸⁵, F. Colamaria³², D. Colella³², A. Collu²⁴, G. Conesa Balbastre⁶⁸, Z. Conesa del Valle^{34,47}, M.E. Connors¹²⁹, G. Conti²³, J.G. Contreras¹², T.M. Cormier¹²⁷, Y. Corrales Morales²⁵, P. Cortese³¹, I. Cortés Maldonado³, M.R. Cosentino⁷¹, F. Costa³⁴, M.E. Cotallo¹¹, E. Crescio¹², P. Crochet⁶⁷, E. Cruz Alaniz⁶¹, R. Cruz Albino¹², E. Cuautle⁶⁰, L. Cunqueiro⁶⁹, A. Dainese^{29,101}, R. Dang⁸, A. Danu⁵⁵, D. Das⁹⁶, K. Das⁹⁶, S. Das⁵, I. Das⁴⁷, A. Dash¹¹⁶, S. Dash⁴⁵, S. De¹²³, G.O.V. de Barros¹¹⁵, A. De Caro^{30,13}, G. de Cataldo¹⁰⁵, J. de Cuveland⁴⁰, A. De Falco²⁴, D. De Gruttola^{30,13}, H. Delagrange¹⁰⁸, A. Deloff⁷⁴, N. De Marco¹⁰⁰, E. Dénes¹²⁸, S. De Pasquale³⁰, A. Deppman¹¹⁵, G. D'Erasmo³², R. de Rooij⁵⁰, M.A. Diaz Corchero¹¹, D. Di Bari³², T. Dietel⁵⁹, C. Di Giglio³², S. Di Liberto¹⁰⁶, A. Di Mauro³⁴, P. Di Nezza⁶⁹, R. Divià³⁴, Ø. Djuvstrand¹⁹, A. Dobrin^{127,33,50}, T. Dobrowolski⁷⁴, B. Dönigus⁹², O. Dordic²², O. Driga¹⁰⁸, A.K. Dubey¹²³, A. Dubla⁵⁰, L. Ducroux¹¹⁷, P. Dupieux⁶⁷, A.K. Dutta Majumdar⁹⁶, D. Elia¹⁰⁵, D. Emschermann⁵⁹, H. Engel⁵⁶, B. Erazmus^{34,108}, H.A. Erdal³⁶, D. Eschweiler⁴⁰, B. Espagnon⁴⁷, M. Estienne¹⁰⁸, S. Esumi¹²¹, D. Evans⁹⁷, S. Evdokimov⁴⁸, G. Eyyubova²², D. Fabris^{29,101}, J. Faivre⁶⁸, D. Falchieri²⁸, A. Fantoni⁶⁹, M. Fasel⁸⁸, D. Fehlker¹⁹, L. Feldkamp⁵⁹, D. Felea⁵⁵, A. Feliciello¹⁰⁰, B. Fenton-Olsen⁷¹, G. Feofilov¹²⁵, A. Fernández Téllez³, A. Ferretti²⁵, A. Festanti²⁹, J. Figiel¹¹², M.A.S. Figueiredo¹¹⁵, S. Filchagin⁹⁴, D. Finogeev⁴⁹, F.M. Fianda³², E.M. Fiore³², E. Floratos⁸⁴, M. Floris³⁴, S. Foertsch⁸⁵, P. Foka⁹², S. Fokin⁹⁵, E. Fragiacomo¹⁰⁴, A. Francescon^{34,29}, U. Frankenfeld⁹², U. Fuchs³⁴, C. Furget⁶⁸, M. Fusco Girard³⁰, J.J. Gaardhøje⁷⁷, M. Gagliardi²⁵, A. Gago⁹⁸, M. Gallio²⁵, D.R. Gangadharan²⁰, P. Ganoti⁸⁰, C. Garabatos⁹², E. Garcia-Solis¹⁴, C. Gargiulo³⁴, I. Garishvili⁷², J. Gerhard⁴⁰, M. Germain¹⁰⁸, C. Geuna¹⁵, A. Gheata³⁴, M. Gheata^{55,34}, B. Ghidini³², P. Ghosh¹²³, P. Gianotti⁶⁹, M.R. Girard¹²⁶, P. Giubellino³⁴, E. Gladysz-Dziadus¹¹², P. Glässel⁸⁸, R. Gomez^{114,12}, E.G. Ferreiro¹⁷, L.H. González-Trueba⁶¹, P. González-Zamora¹¹, S. Gorbunov⁴⁰, A. Goswami⁸⁷, S. Gotovac¹¹⁰, L.K. Graczykowski¹²⁶, R. Grajcarek⁸⁸, A. Grelli⁵⁰, A. Grigoras³⁴, C. Grigoras³⁴, V. Grigoriev⁷³, A. Grigoryan², S. Grigoryan⁶³, B. Grinyov⁴, N. Grion¹⁰⁴, P. Gros³³, J.F. Grosse-Oetringhaus³⁴, J.-Y. Grossiord¹¹⁷, R. Grossi³⁴, F. Guber⁴⁹, R. Guernane⁶⁸, B. Guerzoni²⁸, M. Guilbaud¹¹⁷, K. Gulbrandsen⁷⁷, H. Gulkanyan², T. Gunji¹²⁰, A. Gupta⁸⁶, R. Gupta⁸⁶, R. Haake⁵⁹, Ø. Haaland¹⁹, C. Hadjidakis⁴⁷, M. Haiduc⁵⁵, H. Hamagaki¹²⁰, G. Hamar¹²⁸, B.H. Han²¹, L.D. Hanratty⁹⁷, A. Hansen⁷⁷, Z. Harmanová-Tóthová³⁹, J.W. Harris¹²⁹, M. Hartig⁵⁷, A. Harton¹⁴, D. Hatzifotiadou¹⁰², S. Hayashi¹²⁰, A. Hayrapetyan^{34,2}, S.T. Heckel⁵⁷, M. Heide⁵⁹, H. Helstrup³⁶, A. Herghelegiu⁷⁵, G. Herrera Corral¹², N. Herrmann⁸⁸, B.A. Hess¹²², K.F. Hetland³⁶, B. Hicks¹²⁹,

- B. Hippolyte⁶², Y. Hori¹²⁰, P. Hristov³⁴, I. Hřivnáčová⁴⁷, M. Huang¹⁹, T.J. Humanic²⁰, D.S. Hwang²¹, R. Ichou⁶⁷, R. Ilkaev⁹⁴, I. Ilkiv⁷⁴, M. Inaba¹²¹, E. Incani²⁴, P.G. Innocenti³⁴, G.M. Innocenti²⁵, M. Ippolitov⁹⁵, M. Irfan¹⁸, C. Ivan⁹², M. Ivanov⁹², V. Ivanov⁸¹, A. Ivanov¹²⁵, O. Ivanytskyi⁴, A. Jachołkowski²⁷, P. M. Jacobs⁷¹, C. Jahnke¹¹⁵, H.J. Jang⁶⁵, M.A. Janik¹²⁶, P.H.S.Y. Jayarathna¹¹⁸, S. Jena⁴⁵, D.M. Jha¹²⁷, R.T. Jimenez Bustamante⁶⁰, P.G. Jones⁹⁷, H. Jung⁴¹, A. Jusko⁹⁷, A.B. Kaidalov⁵¹, S. Kalcher⁴⁰, P. Kaliňák⁵², T. Kalliokoski⁴³, A. Kalweit³⁴, J.H. Kang¹³¹, V. Kaplin⁷³, S. Kar¹²³, A. Karasu Uysal^{34,130,66}, O. Karavichev⁴⁹, T. Karavicheva⁴⁹, E. Karpechev⁴⁹, A. Kazantsev⁹⁵, U. Kebschull⁵⁶, R. Keidel¹³², B. Ketzer^{57,111}, S.A. Khan¹²³, M.M. Khan¹⁸, P. Khan⁹⁶, K. H. Khan¹⁶, A. Khanzadeev⁸¹, Y. Kharlov⁴⁸, B. Kileng³⁶, M. Kim¹³¹, S. Kim²¹, M. Kim⁴¹, J.S. Kim⁴¹, J.H. Kim²¹, T. Kim¹³¹, B. Kim¹³¹, D.J. Kim⁴³, D.W. Kim^{41,65}, S. Kirsch⁴⁰, I. Kisiel⁴⁰, S. Kiselev⁵¹, A. Kisiel¹²⁶, J.L. Klay⁷, J. Klein⁸⁸, C. Klein-Bösing⁵⁹, M. Kliemant⁵⁷, A. Kluge³⁴, M.L. Knichel⁹², A.G. Knospe¹¹³, M.K. Köhler⁹², T. Kollegger⁴⁰, A. Kolojvari¹²⁵, M. Kompaniets¹²⁵, V. Kondratiev¹²⁵, N. Kondratyeva⁷³, A. Konevskikh⁴⁹, V. Kovalenko¹²⁵, M. Kowalski¹¹², S. Kox⁶⁸, G. Koyithatta Meethaleveedu⁴⁵, J. Kral⁴³, I. Králik⁵², F. Kramer⁵⁷, A. Kravčáková³⁹, M. Krelina³⁸, M. Kretz⁴⁰, M. Krivda^{97,52}, F. Krizek⁴³, M. Krus³⁸, E. Kryshen⁸¹, M. Krzewicki⁹², V. Kucera⁷⁹, Y. Kucherlaev⁹⁵, T. Kugathasan³⁴, C. Kuhn⁶², P.G. Kuijer⁷⁸, I. Kulakov⁵⁷, J. Kumar⁴⁵, P. Kurashvili⁷⁴, A. Kurepin⁴⁹, A.B. Kurepin⁴⁹, A. Kuryakin⁹⁴, S. Kushpil⁷⁹, V. Kushpil⁷⁹, H. Kvaerno²², M.J. Kweon⁸⁸, Y. Kwon¹³¹, P. Ladrón de Guevara⁶⁰, I. Lakomov⁴⁷, R. Langoy^{19,124}, S.L. La Pointe⁵⁰, C. Lara⁵⁶, A. Lardeux¹⁰⁸, P. La Rocca²⁷, R. Lea²³, M. Lechman³⁴, S.C. Lee⁴¹, G.R. Lee⁹⁷, I. Legrand³⁴, J. Lehnert⁵⁷, R.C. Lemmon¹⁰⁷, M. Lenhardt⁹², V. Lenti¹⁰⁵, H. León⁶¹, M. Leoncino²⁵, I. León Monzón¹¹⁴, P. Lévai¹²⁸, S. Li^{67,8}, J. Lien^{19,124}, R. Lietava⁹⁷, S. Lindal²², V. Lindenstruth⁴⁰, C. Lippmann^{92,34}, M.A. Lisa²⁰, H.M. Ljunggren³³, D.F. Lodato⁵⁰, P.I. Loenne¹⁹, V.R. Loggins¹²⁷, V. Loginov⁷³, D. Lohner⁸⁸, C. Loizides⁷¹, K.K. Loo⁴³, X. Lopez⁶⁷, E. López Torres¹⁰, G. Løvhøiden²², X.-G. Lu⁸⁸, P. Luettig⁵⁷, M. Lunardon²⁹, J. Luo⁸, G. Luparello⁵⁰, C. Luzz³⁴, R. Ma¹²⁹, K. Ma⁸, D.M. Madagodahettige-Don¹¹⁸, A. Maevskaya⁴⁹, M. Mager^{58,34}, D.P. Mahapatra⁵³, A. Maire⁸⁸, M. Malaev⁸¹, I. Maldonado Cervantes⁶⁰, L. Malinina^{63,1}, D. Mal'Kevich⁵¹, P. Malzacher⁹², A. Mamontov⁹⁴, L. Manceau¹⁰⁰, L. Mangotra⁸⁶, V. Manko⁹⁵, F. Manso⁶⁷, N. Manukyan², V. Manzari¹⁰⁵, Y. Mao⁸, M. Marchisone^{67,25}, J. Mareš⁵⁴, G.V. Margagliotti^{23,104}, A. Margotti¹⁰², A. Marín⁹², C. Markert¹¹³, M. Marquardt⁵⁷, I. Martashvili¹¹⁹, N.A. Martin⁹², P. Martinengo³⁴, M.I. Martínez³, A. Martínez Davalos⁶¹, G. Martínez García¹⁰⁸, Y. Martynov⁴, A. Mas¹⁰⁸, S. Masciocchi⁹², M. Masera²⁵, A. Masoni¹⁰³, L. Massacrier¹⁰⁸, A. Mastroserio³², A. Matyja¹¹², C. Mayer¹¹², J. Mazer¹¹⁹, M.A. Mazzoni¹⁰⁶, F. Meddi²⁶, A. Menchaca-Rocha⁶¹, J. Mercado Pérez⁸⁸, M. Meres³⁷, Y. Miake¹²¹, K. Mikhaylov^{63,51}, L. Milano^{34,25}, J. Milosevic^{22,ii}, A. Mischke⁵⁰, A.N. Mishra^{87,46}, D. Miśkowiec⁹², C. Mitu⁵⁵, S. Mizuno¹²¹, J. Mlynarz¹²⁷, B. Mohanty^{123,76}, L. Molnar^{128,62}, L. Montaño Zetina¹², M. Monteno¹⁰⁰, E. Montes¹¹, T. Moon¹³¹, M. Morando²⁹, D.A. Moreira De Godoy¹¹⁵, S. Moretto²⁹, A. Morreale⁴³, A. Morsch³⁴, V. Muccifora⁶⁹, E. Mudnic¹¹⁰, S. Muhuri¹²³, M. Mukherjee¹²³, H. Müller³⁴, M.G. Munhoz¹¹⁵, S. Murray⁸⁵, L. Musa³⁴, J. Musinsky⁵², B.K. Nandi⁴⁵, R. Nania¹⁰², E. Nappi¹⁰⁵, C. Nattrass¹¹⁹, T.K. Nayak¹²³, S. Nazarenko⁹⁴, A. Nedosekin⁵¹, M. Nicassio^{32,92}, M. Niculescu^{55,34}, B.S. Nielsen⁷⁷, T. Niida¹²¹, S. Nikolaev⁹⁵, V. Nikolic⁹³, S. Nikulin⁹⁵, V. Nikulin⁸¹, B.S. Nilsen⁸², M.S. Nilsson²², F. Noferini^{102,13}, P. Nomokonov⁶³, G. Nooren⁵⁰, A. Nyandin⁹⁵, A. Nyatha⁴⁵, C. Nygaard⁷⁷, J. Nystrand¹⁹, A. Ochirov¹²⁵, H. Oeschler^{58,34,88}, S. Oh¹²⁹, S.K. Oh⁴¹, J. Oleniacz¹²⁶, A.C. Oliveira Da Silva¹¹⁵, C. Oppedisano¹⁰⁰, A. Ortiz Velasquez^{33,60}, A. Oskarsson³³, P. Ostrowski¹²⁶, J. Otwinowski⁹², K. Oyama⁸⁸, K. Ozawa¹²⁰, Y. Pachmayer⁸⁸, M. Pachr³⁸, F. Padilla²⁵, P. Pagano³⁰, G. Paic⁶⁰, F. Painke⁴⁰, C. Pajares¹⁷, S.K. Pal¹²³, A. Palaha⁹⁷, A. Palmeri⁹⁹, V. Papikyan², G.S. Pappalardo⁹⁹, W.J. Park⁹², A. Passfeld⁵⁹, D.I. Patalakha⁴⁸, V. Paticchio¹⁰⁵, B. Paul⁹⁶, A. Pavlinov¹²⁷, T. Pawlak¹²⁶, T. Peitzmann⁵⁰, H. Pereira Da Costa¹⁵, E. Pereira De Oliveira Filho¹¹⁵, D. Peresunko⁹⁵, C.E. Pérez Lara⁷⁸, D. Perrino³², W. Peryt¹²⁶, A. Pesci¹⁰², Y. Pestov⁶, V. Petráček³⁸, M. Petran³⁸, M. Petris⁷⁵, P. Petrov⁹⁷, M. Petrovici⁷⁵, C. Petta²⁷, S. Piano¹⁰⁴, M. Pikna³⁷, P. Pillot¹⁰⁸, O. Pinazza³⁴, L. Pinsky¹¹⁸, N. Pitz⁵⁷, D.B. Piyarathna¹¹⁸, M. Planinic⁹³, M. Płoskoń⁷¹, J. Pluta¹²⁶, T. Pocheptsov⁶³, S. Pochybova¹²⁸, P.L.M. Podesta-Lerma¹¹⁴, M.G. Poghosyan³⁴, K. Polák⁵⁴, B. Polichtchouk⁴⁸, N. Poljak^{50,93}, A. Pop⁷⁵, S. Porteboeuf-Houssais⁶⁷, V. Pospíšil³⁸, B. Potukuchi⁸⁶, S.K. Prasad¹²⁷, R. Preghenella^{102,13}, F. Prino¹⁰⁰, C.A. Pruneau¹²⁷, I. Psheinichnov⁴⁹, G. Puddu²⁴, V. Punin⁹⁴, M. Putiš³⁹, J. Putschke¹²⁷, H. Qvigstad²², A. Rachevski¹⁰⁴, A. Rademakers³⁴, T.S. Räihä⁴³, J. Rak⁴³, A. Rakotozafindrabe¹⁵, L. Ramello³¹, S. Raniwala⁸⁷, R. Raniwala⁸⁷, S.S. Räsänen⁴³, B.T. Rascanu⁵⁷, D. Rathee⁸³, W. Rauch³⁴, K.F. Read¹¹⁹, J.S. Real⁶⁸, K. Redlich^{74,iii}, R.J. Reed¹²⁹, A. Rehman¹⁹, P. Reichelt⁵⁷, M. Reicher⁵⁰, R. Renfordt⁵⁷, A.R. Reolon⁶⁹, A. Reshetin⁴⁹, F. Rettig⁴⁰, J.-P. Revol³⁴, K. Reygers⁸⁸, L. Riccati¹⁰⁰, R.A. Ricci⁷⁰, T. Richert³³, M. Richter²², P. Riedler³⁴, W. Riegler³⁴, F. Riggi^{27,99}, M. Rodríguez Cahuantzi³, A. Rodriguez Manso⁷⁸, K. Røed^{19,22}, E. Rogochaya⁶³, D. Rohr⁴⁰, D. Röhrich¹⁹, R. Romita^{92,107},

F. Ronchetti⁶⁹, P. Rosnet⁶⁷, S. Rossegger³⁴, A. Rossi^{34,29}, P. Roy⁹⁶, C. Roy⁶², A.J. Rubio Montero¹¹, R. Rui²³, R. Russo²⁵, E. Ryabinkin⁹⁵, A. Rybicki¹¹², S. Sadovsky⁴⁸, K. Šafařík³⁴, R. Sahoo⁴⁶, P.K. Sahu⁵³, J. Saini¹²³, H. Sakaguchi⁴⁴, S. Sakai⁷¹, D. Sakata¹²¹, C.A. Salgado¹⁷, J. Salzwedel²⁰, S. Sambyal⁸⁶, V. Samsonov⁸¹, X. Sanchez Castro⁶², L. Šádor⁵², A. Sandoval⁶¹, M. Sano¹²¹, G. Santagati²⁷, R. Santoro^{34,13}, J. Sarkamo⁴³, D. Sarkar¹²³, E. Scapparone¹⁰², F. Scarlassara²⁹, R.P. Scharenberg⁹⁰, C. Schiaua⁷⁵, R. Schicker⁸⁸, H.R. Schmidt¹²², C. Schmidt⁹², S. Schuchmann⁵⁷, J. Schukraft³⁴, T. Schuster¹²⁹, Y. Schutz^{34,108}, K. Schwarz⁹², K. Schweda⁹², G. Scioli²⁸, E. Scomparin¹⁰⁰, R. Scott¹¹⁹, P.A. Scott⁹⁷, G. Segato²⁹, I. Selyuzhenkov⁹², S. Senyukov⁶², J. Seo⁹¹, S. Serici²⁴, E. Serradilla^{11,61}, A. Sevcenco⁵⁵, A. Shabetai¹⁰⁸, G. Shabratova⁶³, R. Shahoyan³⁴, N. Sharma¹¹⁹, S. Sharma⁸⁶, S. Rohni⁸⁶, K. Shigaki⁴⁴, K. Shtejer¹⁰, Y. Sibirjak⁹⁵, E. Sicking⁵⁹, S. Siddhanta¹⁰³, T. Siemianczuk⁷⁴, D. Silvermyr⁸⁰, C. Silvestre⁶⁸, G. Simatovic^{60,93}, G. Simonetti³⁴, R. Singaraju¹²³, R. Singh⁸⁶, S. Singha^{123,76}, V. Singhal¹²³, B.C. Sinha¹²³, T. Sinha⁹⁶, B. Sitar³⁷, M. Sitta³¹, T.B. Skaali²², K. Skjerdal¹⁹, R. Smakal³⁸, N. Smirnov¹²⁹, R.J.M. Snellings⁵⁰, C. Søgaard³³, R. Soltz⁷², M. Song¹³¹, J. Song⁹¹, C. Soos³⁴, F. Soramel²⁹, I. Sputowska¹¹², M. Spyropoulou-Stassinaki⁸⁴, B.K. Srivastava⁹⁰, J. Stachel⁸⁸, I. Stan⁵⁵, G. Stefanek⁷⁴, M. Steinpreis²⁰, E. Stenlund³³, G. Steyn⁸⁵, J.H. Stiller⁸⁸, D. Stocco¹⁰⁸, M. Stolpovskiy⁴⁸, P. Strmen³⁷, A.A.P. Suaide¹¹⁵, M.A. Subieta Vásquez²⁵, T. Sugitate⁴⁴, C. Suire⁴⁷, R. Sultanov⁵¹, M. Šumbera⁷⁹, T. Susa⁹³, T.J.M. Symons⁷¹, A. Szanto de Toledo¹¹⁵, I. Szarka³⁷, A. Szczepankiewicz^{112,34}, M. Szymański¹²⁶, J. Takahashi¹¹⁶, M.A. Tangaro³², J.D. Tapia Takaki⁴⁷, A. Tarantola Peloni⁵⁷, A. Tarazona Martinez³⁴, A. Tauro³⁴, G. Tejeda Muñoz³, A. Telesca³⁴, A. Ter Minasyan⁹⁵, C. Terrevoli³², J. Thäder⁹², D. Thomas⁵⁰, R. Tieulent¹¹⁷, A.R. Timmins¹¹⁸, D. Tlusty³⁸, A. Toia^{40,29,101}, H. Torii¹²⁰, L. Toscano¹⁰⁰, V. Trubnikov⁴, D. Truesdale²⁰, W.H. Trzaska⁴³, T. Tsuji¹²⁰, A. Tumkin⁹⁴, R. Turrisi¹⁰¹, T.S. Tveter²², J. Ulery⁵⁷, K. Ullaland¹⁹, J. Ulrich^{64,56}, A. Uras¹¹⁷, G.M. Urciuoli¹⁰⁶, G.L. Usai²⁴, M. Vajzer^{38,79}, M. Vala^{63,52}, L. Valencia Palomo⁴⁷, P. Vande Vyvre³⁴, J.W. Van Hoorn³⁴, M. van Leeuwen⁵⁰, L. Vannucci⁷⁰, A. Vargas³, R. Varma⁴⁵, M. Vasileiou⁸⁴, A. Vasiliev⁹⁵, V. Vechernin¹²⁵, M. Veldhoen⁵⁰, M. Venaruzzo²³, E. Vercellin²⁵, S. Vergara³, R. Vernet⁹, M. Verweij⁵⁰, L. Vickovic¹¹⁰, G. Viesti²⁹, J. Viinikainen⁴³, Z. Vilakazi⁸⁵, O. Villalobos Baillie⁹⁷, Y. Vinogradov⁹⁴, L. Vinogradov¹²⁵, A. Vinogradov⁹⁵, T. Virgili³⁰, Y.P. Viyogi¹²³, A. Vodopyanov⁶³, M.A. Völkl⁸⁸, S. Voloshin¹²⁷, K. Voloshin⁵¹, G. Volpe³⁴, B. von Haller³⁴, I. Vorobyev¹²⁵, D. Vranic^{92,34}, J. Vrláková³⁹, B. Vulpescu⁶⁷, A. Vyushin⁹⁴, B. Wagner¹⁹, V. Wagner³⁸, R. Wan⁸, Y. Wang⁸, M. Wang⁸, Y. Wang⁸⁸, K. Watanabe¹²¹, M. Weber¹¹⁸, J.P. Wessels^{34,59}, U. Westerhoff⁵⁹, J. Wiechula¹²², J. Wikne²², M. Wilde⁵⁹, G. Wilk⁷⁴, M.C.S. Williams¹⁰², B. Windelband⁸⁸, L. Xaplanteris Karampatsos¹¹³, C.G. Yaldo¹²⁷, Y. Yamaguchi¹²⁰, S. Yang¹⁹, P. Yang⁸, H. Yang^{15,50}, S. Yasnopolskiy⁹⁵, J. Yi⁹¹, Z. Yin⁸, I.-K. Yoo⁹¹, J. Yoon¹³¹, W. Yu⁵⁷, X. Yuan⁸, I. Yushmanov⁹⁵, V. Zaccolo⁷⁷, C. Zach³⁸, C. Zampolli¹⁰², S. Zaporozhets⁶³, A. Zarochentsev¹²⁵, P. Závada⁵⁴, N. Zaviyalov⁹⁴, H. Zbroszczyk¹²⁶, P. Zelnicek⁵⁶, I.S. Zgura⁵⁵, M. Zhalov⁸¹, H. Zhang⁸, X. Zhang^{71,67,8}, Y. Zhang⁸, D. Zhou⁸, F. Zhou⁸, Y. Zhou⁵⁰, H. Zhu⁸, J. Zhu⁸, X. Zhu⁸, J. Zhu⁸, A. Zichichi^{28,13}, A. Zimmermann⁸⁸, G. Zinovjev⁴, Y. Zoccarato¹¹⁷, M. Zynovyev⁴, M. Zyzak⁵⁷

Affiliation notes

ⁱ Also at: M.V.Lomonosov Moscow State University, D.V.Skobeltsyn Institute of Nuclear Physics, Moscow, Russia

ⁱⁱ Also at: University of Belgrade, Faculty of Physics and Vinica Institute of Nuclear Sciences, Belgrade, Serbia

ⁱⁱⁱ Also at: Institute of Theoretical Physics, University of Wroclaw, Wroclaw, Poland

Collaboration Institutes

¹ Academy of Scientific Research and Technology (ASRT), Cairo, Egypt

² A. I. Alikhanyan National Science Laboratory (Yerevan Physics Institute) Foundation, Yerevan, Armenia

³ Benemérita Universidad Autónoma de Puebla, Puebla, Mexico

⁴ Bogolyubov Institute for Theoretical Physics, Kiev, Ukraine

⁵ Bose Institute, Department of Physics and Centre for Astroparticle Physics and Space Science (CAPSS), Kolkata, India

⁶ Budker Institute for Nuclear Physics, Novosibirsk, Russia

⁷ California Polytechnic State University, San Luis Obispo, California, United States

⁸ Central China Normal University, Wuhan, China

⁹ Centre de Calcul de l'IN2P3, Villeurbanne, France

¹⁰ Centro de Aplicaciones Tecnológicas y Desarrollo Nuclear (CEADEN), Havana, Cuba

- ¹¹ Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain
¹² Centro de Investigación y de Estudios Avanzados (CINVESTAV), Mexico City and Mérida, Mexico
¹³ Centro Fermi - Museo Storico della Fisica e Centro Studi e Ricerche “Enrico Fermi”, Rome, Italy
¹⁴ Chicago State University, Chicago, United States
¹⁵ Commissariat à l’Energie Atomique, IRFU, Saclay, France
¹⁶ COMSATS Institute of Information Technology (CIIT), Islamabad, Pakistan
¹⁷ Departamento de Física de Partículas and IGFAE, Universidad de Santiago de Compostela, Santiago de Compostela, Spain
¹⁸ Department of Physics Aligarh Muslim University, Aligarh, India
¹⁹ Department of Physics and Technology, University of Bergen, Bergen, Norway
²⁰ Department of Physics, Ohio State University, Columbus, Ohio, United States
²¹ Department of Physics, Sejong University, Seoul, South Korea
²² Department of Physics, University of Oslo, Oslo, Norway
²³ Dipartimento di Fisica dell’Università and Sezione INFN, Trieste, Italy
²⁴ Dipartimento di Fisica dell’Università and Sezione INFN, Cagliari, Italy
²⁵ Dipartimento di Fisica dell’Università and Sezione INFN, Turin, Italy
²⁶ Dipartimento di Fisica dell’Università ‘La Sapienza’ and Sezione INFN, Rome, Italy
²⁷ Dipartimento di Fisica e Astronomia dell’Università and Sezione INFN, Catania, Italy
²⁸ Dipartimento di Fisica e Astronomia dell’Università and Sezione INFN, Bologna, Italy
²⁹ Dipartimento di Fisica e Astronomia dell’Università and Sezione INFN, Padova, Italy
³⁰ Dipartimento di Fisica ‘E.R. Caianiello’ dell’Università and Gruppo Collegato INFN, Salerno, Italy
³¹ Dipartimento di Scienze e Innovazione Tecnologica dell’Università del Piemonte Orientale and Gruppo Collegato INFN, Alessandria, Italy
³² Dipartimento Interateneo di Fisica ‘M. Merlin’ and Sezione INFN, Bari, Italy
³³ Division of Experimental High Energy Physics, University of Lund, Lund, Sweden
³⁴ European Organization for Nuclear Research (CERN), Geneva, Switzerland
³⁵ Fachhochschule Köln, Köln, Germany
³⁶ Faculty of Engineering, Bergen University College, Bergen, Norway
³⁷ Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovakia
³⁸ Faculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, Prague, Czech Republic
³⁹ Faculty of Science, P.J. Šafárik University, Košice, Slovakia
⁴⁰ Frankfurt Institute for Advanced Studies, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁴¹ Gangneung-Wonju National University, Gangneung, South Korea
⁴² Gauhati University, Department of Physics, Guwahati, India
⁴³ Helsinki Institute of Physics (HIP) and University of Jyväskylä, Jyväskylä, Finland
⁴⁴ Hiroshima University, Hiroshima, Japan
⁴⁵ Indian Institute of Technology Bombay (IIT), Mumbai, India
⁴⁶ Indian Institute of Technology Indore, Indore, India (IITI)
⁴⁷ Institut de Physique Nucléaire d’Orsay (IPNO), Université Paris-Sud, CNRS-IN2P3, Orsay, France
⁴⁸ Institute for High Energy Physics, Protvino, Russia
⁴⁹ Institute for Nuclear Research, Academy of Sciences, Moscow, Russia
⁵⁰ Nikhef, National Institute for Subatomic Physics and Institute for Subatomic Physics of Utrecht University, Utrecht, Netherlands
⁵¹ Institute for Theoretical and Experimental Physics, Moscow, Russia
⁵² Institute of Experimental Physics, Slovak Academy of Sciences, Košice, Slovakia
⁵³ Institute of Physics, Bhubaneswar, India
⁵⁴ Institute of Physics, Academy of Sciences of the Czech Republic, Prague, Czech Republic
⁵⁵ Institute of Space Sciences (ISS), Bucharest, Romania
⁵⁶ Institut für Informatik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁵⁷ Institut für Kernphysik, Johann Wolfgang Goethe-Universität Frankfurt, Frankfurt, Germany
⁵⁸ Institut für Kernphysik, Technische Universität Darmstadt, Darmstadt, Germany
⁵⁹ Institut für Kernphysik, Westfälische Wilhelms-Universität Münster, Münster, Germany
⁶⁰ Instituto de Ciencias Nucleares, Universidad Nacional Autónoma de México, Mexico City, Mexico
⁶¹ Instituto de Física, Universidad Nacional Autónoma de México, Mexico City, Mexico

- ⁶² Institut Pluridisciplinaire Hubert Curien (IPHC), Université de Strasbourg, CNRS-IN2P3, Strasbourg, France
⁶³ Joint Institute for Nuclear Research (JINR), Dubna, Russia
⁶⁴ Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁶⁵ Korea Institute of Science and Technology Information, Daejeon, South Korea
⁶⁶ KTO Karatay University, Konya, Turkey
⁶⁷ Laboratoire de Physique Corpusculaire (LPC), Clermont Université, Université Blaise Pascal, CNRS-IN2P3, Clermont-Ferrand, France
⁶⁸ Laboratoire de Physique Subatomique et de Cosmologie (LPSC), Université Joseph Fourier, CNRS-IN2P3, Institut Polytechnique de Grenoble, Grenoble, France
⁶⁹ Laboratori Nazionali di Frascati, INFN, Frascati, Italy
⁷⁰ Laboratori Nazionali di Legnaro, INFN, Legnaro, Italy
⁷¹ Lawrence Berkeley National Laboratory, Berkeley, California, United States
⁷² Lawrence Livermore National Laboratory, Livermore, California, United States
⁷³ Moscow Engineering Physics Institute, Moscow, Russia
⁷⁴ National Centre for Nuclear Studies, Warsaw, Poland
⁷⁵ National Institute for Physics and Nuclear Engineering, Bucharest, Romania
⁷⁶ National Institute of Science Education and Research, Bhubaneswar, India
⁷⁷ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark
⁷⁸ Nikhef, National Institute for Subatomic Physics, Amsterdam, Netherlands
⁷⁹ Nuclear Physics Institute, Academy of Sciences of the Czech Republic, Řež u Prahy, Czech Republic
⁸⁰ Oak Ridge National Laboratory, Oak Ridge, Tennessee, United States
⁸¹ Petersburg Nuclear Physics Institute, Gatchina, Russia
⁸² Physics Department, Creighton University, Omaha, Nebraska, United States
⁸³ Physics Department, Panjab University, Chandigarh, India
⁸⁴ Physics Department, University of Athens, Athens, Greece
⁸⁵ Physics Department, University of Cape Town and iThemba LABS, National Research Foundation, Somerset West, South Africa
⁸⁶ Physics Department, University of Jammu, Jammu, India
⁸⁷ Physics Department, University of Rajasthan, Jaipur, India
⁸⁸ Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany
⁸⁹ Politecnico di Torino, Turin, Italy
⁹⁰ Purdue University, West Lafayette, Indiana, United States
⁹¹ Pusan National University, Pusan, South Korea
⁹² Research Division and ExtreMe Matter Institute EMMI, GSI Helmholtzzentrum für Schwerionenforschung, Darmstadt, Germany
⁹³ Rudjer Bošković Institute, Zagreb, Croatia
⁹⁴ Russian Federal Nuclear Center (VNIIEF), Sarov, Russia
⁹⁵ Russian Research Centre Kurchatov Institute, Moscow, Russia
⁹⁶ Saha Institute of Nuclear Physics, Kolkata, India
⁹⁷ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom
⁹⁸ Sección Física, Departamento de Ciencias, Pontificia Universidad Católica del Perú, Lima, Peru
⁹⁹ Sezione INFN, Catania, Italy
¹⁰⁰ Sezione INFN, Turin, Italy
¹⁰¹ Sezione INFN, Padova, Italy
¹⁰² Sezione INFN, Bologna, Italy
¹⁰³ Sezione INFN, Cagliari, Italy
¹⁰⁴ Sezione INFN, Trieste, Italy
¹⁰⁵ Sezione INFN, Bari, Italy
¹⁰⁶ Sezione INFN, Rome, Italy
¹⁰⁷ Nuclear Physics Group, STFC Daresbury Laboratory, Daresbury, United Kingdom
¹⁰⁸ SUBATECH, Ecole des Mines de Nantes, Université de Nantes, CNRS-IN2P3, Nantes, France
¹⁰⁹ Suranaree University of Technology, Nakhon Ratchasima, Thailand
¹¹⁰ Technical University of Split FESB, Split, Croatia
¹¹¹ Technische Universität München, Munich, Germany
¹¹² The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Cracow, Poland

- ¹¹³ The University of Texas at Austin, Physics Department, Austin, TX, United States
¹¹⁴ Universidad Autónoma de Sinaloa, Culiacán, Mexico
¹¹⁵ Universidade de São Paulo (USP), São Paulo, Brazil
¹¹⁶ Universidade Estadual de Campinas (UNICAMP), Campinas, Brazil
¹¹⁷ Université de Lyon, Université Lyon 1, CNRS/IN2P3, IPN-Lyon, Villeurbanne, France
¹¹⁸ University of Houston, Houston, Texas, United States
¹¹⁹ University of Tennessee, Knoxville, Tennessee, United States
¹²⁰ University of Tokyo, Tokyo, Japan
¹²¹ University of Tsukuba, Tsukuba, Japan
¹²² Eberhard Karls Universität Tübingen, Tübingen, Germany
¹²³ Variable Energy Cyclotron Centre, Kolkata, India
¹²⁴ Vestfold University College, Tonsberg, Norway
¹²⁵ V. Fock Institute for Physics, St. Petersburg State University, St. Petersburg, Russia
¹²⁶ Warsaw University of Technology, Warsaw, Poland
¹²⁷ Wayne State University, Detroit, Michigan, United States
¹²⁸ Wigner Research Centre for Physics, Hungarian Academy of Sciences, Budapest, Hungary
¹²⁹ Yale University, New Haven, Connecticut, United States
¹³⁰ Yildiz Technical University, Istanbul, Turkey
¹³¹ Yonsei University, Seoul, South Korea
¹³² Zentrum für Technologietransfer und Telekommunikation (ZTT), Fachhochschule Worms, Worms, Germany