



Improved reconstruction of highly boosted τ -lepton pairs in the $\tau\tau \rightarrow (\mu\nu_\mu\nu_\tau)(\text{hadrons} + \nu_\tau)$ decay channels with the ATLAS detector

The ATLAS Collaboration

This paper presents a new τ -lepton reconstruction and identification procedure at the ATLAS detector at the Large Hadron Collider, which leads to significantly improved performance in the case of physics processes where a highly boosted pair of τ -leptons is produced and one τ -lepton decays into a muon and two neutrinos (τ_μ), and the other decays into hadrons and one neutrino (τ_{had}). By removing the muon information from the signals used for reconstruction and identification of the τ_{had} candidate in the boosted pair, the efficiency is raised to the level expected for an isolated τ_{had} . The new procedure is validated by selecting a sample of highly boosted $Z \rightarrow \tau_\mu\tau_{\text{had}}$ candidates from the data sample of 140 fb^{-1} of proton–proton collisions at 13 TeV recorded with the ATLAS detector. Good agreement is found between data and simulation predictions in both the $Z \rightarrow \tau_\mu\tau_{\text{had}}$ signal region and in a background validation region. The results presented in this paper demonstrate the effectiveness of the τ_{had} reconstruction with muon removal in enhancing the signal sensitivity of the boosted $\tau_\mu\tau_{\text{had}}$ channel at the ATLAS detector.

Contents

1	Introduction	2
2	ATLAS detector	3
3	Data and simulated event samples	4
3.1	Simulated samples for the development of the method	4
3.2	Data and simulated samples for the validation analysis	4
4	Development of the boosted $\tau_{\text{had}}^{\text{N}}$ reconstruction method	5
4.1	Muon removal and re-reconstruction of the τ_{had} candidate	5
4.2	Performance of the method	7
5	Validation of the $\tau_{\text{had}}^{\text{N}}$ method in the $Z \rightarrow \tau_{\mu} \tau_{\text{had}}$ final states	15
5.1	Z-boson kinematic reconstruction	15
5.2	Event selection	16
5.3	Systematic uncertainties	17
5.4	Results	17
6	Conclusions	20

1 Introduction

The τ -lepton is the heaviest known lepton, with a mass of 1.777 GeV, and a lifetime of 2.9×10^{-13} s [1]. It has a 35% probability of decaying leptonically into a lighter lepton and two neutrinos: $\tau \rightarrow e \nu_e \nu_{\tau}$ (denoted τ_e) or $\tau \rightarrow \mu \nu_{\mu} \nu_{\tau}$ (denoted τ_{μ}), collectively referred to as τ_{lep} . In the remaining 65% of cases, the τ -lepton decays hadronically (τ_{had}) into one or more charged hadrons and zero or more neutral hadrons, plus one neutrino. Thus, the fraction of τ -lepton pairs resulting in a $\tau_{\mu} \tau_{\text{had}}$ final state is 23%.

The standard ATLAS τ_{had} reconstruction and identification procedure [2–5] starts with the reconstruction of the visible decay products of a τ_{had} candidate ($\tau_{\text{had-vis}}$), which is seeded by a jet clustered using the anti- k_r algorithm [6, 7] with a radius parameter $R = 0.4$.¹ The jet reconstruction algorithm operates on the topological calorimeter cells [8] calibrated to the local hadronic energy scale [9]. This seed jet is referred to as τ_{seed} jet. Only τ_{seed} jets with transverse momentum $p_{\text{T}} > 5$ GeV and pseudorapidity $|\eta| < 2.5$ are considered. Dedicated algorithms [5] are run to identify the production vertex, associating and classifying reconstructed inner detector tracks, and calibrating the energy of the τ_{had} candidate. Tracks that have passed the τ_{seed} jet association requirements are classified into four categories: ‘Tau Tracks’, ‘Conversion Tracks’, ‘Isolation Tracks’ and ‘Fake Tracks’. Only ‘Tau Tracks’ are used to determine the number of charged decay products and thus the charge of the τ lepton. After reconstruction, the τ_{had} candidate is classified by the τ_{had} identification algorithm (TauID), a recurrent neural network (RNN) classifier [4], to determine

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2} \ln \left(\frac{E+p_z}{E-p_z} \right)$ in the relativistic limit.

Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$.

its likelihood of being the decay product of a τ_{had} . Several working points, ‘Tight’, ‘Medium’, ‘Loose’ and ‘VeryLoose’, are then defined based on optimised requirements on the RNN score with different τ_{had} identification efficiencies [4].

The standard TauID algorithm is efficient unless activity from other particles is found inside the τ_{seed} jet. One of these cases is when a pair of τ -leptons originates from a highly boosted resonance and the decay products of the two τ -leptons are reconstructed within the radius of a single τ_{seed} jet. The reconstruction and identification of boosted systems in which both τ -leptons decay hadronically is achieved by searching for hadronic τ -like substructure using a boosted decision tree within a large radius seed jet [10]. In this analysis, the decay into the $\tau_{\mu}\tau_{\text{had}}$ final state is considered.

Muon reconstruction [11] in the ATLAS detector is based on the information from the inner tracking detector (ID) and the muon spectrometer (MS), complemented by calorimeter data. The reconstruction begins by identifying tracks in the MS, followed by matching these with tracks in the ID. In cases where a candidate can be made from ID and MS tracks, a combined fit is performed, taking into account the energy loss in the calorimeters. This study considers muons satisfying the ‘Medium’ identification working point [11], which ensures a combined muon where the ID track matches the MS signature. The minimum ionising nature of the muon and the fact that the muon reconstruction is independent of its isolation [11] enables the possibility of removing the ID track and clusters produced by the muon from the τ_{seed} jet produced by a boosted $\tau_{\mu}\tau_{\text{had}}$ system. The kinematic variables that are subsequently supplied to the TauID algorithm are re-calculated without the interference of the muon. The τ_{had} reconstructed with this method is referred to as τ_{had}^{μ} .

The τ_{had}^{μ} method was developed using simulated events corresponding to a beyond the Standard Model (BSM) process with a high-mass graviton [12] decaying into two Higgs bosons as signal. Before using this technique in future BSM searches, it is important to demonstrate its performance using a Standard Model (SM) process. As a validation for the new method, the production of two τ -leptons originating from a highly boosted Z boson giving the final state of interest, $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$, is used.

This paper is organised as follows. The ATLAS detector is described briefly in Section 2. The data and simulated samples are described in Section 3. The development of the boosted τ_{had}^{μ} method is described in Section 4. The analysis methods and the results for the $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ validation are described in Section 5. Finally, the conclusions are given in Section 6.

2 ATLAS detector

The ATLAS detector [13] at the Large Hadron Collider (LHC) [14] is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle. It consists of an ID surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic (EM) and hadronic calorimeters, and a MS. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide EM energy measurements with high granularity within the region $|\eta| < 3.2$. A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The MS surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The MS includes a system of precision tracking

chambers up to $|\eta| = 2.7$ and fast detectors for triggering up to $|\eta| = 2.4$. The luminosity is measured mainly by the LUCID-2 [15] detector, which is located close to the beampipe. A two-level trigger system is used to select events [16]. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. A software suite [17] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

3.1 Simulated samples for the development of the method

Monte Carlo (MC) simulated event samples [18] of signal and backgrounds are used to develop the τ_{had}^{μ} method and to evaluate the τ_{had} reconstruction and identification efficiencies, as well as the background rejection power. The signal samples consist of BSM gravitons [12] decaying into a pair of Higgs bosons, with the hypothetical graviton mass ranging from 1 TeV to 5 TeV. For this study, the SM Higgs bosons are constrained to decay into a pair of τ -leptons. The signal process is referred to as $G \rightarrow HH \rightarrow 4\tau$.

High- p_{T} , semileptonically decaying heavy-flavour hadrons may produce a detector signature that has some similarities with the signal sample of boosted $\tau_{\mu}\tau_{\text{had}}$ pairs, since the invariant mass of the charm hadron produced in the semileptonic decay of a bottom hadron is comparable to the τ -lepton mass. The top-antitop-quark process ($t\bar{t}$) is used to model this type of background.

The $G \rightarrow HH \rightarrow 4\tau$ signal samples were simulated using the MADGRAPH5_AMC@NLO [19] generator using matrix elements (ME) at leading-order (LO) in quantum chromodynamics (QCD) with the NNPDF2.3LO [20] parton distribution function (PDF) set. The production of $t\bar{t}$ events was modelled using the POWHEG Box v2 [21–24] generator at next-to-leading order (NLO) in QCD with the NNPDF3.0NLO [25] PDF set and the h_{damp} parameter² set to $1.5 m_{\text{top}}$ [26].

PYTHIA 8.230 [27] with the A14 [28] set of tuned parameters (tune) and NNPDF2.3LO PDF set was used for the simulation of the parton showering and hadronisation for both the $G \rightarrow HH \rightarrow 4\tau$ samples and the $t\bar{t}$ samples. The decays of bottom and charm hadrons were performed by EVTGEN 1.6.0 [29]. The effect of multiple interactions in the same and neighbouring bunch crossings (pile-up) was modelled by overlaying the original hard-scattering event with simulated inelastic proton–proton collisions generated by PYTHIA 8.186 [30] with the A3 tune [31] and the MSTW2008LO PDF set [32]. The MC samples were reweighted so that the pile-up distribution matches the one observed in the data. All MC samples were passed through the ATLAS detector simulation based on GEANT4 [33].

3.2 Data and simulated samples for the validation analysis

For the $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ validation analysis, the Run 2 data sample collected in proton–proton collisions at the LHC with $\sqrt{s} = 13$ TeV and a 25 ns bunch crossing interval is used. The integrated luminosity

² The h_{damp} parameter is a resummation damping factor and one of the parameters that controls the matching of POWHEG matrix elements to the parton shower and thus effectively regulates the high-transverse-momentum radiation against which the $t\bar{t}$ system recoils.

of the sample recorded while all relevant components of the ATLAS detector were operating normally corresponds to 140 fb^{-1} [34, 35].

Simulated samples provide predictions for both signal and background processes. As described in Section 3.1, the simulation includes the effect of pile-up and the detector response. All MC samples undergo calibrations and corrections to match the performance in data. The decays of bottom and charm hadrons were performed by EVTGEN 1.6.0 [29]. The rest of this section gives details of the specific MC samples used in this study.

The dominant production channel of the boosted $Z \rightarrow \tau_\mu \tau_{\text{had}}$ final states, a Z boson produced in association with jets, was modelled using the SHERPA 2.2.14 [36] generator for the $Z \rightarrow \tau\tau$ channel, while SHERPA 2.2.11 was used to model $Z \rightarrow \ell\ell$ ($\ell = e, \mu$) decays. The ME calculations ranged from NLO in QCD for final states with up to two additional parton emissions to LO in QCD for up to five additional parton emissions. The MEs were merged with the SHERPA parton shower following the MEPS@LO [37] prescription and using the NNPDF3.0_{NNLO} [25] PDF set. The production of W bosons with jets, and the production of WW , WZ , and ZZ boson pairs, were simulated using SHERPA 2.2.11 with configurations similar to those used in the Z +jets sample. Measurements of the distribution of Z -boson transverse momentum (p_{T}^Z) using light-lepton pair events at $\sqrt{s} = 13 \text{ TeV}$ [38] indicate that SHERPA 2.2.11 underestimates the cross-section for $p_{\text{T}}^Z > 100 \text{ GeV}$ by approximately 10% [39]. The simulation of initial-state QCD radiation is expected to be the same in the SHERPA 2.2.14 samples used in this study. A 10% correction is therefore applied to the predicted event yields for $Z \rightarrow \tau\tau$ in the validation analysis, with the full size of this correction quoted as a systematic uncertainty.

The production of $t\bar{t}$ events was modelled using the same configuration as the one used for the method development as in Section 3.1. Single-top t -channel production was modelled using the POWHEG BOX v2 [22–24, 40] generator at NLO in QCD using the four-flavour scheme and the corresponding NNPDF3.0_{NLO} PDF set. The associated production of top quarks with W bosons (tW) was modelled using the POWHEG BOX v2 generator at NLO in QCD using the five-flavour scheme and the NNPDF3.0_{NLO} PDF set. The diagram removal scheme [41] was used to remove interference and overlap with $t\bar{t}$ production. In both cases the generated events were interfaced to PYTHIA 8.230 using the A14 tune and the NNPDF2.3_{LO} PDF set.

The production of Higgs bosons via gluon–gluon fusion and vector–boson fusion was modeled following the configuration detailed in Ref. [42].

4 Development of the boosted τ_{had}^{μ} reconstruction method

4.1 Muon removal and re-reconstruction of the τ_{had} candidate

The τ_{had}^{μ} method was developed with MC simulated events using the $G \rightarrow HH \rightarrow 4\tau$ signal samples with generator-level information used to evaluate the performance of the method. The angular separation at the generator-level between the $\tau_{\text{had-vis}}$ and the muon is measured by $\Delta R_{\tau\tau}^{\text{gen,vis}}$, the ΔR between the MC generator-level visible decay products of the two τ -leptons. In Figure 1, the $\Delta R_{\tau\tau}^{\text{gen,vis}}$ distributions of the $\tau_\mu \tau_{\text{had}}$ pairs in the $G \rightarrow HH \rightarrow 4\tau$ samples are presented. For $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$, it is more likely that the muon will be reconstructed inside the τ_{seed} jet.

In this study, MC generator-level information is used to match generated $\tau_\mu \tau_{\text{had}}$ pairs with their reconstructed counterparts. The reconstructed τ_{seed} jet is generator-matched if at least one ID track matches the muon




Figure 1: The distributions of the $\Delta R_{\tau\tau}^{\text{gen,vis}}$ for the generator-level $\tau_{\mu}\tau_{\text{had}}$ pair in $G \rightarrow HH \rightarrow 4\tau$ signal events, with graviton masses m_G ranging from 1000 GeV to 5000 GeV.

from the τ_{lep} decay or the charged hadron(s) from the τ_{had} decay. Only τ_{seed} jets originating from a boosted $\tau_{\mu}\tau_{\text{had}}$ pair are considered. Other τ_{seed} jets, such as those associated with QCD jets, are neglected. The MC generator-level visible τ -lepton decay products are required to satisfy the requirements $p_T > 20$ GeV and $|\eta| < 2.5$ to ensure that the τ_{seed} jets are within the tracking acceptance of the ATLAS detector.

Below the $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ threshold, the standard τ_{had} reconstruction and identification efficiencies drop significantly. Figure 2 shows the combined reconstruction and identification efficiencies of the standard ATLAS τ_{had} reconstruction and TauID algorithms as a function of $\Delta R_{\tau\tau}^{\text{gen,vis}}$ for generator-level 1-prong and 3-prong τ_{had} in $\tau_{\mu}\tau_{\text{had}}$ pairs. Here ‘n-prong’ denotes the number of charged hadrons that originate from the τ_{had} decay. The ‘ $N_{\text{trk}}^{\text{reco}} = 1$ or 3’ lines shows the efficiency of a generator-level 1-prong or 3-prong τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The efficiency for a τ_{seed} jet to be reconstructed from a $\tau_{\mu}\tau_{\text{had}}$ pair remains high for all values of $\Delta R_{\tau\tau}^{\text{gen,vis}}$. However, the efficiencies for all standard TauID working points drop significantly in both the 1-prong and 3-prong cases when $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$. The tighter the working point, the greater the fractional loss in efficiency due to the presence of the nearby muon. The performance of the standard TauID algorithm is set as the baseline in this study.

The muon’s nature as a minimum ionising particle, combined with the fact that its reconstruction is independent of its isolation [11], provides a motivation for excluding the ID track and calorimeter clusters associated with any nearby muon from the standard ATLAS τ_{had} reconstruction algorithm. By removing these contributions, the τ_{seed} jet would better represent only the $\tau_{\text{had-vis}}$, improving the accuracy of the TauID algorithm. Specifically, the ID track and clusters associated with a reconstructed muon that satisfies the ‘Medium’ muon identification working point are removed if the track or cluster is found within the reconstructed τ_{seed} jet. For calorimeter energy clusters, the algorithm checks if the energy of the cluster associated with the muon is compatible with the expected energy loss [43] from its interactions with material between the ID and the MS, and removes the cluster only when this is the case. After the muon removal, the standard τ_{had} reconstruction algorithm is re-run on the τ_{seed} jet. In this way, the relevant TauID variables for the τ_{had} candidate can be calculated without the muon component.




Figure 2: The combined reconstruction and identification efficiencies of the standard ATLAS TauID for generator-level (a) 1-prong and (b) 3-prong $\tau_\mu \tau_{\text{had}}$ pairs at all working points as a function of $\Delta R_{\tau\tau}^{\text{gen,vis}}$. The ‘Seeding’ line shows the efficiency of a τ_{seed} jet that matches a generator-level $\tau_\mu \tau_{\text{had}}$ pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$ or 3’ line shows the efficiency of a generator-level τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points.

4.2 Performance of the method

Figure 3 shows the combined reconstruction and identification efficiencies after the muon removal as a function of $\Delta R_{\tau\tau}^{\text{gen,vis}}$ for generator-level 1-prong and 3-prong $\tau_\mu \tau_{\text{had}}$ pairs for all working points. The reconstruction and identification efficiencies after the muon removal show a considerable improvement compared to those shown in Figure 2. The signal efficiency is recovered almost completely for every working point for both 1-prong and 3-prong τ_{had} . In the 3-prong cases, the efficiency of TauID is limited by the accurate reconstruction of the correct number of tracks associated with the highly boosted τ_{had} candidates.

Roughly 95% of the τ_{seed} jets have a muon removed in the region where $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$. This can be expected given the 97% efficiency of the ‘Medium’ muon working point, with a dip below 90% in the region where the generator-level $|\eta|$ of the $\tau_{\text{had-vis}}$ is $|\eta|^{\text{gen,vis}} < 0.1$. This is illustrated in Figure 4, which shows the signal efficiencies of the TauID working points after the muon removal as a function of $|\eta|^{\text{gen,vis}}$ for generator-level 1-prong and 3-prong τ_{seed} jets with $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$. The slight decrease in muon removal efficiency in the low $|\eta|^{\text{gen,vis}}$ region is caused by the non-instrumented regions of the MS.

The signal identification efficiencies at all working points of the standard ATLAS TauID are tuned to show minimum dependency on the generator-level p_T of the $\tau_{\text{had-vis}}$ ($p_{T,\tau}^{\text{gen,vis}}$) and pile-up [5]. The stability of the TauID working point efficiencies, after the muon removal, against these variables are shown in Figure 5. To focus on the objects of interest, only generator-level $\tau_\mu \tau_{\text{had}}$ pairs with the muon identified inside the τ_{seed} jet and removed ($\Delta R_{\tau\tau}^{\text{reco}} < 0.4$) are included in these plots. For comparison, the TauID working point efficiencies as a function of the same variables for τ_{seed} objects in which muon removal is not required ($\Delta R_{\tau\tau}^{\text{gen,vis}} > 0.45$) are shown in Figure 6. Similar behaviour is observed in Figures 5 and 6. The improved performance and good stability across different working points demonstrate that, after the




Figure 3: The combined reconstruction and TauID efficiencies after the muon removal for generator-level (a) 1-prong and (b) 3-prong $\tau_\mu \tau_{\text{had}}$ pairs at all working points as a function of $\Delta R_{\tau\tau}^{\text{gen,vis}}$. The ‘Seeding’ line shows the efficiency of a τ_{seed} jet that matches a generator-level $\tau_\mu \tau_{\text{had}}$ pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$ or 3’ line shows the efficiency of a generator-level τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the τ_{seed} jet. The transitions of the ‘MuonRM’ line between $0.35 < \Delta R_{\tau\tau}^{\text{gen,vis}} < 0.45$ is due to limited detector resolution in the direction of the reconstructed $\tau_{\text{had-vis}}$ and muon.

muon removal, the TauID RNN receives as input the signal τ_{seed} jet as if it were a τ_{had} that is isolated (free from interference of surrounding particles).

After the removal of the overlapping muon, the precision with which the four-momentum of the τ_{seed} jet is reconstructed improves significantly. Figure 7(a) shows the distributions of the difference between the generated and reconstructed η (residuals) before and after the muon removal. Compared to the performance before muon removal, the η residuals that correspond to the 68% percentile (core resolution) improves by a factor of 15. The distributions of the $\tau_{\text{had-vis}}$ p_T residuals (p_T/p_T^{gen}) are shown in Figure 7(b). These results agree well with those reported for isolated τ_{had} in Ref. [44], further demonstrating the effectiveness of the muon removal method.

Having demonstrated that the reconstruction and identification efficiencies are significantly improved by the τ_{had}^μ method, the background rejection power is studied. The production of $t\bar{t}$ events is considered as a source of high- p_T heavy-flavour jets, which represents an example background to the τ_{had}^μ signal. The background rejection at the ‘Medium’ TauID working point, which is defined as the ratio of the total number of reconstructed τ_{had} candidates before muon removal to the number of false positives before or after muon removal, are shown in Figure 8, as functions of the reconstructed $\tau_{\text{had-vis}}$ p_T . For the background rejection figures, the event selections are mostly based on the reconstructed properties instead of the generator-level information. A τ_{seed} jet reconstructed in the background sample is required to have reconstructed $20 \text{ GeV} < p_T < 300 \text{ GeV}$, $|\eta| < 2.5$, and to not be generator-matched to a τ_{had} from the semileptonic decay of a bottom or top quark. In addition, a reconstructed muon is required to be found inside the τ_{seed} jet. The τ_{had} candidates in which no muon is present are not considered in Figure 8, as




Figure 4: The combined reconstruction and TauID efficiencies after the muon removal for generator-level (a) 1-prong and (b) 3-prong $\tau_\mu \tau_{\text{had}}$ pairs at all working points as a function of $|\eta|^{\text{gen,vis}}$ for τ_{seed} jets with $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$. The ‘Seeding’ line shows the efficiency of a τ_{seed} jet that matches a generator-level $\tau_\mu \tau_{\text{had}}$ pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$ or 3’ line shows the efficiency of a generator-level τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the τ_{seed} jet.

identical TauID results would be expected for these cases.

It is likely that after removing the muon, the number of reconstructed charged-particle tracks inside the τ_{seed} jet decreases by one compared to the standard reconstruction. Thus the background compositions of τ_{had} candidates reconstructed with the $\tau_{\text{had}}^{\hat{M}}$ method are different from the standard τ_{had} candidates. The background rejection power decreases slightly in the 3-prong case compared to the standard TauID algorithm. Without the presence of the muon within the τ_{seed} in the case of background events, the TauID algorithm finds it more challenging to reject semileptonic heavy-flavour jets. The 1-prong background rejection power increases slightly in the low- p_T region after removal of the muon due to fewer τ_{had} candidates being reconstructed after the muon removal.

The signal efficiency observed in the $G \rightarrow HH \rightarrow 4\tau$ samples and the background rejection power observed in the $t\bar{t}$ sample are combined to form the so-called receiver operating characteristic (ROC) curves. In addition to the same reconstruction level selections as the background τ_{seed} jets discussed previously, the τ_{seed} jets in the signal samples are required to be generator-matched to the $\tau_\mu \tau_{\text{had}}$ pairs. To minimise the bias introduced by the misalignment of the signal and background momentum spectra, the background events are reweighted so that the p_T distribution of the background sample matches that of the signal samples. The ROC curves illustrating the performance with and without muon removal are shown in Figure 9. An order-of-magnitude performance gain is seen across the spectrum for both the 1-prong and 3-prong cases when the muon removal is applied.

To demonstrate the performance of the $\tau_{\text{had}}^{\hat{M}}$ method in reconstructing and identifying individual di- τ systems within the $G \rightarrow HH \rightarrow 4\tau$ process, Figure 10 presents the combined τ_{had} reconstruction and




Figure 5: The signal efficiencies of the TauID working points as a function of (a, b) the generator-level transverse momentum $p_{T,\tau}^{\text{gen,vis}}$ and (c, d) the average number of interactions per bunch crossing $\langle\mu\rangle$ for generator-level 1-prong and 3-prong τ_{seed} jets when the muon is identified inside the τ_{seed} jet and removed ($\Delta R_{\tau\tau}^{\text{reco}} < 0.4$). The ' $N_{\text{trk}}^{\text{reco}} = 1$ or 3' line shows the efficiency of a generator-level τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The 'VLoose', 'Loose', 'Medium', and 'Tight' lines show the efficiencies of the TauID working points. The 'MuonRM' line shows the efficiency of a muon being identified and removed from the τ_{seed} , and is by definition 1.0 for all subfigures.




Figure 6: The signal efficiencies of the TauID working points as a function of (a, b) the generator-level $p_{T,\tau}^{\text{gen,vis}}$ and (c, d) the average number of interactions per bunch crossing ($\langle\mu\rangle$) for the generator-level 1-prong and 3-prong τ_{seed} jets with $\Delta R_{\tau\tau}^{\text{gen,vis}} > 0.45$. In this region, the muon removal should not affect the results. The ‘Seeding’ line shows the efficiency of a τ_{seed} jet that matches to a generator-level $\tau_{\mu}\tau_{\text{had}}$ pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$ or 3’ line shows the efficiency of a generator-level τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the τ_{seed} jet, and is expected to be low in high $\Delta R_{\tau\tau}^{\text{gen,vis}}$ region.




Figure 7: The distributions of the residuals for (a) η and (b) p_T after calibrations with standard τ_{had} candidates and $\Delta R_{\tau\tau}^{\text{gen,vis}} > 0.45$ and with τ_{had}^M candidates and $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$. The bands represent the statistical uncertainties.




Figure 8: The background rejection for τ_{seed} jets originating from semileptonic b -hadron decays in $t\bar{t}$ events at the ‘Medium’ TauID working point, as a function of the reconstructed p_T for (a) the reconstructed 1-prong candidates and (b) the reconstructed 3-prong candidates.




Figure 9: Background rejection as a function of signal efficiency with and without muon removal for (a) the reconstructed 1-prong candidates and (b) the reconstructed 3-prong candidates. For the background sample, $t\bar{t}$ events are used. The combination of all $G \rightarrow HH \rightarrow 4\tau$ samples with m_G ranging from 1 TeV to 5 TeV is used as the signal sample.

identification efficiencies as a function of the generated graviton mass. The efficiencies correspond to the identification of individual di- τ systems originating from Higgs boson decays.

Compared to the standard ATLAS TauID algorithm, the τ_{had}^{μ} method demonstrates a complete recovery of the identification efficiency for both the 1-prong and 3-prong τ_{had} decays for high-mass $G \rightarrow HH \rightarrow 4\tau$ events, to the level expected for isolated τ_{had} candidates reconstructed with the standard TauID algorithm.




Figure 10: The signal efficiencies of the TauID working points, as a function of m_G , for generator-level (a) 1-prong and (b) 3-prong τ_{had} with the standard ATLAS TauID algorithm and for generator-level (c) 1-prong and (d) 3-prong τ_{had} with the τ_{had}^{μ} method. The efficiencies shown correspond to the identification of individual di- τ systems originating from Higgs boson decays. The ‘Seeding’ line shows the efficiency of a τ_{seed} jet that matches a generator-level $\tau_{\mu}\tau_{\text{had}}$ pair being reconstructed. The ‘ $N_{\text{trk}}^{\text{reco}} = 1$ or 3’ line shows the efficiency of a generator-level τ_{had} being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the τ_{seed} jet.

5 Validation of the τ_{had}^{μ} method in the $Z \rightarrow \tau_{\mu} \tau_{\text{had}}$ final states

The τ_{had}^{μ} method was developed for searches for high-mass BSM physics, such as the $G \rightarrow HH$ process, as described in Section 4. However, it is useful to validate its performance by considering a SM process and data from pp collisions. In this paper, the Drell–Yan production of a Z boson in association with high- p_{T} jets from initial-state QCD radiation is considered as a validation process.

5.1 Z -boson kinematic reconstruction

The detector signature of the boosted $Z \rightarrow \tau_{\mu} \tau_{\text{had}}$ process includes one hadronically decaying τ -lepton and a muon, in association with significant missing transverse momentum ($\vec{p}_{\text{T}}^{\text{miss}}$) from the neutrinos produced in the two τ -lepton decays. The $\vec{p}_{\text{T}}^{\text{miss}}$, with magnitude $E_{\text{T}}^{\text{miss}}$, is estimated as the negative vector sum of the transverse momentum of all identified hard physics objects [45]. Tracks not associated with any such object are included in the soft term.

In this kinematic regime, the τ_{had} and the muon are likely to be reconstructed within the same τ_{seed} jet. In well measured events, the vector sum of the transverse momenta of the three neutrinos dominates the measured $\vec{p}_{\text{T}}^{\text{miss}}$, which in the azimuthal direction lies between the observed muon and the τ_{had} candidate in most cases. Also, on average, the $\vec{p}_{\text{T}}^{\text{miss}}$ should be closer in azimuth to the muon, because the τ_{lep} decay produces two neutrinos and the τ_{had} decay only one.

Without incorporating $\vec{p}_{\text{T}}^{\text{miss}}$, reconstructing the Z -boson invariant mass is not possible. However, it is possible to approximate the momenta of the neutrinos using the collinear approximation [46] as follows:

- the transverse momenta of the three neutrinos dominate the measured $\vec{p}_{\text{T}}^{\text{miss}}$, and other contributions are negligible;
- each τ -lepton is sufficiently boosted such that the neutrino (or pair of neutrinos) produced in its decay is collinear with its visible decay products.

These assumptions allow the reconstruction of the momenta of the neutrino (or pair of neutrinos) produced in the decay of each τ -lepton.³

Together with the momenta of the visible decay products, this procedure allows the momenta of the two τ -leptons, and hence the transverse momentum ($p_{\text{T}\mu\text{-had}}^{\text{col}}$), and mass ($m_{\mu\text{-had}}^{\text{col}}$) of the system produced by the decay of the Z boson, to be reconstructed. The jets recoiling against the Z boson are reconstructed using the anti- k_t algorithm with a radius parameter $R = 0.4$ that uses particle flow objects [47] as input. These jets are then calibrated using simulation and data to a precision of order 1% for central jets.

³ In events in which the $\vec{p}_{\text{T}}^{\text{miss}}$ lies outside the azimuthal angle between the visible decay products of the τ -leptons, the $\vec{p}_{\text{T}}^{\text{miss}}$ is projected onto the direction of the nearest visible decay, and the neutrino momentum associated with the other τ -lepton is set to zero. Furthermore, events for which collinear reconstruction is not possible, i.e., with $\vec{p}_{\text{T}}^{\text{miss}}$ deviating by more than 90° from the muon or the τ_{had}^{μ} in $\Delta\phi$, are discarded.

5.2 Event selection

Candidate events are required to have been triggered by an un-prescaled single-muon trigger [48] or an un-prescaled E_T^{miss} trigger [49]. The thresholds of the p_T required to fire each trigger varied for different data-taking periods. For the single muon trigger, the p_T requirement for triggers selecting isolated muons ranged from 20 to 26 GeV, while the p_T threshold for muon trigger without isolation requirements remained constant at 50 GeV. The E_T^{miss} triggers had a threshold of 70 GeV for the 2015 data-taking period and remained constant at 110 GeV for the rest of Run 2. Approximately 97% of $Z \rightarrow \tau_\mu \tau_{\text{had}}$ simulated events that satisfy the final signal selection criteria satisfy the trigger selection.

For the signal region (SR) selection, events satisfying the trigger requirements are required to have at least one muon removal τ_{had} object which satisfies $p_T > 15$ GeV, one or three reconstructed charged-particle tracks with charge summing to one, and a TauID jet RNN score > 0.1 , excluding $1.37 < |\eta| < 1.52$ and $|\eta| > 2.5$. This selection implies that at least one reconstructed muon satisfying the ‘Medium’ working point is inside the cone of each selected τ_{had}^μ candidate. Additionally, the muon must have $p_T > 10$ GeV and opposite charge to the τ_{had}^μ candidate. In this study, the overlap removal between muons and τ_{had} candidates is turned off as the default overlap removal algorithm as described in Ref. [42] would remove some of the τ_{had}^μ candidates even if the muon removal method is successful. To suppress background from events containing heavy-flavour jets, events are rejected if they contain any jet that satisfies the DL1d based b -tagging algorithm at an 85% efficiency working point [50]. The signed $\Delta\phi$ between the muon and \vec{p}_T^{miss} ($\Delta\phi_{\mu\text{-MET}}^{\text{signed}}$) is required to be $-0.1 < \Delta\phi_{\mu\text{-MET}}^{\text{signed}} < 0.4$. The sign of $\Delta\phi_{\mu\text{-MET}}^{\text{signed}}$ is determined by the direction of the τ_{had}^μ candidate. If the \vec{p}_T^{miss} is inside the opening angle of the muon and the τ_{had} candidate or if the \vec{p}_T^{miss} is outside the opening angle but closer to the muon, then the sign is positive; otherwise, it is negative. Since the focus of the analysis is the boosted $Z \rightarrow \tau_\mu \tau_{\text{had}}$ process, a loose requirement $m_{\mu\text{-had}}^{\text{col}} > 40$ GeV, and a requirement $p_{T\mu\text{-had}}^{\text{col}} > 250$ GeV are applied. A validation region (VR) is defined with the same selection requirements as the SR, except that the muon and τ_{had}^μ candidate are required to have the same charge, and there is no requirement on $\Delta\phi_{\mu\text{-MET}}^{\text{signed}}$ or the number of jets satisfying the b -tagging criteria. The VR is designed with enough statistical power for testing the background modelling. These tests confirm that QCD jets events contribute negligibly to the background in both the SR and VR, making it an unlikely source of significant background mismodelling. Table 1 summarises the event selection requirements for the SR and VR respectively.

Table 1: Summary of event selection requirements.

Object	Signal region	Validation region
τ_{had}^μ candidate	$p_T > 15$ GeV TauID jet RNN score > 0.1 $ \eta < 1.37$ or $1.52 < \eta < 2.5$ 1 or 3 charged-particle tracks	$p_T > 15$ GeV TauID jet RNN score > 0.1 $ \eta < 1.37$ or $1.52 < \eta < 2.5$ 1 or 3 charged-particle tracks
Muon	‘Medium’ working point $p_T > 10$ GeV	‘Medium’ working point $p_T > 10$ GeV
$\tau_\mu \tau_{\text{had}}$ pair	no b -tagged jet at 85% efficiency working point $-0.1 < \Delta\phi_{\mu\text{-MET}}^{\text{signed}} < 0.4$ $m_{\mu\text{-had}}^{\text{col}} > 40$ GeV $p_{T\mu\text{-had}}^{\text{col}} > 250$ GeV opposite charge muon and τ_{had}^μ candidates	— — $m_{\mu\text{-had}}^{\text{col}} > 40$ GeV $p_{T\mu\text{-had}}^{\text{col}} > 250$ GeV same charge muon and τ_{had}^μ candidates




Figure 11: The distribution of the TauID jet RNN score for $\tau_{\text{had}}^{\text{H}}$ (a) in the SR and (b) in the VR. ‘ $Z(\rightarrow \tau\tau) + \text{jets}$ ’ represents the contributions from the signal process. ‘Top’ represents the predicted contributions from the $t\bar{t}$, single-top-quark, and tW processes. ‘Diboson’ indicates the contributions from WW , WZ , and ZZ processes. ‘Other’ includes the contributions from the $Z(\rightarrow \ell\ell) + \text{jets}$, $W + \text{jets}$, and Higgs boson processes. The uncertainties shown include both statistical and systematic sources.

Figures 11 and 12 illustrate the distributions of the TauID jet RNN score and $p_{T\mu\text{-had}}^{\text{col}}$ in the SR and VR. As shown in both figures, the data and MC predictions agree well in both the SR and VR. Due to the $m_{\mu\text{-had}}^{\text{col}} > 40$ GeV requirement, the kinematics of the selection produce a peak in the $p_{T\mu\text{-had}}^{\text{col}}$ distribution around 500 GeV. This highlights the fact that the $\tau_{\text{had}}^{\text{H}}$ reconstruction picks up $\tau_{\mu}\tau_{\text{had}}$ pairs only with a sufficiently high boost.

5.3 Systematic uncertainties

The dominant source of systematic uncertainty in the comparison between the observed and expected yields in the SR is the modelling of the cross-section for Z -boson production. As discussed in Section 3, a +10% correction is applied to the predicted values for $Z(\rightarrow \tau\tau) + \text{jets}$ events, with the full size of this correction quoted as a systematic uncertainty. The most significant sources of experimental systematic uncertainties are related to TauID and τ -lepton energy scale (4%) [3, 4], jet energy scale and resolution (2%) [51], $E_{\text{T}}^{\text{miss}}$ (2%) [45], and luminosity (0.83%) [35].

5.4 Results

To understand the performance improvement relative to the standard ATLAS τ_{had} reconstruction and identification, Figure 13 shows multiple comparisons of the data and MC predictions for $m_{\mu\text{-had}}^{\text{col}}$ distributions corresponding to various signal selections; Figure 13(a) corresponds to the SR selections defined in Section 5.2; Figure 13(b) corresponds to the SR^{std}, which uses the standard ATLAS τ_{had} candidates, without the muon removal, but otherwise corresponds to the same event selection as the SR; Figure 13(c) corresponds to the SR_{tight}, which imposes an additional ‘Tight’ RNN TauID requirement on the $\tau_{\text{had}}^{\text{H}}$




Figure 12: The distribution of the $p_{T\mu\text{-had}}^{\text{col}}$ (a) in the SR, and (b) in the VR. ‘Z($\rightarrow \tau\tau$) + jets’ represents the contributions from the signal process. ‘Diboson’ indicates the contributions from the WW , WZ , and ZZ processes. ‘Top’ represents the predicted contributions from the $t\bar{t}$, single-top-quark, and tW processes. ‘Other’ includes the contributions from the $Z(\rightarrow \ell\ell)$ +jets, W +jets, and Higgs boson processes. The uncertainties shown include both statistical and systematic sources.

candidates, but otherwise corresponds to the SR selection; and Figure 13(d) corresponds to the $\text{SR}_{\text{tight}}^{\text{std}}$, which imposes an additional ‘Tight’ RNN TauID requirement and uses the standard τ_{had} candidates, without muon removal.

The collinear mass reconstruction of the di- τ system is quite effective as it clearly shows the peak corresponding to the Z boson mass in Figure 13(a). The shape of the $m_{\mu\text{-had}}^{\text{col}}$ distribution for signal Drell–Yan events is very different from that seen in inclusive production [52], with a much larger fraction of the signal events in the region $40 \text{ GeV} < m_{\mu\text{-had}}^{\text{col}} < 70 \text{ GeV}$ compared to that at the Z boson peak. This pattern arises due to the steep fall in the $m_{\mu\text{-had}}^{\text{col}}$ distribution for Drell–Yan production, along with the narrowing opening angle of boosted $\tau_{\mu}\tau_{\text{had}}$ systems as $m_{\mu\text{-had}}^{\text{col}}$ decreases.

Table 2 shows the event yields in the data, as well as the predicted contributions from signal and background processes, corresponding to the various signal and validation selection criteria defined previously. Compared with the standard TauID, the τ_{had}^{μ} method results in around three times more signal events in the SR, accompanied by an increase in the number of background events. In the SR_{tight} the number of signal events is about five times higher than when using the standard τ_{had} candidates, with a corresponding rise in background events as well. Subtracting the expected background yield in the SR of 223 ± 5 events gives a measured yield for $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ of 920 ± 34 events. This can be compared with the expected yield for $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ of 945 ± 8 (stat.) ± 114 (syst.) events. Adding all sources of statistical and systematic uncertainty results in a total uncertainty of 12%. The same calculations are performed in the SR_{tight} . The ratio of data to prediction is 0.97 ± 0.12 in the SR, and 0.96 ± 0.12 in the SR_{tight} .




Figure 13: The distributions of $m_{\mu\text{-had}}^{\text{col}}$ corresponding to the various signal region selection criteria defined in the text: (a) SR, (b) SR^{std} , (c) SR_{tight} , and (d) $\text{SR}_{\text{tight}}^{\text{std}}$. ‘ $Z(\rightarrow \tau\tau) + \text{jets}$ ’ represents the contributions from the signal process. ‘Diboson’ indicates the contributions from WW , WZ , and ZZ processes. ‘Top’ represents the predicted contributions from the $t\bar{t}$, single-top-quark, and tW processes. ‘Other’ includes the contributions from the $Z(\rightarrow \ell\ell) + \text{jets}$, $W + \text{jets}$, and Higgs boson processes. The uncertainties shown include both statistical and systematic sources.

Table 2: Event yields for different event selection criteria, as defined in the text. The uncertainties quoted are statistical only.

	SR	SR ^{std}	SR _{tight}	SR _{tight} ^{std}	VR
$Z \rightarrow \tau\tau$	945 ± 8	325 ± 4	633 ± 7	117 ± 2	20 ± 1
Diboson	91 ± 1	25 ± 1	50 ± 1	9 ± 0	38 ± 1
Top	68 ± 3	53 ± 3	26 ± 2	21 ± 2	164 ± 5
Other	65 ± 4	17 ± 2	12 ± 2	5 ± 1	76 ± 4
Total predicted	1168 ± 10	420 ± 5	721 ± 8	153 ± 3	297 ± 7
Data	1143	435	698	133	281

6 Conclusions

In this paper, the reconstruction of a highly boosted pair of τ -leptons is considered, in which one τ -lepton decays into a muon plus two neutrinos and the other τ -lepton decays hadronically, with the visible decay products overlapping. In such cases, the standard ATLAS reconstruction and identification algorithms for hadronically decaying τ -leptons fail due to the presence of the nearby muon.

The development of a muon removal procedure for τ_{had} candidates (denoted τ_{had}^{μ}) using samples of high-mass $G \rightarrow HH \rightarrow 4\tau$ events is described. The τ_{had}^{μ} method recovers the τ_{had} reconstruction and identification efficiencies to the expected level for isolated τ_{had} decays at all τ -lepton identification working points. The measurement precision for the kinematic properties of the visible τ_{had} system is similarly recovered. The background rejection power is studied using heavy-flavour jets from top-quark decays and shows no degradation relative to the standard algorithm for τ_{had} identification. The τ_{had}^{μ} method is validated by selecting a sample of highly boosted $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ final states using a data set of proton–proton collisions at $\sqrt{s} = 13$ TeV collected with the ATLAS detector at the LHC, and corresponding to an integrated luminosity of 140 fb^{-1} . Good agreement is found between data and simulation in both the $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ signal region and a background-rich validation region. The ratio of the observed and predicted event yields in the signal region is found to be consistent with unity within an uncertainty of 12%.

The results presented in this paper demonstrate the effectiveness of the τ_{had}^{μ} method in enhancing the signal sensitivity of the boosted $\tau_{\mu}\tau_{\text{had}}$ channel. The observed good agreement between data and simulation in the $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ signal region reaffirms the robustness of the newly developed reconstruction method.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [53].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN;

ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ICHEP and Academy of Sciences and Humanities, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from Armenia: Yerevan Physics Institute (FAPERJ); CERN: European Organization for Nuclear Research (CERN DOCT); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1230812, FONDECYT 1230987, FONDECYT 1240864); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700, MOST-2023YFA1609300), National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR - 24-11373S), Ministry of Education Youth and Sports (FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC - 101002463); European Union: European Research Council (ERC - 948254, ERC 101089007, ERC, BARD, 101116429), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (PRIN - 20223N7F8K - PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227, JSPS KAKENHI JP23KK0245); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS 2023/51/B/ST2/02507, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, NCN & H2020 MSCA 945339, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085, UMO-2023/51/B/ST2/00920); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS 22:2312), Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW

2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

- [1] Particle Data Group, S. Navas et al., *Review of Particle Physics*, [Phys. Rev. D **110** \(2024\) 030001](#).
- [2] ATLAS Collaboration, *Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\sqrt{s} = 8$ TeV*, [Eur. Phys. J. C **75** \(2015\) 303](#), arXiv: [1412.7086 \[hep-ex\]](#).
- [3] ATLAS Collaboration, *Measurement of the tau lepton reconstruction and identification performance in the ATLAS experiment using pp collisions at $\sqrt{s} = 13$ TeV*, ATLAS-CONF-2017-029, 2017, URL: <https://cds.cern.ch/record/2261772>.
- [4] ATLAS Collaboration, *Identification of hadronic tau lepton decays using neural networks in the ATLAS experiment*, ATL-PHYS-PUB-2019-033, 2019, URL: <https://cds.cern.ch/record/2688062>.
- [5] ATLAS Collaboration, *Reconstruction, Identification, and Calibration of hadronically decaying tau leptons with the ATLAS detector for the LHC Run 3 and reprocessed Run 2 data*, ATL-PHYS-PUB-2022-044, 2022, URL: <https://cds.cern.ch/record/2827111>.
- [6] M. Cacciari, G. P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, [JHEP **04** \(2008\) 063](#), arXiv: [0802.1189 \[hep-ph\]](#).
- [7] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, [Eur. Phys. J. C **72** \(2012\) 1896](#), arXiv: [1111.6097 \[hep-ph\]](#).
- [8] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, [Eur. Phys. J. C **77** \(2017\) 490](#), arXiv: [1603.02934 \[hep-ex\]](#).
- [9] T. Barillari et al., *Local Hadronic Calibration*, ATL-LARG-PUB-2009-001-2, 2008, URL: <https://cds.cern.ch/record/1112035>.
- [10] ATLAS Collaboration, *Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton–proton collision data in ATLAS*, ATLAS-CONF-2020-012, 2020, URL: <https://cds.cern.ch/record/2719518>.
- [11] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, [Eur. Phys. J. C **81** \(2021\) 578](#), arXiv: [2012.00578 \[hep-ex\]](#).
- [12] L. Randall and R. Sundrum, *Large Mass Hierarchy from a Small Extra Dimension*, [Phys. Rev. Lett. **83** \(1999\) 3370](#), arXiv: [9905221 \[hep-ph\]](#).
- [13] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, [JINST **3** \(2008\) S08003](#).
- [14] L. Evans and P. Bryant, *LHC Machine*, [JINST **3** \(2008\) S08001](#).
- [15] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, [JINST **13** \(2018\) P07017](#).
- [16] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, [Eur. Phys. J. C **77** \(2017\) 317](#), arXiv: [1611.09661 \[hep-ex\]](#).
- [17] ATLAS Collaboration, *Software and computing for Run 3 of the ATLAS experiment at the LHC*, (2024), arXiv: [2404.06335 \[hep-ex\]](#).

- [18] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [19] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [20] NNPDF Collaboration, R. D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: [1207.1303 \[hep-ph\]](#).
- [21] S. Frixione, G. Ridolfi and P. Nason, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126, arXiv: [0707.3088 \[hep-ph\]](#).
- [22] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [23] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070, arXiv: [0709.2092 \[hep-ph\]](#).
- [24] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043, arXiv: [1002.2581 \[hep-ph\]](#).
- [25] NNPDF Collaboration, R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [26] ATLAS Collaboration, *Studies on top-quark Monte Carlo modelling for Top2016*, ATL-PHYS-PUB-2016-020, 2016, URL: <https://cds.cern.ch/record/2216168>.
- [27] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [28] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [29] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [30] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: [0710.3820 \[hep-ph\]](#).
- [31] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [32] A. D. Martin, W. J. Stirling, R. S. Thorne and G. Watt, *Parton distributions for the LHC*, *Eur. Phys. J. C* **63** (2009) 189, arXiv: [0901.0002 \[hep-ph\]](#).
- [33] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [34] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [35] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982, arXiv: [2212.09379 \[hep-ex\]](#).

- [36] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [37] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [38] ATLAS Collaboration, *Measurement of the transverse momentum distribution of Drell–Yan lepton pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **80** (2020) 616, arXiv: [1912.02844 \[hep-ex\]](#).
- [39] ATLAS Collaboration, *Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment*, *JHEP* **08** (2022) 089, arXiv: [2112.09588 \[hep-ex\]](#).
- [40] R. Frederix, E. Re and P. Torrielli, *Single-top t -channel hadroproduction in the four-flavour scheme with POWHEG and aMC@NLO*, *JHEP* **09** (2012) 130, arXiv: [1207.5391 \[hep-ph\]](#).
- [41] S. Frixione, E. Laenen, P. Motylinski, C. White and B. R. Webber, *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029, arXiv: [0805.3067 \[hep-ph\]](#).
- [42] ATLAS Collaboration, *Measurements of Higgs boson production cross-sections in the $H \rightarrow \tau^+ \tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **08** (2022) 175, arXiv: [2201.08269 \[hep-ex\]](#).
- [43] ATLAS Collaboration, *Studies of the muon momentum calibration and performance of the ATLAS detector with pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **83** (2023) 686, arXiv: [2212.07338 \[hep-ex\]](#).
- [44] ATLAS Collaboration, *Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment*, *Eur. Phys. J. C* **76** (2016) 295, arXiv: [1512.05955 \[hep-ex\]](#).
- [45] ATLAS Collaboration, *The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using 140fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions*, (2024), arXiv: [2402.05858 \[hep-ex\]](#).
- [46] R. Ellis, I. Hinchliffe, M. Soldate and J. Van Der Bij, *Higgs decay to $\tau^+ \tau^-$ A possible signature of intermediate mass Higgs bosons at high energy hadron colliders*, *Nucl. Phys. B* **297** (1988) 221.
- [47] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [48] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, *JINST* **15** (2020) P09015, arXiv: [2004.13447 \[physics.ins-det\]](#).
- [49] ATLAS Collaboration, *Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking*, *JHEP* **08** (2020) 080, arXiv: [2005.09554 \[hep-ex\]](#).
- [50] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2 pp collision dataset*, *Eur. Phys. J. C* **83** (2023) 681, arXiv: [2211.16345 \[physics.data-an\]](#).
- [51] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689, arXiv: [2007.02645 \[hep-ex\]](#).

- [52] ATLAS Collaboration, *Precise measurements of W- and Z-boson transverse momentum spectra with the ATLAS detector using pp collisions at $\sqrt{s} = 5.02$ TeV and 13 TeV*, (2024), arXiv: [2404.06204](https://arxiv.org/abs/2404.06204) [hep-ex].
- [53] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰⁴, E. Aakvaag ¹⁷, B. Abbott ¹²³, S. Abdelhameed ^{119a}, K. Abeling ⁵⁶, N.J. Abicht ⁵⁰, S.H. Abidi ³⁰, M. Aboeela ⁴⁶, A. Aboulhorma ^{36e}, H. Abramowicz ¹⁵⁵, Y. Abulaiti ¹²⁰, B.S. Acharya ^{70a,70b,n}, A. Ackermann ^{64a}, C. Adam Bourdarios ⁴, L. Adamczyk ^{87a}, S.V. Addepalli ¹⁴⁷, M.J. Addison ¹⁰³, J. Adelman ¹¹⁸, A. Adiguzel ^{22c}, T. Adye ¹³⁷, A.A. Affolder ¹³⁹, Y. Afik ⁴¹, M.N. Agaras ¹³, A. Aggarwal ¹⁰², C. Agheorghiesei ^{28c}, F. Ahmadov ^{40,ac}, S. Ahuja ⁹⁷, X. Ai ^{63e}, G. Aielli ^{77a,77b}, A. Aikot ¹⁶⁷, M. Ait Tamlihat ^{36e}, B. Aitbenkikh ^{36a}, M. Akbiyik ¹⁰², T.P.A. Åkesson ¹⁰⁰, A.V. Akimov ¹⁴⁹, D. Akiyama ¹⁷², N.N. Akolkar ²⁵, S. Aktas ^{22a}, G.L. Alberghi ^{24b}, J. Albert ¹⁶⁹, P. Albicocco ⁵⁴, G.L. Albouy ⁶¹, S. Alderweireldt ⁵³, Z.L. Alegria ¹²⁴, M. Aleksa ³⁷, I.N. Aleksandrov ⁴⁰, C. Alexa ^{28b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{24b}, M. Algren ⁵⁷, M. Alhroob ¹⁷¹, B. Ali ¹³⁵, H.M.J. Ali ^{93,w}, S. Ali ³², S.W. Alibocus ⁹⁴, M. Aliev ^{34c}, G. Alimonti ^{72a}, W. Alkahi ⁵⁶, C. Allaire ⁶⁷, B.M.M. Allbrooke ¹⁵⁰, J.S. Allen ¹⁰³, J.F. Allen ⁵³, C.A. Allendes Flores ^{140f}, P.P. Allport ²¹, A. Aloisio ^{73a,73b}, F. Alonso ⁹², C. Alpigiani ¹⁴², Z.M.K. Alsolami ⁹³, A. Alvarez Fernandez ¹⁰², M. Alves Cardoso ⁵⁷, M.G. Alviggi ^{73a,73b}, M. Aly ¹⁰³, Y. Amaral Coutinho ^{84b}, A. Ambler ¹⁰⁶, C. Amelung ³⁷, M. Amerl ¹⁰³, C.G. Ames ¹¹¹, D. Amidei ¹⁰⁸, B. Amini ⁵⁵, K.J. Amirie ¹⁵⁸, A. Amirkhanov ³⁹, S.P. Amor Dos Santos ^{133a}, K.R. Amos ¹⁶⁷, D. Amperiadou ¹⁵⁶, S. An ⁸⁵, V. Ananiev ¹²⁸, C. Anastopoulos ¹⁴³, T. Andeen ¹¹, J.K. Anders ⁹⁴, A.C. Anderson ⁶⁰, A. Andreazza ^{72a,72b}, S. Angelidakis ⁹, A. Angerami ⁴³, A.V. Anisenkov ³⁹, A. Annovi ^{75a}, C. Antel ⁵⁷, E. Antipov ¹⁴⁹, M. Antonelli ⁵⁴, F. Anulli ^{76a}, M. Aoki ⁸⁵, T. Aoki ¹⁵⁷, M.A. Aparo ¹⁵⁰, L. Aperio Bella ⁴⁹, C. Appelt ¹⁵⁵, A. Apyan ²⁷, S.J. Arbiol Val ⁸⁸, C. Arcangeletti ⁵⁴, A.T.H. Arce ⁵², J-F. Arguin ¹¹⁰, S. Argyropoulos ¹⁵⁶, J.-H. Arling ⁴⁹, O. Arnaez ⁴, H. Arnold ¹⁴⁹, G. Artoni ^{76a,76b}, H. Asada ¹¹³, K. Asai ¹²¹, S. Asai ¹⁵⁷, N.A. Asbah ³⁷, R.A. Ashby Pickering ¹⁷¹, A.M. Aslam ⁹⁷, K. Assamagan ³⁰, R. Astalos ^{29a}, K.S.V. Astrand ¹⁰⁰, S. Atashi ¹⁶², R.J. Atkin ^{34a}, H. Atmani ^{36f}, P.A. Atmasiddha ¹³¹, K. Augsten ¹³⁵, A.D. Auriol ⁴², V.A. Austrup ¹⁰³, G. Avolio ³⁷, K. Axiotis ⁵⁷, G. Azuelos ^{110,ag}, D. Babal ^{29b}, H. Bachacou ¹³⁸, K. Bachas ^{156,r}, A. Bachi ³⁵, E. Bachmann ⁵¹, A. Badea ⁴¹, T.M. Baer ¹⁰⁸, P. Bagnaia ^{76a,76b}, M. Bahmani ¹⁹, D. Bahner ⁵⁵, K. Bai ¹²⁶, J.T. Baines ¹³⁷, L. Baines ⁹⁶, O.K. Baker ¹⁷⁶, E. Bakos ¹⁶, D. Bakshi Gupta ⁸, L.E. Balabram Filho ^{84b}, V. Balakrishnan ¹²³, R. Balasubramanian ⁴, E.M. Baldin ³⁹, P. Balek ^{87a}, E. Ballabene ^{24b,24a}, F. Balli ¹³⁸, L.M. Baltes ^{64a}, W.K. Balunas ³³, J. Balz ¹⁰², I. Bamwidhi ^{119b}, E. Banas ⁸⁸, M. Bandieramonte ¹³², A. Bandyopadhyay ²⁵, S. Bansal ²⁵, L. Barak ¹⁵⁵, M. Barakat ⁴⁹, E.L. Barberio ¹⁰⁷, D. Barberis ^{58b,58a}, M. Barbero ¹⁰⁴, M.Z. Barel ¹¹⁷, T. Barillari ¹¹², M-S. Barisits ³⁷, T. Barklow ¹⁴⁷, P. Baron ¹²⁵, D.A. Baron Moreno ¹⁰³, A. Baroncelli ^{63a}, A.J. Barr ¹²⁹, J.D. Barr ⁹⁸, F. Barreiro ¹⁰¹, J. Barreiro Guimarães da Costa ¹⁴, M.G. Barros Teixeira ^{133a}, S. Barsov ³⁹, F. Bartels ^{64a}, R. Bartoldus ¹⁴⁷, A.E. Barton ⁹³, P. Bartos ^{29a}, A. Basan ¹⁰², M. Baselga ⁵⁰, S. Bashiri ⁸⁸, A. Bassalat ^{67,b}, M.J. Basso ^{159a}, S. Bataju ⁴⁶, R. Bate ¹⁶⁸, R.L. Bates ⁶⁰, S. Batlamous ¹⁰¹, M. Battaglia ¹³⁹, D. Battulga ¹⁹, M. Bauge ^{76a,76b}, M. Bauer ⁸⁰, P. Bauer ²⁵, L.T. Bazzano Hurrell ³¹, J.B. Beacham ¹¹², T. Beau ¹³⁰, J.Y. Beaucamp ⁹², P.H. Beauchemin ¹⁶¹, P. Bechtel ²⁵, H.P. Beck ^{20,q}, K. Becker ¹⁷¹, A.J. Beddall ⁸³, V.A. Bednyakov ⁴⁰, C.P. Bee ¹⁴⁹, L.J. Beemster ¹⁶, M. Begalli ^{84d}, M. Begel ³⁰, J.K. Behr ⁴⁹, J.F. Beirer ³⁷, F. Beisiegel ²⁵, M. Belfkir ^{119b}, G. Bella ¹⁵⁵, L. Bellagamba ^{24b}, A. Bellerive ³⁵, P. Bellos ²¹, K. Beloborodov ³⁹, D. Benchebroun ^{36a}, F. Bendebba ^{36a}, Y. Benhammou ¹⁵⁵, K.C. Benkendorfer ⁶², L. Beresford ⁴⁹, M. Beretta ⁵⁴, E. Bergeas Kuutmann ¹⁶⁵, N. Berger ⁴, B. Bergmann ¹³⁵, J. Beringer ^{18a},

G. Bernardi ⁵, C. Bernius ¹⁴⁷, F.U. Bernlochner ²⁵, F. Bernon ³⁷, A. Berrocal Guardia ¹³, T. Berry ⁹⁷, P. Berta ¹³⁶, A. Berthold ⁵¹, S. Bethke ¹¹², A. Betti ^{76a,76b}, A.J. Bevan ⁹⁶, N.K. Bhalla ⁵⁵, S. Bharthuar ¹¹², S. Bhatta ¹⁴⁹, D.S. Bhattacharya ¹⁷⁰, P. Bhattarai ¹⁴⁷, Z.M. Bhatti ¹²⁰, K.D. Bhide ⁵⁵, V.S. Bhopatkar ¹²⁴, R.M. Bianchi ¹³², G. Bianco ^{24b,24a}, O. Biebel ¹¹¹, M. Biglietti ^{78a}, C.S. Billingsley ⁴⁶, Y. Bimgdi ^{36f}, M. Bindi ⁵⁶, A. Bingham ¹⁷⁵, A. Bingul ^{22b}, C. Bini ^{76a,76b}, G.A. Bird ³³, M. Birman ¹⁷³, M. Biros ¹³⁶, S. Biryukov ¹⁵⁰, T. Bisanz ⁵⁰, E. Bisceglie ^{45b,45a}, J.P. Biswal ¹³⁷, D. Biswas ¹⁴⁵, I. Bloch ⁴⁹, A. Blue ⁶⁰, U. Blumenschein ⁹⁶, J. Blumenthal ¹⁰², V.S. Bobrovnikov ³⁹, M. Boehler ⁵⁵, B. Boehm ¹⁷⁰, D. Bogavac ³⁷, A.G. Bogdanchikov ³⁹, L.S. Boggia ¹³⁰, V. Boisvert ⁹⁷, P. Bokan ³⁷, T. Bold ^{87a}, M. Bomben ⁵, M. Bona ⁹⁶, M. Boonekamp ¹³⁸, A.G. Borbély ⁶⁰, I.S. Bordulev ³⁹, G. Borissov ⁹³, D. Bortoletto ¹²⁹, D. Boscherini ^{24b}, M. Bosman ¹³, K. Bouaouda ^{36a}, N. Bouchhar ¹⁶⁷, L. Boudet ⁴, J. Boudreau ¹³², E.V. Bouhova-Thacker ⁹³, D. Boumediene ⁴², R. Bouquet ^{58b,58a}, A. Boveia ¹²², J. Boyd ³⁷, D. Boye ³⁰, I.R. Boyko ⁴⁰, L. Bozianu ⁵⁷, J. Bracinik ²¹, N. Brahim ⁴, G. Brandt ¹⁷⁵, O. Brandt ³³, B. Brau ¹⁰⁵, J.E. Brau ¹²⁶, R. Brenner ¹⁷³, L. Brenner ¹¹⁷, R. Brenner ¹⁶⁵, S. Bressler ¹⁷³, G. Brianti ^{79a,79b}, D. Britton ⁶⁰, D. Britzger ¹¹², I. Brock ²⁵, R. Brock ¹⁰⁹, G. Brooijmans ⁴³, A.J. Brooks ⁶⁹, E.M. Brooks ^{159b}, E. Brost ³⁰, L.M. Brown ¹⁶⁹, L.E. Bruce ⁶², T.L. Bruckler ¹²⁹, P.A. Bruckman de Renstrom ⁸⁸, B. Brüers ⁴⁹, A. Bruni ^{24b}, G. Bruni ^{24b}, D. Brunner ^{48a,48b}, M. Bruschi ^{24b}, N. Bruscin ^{76a,76b}, T. Buanes ¹⁷, Q. Buat ¹⁴², D. Buchin ¹¹², A.G. Buckley ⁶⁰, O. Bulekov ³⁹, B.A. Bullard ¹⁴⁷, S. Burdin ⁹⁴, C.D. Burgard ⁵⁰, A.M. Burger ³⁷, B. Burghgrave ⁸, O. Burlayenko ⁵⁵, J. Burleson ¹⁶⁶, J.T.P. Burr ³³, J.C. Burzynski ¹⁴⁶, E.L. Busch ⁴³, V. Büscher ¹⁰², P.J. Bussey ⁶⁰, J.M. Butler ²⁶, C.M. Buttar ⁶⁰, J.M. Butterworth ⁹⁸, W. Buttinger ¹³⁷, C.J. Buxo Vazquez ¹⁰⁹, A.R. Buzykaev ³⁹, S. Cabrera Urbán ¹⁶⁷, L. Cadamuro ⁶⁷, D. Caforio ⁵⁹, H. Cai ¹³², Y. Cai ^{24b,114c,24a}, Y. Cai ^{114a}, V.M.M. Cairo ³⁷, O. Cakir ^{3a}, N. Calace ³⁷, P. Calafiura ^{18a}, G. Calderini ¹³⁰, P. Calfayan ³⁵, G. Callea ⁶⁰, L.P. Caloba ^{84b}, D. Calvet ⁴², S. Calvet ⁴², R. Camacho Toro ¹³⁰, S. Camarda ³⁷, D. Camarero Munoz ²⁷, P. Camarri ^{77a,77b}, M.T. Camerlingo ^{73a,73b}, D. Cameron ³⁷, C. Camincher ¹⁶⁹, M. Campanelli ⁹⁸, A. Camplani ⁴⁴, V. Canale ^{73a,73b}, A.C. Canbay ^{3a}, E. Canonero ⁹⁷, J. Cantero ¹⁶⁷, Y. Cao ¹⁶⁶, F. Capocasa ²⁷, M. Capua ^{45b,45a}, A. Carbone ^{72a,72b}, R. Cardarelli ^{77a}, J.C.J. Cardenas ⁸, M.P. Cardiff ²⁷, G. Carducci ^{45b,45a}, T. Carli ³⁷, G. Carlino ^{73a}, J.I. Carlotto ¹³, B.T. Carlson ^{132,s}, E.M. Carlson ¹⁶⁹, J. Carmignani ⁹⁴, L. Carminati ^{72a,72b}, A. Carnelli ¹³⁸, M. Carnesale ³⁷, S. Caron ¹¹⁶, E. Carquin ^{140f}, I.B. Carr ¹⁰⁷, S. Carrá ^{72a}, G. Carratta ^{24b,24a}, A.M. Carroll ¹²⁶, M.P. Casado ^{13,i}, M. Caspar ⁴⁹, F.L. Castillo ⁴, L. Castillo Garcia ¹³, V. Castillo Gimenez ¹⁶⁷, N.F. Castro ^{133a,133e}, A. Catinaccio ³⁷, J.R. Catmore ¹²⁸, T. Cavaliere ⁴, V. Cavaliere ³⁰, L.J. Caviedes Betancourt ^{23b}, Y.C. Cekmecelioglu ⁴⁹, E. Celebi ⁸³, S. Cella ³⁷, V. Cepaitis ⁵⁷, K. Cerny ¹²⁵, A.S. Cerqueira ^{84a}, A. Cerri ^{75a,75b}, L. Cerrito ^{77a,77b}, F. Cerutti ^{18a}, B. Cervato ¹⁴⁵, A. Cervelli ^{24b}, G. Cesarini ⁵⁴, S.A. Cetin ⁸³, P.M. Chabrilat ¹³⁰, J. Chan ^{18a}, W.Y. Chan ¹⁵⁷, J.D. Chapman ³³, E. Chapon ¹³⁸, B. Chargeishvili ^{153b}, D.G. Charlton ²¹, C. Chauhan ¹³⁶, Y. Che ^{114a}, S. Chekanov ⁶, S.V. Chekulaev ^{159a}, G.A. Chelkov ^{40,a}, B. Chen ¹⁵⁵, B. Chen ¹⁶⁹, H. Chen ^{114a}, H. Chen ³⁰, J. Chen ^{63c}, J. Chen ¹⁴⁶, M. Chen ¹²⁹, S. Chen ⁸⁹, S.J. Chen ^{114a}, X. Chen ^{63c}, X. Chen ^{15,af}, Y. Chen ^{63a}, C.L. Cheng ¹⁷⁴, H.C. Cheng ^{65a}, S. Cheong ¹⁴⁷, A. Cheplakov ⁴⁰, E. Cheremushkina ⁴⁹, E. Cherepanova ¹¹⁷, R. Cherkaoui El Moursli ^{36e}, E. Cheu ⁷, K. Cheung ⁶⁶, L. Chevalier ¹³⁸, V. Chiarella ⁵⁴, G. Chiarelli ^{75a}, N. Chiedde ¹⁰⁴, G. Chiodini ^{71a}, A.S. Chisholm ²¹, A. Chitan ^{28b}, M. Chitishvili ¹⁶⁷, M.V. Chizhov ^{40,t}, K. Choi ¹¹, Y. Chou ¹⁴², E.Y.S. Chow ¹¹⁶, K.L. Chu ¹⁷³, M.C. Chu ^{65a}, X. Chu ^{14,114c}, Z. Chubinidze ⁵⁴, J. Chudoba ¹³⁴, J.J. Chwastowski ⁸⁸, D. Cieri ¹¹², K.M. Ciesla ^{87a}, V. Cindro ⁹⁵, A. Ciocio ^{18a}, F. Ciroto ^{73a,73b}, Z.H. Citron ¹⁷³,

M. Citterio ^{72a}, D.A. Ciubotaru ^{28b}, A. Clark ⁵⁷, P.J. Clark ⁵³, N. Clarke Hall ⁹⁸, C. Clarry ¹⁵⁸,
S.E. Clawson ⁴⁹, C. Clement ^{48a,48b}, Y. Coadou ¹⁰⁴, M. Cobal ^{70a,70c}, A. Coccaro ^{58b},
R.F. Coelho Barrue ^{133a}, R. Coelho Lopes De Sa ¹⁰⁵, S. Coelli ^{72a}, L.S. Colangeli ¹⁵⁸, B. Cole ⁴³,
J. Collot ⁶¹, P. Conde Muiño ^{133a,133g}, M.P. Connell ^{34c}, S.H. Connell ^{34c}, E.I. Conroy ¹²⁹,
F. Conventi ^{73a,ah}, H.G. Cooke ²¹, A.M. Cooper-Sarkar ¹²⁹, F.A. Corchia ^{24b,24a},
A. Cordeiro Oudot Choi ¹³⁰, L.D. Corpe ⁴², M. Corradi ^{76a,76b}, F. Corriveau ^{106,ab},
A. Cortes-Gonzalez ¹⁹, M.J. Costa ¹⁶⁷, F. Costanza ⁴, D. Costanzo ¹⁴³, B.M. Cote ¹²²,
J. Couthures ⁴, G. Cowan ⁹⁷, K. Cranmer ¹⁷⁴, L. Cremer ⁵⁰, D. Cremonini ^{24b,24a},
S. Crépe-Renaudin ⁶¹, F. Crescioli ¹³⁰, M. Cristinziani ¹⁴⁵, M. Cristoforetti ^{79a,79b}, V. Croft ¹¹⁷,
J.E. Crosby ¹²⁴, G. Crosetti ^{45b,45a}, A. Cueto ¹⁰¹, H. Cui ⁹⁸, Z. Cui ⁷, W.R. Cunningham ⁶⁰,
F. Curcio ¹⁶⁷, J.R. Curran ⁵³, P. Czodrowski ³⁷, M.J. Da Cunha Sargedas De Sousa ^{58b,58a},
J.V. Da Fonseca Pinto ^{84b}, C. Da Via ¹⁰³, W. Dabrowski ^{87a}, T. Dado ³⁷, S. Dahbi ¹⁵²,
T. Dai ¹⁰⁸, D. Dal Santo ²⁰, C. Dallapiccola ¹⁰⁵, M. Dam ⁴⁴, G. D'amen ³⁰, V. D'Amico ¹¹¹,
J. Damp ¹⁰², J.R. Dandoy ³⁵, D. Dannheim ³⁷, M. Danninger ¹⁴⁶, V. Dao ¹⁴⁹, G. Darbo ^{58b},
S.J. Das ³⁰, F. Dattola ⁴⁹, S. D'Auria ^{72a,72b}, A. D'Avanzo ^{73a,73b}, T. Davidek ¹³⁶, I. Dawson ⁹⁶,
H.A. Day-hall ¹³⁵, K. De ⁸, C. De Almeida Rossi ¹⁵⁸, R. De Asmundis ^{73a}, N. De Biase ⁴⁹,
S. De Castro ^{24b,24a}, N. De Groot ¹¹⁶, P. de Jong ¹¹⁷, H. De la Torre ¹¹⁸, A. De Maria ^{114a},
A. De Salvo ^{76a}, U. De Sanctis ^{77a,77b}, F. De Santis ^{71a,71b}, A. De Santo ¹⁵⁰,
J.B. De Vivie De Regie ⁶¹, J. Debevc ⁹⁵, D.V. Dedovich ⁴⁰, J. Degens ⁹⁴, A.M. Deiana ⁴⁶,
J. Del Peso ¹⁰¹, L. Delagrangé ¹³⁰, F. Deliot ¹³⁸, C.M. Delitzsch ⁵⁰, M. Della Pietra ^{73a,73b},
D. Della Volpe ⁵⁷, A. Dell'Acqua ³⁷, L. Dell'Asta ^{72a,72b}, M. Delmastro ⁴, C.C. Delogu ¹⁰²,
P.A. Delsart ⁶¹, S. Demers ¹⁷⁶, M. Demichev ⁴⁰, S.P. Denisov ³⁹, H. Denizli ^{22a,1},
L. D'Eramo ⁴², D. Derendarz ⁸⁸, F. Derue ¹³⁰, P. Dervan ⁹⁴, K. Desch ²⁵, C. Deutsch ²⁵,
F.A. Di Bello ^{58b,58a}, A. Di Ciaccio ^{77a,77b}, L. Di Ciaccio ⁴, A. Di Domenico ^{76a,76b},
C. Di Donato ^{73a,73b}, A. Di Girolamo ³⁷, G. Di Gregorio ³⁷, A. Di Luca ^{79a,79b},
B. Di Micco ^{78a,78b}, R. Di Nardo ^{78a,78b}, K.F. Di Petrillo ⁴¹, M. Diamantopoulou ³⁵, F.A. Dias ¹¹⁷,
T. Dias Do Vale ¹⁴⁶, M.A. Diaz ^{140a,140b}, A.R. Didenko ⁴⁰, M. Didenko ¹⁶⁷, E.B. Diehl ¹⁰⁸,
S. Díez Cornell ⁴⁹, C. Diez Pardos ¹⁴⁵, C. Dimitriadi ¹⁴⁸, A. Dimitrievska ²¹, A. Dimri ¹⁴⁹,
J. Dingfelder ²⁵, T. Dingley ¹²⁹, I-M. Dinu ^{28b}, S.J. Dittmeier ^{64b}, F. Dittus ³⁷, M. Divisek ¹³⁶,
B. Dixit ⁹⁴, F. Djama ¹⁰⁴, T. Djobava ^{153b}, C. Doglioni ^{103,100}, A. Dohnalova ^{29a}, Z. Dolezal ¹³⁶,
K. Domijan ^{87a}, K.M. Dona ⁴¹, M. Donadelli ^{84d}, B. Dong ¹⁰⁹, J. Donini ⁴²,
A. D'Onofrio ^{73a,73b}, M. D'Onofrio ⁹⁴, J. Dopke ¹³⁷, A. Doria ^{73a}, N. Dos Santos Fernandes ^{133a},
P. Dougan ¹⁰³, M.T. Dova ⁹², A.T. Doyle ⁶⁰, M.A. Dragnet ¹²⁹, M.P. Drescher ⁵⁶, E. Dreyer ¹⁷³,
I. Drivas-koulouris ¹⁰, M. Drnevich ¹²⁰, M. Drozdova ⁵⁷, D. Du ^{63a}, T.A. du Pree ¹¹⁷,
F. Dubinin ³⁹, M. Dubovsky ^{29a}, E. Duchovni ¹⁷³, G. Duckeck ¹¹¹, O.A. Ducu ^{28b}, D. Duda ⁵³,
A. Dudarev ³⁷, E.R. Duden ²⁷, M. D'uffizi ¹⁰³, L. Duflot ⁶⁷, M. Dührssen ³⁷, I. Duminica ^{28g},
A.E. Dumitriu ^{28b}, M. Dunford ^{64a}, S. Dungs ⁵⁰, K. Dunne ^{48a,48b}, A. Duperrin ¹⁰⁴,
H. Duran Yildiz ^{3a}, M. Düren ⁵⁹, A. Durglishvili ^{153b}, D. Duvnjak ³⁵, B.L. Dwyer ¹¹⁸,
G.I. Dyckes ^{18a}, M. Dyndal ^{87a}, B.S. Dziedzic ³⁷, Z.O. Earnshaw ¹⁵⁰, G.H. Eberwein ¹²⁹,
B. Eckerova ^{29a}, S. Eggebrecht ⁵⁶, E. Egidio Purcino De Souza ^{84e}, L.F. Ehrke ⁵⁷, G. Eigen ¹⁷,
K. Einsweiler ^{18a}, T. Ekelof ¹⁶⁵, P.A. Ekman ¹⁰⁰, S. El Farkh ^{36b}, Y. El Ghazali ^{63a},
H. El Jarrari ³⁷, A. El Moussaouy ^{36a}, V. Ellajosyula ¹⁶⁵, M. Ellert ¹⁶⁵, F. Ellinghaus ¹⁷⁵,
N. Ellis ³⁷, J. Elmsheuser ³⁰, M. Elsayy ^{119a}, M. Elsing ³⁷, D. Emelianov ¹³⁷, Y. Enari ⁸⁵,
I. Ene ^{18a}, S. Epari ¹³, P.A. Erland ⁸⁸, D. Ernani Martins Neto ⁸⁸, M. Errenst ¹⁷⁵, M. Escalier ⁶⁷,
C. Escobar ¹⁶⁷, E. Etzion ¹⁵⁵, G. Evans ^{133a,133b}, H. Evans ⁶⁹, L.S. Evans ⁹⁷, A. Ezhilov ³⁹,
S. Ezzarqtouni ^{36a}, F. Fabbri ^{24b,24a}, L. Fabbri ^{24b,24a}, G. Facini ⁹⁸, V. Fadeyev ¹³⁹,
R.M. Fakhruddinov ³⁹, D. Fakoudis ¹⁰², S. Falciano ^{76a}, L.F. Falda Ulhoa Coelho ^{133a},

F. Fallavollita ¹¹², G. Falsetti ^{45b,45a}, J. Faltova ¹³⁶, C. Fan ¹⁶⁶, K.Y. Fan ^{65b}, Y. Fan ¹⁴, Y. Fang ^{14,114c}, M. Fanti ^{72a,72b}, M. Faraj ^{70a,70b}, Z. Farazpay ⁹⁹, A. Farbin ⁸, A. Farilla ^{78a}, T. Farooque ¹⁰⁹, J.N. Farr ¹⁷⁶, S.M. Farrington ^{137,53}, F. Fassi ^{36e}, D. Fassouliotis ⁹, M. Faucci Giannelli ^{77a,77b}, W.J. Fawcett ³³, L. Fayard ⁶⁷, P. Federic ¹³⁶, P. Federicova ¹³⁴, O.L. Fedin ^{39,a}, M. Feickert ¹⁷⁴, L. Feligioni ¹⁰⁴, D.E. Fellers ¹²⁶, C. Feng ^{63b}, Z. Feng ¹¹⁷, M.J. Fenton ¹⁶², L. Ferencz ⁴⁹, R.A.M. Ferguson ⁹³, P. Fernandez Martinez ⁶⁸, M.J.V. Fernoux ¹⁰⁴, J. Ferrando ⁹³, A. Ferrari ¹⁶⁵, P. Ferrari ^{117,116}, R. Ferrari ^{74a}, D. Ferrere ⁵⁷, C. Ferretti ¹⁰⁸, M.P. Fewell ¹, D. Fiacco ^{76a,76b}, F. Fiedler ¹⁰², P. Fiedler ¹³⁵, S. Filimonov ³⁹, A. Filipčič ⁹⁵, E.K. Filmer ^{159a}, F. Filthaut ¹¹⁶, M.C.N. Fiolhais ^{133a,133c,c}, L. Fiorini ¹⁶⁷, W.C. Fisher ¹⁰⁹, T. Fitschen ¹⁰³, P.M. Fitzhugh ¹³⁸, I. Fleck ¹⁴⁵, P. Fleischmann ¹⁰⁸, T. Flick ¹⁷⁵, M. Flores ^{34d,ad}, L.R. Flores Castillo ^{65a}, L. Flores Sanz De Acedo ³⁷, F.M. Follega ^{79a,79b}, N. Fomin ³³, J.H. Foo ¹⁵⁸, A. Formica ¹³⁸, A.C. Forti ¹⁰³, E. Fortin ³⁷, A.W. Fortman ^{18a}, L. Fountas ^{9,j}, D. Fournier ⁶⁷, H. Fox ⁹³, P. Francavilla ^{75a,75b}, S. Francescato ⁶², S. Franchellucci ⁵⁷, M. Franchini ^{24b,24a}, S. Franchino ^{64a}, D. Francis ³⁷, L. Franco ¹¹⁶, V. Franco Lima ³⁷, L. Franconi ⁴⁹, M. Franklin ⁶², G. Frattari ²⁷, Y.Y. Frid ¹⁵⁵, J. Friend ⁶⁰, N. Fritzsche ³⁷, A. Froch ⁵⁷, D. Froidevaux ³⁷, J.A. Frost ¹²⁹, Y. Fu ¹⁰⁹, S. Fuenzalida Garrido ^{140f}, M. Fujimoto ¹⁰⁴, K.Y. Fung ^{65a}, E. Furtado De Simas Filho ^{84e}, M. Furukawa ¹⁵⁷, J. Fuster ¹⁶⁷, A. Gaa ⁵⁶, A. Gabrielli ^{24b,24a}, A. Gabrielli ¹⁵⁸, P. Gadow ³⁷, G. Gagliardi ^{58b,58a}, L.G. Gagnon ^{18a}, S. Gaid ¹⁶⁴, S. Galantzan ¹⁵⁵, J. Gallagher ¹, E.J. Gallas ¹²⁹, A.L. Gallen ¹⁶⁵, B.J. Gallop ¹³⁷, K.K. Gan ¹²², S. Ganguly ¹⁵⁷, Y. Gao ⁵³, A. Garabaglu ¹⁴², F.M. Garay Walls ^{140a,140b}, B. Garcia ³⁰, C. García ¹⁶⁷, A. Garcia Alonso ¹¹⁷, A.G. Garcia Caffaro ¹⁷⁶, J.E. García Navarro ¹⁶⁷, M. Garcia-Sciveres ^{18a}, G.L. Gardner ¹³¹, R.W. Gardner ⁴¹, N. Garelli ¹⁶¹, R.B. Garg ¹⁴⁷, J.M. Gargan ⁵³, C.A. Garner ¹⁵⁸, C.M. Garvey ^{34a}, V.K. Gassmann ¹⁶¹, G. Gaudio ^{74a}, V. Gautam ¹³, P. Gauzzi ^{76a,76b}, J. Gavranovic ⁹⁵, I.L. Gavrilenko ³⁹, A. Gavrilyuk ³⁹, C. Gay ¹⁶⁸, G. Gaycken ¹²⁶, E.N. Gazis ¹⁰, A. Gekow ¹²², C. Gemme ^{58b}, M.H. Genest ⁶¹, A.D. Gentry ¹¹⁵, S. George ⁹⁷, W.F. George ²¹, T. Geralis ⁴⁷, A.A. Gerwin ¹²³, P. Gessinger-Befurt ³⁷, M.E. Geyik ¹⁷⁵, M. Ghani ¹⁷¹, K. Ghorbanian ⁹⁶, A. Ghosal ¹⁴⁵, A. Ghosh ¹⁶², A. Ghosh ⁷, B. Giacobbe ^{24b}, S. Giagu ^{76a,76b}, T. Giani ¹¹⁷, A. Giannini ^{63a}, S.M. Gibson ⁹⁷, M. Gignac ¹³⁹, D.T. Gil ^{87b}, A.K. Gilbert ^{87a}, B.J. Gilbert ⁴³, D. Gillberg ³⁵, G. Gilles ¹¹⁷, L. Ginabat ¹³⁰, D.M. Gingrich ^{2,ag}, M.P. Giordani ^{70a,70c}, P.F. Giraud ¹³⁸, G. Giugliarelli ^{70a,70c}, D. Giugni ^{72a}, F. Giuli ^{77a,77b}, I. Gkialas ^{9,j}, L.K. Gladilin ³⁹, C. Glasman ¹⁰¹, G. Glemža ⁴⁹, M. Glisic ¹²⁶, I. Gnesi ^{45b}, Y. Go ³⁰, M. Goblirsch-Kolb ³⁷, B. Gocke ⁵⁰, D. Godin ¹¹⁰, B. Gokturk ^{22a}, S. Goldfarb ¹⁰⁷, T. Golling ⁵⁷, M.G.D. Gololo ^{34c}, D. Golubkov ³⁹, J.P. Gombas ¹⁰⁹, A. Gomes ^{133a,133b}, G. Gomes Da Silva ¹⁴⁵, A.J. Gomez Delegido ¹⁶⁷, R. Gonçalo ^{133a}, L. Gonella ²¹, A. Gongadze ^{153c}, F. Gonnella ²¹, J.L. Gonski ¹⁴⁷, R.Y. González Andana ⁵³, S. González de la Hoz ¹⁶⁷, R. Gonzalez Lopez ⁹⁴, C. Gonzalez Renteria ^{18a}, M.V. Gonzalez Rodrigues ⁴⁹, R. Gonzalez Suarez ¹⁶⁵, S. Gonzalez-Sevilla ⁵⁷, L. Goossens ³⁷, B. Gorini ³⁷, E. Gorini ^{71a,71b}, A. Gorišek ⁹⁵, T.C. Gosart ¹³¹, A.T. Goshaw ⁵², M.I. Gostkin ⁴⁰, S. Goswami ¹²⁴, C.A. Gottardo ³⁷, S.A. Gotz ¹¹¹, M. Gouighri ^{36b}, A.G. Goussiou ¹⁴², N. Govender ^{34c}, R.P. Grabarczyk ¹²⁹, I. Grabowska-Bold ^{87a}, K. Graham ³⁵, E. Gramstad ¹²⁸, S. Grancagnolo ^{71a,71b}, C.M. Grant ^{1,138}, P.M. Gravila ^{28f}, F.G. Gravili ^{71a,71b}, H.M. Gray ^{18a}, M. Greco ¹¹², M.J. Green ¹, C. Grefe ²⁵, A.S. Grefsrud ¹⁷, I.M. Gregor ⁴⁹, K.T. Greif ¹⁶², P. Grenier ¹⁴⁷, S.G. Grewe ¹¹², A.A. Grillo ¹³⁹, K. Grimm ³², S. Grinstein ^{13,x}, J.-F. Grivaz ⁶⁷, E. Gross ¹⁷³, J. Grosse-Knetter ⁵⁶, L. Guan ¹⁰⁸, J.G.R. Guerrero Rojas ¹⁶⁷, G. Guerrieri ³⁷, R. Gugel ¹⁰², J.A.M. Guhit ¹⁰⁸, A. Guida ¹⁹, E. Guilloton ¹⁷¹, S. Guindon ³⁷, F. Guo ^{14,114c}, J. Guo ^{63c}, L. Guo ⁴⁹, L. Guo ^{114b,v}, Y. Guo ¹⁰⁸, A. Gupta ⁵⁰, R. Gupta ¹³², S. Gurbuz ²⁵, S.S. Gurdasani ⁴⁹, G. Gustavino ^{76a,76b},

P. Gutierrez ^{id123}, L.F. Gutierrez Zagazeta ^{id131}, M. Gutsche ^{id51}, C. Gutschow ^{id98}, C. Gwenlan ^{id129},
 C.B. Gwilliam ^{id94}, E.S. Haaland ^{id128}, A. Haas ^{id120}, M. Habedank ^{id60}, C. Haber ^{id18a},
 H.K. Hadavand ^{id8}, A. Hadeef ^{id51}, A.I. Hagan ^{id93}, J.J. Hahn ^{id145}, E.H. Haines ^{id98}, M. Haleem ^{id170},
 J. Haley ^{id124}, G.D. Hallewell ^{id104}, L. Halser ^{id20}, K. Hamano ^{id169}, M. Hamer ^{id25}, E.J. Hampshire ^{id97},
 J. Han ^{id63b}, L. Han ^{id114a}, L. Han ^{id63a}, S. Han ^{id18a}, K. Hanagaki ^{id85}, M. Hance ^{id139}, D.A. Hangal ^{id43},
 H. Hanif ^{id146}, M.D. Hank ^{id131}, J.B. Hansen ^{id44}, P.H. Hansen ^{id44}, D. Harada ^{id57}, T. Harenberg ^{id175},
 S. Harkusha ^{id177}, M.L. Harris ^{id105}, Y.T. Harris ^{id25}, J. Harrison ^{id13}, N.M. Harrison ^{id122},
 P.F. Harrison ^{id171}, N.M. Hartman ^{id112}, N.M. Hartmann ^{id111}, R.Z. Hasan ^{id97,137}, Y. Hasegawa ^{id144},
 F. Haslbeck ^{id129}, S. Hassan ^{id17}, R. Hauser ^{id109}, C.M. Hawkes ^{id21}, R.J. Hawkings ^{id37},
 Y. Hayashi ^{id157}, D. Hayden ^{id109}, C. Hayes ^{id108}, R.L. Hayes ^{id117}, C.P. Hays ^{id129}, J.M. Hays ^{id96},
 H.S. Hayward ^{id94}, F. He ^{id63a}, M. He ^{id14,114c}, Y. He ^{id49}, Y. He ^{id98}, N.B. Heatley ^{id96}, V. Hedberg ^{id100},
 A.L. Heggelund ^{id128}, C. Heidegger ^{id55}, K.K. Heidegger ^{id55}, J. Heilman ^{id35}, S. Heim ^{id49},
 T. Heim ^{id18a}, J.G. Heinlein ^{id131}, J.J. Heinrich ^{id126}, L. Heinrich ^{id112,ae}, J. Hejbal ^{id134}, A. Held ^{id174},
 S. Hellesund ^{id17}, C.M. Helling ^{id168}, S. Hellman ^{id48a,48b}, R.C.W. Henderson ^{id93}, L. Henkelmann ^{id33},
 A.M. Henriques Correia ^{id37}, H. Herde ^{id100}, Y. Hernández Jiménez ^{id149}, L.M. Herrmann ^{id25},
 T. Herrmann ^{id51}, G. Herten ^{id55}, R. Hertenberger ^{id111}, L. Hervas ^{id37}, M.E. Hespings ^{id102},
 N.P. Hessey ^{id159a}, J. Hessler ^{id112}, M. Hidaoui ^{id36b}, N. Hidic ^{id136}, E. Hill ^{id158}, S.J. Hillier ^{id21},
 J.R. Hinds ^{id109}, F. Hinterkeuser ^{id25}, M. Hirose ^{id127}, S. Hirose ^{id160}, D. Hirschbuehl ^{id175},
 T.G. Hitchings ^{id103}, B. Hiti ^{id95}, J. Hobbs ^{id149}, R. Hobincu ^{id28e}, N. Hod ^{id173}, M.C. Hodgkinson ^{id143},
 B.H. Hodgkinson ^{id129}, A. Hoecker ^{id37}, D.D. Hofer ^{id108}, J. Hofer ^{id167}, M. Holzbock ^{id37},
 L.B.A.H. Hommels ^{id33}, B.P. Honan ^{id103}, J.J. Hong ^{id69}, J. Hong ^{id63c}, T.M. Hong ^{id132},
 B.H. Hooberman ^{id166}, W.H. Hopkins ^{id6}, M.C. Hoppesch ^{id166}, Y. Horii ^{id113}, M.E. Horstmann ^{id112},
 S. Hou ^{id152}, M.R. Housenga ^{id166}, A.S. Howard ^{id95}, J. Howarth ^{id60}, J. Hoya ^{id6}, M. Hrabovsky ^{id125},
 T. Hryn'ova ^{id4}, P.J. Hsu ^{id66}, S.-C. Hsu ^{id142}, T. Hsu ^{id67}, M. Hu ^{id18a}, Q. Hu ^{id63a}, S. Huang ^{id33},
 X. Huang ^{id14,114c}, Y. Huang ^{id136}, Y. Huang ^{id114b}, Y. Huang ^{id102}, Y. Huang ^{id14}, Z. Huang ^{id103},
 Z. Hubacek ^{id135}, M. Huebner ^{id25}, F. Huegging ^{id25}, T.B. Huffman ^{id129},
 M. Hufnagel Maranha De Faria ^{id84a}, C.A. Hugli ^{id49}, M. Huhtinen ^{id37}, S.K. Huiberts ^{id17},
 R. Hulsken ^{id106}, C.E. Hultquist ^{id18a}, N. Huseynov ^{id12,g}, J. Huston ^{id109}, J. Huth ^{id62}, R. Hyneman ^{id7},
 G. Iacobucci ^{id57}, G. Iakovidis ^{id30}, L. Iconomidou-Fayard ^{id67}, J.P. Iddon ^{id37}, P. Iengo ^{id73a,73b},
 R. Iguchi ^{id157}, Y. Iiyama ^{id157}, T. Iizawa ^{id129}, Y. Ikegami ^{id85}, D. Iliadis ^{id156}, N. Ilic ^{id158},
 H. Imam ^{id84c}, G. Inacio Goncalves ^{id84d}, S.A. Infante Cabanas ^{id140c}, T. Ingebretsen Carlson ^{id48a,48b},
 J.M. Inglis ^{id96}, G. Introzzi ^{id74a,74b}, M. Iodice ^{id78a}, V. Ippolito ^{id76a,76b}, R.K. Irwin ^{id94}, M. Ishino ^{id157},
 W. Islam ^{id174}, C. Issever ^{id19}, S. Istin ^{id22a,al}, H. Ito ^{id172}, R. Iuppa ^{id79a,79b}, A. Ivina ^{id173}, V. Izzo ^{id73a},
 P. Jacka ^{id134}, P. Jackson ^{id1}, C.S. Jagfeld ^{id111}, G. Jain ^{id159a}, P. Jain ^{id49}, K. Jakobs ^{id55},
 T. Jakoubek ^{id173}, J. Jamieson ^{id60}, W. Jang ^{id157}, M. Javurkova ^{id105}, P. Jawahar ^{id103}, L. Jeanty ^{id126},
 J. Jejelava ^{id153a}, P. Jenni ^{id55,f}, C.E. Jessiman ^{id35}, C. Jia ^{id63b}, H. Jia ^{id168}, J. Jia ^{id149}, X. Jia ^{id14,114c},
 Z. Jia ^{id114a}, C. Jiang ^{id53}, Q. Jiang ^{id65b}, S. Jiggins ^{id49}, J. Jimenez Pena ^{id13}, S. Jin ^{id114a},
 A. Jinaru ^{id28b}, O. Jinnouchi ^{id141}, P. Johansson ^{id143}, K.A. Johns ^{id7}, J.W. Johnson ^{id139}, F.A. Jolly ^{id49},
 D.M. Jones ^{id150}, E. Jones ^{id49}, K.S. Jones ^{id8}, P. Jones ^{id33}, R.W.L. Jones ^{id93}, T.J. Jones ^{id94},
 H.L. Joos ^{id56,37}, R. Joshi ^{id122}, J. Jovicevic ^{id16}, X. Ju ^{id18a}, J.J. Junggeburth ^{id37}, T. Junkermann ^{id64a},
 A. Juste Rozas ^{id13,x}, M.K. Juzek ^{id88}, S. Kabana ^{id140e}, A. Kaczmarska ^{id88}, M. Kado ^{id112},
 H. Kagan ^{id122}, M. Kagan ^{id147}, A. Kahn ^{id131}, C. Kahra ^{id102}, T. Kaji ^{id157}, E. Kajomovitz ^{id154},
 N. Kakati ^{id173}, I. Kalaitzidou ^{id55}, N.J. Kang ^{id139}, D. Kar ^{id34g}, K. Karava ^{id129}, E. Karentzos ^{id25},
 O. Karkout ^{id117}, S.N. Karpov ^{id40}, Z.M. Karpova ^{id40}, V. Kartvelishvili ^{id93}, A.N. Karyukhin ^{id39},
 E. Kasimi ^{id156}, J. Katzy ^{id49}, S. Kaur ^{id35}, K. Kawade ^{id144}, M.P. Kawale ^{id123}, C. Kawamoto ^{id89},
 T. Kawamoto ^{id63a}, E.F. Kay ^{id37}, F.I. Kaya ^{id161}, S. Kazakos ^{id109}, V.F. Kazanin ^{id39}, Y. Ke ^{id149},
 J.M. Keaveney ^{id34a}, R. Keeler ^{id169}, G.V. Kehris ^{id62}, J.S. Keller ^{id35}, J.J. Kempster ^{id150}, O. Kepka ^{id134},

J. Kerr ^{159b}, B.P. Kerridge ¹³⁷, B.P. Kerševan ⁹⁵, L. Keszeghova ^{29a}, R.A. Khan ¹³²,
 A. Khanov ¹²⁴, A.G. Kharlamov ³⁹, T. Kharlamova ³⁹, E.E. Khoda ¹⁴², M. Kholodenko ^{133a},
 T.J. Khoo ¹⁹, G. Khoriali ¹⁷⁰, J. Khubua ^{153b,*}, Y.A.R. Khwaira ¹³⁰, B. Kibirige ^{34g}, D. Kim ⁶,
 D.W. Kim ^{48a,48b}, Y.K. Kim ⁴¹, N. Kimura ⁹⁸, M.K. Kingston ⁵⁶, A. Kirchhoff ⁵⁶, C. Kirfel ²⁵,
 F. Kirfel ²⁵, J. Kirk ¹³⁷, A.E. Kiryunin ¹¹², S. Kita ¹⁶⁰, C. Kitsaki ¹⁰, O. Kivernyk ²⁵,
 M. Klassen ¹⁶¹, C. Klein ³⁵, L. Klein ¹⁷⁰, M.H. Klein ⁴⁶, S.B. Klein ⁵⁷, U. Klein ⁹⁴,
 A. Klimentov ³⁰, T. Klioutchnikova ³⁷, P. Kluit ¹¹⁷, S. Kluth ¹¹², E. Kneringer ⁸⁰,
 T.M. Knight ¹⁵⁸, A. Knue ⁵⁰, D. Kobylanskii ¹⁷³, S.F. Koch ¹²⁹, M. Kocian ¹⁴⁷, P. Kodyš ¹³⁶,
 D.M. Koeck ¹²⁶, P.T. Koenig ²⁵, T. Koffas ³⁵, O. Kolay ⁵¹, I. Koletsou ⁴, T. Komarek ⁸⁸,
 K. Köneke ⁵⁶, A.X.Y. Kong ¹, T. Kono ¹²¹, N. Konstantinidis ⁹⁸, P. Kontaxakis ⁵⁷,
 B. Konya ¹⁰⁰, R. Kopeliansky ⁴³, S. Koperny ^{87a}, K. Korcyl ⁸⁸, K. Kordas ^{156,e}, A. Korn ⁹⁸,
 S. Korn ⁵⁶, I. Korolkov ¹³, N. Korotkova ³⁹, B. Kortman ¹¹⁷, O. Kortner ¹¹², S. Kortner ¹¹²,
 W.H. Kostecka ¹¹⁸, V.V. Kostyukhin ¹⁴⁵, A. Kotsokechagia ³⁷, A. Kotwal ⁵², A. Koulouris ³⁷,
 A. Kourkoumeli-Charalampidi ^{74a,74b}, C. Kourkoumelis ⁹, E. Kourlitis ^{112,ae}, O. Kovanda ¹²⁶,
 R. Kowalewski ¹⁶⁹, W. Kozanecki ¹²⁶, A.S. Kozhin ³⁹, V.A. Kramarenko ³⁹, G. Kramberger ⁹⁵,
 P. Kramer ²⁵, M.W. Krasny ¹³⁰, A. Krasznahorkay ¹⁰⁵, A.C. Kraus ¹¹⁸, J.W. Kraus ¹⁷⁵,
 J.A. Kremer ⁴⁹, T. Kresse ⁵¹, L. Kretschmann ¹⁷⁵, J. Kretzschmar ⁹⁴, K. Kreul ¹⁹,
 P. Krieger ¹⁵⁸, K. Krizka ²¹, K. Kroeninger ⁵⁰, H. Kroha ¹¹², J. Kroll ¹³⁴, J. Kroll ¹³¹,
 K.S. Krowpman ¹⁰⁹, U. Kruchonak ⁴⁰, H. Krüger ²⁵, N. Krumnack ⁸², M.C. Kruse ⁵²,
 O. Kuchinskaia ³⁹, S. Kuday ^{3a}, S. Kuehn ³⁷, R. Kuesters ⁵⁵, T. Kuhl ⁴⁹, V. Kukhtin ⁴⁰,
 Y. Kulchitsky ⁴⁰, S. Kuleshov ^{140d,140b}, M. Kumar ^{34g}, N. Kumari ⁴⁹, P. Kumari ^{159b},
 A. Kupco ¹³⁴, T. Kupfer ⁵⁰, A. Kupich ³⁹, O. Kuprash ⁵⁵, H. Kurashige ⁸⁶, L.L. Kurchaninov ^{159a},
 O. Kurdysh ⁶⁷, Y.A. Kurochkin ³⁸, A. Kurova ³⁹, M. Kuze ¹⁴¹, A.K. Kvam ¹⁰⁵, J. Kvita ¹²⁵,
 N.G. Kyriacou ¹⁰⁸, L.A.O. Laatu ¹⁰⁴, C. Lacasta ¹⁶⁷, F. Lacava ^{76a,76b}, H. Lacker ¹⁹,
 D. Lacour ¹³⁰, N.N. Lad ⁹⁸, E. Ladygin ⁴⁰, A. Lafarge ⁴², B. Laforge ¹³⁰, T. Lagouri ¹⁷⁶,
 F.Z. Lahbabi ^{36a}, S. Lai ⁵⁶, J.E. Lambert ¹⁶⁹, S. Lammers ⁶⁹, W. Lampl ⁷, C. Lampoudis ^{156,e},
 G. Lamprinoudis ¹⁰², A.N. Lancaster ¹¹⁸, E. Lançon ³⁰, U. Landgraf ⁵⁵, M.P.J. Landon ⁹⁶,
 V.S. Lang ⁵⁵, O.K.B. Langrekken ¹²⁸, A.J. Lankford ¹⁶², F. Lanni ³⁷, K. Lantzsck ²⁵,
 A. Lanza ^{74a}, M. Lanzac Berrocal ¹⁶⁷, J.F. Laporte ¹³⁸, T. Lari ^{72a}, F. Lasagni Manghi ^{24b},
 M. Lassnig ³⁷, V. Latonova ¹³⁴, S.D. Lawlor ¹⁴³, Z. Lawrence ¹⁰³, R. Lazaridou ¹⁷¹,
 M. Lazzaroni ^{72a,72b}, H.D.M. Le ¹⁰⁹, E.M. Le Boulicaut ¹⁷⁶, L.T. Le Pottier ^{18a}, B. Leban ^{24b,24a},
 M. LeBlanc ¹⁰³, F. Ledroit-Guillon ⁶¹, S.C. Lee ¹⁵², T.F. Lee ⁹⁴, L.L. Leeuw ^{34c,aj},
 M. Lefebvre ¹⁶⁹, C. Leggett ^{18a}, G. Lehmann Miotto ³⁷, M. Leigh ⁵⁷, W.A. Leight ¹⁰⁵,
 W. Leinonen ¹¹⁶, A. Leisos ^{156,u}, M.A.L. Leite ^{84c}, C.E. Leitgeb ¹⁹, R. Leitner ¹³⁶,
 K.J.C. Leney ⁴⁶, T. Lenz ²⁵, S. Leone ^{75a}, C. Leonidopoulos ⁵³, A. Leopold ¹⁴⁸,
 J.H. Lepage Bourbonnais ³⁵, R. Les ¹⁰⁹, C.G. Lester ³³, M. Levchenko ³⁹, J. Levêque ⁴,
 L.J. Levinson ¹⁷³, G. Levrini ^{24b,24a}, M.P. Lewicki ⁸⁸, C. Lewis ¹⁴², D.J. Lewis ⁴, L. Lewitt ¹⁴³,
 A. Li ³⁰, B. Li ^{63b}, C. Li ¹⁰⁸, C-Q. Li ¹¹², H. Li ^{63a}, H. Li ^{63b}, H. Li ^{114a}, H. Li ¹⁵, H. Li ^{63b},
 J. Li ^{63c}, K. Li ¹⁴, L. Li ^{63c}, R. Li ¹⁷⁶, S. Li ^{14,114c}, S. Li ^{63d,63c,d}, T. Li ⁵, X. Li ¹⁰⁶,
 Z. Li ¹⁵⁷, Z. Li ^{14,114c}, Z. Li ^{63a}, S. Liang ^{14,114c}, Z. Liang ¹⁴, M. Liberatore ¹³⁸, B. Liberti ^{77a},
 K. Lie ^{65c}, J. Lieber Marin ^{84e}, H. Lien ⁶⁹, H. Lin ¹⁰⁸, L. Linden ¹¹¹, R.E. Lindley ⁷,
 J.H. Lindon ², J. Ling ⁶², E. Lipeles ¹³¹, A. Lipniacka ¹⁷, A. Lister ¹⁶⁸, J.D. Little ⁶⁹,
 B. Liu ¹⁴, B.X. Liu ^{114b}, D. Liu ^{63d,63c}, E.H.L. Liu ²¹, J.K.K. Liu ³³, K. Liu ^{63d}, K. Liu ^{63d,63c},
 M. Liu ^{63a}, M.Y. Liu ^{63a}, P. Liu ¹⁴, Q. Liu ^{63d,142,63c}, X. Liu ^{63a}, X. Liu ^{63b}, Y. Liu ^{114b,114c},
 Y.L. Liu ^{63b}, Y.W. Liu ^{63a}, S.L. Lloyd ⁹⁶, E.M. Lobodzinska ⁴⁹, P. Loch ⁷, E. Lodhi ¹⁵⁸,
 T. Lohse ¹⁹, K. Lohwasser ¹⁴³, E. Loiacono ⁴⁹, J.D. Lomas ²¹, J.D. Long ⁴³, I. Longarini ¹⁶²,
 R. Longo ¹⁶⁶, A. Lopez Solis ⁴⁹, N.A. Lopez-canelas ⁷, N. Lorenzo Martinez ⁴, A.M. Lory ¹¹¹,

M. Losada ^{119a}, G. Löschke Centeno ¹⁵⁰, O. Loseva ³⁹, X. Lou ^{48a,48b}, X. Lou ^{14,114c},
A. Lounis ⁶⁷, P.A. Love ⁹³, G. Lu ^{14,114c}, M. Lu ⁶⁷, S. Lu ¹³¹, Y.J. Lu ¹⁵², H.J. Lubatti ¹⁴²,
C. Luci ^{76a,76b}, F.L. Lucio Alves ^{114a}, F. Luehring ⁶⁹, O. Lukianchuk ⁶⁷, B.S. Lunday ¹³¹,
O. Lundberg ¹⁴⁸, B. Lund-Jensen ^{148,*}, N.A. Luongo ⁶, M.S. Lutz ³⁷, A.B. Lux ²⁶, D. Lynn ³⁰,
R. Lysak ¹³⁴, E. Lytken ¹⁰⁰, V. Lyubushkin ⁴⁰, T. Lyubushkina ⁴⁰, M.M. Lyukova ¹⁴⁹,
M.Firdaus M. Soberi ⁵³, H. Ma ³⁰, K. Ma ^{63a}, L.L. Ma ^{63b}, W. Ma ^{63a}, Y. Ma ¹²⁴,
J.C. MacDonald ¹⁰², P.C. Machado De Abreu Farias ^{84e}, R. Madar ⁴², T. Madula ⁹⁸, J. Maeda ⁸⁶,
T. Maeno ³⁰, P.T. Mafa ^{34c,k}, H. Maguire ¹⁴³, V. Maiboroda ¹³⁸, A. Maio ^{133a,133b,133d},
K. Maj ^{87a}, O. Majersky ⁴⁹, S. Majewski ¹²⁶, R. Makhmanazarov ³⁹, N. Makovec ⁶⁷,
V. Maksimovic ¹⁶, B. Malaescu ¹³⁰, Pa. Malecki ⁸⁸, V.P. Maleev ³⁹, F. Malek ^{61,p}, M. Mali ⁹⁵,
D. Malito ⁹⁷, U. Mallik ^{81,*}, S. Maltezos ¹⁰, S. Malyukov ⁴⁰, J. Mamuzic ¹³, G. Mancini ⁵⁴,
M.N. Mancini ²⁷, G. Manco ^{74a,74b}, J.P. Mandalia ⁹⁶, S.S. Mandarry ¹⁵⁰, I. Mandić ⁹⁵,
L. Manhaes de Andrade Filho ^{84a}, I.M. Maniatis ¹⁷³, J. Manjarres Ramos ⁹¹, D.C. Mankad ¹⁷³,
A. Mann ¹¹¹, S. Manzoni ³⁷, L. Mao ^{63c}, X. Mapekula ^{34c}, A. Marantis ^{156,u}, G. Marchiori ⁵,
M. Marcisovsky ¹³⁴, C. Marcon ^{72a}, M. Marinescu ²¹, S. Marium ⁴⁹, M. Marjanovic ¹²³,
A. Markhoos ⁵⁵, M. Markovitch ⁶⁷, M.K. Maroun ¹⁰⁵, E.J. Marshall ⁹³, Z. Marshall ^{18a},
S. Marti-Garcia ¹⁶⁷, J. Martin ⁹⁸, T.A. Martin ¹³⁷, V.J. Martin ⁵³, B. Martin dit Latour ¹⁷,
L. Martinelli ^{76a,76b}, M. Martinez ^{13,x}, P. Martinez Agullo ¹⁶⁷, V.I. Martinez Outschoorn ¹⁰⁵,
P. Martinez Suarez ¹³, S. Martin-Haugh ¹³⁷, G. Martinovicova ¹³⁶, V.S. Martoiu ^{28b},
A.C. Martyniuk ⁹⁸, A. Marzin ³⁷, D. Mascione ^{79a,79b}, L. Masetti ¹⁰², J. Masik ¹⁰³,
A.L. Maslennikov ³⁹, S.L. Mason ⁴³, P. Massarotti ^{73a,73b}, P. Mastrandrea ^{75a,75b},
A. Mastroberardino ^{45b,45a}, T. Masubuchi ¹²⁷, T.T. Mathew ¹²⁶, J. Matousek ¹³⁶, D.M. Mattern ⁵⁰,
J. Maurer ^{28b}, T. Maurin ⁶⁰, A.J. Maury ⁶⁷, B. Maček ⁹⁵, D.A. Maximov ³⁹, A.E. May ¹⁰³,
R. Mazini ^{34g}, I. Maznas ¹¹⁸, M. Mazza ¹⁰⁹, S.M. Mazza ¹³⁹, E. Mazzeo ^{72a,72b},
J.P. Mc Gowan ¹⁶⁹, S.P. Mc Kee ¹⁰⁸, C.A. Mc Lean ⁶, C.C. McCracken ¹⁶⁸, E.F. McDonald ¹⁰⁷,
A.E. McDougall ¹¹⁷, L.F. Mcelhinney ⁹³, J.A. Mcfayden ¹⁵⁰, R.P. McGovern ¹³¹,
R.P. Mckenzie ^{34g}, T.C. Mclachlan ⁴⁹, D.J. Mclaughlin ⁹⁸, S.J. McMahon ¹³⁷,
C.M. Mcpartland ⁹⁴, R.A. McPherson ^{169,ab}, S. Mehlhase ¹¹¹, A. Mehta ⁹⁴, D. Melini ¹⁶⁷,
B.R. Mellado Garcia ^{34g}, A.H. Melo ⁵⁶, F. Meloni ⁴⁹, A.M. Mendes Jacques Da Costa ¹⁰³,
H.Y. Meng ¹⁵⁸, L. Meng ⁹³, S. Menke ¹¹², M. Mentink ³⁷, E. Meoni ^{45b,45a}, G. Mercado ¹¹⁸,
S. Merianos ¹⁵⁶, C. Merlassino ^{70a,70c}, C. Meroni ^{72a,72b}, J. Metcalfe ⁶, A.S. Mete ⁶,
E. Meuser ¹⁰², C. Meyer ⁶⁹, J-P. Meyer ¹³⁸, R.P. Middleton ¹³⁷, L. Mijović ⁵³,
G. Mikenberg ¹⁷³, M. Mikestikova ¹³⁴, M. Mikuž ⁹⁵, H. Mildner ¹⁰², A. Milic ³⁷,
D.W. Miller ⁴¹, E.H. Miller ¹⁴⁷, L.S. Miller ³⁵, A. Milov ¹⁷³, D.A. Milstead ^{48a,48b}, T. Min ^{114a},
A.A. Minaenko ³⁹, I.A. Minashvili ^{153b}, A.I. Mincer ¹²⁰, B. Mindur ^{87a}, M. Mineev ⁴⁰,
Y. Mino ⁸⁹, L.M. Mir ¹³, M. Miralles Lopez ⁶⁰, M. Mironova ^{18a}, M.C. Missio ¹¹⁶, A. Mitra ¹⁷¹,
V.A. Mitsou ¹⁶⁷, Y. Mitsumori ¹¹³, O. Miu ¹⁵⁸, P.S. Miyagawa ⁹⁶, T. Mkrtchyan ^{64a},
M. Mlinarevic ⁹⁸, T. Mlinarevic ⁹⁸, M. Mlynarikova ³⁷, S. Mobius ²⁰, P. Mogg ¹¹¹,
M.H. Mohamed Farook ¹¹⁵, A.F. Mohammed ^{14,114c}, S. Mohapatra ⁴³, G. Mokgatitwane ^{34g},
L. Moleri ¹⁷³, B. Mondal ¹⁴⁵, S. Mondal ¹³⁵, K. Mönig ⁴⁹, E. Monnier ¹⁰⁴,
L. Monsonis Romero ¹⁶⁷, J. Montejo Berlingen ¹³, A. Montella ^{48a,48b}, M. Montella ¹²²,
F. Montekali ^{78a,78b}, F. Monticelli ⁹², S. Monzani ^{70a,70c}, A. Morancho Tarda ⁴⁴, N. Morange ⁶⁷,
A.L. Moreira De Carvalho ⁴⁹, M. Moreno Llácer ¹⁶⁷, C. Moreno Martinez ⁵⁷, J.M. Moreno Perez ^{23b},
P. Morettini ^{58b}, S. Morgenstern ³⁷, M. Morii ⁶², M. Morinaga ¹⁵⁷, M. Moritsu ⁹⁰,
F. Morodei ^{76a,76b}, P. Moschovakos ³⁷, B. Moser ¹²⁹, M. Mosidze ^{153b}, T. Moskalets ⁴⁶,
P. Moskvitina ¹¹⁶, J. Moss ^{32,m}, P. Moszkowicz ^{87a}, A. Moussa ^{36d}, Y. Moyal ¹⁷³,
E.J.W. Moyses ¹⁰⁵, O. Mtintsilana ^{34g}, S. Muanza ¹⁰⁴, J. Mueller ¹³², D. Muenstermann ⁹³,

R. Müller ³⁷, G.A. Mullier ¹⁶⁵, A.J. Mullin ³³, J.J. Mullin ¹³¹, A.E. Mulski ⁶², D.P. Mungo ¹⁵⁸, D. Munoz Perez ¹⁶⁷, F.J. Munoz Sanchez ¹⁰³, M. Murin ¹⁰³, W.J. Murray ^{171,137}, M. Muškinja ⁹⁵, C. Mwewa ³⁰, A.G. Myagkov ^{39,a}, A.J. Myers ⁸, G. Myers ¹⁰⁸, M. Myska ¹³⁵, B.P. Nachman ^{18a}, K. Nagai ¹²⁹, K. Nagano ⁸⁵, R. Nagasaka ¹⁵⁷, J.L. Nagle ^{30,ai}, E. Nagy ¹⁰⁴, A.M. Nairz ³⁷, Y. Nakahama ⁸⁵, K. Nakamura ⁸⁵, K. Nakkalil ⁵, H. Nanjo ¹²⁷, E.A. Narayanan ⁴⁶, Y. Narukawa ¹⁵⁷, I. Naryshkin ³⁹, L. Nasella ^{72a,72b}, S. Nasri ^{119b}, C. Nass ²⁵, G. Navarro ^{23a}, J. Navarro-Gonzalez ¹⁶⁷, A. Nayaz ¹⁹, P.Y. Nechaeva ³⁹, S. Nechaeva ^{24b,24a}, F. Nechansky ¹³⁴, L. Nedic ¹²⁹, T.J. Neep ²¹, A. Negri ^{74a,74b}, M. Negrini ^{24b}, C. Nellist ¹¹⁷, C. Nelson ¹⁰⁶, K. Nelson ¹⁰⁸, S. Nemecek ¹³⁴, M. Nessi ^{37,h}, M.S. Neubauer ¹⁶⁶, F. Neuhaus ¹⁰², J. Newell ⁹⁴, P.R. Newman ²¹, Y.W.Y. Ng ¹⁶⁶, B. Ngair ^{119a}, H.D.N. Nguyen ¹¹⁰, R.B. Nickerson ¹²⁹, R. Nicolaidou ¹³⁸, J. Nielsen ¹³⁹, M. Niemeyer ⁵⁶, J. Niermann ³⁷, N. Nikiforou ³⁷, V. Nikolaenko ^{39,a}, I. Nikolic-Audit ¹³⁰, P. Nilsson ³⁰, I. Ninca ⁴⁹, G. Ninio ¹⁵⁵, A. Nisati ^{76a}, N. Nishu ², R. Nisius ¹¹², N. Nitika ^{70a,70c}, J-E. Nitschke ⁵¹, E.K. Nkadimeng ^{34g}, T. Nobe ¹⁵⁷, T. Nommensen ¹⁵¹, M.B. Norfolk ¹⁴³, B.J. Norman ³⁵, M. Noury ^{36a}, J. Novak ⁹⁵, T. Novak ⁹⁵, R. Novotny ¹¹⁵, L. Nozka ¹²⁵, K. Ntekas ¹⁶², N.M.J. Nunes De Moura Junior ^{84b}, J. Ocariz ¹³⁰, A. Ochi ⁸⁶, I. Ochoa ^{133a}, S. Oerdek ^{49,y}, J.T. Offermann ⁴¹, A. Ogrodnik ¹³⁶, A. Oh ¹⁰³, C.C. Ohm ¹⁴⁸, H. Oide ⁸⁵, R. Oishi ¹⁵⁷, M.L. Ojeda ³⁷, Y. Okumura ¹⁵⁷, L.F. Oleiro Seabra ^{133a}, I. Oleksiyuk ⁵⁷, S.A. Olivares Pino ^{140d}, G. Oliveira Correa ¹³, D. Oliveira Damazio ³⁰, J.L. Oliver ¹⁶², Ö.O. Öncel ⁵⁵, A.P. O'Neill ²⁰, A. Onofre ^{133a,133e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ⁴¹, D. Orestano ^{78a,78b}, R.S. Orr ¹⁵⁸, L.M. Osojnak ¹³¹, Y. Osumi ¹¹³, G. Otero y Garzon ³¹, H. Otono ⁹⁰, P.S. Ott ^{64a}, G.J. Ottino ^{18a}, M. Ouchrif ^{36d}, F. Ould-Saada ¹²⁸, T. Ovsianikova ¹⁴², M. Owen ⁶⁰, R.E. Owen ¹³⁷, V.E. Ozcan ^{22a}, F. Ozturk ⁸⁸, N. Ozturk ⁸, S. Ozturk ⁸³, H.A. Pacey ¹²⁹, K. Pachal ^{159a}, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{76a,76b}, S. Pagan Griso ^{18a}, G. Palacino ⁶⁹, A. Palazzo ^{71a,71b}, J. Pampel ²⁵, J. Pan ¹⁷⁶, T. Pan ^{65a}, D.K. Panchal ¹¹, C.E. Pandini ¹¹⁷, J.G. Panduro Vazquez ¹³⁷, H.D. Pandya ¹, H. Pang ¹³⁸, P. Pani ⁴⁹, G. Panizzo ^{70a,70c}, L. Panwar ¹³⁰, L. Paolozzi ⁵⁷, S. Parajuli ¹⁶⁶, A. Paramonov ⁶, C. Paraskevopoulos ⁵⁴, D. Paredes Hernandez ^{65b}, A. Pareti ^{74a,74b}, K.R. Park ⁴³, T.H. Park ¹¹², F. Parodi ^{58b,58a}, J.A. Parsons ⁴³, U. Parzefall ⁵⁵, B. Pascual Dias ¹¹⁰, L. Pascual Dominguez ¹⁰¹, E. Pasqualucci ^{76a}, S. Passaggio ^{58b}, F. Pastore ⁹⁷, P. Patel ⁸⁸, U.M. Patel ⁵², J.R. Pater ¹⁰³, T. Pauly ³⁷, F. Pauwels ¹³⁶, C.I. Pazos ¹⁶¹, M. Pedersen ¹²⁸, R. Pedro ^{133a}, S.V. Peleganchuk ³⁹, O. Penc ³⁷, E.A. Pender ⁵³, S. Peng ¹⁵, G.D. Penn ¹⁷⁶, K.E. Pensi ¹¹¹, M. Penzin ³⁹, B.S. Peralva ^{84d}, A.P. Pereira Peixoto ¹⁴², L. Pereira Sanchez ¹⁴⁷, D.V. Perpelitsa ^{30,ai}, G. Perera ¹⁰⁵, E. Perez Codina ^{159a}, M. Perganti ¹⁰, H. Pernegger ³⁷, S. Perrella ^{76a,76b}, O. Perrin ⁴², K. Peters ⁴⁹, R.F.Y. Peters ¹⁰³, B.A. Petersen ³⁷, T.C. Petersen ⁴⁴, E. Petit ¹⁰⁴, V. Petousis ¹³⁵, C. Petridou ^{156,e}, T. Petru ¹³⁶, A. Petrukhin ¹⁴⁵, M. Pettee ^{18a}, A. Petukhov ⁸³, K. Petukhova ³⁷, R. Pezoa ^{140f}, L. Pezzotti ³⁷, G. Pezzullo ¹⁷⁶, A.J. Pfleger ³⁷, T.M. Pham ¹⁷⁴, T. Pham ¹⁰⁷, P.W. Phillips ¹³⁷, G. Piacquadio ¹⁴⁹, E. Pianori ^{18a}, F. Piazza ¹²⁶, R. Piegai ³¹, D. Pietreanu ^{28b}, A.D. Pilkington ¹⁰³, M. Pinamonti ^{70a,70c}, J.L. Pinfeld ², B.C. Pinheiro Pereira ^{133a}, J. Pinol Bel ¹³, A.E. Pinto Pinoargote ^{138,138}, L. Pintucci ^{70a,70c}, K.M. Piper ¹⁵⁰, A. Pirttikoski ⁵⁷, D.A. Pizzi ³⁵, L. Pizzimento ^{65b}, M.-A. Pleier ³⁰, V. Pleskot ¹³⁶, E. Plotnikova ⁴⁰, G. Poddar ⁹⁶, R. Poettgen ¹⁰⁰, L. Poggioli ¹³⁰, S. Polacek ¹³⁶, G. Polesello ^{74a}, A. Poley ^{146,159a}, A. Polini ^{24b}, C.S. Pollard ¹⁷¹, Z.B. Pollock ¹²², E. Pompa Pacchi ¹²³, N.I. Pond ⁹⁸, D. Ponomarenko ⁶⁹, L. Pontecorvo ³⁷, S. Popa ^{28a}, G.A. Popeneciu ^{28d}, A. Poreba ³⁷, D.M. Portillo Quintero ^{159a}, S. Pospisil ¹³⁵, M.A. Postill ¹⁴³, P. Postolache ^{28c}, K. Potamianos ¹⁷¹, P.A. Potepa ^{87a}, I.N. Potrap ⁴⁰, C.J. Potter ³³, H. Potti ¹⁵¹, J. Poveda ¹⁶⁷, M.E. Pozo Astigarraga ³⁷, A. Prades Ibanez ^{77a,77b}, J. Pretel ¹⁶⁹, D. Price ¹⁰³, M. Primavera ^{71a}, L. Primomo ^{70a,70c}, M.A. Principe Martin ¹⁰¹,

R. Privara ¹²⁵, T. Procter ⁶⁰, M.L. Proffitt ¹⁴², N. Proklova ¹³¹, K. Prokofiev ^{65c}, G. Proto ¹¹²,
 J. Proudfoot ⁶, M. Przybycien ^{87a}, W.W. Przygoda ^{87b}, A. Psallidas ⁴⁷, J.E. Puddefoot ¹⁴³,
 D. Pudzha ⁵⁵, D. Pyatiiizbyantseva ¹¹⁶, J. Qian ¹⁰⁸, R. Qian ¹⁰⁹, D. Qichen ¹⁰³, Y. Qin ¹³,
 T. Qiu ⁵³, A. Quadt ⁵⁶, M. Queitsch-Maitland ¹⁰³, G. Quetant ⁵⁷, R.P. Quinn ¹⁶⁸,
 G. Rabanal Bolanos ⁶², D. Rafanoharana ⁵⁵, F. Raffaeli ^{77a,77b}, F. Ragusa ^{72a,72b}, J.L. Rainbolt ⁴¹,
 J.A. Raine ⁵⁷, S. Rajagopalan ³⁰, E. Ramakoti ³⁹, L. Rambelli ^{58b,58a}, I.A. Ramirez-Berend ³⁵,
 K. Ran ^{49,114c}, D.S. Rankin ¹³¹, N.P. Rapheeha ^{34g}, H. Rasheed ^{28b}, V. Raskina ¹³⁰,
 D.F. Rassloff ^{64a}, A. Rastogi ^{18a}, S. Rave ¹⁰², S. Ravera ^{58b,58a}, B. Ravina ³⁷, I. Ravinovich ¹⁷³,
 M. Raymond ³⁷, A.L. Read ¹²⁸, N.P. Readioff ¹⁴³, D.M. Rebuzzi ^{74a,74b}, A.S. Reed ¹¹²,
 K. Reeves ²⁷, J.A. Reidelsturz ¹⁷⁵, D. Reikher ¹²⁶, A. Rej ⁵⁰, C. Rembser ³⁷, H. Ren ^{63a},
 M. Renda ^{28b}, F. Renner ⁴⁹, A.G. Rennie ¹⁶², A.L. Rescia ⁴⁹, S. Resconi ^{72a},
 M. Ressegotti ^{58b,58a}, S. Rettie ³⁷, W.F. Rettie ³⁵, J.G. Reyes Rivera ¹⁰⁹, E. Reynolds ^{18a},
 O.L. Rezanova ³⁹, P. Reznicek ¹³⁶, H. Riani ^{36d}, N. Ribaric ⁵², E. Ricci ^{79a,79b}, R. Richter ¹¹²,
 S. Richter ^{48a,48b}, E. Richter-Was ^{87b}, M. Ridel ¹³⁰, S. Ridouani ^{36d}, P. Rieck ¹²⁰, P. Riedler ³⁷,
 E.M. Riefel ^{48a,48b}, J.O. Rieger ¹¹⁷, M. Rijssenbeek ¹⁴⁹, M. Rimoldi ³⁷, L. Rinaldi ^{24b,24a},
 P. Rincke ^{56,165}, M.P. Rinnagel ¹¹¹, G. Ripellino ¹⁶⁵, I. Riu ¹³, J.C. Rivera Vergara ¹⁶⁹,
 F. Rizatdinova ¹²⁴, E. Rizvi ⁹⁶, B.R. Roberts ^{18a}, S.S. Roberts ¹³⁹, D. Robinson ³³,
 M. Robles Manzano ¹⁰², A. Robson ⁶⁰, A. Rocchi ^{77a,77b}, C. Roda ^{75a,75b}, S. Rodriguez Bosca ³⁷,
 Y. Rodriguez Garcia ^{23a}, A.M. Rodríguez Vera ¹¹⁸, S. Roe ³⁷, J.T. Roemer ³⁷, O. Røhne ¹²⁸,
 C.P.A. Roland ¹³⁰, J. Roloff ³⁰, A. Romaniouk ⁸⁰, E. Romano ^{74a,74b}, M. Romano ^{24b},
 A.C. Romero Hernandez ¹⁶⁶, N. Rompotis ⁹⁴, L. Roos ¹³⁰, S. Rosati ^{76a}, B.J. Rosser ⁴¹,
 E. Rossi ¹²⁹, E. Rossi ^{73a,73b}, L.P. Rossi ⁶², L. Rossini ⁵⁵, R. Rosten ¹²², M. Rotaru ^{28b},
 B. Rottler ⁵⁵, C. Rougier ⁹¹, D. Rousseau ⁶⁷, D. Rousso ⁴⁹, S. Roy-Garand ¹⁵⁸, A. Rozanov ¹⁰⁴,
 Z.M.A. Rozario ⁶⁰, Y. Rozen ¹⁵⁴, A. Rubio Jimenez ¹⁶⁷, V.H. Ruelas Rivera ¹⁹, T.A. Ruggeri ¹,
 A. Ruggiero ¹²⁹, A. Ruiz-Martinez ¹⁶⁷, A. Rummler ³⁷, Z. Rurikova ⁵⁵, N.A. Rusakovich ⁴⁰,
 H.L. Russell ¹⁶⁹, G. Russo ^{76a,76b}, J.P. Rutherford ⁷, S. Rutherford Colmenares ³³, M. Rybar ¹³⁶,
 E.B. Rye ¹²⁸, A. Ryzhov ⁴⁶, J.A. Sabater Iglesias ⁵⁷, H.F.W. Sadrozinski ¹³⁹, F. Safai Tehrani ^{76a},
 S. Saha ¹, M. Sahinsoy ⁸³, A. Saibel ¹⁶⁷, M. Saimpert ¹³⁸, M. Saito ¹⁵⁷, T. Saito ¹⁵⁷,
 A. Sala ^{72a,72b}, D. Salamani ³⁷, A. Salnikov ¹⁴⁷, J. Salt ¹⁶⁷, A. Salvador Salas ¹⁵⁵,
 D. Salvatore ^{45b,45a}, F. Salvatore ¹⁵⁰, A. Salzburger ³⁷, D. Sammel ⁵⁵, E. Sampson ⁹³,
 D. Sampsonidis ^{156,e}, D. Sampsonidou ¹²⁶, J. Sánchez ¹⁶⁷, V. Sanchez Sebastian ¹⁶⁷,
 H. Sandaker ¹²⁸, C.O. Sander ⁴⁹, J.A. Sandesara ¹⁰⁵, M. Sandhoff ¹⁷⁵, C. Sandoval ^{23b},
 L. Sanfilippo ^{64a}, D.P.C. Sankey ¹³⁷, T. Sano ⁸⁹, A. Sansoni ⁵⁴, L. Santi ^{37,76b}, C. Santoni ⁴²,
 H. Santos ^{133a,133b}, A. Santra ¹⁷³, E. Sanzani ^{24b,24a}, K.A. Saoucha ¹⁶⁴, J.G. Saraiva ^{133a,133d},
 J. Sardain ⁷, O. Sasaki ⁸⁵, K. Sato ¹⁶⁰, C. Sauer ³⁷, E. Sauvan ⁴, P. Savard ^{158,ag}, R. Sawada ¹⁵⁷,
 C. Sawyer ¹³⁷, L. Sawyer ⁹⁹, C. Sbarra ^{24b}, A. Sbrizzi ^{24b,24a}, T. Scanlon ⁹⁸,
 J. Schaarschmidt ¹⁴², U. Schäfer ¹⁰², A.C. Schaffer ^{67,46}, D. Schaile ¹¹¹, R.D. Schamberger ¹⁴⁹,
 C. Scharf ¹⁹, M.M. Schefer ²⁰, V.A. Schegelsky ³⁹, D. Scheirich ¹³⁶, M. Schernau ^{140e},
 C. Scheulen ⁵⁷, C. Schiavi ^{58b,58a}, M. Schioppa ^{45b,45a}, B. Schlag ¹⁴⁷, S. Schlenker ³⁷,
 J. Schmeing ¹⁷⁵, M.A. Schmidt ¹⁷⁵, K. Schmieden ¹⁰², C. Schmitt ¹⁰², N. Schmitt ¹⁰²,
 S. Schmitt ⁴⁹, L. Schoeffel ¹³⁸, A. Schoening ^{64b}, P.G. Scholer ³⁵, E. Schopf ¹²⁹, M. Schott ²⁵,
 J. Schovancova ³⁷, S. Schramm ⁵⁷, T. Schroer ⁵⁷, H-C. Schultz-Coulon ^{64a}, M. Schumacher ⁵⁵,
 B.A. Schumm ¹³⁹, Ph. Schune ¹³⁸, H.R. Schwartz ¹³⁹, A. Schwartzman ¹⁴⁷, T.A. Schwarz ¹⁰⁸,
 Ph. Schwemling ¹³⁸, R. Schwienhorst ¹⁰⁹, F.G. Sciacca ²⁰, A. Sciandra ³⁰, G. Sciolla ²⁷,
 F. Scuri ^{75a}, C.D. Sebastiani ⁹⁴, K. Sedlaczek ¹¹⁸, S.C. Seidel ¹¹⁵, A. Seiden ¹³⁹,
 B.D. Seidlitz ⁴³, C. Seitz ⁴⁹, J.M. Seixas ^{84b}, G. Sekhniadze ^{73a}, L. Selem ⁶¹,
 N. Semprini-Cesari ^{24b,24a}, A. Semushin ^{177,39}, D. Sengupta ⁵⁷, V. Senthilkumar ¹⁶⁷, L. Serin ⁶⁷,

M. Sessa ^{77a,77b}, H. Severini ¹²³, F. Sforza ^{58b,58a}, A. Sfyrla ⁵⁷, Q. Sha ¹⁴, E. Shabalina ⁵⁶,
H. Shaddix ¹¹⁸, A.H. Shah ³³, R. Shaheen ¹⁴⁸, J.D. Shahinian ¹³¹, D. Shaked Renous ¹⁷³,
L.Y. Shan ¹⁴, M. Shapiro ^{18a}, A. Sharma ³⁷, A.S. Sharma ¹⁶⁸, P. Sharma ³⁰, P.B. Shatalov ³⁹,
K. Shaw ¹⁵⁰, S.M. Shaw ¹⁰³, Q. Shen ^{63c}, D.J. Sheppard ¹⁴⁶, P. Sherwood ⁹⁸, L. Shi ⁹⁸,
X. Shi ¹⁴, S. Shimizu ⁸⁵, C.O. Shimmin ¹⁷⁶, I.P.J. Shipsey ^{129,*}, S. Shirabe ⁹⁰,
M. Shiyakova ^{40,z}, M.J. Shochet ⁴¹, D.R. Shope ¹²⁸, B. Shrestha ¹²³, S. Shrestha ^{122,ak},
I. Shreyber ³⁹, M.J. Shroff ¹⁶⁹, P. Sicho ¹³⁴, A.M. Sickles ¹⁶⁶, E. Sideras Haddad ^{34g,163},
A.C. Sidley ¹¹⁷, A. Sidoti ^{24b}, F. Siegert ⁵¹, Dj. Sijacki ¹⁶, F. Sili ⁹², J.M. Silva ⁵³,
I. Silva Ferreira ^{84b}, M.V. Silva Oliveira ³⁰, S.B. Silverstein ^{48a}, S. Simion ⁶⁷, R. Simoniello ³⁷,
E.L. Simpson ¹⁰³, H. Simpson ¹⁵⁰, L.R. Simpson ¹⁰⁸, S. Simsek ⁸³, S. Sindhu ⁵⁶, P. Sinervo ¹⁵⁸,
S.N. Singh ²⁷, S. Singh ³⁰, S. Sinha ⁴⁹, S. Sinha ¹⁰³, M. Sioli ^{24b,24a}, K. Sioulas ⁹, I. Siral ³⁷,
E. Sitnikova ⁴⁹, J. Sjölin ^{48a,48b}, A. Skaf ⁵⁶, E. Skorda ²¹, P. Skubic ¹²³, M. Slawinska ⁸⁸,
I. Slazyk ¹⁷, V. Smakhtin ¹⁷³, B.H. Smart ¹³⁷, S.Yu. Smirnov ³⁹, Y. Smirnov ³⁹,
L.N. Smirnova ^{39,a}, O. Smirnova ¹⁰⁰, A.C. Smith ⁴³, D.R. Smith ¹⁶², E.A. Smith ⁴¹, J.L. Smith ¹⁰³,
M.B. Smith ³⁵, R. Smith ¹⁴⁷, H. Smitmanns ¹⁰², M. Smizanska ⁹³, K. Smolek ¹³⁵,
A.A. Snesarev ³⁹, H.L. Snoek ¹¹⁷, S. Snyder ³⁰, R. Sobie ^{169,ab}, A. Soffer ¹⁵⁵,
C.A. Solans Sanchez ³⁷, E.Yu. Soldatov ³⁹, U. Soldevila ¹⁶⁷, A.A. Solodkov ³⁹, S. Solomon ²⁷,
A. Soloshenko ⁴⁰, K. Solovieva ⁵⁵, O.V. Solovyanov ⁴², P. Sommer ⁵¹, A. Sonay ¹³,
W.Y. Song ^{159b}, A. Sopczak ¹³⁵, A.L. Sopio ⁵³, F. Sopkova ^{29b}, J.D. Sorenson ¹¹⁵,
I.R. Sotarriva Alvarez ¹⁴¹, V. Sothilingam ^{64a}, O.J. Soto Sandoval ^{140c,140b}, S. Sottocornola ⁶⁹,
R. Soualah ¹⁶⁴, Z. Soumami ^{36e}, D. South ⁴⁹, N. Soybelman ¹⁷³, S. Spagnolo ^{71a,71b},
M. Spalla ¹¹², D. Sperlich ⁵⁵, B. Spisso ^{73a,73b}, D.P. Spiteri ⁶⁰, M. Spousta ¹³⁶, E.J. Staats ³⁵,
R. Stamen ^{64a}, E. Stanecka ⁸⁸, W. Stanek-Maslouska ⁴⁹, M.V. Stange ⁵¹, B. Stanislaus ^{18a},
M.M. Stanitzki ⁴⁹, B. Stapf ⁴⁹, E.A. Starchenko ³⁹, G.H. Stark ¹³⁹, J. Stark ⁹¹, P. Staroba ¹³⁴,
P. Starovoitov ¹⁶⁴, R. Staszewski ⁸⁸, G. Stavropoulos ⁴⁷, A. Steff ³⁷, P. Steinberg ³⁰,
B. Stelzer ^{146,159a}, H.J. Stelzer ¹³², O. Stelzer-Chilton ^{159a}, H. Stenzel ⁵⁹, T.J. Stevenson ¹⁵⁰,
G.A. Stewart ³⁷, J.R. Stewart ¹²⁴, M.C. Stockton ³⁷, G. Stoicea ^{28b}, M. Stolarski ^{133a},
S. Stonjek ¹¹², A. Straessner ⁵¹, J. Strandberg ¹⁴⁸, S. Strandberg ^{48a,48b}, M. Stratmann ¹⁷⁵,
M. Strauss ¹²³, T. Streblor ¹⁰⁴, P. Strizenec ^{29b}, R. Ströhmer ¹⁷⁰, D.M. Strom ¹²⁶,
R. Stroynowski ⁴⁶, A. Strubig ^{48a,48b}, S.A. Stucci ³⁰, B. Stugu ¹⁷, J. Stupak ¹²³, N.A. Styles ⁴⁹,
D. Su ¹⁴⁷, S. Su ^{63a}, W. Su ^{63d}, X. Su ^{63a}, D. Suchy ^{29a}, K. Sugizaki ¹³¹, V.V. Sulin ³⁹,
M.J. Sullivan ⁹⁴, D.M.S. Sultan ¹²⁹, L. Sultanaliyeva ³⁹, S. Sultansoy ^{3b}, S. Sun ¹⁷⁴, W. Sun ¹⁴,
O. Sunneborn Gudnadottir ¹⁶⁵, N. Sur ¹⁰⁴, M.R. Sutton ¹⁵⁰, H. Suzuki ¹⁶⁰, M. Svatos ¹³⁴,
M. Swiatlowski ^{159a}, T. Swirski ¹⁷⁰, I. Sykora ^{29a}, M. Sykora ¹³⁶, T. Sykora ¹³⁶, D. Ta ¹⁰²,
K. Tackmann ^{49,y}, A. Taffard ¹⁶², R. Tafirout ^{159a}, J.S. Tafoya Vargas ⁶⁷, Y. Takubo ⁸⁵,
M. Talby ¹⁰⁴, A.A. Talyshv ³⁹, K.C. Tam ^{65b}, N.M. Tamir ¹⁵⁵, A. Tanaka ¹⁵⁷, J. Tanaka ¹⁵⁷,
R. Tanaka ⁶⁷, M. Tanasini ¹⁴⁹, Z. Tao ¹⁶⁸, S. Tapia Araya ^{140f}, S. Tapprogge ¹⁰²,
A. Tarek Abouelfadl Mohamed ¹⁰⁹, S. Tarem ¹⁵⁴, K. Tariq ¹⁴, G. Tarna ^{28b}, G.F. Tartarelli ^{72a},
M.J. Tartarin ⁹¹, P. Tas ¹³⁶, M. Tasevsky ¹³⁴, E. Tassi ^{45b,45a}, A.C. Tate ¹⁶⁶, G. Tateno ¹⁵⁷,
Y. Tayalati ^{36e,aa}, G.N. Taylor ¹⁰⁷, W. Taylor ^{159b}, P. Teixeira-Dias ⁹⁷, J.J. Teoh ¹⁵⁸,
K. Terashi ¹⁵⁷, J. Terron ¹⁰¹, S. Terzo ¹³, M. Testa ⁵⁴, R.J. Teuscher ^{158,ab}, A. Thaler ⁸⁰,
O. Theiner ⁵⁷, T. Thevenaux-Pelzer ¹⁰⁴, O. Thielmann ¹⁷⁵, D.W. Thomas ⁹⁷, J.P. Thomas ²¹,
E.A. Thompson ^{18a}, P.D. Thompson ²¹, E. Thomson ¹³¹, R.E. Thornberry ⁴⁶, C. Tian ^{63a},
Y. Tian ⁵⁷, V. Tikhomirov ^{39,a}, Yu.A. Tikhonov ³⁹, S. Timoshenko ³⁹, D. Timoshyn ¹³⁶,
E.X.L. Ting ¹, P. Tipton ¹⁷⁶, A. Tishelman-Charny ³⁰, S.H. Tlou ^{34g}, K. Todome ¹⁴¹,
S. Todorova-Nova ¹³⁶, S. Todt ⁵¹, L. Toffolin ^{70a,70c}, M. Togawa ⁸⁵, J. Tojo ⁹⁰, S. Tokár ^{29a},
O. Toldaiev ⁶⁹, G. Tolkachev ¹⁰⁴, M. Tomoto ^{85,113}, L. Tompkins ^{147,o}, E. Torrence ¹²⁶,

H. Torres ⁹¹, E. Torró Pastor ¹⁶⁷, M. Toscani ³¹, C. Tosciri ⁴¹, M. Tost ¹¹, D.R. Tovey ¹⁴³,
 T. Trefzger ¹⁷⁰, A. Tricoli ³⁰, I.M. Trigger ^{159a}, S. Trincaz-Duvoid ¹³⁰, D.A. Trischuk ²⁷,
 A. Tropina ⁴⁰, L. Truong ^{34c}, M. Trzebinski ⁸⁸, A. Trzupiek ⁸⁸, F. Tsai ¹⁴⁹, M. Tsai ¹⁰⁸,
 A. Tsiamis ¹⁵⁶, P.V. Tsiareshka ⁴⁰, S. Tsigaridas ^{159a}, A. Tsigotis ^{156,u}, V. Tsiskaridze ¹⁵⁸,
 E.G. Tskhadadze ^{153a}, M. Tsopoulou ¹⁵⁶, Y. Tsujikawa ⁸⁹, I.I. Tsukerman ³⁹, V. Tsulaia ^{18a},
 S. Tsuno ⁸⁵, K. Tsuru ¹²¹, D. Tsybychev ¹⁴⁹, Y. Tu ^{65b}, A. Tudorache ^{28b}, V. Tudorache ^{28b},
 S. Turchikhin ^{58b,58a}, I. Turk Cakir ^{3a}, R. Turra ^{72a}, T. Turtuvshin ⁴⁰, P.M. Tuts ⁴³,
 S. Tzamarias ^{156,e}, E. Tzovara ¹⁰², F. Ukegawa ¹⁶⁰, P.A. Ulloa Poblete ^{140c,140b}, E.N. Umaka ³⁰,
 G. Unal ³⁷, A. Undrus ³⁰, G. Unel ¹⁶², J. Urban ^{29b}, P. Urrejola ^{140a}, G. Usai ⁸,
 R. Ushioda ¹⁴¹, M. Usman ¹¹⁰, F. Ustuner ⁵³, Z. Uysal ⁸³, V. Vacek ¹³⁵, B. Vachon ¹⁰⁶,
 T. Vafeiadis ³⁷, A. Vaitkus ⁹⁸, C. Valderanis ¹¹¹, E. Valdes Santurio ^{48a,48b}, M. Valente ^{159a},
 S. Valentinetti ^{24b,24a}, A. Valero ¹⁶⁷, E. Valiente Moreno ¹⁶⁷, A. Vallier ⁹¹, J.A. Valls Ferrer ¹⁶⁷,
 D.R. Van Arneeman ¹¹⁷, T.R. Van Daalen ¹⁴², A. Van Der Graaf ⁵⁰, P. Van Gemmeren ⁶,
 M. Van Rijnbach ³⁷, S. Van Stroud ⁹⁸, I. Van Vulpen ¹¹⁷, P. Vana ¹³⁶, M. Vanadia ^{77a,77b},
 U.M. Vande Voorde ¹⁴⁸, W. Vandelli ³⁷, E.R. Vandewall ¹²⁴, D. Vannicola ¹⁵⁵, L. Vannoli ⁵⁴,
 R. Vari ^{76a}, E.W. Varnes ⁷, C. Varni ^{18b}, D. Varouchas ⁶⁷, L. Varriale ¹⁶⁷, K.E. Varvell ¹⁵¹,
 M.E. Vasile ^{28b}, L. Vaslin ⁸⁵, A. Vasyukov ⁴⁰, L.M. Vaughan ¹²⁴, R. Vavricka ¹⁰²,
 T. Vazquez Schroeder ¹³, J. Veatch ³², V. Vecchio ¹⁰³, M.J. Veen ¹⁰⁵, I. Veliscek ³⁰,
 L.M. Veloce ¹⁵⁸, F. Veloso ^{133a,133c}, S. Veneziano ^{76a}, A. Ventura ^{71a,71b},
 S. Ventura Gonzalez ¹³⁸, A. Verbytskyi ¹¹², M. Verducci ^{75a,75b}, C. Vergis ⁹⁶,
 M. Verissimo De Araujo ^{84b}, W. Verkerke ¹¹⁷, J.C. Vermeulen ¹¹⁷, C. Vernieri ¹⁴⁷,
 M. Vessella ¹⁶², M.C. Vetterli ^{146,ag}, A. Vgenopoulos ¹⁰², N. Viaux Maira ^{140f}, T. Vickey ¹⁴³,
 O.E. Vickey Boeriu ¹⁴³, G.H.A. Viehhauser ¹²⁹, L. Vigani ^{64b}, M. Vigl ¹¹², M. Villa ^{24b,24a},
 M. Villaplana Perez ¹⁶⁷, E.M. Villhauer ⁵³, E. Vilucchi ⁵⁴, M.G. Vinciter ³⁵, A. Visibile ¹¹⁷,
 C. Vittori ³⁷, I. Vivarelli ^{24b,24a}, E. Voevodina ¹¹², F. Vogel ¹¹¹, J.C. Voigt ⁵¹, P. Vokac ¹³⁵,
 Yu. Volkotrub ^{87b}, E. Von Toerne ²⁵, B. Vormwald ³⁷, K. Vorobev ³⁹, M. Vos ¹⁶⁷, K. Voss ¹⁴⁵,
 M. Vozak ¹¹⁷, L. Vozdecky ¹²³, N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, M. Vreeswijk ¹¹⁷,
 N.K. Vu ^{63d,63c}, R. Vuillermet ³⁷, O. Vujanovic ¹⁰², I. Vukotic ⁴¹, I.K. Vyas ³⁵, S. Wada ¹⁶⁰,
 C. Wagner ¹⁴⁷, J.M. Wagner ^{18a}, W. Wagner ¹⁷⁵, S. Wahdan ¹⁷⁵, H. Wahlberg ⁹², C.H. Waits ¹²³,
 J. Walder ¹³⁷, R. Walker ¹¹¹, W. Walkowiak ¹⁴⁵, A. Wall ¹³¹, E.J. Wallin ¹⁰⁰, T. Wamorkar ^{18a},
 A.Z. Wang ¹³⁹, C. Wang ¹⁰², C. Wang ¹¹, H. Wang ^{18a}, J. Wang ^{65c}, P. Wang ¹⁰³, P. Wang ⁹⁸,
 R. Wang ⁶², R. Wang ⁶, S.M. Wang ¹⁵², S. Wang ¹⁴, T. Wang ^{63a}, W.T. Wang ⁸¹, W. Wang ¹⁴,
 X. Wang ¹⁶⁶, X. Wang ^{63c}, Y. Wang ^{114a}, Y. Wang ^{63a}, Z. Wang ¹⁰⁸, Z. Wang ^{63d,52,63c},
 Z. Wang ¹⁰⁸, C. Wanotayaroj ⁸⁵, A. Warburton ¹⁰⁶, R.J. Ward ²¹, A.L. Warnerbring ¹⁴⁵,
 N. Warrack ⁶⁰, S. Waterhouse ⁹⁷, A.T. Watson ²¹, H. Watson ⁵³, M.F. Watson ²¹,
 E. Watton ^{60,137}, G. Watts ¹⁴², B.M. Waugh ⁹⁸, J.M. Webb ⁵⁵, C. Weber ³⁰, H.A. Weber ¹⁹,
 M.S. Weber ²⁰, S.M. Weber ^{64a}, C. Wei ^{63a}, Y. Wei ⁵⁵, A.R. Weidberg ¹²⁹, E.J. Weik ¹²⁰,
 J. Weingarten ⁵⁰, C. Weiser ⁵⁵, C.J. Wells ⁴⁹, T. Wenaus ³⁰, B. Wendland ⁵⁰, T. Wengler ³⁷,
 N.S. Wenke ¹¹², N. Wermes ²⁵, M. Wessels ^{64a}, A.M. Wharton ⁹³, A.S. White ⁶², A. White ⁸,
 M.J. White ¹, D. Whiteson ¹⁶², L. Wickremasinghe ¹²⁷, W. Wiedenmann ¹⁷⁴, M. Wielers ¹³⁷,
 C. Wiglesworth ⁴⁴, D.J. Wilbern ¹²³, H.G. Wilkens ³⁷, J.J.H. Wilkinson ³³, D.M. Williams ⁴³,
 H.H. Williams ¹³¹, S. Williams ³³, S. Willocq ¹⁰⁵, B.J. Wilson ¹⁰³, D.J. Wilson ¹⁰³,
 P.J. Windischhofer ⁴¹, F.I. Winkel ³¹, F. Winklmeier ¹²⁶, B.T. Winter ⁵⁵, M. Wittgen ¹⁴⁷,
 M. Wobisch ⁹⁹, T. Wojtkowski ⁶¹, Z. Wolffs ¹¹⁷, J. Wollrath ³⁷, M.W. Wolter ⁸⁸, H. Wolters ^{133a,133c},
 M.C. Wong ¹³⁹, E.L. Woodward ⁴³, S.D. Worm ⁴⁹, B.K. Wosiek ⁸⁸, K.W. Woźniak ⁸⁸,
 S. Wozniowski ⁵⁶, K. Wraight ⁶⁰, C. Wu ²¹, M. Wu ^{114b}, M. Wu ¹¹⁶, S.L. Wu ¹⁷⁴, X. Wu ⁵⁷,
 X. Wu ^{63a}, Y. Wu ^{63a}, Z. Wu ⁴, J. Wuerzinger ^{112,ae}, T.R. Wyatt ¹⁰³, B.M. Wynne ⁵³,

S. Xella ⁴⁴, L. Xia ^{114a}, M. Xia ¹⁵, M. Xie ^{63a}, A. Xiong ¹²⁶, J. Xiong ^{18a}, D. Xu ¹⁴, H. Xu ^{63a}, L. Xu ^{63a}, R. Xu ¹³¹, T. Xu ¹⁰⁸, Y. Xu ¹⁴², Z. Xu ⁵³, Z. Xu ^{114a}, B. Yabsley ¹⁵¹, S. Yacoob ^{34a}, Y. Yamaguchi ⁸⁵, E. Yamashita ¹⁵⁷, H. Yamauchi ¹⁶⁰, T. Yamazaki ^{18a}, Y. Yamazaki ⁸⁶, S. Yan ⁶⁰, Z. Yan ¹⁰⁵, H.J. Yang ^{63c,63d}, H.T. Yang ^{63a}, S. Yang ^{63a}, T. Yang ^{65c}, X. Yang ³⁷, X. Yang ¹⁴, Y. Yang ⁴⁶, Y. Yang ^{63a}, W.-M. Yao ^{18a}, H. Ye ⁵⁶, J. Ye ¹⁴, S. Ye ³⁰, X. Ye ^{63a}, Y. Yeh ⁹⁸, I. Yeletsikh ⁴⁰, B. Yeo ^{18b}, M.R. Yexley ⁹⁸, T.P. Yildirim ¹²⁹, P. Yin ⁴³, K. Yorita ¹⁷², S. Younas ^{28b}, C.J.S. Young ³⁷, C. Young ¹⁴⁷, N.D. Young ¹²⁶, Y. Yu ^{63a}, J. Yuan ^{14,114c}, M. Yuan ¹⁰⁸, R. Yuan ^{63d,63c}, L. Yue ⁹⁸, M. Zaazoua ^{63a}, B. Zabinski ⁸⁸, I. Zahir ^{36a}, Z.K. Zak ⁸⁸, T. Zakareishvili ¹⁶⁷, S. Zambito ⁵⁷, J.A. Zamora Saa ^{140d,140b}, J. Zang ¹⁵⁷, D. Zanzi ⁵⁵, R. Zanzottera ^{72a,72b}, O. Zaplatilek ¹³⁵, C. Zeitnitz ¹⁷⁵, H. Zeng ¹⁴, J.C. Zeng ¹⁶⁶, D.T. Zenger Jr ²⁷, O. Zenin ³⁹, T. Ženiš ^{29a}, S. Zenz ⁹⁶, S. Zerradi ^{36a}, D. Zerwas ⁶⁷, M. Zhai ^{14,114c}, D.F. Zhang ¹⁴³, J. Zhang ^{63b}, J. Zhang ⁶, K. Zhang ^{14,114c}, L. Zhang ^{63a}, L. Zhang ^{114a}, P. Zhang ^{14,114c}, R. Zhang ¹⁷⁴, S. Zhang ⁹¹, T. Zhang ¹⁵⁷, X. Zhang ^{63c}, Y. Zhang ¹⁴², Y. Zhang ⁹⁸, Y. Zhang ^{63a}, Y. Zhang ^{114a}, Z. Zhang ^{18a}, Z. Zhang ^{63b}, Z. Zhang ⁶⁷, H. Zhao ¹⁴², T. Zhao ^{63b}, Y. Zhao ³⁵, Z. Zhao ^{63a}, Z. Zhao ^{63a}, A. Zhemchugov ⁴⁰, J. Zheng ^{114a}, K. Zheng ¹⁶⁶, X. Zheng ^{63a}, Z. Zheng ¹⁴⁷, D. Zhong ¹⁶⁶, B. Zhou ¹⁰⁸, H. Zhou ⁷, N. Zhou ^{63c}, Y. Zhou ¹⁵, Y. Zhou ^{114a}, Y. Zhou ⁷, C.G. Zhu ^{63b}, J. Zhu ¹⁰⁸, X. Zhu ^{63d}, Y. Zhu ^{63c}, Y. Zhu ^{63a}, X. Zhuang ¹⁴, K. Zhukov ⁶⁹, N.I. Zimine ⁴⁰, J. Zinsser ^{64b}, M. Ziolkowski ¹⁴⁵, L. Živković ¹⁶, A. Zoccoli ^{24b,24a}, K. Zoch ⁶², T.G. Zorbas ¹⁴³, O. Zormpa ⁴⁷, W. Zou ⁴³, L. Zwalinski ³⁷.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; China.

¹⁵Physics Department, Tsinghua University, Beijing; China.

¹⁶Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁷Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁸(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (^b)University of California, Berkeley CA; United States of America.

¹⁹Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

²⁰Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

²¹School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

²²(^a)Department of Physics, Bogazici University, Istanbul; (^b)Department of Physics Engineering,

- Gaziantep University, Gaziantep;^(c) Department of Physics, Istanbul University, Istanbul; Türkiye.
- ^{23(a)} Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ^{24(a)} Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;^(b) INFN Sezione di Bologna; Italy.
- ²⁵ Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁶ Department of Physics, Boston University, Boston MA; United States of America.
- ²⁷ Department of Physics, Brandeis University, Waltham MA; United States of America.
- ^{28(a)} Transilvania University of Brasov, Brasov;^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;^(e) National University of Science and Technology Politehnica, Bucharest;^(f) West University in Timisoara, Timisoara;^(g) Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ^{29(a)} Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ³⁰ Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³¹ Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³² California State University, CA; United States of America.
- ³³ Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ^{34(a)} Department of Physics, University of Cape Town, Cape Town;^(b) iThemba Labs, Western Cape;^(c) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;^(d) National Institute of Physics, University of the Philippines Diliman (Philippines);^(e) University of South Africa, Department of Physics, Pretoria;^(f) University of Zululand, KwaDlangezwa;^(g) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁵ Department of Physics, Carleton University, Ottawa ON; Canada.
- ^{36(a)} Faculté des Sciences Ain Chock, Université Hassan II de Casablanca;^(b) Faculté des Sciences, Université Ibn-Tofail, Kénitra;^(c) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;^(d) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;^(e) Faculté des sciences, Université Mohammed V, Rabat;^(f) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁷ CERN, Geneva; Switzerland.
- ³⁸ Affiliated with an institute formerly covered by a cooperation agreement with CERN.
- ³⁹ Affiliated with an institute covered by a cooperation agreement with CERN.
- ⁴⁰ Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ⁴¹ Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴² LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴³ Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴⁴ Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ^{45(a)} Dipartimento di Fisica, Università della Calabria, Rende;^(b) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁶ Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁷ National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ^{48(a)} Department of Physics, Stockholm University;^(b) Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁹ Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁵⁰ Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.

- ⁵¹Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- ⁵²Department of Physics, Duke University, Durham NC; United States of America.
- ⁵³SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵⁴INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁵Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁶II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁷Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁸^(a) Dipartimento di Fisica, Università di Genova, Genova; ^(b) INFN Sezione di Genova; Italy.
- ⁵⁹II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁶⁰SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶¹LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶²Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶³^(a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; ^(b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; ^(c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; ^(d) Tsung-Dao Lee Institute, Shanghai; ^(e) School of Physics, Zhengzhou University; China.
- ⁶⁴^(a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; ^(b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁵^(a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁶Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁷IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁸Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁹Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁷⁰^(a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; ^(b) ICTP, Trieste; ^(c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷¹^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷²^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷³^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷⁴^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁵^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁶^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁷^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- ⁷⁸^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁹^(a) INFN-TIFPA; ^(b) Università degli Studi di Trento, Trento; Italy.
- ⁸⁰Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸¹University of Iowa, Iowa City IA; United States of America.
- ⁸²Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸³Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸⁴^(a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; ^(b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; ^(c) Instituto de Física,

Universidade de São Paulo, São Paulo;^(d) Rio de Janeiro State University, Rio de Janeiro;^(e) Federal University of Bahia, Bahia; Brazil.

⁸⁵ KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.

⁸⁶ Graduate School of Science, Kobe University, Kobe; Japan.

⁸⁷(^a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;^(b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.

⁸⁸ Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.

⁸⁹ Faculty of Science, Kyoto University, Kyoto; Japan.

⁹⁰ Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.

⁹¹ L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.

⁹² Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.

⁹³ Physics Department, Lancaster University, Lancaster; United Kingdom.

⁹⁴ Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.

⁹⁵ Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.

⁹⁶ School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.

⁹⁷ Department of Physics, Royal Holloway University of London, Egham; United Kingdom.

⁹⁸ Department of Physics and Astronomy, University College London, London; United Kingdom.

⁹⁹ Louisiana Tech University, Ruston LA; United States of America.

¹⁰⁰ Fysiska institutionen, Lunds universitet, Lund; Sweden.

¹⁰¹ Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.

¹⁰² Institut für Physik, Universität Mainz, Mainz; Germany.

¹⁰³ School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.

¹⁰⁴ CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.

¹⁰⁵ Department of Physics, University of Massachusetts, Amherst MA; United States of America.

¹⁰⁶ Department of Physics, McGill University, Montreal QC; Canada.

¹⁰⁷ School of Physics, University of Melbourne, Victoria; Australia.

¹⁰⁸ Department of Physics, University of Michigan, Ann Arbor MI; United States of America.

¹⁰⁹ Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

¹¹⁰ Group of Particle Physics, University of Montreal, Montreal QC; Canada.

¹¹¹ Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.

¹¹² Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.

¹¹³ Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.

¹¹⁴(^a) Department of Physics, Nanjing University, Nanjing;^(b) School of Science, Shenzhen Campus of Sun Yat-sen University;^(c) University of Chinese Academy of Science (UCAS), Beijing; China.

¹¹⁵ Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.

¹¹⁶ Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.

¹¹⁷ Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.

¹¹⁸ Department of Physics, Northern Illinois University, DeKalb IL; United States of America.

¹¹⁹(^a) New York University Abu Dhabi, Abu Dhabi;^(b) United Arab Emirates University, Al Ain; United Arab Emirates.

¹²⁰ Department of Physics, New York University, New York NY; United States of America.

- ¹²¹Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- ¹²²Ohio State University, Columbus OH; United States of America.
- ¹²³Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²⁴Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²⁵Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²⁶Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁷Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁸Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁹Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹³⁰LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹³¹Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹³²Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³³^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; ^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c)Departamento de Física, Universidade de Coimbra, Coimbra; ^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e)Departamento de Física, Universidade do Minho, Braga; ^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); ^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³⁴Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³⁵Czech Technical University in Prague, Prague; Czech Republic.
- ¹³⁶Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁷Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁸IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁹Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹⁴⁰^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; ^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; ^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; ^(d)Universidad Andres Bello, Department of Physics, Santiago; ^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica; ^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹⁴¹Department of Physics, Institute of Science, Tokyo; Japan.
- ¹⁴²Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹⁴³Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴⁴Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴⁵Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴⁶Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴⁷SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴⁸Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁹Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁵⁰Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁵¹School of Physics, University of Sydney, Sydney; Australia.
- ¹⁵²Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁵³^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; ^(b)High

- Energy Physics Institute, Tbilisi State University, Tbilisi;^(c) University of Georgia, Tbilisi; Georgia.
- ¹⁵⁴ Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵⁵ Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵⁶ Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁷ International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁸ Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁵⁹ ^(a) TRIUMF, Vancouver BC; ^(b) Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁶⁰ Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁶¹ Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁶² Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶³ University of West Attica, Athens; Greece.
- ¹⁶⁴ University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶⁵ Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶⁶ Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶⁷ Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁸ Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁶⁹ Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁷⁰ Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁷¹ Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁷² Waseda University, Tokyo; Japan.
- ¹⁷³ Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷⁴ Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷⁵ Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷⁶ Department of Physics, Yale University, New Haven CT; United States of America.
- ¹⁷⁷ Yerevan Physics Institute, Yerevan; Armenia.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for High Energy Physics, Peking University; China.
- ^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^f Also at CERN, Geneva; Switzerland.
- ^g Also at CMD-AC UNEC Research Center, Azerbaijan State University of Economics (UNEC); Azerbaijan.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Mathematical Sciences, University of South Africa, Johannesburg; South Africa.
- ^l Also at Department of Physics, Bolu Abant İzzet Baysal University, Bolu; Türkiye.
- ^m Also at Department of Physics, California State University, Sacramento; United States of America.
- ⁿ Also at Department of Physics, King's College London, London; United Kingdom.

- ^o Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^p Also at Department of Physics, Stellenbosch University; South Africa.
- ^q Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^r Also at Department of Physics, University of Thessaly; Greece.
- ^s Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^t Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.
- ^u Also at Hellenic Open University, Patras; Greece.
- ^v Also at Henan University; China.
- ^w Also at Imam Mohammad Ibn Saud Islamic University; Saudi Arabia.
- ^x Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^y Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^z Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^{aa} Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ^{ab} Also at Institute of Particle Physics (IPP); Canada.
- ^{ac} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{ae} Also at Technical University of Munich, Munich; Germany.
- ^{af} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ag} Also at TRIUMF, Vancouver BC; Canada.
- ^{ah} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{ai} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{aj} Also at University of the Western Cape; South Africa.
- ^{ak} Also at Washington College, Chestertown, MD; United States of America.
- ^{al} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased