



# Improved reconstruction of highly boosted $\tau$ -lepton pairs in the $\tau\tau \rightarrow (\mu\nu_\mu\nu_\tau)(\text{hadrons} + \nu_\tau)$ decay channels with the ATLAS detector

The ATLAS Collaboration

This paper presents a new  $\tau$ -lepton reconstruction and identification procedure at the ATLAS detector at the Large Hadron Collider, which leads to significantly improved performance in the case of physics processes where a highly boosted pair of  $\tau$ -leptons is produced and one  $\tau$ -lepton decays into a muon and two neutrinos ( $\tau_\mu$ ), and the other decays into hadrons and one neutrino ( $\tau_{\text{had}}$ ). By removing the muon information from the signals used for reconstruction and identification of the  $\tau_{\text{had}}$  candidate in the boosted pair, the efficiency is raised to the level expected for an isolated  $\tau_{\text{had}}$ . The new procedure is validated by selecting a sample of highly boosted  $Z \rightarrow \tau_\mu\tau_{\text{had}}$  candidates from the data sample of  $140 \text{ fb}^{-1}$  of proton–proton collisions at 13 TeV recorded with the ATLAS detector. Good agreement is found between data and simulation predictions in both the  $Z \rightarrow \tau_\mu\tau_{\text{had}}$  signal region and in a background validation region. The results presented in this paper demonstrate the effectiveness of the  $\tau_{\text{had}}$  reconstruction with muon removal in enhancing the signal sensitivity of the boosted  $\tau_\mu\tau_{\text{had}}$  channel at the ATLAS detector.

# Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>ATLAS detector</b>	<b>3</b>
<b>3</b>	<b>Data and simulated event samples</b>	<b>4</b>
3.1	Simulated samples for the development of the method	4
3.2	Data and simulated samples for the validation analysis	4
<b>4</b>	<b>Development of the boosted <math>\tau_{\text{had}}^{\text{N}}</math> reconstruction method</b>	<b>5</b>
4.1	Muon removal and re-reconstruction of the $\tau_{\text{had}}$ candidate	5
4.2	Performance of the method	7
<b>5</b>	<b>Validation of the <math>\tau_{\text{had}}^{\text{N}}</math> method in the <math>Z \rightarrow \tau_{\mu} \tau_{\text{had}}</math> final states</b>	<b>15</b>
5.1	Z-boson kinematic reconstruction	15
5.2	Event selection	16
5.3	Systematic uncertainties	17
5.4	Results	17
<b>6</b>	<b>Conclusions</b>	<b>20</b>

## 1 Introduction

The  $\tau$ -lepton is the heaviest known lepton, with a mass of 1.777 GeV, and a lifetime of  $2.9 \times 10^{-13}$  s [1]. It has a 35% probability of decaying leptonically into a lighter lepton and two neutrinos:  $\tau \rightarrow e \nu_e \nu_{\tau}$  (denoted  $\tau_e$ ) or  $\tau \rightarrow \mu \nu_{\mu} \nu_{\tau}$  (denoted  $\tau_{\mu}$ ), collectively referred to as  $\tau_{\text{lep}}$ . In the remaining 65% of cases, the  $\tau$ -lepton decays hadronically ( $\tau_{\text{had}}$ ) into one or more charged hadrons and zero or more neutral hadrons, plus one neutrino. Thus, the fraction of  $\tau$ -lepton pairs resulting in a  $\tau_{\mu} \tau_{\text{had}}$  final state is 23%.

The standard ATLAS  $\tau_{\text{had}}$  reconstruction and identification procedure [2–5] starts with the reconstruction of the visible decay products of a  $\tau_{\text{had}}$  candidate ( $\tau_{\text{had-vis}}$ ), which is seeded by a jet clustered using the anti- $k_r$  algorithm [6, 7] with a radius parameter  $R = 0.4$ .<sup>1</sup> The jet reconstruction algorithm operates on the topological calorimeter cells [8] calibrated to the local hadronic energy scale [9]. This seed jet is referred to as  $\tau_{\text{seed}}$  jet. Only  $\tau_{\text{seed}}$  jets with transverse momentum  $p_{\text{T}} > 5$  GeV and pseudorapidity  $|\eta| < 2.5$  are considered. Dedicated algorithms [5] are run to identify the production vertex, associating and classifying reconstructed inner detector tracks, and calibrating the energy of the  $\tau_{\text{had}}$  candidate. Tracks that have passed the  $\tau_{\text{seed}}$  jet association requirements are classified into four categories: ‘Tau Tracks’, ‘Conversion Tracks’, ‘Isolation Tracks’ and ‘Fake Tracks’. Only ‘Tau Tracks’ are used to determine the number of charged decay products and thus the charge of the  $\tau$  lepton. After reconstruction, the  $\tau_{\text{had}}$  candidate is classified by the  $\tau_{\text{had}}$  identification algorithm (TauID), a recurrent neural network (RNN) classifier [4], to determine

<sup>1</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis points upwards. Polar coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the  $z$ -axis. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$  and is equal to the rapidity  $y = \frac{1}{2} \ln \left( \frac{E+p_z}{E-p_z} \right)$  in the relativistic limit.

Angular distance is measured in units of  $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$ .

its likelihood of being the decay product of a  $\tau_{\text{had}}$ . Several working points, ‘Tight’, ‘Medium’, ‘Loose’ and ‘VeryLoose’, are then defined based on optimised requirements on the RNN score with different  $\tau_{\text{had}}$  identification efficiencies [4].

The standard TauID algorithm is efficient unless activity from other particles is found inside the  $\tau_{\text{seed}}$  jet. One of these cases is when a pair of  $\tau$ -leptons originates from a highly boosted resonance and the decay products of the two  $\tau$ -leptons are reconstructed within the radius of a single  $\tau_{\text{seed}}$  jet. The reconstruction and identification of boosted systems in which both  $\tau$ -leptons decay hadronically is achieved by searching for hadronic  $\tau$ -like substructure using a boosted decision tree within a large radius seed jet [10]. In this analysis, the decay into the  $\tau_{\mu}\tau_{\text{had}}$  final state is considered.

Muon reconstruction [11] in the ATLAS detector is based on the information from the inner tracking detector (ID) and the muon spectrometer (MS), complemented by calorimeter data. The reconstruction begins by identifying tracks in the MS, followed by matching these with tracks in the ID. In cases where a candidate can be made from ID and MS tracks, a combined fit is performed, taking into account the energy loss in the calorimeters. This study considers muons satisfying the ‘Medium’ identification working point [11], which ensures a combined muon where the ID track matches the MS signature. The minimum ionising nature of the muon and the fact that the muon reconstruction is independent of its isolation [11] enables the possibility of removing the ID track and clusters produced by the muon from the  $\tau_{\text{seed}}$  jet produced by a boosted  $\tau_{\mu}\tau_{\text{had}}$  system. The kinematic variables that are subsequently supplied to the TauID algorithm are re-calculated without the interference of the muon. The  $\tau_{\text{had}}$  reconstructed with this method is referred to as  $\tau_{\text{had}}^{\mu}$ .

The  $\tau_{\text{had}}^{\mu}$  method was developed using simulated events corresponding to a beyond the Standard Model (BSM) process with a high-mass graviton [12] decaying into two Higgs bosons as signal. Before using this technique in future BSM searches, it is important to demonstrate its performance using a Standard Model (SM) process. As a validation for the new method, the production of two  $\tau$ -leptons originating from a highly boosted  $Z$  boson giving the final state of interest,  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$ , is used.

This paper is organised as follows. The ATLAS detector is described briefly in Section 2. The data and simulated samples are described in Section 3. The development of the boosted  $\tau_{\text{had}}^{\mu}$  method is described in Section 4. The analysis methods and the results for the  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  validation are described in Section 5. Finally, the conclusions are given in Section 6.

## 2 ATLAS detector

The ATLAS detector [13] at the Large Hadron Collider (LHC) [14] is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near  $4\pi$  coverage in solid angle. It consists of an ID surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic (EM) and hadronic calorimeters, and a MS. The inner tracking detector covers the pseudorapidity range  $|\eta| < 2.5$ . It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide EM energy measurements with high granularity within the region  $|\eta| < 3.2$ . A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ( $|\eta| < 1.7$ ). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to  $|\eta| = 4.9$ . The MS surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The MS includes a system of precision tracking

chambers up to  $|\eta| = 2.7$  and fast detectors for triggering up to  $|\eta| = 2.4$ . The luminosity is measured mainly by the LUCID-2 [15] detector, which is located close to the beampipe. A two-level trigger system is used to select events [16]. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. A software suite [17] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

### 3 Data and simulated event samples

#### 3.1 Simulated samples for the development of the method

Monte Carlo (MC) simulated event samples [18] of signal and backgrounds are used to develop the  $\tau_{\text{had}}^{\mu}$  method and to evaluate the  $\tau_{\text{had}}$  reconstruction and identification efficiencies, as well as the background rejection power. The signal samples consist of BSM gravitons [12] decaying into a pair of Higgs bosons, with the hypothetical graviton mass ranging from 1 TeV to 5 TeV. For this study, the SM Higgs bosons are constrained to decay into a pair of  $\tau$ -leptons. The signal process is referred to as  $G \rightarrow HH \rightarrow 4\tau$ .

High- $p_{\text{T}}$ , semileptonically decaying heavy-flavour hadrons may produce a detector signature that has some similarities with the signal sample of boosted  $\tau_{\mu}\tau_{\text{had}}$  pairs, since the invariant mass of the charm hadron produced in the semileptonic decay of a bottom hadron is comparable to the  $\tau$ -lepton mass. The top-antitop-quark process ( $t\bar{t}$ ) is used to model this type of background.

The  $G \rightarrow HH \rightarrow 4\tau$  signal samples were simulated using the MADGRAPH5\_AMC@NLO [19] generator using matrix elements (ME) at leading-order (LO) in quantum chromodynamics (QCD) with the NNPDF2.3LO [20] parton distribution function (PDF) set. The production of  $t\bar{t}$  events was modelled using the POWHEG Box v2 [21–24] generator at next-to-leading order (NLO) in QCD with the NNPDF3.0NLO [25] PDF set and the  $h_{\text{damp}}$  parameter<sup>2</sup> set to  $1.5 m_{\text{top}}$  [26].

PYTHIA 8.230 [27] with the A14 [28] set of tuned parameters (tune) and NNPDF2.3LO PDF set was used for the simulation of the parton showering and hadronisation for both the  $G \rightarrow HH \rightarrow 4\tau$  samples and the  $t\bar{t}$  samples. The decays of bottom and charm hadrons were performed by EVTGEN 1.6.0 [29]. The effect of multiple interactions in the same and neighbouring bunch crossings (pile-up) was modelled by overlaying the original hard-scattering event with simulated inelastic proton–proton collisions generated by PYTHIA 8.186 [30] with the A3 tune [31] and the MSTW2008LO PDF set [32]. The MC samples were reweighted so that the pile-up distribution matches the one observed in the data. All MC samples were passed through the ATLAS detector simulation based on GEANT4 [33].

#### 3.2 Data and simulated samples for the validation analysis

For the  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  validation analysis, the Run 2 data sample collected in proton–proton collisions at the LHC with  $\sqrt{s} = 13$  TeV and a 25 ns bunch crossing interval is used. The integrated luminosity

---

<sup>2</sup> The  $h_{\text{damp}}$  parameter is a resummation damping factor and one of the parameters that controls the matching of POWHEG matrix elements to the parton shower and thus effectively regulates the high-transverse-momentum radiation against which the  $t\bar{t}$  system recoils.

of the sample recorded while all relevant components of the ATLAS detector were operating normally corresponds to  $140 \text{ fb}^{-1}$  [34, 35].

Simulated samples provide predictions for both signal and background processes. As described in Section 3.1, the simulation includes the effect of pile-up and the detector response. All MC samples undergo calibrations and corrections to match the performance in data. The decays of bottom and charm hadrons were performed by EVTGEN 1.6.0 [29]. The rest of this section gives details of the specific MC samples used in this study.

The dominant production channel of the boosted  $Z \rightarrow \tau_\mu \tau_{\text{had}}$  final states, a  $Z$  boson produced in association with jets, was modelled using the SHERPA 2.2.14 [36] generator for the  $Z \rightarrow \tau\tau$  channel, while SHERPA 2.2.11 was used to model  $Z \rightarrow \ell\ell$  ( $\ell = e, \mu$ ) decays. The ME calculations ranged from NLO in QCD for final states with up to two additional parton emissions to LO in QCD for up to five additional parton emissions. The MEs were merged with the SHERPA parton shower following the MEPS@LO [37] prescription and using the NNPDF3.0<sub>NNLO</sub> [25] PDF set. The production of  $W$  bosons with jets, and the production of  $WW$ ,  $WZ$ , and  $ZZ$  boson pairs, were simulated using SHERPA 2.2.11 with configurations similar to those used in the  $Z$ +jets sample. Measurements of the distribution of  $Z$ -boson transverse momentum ( $p_T^Z$ ) using light-lepton pair events at  $\sqrt{s} = 13 \text{ TeV}$  [38] indicate that SHERPA 2.2.11 underestimates the cross-section for  $p_T^Z > 100 \text{ GeV}$  by approximately 10% [39]. The simulation of initial-state QCD radiation is expected to be the same in the SHERPA 2.2.14 samples used in this study. A 10% correction is therefore applied to the predicted event yields for  $Z \rightarrow \tau\tau$  in the validation analysis, with the full size of this correction quoted as a systematic uncertainty.

The production of  $t\bar{t}$  events was modelled using the same configuration as the one used for the method development as in Section 3.1. Single-top  $t$ -channel production was modelled using the POWHEG BOX v2 [22–24, 40] generator at NLO in QCD using the four-flavour scheme and the corresponding NNPDF3.0<sub>NLO</sub> PDF set. The associated production of top quarks with  $W$  bosons ( $tW$ ) was modelled using the POWHEG BOX v2 generator at NLO in QCD using the five-flavour scheme and the NNPDF3.0<sub>NLO</sub> PDF set. The diagram removal scheme [41] was used to remove interference and overlap with  $t\bar{t}$  production. In both cases the generated events were interfaced to PYTHIA 8.230 using the A14 tune and the NNPDF2.3<sub>LO</sub> PDF set.

The production of Higgs bosons via gluon–gluon fusion and vector–boson fusion was modeled following the configuration detailed in Ref. [42].

## 4 Development of the boosted $\tau_{\text{had}}^{\mu}$ reconstruction method

### 4.1 Muon removal and re-reconstruction of the $\tau_{\text{had}}$ candidate

The  $\tau_{\text{had}}^{\mu}$  method was developed with MC simulated events using the  $G \rightarrow HH \rightarrow 4\tau$  signal samples with generator-level information used to evaluate the performance of the method. The angular separation at the generator-level between the  $\tau_{\text{had-vis}}$  and the muon is measured by  $\Delta R_{\tau\tau}^{\text{gen,vis}}$ , the  $\Delta R$  between the MC generator-level visible decay products of the two  $\tau$ -leptons. In Figure 1, the  $\Delta R_{\tau\tau}^{\text{gen,vis}}$  distributions of the  $\tau_\mu \tau_{\text{had}}$  pairs in the  $G \rightarrow HH \rightarrow 4\tau$  samples are presented. For  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ , it is more likely that the muon will be reconstructed inside the  $\tau_{\text{seed}}$  jet.

In this study, MC generator-level information is used to match generated  $\tau_\mu \tau_{\text{had}}$  pairs with their reconstructed counterparts. The reconstructed  $\tau_{\text{seed}}$  jet is generator-matched if at least one ID track matches the muon




Figure 1: The distributions of the  $\Delta R_{\tau\tau}^{\text{gen,vis}}$  for the generator-level  $\tau_{\mu}\tau_{\text{had}}$  pair in  $G \rightarrow HH \rightarrow 4\tau$  signal events, with graviton masses  $m_G$  ranging from 1000 GeV to 5000 GeV.

from the  $\tau_{\text{lep}}$  decay or the charged hadron(s) from the  $\tau_{\text{had}}$  decay. Only  $\tau_{\text{seed}}$  jets originating from a boosted  $\tau_{\mu}\tau_{\text{had}}$  pair are considered. Other  $\tau_{\text{seed}}$  jets, such as those associated with QCD jets, are neglected. The MC generator-level visible  $\tau$ -lepton decay products are required to satisfy the requirements  $p_T > 20$  GeV and  $|\eta| < 2.5$  to ensure that the  $\tau_{\text{seed}}$  jets are within the tracking acceptance of the ATLAS detector.

Below the  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$  threshold, the standard  $\tau_{\text{had}}$  reconstruction and identification efficiencies drop significantly. Figure 2 shows the combined reconstruction and identification efficiencies of the standard ATLAS  $\tau_{\text{had}}$  reconstruction and TauID algorithms as a function of  $\Delta R_{\tau\tau}^{\text{gen,vis}}$  for generator-level 1-prong and 3-prong  $\tau_{\text{had}}$  in  $\tau_{\mu}\tau_{\text{had}}$  pairs. Here ‘n-prong’ denotes the number of charged hadrons that originate from the  $\tau_{\text{had}}$  decay. The ‘ $N_{\text{trk}}^{\text{reco}} = 1$  or 3’ lines shows the efficiency of a generator-level 1-prong or 3-prong  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The efficiency for a  $\tau_{\text{seed}}$  jet to be reconstructed from a  $\tau_{\mu}\tau_{\text{had}}$  pair remains high for all values of  $\Delta R_{\tau\tau}^{\text{gen,vis}}$ . However, the efficiencies for all standard TauID working points drop significantly in both the 1-prong and 3-prong cases when  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ . The tighter the working point, the greater the fractional loss in efficiency due to the presence of the nearby muon. The performance of the standard TauID algorithm is set as the baseline in this study.

The muon’s nature as a minimum ionising particle, combined with the fact that its reconstruction is independent of its isolation [11], provides a motivation for excluding the ID track and calorimeter clusters associated with any nearby muon from the standard ATLAS  $\tau_{\text{had}}$  reconstruction algorithm. By removing these contributions, the  $\tau_{\text{seed}}$  jet would better represent only the  $\tau_{\text{had-vis}}$ , improving the accuracy of the TauID algorithm. Specifically, the ID track and clusters associated with a reconstructed muon that satisfies the ‘Medium’ muon identification working point are removed if the track or cluster is found within the reconstructed  $\tau_{\text{seed}}$  jet. For calorimeter energy clusters, the algorithm checks if the energy of the cluster associated with the muon is compatible with the expected energy loss [43] from its interactions with material between the ID and the MS, and removes the cluster only when this is the case. After the muon removal, the standard  $\tau_{\text{had}}$  reconstruction algorithm is re-run on the  $\tau_{\text{seed}}$  jet. In this way, the relevant TauID variables for the  $\tau_{\text{had}}$  candidate can be calculated without the muon component.




Figure 2: The combined reconstruction and identification efficiencies of the standard ATLAS TauID for generator-level (a) 1-prong and (b) 3-prong  $\tau_\mu\tau_{\text{had}}$  pairs at all working points as a function of  $\Delta R_{\tau\tau}^{\text{gen,vis}}$ . The ‘Seeding’ line shows the efficiency of a  $\tau_{\text{seed}}$  jet that matches a generator-level  $\tau_\mu\tau_{\text{had}}$  pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$  or 3’ line shows the efficiency of a generator-level  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points.

## 4.2 Performance of the method

Figure 3 shows the combined reconstruction and identification efficiencies after the muon removal as a function of  $\Delta R_{\tau\tau}^{\text{gen,vis}}$  for generator-level 1-prong and 3-prong  $\tau_\mu\tau_{\text{had}}$  pairs for all working points. The reconstruction and identification efficiencies after the muon removal show a considerable improvement compared to those shown in Figure 2. The signal efficiency is recovered almost completely for every working point for both 1-prong and 3-prong  $\tau_{\text{had}}$ . In the 3-prong cases, the efficiency of TauID is limited by the accurate reconstruction of the correct number of tracks associated with the highly boosted  $\tau_{\text{had}}$  candidates.

Roughly 95% of the  $\tau_{\text{seed}}$  jets have a muon removed in the region where  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ . This can be expected given the 97% efficiency of the ‘Medium’ muon working point, with a dip below 90% in the region where the generator-level  $|\eta|$  of the  $\tau_{\text{had-vis}}$  is  $|\eta|^{\text{gen,vis}} < 0.1$ . This is illustrated in Figure 4, which shows the signal efficiencies of the TauID working points after the muon removal as a function of  $|\eta|^{\text{gen,vis}}$  for generator-level 1-prong and 3-prong  $\tau_{\text{seed}}$  jets with  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ . The slight decrease in muon removal efficiency in the low  $|\eta|^{\text{gen,vis}}$  region is caused by the non-instrumented regions of the MS.

The signal identification efficiencies at all working points of the standard ATLAS TauID are tuned to show minimum dependency on the generator-level  $p_T$  of the  $\tau_{\text{had-vis}}$  ( $p_{T,\tau}^{\text{gen,vis}}$ ) and pile-up [5]. The stability of the TauID working point efficiencies, after the muon removal, against these variables are shown in Figure 5. To focus on the objects of interest, only generator-level  $\tau_\mu\tau_{\text{had}}$  pairs with the muon identified inside the  $\tau_{\text{seed}}$  jet and removed ( $\Delta R_{\tau\tau}^{\text{reco}} < 0.4$ ) are included in these plots. For comparison, the TauID working point efficiencies as a function of the same variables for  $\tau_{\text{seed}}$  objects in which muon removal is not required ( $\Delta R_{\tau\tau}^{\text{gen,vis}} > 0.45$ ) are shown in Figure 6. Similar behaviour is observed in Figures 5 and 6. The improved performance and good stability across different working points demonstrate that, after the






Figure 3: The combined reconstruction and TauID efficiencies after the muon removal for generator-level (a) 1-prong and (b) 3-prong  $\tau_\mu \tau_{\text{had}}$  pairs at all working points as a function of  $\Delta R_{\tau\tau}^{\text{gen,vis}}$ . The ‘Seeding’ line shows the efficiency of a  $\tau_{\text{seed}}$  jet that matches a generator-level  $\tau_\mu \tau_{\text{had}}$  pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$  or 3’ line shows the efficiency of a generator-level  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the  $\tau_{\text{seed}}$  jet. The transitions of the ‘MuonRM’ line between  $0.35 < \Delta R_{\tau\tau}^{\text{gen,vis}} < 0.45$  is due to limited detector resolution in the direction of the reconstructed  $\tau_{\text{had-vis}}$  and muon.

muon removal, the TauID RNN receives as input the signal  $\tau_{\text{seed}}$  jet as if it were a  $\tau_{\text{had}}$  that is isolated (free from interference of surrounding particles).

After the removal of the overlapping muon, the precision with which the four-momentum of the  $\tau_{\text{seed}}$  jet is reconstructed improves significantly. Figure 7(a) shows the distributions of the difference between the generated and reconstructed  $\eta$  (residuals) before and after the muon removal. Compared to the performance before muon removal, the  $\eta$  residuals that correspond to the 68% percentile (core resolution) improves by a factor of 15. The distributions of the  $\tau_{\text{had-vis}}$   $p_T$  residuals ( $p_T/p_T^{\text{gen}}$ ) are shown in Figure 7(b). These results agree well with those reported for isolated  $\tau_{\text{had}}$  in Ref. [44], further demonstrating the effectiveness of the muon removal method.

Having demonstrated that the reconstruction and identification efficiencies are significantly improved by the  $\tau_{\text{had}}^\mu$  method, the background rejection power is studied. The production of  $t\bar{t}$  events is considered as a source of high- $p_T$  heavy-flavour jets, which represents an example background to the  $\tau_{\text{had}}^\mu$  signal. The background rejection at the ‘Medium’ TauID working point, which is defined as the ratio of the total number of reconstructed  $\tau_{\text{had}}$  candidates before muon removal to the number of false positives before or after muon removal, are shown in Figure 8, as functions of the reconstructed  $\tau_{\text{had-vis}}$   $p_T$ . For the background rejection figures, the event selections are mostly based on the reconstructed properties instead of the generator-level information. A  $\tau_{\text{seed}}$  jet reconstructed in the background sample is required to have reconstructed  $20 \text{ GeV} < p_T < 300 \text{ GeV}$ ,  $|\eta| < 2.5$ , and to not be generator-matched to a  $\tau_{\text{had}}$  from the semileptonic decay of a bottom or top quark. In addition, a reconstructed muon is required to be found inside the  $\tau_{\text{seed}}$  jet. The  $\tau_{\text{had}}$  candidates in which no muon is present are not considered in Figure 8, as






Figure 4: The combined reconstruction and TauID efficiencies after the muon removal for generator-level (a) 1-prong and (b) 3-prong  $\tau_\mu \tau_{\text{had}}$  pairs at all working points as a function of  $|\eta|^{\text{gen,vis}}$  for  $\tau_{\text{seed}}$  jets with  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ . The ‘Seeding’ line shows the efficiency of a  $\tau_{\text{seed}}$  jet that matches a generator-level  $\tau_\mu \tau_{\text{had}}$  pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$  or 3’ line shows the efficiency of a generator-level  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the  $\tau_{\text{seed}}$  jet.

identical TauID results would be expected for these cases.

It is likely that after removing the muon, the number of reconstructed charged-particle tracks inside the  $\tau_{\text{seed}}$  jet decreases by one compared to the standard reconstruction. Thus the background compositions of  $\tau_{\text{had}}$  candidates reconstructed with the  $\tau_{\text{had}}^{\hat{M}}$  method are different from the standard  $\tau_{\text{had}}$  candidates. The background rejection power decreases slightly in the 3-prong case compared to the standard TauID algorithm. Without the presence of the muon within the  $\tau_{\text{seed}}$  in the case of background events, the TauID algorithm finds it more challenging to reject semileptonic heavy-flavour jets. The 1-prong background rejection power increases slightly in the low- $p_T$  region after removal of the muon due to fewer  $\tau_{\text{had}}$  candidates being reconstructed after the muon removal.

The signal efficiency observed in the  $G \rightarrow HH \rightarrow 4\tau$  samples and the background rejection power observed in the  $t\bar{t}$  sample are combined to form the so-called receiver operating characteristic (ROC) curves. In addition to the same reconstruction level selections as the background  $\tau_{\text{seed}}$  jets discussed previously, the  $\tau_{\text{seed}}$  jets in the signal samples are required to be generator-matched to the  $\tau_\mu \tau_{\text{had}}$  pairs. To minimise the bias introduced by the misalignment of the signal and background momentum spectra, the background events are reweighted so that the  $p_T$  distribution of the background sample matches that of the signal samples. The ROC curves illustrating the performance with and without muon removal are shown in Figure 9. An order-of-magnitude performance gain is seen across the spectrum for both the 1-prong and 3-prong cases when the muon removal is applied.

To demonstrate the performance of the  $\tau_{\text{had}}^{\hat{M}}$  method in reconstructing and identifying individual di- $\tau$  systems within the  $G \rightarrow HH \rightarrow 4\tau$  process, Figure 10 presents the combined  $\tau_{\text{had}}$  reconstruction and




Figure 5: The signal efficiencies of the TauID working points as a function of (a, b) the generator-level transverse momentum  $p_{T,\tau}^{\text{gen,vis}}$  and (c, d) the average number of interactions per bunch crossing  $\langle\mu\rangle$  for generator-level 1-prong and 3-prong  $\tau_{\text{seed}}$  jets when the muon is identified inside the  $\tau_{\text{seed}}$  jet and removed ( $\Delta R_{\tau\tau}^{\text{reco}} < 0.4$ ). The ' $N_{\text{trk}}^{\text{reco}} = 1$  or 3' line shows the efficiency of a generator-level  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The 'VLoose', 'Loose', 'Medium', and 'Tight' lines show the efficiencies of the TauID working points. The 'MuonRM' line shows the efficiency of a muon being identified and removed from the  $\tau_{\text{seed}}$ , and is by definition 1.0 for all subfigures.




Figure 6: The signal efficiencies of the TauID working points as a function of (a, b) the generator-level  $p_{T,\tau}^{\text{gen,vis}}$  and (c, d) the average number of interactions per bunch crossing ( $\langle\mu\rangle$ ) for the generator-level 1-prong and 3-prong  $\tau_{\text{seed}}$  jets with  $\Delta R_{\tau\tau}^{\text{gen,vis}} > 0.45$ . In this region, the muon removal should not affect the results. The ‘Seeding’ line shows the efficiency of a  $\tau_{\text{seed}}$  jet that matches to a generator-level  $\tau_{\mu}\tau_{\text{had}}$  pair being reconstructed; the ‘ $N_{\text{trk}}^{\text{reco}} = 1$  or 3’ line shows the efficiency of a generator-level  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the  $\tau_{\text{seed}}$  jet, and is expected to be low in high  $\Delta R_{\tau\tau}^{\text{gen,vis}}$  region.




Figure 7: The distributions of the residuals for (a)  $\eta$  and (b)  $p_T$  after calibrations with standard  $\tau_{\text{had}}$  candidates and  $\Delta R_{\tau\tau}^{\text{gen,vis}} > 0.45$  and with  $\tau_{\text{had}}^M$  candidates and  $\Delta R_{\tau\tau}^{\text{gen,vis}} < 0.4$ . The bands represent the statistical uncertainties.




Figure 8: The background rejection for  $\tau_{\text{seed}}$  jets originating from semileptonic  $b$ -hadron decays in  $t\bar{t}$  events at the ‘Medium’ TauID working point, as a function of the reconstructed  $p_T$  for (a) the reconstructed 1-prong candidates and (b) the reconstructed 3-prong candidates.




Figure 9: Background rejection as a function of signal efficiency with and without muon removal for (a) the reconstructed 1-prong candidates and (b) the reconstructed 3-prong candidates. For the background sample,  $t\bar{t}$  events are used. The combination of all  $G \rightarrow HH \rightarrow 4\tau$  samples with  $m_G$  ranging from 1 TeV to 5 TeV is used as the signal sample.

identification efficiencies as a function of the generated graviton mass. The efficiencies correspond to the identification of individual di- $\tau$  systems originating from Higgs boson decays.

Compared to the standard ATLAS TauID algorithm, the  $\tau_{\text{had}}^{\mu}$  method demonstrates a complete recovery of the identification efficiency for both the 1-prong and 3-prong  $\tau_{\text{had}}$  decays for high-mass  $G \rightarrow HH \rightarrow 4\tau$  events, to the level expected for isolated  $\tau_{\text{had}}$  candidates reconstructed with the standard TauID algorithm.




Figure 10: The signal efficiencies of the TauID working points, as a function of  $m_G$ , for generator-level (a) 1-prong and (b) 3-prong  $\tau_{\text{had}}$  with the standard ATLAS TauID algorithm and for generator-level (c) 1-prong and (d) 3-prong  $\tau_{\text{had}}$  with the  $\tau_{\text{had}}^{\mu}$  method. The efficiencies shown correspond to the identification of individual di- $\tau$  systems originating from Higgs boson decays. The ‘Seeding’ line shows the efficiency of a  $\tau_{\text{seed}}$  jet that matches a generator-level  $\tau_{\mu}\tau_{\text{had}}$  pair being reconstructed. The ‘ $N_{\text{trk}}^{\text{reco}} = 1$  or 3’ line shows the efficiency of a generator-level  $\tau_{\text{had}}$  being reconstructed with the correct number of associated charged-particle tracks. The ‘VLoose’, ‘Loose’, ‘Medium’, and ‘Tight’ lines show the efficiencies of the TauID working points. The ‘MuonRM’ line shows the efficiency of a muon being identified and removed from the  $\tau_{\text{seed}}$  jet.

## 5 Validation of the $\tau_{\text{had}}^{\mu}$ method in the $Z \rightarrow \tau_{\mu} \tau_{\text{had}}$ final states

The  $\tau_{\text{had}}^{\mu}$  method was developed for searches for high-mass BSM physics, such as the  $G \rightarrow HH$  process, as described in Section 4. However, it is useful to validate its performance by considering a SM process and data from  $pp$  collisions. In this paper, the Drell–Yan production of a  $Z$  boson in association with high- $p_{\text{T}}$  jets from initial-state QCD radiation is considered as a validation process.

### 5.1 $Z$ -boson kinematic reconstruction

The detector signature of the boosted  $Z \rightarrow \tau_{\mu} \tau_{\text{had}}$  process includes one hadronically decaying  $\tau$ -lepton and a muon, in association with significant missing transverse momentum ( $\vec{p}_{\text{T}}^{\text{miss}}$ ) from the neutrinos produced in the two  $\tau$ -lepton decays. The  $\vec{p}_{\text{T}}^{\text{miss}}$ , with magnitude  $E_{\text{T}}^{\text{miss}}$ , is estimated as the negative vector sum of the transverse momentum of all identified hard physics objects [45]. Tracks not associated with any such object are included in the soft term.

In this kinematic regime, the  $\tau_{\text{had}}$  and the muon are likely to be reconstructed within the same  $\tau_{\text{seed}}$  jet. In well measured events, the vector sum of the transverse momenta of the three neutrinos dominates the measured  $\vec{p}_{\text{T}}^{\text{miss}}$ , which in the azimuthal direction lies between the observed muon and the  $\tau_{\text{had}}$  candidate in most cases. Also, on average, the  $\vec{p}_{\text{T}}^{\text{miss}}$  should be closer in azimuth to the muon, because the  $\tau_{\text{lep}}$  decay produces two neutrinos and the  $\tau_{\text{had}}$  decay only one.

Without incorporating  $\vec{p}_{\text{T}}^{\text{miss}}$ , reconstructing the  $Z$ -boson invariant mass is not possible. However, it is possible to approximate the momenta of the neutrinos using the collinear approximation [46] as follows:

- the transverse momenta of the three neutrinos dominate the measured  $\vec{p}_{\text{T}}^{\text{miss}}$ , and other contributions are negligible;
- each  $\tau$ -lepton is sufficiently boosted such that the neutrino (or pair of neutrinos) produced in its decay is collinear with its visible decay products.

These assumptions allow the reconstruction of the momenta of the neutrino (or pair of neutrinos) produced in the decay of each  $\tau$ -lepton.<sup>3</sup>

Together with the momenta of the visible decay products, this procedure allows the momenta of the two  $\tau$ -leptons, and hence the transverse momentum ( $p_{\text{T}\mu\text{-had}}^{\text{col}}$ ), and mass ( $m_{\mu\text{-had}}^{\text{col}}$ ) of the system produced by the decay of the  $Z$  boson, to be reconstructed. The jets recoiling against the  $Z$  boson are reconstructed using the anti- $k_t$  algorithm with a radius parameter  $R = 0.4$  that uses particle flow objects [47] as input. These jets are then calibrated using simulation and data to a precision of order 1% for central jets.

<sup>3</sup> In events in which the  $\vec{p}_{\text{T}}^{\text{miss}}$  lies outside the azimuthal angle between the visible decay products of the  $\tau$ -leptons, the  $\vec{p}_{\text{T}}^{\text{miss}}$  is projected onto the direction of the nearest visible decay, and the neutrino momentum associated with the other  $\tau$ -lepton is set to zero. Furthermore, events for which collinear reconstruction is not possible, i.e., with  $\vec{p}_{\text{T}}^{\text{miss}}$  deviating by more than  $90^\circ$  from the muon or the  $\tau_{\text{had}}^{\mu}$  in  $\Delta\phi$ , are discarded.



## 5.2 Event selection

Candidate events are required to have been triggered by an un-prescaled single-muon trigger [48] or an un-prescaled  $E_T^{\text{miss}}$  trigger [49]. The thresholds of the  $p_T$  required to fire each trigger varied for different data-taking periods. For the single muon trigger, the  $p_T$  requirement for triggers selecting isolated muons ranged from 20 to 26 GeV, while the  $p_T$  threshold for muon trigger without isolation requirements remained constant at 50 GeV. The  $E_T^{\text{miss}}$  triggers had a threshold of 70 GeV for the 2015 data-taking period and remained constant at 110 GeV for the rest of Run 2. Approximately 97% of  $Z \rightarrow \tau_\mu \tau_{\text{had}}$  simulated events that satisfy the final signal selection criteria satisfy the trigger selection.

For the signal region (SR) selection, events satisfying the trigger requirements are required to have at least one muon removal  $\tau_{\text{had}}$  object which satisfies  $p_T > 15$  GeV, one or three reconstructed charged-particle tracks with charge summing to one, and a TauID jet RNN score  $> 0.1$ , excluding  $1.37 < |\eta| < 1.52$  and  $|\eta| > 2.5$ . This selection implies that at least one reconstructed muon satisfying the ‘Medium’ working point is inside the cone of each selected  $\tau_{\text{had}}^{\text{H}}$  candidate. Additionally, the muon must have  $p_T > 10$  GeV and opposite charge to the  $\tau_{\text{had}}^{\text{H}}$  candidate. In this study, the overlap removal between muons and  $\tau_{\text{had}}$  candidates is turned off as the default overlap removal algorithm as described in Ref. [42] would remove some of the  $\tau_{\text{had}}^{\text{H}}$  candidates even if the muon removal method is successful. To suppress background from events containing heavy-flavour jets, events are rejected if they contain any jet that satisfies the DL1d based  $b$ -tagging algorithm at an 85% efficiency working point [50]. The signed  $\Delta\phi$  between the muon and  $\vec{p}_T^{\text{miss}}$  ( $\Delta\phi_{\mu\text{-MET}}^{\text{signed}}$ ) is required to be  $-0.1 < \Delta\phi_{\mu\text{-MET}}^{\text{signed}} < 0.4$ . The sign of  $\Delta\phi_{\mu\text{-MET}}^{\text{signed}}$  is determined by the direction of the  $\tau_{\text{had}}^{\text{H}}$  candidate. If the  $\vec{p}_T^{\text{miss}}$  is inside the opening angle of the muon and the  $\tau_{\text{had}}$  candidate or if the  $\vec{p}_T^{\text{miss}}$  is outside the opening angle but closer to the muon, then the sign is positive; otherwise, it is negative. Since the focus of the analysis is the boosted  $Z \rightarrow \tau_\mu \tau_{\text{had}}$  process, a loose requirement  $m_{\mu\text{-had}}^{\text{col}} > 40$  GeV, and a requirement  $p_{T\mu\text{-had}}^{\text{col}} > 250$  GeV are applied. A validation region (VR) is defined with the same selection requirements as the SR, except that the muon and  $\tau_{\text{had}}^{\text{H}}$  candidate are required to have the same charge, and there is no requirement on  $\Delta\phi_{\mu\text{-MET}}^{\text{signed}}$  or the number of jets satisfying the  $b$ -tagging criteria. The VR is designed with enough statistical power for testing the background modelling. These tests confirm that QCD jets events contribute negligibly to the background in both the SR and VR, making it an unlikely source of significant background mismodelling. Table 1 summarises the event selection requirements for the SR and VR respectively.

Table 1: Summary of event selection requirements.

Object	Signal region	Validation region
$\tau_{\text{had}}^{\text{H}}$ candidate	$p_T > 15$ GeV TauID jet RNN score $> 0.1$ $ \eta  < 1.37$ or $1.52 <  \eta  < 2.5$ 1 or 3 charged-particle tracks	$p_T > 15$ GeV TauID jet RNN score $> 0.1$ $ \eta  < 1.37$ or $1.52 <  \eta  < 2.5$ 1 or 3 charged-particle tracks
Muon	‘Medium’ working point $p_T > 10$ GeV	‘Medium’ working point $p_T > 10$ GeV
$\tau_\mu \tau_{\text{had}}$ pair	no $b$ -tagged jet at 85% efficiency working point $-0.1 < \Delta\phi_{\mu\text{-MET}}^{\text{signed}} < 0.4$ $m_{\mu\text{-had}}^{\text{col}} > 40$ GeV $p_{T\mu\text{-had}}^{\text{col}} > 250$ GeV <b>opposite charge</b> muon and $\tau_{\text{had}}^{\text{H}}$ candidates	— — $m_{\mu\text{-had}}^{\text{col}} > 40$ GeV $p_{T\mu\text{-had}}^{\text{col}} > 250$ GeV <b>same charge</b> muon and $\tau_{\text{had}}^{\text{H}}$ candidates




Figure 11: The distribution of the TauID jet RNN score for  $\tau_{\text{had}}^{\text{H}}$  (a) in the SR and (b) in the VR. ‘ $Z(\rightarrow \tau\tau) + \text{jets}$ ’ represents the contributions from the signal process. ‘Top’ represents the predicted contributions from the  $t\bar{t}$ , single-top-quark, and  $tW$  processes. ‘Diboson’ indicates the contributions from  $WW$ ,  $WZ$ , and  $ZZ$  processes. ‘Other’ includes the contributions from the  $Z(\rightarrow \ell\ell) + \text{jets}$ ,  $W + \text{jets}$ , and Higgs boson processes. The uncertainties shown include both statistical and systematic sources.

Figures 11 and 12 illustrate the distributions of the TauID jet RNN score and  $p_{T\mu\text{-had}}^{\text{col}}$  in the SR and VR. As shown in both figures, the data and MC predictions agree well in both the SR and VR. Due to the  $m_{\mu\text{-had}}^{\text{col}} > 40$  GeV requirement, the kinematics of the selection produce a peak in the  $p_{T\mu\text{-had}}^{\text{col}}$  distribution around 500 GeV. This highlights the fact that the  $\tau_{\text{had}}^{\text{H}}$  reconstruction picks up  $\tau_{\mu}\tau_{\text{had}}$  pairs only with a sufficiently high boost.

### 5.3 Systematic uncertainties

The dominant source of systematic uncertainty in the comparison between the observed and expected yields in the SR is the modelling of the cross-section for  $Z$ -boson production. As discussed in Section 3, a +10% correction is applied to the predicted values for  $Z(\rightarrow \tau\tau) + \text{jets}$  events, with the full size of this correction quoted as a systematic uncertainty. The most significant sources of experimental systematic uncertainties are related to TauID and  $\tau$ -lepton energy scale (4%) [3, 4], jet energy scale and resolution (2%) [51],  $E_{\text{T}}^{\text{miss}}$  (2%) [45], and luminosity (0.83%) [35].

### 5.4 Results

To understand the performance improvement relative to the standard ATLAS  $\tau_{\text{had}}$  reconstruction and identification, Figure 13 shows multiple comparisons of the data and MC predictions for  $m_{\mu\text{-had}}^{\text{col}}$  distributions corresponding to various signal selections; Figure 13(a) corresponds to the SR selections defined in Section 5.2; Figure 13(b) corresponds to the SR<sup>std</sup>, which uses the standard ATLAS  $\tau_{\text{had}}$  candidates, without the muon removal, but otherwise corresponds to the same event selection as the SR; Figure 13(c) corresponds to the SR<sub>tight</sub>, which imposes an additional ‘Tight’ RNN TauID requirement on the  $\tau_{\text{had}}^{\text{H}}$




Figure 12: The distribution of the  $p_{T\mu\text{-had}}^{\text{col}}$  (a) in the SR, and (b) in the VR. ‘Z( $\rightarrow \tau\tau$ ) + jets’ represents the contributions from the signal process. ‘Diboson’ indicates the contributions from the  $WW$ ,  $WZ$ , and  $ZZ$  processes. ‘Top’ represents the predicted contributions from the  $t\bar{t}$ , single-top-quark, and  $tW$  processes. ‘Other’ includes the contributions from the  $Z(\rightarrow \ell\ell)$ +jets,  $W$ +jets, and Higgs boson processes. The uncertainties shown include both statistical and systematic sources.

candidates, but otherwise corresponds to the SR selection; and Figure 13(d) corresponds to the  $\text{SR}_{\text{tight}}^{\text{std}}$ , which imposes an additional ‘Tight’ RNN TauID requirement and uses the standard  $\tau_{\text{had}}$  candidates, without muon removal.

The collinear mass reconstruction of the di- $\tau$  system is quite effective as it clearly shows the peak corresponding to the  $Z$  boson mass in Figure 13(a). The shape of the  $m_{\mu\text{-had}}^{\text{col}}$  distribution for signal Drell–Yan events is very different from that seen in inclusive production [52], with a much larger fraction of the signal events in the region  $40 \text{ GeV} < m_{\mu\text{-had}}^{\text{col}} < 70 \text{ GeV}$  compared to that at the  $Z$  boson peak. This pattern arises due to the steep fall in the  $m_{\mu\text{-had}}^{\text{col}}$  distribution for Drell–Yan production, along with the narrowing opening angle of boosted  $\tau_{\mu}\tau_{\text{had}}$  systems as  $m_{\mu\text{-had}}^{\text{col}}$  decreases.

Table 2 shows the event yields in the data, as well as the predicted contributions from signal and background processes, corresponding to the various signal and validation selection criteria defined previously. Compared with the standard TauID, the  $\tau_{\text{had}}^{\mu}$  method results in around three times more signal events in the SR, accompanied by an increase in the number of background events. In the  $\text{SR}_{\text{tight}}$  the number of signal events is about five times higher than when using the standard  $\tau_{\text{had}}$  candidates, with a corresponding rise in background events as well. Subtracting the expected background yield in the SR of  $223 \pm 5$  events gives a measured yield for  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  of  $920 \pm 34$  events. This can be compared with the expected yield for  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  of  $945 \pm 8$  (stat.)  $\pm 114$  (syst.) events. Adding all sources of statistical and systematic uncertainty results in a total uncertainty of 12%. The same calculations are performed in the  $\text{SR}_{\text{tight}}$ . The ratio of data to prediction is  $0.97 \pm 0.12$  in the SR, and  $0.96 \pm 0.12$  in the  $\text{SR}_{\text{tight}}$ .




Figure 13: The distributions of  $m_{\mu\text{-had}}^{\text{col}}$  corresponding to the various signal region selection criteria defined in the text: (a) SR, (b)  $\text{SR}^{\text{std}}$ , (c)  $\text{SR}_{\text{tight}}$ , and (d)  $\text{SR}_{\text{tight}}^{\text{std}}$ . ‘ $Z(\rightarrow \tau\tau) + \text{jets}$ ’ represents the contributions from the signal process. ‘Diboson’ indicates the contributions from  $WW$ ,  $WZ$ , and  $ZZ$  processes. ‘Top’ represents the predicted contributions from the  $t\bar{t}$ , single-top-quark, and  $tW$  processes. ‘Other’ includes the contributions from the  $Z(\rightarrow \ell\ell) + \text{jets}$ ,  $W + \text{jets}$ , and Higgs boson processes. The uncertainties shown include both statistical and systematic sources.

Table 2: Event yields for different event selection criteria, as defined in the text. The uncertainties quoted are statistical only.

	SR	SR <sup>std</sup>	SR <sub>tight</sub>	SR <sub>tight</sub> <sup>std</sup>	VR
$Z \rightarrow \tau\tau$	945 ± 8	325 ± 4	633 ± 7	117 ± 2	20 ± 1
Diboson	91 ± 1	25 ± 1	50 ± 1	9 ± 0	38 ± 1
Top	68 ± 3	53 ± 3	26 ± 2	21 ± 2	164 ± 5
Other	65 ± 4	17 ± 2	12 ± 2	5 ± 1	76 ± 4
Total predicted	1168 ± 10	420 ± 5	721 ± 8	153 ± 3	297 ± 7
Data	1143	435	698	133	281

## 6 Conclusions

In this paper, the reconstruction of a highly boosted pair of  $\tau$ -leptons is considered, in which one  $\tau$ -lepton decays into a muon plus two neutrinos and the other  $\tau$ -lepton decays hadronically, with the visible decay products overlapping. In such cases, the standard ATLAS reconstruction and identification algorithms for hadronically decaying  $\tau$ -leptons fail due to the presence of the nearby muon.

The development of a muon removal procedure for  $\tau_{\text{had}}$  candidates (denoted  $\tau_{\text{had}}^{\mu}$ ) using samples of high-mass  $G \rightarrow HH \rightarrow 4\tau$  events is described. The  $\tau_{\text{had}}^{\mu}$  method recovers the  $\tau_{\text{had}}$  reconstruction and identification efficiencies to the expected level for isolated  $\tau_{\text{had}}$  decays at all  $\tau$ -lepton identification working points. The measurement precision for the kinematic properties of the visible  $\tau_{\text{had}}$  system is similarly recovered. The background rejection power is studied using heavy-flavour jets from top-quark decays and shows no degradation relative to the standard algorithm for  $\tau_{\text{had}}$  identification. The  $\tau_{\text{had}}^{\mu}$  method is validated by selecting a sample of highly boosted  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  final states using a data set of proton–proton collisions at  $\sqrt{s} = 13$  TeV collected with the ATLAS detector at the LHC, and corresponding to an integrated luminosity of  $140 \text{ fb}^{-1}$ . Good agreement is found between data and simulation in both the  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  signal region and a background-rich validation region. The ratio of the observed and predicted event yields in the signal region is found to be consistent with unity within an uncertainty of 12%.

The results presented in this paper demonstrate the effectiveness of the  $\tau_{\text{had}}^{\mu}$  method in enhancing the signal sensitivity of the boosted  $\tau_{\mu}\tau_{\text{had}}$  channel. The observed good agreement between data and simulation in the  $Z \rightarrow \tau_{\mu}\tau_{\text{had}}$  signal region reaffirms the robustness of the newly developed reconstruction method.

## Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [53].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN;

ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ICHEP and Academy of Sciences and Humanities, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from Armenia: Yerevan Physics Institute (FAPERJ); CERN: European Organization for Nuclear Research (CERN DOCT); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1230812, FONDECYT 1230987, FONDECYT 1240864); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700, MOST-2023YFA1609300), National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR - 24-11373S), Ministry of Education Youth and Sports (FORTE CZ.02.01.01/00/22\_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC - 101002463); European Union: European Research Council (ERC - 948254, ERC 101089007, ERC, BARD, 101116429), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (PRIN - 20223N7F8K - PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227, JSPS KAKENHI JP23KK0245); Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 - VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS 2023/51/B/ST2/02507, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, NCN & H2020 MSCA 945339, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085, UMO-2023/51/B/ST2/00920); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS 22:2312), Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW

2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2\_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.



## References

- [1] Particle Data Group, S. Navas et al., *Review of Particle Physics*, [Phys. Rev. D \*\*110\*\* \(2024\) 030001](#).
- [2] ATLAS Collaboration, *Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at  $\sqrt{s} = 8$  TeV*, [Eur. Phys. J. C \*\*75\*\* \(2015\) 303](#), arXiv: [1412.7086 \[hep-ex\]](#).
- [3] ATLAS Collaboration, *Measurement of the tau lepton reconstruction and identification performance in the ATLAS experiment using pp collisions at  $\sqrt{s} = 13$  TeV*, ATLAS-CONF-2017-029, 2017, URL: <https://cds.cern.ch/record/2261772>.
- [4] ATLAS Collaboration, *Identification of hadronic tau lepton decays using neural networks in the ATLAS experiment*, ATL-PHYS-PUB-2019-033, 2019, URL: <https://cds.cern.ch/record/2688062>.
- [5] ATLAS Collaboration, *Reconstruction, Identification, and Calibration of hadronically decaying tau leptons with the ATLAS detector for the LHC Run 3 and reprocessed Run 2 data*, ATL-PHYS-PUB-2022-044, 2022, URL: <https://cds.cern.ch/record/2827111>.
- [6] M. Cacciari, G. P. Salam and G. Soyez, *The anti- $k_t$  jet clustering algorithm*, [JHEP \*\*04\*\* \(2008\) 063](#), arXiv: [0802.1189 \[hep-ph\]](#).
- [7] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, [Eur. Phys. J. C \*\*72\*\* \(2012\) 1896](#), arXiv: [1111.6097 \[hep-ph\]](#).
- [8] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, [Eur. Phys. J. C \*\*77\*\* \(2017\) 490](#), arXiv: [1603.02934 \[hep-ex\]](#).
- [9] T. Barillari et al., *Local Hadronic Calibration*, ATL-LARG-PUB-2009-001-2, 2008, URL: <https://cds.cern.ch/record/1112035>.
- [10] ATLAS Collaboration, *Reconstruction and identification of boosted di- $\tau$  systems in a search for Higgs boson pairs using 13 TeV proton–proton collision data in ATLAS*, ATLAS-CONF-2020-012, 2020, URL: <https://cds.cern.ch/record/2719518>.
- [11] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at  $\sqrt{s} = 13$  TeV*, [Eur. Phys. J. C \*\*81\*\* \(2021\) 578](#), arXiv: [2012.00578 \[hep-ex\]](#).
- [12] L. Randall and R. Sundrum, *Large Mass Hierarchy from a Small Extra Dimension*, [Phys. Rev. Lett. \*\*83\*\* \(1999\) 3370](#), arXiv: [9905221 \[hep-ph\]](#).
- [13] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, [JINST \*\*3\*\* \(2008\) S08003](#).
- [14] L. Evans and P. Bryant, *LHC Machine*, [JINST \*\*3\*\* \(2008\) S08001](#).
- [15] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, [JINST \*\*13\*\* \(2018\) P07017](#).
- [16] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, [Eur. Phys. J. C \*\*77\*\* \(2017\) 317](#), arXiv: [1611.09661 \[hep-ex\]](#).
- [17] ATLAS Collaboration, *Software and computing for Run 3 of the ATLAS experiment at the LHC*, (2024), arXiv: [2404.06335 \[hep-ex\]](#).

- [18] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: [1005.4568 \[physics.ins-det\]](#).
- [19] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079, arXiv: [1405.0301 \[hep-ph\]](#).
- [20] NNPDF Collaboration, R. D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: [1207.1303 \[hep-ph\]](#).
- [21] S. Frixione, G. Ridolfi and P. Nason, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126, arXiv: [0707.3088 \[hep-ph\]](#).
- [22] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040, arXiv: [hep-ph/0409146](#).
- [23] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070, arXiv: [0709.2092 \[hep-ph\]](#).
- [24] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043, arXiv: [1002.2581 \[hep-ph\]](#).
- [25] NNPDF Collaboration, R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [26] ATLAS Collaboration, *Studies on top-quark Monte Carlo modelling for Top2016*, ATL-PHYS-PUB-2016-020, 2016, URL: <https://cds.cern.ch/record/2216168>.
- [27] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: [1410.3012 \[hep-ph\]](#).
- [28] ATLAS Collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021, 2014, URL: <https://cds.cern.ch/record/1966419>.
- [29] D. J. Lange, *The EvtGen particle decay simulation package*, *Nucl. Instrum. Meth. A* **462** (2001) 152.
- [30] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: [0710.3820 \[hep-ph\]](#).
- [31] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [32] A. D. Martin, W. J. Stirling, R. S. Thorne and G. Watt, *Parton distributions for the LHC*, *Eur. Phys. J. C* **63** (2009) 189, arXiv: [0901.0002 \[hep-ph\]](#).
- [33] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [34] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: [1911.04632 \[physics.ins-det\]](#).
- [35] ATLAS Collaboration, *Luminosity determination in pp collisions at  $\sqrt{s} = 13$  TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982, arXiv: [2212.09379 \[hep-ex\]](#).

- [36] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [37] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [38] ATLAS Collaboration, *Measurement of the transverse momentum distribution of Drell–Yan lepton pairs in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*, *Eur. Phys. J. C* **80** (2020) 616, arXiv: [1912.02844 \[hep-ex\]](#).
- [39] ATLAS Collaboration, *Modelling and computational improvements to the simulation of single vector-boson plus jet processes for the ATLAS experiment*, *JHEP* **08** (2022) 089, arXiv: [2112.09588 \[hep-ex\]](#).
- [40] R. Frederix, E. Re and P. Torrielli, *Single-top  $t$ -channel hadroproduction in the four-flavour scheme with POWHEG and aMC@NLO*, *JHEP* **09** (2012) 130, arXiv: [1207.5391 \[hep-ph\]](#).
- [41] S. Frixione, E. Laenen, P. Motylinski, C. White and B. R. Webber, *Single-top hadroproduction in association with a  $W$  boson*, *JHEP* **07** (2008) 029, arXiv: [0805.3067 \[hep-ph\]](#).
- [42] ATLAS Collaboration, *Measurements of Higgs boson production cross-sections in the  $H \rightarrow \tau^+\tau^-$  decay channel in  $pp$  collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*, *JHEP* **08** (2022) 175, arXiv: [2201.08269 \[hep-ex\]](#).
- [43] ATLAS Collaboration, *Studies of the muon momentum calibration and performance of the ATLAS detector with  $pp$  collisions at  $\sqrt{s} = 13$  TeV*, *Eur. Phys. J. C* **83** (2023) 686, arXiv: [2212.07338 \[hep-ex\]](#).
- [44] ATLAS Collaboration, *Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment*, *Eur. Phys. J. C* **76** (2016) 295, arXiv: [1512.05955 \[hep-ex\]](#).
- [45] ATLAS Collaboration, *The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using  $140\text{fb}^{-1}$  of  $\sqrt{s} = 13$  TeV  $pp$  collisions*, (2024), arXiv: [2402.05858 \[hep-ex\]](#).
- [46] R. Ellis, I. Hinchliffe, M. Soldate and J. Van Der Bij, *Higgs decay to  $\tau^+\tau^-$  A possible signature of intermediate mass Higgs bosons at high energy hadron colliders*, *Nucl. Phys. B* **297** (1988) 221.
- [47] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [48] ATLAS Collaboration, *Performance of the ATLAS muon triggers in Run 2*, *JINST* **15** (2020) P09015, arXiv: [2004.13447 \[physics.ins-det\]](#).
- [49] ATLAS Collaboration, *Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking*, *JHEP* **08** (2020) 080, arXiv: [2005.09554 \[hep-ex\]](#).
- [50] ATLAS Collaboration, *ATLAS flavour-tagging algorithms for the LHC Run 2  $pp$  collision dataset*, *Eur. Phys. J. C* **83** (2023) 681, arXiv: [2211.16345 \[physics.data-an\]](#).
- [51] ATLAS Collaboration, *Jet energy scale and resolution measured in proton–proton collisions at  $\sqrt{s} = 13$  TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689, arXiv: [2007.02645 \[hep-ex\]](#).

- [52] ATLAS Collaboration, *Precise measurements of W- and Z-boson transverse momentum spectra with the ATLAS detector using pp collisions at  $\sqrt{s} = 5.02$  TeV and 13 TeV*, (2024), arXiv: [2404.06204](https://arxiv.org/abs/2404.06204) [hep-ex].
- [53] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

## The ATLAS Collaboration

G. Aad <sup>104</sup>, E. Aakvaag <sup>17</sup>, B. Abbott <sup>123</sup>, S. Abdelhameed <sup>119a</sup>, K. Abeling <sup>56</sup>, N.J. Abicht <sup>50</sup>, S.H. Abidi <sup>30</sup>, M. Aboeela <sup>46</sup>, A. Aboulhorma <sup>36e</sup>, H. Abramowicz <sup>155</sup>, Y. Abulaiti <sup>120</sup>, B.S. Acharya <sup>70a,70b,n</sup>, A. Ackermann <sup>64a</sup>, C. Adam Bourdarios <sup>4</sup>, L. Adamczyk <sup>87a</sup>, S.V. Addepalli <sup>147</sup>, M.J. Addison <sup>103</sup>, J. Adelman <sup>118</sup>, A. Adiguzel <sup>22c</sup>, T. Adye <sup>137</sup>, A.A. Affolder <sup>139</sup>, Y. Afik <sup>41</sup>, M.N. Agaras <sup>13</sup>, A. Aggarwal <sup>102</sup>, C. Agheorghiesei <sup>28c</sup>, F. Ahmadov <sup>40,ac</sup>, S. Ahuja <sup>97</sup>, X. Ai <sup>63e</sup>, G. Aielli <sup>77a,77b</sup>, A. Aikot <sup>167</sup>, M. Ait Tamlihat <sup>36e</sup>, B. Aitbenkikh <sup>36a</sup>, M. Akbiyik <sup>102</sup>, T.P.A. Åkesson <sup>100</sup>, A.V. Akimov <sup>149</sup>, D. Akiyama <sup>172</sup>, N.N. Akolkar <sup>25</sup>, S. Aktas <sup>22a</sup>, G.L. Alberghi <sup>24b</sup>, J. Albert <sup>169</sup>, P. Albicocco <sup>54</sup>, G.L. Albouy <sup>61</sup>, S. Alderweireldt <sup>53</sup>, Z.L. Alegria <sup>124</sup>, M. Aleksa <sup>37</sup>, I.N. Aleksandrov <sup>40</sup>, C. Alexa <sup>28b</sup>, T. Alexopoulos <sup>10</sup>, F. Alfonsi <sup>24b</sup>, M. Algren <sup>57</sup>, M. Alhroob <sup>171</sup>, B. Ali <sup>135</sup>, H.M.J. Ali <sup>93,w</sup>, S. Ali <sup>32</sup>, S.W. Alibocus <sup>94</sup>, M. Aliev <sup>34c</sup>, G. Alimonti <sup>72a</sup>, W. Alkahi <sup>56</sup>, C. Allaire <sup>67</sup>, B.M.M. Allbrooke <sup>150</sup>, J.S. Allen <sup>103</sup>, J.F. Allen <sup>53</sup>, C.A. Allendes Flores <sup>140f</sup>, P.P. Allport <sup>21</sup>, A. Aloisio <sup>73a,73b</sup>, F. Alonso <sup>92</sup>, C. Alpigiani <sup>142</sup>, Z.M.K. Alsolami <sup>93</sup>, A. Alvarez Fernandez <sup>102</sup>, M. Alves Cardoso <sup>57</sup>, M.G. Alviggi <sup>73a,73b</sup>, M. Aly <sup>103</sup>, Y. Amaral Coutinho <sup>84b</sup>, A. Ambler <sup>106</sup>, C. Amelung <sup>37</sup>, M. Amerl <sup>103</sup>, C.G. Ames <sup>111</sup>, D. Amidei <sup>108</sup>, B. Amini <sup>55</sup>, K.J. Amirie <sup>158</sup>, A. Amirkhanov <sup>39</sup>, S.P. Amor Dos Santos <sup>133a</sup>, K.R. Amos <sup>167</sup>, D. Amperiadou <sup>156</sup>, S. An <sup>85</sup>, V. Ananiev <sup>128</sup>, C. Anastopoulos <sup>143</sup>, T. Andeen <sup>11</sup>, J.K. Anders <sup>94</sup>, A.C. Anderson <sup>60</sup>, A. Andreazza <sup>72a,72b</sup>, S. Angelidakis <sup>9</sup>, A. Angerami <sup>43</sup>, A.V. Anisenkov <sup>39</sup>, A. Annovi <sup>75a</sup>, C. Antel <sup>57</sup>, E. Antipov <sup>149</sup>, M. Antonelli <sup>54</sup>, F. Anulli <sup>76a</sup>, M. Aoki <sup>85</sup>, T. Aoki <sup>157</sup>, M.A. Aparo <sup>150</sup>, L. Aperio Bella <sup>49</sup>, C. Appelt <sup>155</sup>, A. Apyan <sup>27</sup>, S.J. Arbiol Val <sup>88</sup>, C. Arcangeletti <sup>54</sup>, A.T.H. Arce <sup>52</sup>, J-F. Arguin <sup>110</sup>, S. Argyropoulos <sup>156</sup>, J.-H. Arling <sup>49</sup>, O. Arnaez <sup>4</sup>, H. Arnold <sup>149</sup>, G. Artoni <sup>76a,76b</sup>, H. Asada <sup>113</sup>, K. Asai <sup>121</sup>, S. Asai <sup>157</sup>, N.A. Asbah <sup>37</sup>, R.A. Ashby Pickering <sup>171</sup>, A.M. Aslam <sup>97</sup>, K. Assamagan <sup>30</sup>, R. Astalos <sup>29a</sup>, K.S.V. Astrand <sup>100</sup>, S. Atashi <sup>162</sup>, R.J. Atkin <sup>34a</sup>, H. Atmani <sup>36f</sup>, P.A. Atmasiddha <sup>131</sup>, K. Augsten <sup>135</sup>, A.D. Auriol <sup>42</sup>, V.A. Austrup <sup>103</sup>, G. Avolio <sup>37</sup>, K. Axiotis <sup>57</sup>, G. Azuelos <sup>110,ag</sup>, D. Babal <sup>29b</sup>, H. Bachacou <sup>138</sup>, K. Bachas <sup>156,r</sup>, A. Bachi <sup>35</sup>, E. Bachmann <sup>51</sup>, A. Badea <sup>41</sup>, T.M. Baer <sup>108</sup>, P. Bagnaia <sup>76a,76b</sup>, M. Bahmani <sup>19</sup>, D. Bahner <sup>55</sup>, K. Bai <sup>126</sup>, J.T. Baines <sup>137</sup>, L. Baines <sup>96</sup>, O.K. Baker <sup>176</sup>, E. Bakos <sup>16</sup>, D. Bakshi Gupta <sup>8</sup>, L.E. Balabram Filho <sup>84b</sup>, V. Balakrishnan <sup>123</sup>, R. Balasubramanian <sup>4</sup>, E.M. Baldin <sup>39</sup>, P. Balek <sup>87a</sup>, E. Ballabene <sup>24b,24a</sup>, F. Balli <sup>138</sup>, L.M. Baltes <sup>64a</sup>, W.K. Balunas <sup>33</sup>, J. Balz <sup>102</sup>, I. Bamwidhi <sup>119b</sup>, E. Banas <sup>88</sup>, M. Bandieramonte <sup>132</sup>, A. Bandyopadhyay <sup>25</sup>, S. Bansal <sup>25</sup>, L. Barak <sup>155</sup>, M. Barakat <sup>49</sup>, E.L. Barberio <sup>107</sup>, D. Barberis <sup>58b,58a</sup>, M. Barbero <sup>104</sup>, M.Z. Barel <sup>117</sup>, T. Barillari <sup>112</sup>, M-S. Barisits <sup>37</sup>, T. Barklow <sup>147</sup>, P. Baron <sup>125</sup>, D.A. Baron Moreno <sup>103</sup>, A. Baroncelli <sup>63a</sup>, A.J. Barr <sup>129</sup>, J.D. Barr <sup>98</sup>, F. Barreiro <sup>101</sup>, J. Barreiro Guimarães da Costa <sup>14</sup>, M.G. Barros Teixeira <sup>133a</sup>, S. Barsov <sup>39</sup>, F. Bartels <sup>64a</sup>, R. Bartoldus <sup>147</sup>, A.E. Barton <sup>93</sup>, P. Bartos <sup>29a</sup>, A. Basan <sup>102</sup>, M. Baselga <sup>50</sup>, S. Bashiri <sup>88</sup>, A. Bassalat <sup>67,b</sup>, M.J. Basso <sup>159a</sup>, S. Bataju <sup>46</sup>, R. Bate <sup>168</sup>, R.L. Bates <sup>60</sup>, S. Batlamous <sup>101</sup>, M. Battaglia <sup>139</sup>, D. Battulga <sup>19</sup>, M. Bauge <sup>76a,76b</sup>, M. Bauer <sup>80</sup>, P. Bauer <sup>25</sup>, L.T. Bazzano Hurrell <sup>31</sup>, J.B. Beacham <sup>112</sup>, T. Beau <sup>130</sup>, J.Y. Beaucamp <sup>92</sup>, P.H. Beauchemin <sup>161</sup>, P. Bechtel <sup>25</sup>, H.P. Beck <sup>20,q</sup>, K. Becker <sup>171</sup>, A.J. Beddall <sup>83</sup>, V.A. Bednyakov <sup>40</sup>, C.P. Bee <sup>149</sup>, L.J. Beemster <sup>16</sup>, M. Begalli <sup>84d</sup>, M. Begel <sup>30</sup>, J.K. Behr <sup>49</sup>, J.F. Beirer <sup>37</sup>, F. Beisiegel <sup>25</sup>, M. Belfkir <sup>119b</sup>, G. Bella <sup>155</sup>, L. Bellagamba <sup>24b</sup>, A. Bellerive <sup>35</sup>, P. Bellos <sup>21</sup>, K. Beloborodov <sup>39</sup>, D. Bencheikroun <sup>36a</sup>, F. Bendebba <sup>36a</sup>, Y. Benhammou <sup>155</sup>, K.C. Benkendorfer <sup>62</sup>, L. Beresford <sup>49</sup>, M. Beretta <sup>54</sup>, E. Bergeas Kuutmann <sup>165</sup>, N. Berger <sup>4</sup>, B. Bergmann <sup>135</sup>, J. Beringer <sup>18a</sup>,

G. Bernardi <sup>5</sup>, C. Bernius <sup>147</sup>, F.U. Bernlochner <sup>25</sup>, F. Bernon <sup>37</sup>, A. Berrocal Guardia <sup>13</sup>, T. Berry <sup>97</sup>, P. Berta <sup>136</sup>, A. Berthold <sup>51</sup>, S. Bethke <sup>112</sup>, A. Betti <sup>76a,76b</sup>, A.J. Bevan <sup>96</sup>, N.K. Bhalla <sup>55</sup>, S. Bharthuar <sup>112</sup>, S. Bhatta <sup>149</sup>, D.S. Bhattacharya <sup>170</sup>, P. Bhattarai <sup>147</sup>, Z.M. Bhatti <sup>120</sup>, K.D. Bhide <sup>55</sup>, V.S. Bhopatkar <sup>124</sup>, R.M. Bianchi <sup>132</sup>, G. Bianco <sup>24b,24a</sup>, O. Biebel <sup>111</sup>, M. Biglietti <sup>78a</sup>, C.S. Billingsley <sup>46</sup>, Y. Bimgdi <sup>36f</sup>, M. Bindi <sup>56</sup>, A. Bingham <sup>175</sup>, A. Bingul <sup>22b</sup>, C. Bini <sup>76a,76b</sup>, G.A. Bird <sup>33</sup>, M. Birman <sup>173</sup>, M. Biros <sup>136</sup>, S. Biryukov <sup>150</sup>, T. Bisanz <sup>50</sup>, E. Bisceglie <sup>45b,45a</sup>, J.P. Biswal <sup>137</sup>, D. Biswas <sup>145</sup>, I. Bloch <sup>49</sup>, A. Blue <sup>60</sup>, U. Blumenschein <sup>96</sup>, J. Blumenthal <sup>102</sup>, V.S. Bobrovnikov <sup>39</sup>, M. Boehler <sup>55</sup>, B. Boehm <sup>170</sup>, D. Bogavac <sup>37</sup>, A.G. Bogdanchikov <sup>39</sup>, L.S. Boggia <sup>130</sup>, V. Boisvert <sup>97</sup>, P. Bokan <sup>37</sup>, T. Bold <sup>87a</sup>, M. Bomben <sup>5</sup>, M. Bona <sup>96</sup>, M. Boonekamp <sup>138</sup>, A.G. Borbély <sup>60</sup>, I.S. Bordulev <sup>39</sup>, G. Borisso <sup>93</sup>, D. Bortoletto <sup>129</sup>, D. Boscherini <sup>24b</sup>, M. Bosman <sup>13</sup>, K. Bouaouda <sup>36a</sup>, N. Bouchhar <sup>167</sup>, L. Boudet <sup>4</sup>, J. Boudreau <sup>132</sup>, E.V. Bouhova-Thacker <sup>93</sup>, D. Boumediene <sup>42</sup>, R. Bouquet <sup>58b,58a</sup>, A. Boveia <sup>122</sup>, J. Boyd <sup>37</sup>, D. Boye <sup>30</sup>, I.R. Boyko <sup>40</sup>, L. Bozianu <sup>57</sup>, J. Bracinik <sup>21</sup>, N. Brahimi <sup>4</sup>, G. Brandt <sup>175</sup>, O. Brandt <sup>33</sup>, B. Brau <sup>105</sup>, J.E. Brau <sup>126</sup>, R. Brenner <sup>173</sup>, L. Brenner <sup>117</sup>, R. Brenner <sup>165</sup>, S. Bressler <sup>173</sup>, G. Brianti <sup>79a,79b</sup>, D. Britton <sup>60</sup>, D. Britzger <sup>112</sup>, I. Brock <sup>25</sup>, R. Brock <sup>109</sup>, G. Brooijmans <sup>43</sup>, A.J. Brooks <sup>69</sup>, E.M. Brooks <sup>159b</sup>, E. Brost <sup>30</sup>, L.M. Brown <sup>169</sup>, L.E. Bruce <sup>62</sup>, T.L. Bruckler <sup>129</sup>, P.A. Bruckman de Renstrom <sup>88</sup>, B. Brüers <sup>49</sup>, A. Bruni <sup>24b</sup>, G. Bruni <sup>24b</sup>, D. Brunner <sup>48a,48b</sup>, M. Bruschi <sup>24b</sup>, N. Bruscinò <sup>76a,76b</sup>, T. Buanes <sup>17</sup>, Q. Buat <sup>142</sup>, D. Buchin <sup>112</sup>, A.G. Buckley <sup>60</sup>, O. Bulekov <sup>39</sup>, B.A. Bullard <sup>147</sup>, S. Burdin <sup>94</sup>, C.D. Burgard <sup>50</sup>, A.M. Burger <sup>37</sup>, B. Burghgrave <sup>8</sup>, O. Burlayenko <sup>55</sup>, J. Burleson <sup>166</sup>, J.T.P. Burr <sup>33</sup>, J.C. Burzynski <sup>146</sup>, E.L. Busch <sup>43</sup>, V. Büscher <sup>102</sup>, P.J. Bussey <sup>60</sup>, J.M. Butler <sup>26</sup>, C.M. Buttar <sup>60</sup>, J.M. Butterworth <sup>98</sup>, W. Buttinger <sup>137</sup>, C.J. Buxo Vazquez <sup>109</sup>, A.R. Buzykaev <sup>39</sup>, S. Cabrera Urbán <sup>167</sup>, L. Cadamuro <sup>67</sup>, D. Caforio <sup>59</sup>, H. Cai <sup>132</sup>, Y. Cai <sup>24b,114c,24a</sup>, Y. Cai <sup>114a</sup>, V.M.M. Cairo <sup>37</sup>, O. Cakir <sup>3a</sup>, N. Calace <sup>37</sup>, P. Calafiura <sup>18a</sup>, G. Calderini <sup>130</sup>, P. Calfayan <sup>35</sup>, G. Callea <sup>60</sup>, L.P. Caloba <sup>84b</sup>, D. Calvet <sup>42</sup>, S. Calvet <sup>42</sup>, R. Camacho Toro <sup>130</sup>, S. Camarda <sup>37</sup>, D. Camarero Munoz <sup>27</sup>, P. Camarri <sup>77a,77b</sup>, M.T. Camerlingo <sup>73a,73b</sup>, D. Cameron <sup>37</sup>, C. Camincher <sup>169</sup>, M. Campanelli <sup>98</sup>, A. Camplani <sup>44</sup>, V. Canale <sup>73a,73b</sup>, A.C. Canbay <sup>3a</sup>, E. Canonero <sup>97</sup>, J. Cantero <sup>167</sup>, Y. Cao <sup>166</sup>, F. Capocasa <sup>27</sup>, M. Capua <sup>45b,45a</sup>, A. Carbone <sup>72a,72b</sup>, R. Cardarelli <sup>77a</sup>, J.C.J. Cardenas <sup>8</sup>, M.P. Cardiff <sup>27</sup>, G. Carducci <sup>45b,45a</sup>, T. Carli <sup>37</sup>, G. Carlino <sup>73a</sup>, J.I. Carlotto <sup>13</sup>, B.T. Carlson <sup>132,s</sup>, E.M. Carlson <sup>169</sup>, J. Carmignani <sup>94</sup>, L. Carminati <sup>72a,72b</sup>, A. Carnelli <sup>138</sup>, M. Carnesale <sup>37</sup>, S. Caron <sup>116</sup>, E. Carquin <sup>140f</sup>, I.B. Carr <sup>107</sup>, S. Carrá <sup>72a</sup>, G. Carratta <sup>24b,24a</sup>, A.M. Carroll <sup>126</sup>, M.P. Casado <sup>13,i</sup>, M. Caspar <sup>49</sup>, F.L. Castillo <sup>4</sup>, L. Castillo Garcia <sup>13</sup>, V. Castillo Gimenez <sup>167</sup>, N.F. Castro <sup>133a,133e</sup>, A. Catinaccio <sup>37</sup>, J.R. Catmore <sup>128</sup>, T. Cavaliere <sup>4</sup>, V. Cavaliere <sup>30</sup>, L.J. Caviedes Betancourt <sup>23b</sup>, Y.C. Cekmecelioglu <sup>49</sup>, E. Celebi <sup>83</sup>, S. Cella <sup>37</sup>, V. Cepaitis <sup>57</sup>, K. Cerny <sup>125</sup>, A.S. Cerqueira <sup>84a</sup>, A. Cerri <sup>75a,75b</sup>, L. Cerrito <sup>77a,77b</sup>, F. Cerutti <sup>18a</sup>, B. Cervato <sup>145</sup>, A. Cervelli <sup>24b</sup>, G. Cesarini <sup>54</sup>, S.A. Cetin <sup>83</sup>, P.M. Chabrilat <sup>130</sup>, J. Chan <sup>18a</sup>, W.Y. Chan <sup>157</sup>, J.D. Chapman <sup>33</sup>, E. Chapon <sup>138</sup>, B. Chargeishvili <sup>153b</sup>, D.G. Charlton <sup>21</sup>, C. Chauhan <sup>136</sup>, Y. Che <sup>114a</sup>, S. Chekanov <sup>6</sup>, S.V. Chekulaev <sup>159a</sup>, G.A. Chelkov <sup>40,a</sup>, B. Chen <sup>155</sup>, B. Chen <sup>169</sup>, H. Chen <sup>114a</sup>, H. Chen <sup>30</sup>, J. Chen <sup>63c</sup>, J. Chen <sup>146</sup>, M. Chen <sup>129</sup>, S. Chen <sup>89</sup>, S.J. Chen <sup>114a</sup>, X. Chen <sup>63c</sup>, X. Chen <sup>15,af</sup>, Y. Chen <sup>63a</sup>, C.L. Cheng <sup>174</sup>, H.C. Cheng <sup>65a</sup>, S. Cheong <sup>147</sup>, A. Cheplakov <sup>40</sup>, E. Cheremushkina <sup>49</sup>, E. Cherepanova <sup>117</sup>, R. Cherkaoui El Moursli <sup>36e</sup>, E. Cheu <sup>7</sup>, K. Cheung <sup>66</sup>, L. Chevalier <sup>138</sup>, V. Chiarella <sup>54</sup>, G. Chiarelli <sup>75a</sup>, N. Chiedde <sup>104</sup>, G. Chiodini <sup>71a</sup>, A.S. Chisholm <sup>21</sup>, A. Chitan <sup>28b</sup>, M. Chitishvili <sup>167</sup>, M.V. Chizhov <sup>40,t</sup>, K. Choi <sup>11</sup>, Y. Chou <sup>142</sup>, E.Y.S. Chow <sup>116</sup>, K.L. Chu <sup>173</sup>, M.C. Chu <sup>65a</sup>, X. Chu <sup>14,114c</sup>, Z. Chubinidze <sup>54</sup>, J. Chudoba <sup>134</sup>, J.J. Chwastowski <sup>88</sup>, D. Cieri <sup>112</sup>, K.M. Ciesla <sup>87a</sup>, V. Cindro <sup>95</sup>, A. Ciocio <sup>18a</sup>, F. Ciroto <sup>73a,73b</sup>, Z.H. Citron <sup>173</sup>,



M. Citterio <sup>72a</sup>, D.A. Ciubotaru <sup>28b</sup>, A. Clark <sup>57</sup>, P.J. Clark <sup>53</sup>, N. Clarke Hall <sup>98</sup>, C. Clarry <sup>158</sup>,  
S.E. Clawson <sup>49</sup>, C. Clement <sup>48a,48b</sup>, Y. Coadou <sup>104</sup>, M. Cobal <sup>70a,70c</sup>, A. Coccaro <sup>58b</sup>,  
R.F. Coelho Barrue <sup>133a</sup>, R. Coelho Lopes De Sa <sup>105</sup>, S. Coelli <sup>72a</sup>, L.S. Colangeli <sup>158</sup>, B. Cole <sup>43</sup>,  
J. Collot <sup>61</sup>, P. Conde Muiño <sup>133a,133g</sup>, M.P. Connell <sup>34c</sup>, S.H. Connell <sup>34c</sup>, E.I. Conroy <sup>129</sup>,  
F. Conventi <sup>73a,ah</sup>, H.G. Cooke <sup>21</sup>, A.M. Cooper-Sarkar <sup>129</sup>, F.A. Corchia <sup>24b,24a</sup>,  
A. Cordeiro Oudot Choi <sup>130</sup>, L.D. Corpe <sup>42</sup>, M. Corradi <sup>76a,76b</sup>, F. Corriveau <sup>106,ab</sup>,  
A. Cortes-Gonzalez <sup>19</sup>, M.J. Costa <sup>167</sup>, F. Costanza <sup>4</sup>, D. Costanzo <sup>143</sup>, B.M. Cote <sup>122</sup>,  
J. Couthures <sup>4</sup>, G. Cowan <sup>97</sup>, K. Cranmer <sup>174</sup>, L. Cremer <sup>50</sup>, D. Cremonini <sup>24b,24a</sup>,  
S. Crépe-Renaudin <sup>61</sup>, F. Crescioli <sup>130</sup>, M. Cristinziani <sup>145</sup>, M. Cristoforetti <sup>79a,79b</sup>, V. Croft <sup>117</sup>,  
J.E. Crosby <sup>124</sup>, G. Crosetti <sup>45b,45a</sup>, A. Cueto <sup>101</sup>, H. Cui <sup>98</sup>, Z. Cui <sup>7</sup>, W.R. Cunningham <sup>60</sup>,  
F. Curcio <sup>167</sup>, J.R. Curran <sup>53</sup>, P. Czodrowski <sup>37</sup>, M.J. Da Cunha Sargedas De Sousa <sup>58b,58a</sup>,  
J.V. Da Fonseca Pinto <sup>84b</sup>, C. Da Via <sup>103</sup>, W. Dabrowski <sup>87a</sup>, T. Dado <sup>37</sup>, S. Dahbi <sup>152</sup>,  
T. Dai <sup>108</sup>, D. Dal Santo <sup>20</sup>, C. Dallapiccola <sup>105</sup>, M. Dam <sup>44</sup>, G. D'amen <sup>30</sup>, V. D'Amico <sup>111</sup>,  
J. Damp <sup>102</sup>, J.R. Dandoy <sup>35</sup>, D. Dannheim <sup>37</sup>, M. Danninger <sup>146</sup>, V. Dao <sup>149</sup>, G. Darbo <sup>58b</sup>,  
S.J. Das <sup>30</sup>, F. Dattola <sup>49</sup>, S. D'Auria <sup>72a,72b</sup>, A. D'Avanzo <sup>73a,73b</sup>, T. Davidek <sup>136</sup>, I. Dawson <sup>96</sup>,  
H.A. Day-hall <sup>135</sup>, K. De <sup>8</sup>, C. De Almeida Rossi <sup>158</sup>, R. De Asmundis <sup>73a</sup>, N. De Biase <sup>49</sup>,  
S. De Castro <sup>24b,24a</sup>, N. De Groot <sup>116</sup>, P. de Jong <sup>117</sup>, H. De la Torre <sup>118</sup>, A. De Maria <sup>114a</sup>,  
A. De Salvo <sup>76a</sup>, U. De Sanctis <sup>77a,77b</sup>, F. De Santis <sup>71a,71b</sup>, A. De Santo <sup>150</sup>,  
J.B. De Vivie De Regie <sup>61</sup>, J. Debevc <sup>95</sup>, D.V. Dedovich <sup>40</sup>, J. Degens <sup>94</sup>, A.M. Deiana <sup>46</sup>,  
J. Del Peso <sup>101</sup>, L. Delagrangé <sup>130</sup>, F. Deliot <sup>138</sup>, C.M. Delitzsch <sup>50</sup>, M. Della Pietra <sup>73a,73b</sup>,  
D. Della Volpe <sup>57</sup>, A. Dell'Acqua <sup>37</sup>, L. Dell'Asta <sup>72a,72b</sup>, M. Delmastro <sup>4</sup>, C.C. Delogu <sup>102</sup>,  
P.A. Delsart <sup>61</sup>, S. Demers <sup>176</sup>, M. Demichev <sup>40</sup>, S.P. Denisov <sup>39</sup>, H. Denizli <sup>22a,1</sup>,  
L. D'Eramo <sup>42</sup>, D. Derendarz <sup>88</sup>, F. Derue <sup>130</sup>, P. Dervan <sup>94</sup>, K. Desch <sup>25</sup>, C. Deutsch <sup>25</sup>,  
F.A. Di Bello <sup>58b,58a</sup>, A. Di Ciaccio <sup>77a,77b</sup>, L. Di Ciaccio <sup>4</sup>, A. Di Domenico <sup>76a,76b</sup>,  
C. Di Donato <sup>73a,73b</sup>, A. Di Girolamo <sup>37</sup>, G. Di Gregorio <sup>37</sup>, A. Di Luca <sup>79a,79b</sup>,  
B. Di Micco <sup>78a,78b</sup>, R. Di Nardo <sup>78a,78b</sup>, K.F. Di Petrillo <sup>41</sup>, M. Diamantopoulou <sup>35</sup>, F.A. Dias <sup>117</sup>,  
T. Dias Do Vale <sup>146</sup>, M.A. Diaz <sup>140a,140b</sup>, A.R. Didenko <sup>40</sup>, M. Didenko <sup>167</sup>, E.B. Diehl <sup>108</sup>,  
S. Díez Cornell <sup>49</sup>, C. Diez Pardos <sup>145</sup>, C. Dimitriadi <sup>148</sup>, A. Dimitrievska <sup>21</sup>, A. Dimri <sup>149</sup>,  
J. Dingfelder <sup>25</sup>, T. Dingley <sup>129</sup>, I-M. Dinu <sup>28b</sup>, S.J. Dittmeier <sup>64b</sup>, F. Dittus <sup>37</sup>, M. Divisek <sup>136</sup>,  
B. Dixit <sup>94</sup>, F. Djama <sup>104</sup>, T. Djobava <sup>153b</sup>, C. Doglioni <sup>103,100</sup>, A. Dohnalova <sup>29a</sup>, Z. Dolezal <sup>136</sup>,  
K. Domijan <sup>87a</sup>, K.M. Dona <sup>41</sup>, M. Donadelli <sup>84d</sup>, B. Dong <sup>109</sup>, J. Donini <sup>42</sup>,  
A. D'Onofrio <sup>73a,73b</sup>, M. D'Onofrio <sup>94</sup>, J. Dopke <sup>137</sup>, A. Doria <sup>73a</sup>, N. Dos Santos Fernandes <sup>133a</sup>,  
P. Dougan <sup>103</sup>, M.T. Dova <sup>92</sup>, A.T. Doyle <sup>60</sup>, M.A. Dragnet <sup>129</sup>, M.P. Drescher <sup>56</sup>, E. Dreyer <sup>173</sup>,  
I. Drivas-koulouris <sup>10</sup>, M. Drnevich <sup>120</sup>, M. Drozdova <sup>57</sup>, D. Du <sup>63a</sup>, T.A. du Pree <sup>117</sup>,  
F. Dubinin <sup>39</sup>, M. Dubovsky <sup>29a</sup>, E. Duchovni <sup>173</sup>, G. Duckeck <sup>111</sup>, O.A. Ducu <sup>28b</sup>, D. Duda <sup>53</sup>,  
A. Dudarev <sup>37</sup>, E.R. Duden <sup>27</sup>, M. D'uffizi <sup>103</sup>, L. Duflot <sup>67</sup>, M. Dührssen <sup>37</sup>, I. Duminica <sup>28g</sup>,  
A.E. Dumitriu <sup>28b</sup>, M. Dunford <sup>64a</sup>, S. Dungs <sup>50</sup>, K. Dunne <sup>48a,48b</sup>, A. Duperrin <sup>104</sup>,  
H. Duran Yildiz <sup>3a</sup>, M. Düren <sup>59</sup>, A. Durglishvili <sup>153b</sup>, D. Duvnjak <sup>35</sup>, B.L. Dwyer <sup>118</sup>,  
G.I. Dyckes <sup>18a</sup>, M. Dyndal <sup>87a</sup>, B.S. Dziedzic <sup>37</sup>, Z.O. Earnshaw <sup>150</sup>, G.H. Eberwein <sup>129</sup>,  
B. Eckerova <sup>29a</sup>, S. Eggebrecht <sup>56</sup>, E. Egidio Purcino De Souza <sup>84e</sup>, L.F. Ehrke <sup>57</sup>, G. Eigen <sup>17</sup>,  
K. Einsweiler <sup>18a</sup>, T. Ekelof <sup>165</sup>, P.A. Ekman <sup>100</sup>, S. El Farkh <sup>36b</sup>, Y. El Ghazali <sup>63a</sup>,  
H. El Jarrari <sup>37</sup>, A. El Moussaouy <sup>36a</sup>, V. Ellajosyula <sup>165</sup>, M. Ellert <sup>165</sup>, F. Ellinghaus <sup>175</sup>,  
N. Ellis <sup>37</sup>, J. Elmsheuser <sup>30</sup>, M. Elsayy <sup>119a</sup>, M. Elsing <sup>37</sup>, D. Emelianov <sup>137</sup>, Y. Enari <sup>85</sup>,  
I. Ene <sup>18a</sup>, S. Epari <sup>13</sup>, P.A. Erland <sup>88</sup>, D. Ernani Martins Neto <sup>88</sup>, M. Errenst <sup>175</sup>, M. Escalier <sup>67</sup>,  
C. Escobar <sup>167</sup>, E. Etzion <sup>155</sup>, G. Evans <sup>133a,133b</sup>, H. Evans <sup>69</sup>, L.S. Evans <sup>97</sup>, A. Ezhilov <sup>39</sup>,  
S. Ezzarqtouni <sup>36a</sup>, F. Fabbri <sup>24b,24a</sup>, L. Fabbri <sup>24b,24a</sup>, G. Facini <sup>98</sup>, V. Fadeyev <sup>139</sup>,  
R.M. Fakhrtudinov <sup>39</sup>, D. Fakoudis <sup>102</sup>, S. Falciano <sup>76a</sup>, L.F. Falda Ulhoa Coelho <sup>133a</sup>,



F. Fallavollita <sup>112</sup>, G. Falsetti <sup>45b,45a</sup>, J. Faltova <sup>136</sup>, C. Fan <sup>166</sup>, K.Y. Fan <sup>65b</sup>, Y. Fan <sup>14</sup>, Y. Fang <sup>14,114c</sup>, M. Fanti <sup>72a,72b</sup>, M. Faraj <sup>70a,70b</sup>, Z. Farazpay <sup>99</sup>, A. Farbin <sup>8</sup>, A. Farilla <sup>78a</sup>, T. Farooque <sup>109</sup>, J.N. Farr <sup>176</sup>, S.M. Farrington <sup>137,53</sup>, F. Fassi <sup>36e</sup>, D. Fassouliotis <sup>9</sup>, M. Faucci Giannelli <sup>77a,77b</sup>, W.J. Fawcett <sup>33</sup>, L. Fayard <sup>67</sup>, P. Federic <sup>136</sup>, P. Federicova <sup>134</sup>, O.L. Fedin <sup>39,a</sup>, M. Feickert <sup>174</sup>, L. Feligioni <sup>104</sup>, D.E. Fellers <sup>126</sup>, C. Feng <sup>63b</sup>, Z. Feng <sup>117</sup>, M.J. Fenton <sup>162</sup>, L. Ferencz <sup>49</sup>, R.A.M. Ferguson <sup>93</sup>, P. Fernandez Martinez <sup>68</sup>, M.J.V. Fernoux <sup>104</sup>, J. Ferrando <sup>93</sup>, A. Ferrari <sup>165</sup>, P. Ferrari <sup>117,116</sup>, R. Ferrari <sup>74a</sup>, D. Ferrere <sup>57</sup>, C. Ferretti <sup>108</sup>, M.P. Fewell <sup>1</sup>, D. Fiacco <sup>76a,76b</sup>, F. Fiedler <sup>102</sup>, P. Fiedler <sup>135</sup>, S. Filimonov <sup>39</sup>, A. Filipčič <sup>95</sup>, E.K. Filmer <sup>159a</sup>, F. Filthaut <sup>116</sup>, M.C.N. Fiolhais <sup>133a,133c,c</sup>, L. Fiorini <sup>167</sup>, W.C. Fisher <sup>109</sup>, T. Fitschen <sup>103</sup>, P.M. Fitzhugh <sup>138</sup>, I. Fleck <sup>145</sup>, P. Fleischmann <sup>108</sup>, T. Flick <sup>175</sup>, M. Flores <sup>34d,ad</sup>, L.R. Flores Castillo <sup>65a</sup>, L. Flores Sanz De Acedo <sup>37</sup>, F.M. Follega <sup>79a,79b</sup>, N. Fomin <sup>33</sup>, J.H. Foo <sup>158</sup>, A. Formica <sup>138</sup>, A.C. Forti <sup>103</sup>, E. Fortin <sup>37</sup>, A.W. Fortman <sup>18a</sup>, L. Fountas <sup>9,j</sup>, D. Fournier <sup>67</sup>, H. Fox <sup>93</sup>, P. Francavilla <sup>75a,75b</sup>, S. Francescato <sup>62</sup>, S. Franchellucci <sup>57</sup>, M. Franchini <sup>24b,24a</sup>, S. Franchino <sup>64a</sup>, D. Francis <sup>37</sup>, L. Franco <sup>116</sup>, V. Franco Lima <sup>37</sup>, L. Franconi <sup>49</sup>, M. Franklin <sup>62</sup>, G. Frattari <sup>27</sup>, Y.Y. Frid <sup>155</sup>, J. Friend <sup>60</sup>, N. Fritzsche <sup>37</sup>, A. Froch <sup>57</sup>, D. Froidevaux <sup>37</sup>, J.A. Frost <sup>129</sup>, Y. Fu <sup>109</sup>, S. Fuenzalida Garrido <sup>140f</sup>, M. Fujimoto <sup>104</sup>, K.Y. Fung <sup>65a</sup>, E. Furtado De Simas Filho <sup>84e</sup>, M. Furukawa <sup>157</sup>, J. Fuster <sup>167</sup>, A. Gaa <sup>56</sup>, A. Gabrielli <sup>24b,24a</sup>, A. Gabrielli <sup>158</sup>, P. Gadow <sup>37</sup>, G. Gagliardi <sup>58b,58a</sup>, L.G. Gagnon <sup>18a</sup>, S. Gaid <sup>164</sup>, S. Galantzan <sup>155</sup>, J. Gallagher <sup>1</sup>, E.J. Gallas <sup>129</sup>, A.L. Gallen <sup>165</sup>, B.J. Gallop <sup>137</sup>, K.K. Gan <sup>122</sup>, S. Ganguly <sup>157</sup>, Y. Gao <sup>53</sup>, A. Garabaglu <sup>142</sup>, F.M. Garay Walls <sup>140a,140b</sup>, B. Garcia <sup>30</sup>, C. García <sup>167</sup>, A. Garcia Alonso <sup>117</sup>, A.G. Garcia Caffaro <sup>176</sup>, J.E. García Navarro <sup>167</sup>, M. Garcia-Sciveres <sup>18a</sup>, G.L. Gardner <sup>131</sup>, R.W. Gardner <sup>41</sup>, N. Garelli <sup>161</sup>, R.B. Garg <sup>147</sup>, J.M. Gargan <sup>53</sup>, C.A. Garner <sup>158</sup>, C.M. Garvey <sup>34a</sup>, V.K. Gassmann <sup>161</sup>, G. Gaudio <sup>74a</sup>, V. Gautam <sup>13</sup>, P. Gauzzi <sup>76a,76b</sup>, J. Gavranovic <sup>95</sup>, I.L. Gavrilenko <sup>39</sup>, A. Gavrilyuk <sup>39</sup>, C. Gay <sup>168</sup>, G. Gaycken <sup>126</sup>, E.N. Gazis <sup>10</sup>, A. Gekow <sup>122</sup>, C. Gemme <sup>58b</sup>, M.H. Genest <sup>61</sup>, A.D. Gentry <sup>115</sup>, S. George <sup>97</sup>, W.F. George <sup>21</sup>, T. Geralis <sup>47</sup>, A.A. Gerwin <sup>123</sup>, P. Gessinger-Befurt <sup>37</sup>, M.E. Geyik <sup>175</sup>, M. Ghani <sup>171</sup>, K. Ghorbanian <sup>96</sup>, A. Ghosal <sup>145</sup>, A. Ghosh <sup>162</sup>, A. Ghosh <sup>7</sup>, B. Giacobbe <sup>24b</sup>, S. Giagu <sup>76a,76b</sup>, T. Giani <sup>117</sup>, A. Giannini <sup>63a</sup>, S.M. Gibson <sup>97</sup>, M. Gignac <sup>139</sup>, D.T. Gil <sup>87b</sup>, A.K. Gilbert <sup>87a</sup>, B.J. Gilbert <sup>43</sup>, D. Gillberg <sup>35</sup>, G. Gilles <sup>117</sup>, L. Ginabat <sup>130</sup>, D.M. Gingrich <sup>2,ag</sup>, M.P. Giordani <sup>70a,70c</sup>, P.F. Giraud <sup>138</sup>, G. Giugliarelli <sup>70a,70c</sup>, D. Giugni <sup>72a</sup>, F. Giuli <sup>77a,77b</sup>, I. Gkialas <sup>9,j</sup>, L.K. Gladilin <sup>39</sup>, C. Glasman <sup>101</sup>, G. Glemža <sup>49</sup>, M. Glisic <sup>126</sup>, I. Gnesi <sup>45b</sup>, Y. Go <sup>30</sup>, M. Goblirsch-Kolb <sup>37</sup>, B. Gocke <sup>50</sup>, D. Godin <sup>110</sup>, B. Gokturk <sup>22a</sup>, S. Goldfarb <sup>107</sup>, T. Golling <sup>57</sup>, M.G.D. Gololo <sup>34c</sup>, D. Golubkov <sup>39</sup>, J.P. Gombas <sup>109</sup>, A. Gomes <sup>133a,133b</sup>, G. Gomes Da Silva <sup>145</sup>, A.J. Gomez Delegido <sup>167</sup>, R. Gonçalo <sup>133a</sup>, L. Gonella <sup>21</sup>, A. Gongadze <sup>153c</sup>, F. Gonnella <sup>21</sup>, J.L. Gonski <sup>147</sup>, R.Y. González Andana <sup>53</sup>, S. González de la Hoz <sup>167</sup>, R. Gonzalez Lopez <sup>94</sup>, C. Gonzalez Renteria <sup>18a</sup>, M.V. Gonzalez Rodrigues <sup>49</sup>, R. Gonzalez Suarez <sup>165</sup>, S. Gonzalez-Sevilla <sup>57</sup>, L. Goossens <sup>37</sup>, B. Gorini <sup>37</sup>, E. Gorini <sup>71a,71b</sup>, A. Gorišek <sup>95</sup>, T.C. Gosart <sup>131</sup>, A.T. Goshaw <sup>52</sup>, M.I. Gostkin <sup>40</sup>, S. Goswami <sup>124</sup>, C.A. Gottardo <sup>37</sup>, S.A. Gotz <sup>111</sup>, M. Gouighri <sup>36b</sup>, A.G. Goussiou <sup>142</sup>, N. Govender <sup>34c</sup>, R.P. Grabarczyk <sup>129</sup>, I. Grabowska-Bold <sup>87a</sup>, K. Graham <sup>35</sup>, E. Gramstad <sup>128</sup>, S. Grancagnolo <sup>71a,71b</sup>, C.M. Grant <sup>1,138</sup>, P.M. Gravila <sup>28f</sup>, F.G. Gravili <sup>71a,71b</sup>, H.M. Gray <sup>18a</sup>, M. Greco <sup>112</sup>, M.J. Green <sup>1</sup>, C. Grefe <sup>25</sup>, A.S. Grefsrud <sup>17</sup>, I.M. Gregor <sup>49</sup>, K.T. Greif <sup>162</sup>, P. Grenier <sup>147</sup>, S.G. Grewe <sup>112</sup>, A.A. Grillo <sup>139</sup>, K. Grimm <sup>32</sup>, S. Grinstein <sup>13,x</sup>, J.-F. Grivaz <sup>67</sup>, E. Gross <sup>173</sup>, J. Grosse-Knetter <sup>56</sup>, L. Guan <sup>108</sup>, J.G.R. Guerrero Rojas <sup>167</sup>, G. Guerrieri <sup>37</sup>, R. Gugel <sup>102</sup>, J.A.M. Guhit <sup>108</sup>, A. Guida <sup>19</sup>, E. Guilloton <sup>171</sup>, S. Guindon <sup>37</sup>, F. Guo <sup>14,114c</sup>, J. Guo <sup>63c</sup>, L. Guo <sup>49</sup>, L. Guo <sup>114b,v</sup>, Y. Guo <sup>108</sup>, A. Gupta <sup>50</sup>, R. Gupta <sup>132</sup>, S. Gurbuz <sup>25</sup>, S.S. Gurdasani <sup>49</sup>, G. Gustavino <sup>76a,76b</sup>,

P. Gutierrez <sup>id123</sup>, L.F. Gutierrez Zagazeta <sup>id131</sup>, M. Gutsche <sup>id51</sup>, C. Gutschow <sup>id98</sup>, C. Gwenlan <sup>id129</sup>,  
 C.B. Gwilliam <sup>id94</sup>, E.S. Haaland <sup>id128</sup>, A. Haas <sup>id120</sup>, M. Habedank <sup>id60</sup>, C. Haber <sup>id18a</sup>,  
 H.K. Hadavand <sup>id8</sup>, A. Hadeef <sup>id51</sup>, A.I. Hagan <sup>id93</sup>, J.J. Hahn <sup>id145</sup>, E.H. Haines <sup>id98</sup>, M. Haleem <sup>id170</sup>,  
 J. Haley <sup>id124</sup>, G.D. Hallewell <sup>id104</sup>, L. Halser <sup>id20</sup>, K. Hamano <sup>id169</sup>, M. Hamer <sup>id25</sup>, E.J. Hampshire <sup>id97</sup>,  
 J. Han <sup>id63b</sup>, L. Han <sup>id114a</sup>, L. Han <sup>id63a</sup>, S. Han <sup>id18a</sup>, K. Hanagaki <sup>id85</sup>, M. Hance <sup>id139</sup>, D.A. Hangal <sup>id43</sup>,  
 H. Hanif <sup>id146</sup>, M.D. Hank <sup>id131</sup>, J.B. Hansen <sup>id44</sup>, P.H. Hansen <sup>id44</sup>, D. Harada <sup>id57</sup>, T. Harenberg <sup>id175</sup>,  
 S. Harkusha <sup>id177</sup>, M.L. Harris <sup>id105</sup>, Y.T. Harris <sup>id25</sup>, J. Harrison <sup>id13</sup>, N.M. Harrison <sup>id122</sup>,  
 P.F. Harrison <sup>id171</sup>, N.M. Hartman <sup>id112</sup>, N.M. Hartmann <sup>id111</sup>, R.Z. Hasan <sup>id97,137</sup>, Y. Hasegawa <sup>id144</sup>,  
 F. Haslbeck <sup>id129</sup>, S. Hassan <sup>id17</sup>, R. Hauser <sup>id109</sup>, C.M. Hawkes <sup>id21</sup>, R.J. Hawkings <sup>id37</sup>,  
 Y. Hayashi <sup>id157</sup>, D. Hayden <sup>id109</sup>, C. Hayes <sup>id108</sup>, R.L. Hayes <sup>id117</sup>, C.P. Hays <sup>id129</sup>, J.M. Hays <sup>id96</sup>,  
 H.S. Hayward <sup>id94</sup>, F. He <sup>id63a</sup>, M. He <sup>id14,114c</sup>, Y. He <sup>id49</sup>, Y. He <sup>id98</sup>, N.B. Heatley <sup>id96</sup>, V. Hedberg <sup>id100</sup>,  
 A.L. Heggelund <sup>id128</sup>, C. Heidegger <sup>id55</sup>, K.K. Heidegger <sup>id55</sup>, J. Heilman <sup>id35</sup>, S. Heim <sup>id49</sup>,  
 T. Heim <sup>id18a</sup>, J.G. Heinlein <sup>id131</sup>, J.J. Heinrich <sup>id126</sup>, L. Heinrich <sup>id112,ae</sup>, J. Hejbal <sup>id134</sup>, A. Held <sup>id174</sup>,  
 S. Hellesund <sup>id17</sup>, C.M. Helling <sup>id168</sup>, S. Hellman <sup>id48a,48b</sup>, R.C.W. Henderson <sup>id93</sup>, L. Henkelmann <sup>id33</sup>,  
 A.M. Henriques Correia <sup>id37</sup>, H. Herde <sup>id100</sup>, Y. Hernández Jiménez <sup>id149</sup>, L.M. Herrmann <sup>id25</sup>,  
 T. Herrmann <sup>id51</sup>, G. Herten <sup>id55</sup>, R. Hertenberger <sup>id111</sup>, L. Hervas <sup>id37</sup>, M.E. Hespings <sup>id102</sup>,  
 N.P. Hessey <sup>id159a</sup>, J. Hessler <sup>id112</sup>, M. Hidaoui <sup>id36b</sup>, N. Hidic <sup>id136</sup>, E. Hill <sup>id158</sup>, S.J. Hillier <sup>id21</sup>,  
 J.R. Hinds <sup>id109</sup>, F. Hinterkeuser <sup>id25</sup>, M. Hirose <sup>id127</sup>, S. Hirose <sup>id160</sup>, D. Hirschbuehl <sup>id175</sup>,  
 T.G. Hitchings <sup>id103</sup>, B. Hiti <sup>id95</sup>, J. Hobbs <sup>id149</sup>, R. Hobincu <sup>id28e</sup>, N. Hod <sup>id173</sup>, M.C. Hodgkinson <sup>id143</sup>,  
 B.H. Hodgkinson <sup>id129</sup>, A. Hoecker <sup>id37</sup>, D.D. Hofer <sup>id108</sup>, J. Hofer <sup>id167</sup>, M. Holzbock <sup>id37</sup>,  
 L.B.A.H. Hommels <sup>id33</sup>, B.P. Honan <sup>id103</sup>, J.J. Hong <sup>id69</sup>, J. Hong <sup>id63c</sup>, T.M. Hong <sup>id132</sup>,  
 B.H. Hooberman <sup>id166</sup>, W.H. Hopkins <sup>id6</sup>, M.C. Hoppesch <sup>id166</sup>, Y. Horii <sup>id113</sup>, M.E. Horstmann <sup>id112</sup>,  
 S. Hou <sup>id152</sup>, M.R. Housenga <sup>id166</sup>, A.S. Howard <sup>id95</sup>, J. Howarth <sup>id60</sup>, J. Hoya <sup>id6</sup>, M. Hrabovsky <sup>id125</sup>,  
 T. Hryn'ova <sup>id4</sup>, P.J. Hsu <sup>id66</sup>, S.-C. Hsu <sup>id142</sup>, T. Hsu <sup>id67</sup>, M. Hu <sup>id18a</sup>, Q. Hu <sup>id63a</sup>, S. Huang <sup>id33</sup>,  
 X. Huang <sup>id14,114c</sup>, Y. Huang <sup>id136</sup>, Y. Huang <sup>id114b</sup>, Y. Huang <sup>id102</sup>, Y. Huang <sup>id14</sup>, Z. Huang <sup>id103</sup>,  
 Z. Hubacek <sup>id135</sup>, M. Huebner <sup>id25</sup>, F. Huegging <sup>id25</sup>, T.B. Huffman <sup>id129</sup>,  
 M. Hufnagel Maranha De Faria <sup>id84a</sup>, C.A. Hugli <sup>id49</sup>, M. Huhtinen <sup>id37</sup>, S.K. Huiberts <sup>id17</sup>,  
 R. Hulsken <sup>id106</sup>, C.E. Hultquist <sup>id18a</sup>, N. Huseynov <sup>id12,g</sup>, J. Huston <sup>id109</sup>, J. Huth <sup>id62</sup>, R. Hyneman <sup>id7</sup>,  
 G. Iacobucci <sup>id57</sup>, G. Iakovidis <sup>id30</sup>, L. Iconomidou-Fayard <sup>id67</sup>, J.P. Iddon <sup>id37</sup>, P. Iengo <sup>id73a,73b</sup>,  
 R. Iguchi <sup>id157</sup>, Y. Iiyama <sup>id157</sup>, T. Iizawa <sup>id129</sup>, Y. Ikegami <sup>id85</sup>, D. Iliadis <sup>id156</sup>, N. Ilic <sup>id158</sup>,  
 H. Imam <sup>id84c</sup>, G. Inacio Goncalves <sup>id84d</sup>, S.A. Infante Cabanas <sup>id140c</sup>, T. Ingebretsen Carlson <sup>id48a,48b</sup>,  
 J.M. Inglis <sup>id96</sup>, G. Introzzi <sup>id74a,74b</sup>, M. Iodice <sup>id78a</sup>, V. Ippolito <sup>id76a,76b</sup>, R.K. Irwin <sup>id94</sup>, M. Ishino <sup>id157</sup>,  
 W. Islam <sup>id174</sup>, C. Issever <sup>id19</sup>, S. Istin <sup>id22a,al</sup>, H. Ito <sup>id172</sup>, R. Iuppa <sup>id79a,79b</sup>, A. Ivina <sup>id173</sup>, V. Izzo <sup>id73a</sup>,  
 P. Jacka <sup>id134</sup>, P. Jackson <sup>id1</sup>, C.S. Jagfeld <sup>id111</sup>, G. Jain <sup>id159a</sup>, P. Jain <sup>id49</sup>, K. Jakobs <sup>id55</sup>,  
 T. Jakoubek <sup>id173</sup>, J. Jamieson <sup>id60</sup>, W. Jang <sup>id157</sup>, M. Javurkova <sup>id105</sup>, P. Jawahar <sup>id103</sup>, L. Jeanty <sup>id126</sup>,  
 J. Jejelava <sup>id153a</sup>, P. Jenni <sup>id55,f</sup>, C.E. Jessiman <sup>id35</sup>, C. Jia <sup>id63b</sup>, H. Jia <sup>id168</sup>, J. Jia <sup>id149</sup>, X. Jia <sup>id14,114c</sup>,  
 Z. Jia <sup>id114a</sup>, C. Jiang <sup>id53</sup>, Q. Jiang <sup>id65b</sup>, S. Jiggins <sup>id49</sup>, J. Jimenez Pena <sup>id13</sup>, S. Jin <sup>id114a</sup>,  
 A. Jinaru <sup>id28b</sup>, O. Jinnouchi <sup>id141</sup>, P. Johansson <sup>id143</sup>, K.A. Johns <sup>id7</sup>, J.W. Johnson <sup>id139</sup>, F.A. Jolly <sup>id49</sup>,  
 D.M. Jones <sup>id150</sup>, E. Jones <sup>id49</sup>, K.S. Jones <sup>id8</sup>, P. Jones <sup>id33</sup>, R.W.L. Jones <sup>id93</sup>, T.J. Jones <sup>id94</sup>,  
 H.L. Joos <sup>id56,37</sup>, R. Joshi <sup>id122</sup>, J. Jovicevic <sup>id16</sup>, X. Ju <sup>id18a</sup>, J.J. Junggeburth <sup>id37</sup>, T. Junkermann <sup>id64a</sup>,  
 A. Juste Rozas <sup>id13,x</sup>, M.K. Juzek <sup>id88</sup>, S. Kabana <sup>id140e</sup>, A. Kaczmarek <sup>id88</sup>, M. Kado <sup>id112</sup>,  
 H. Kagan <sup>id122</sup>, M. Kagan <sup>id147</sup>, A. Kahn <sup>id131</sup>, C. Kahra <sup>id102</sup>, T. Kaji <sup>id157</sup>, E. Kajomovitz <sup>id154</sup>,  
 N. Kakati <sup>id173</sup>, I. Kalaitzidou <sup>id55</sup>, N.J. Kang <sup>id139</sup>, D. Kar <sup>id34g</sup>, K. Karava <sup>id129</sup>, E. Karentzos <sup>id25</sup>,  
 O. Karkout <sup>id117</sup>, S.N. Karpov <sup>id40</sup>, Z.M. Karpova <sup>id40</sup>, V. Kartvelishvili <sup>id93</sup>, A.N. Karyukhin <sup>id39</sup>,  
 E. Kasimi <sup>id156</sup>, J. Katzy <sup>id49</sup>, S. Kaur <sup>id35</sup>, K. Kawade <sup>id144</sup>, M.P. Kawale <sup>id123</sup>, C. Kawamoto <sup>id89</sup>,  
 T. Kawamoto <sup>id63a</sup>, E.F. Kay <sup>id37</sup>, F.I. Kaya <sup>id161</sup>, S. Kazakos <sup>id109</sup>, V.F. Kazanin <sup>id39</sup>, Y. Ke <sup>id149</sup>,  
 J.M. Keaveney <sup>id34a</sup>, R. Keeler <sup>id169</sup>, G.V. Kehris <sup>id62</sup>, J.S. Keller <sup>id35</sup>, J.J. Kempster <sup>id150</sup>, O. Kepka <sup>id134</sup>,

J. Kerr <sup>159b</sup>, B.P. Kerridge <sup>137</sup>, B.P. Kerševan <sup>95</sup>, L. Keszeghova <sup>29a</sup>, R.A. Khan <sup>132</sup>,  
 A. Khanov <sup>124</sup>, A.G. Kharlamov <sup>39</sup>, T. Kharlamova <sup>39</sup>, E.E. Khoda <sup>142</sup>, M. Kholodenko <sup>133a</sup>,  
 T.J. Khoo <sup>19</sup>, G. Khoriali <sup>170</sup>, J. Khubua <sup>153b,\*</sup>, Y.A.R. Khwaira <sup>130</sup>, B. Kibirige <sup>34g</sup>, D. Kim <sup>6</sup>,  
 D.W. Kim <sup>48a,48b</sup>, Y.K. Kim <sup>41</sup>, N. Kimura <sup>98</sup>, M.K. Kingston <sup>56</sup>, A. Kirchhoff <sup>56</sup>, C. Kirfel <sup>25</sup>,  
 F. Kirfel <sup>25</sup>, J. Kirk <sup>137</sup>, A.E. Kiryunin <sup>112</sup>, S. Kita <sup>160</sup>, C. Kitsaki <sup>10</sup>, O. Kivernyk <sup>25</sup>,  
 M. Klassen <sup>161</sup>, C. Klein <sup>35</sup>, L. Klein <sup>170</sup>, M.H. Klein <sup>46</sup>, S.B. Klein <sup>57</sup>, U. Klein <sup>94</sup>,  
 A. Klimentov <sup>30</sup>, T. Klioutchnikova <sup>37</sup>, P. Kluit <sup>117</sup>, S. Kluth <sup>112</sup>, E. Kneringer <sup>80</sup>,  
 T.M. Knight <sup>158</sup>, A. Knue <sup>50</sup>, D. Kobylanski <sup>173</sup>, S.F. Koch <sup>129</sup>, M. Kocian <sup>147</sup>, P. Kodyš <sup>136</sup>,  
 D.M. Koeck <sup>126</sup>, P.T. Koenig <sup>25</sup>, T. Koffas <sup>35</sup>, O. Kolay <sup>51</sup>, I. Koletsou <sup>4</sup>, T. Komarek <sup>88</sup>,  
 K. Köneke <sup>56</sup>, A.X.Y. Kong <sup>1</sup>, T. Kono <sup>121</sup>, N. Konstantinidis <sup>98</sup>, P. Kontaxakis <sup>57</sup>,  
 B. Konya <sup>100</sup>, R. Kopeliansky <sup>43</sup>, S. Koperny <sup>87a</sup>, K. Korcyl <sup>88</sup>, K. Kordas <sup>156,e</sup>, A. Korn <sup>98</sup>,  
 S. Korn <sup>56</sup>, I. Korolkov <sup>13</sup>, N. Korotkova <sup>39</sup>, B. Kortman <sup>117</sup>, O. Kortner <sup>112</sup>, S. Kortner <sup>112</sup>,  
 W.H. Kostecka <sup>118</sup>, V.V. Kostyukhin <sup>145</sup>, A. Kotsokechagia <sup>37</sup>, A. Kotwal <sup>52</sup>, A. Koulouris <sup>37</sup>,  
 A. Kourkoumeli-Charalampidi <sup>74a,74b</sup>, C. Kourkoumelis <sup>9</sup>, E. Kourlitis <sup>112,ae</sup>, O. Kovanda <sup>126</sup>,  
 R. Kowalewski <sup>169</sup>, W. Kozanecki <sup>126</sup>, A.S. Kozhin <sup>39</sup>, V.A. Kramarenko <sup>39</sup>, G. Kramberger <sup>95</sup>,  
 P. Kramer <sup>25</sup>, M.W. Krasny <sup>130</sup>, A. Krasznahorkay <sup>105</sup>, A.C. Kraus <sup>118</sup>, J.W. Kraus <sup>175</sup>,  
 J.A. Kremer <sup>49</sup>, T. Kresse <sup>51</sup>, L. Kretschmann <sup>175</sup>, J. Kretzschmar <sup>94</sup>, K. Kreul <sup>19</sup>,  
 P. Krieger <sup>158</sup>, K. Krizka <sup>21</sup>, K. Kroeninger <sup>50</sup>, H. Kroha <sup>112</sup>, J. Kroll <sup>134</sup>, J. Kroll <sup>131</sup>,  
 K.S. Krowpman <sup>109</sup>, U. Kruchonak <sup>40</sup>, H. Krüger <sup>25</sup>, N. Krumnack <sup>82</sup>, M.C. Kruse <sup>52</sup>,  
 O. Kuchinskaia <sup>39</sup>, S. Kuday <sup>3a</sup>, S. Kuehn <sup>37</sup>, R. Kuesters <sup>55</sup>, T. Kuhl <sup>49</sup>, V. Kukhtin <sup>40</sup>,  
 Y. Kulchitsky <sup>40</sup>, S. Kuleshov <sup>140d,140b</sup>, M. Kumar <sup>34g</sup>, N. Kumari <sup>49</sup>, P. Kumari <sup>159b</sup>,  
 A. Kupco <sup>134</sup>, T. Kupfer <sup>50</sup>, A. Kupich <sup>39</sup>, O. Kuprash <sup>55</sup>, H. Kurashige <sup>86</sup>, L.L. Kurchaninov <sup>159a</sup>,  
 O. Kurdysh <sup>67</sup>, Y.A. Kurochkin <sup>38</sup>, A. Kurova <sup>39</sup>, M. Kuze <sup>141</sup>, A.K. Kvam <sup>105</sup>, J. Kvita <sup>125</sup>,  
 N.G. Kyriacou <sup>108</sup>, L.A.O. Laatu <sup>104</sup>, C. Lacasta <sup>167</sup>, F. Lacava <sup>76a,76b</sup>, H. Lacker <sup>19</sup>,  
 D. Lacour <sup>130</sup>, N.N. Lad <sup>98</sup>, E. Ladygin <sup>40</sup>, A. Lafarge <sup>42</sup>, B. Laforge <sup>130</sup>, T. Lagouri <sup>176</sup>,  
 F.Z. Lahbabi <sup>36a</sup>, S. Lai <sup>56</sup>, J.E. Lambert <sup>169</sup>, S. Lammers <sup>69</sup>, W. Lampl <sup>7</sup>, C. Lampoudis <sup>156,e</sup>,  
 G. Lamprinoudis <sup>102</sup>, A.N. Lancaster <sup>118</sup>, E. Lançon <sup>30</sup>, U. Landgraf <sup>55</sup>, M.P.J. Landon <sup>96</sup>,  
 V.S. Lang <sup>55</sup>, O.K.B. Langrekken <sup>128</sup>, A.J. Lankford <sup>162</sup>, F. Lanni <sup>37</sup>, K. Lantzsck <sup>25</sup>,  
 A. Lanza <sup>74a</sup>, M. Lanzac Berrocal <sup>167</sup>, J.F. Laporte <sup>138</sup>, T. Lari <sup>72a</sup>, F. Lasagni Manghi <sup>24b</sup>,  
 M. Lassnig <sup>37</sup>, V. Latonova <sup>134</sup>, S.D. Lawlor <sup>143</sup>, Z. Lawrence <sup>103</sup>, R. Lazaridou <sup>171</sup>,  
 M. Lazzaroni <sup>72a,72b</sup>, H.D.M. Le <sup>109</sup>, E.M. Le Boulicaut <sup>176</sup>, L.T. Le Pottier <sup>18a</sup>, B. Leban <sup>24b,24a</sup>,  
 M. LeBlanc <sup>103</sup>, F. Ledroit-Guillon <sup>61</sup>, S.C. Lee <sup>152</sup>, T.F. Lee <sup>94</sup>, L.L. Leeuw <sup>34c,aj</sup>,  
 M. Lefebvre <sup>169</sup>, C. Leggett <sup>18a</sup>, G. Lehmann Miotto <sup>37</sup>, M. Leigh <sup>57</sup>, W.A. Leight <sup>105</sup>,  
 W. Leinonen <sup>116</sup>, A. Leisos <sup>156,u</sup>, M.A.L. Leite <sup>84c</sup>, C.E. Leitgeb <sup>19</sup>, R. Leitner <sup>136</sup>,  
 K.J.C. Leney <sup>46</sup>, T. Lenz <sup>25</sup>, S. Leone <sup>75a</sup>, C. Leonidopoulos <sup>53</sup>, A. Leopold <sup>148</sup>,  
 J.H. Lepage Bourbonnais <sup>35</sup>, R. Les <sup>109</sup>, C.G. Lester <sup>33</sup>, M. Levchenko <sup>39</sup>, J. Levêque <sup>4</sup>,  
 L.J. Levinson <sup>173</sup>, G. Levrini <sup>24b,24a</sup>, M.P. Lewicki <sup>88</sup>, C. Lewis <sup>142</sup>, D.J. Lewis <sup>4</sup>, L. Lewitt <sup>143</sup>,  
 A. Li <sup>30</sup>, B. Li <sup>63b</sup>, C. Li <sup>108</sup>, C-Q. Li <sup>112</sup>, H. Li <sup>63a</sup>, H. Li <sup>63b</sup>, H. Li <sup>114a</sup>, H. Li <sup>15</sup>, H. Li <sup>63b</sup>,  
 J. Li <sup>63c</sup>, K. Li <sup>14</sup>, L. Li <sup>63c</sup>, R. Li <sup>176</sup>, S. Li <sup>14,114c</sup>, S. Li <sup>63d,63c,d</sup>, T. Li <sup>5</sup>, X. Li <sup>106</sup>,  
 Z. Li <sup>157</sup>, Z. Li <sup>14,114c</sup>, Z. Li <sup>63a</sup>, S. Liang <sup>14,114c</sup>, Z. Liang <sup>14</sup>, M. Liberatore <sup>138</sup>, B. Liberti <sup>77a</sup>,  
 K. Lie <sup>65c</sup>, J. Lieber Marin <sup>84e</sup>, H. Lien <sup>69</sup>, H. Lin <sup>108</sup>, L. Linden <sup>111</sup>, R.E. Lindley <sup>7</sup>,  
 J.H. Lindon <sup>2</sup>, J. Ling <sup>62</sup>, E. Lipeles <sup>131</sup>, A. Lipniacka <sup>17</sup>, A. Lister <sup>168</sup>, J.D. Little <sup>69</sup>,  
 B. Liu <sup>14</sup>, B.X. Liu <sup>114b</sup>, D. Liu <sup>63d,63c</sup>, E.H.L. Liu <sup>21</sup>, J.K.K. Liu <sup>33</sup>, K. Liu <sup>63d</sup>, K. Liu <sup>63d,63c</sup>,  
 M. Liu <sup>63a</sup>, M.Y. Liu <sup>63a</sup>, P. Liu <sup>14</sup>, Q. Liu <sup>63d,142,63c</sup>, X. Liu <sup>63a</sup>, X. Liu <sup>63b</sup>, Y. Liu <sup>114b,114c</sup>,  
 Y.L. Liu <sup>63b</sup>, Y.W. Liu <sup>63a</sup>, S.L. Lloyd <sup>96</sup>, E.M. Lobodzinska <sup>49</sup>, P. Loch <sup>7</sup>, E. Lodhi <sup>158</sup>,  
 T. Lohse <sup>19</sup>, K. Lohwasser <sup>143</sup>, E. Loiacono <sup>49</sup>, J.D. Lomas <sup>21</sup>, J.D. Long <sup>43</sup>, I. Longarini <sup>162</sup>,  
 R. Longo <sup>166</sup>, A. Lopez Solis <sup>49</sup>, N.A. Lopez-canelas <sup>7</sup>, N. Lorenzo Martinez <sup>4</sup>, A.M. Lory <sup>111</sup>,

M. Losada <sup>119a</sup>, G. Löschke Centeno <sup>150</sup>, O. Loseva <sup>39</sup>, X. Lou <sup>48a,48b</sup>, X. Lou <sup>14,114c</sup>,  
A. Lounis <sup>67</sup>, P.A. Love <sup>93</sup>, G. Lu <sup>14,114c</sup>, M. Lu <sup>67</sup>, S. Lu <sup>131</sup>, Y.J. Lu <sup>152</sup>, H.J. Lubatti <sup>142</sup>,  
C. Luci <sup>76a,76b</sup>, F.L. Lucio Alves <sup>114a</sup>, F. Luehring <sup>69</sup>, O. Lukianchuk <sup>67</sup>, B.S. Lunday <sup>131</sup>,  
O. Lundberg <sup>148</sup>, B. Lund-Jensen <sup>148,\*</sup>, N.A. Luongo <sup>6</sup>, M.S. Lutz <sup>37</sup>, A.B. Lux <sup>26</sup>, D. Lynn <sup>30</sup>,  
R. Lysak <sup>134</sup>, E. Lytken <sup>100</sup>, V. Lyubushkin <sup>40</sup>, T. Lyubushkina <sup>40</sup>, M.M. Lyukova <sup>149</sup>,  
M.Firdaus M. Soberi <sup>53</sup>, H. Ma <sup>30</sup>, K. Ma <sup>63a</sup>, L.L. Ma <sup>63b</sup>, W. Ma <sup>63a</sup>, Y. Ma <sup>124</sup>,  
J.C. MacDonald <sup>102</sup>, P.C. Machado De Abreu Farias <sup>84e</sup>, R. Madar <sup>42</sup>, T. Madula <sup>98</sup>, J. Maeda <sup>86</sup>,  
T. Maeno <sup>30</sup>, P.T. Mafa <sup>34c,k</sup>, H. Maguire <sup>143</sup>, V. Maiboroda <sup>138</sup>, A. Maio <sup>133a,133b,133d</sup>,  
K. Maj <sup>87a</sup>, O. Majersky <sup>49</sup>, S. Majewski <sup>126</sup>, R. Makhmanazarov <sup>39</sup>, N. Makovec <sup>67</sup>,  
V. Maksimovic <sup>16</sup>, B. Malaescu <sup>130</sup>, Pa. Malecki <sup>88</sup>, V.P. Maleev <sup>39</sup>, F. Malek <sup>61,p</sup>, M. Mali <sup>95</sup>,  
D. Malito <sup>97</sup>, U. Mallik <sup>81,\*</sup>, S. Maltezos <sup>10</sup>, S. Malyukov <sup>40</sup>, J. Mamuzic <sup>13</sup>, G. Mancini <sup>54</sup>,  
M.N. Mancini <sup>27</sup>, G. Manco <sup>74a,74b</sup>, J.P. Mandalia <sup>96</sup>, S.S. Mandarry <sup>150</sup>, I. Mandić <sup>95</sup>,  
L. Manhaes de Andrade Filho <sup>84a</sup>, I.M. Maniatis <sup>173</sup>, J. Manjarres Ramos <sup>91</sup>, D.C. Mankad <sup>173</sup>,  
A. Mann <sup>111</sup>, S. Manzoni <sup>37</sup>, L. Mao <sup>63c</sup>, X. Mapekula <sup>34c</sup>, A. Marantis <sup>156,u</sup>, G. Marchiori <sup>5</sup>,  
M. Marcisovsky <sup>134</sup>, C. Marcon <sup>72a</sup>, M. Marinescu <sup>21</sup>, S. Marium <sup>49</sup>, M. Marjanovic <sup>123</sup>,  
A. Markhoos <sup>55</sup>, M. Markovitch <sup>67</sup>, M.K. Maroun <sup>105</sup>, E.J. Marshall <sup>93</sup>, Z. Marshall <sup>18a</sup>,  
S. Marti-Garcia <sup>167</sup>, J. Martin <sup>98</sup>, T.A. Martin <sup>137</sup>, V.J. Martin <sup>53</sup>, B. Martin dit Latour <sup>17</sup>,  
L. Martinelli <sup>76a,76b</sup>, M. Martinez <sup>13,x</sup>, P. Martinez Agullo <sup>167</sup>, V.I. Martinez Outschoorn <sup>105</sup>,  
P. Martinez Suarez <sup>13</sup>, S. Martin-Haugh <sup>137</sup>, G. Martinovicova <sup>136</sup>, V.S. Martoiu <sup>28b</sup>,  
A.C. Martyniuk <sup>98</sup>, A. Marzin <sup>37</sup>, D. Mascione <sup>79a,79b</sup>, L. Masetti <sup>102</sup>, J. Masik <sup>103</sup>,  
A.L. Maslennikov <sup>39</sup>, S.L. Mason <sup>43</sup>, P. Massarotti <sup>73a,73b</sup>, P. Mastrandrea <sup>75a,75b</sup>,  
A. Mastroberardino <sup>45b,45a</sup>, T. Masubuchi <sup>127</sup>, T.T. Mathew <sup>126</sup>, J. Matousek <sup>136</sup>, D.M. Mattern <sup>50</sup>,  
J. Maurer <sup>28b</sup>, T. Maurin <sup>60</sup>, A.J. Maury <sup>67</sup>, B. Maček <sup>95</sup>, D.A. Maximov <sup>39</sup>, A.E. May <sup>103</sup>,  
R. Mazini <sup>34g</sup>, I. Maznas <sup>118</sup>, M. Mazza <sup>109</sup>, S.M. Mazza <sup>139</sup>, E. Mazzeo <sup>72a,72b</sup>,  
J.P. Mc Gowan <sup>169</sup>, S.P. Mc Kee <sup>108</sup>, C.A. Mc Lean <sup>6</sup>, C.C. McCracken <sup>168</sup>, E.F. McDonald <sup>107</sup>,  
A.E. McDougall <sup>117</sup>, L.F. Mcelhinney <sup>93</sup>, J.A. Mcfayden <sup>150</sup>, R.P. McGovern <sup>131</sup>,  
R.P. Mckenzie <sup>34g</sup>, T.C. Mclachlan <sup>49</sup>, D.J. Mclaughlin <sup>98</sup>, S.J. McMahon <sup>137</sup>,  
C.M. Mcpartland <sup>94</sup>, R.A. McPherson <sup>169,ab</sup>, S. Mehlhase <sup>111</sup>, A. Mehta <sup>94</sup>, D. Melini <sup>167</sup>,  
B.R. Mellado Garcia <sup>34g</sup>, A.H. Melo <sup>56</sup>, F. Meloni <sup>49</sup>, A.M. Mendes Jacques Da Costa <sup>103</sup>,  
H.Y. Meng <sup>158</sup>, L. Meng <sup>93</sup>, S. Menke <sup>112</sup>, M. Mentink <sup>37</sup>, E. Meoni <sup>45b,45a</sup>, G. Mercado <sup>118</sup>,  
S. Merianos <sup>156</sup>, C. Merlassino <sup>70a,70c</sup>, C. Meroni <sup>72a,72b</sup>, J. Metcalfe <sup>6</sup>, A.S. Mete <sup>6</sup>,  
E. Meuser <sup>102</sup>, C. Meyer <sup>69</sup>, J-P. Meyer <sup>138</sup>, R.P. Middleton <sup>137</sup>, L. Mijović <sup>53</sup>,  
G. Mikenberg <sup>173</sup>, M. Mikestikova <sup>134</sup>, M. Mikuž <sup>95</sup>, H. Mildner <sup>102</sup>, A. Milic <sup>37</sup>,  
D.W. Miller <sup>41</sup>, E.H. Miller <sup>147</sup>, L.S. Miller <sup>35</sup>, A. Milov <sup>173</sup>, D.A. Milstead <sup>48a,48b</sup>, T. Min <sup>114a</sup>,  
A.A. Minaenko <sup>39</sup>, I.A. Minashvili <sup>153b</sup>, A.I. Mincer <sup>120</sup>, B. Mindur <sup>87a</sup>, M. Mineev <sup>40</sup>,  
Y. Mino <sup>89</sup>, L.M. Mir <sup>13</sup>, M. Miralles Lopez <sup>60</sup>, M. Mironova <sup>18a</sup>, M.C. Missio <sup>116</sup>, A. Mitra <sup>171</sup>,  
V.A. Mitsou <sup>167</sup>, Y. Mitsumori <sup>113</sup>, O. Miu <sup>158</sup>, P.S. Miyagawa <sup>96</sup>, T. Mkrtchyan <sup>64a</sup>,  
M. Mlinarevic <sup>98</sup>, T. Mlinarevic <sup>98</sup>, M. Mlynarikova <sup>37</sup>, S. Mobius <sup>20</sup>, P. Mogg <sup>111</sup>,  
M.H. Mohamed Farook <sup>115</sup>, A.F. Mohammed <sup>14,114c</sup>, S. Mohapatra <sup>43</sup>, G. Mokgatitwane <sup>34g</sup>,  
L. Moleri <sup>173</sup>, B. Mondal <sup>145</sup>, S. Mondal <sup>135</sup>, K. Mönig <sup>49</sup>, E. Monnier <sup>104</sup>,  
L. Monsonis Romero <sup>167</sup>, J. Montejo Berlingen <sup>13</sup>, A. Montella <sup>48a,48b</sup>, M. Montella <sup>122</sup>,  
F. Montekali <sup>78a,78b</sup>, F. Monticelli <sup>92</sup>, S. Monzani <sup>70a,70c</sup>, A. Morancho Tarda <sup>44</sup>, N. Morange <sup>67</sup>,  
A.L. Moreira De Carvalho <sup>49</sup>, M. Moreno Llácer <sup>167</sup>, C. Moreno Martinez <sup>57</sup>, J.M. Moreno Perez <sup>23b</sup>,  
P. Morettini <sup>58b</sup>, S. Morgenstern <sup>37</sup>, M. Morii <sup>62</sup>, M. Morinaga <sup>157</sup>, M. Moritsu <sup>90</sup>,  
F. Morodei <sup>76a,76b</sup>, P. Moschovakos <sup>37</sup>, B. Moser <sup>129</sup>, M. Mosidze <sup>153b</sup>, T. Moskalets <sup>46</sup>,  
P. Moskvitina <sup>116</sup>, J. Moss <sup>32,m</sup>, P. Moszkowicz <sup>87a</sup>, A. Moussa <sup>36d</sup>, Y. Moyal <sup>173</sup>,  
E.J.W. Moysse <sup>105</sup>, O. Mtintsilana <sup>34g</sup>, S. Muanza <sup>104</sup>, J. Mueller <sup>132</sup>, D. Muenstermann <sup>93</sup>,



R. Müller <sup>37</sup>, G.A. Mullier <sup>165</sup>, A.J. Mullin <sup>33</sup>, J.J. Mullin <sup>131</sup>, A.E. Mulski <sup>62</sup>, D.P. Mungo <sup>158</sup>, D. Munoz Perez <sup>167</sup>, F.J. Munoz Sanchez <sup>103</sup>, M. Murin <sup>103</sup>, W.J. Murray <sup>171,137</sup>, M. Muškinja <sup>95</sup>, C. Mwewa <sup>30</sup>, A.G. Myagkov <sup>39,a</sup>, A.J. Myers <sup>8</sup>, G. Myers <sup>108</sup>, M. Myska <sup>135</sup>, B.P. Nachman <sup>18a</sup>, K. Nagai <sup>129</sup>, K. Nagano <sup>85</sup>, R. Nagasaka <sup>157</sup>, J.L. Nagle <sup>30,ai</sup>, E. Nagy <sup>104</sup>, A.M. Nairz <sup>37</sup>, Y. Nakahama <sup>85</sup>, K. Nakamura <sup>85</sup>, K. Nakkalil <sup>5</sup>, H. Nanjo <sup>127</sup>, E.A. Narayanan <sup>46</sup>, Y. Narukawa <sup>157</sup>, I. Naryshkin <sup>39</sup>, L. Nasella <sup>72a,72b</sup>, S. Nasri <sup>119b</sup>, C. Nass <sup>25</sup>, G. Navarro <sup>23a</sup>, J. Navarro-Gonzalez <sup>167</sup>, A. Nayaz <sup>19</sup>, P.Y. Nechaeva <sup>39</sup>, S. Nechaeva <sup>24b,24a</sup>, F. Nechansky <sup>134</sup>, L. Nedic <sup>129</sup>, T.J. Neep <sup>21</sup>, A. Negri <sup>74a,74b</sup>, M. Negrini <sup>24b</sup>, C. Nellist <sup>117</sup>, C. Nelson <sup>106</sup>, K. Nelson <sup>108</sup>, S. Nemecek <sup>134</sup>, M. Nessi <sup>37,h</sup>, M.S. Neubauer <sup>166</sup>, F. Neuhaus <sup>102</sup>, J. Newell <sup>94</sup>, P.R. Newman <sup>21</sup>, Y.W.Y. Ng <sup>166</sup>, B. Ngair <sup>119a</sup>, H.D.N. Nguyen <sup>110</sup>, R.B. Nickerson <sup>129</sup>, R. Nicolaidou <sup>138</sup>, J. Nielsen <sup>139</sup>, M. Niemeyer <sup>56</sup>, J. Niermann <sup>37</sup>, N. Nikiforou <sup>37</sup>, V. Nikolaenko <sup>39,a</sup>, I. Nikolic-Audit <sup>130</sup>, P. Nilsson <sup>30</sup>, I. Ninca <sup>49</sup>, G. Ninio <sup>155</sup>, A. Nisati <sup>76a</sup>, N. Nishu <sup>2</sup>, R. Nisius <sup>112</sup>, N. Nitika <sup>70a,70c</sup>, J-E. Nitschke <sup>51</sup>, E.K. Nkadimeng <sup>34g</sup>, T. Nobe <sup>157</sup>, T. Nommensen <sup>151</sup>, M.B. Norfolk <sup>143</sup>, B.J. Norman <sup>35</sup>, M. Noury <sup>36a</sup>, J. Novak <sup>95</sup>, T. Novak <sup>95</sup>, R. Novotny <sup>115</sup>, L. Nozka <sup>125</sup>, K. Ntekas <sup>162</sup>, N.M.J. Nunes De Moura Junior <sup>84b</sup>, J. Ocariz <sup>130</sup>, A. Ochi <sup>86</sup>, I. Ochoa <sup>133a</sup>, S. Oerdek <sup>49,y</sup>, J.T. Offermann <sup>41</sup>, A. Ogrodnik <sup>136</sup>, A. Oh <sup>103</sup>, C.C. Ohm <sup>148</sup>, H. Oide <sup>85</sup>, R. Oishi <sup>157</sup>, M.L. Ojeda <sup>37</sup>, Y. Okumura <sup>157</sup>, L.F. Oleiro Seabra <sup>133a</sup>, I. Oleksiyuk <sup>57</sup>, S.A. Olivares Pino <sup>140d</sup>, G. Oliveira Correa <sup>13</sup>, D. Oliveira Damazio <sup>30</sup>, J.L. Oliver <sup>162</sup>, Ö.O. Öncel <sup>55</sup>, A.P. O'Neill <sup>20</sup>, A. Onofre <sup>133a,133e</sup>, P.U.E. Onyisi <sup>11</sup>, M.J. Oreglia <sup>41</sup>, D. Orestano <sup>78a,78b</sup>, R.S. Orr <sup>158</sup>, L.M. Osojnak <sup>131</sup>, Y. Osumi <sup>113</sup>, G. Otero y Garzon <sup>31</sup>, H. Otono <sup>90</sup>, P.S. Ott <sup>64a</sup>, G.J. Ottino <sup>18a</sup>, M. Ouchrif <sup>36d</sup>, F. Ould-Saada <sup>128</sup>, T. Ovsiannikova <sup>142</sup>, M. Owen <sup>60</sup>, R.E. Owen <sup>137</sup>, V.E. Ozcan <sup>22a</sup>, F. Ozturk <sup>88</sup>, N. Ozturk <sup>8</sup>, S. Ozturk <sup>83</sup>, H.A. Pacey <sup>129</sup>, K. Pachal <sup>159a</sup>, A. Pacheco Pages <sup>13</sup>, C. Padilla Aranda <sup>13</sup>, G. Padovano <sup>76a,76b</sup>, S. Pagan Griso <sup>18a</sup>, G. Palacino <sup>69</sup>, A. Palazzo <sup>71a,71b</sup>, J. Pampel <sup>25</sup>, J. Pan <sup>176</sup>, T. Pan <sup>65a</sup>, D.K. Panchal <sup>11</sup>, C.E. Pandini <sup>117</sup>, J.G. Panduro Vazquez <sup>137</sup>, H.D. Pandya <sup>1</sup>, H. Pang <sup>138</sup>, P. Pani <sup>49</sup>, G. Panizzo <sup>70a,70c</sup>, L. Panwar <sup>130</sup>, L. Paolozzi <sup>57</sup>, S. Parajuli <sup>166</sup>, A. Paramonov <sup>6</sup>, C. Paraskevopoulos <sup>54</sup>, D. Paredes Hernandez <sup>65b</sup>, A. Pareti <sup>74a,74b</sup>, K.R. Park <sup>43</sup>, T.H. Park <sup>112</sup>, F. Parodi <sup>58b,58a</sup>, J.A. Parsons <sup>43</sup>, U. Parzefall <sup>55</sup>, B. Pascual Dias <sup>110</sup>, L. Pascual Dominguez <sup>101</sup>, E. Pasqualucci <sup>76a</sup>, S. Passaggio <sup>58b</sup>, F. Pastore <sup>97</sup>, P. Patel <sup>88</sup>, U.M. Patel <sup>52</sup>, J.R. Pater <sup>103</sup>, T. Pauly <sup>37</sup>, F. Pauwels <sup>136</sup>, C.I. Pazos <sup>161</sup>, M. Pedersen <sup>128</sup>, R. Pedro <sup>133a</sup>, S.V. Peleganchuk <sup>39</sup>, O. Penc <sup>37</sup>, E.A. Pender <sup>53</sup>, S. Peng <sup>15</sup>, G.D. Penn <sup>176</sup>, K.E. Pensi <sup>111</sup>, M. Penzin <sup>39</sup>, B.S. Peralva <sup>84d</sup>, A.P. Pereira Peixoto <sup>142</sup>, L. Pereira Sanchez <sup>147</sup>, D.V. Perpelitsa <sup>30,ai</sup>, G. Perera <sup>105</sup>, E. Perez Codina <sup>159a</sup>, M. Perganti <sup>10</sup>, H. Pernegger <sup>37</sup>, S. Perrella <sup>76a,76b</sup>, O. Perrin <sup>42</sup>, K. Peters <sup>49</sup>, R.F.Y. Peters <sup>103</sup>, B.A. Petersen <sup>37</sup>, T.C. Petersen <sup>44</sup>, E. Petit <sup>104</sup>, V. Petousis <sup>135</sup>, C. Petridou <sup>156,e</sup>, T. Petru <sup>136</sup>, A. Petrukhin <sup>145</sup>, M. Pettee <sup>18a</sup>, A. Petukhov <sup>83</sup>, K. Petukhova <sup>37</sup>, R. Pezoa <sup>140f</sup>, L. Pezzotti <sup>37</sup>, G. Pezzullo <sup>176</sup>, A.J. Pfleger <sup>37</sup>, T.M. Pham <sup>174</sup>, T. Pham <sup>107</sup>, P.W. Phillips <sup>137</sup>, G. Piacquadio <sup>149</sup>, E. Pianori <sup>18a</sup>, F. Piazza <sup>126</sup>, R. Piegai <sup>31</sup>, D. Pietreanu <sup>28b</sup>, A.D. Pilkington <sup>103</sup>, M. Pinamonti <sup>70a,70c</sup>, J.L. Pinfeld <sup>2</sup>, B.C. Pinheiro Pereira <sup>133a</sup>, J. Pinol Bel <sup>13</sup>, A.E. Pinto Pinoargote <sup>138,138</sup>, L. Pintucci <sup>70a,70c</sup>, K.M. Piper <sup>150</sup>, A. Pirttikoski <sup>57</sup>, D.A. Pizzi <sup>35</sup>, L. Pizzimento <sup>65b</sup>, M.-A. Pleier <sup>30</sup>, V. Pleskot <sup>136</sup>, E. Plotnikova <sup>40</sup>, G. Poddar <sup>96</sup>, R. Poettgen <sup>100</sup>, L. Poggioli <sup>130</sup>, S. Polacek <sup>136</sup>, G. Polesello <sup>74a</sup>, A. Poley <sup>146,159a</sup>, A. Polini <sup>24b</sup>, C.S. Pollard <sup>171</sup>, Z.B. Pollock <sup>122</sup>, E. Pompa Pacchi <sup>123</sup>, N.I. Pond <sup>98</sup>, D. Ponomarenko <sup>69</sup>, L. Pontecorvo <sup>37</sup>, S. Popa <sup>28a</sup>, G.A. Popeneciu <sup>28d</sup>, A. Poreba <sup>37</sup>, D.M. Portillo Quintero <sup>159a</sup>, S. Pospisil <sup>135</sup>, M.A. Postill <sup>143</sup>, P. Postolache <sup>28c</sup>, K. Potamianos <sup>171</sup>, P.A. Potepa <sup>87a</sup>, I.N. Potrap <sup>40</sup>, C.J. Potter <sup>33</sup>, H. Potti <sup>151</sup>, J. Poveda <sup>167</sup>, M.E. Pozo Astigarraga <sup>37</sup>, A. Prades Ibanez <sup>77a,77b</sup>, J. Pretel <sup>169</sup>, D. Price <sup>103</sup>, M. Primavera <sup>71a</sup>, L. Primomo <sup>70a,70c</sup>, M.A. Principe Martin <sup>101</sup>,

R. Privara <sup>125</sup>, T. Procter <sup>60</sup>, M.L. Proffitt <sup>142</sup>, N. Proklova <sup>131</sup>, K. Prokofiev <sup>65c</sup>, G. Proto <sup>112</sup>,  
 J. Proudfoot <sup>6</sup>, M. Przybycien <sup>87a</sup>, W.W. Przygoda <sup>87b</sup>, A. Psallidas <sup>47</sup>, J.E. Puddefoot <sup>143</sup>,  
 D. Pudzha <sup>55</sup>, D. Pyatiiizbyantseva <sup>116</sup>, J. Qian <sup>108</sup>, R. Qian <sup>109</sup>, D. Qichen <sup>103</sup>, Y. Qin <sup>13</sup>,  
 T. Qiu <sup>53</sup>, A. Quadt <sup>56</sup>, M. Queitsch-Maitland <sup>103</sup>, G. Quetant <sup>57</sup>, R.P. Quinn <sup>168</sup>,  
 G. Rabanal Bolanos <sup>62</sup>, D. Rafanoharana <sup>55</sup>, F. Raffaeli <sup>77a,77b</sup>, F. Ragusa <sup>72a,72b</sup>, J.L. Rainbolt <sup>41</sup>,  
 J.A. Raine <sup>57</sup>, S. Rajagopalan <sup>30</sup>, E. Ramakoti <sup>39</sup>, L. Rambelli <sup>58b,58a</sup>, I.A. Ramirez-Berend <sup>35</sup>,  
 K. Ran <sup>49,114c</sup>, D.S. Rankin <sup>131</sup>, N.P. Rapheeha <sup>34g</sup>, H. Rasheed <sup>28b</sup>, V. Raskina <sup>130</sup>,  
 D.F. Rassloff <sup>64a</sup>, A. Rastogi <sup>18a</sup>, S. Rave <sup>102</sup>, S. Ravera <sup>58b,58a</sup>, B. Ravina <sup>37</sup>, I. Ravinovich <sup>173</sup>,  
 M. Raymond <sup>37</sup>, A.L. Read <sup>128</sup>, N.P. Readioff <sup>143</sup>, D.M. Rebuzzi <sup>74a,74b</sup>, A.S. Reed <sup>112</sup>,  
 K. Reeves <sup>27</sup>, J.A. Reidelsturz <sup>175</sup>, D. Reikher <sup>126</sup>, A. Rej <sup>50</sup>, C. Rembser <sup>37</sup>, H. Ren <sup>63a</sup>,  
 M. Renda <sup>28b</sup>, F. Renner <sup>49</sup>, A.G. Rennie <sup>162</sup>, A.L. Rescia <sup>49</sup>, S. Resconi <sup>72a</sup>,  
 M. Ressegotti <sup>58b,58a</sup>, S. Rettie <sup>37</sup>, W.F. Rettie <sup>35</sup>, J.G. Reyes Rivera <sup>109</sup>, E. Reynolds <sup>18a</sup>,  
 O.L. Rezanova <sup>39</sup>, P. Reznicek <sup>136</sup>, H. Riani <sup>36d</sup>, N. Ribaric <sup>52</sup>, E. Ricci <sup>79a,79b</sup>, R. Richter <sup>112</sup>,  
 S. Richter <sup>48a,48b</sup>, E. Richter-Was <sup>87b</sup>, M. Ridel <sup>130</sup>, S. Ridouani <sup>36d</sup>, P. Rieck <sup>120</sup>, P. Riedler <sup>37</sup>,  
 E.M. Riefel <sup>48a,48b</sup>, J.O. Rieger <sup>117</sup>, M. Rijssenbeek <sup>149</sup>, M. Rimoldi <sup>37</sup>, L. Rinaldi <sup>24b,24a</sup>,  
 P. Rincke <sup>56,165</sup>, M.P. Rinnagel <sup>111</sup>, G. Ripellino <sup>165</sup>, I. Riu <sup>13</sup>, J.C. Rivera Vergara <sup>169</sup>,  
 F. Rizatdinova <sup>124</sup>, E. Rizvi <sup>96</sup>, B.R. Roberts <sup>18a</sup>, S.S. Roberts <sup>139</sup>, D. Robinson <sup>33</sup>,  
 M. Robles Manzano <sup>102</sup>, A. Robson <sup>60</sup>, A. Rocchi <sup>77a,77b</sup>, C. Roda <sup>75a,75b</sup>, S. Rodriguez Bosca <sup>37</sup>,  
 Y. Rodriguez Garcia <sup>23a</sup>, A.M. Rodriguez Vera <sup>118</sup>, S. Roe <sup>37</sup>, J.T. Roemer <sup>37</sup>, O. Røhne <sup>128</sup>,  
 C.P.A. Roland <sup>130</sup>, J. Roloff <sup>30</sup>, A. Romaniouk <sup>80</sup>, E. Romano <sup>74a,74b</sup>, M. Romano <sup>24b</sup>,  
 A.C. Romero Hernandez <sup>166</sup>, N. Rompotis <sup>94</sup>, L. Roos <sup>130</sup>, S. Rosati <sup>76a</sup>, B.J. Rosser <sup>41</sup>,  
 E. Rossi <sup>129</sup>, E. Rossi <sup>73a,73b</sup>, L.P. Rossi <sup>62</sup>, L. Rossini <sup>55</sup>, R. Rosten <sup>122</sup>, M. Rotaru <sup>28b</sup>,  
 B. Rottler <sup>55</sup>, C. Rougier <sup>91</sup>, D. Rousseau <sup>67</sup>, D. Rousso <sup>49</sup>, S. Roy-Garand <sup>158</sup>, A. Rozanov <sup>104</sup>,  
 Z.M.A. Rozario <sup>60</sup>, Y. Rozen <sup>154</sup>, A. Rubio Jimenez <sup>167</sup>, V.H. Ruelas Rivera <sup>19</sup>, T.A. Ruggeri <sup>1</sup>,  
 A. Ruggiero <sup>129</sup>, A. Ruiz-Martinez <sup>167</sup>, A. Rummler <sup>37</sup>, Z. Rurikova <sup>55</sup>, N.A. Rusakovich <sup>40</sup>,  
 H.L. Russell <sup>169</sup>, G. Russo <sup>76a,76b</sup>, J.P. Rutherford <sup>7</sup>, S. Rutherford Colmenares <sup>33</sup>, M. Rybar <sup>136</sup>,  
 E.B. Rye <sup>128</sup>, A. Ryzhov <sup>46</sup>, J.A. Sabater Iglesias <sup>57</sup>, H.F.W. Sadrozinski <sup>139</sup>, F. Safai Tehrani <sup>76a</sup>,  
 S. Saha <sup>1</sup>, M. Sahinsoy <sup>83</sup>, A. Saibel <sup>167</sup>, M. Saimpert <sup>138</sup>, M. Saito <sup>157</sup>, T. Saito <sup>157</sup>,  
 A. Sala <sup>72a,72b</sup>, D. Salamani <sup>37</sup>, A. Salnikov <sup>147</sup>, J. Salt <sup>167</sup>, A. Salvador Salas <sup>155</sup>,  
 D. Salvatore <sup>45b,45a</sup>, F. Salvatore <sup>150</sup>, A. Salzburger <sup>37</sup>, D. Sammel <sup>55</sup>, E. Sampson <sup>93</sup>,  
 D. Sampsonidis <sup>156,e</sup>, D. Sampsonidou <sup>126</sup>, J. Sánchez <sup>167</sup>, V. Sanchez Sebastian <sup>167</sup>,  
 H. Sandaker <sup>128</sup>, C.O. Sander <sup>49</sup>, J.A. Sandesara <sup>105</sup>, M. Sandhoff <sup>175</sup>, C. Sandoval <sup>23b</sup>,  
 L. Sanfilippo <sup>64a</sup>, D.P.C. Sankey <sup>137</sup>, T. Sano <sup>89</sup>, A. Sansoni <sup>54</sup>, L. Santi <sup>37,76b</sup>, C. Santoni <sup>42</sup>,  
 H. Santos <sup>133a,133b</sup>, A. Santra <sup>173</sup>, E. Sanzani <sup>24b,24a</sup>, K.A. Saoucha <sup>164</sup>, J.G. Saraiva <sup>133a,133d</sup>,  
 J. Sardain <sup>7</sup>, O. Sasaki <sup>85</sup>, K. Sato <sup>160</sup>, C. Sauer <sup>37</sup>, E. Sauvan <sup>4</sup>, P. Savard <sup>158,ag</sup>, R. Sawada <sup>157</sup>,  
 C. Sawyer <sup>137</sup>, L. Sawyer <sup>99</sup>, C. Sbarra <sup>24b</sup>, A. Sbrizzi <sup>24b,24a</sup>, T. Scanlon <sup>98</sup>,  
 J. Schaarschmidt <sup>142</sup>, U. Schäfer <sup>102</sup>, A.C. Schaffer <sup>67,46</sup>, D. Schaile <sup>111</sup>, R.D. Schamberger <sup>149</sup>,  
 C. Scharf <sup>19</sup>, M.M. Schefer <sup>20</sup>, V.A. Schegelsky <sup>39</sup>, D. Scheirich <sup>136</sup>, M. Schernau <sup>140e</sup>,  
 C. Scheulen <sup>57</sup>, C. Schiavi <sup>58b,58a</sup>, M. Schioppa <sup>45b,45a</sup>, B. Schlag <sup>147</sup>, S. Schlenker <sup>37</sup>,  
 J. Schmeing <sup>175</sup>, M.A. Schmidt <sup>175</sup>, K. Schmieden <sup>102</sup>, C. Schmitt <sup>102</sup>, N. Schmitt <sup>102</sup>,  
 S. Schmitt <sup>49</sup>, L. Schoeffel <sup>138</sup>, A. Schoening <sup>64b</sup>, P.G. Scholer <sup>35</sup>, E. Schopf <sup>129</sup>, M. Schott <sup>25</sup>,  
 J. Schovancova <sup>37</sup>, S. Schramm <sup>57</sup>, T. Schroer <sup>57</sup>, H-C. Schultz-Coulon <sup>64a</sup>, M. Schumacher <sup>55</sup>,  
 B.A. Schumm <sup>139</sup>, Ph. Schune <sup>138</sup>, H.R. Schwartz <sup>139</sup>, A. Schwartzman <sup>147</sup>, T.A. Schwarz <sup>108</sup>,  
 Ph. Schwemling <sup>138</sup>, R. Schwienhorst <sup>109</sup>, F.G. Sciacca <sup>20</sup>, A. Sciandra <sup>30</sup>, G. Sciolla <sup>27</sup>,  
 F. Scuri <sup>75a</sup>, C.D. Sebastiani <sup>94</sup>, K. Sedlaczek <sup>118</sup>, S.C. Seidel <sup>115</sup>, A. Seiden <sup>139</sup>,  
 B.D. Seidlitz <sup>43</sup>, C. Seitz <sup>49</sup>, J.M. Seixas <sup>84b</sup>, G. Sekhniadze <sup>73a</sup>, L. Selem <sup>61</sup>,  
 N. Semprini-Cesari <sup>24b,24a</sup>, A. Semushin <sup>177,39</sup>, D. Sengupta <sup>57</sup>, V. Senthilkumar <sup>167</sup>, L. Serin <sup>67</sup>,

M. Sessa <sup>77a,77b</sup>, H. Severini <sup>123</sup>, F. Sforza <sup>58b,58a</sup>, A. Sfyrla <sup>57</sup>, Q. Sha <sup>14</sup>, E. Shabalina <sup>56</sup>,  
H. Shaddix <sup>118</sup>, A.H. Shah <sup>33</sup>, R. Shaheen <sup>148</sup>, J.D. Shahinian <sup>131</sup>, D. Shaked Renous <sup>173</sup>,  
L.Y. Shan <sup>14</sup>, M. Shapiro <sup>18a</sup>, A. Sharma <sup>37</sup>, A.S. Sharma <sup>168</sup>, P. Sharma <sup>30</sup>, P.B. Shatalov <sup>39</sup>,  
K. Shaw <sup>150</sup>, S.M. Shaw <sup>103</sup>, Q. Shen <sup>63c</sup>, D.J. Sheppard <sup>146</sup>, P. Sherwood <sup>98</sup>, L. Shi <sup>98</sup>,  
X. Shi <sup>14</sup>, S. Shimizu <sup>85</sup>, C.O. Shimmin <sup>176</sup>, I.P.J. Shipsey <sup>129,\*</sup>, S. Shirabe <sup>90</sup>,  
M. Shiyakova <sup>40,z</sup>, M.J. Shochet <sup>41</sup>, D.R. Shope <sup>128</sup>, B. Shrestha <sup>123</sup>, S. Shrestha <sup>122,ak</sup>,  
I. Shreyber <sup>39</sup>, M.J. Shroff <sup>169</sup>, P. Sicho <sup>134</sup>, A.M. Sickles <sup>166</sup>, E. Sideras Haddad <sup>34g,163</sup>,  
A.C. Sidley <sup>117</sup>, A. Sidoti <sup>24b</sup>, F. Siegert <sup>51</sup>, Dj. Sijacki <sup>16</sup>, F. Sili <sup>92</sup>, J.M. Silva <sup>53</sup>,  
I. Silva Ferreira <sup>84b</sup>, M.V. Silva Oliveira <sup>30</sup>, S.B. Silverstein <sup>48a</sup>, S. Simion <sup>67</sup>, R. Simoniello <sup>37</sup>,  
E.L. Simpson <sup>103</sup>, H. Simpson <sup>150</sup>, L.R. Simpson <sup>108</sup>, S. Simsek <sup>83</sup>, S. Sindhu <sup>56</sup>, P. Sinervo <sup>158</sup>,  
S.N. Singh <sup>27</sup>, S. Singh <sup>30</sup>, S. Sinha <sup>49</sup>, S. Sinha <sup>103</sup>, M. Sioli <sup>24b,24a</sup>, K. Sioulas <sup>9</sup>, I. Siral <sup>37</sup>,  
E. Sitnikova <sup>49</sup>, J. Sjölin <sup>48a,48b</sup>, A. Skaf <sup>56</sup>, E. Skorda <sup>21</sup>, P. Skubic <sup>123</sup>, M. Slawinska <sup>88</sup>,  
I. Slazyk <sup>17</sup>, V. Smakhtin <sup>173</sup>, B.H. Smart <sup>137</sup>, S.Yu. Smirnov <sup>39</sup>, Y. Smirnov <sup>39</sup>,  
L.N. Smirnova <sup>39,a</sup>, O. Smirnova <sup>100</sup>, A.C. Smith <sup>43</sup>, D.R. Smith <sup>162</sup>, E.A. Smith <sup>41</sup>, J.L. Smith <sup>103</sup>,  
M.B. Smith <sup>35</sup>, R. Smith <sup>147</sup>, H. Smitmanns <sup>102</sup>, M. Smizanska <sup>93</sup>, K. Smolek <sup>135</sup>,  
A.A. Snesarev <sup>39</sup>, H.L. Snoek <sup>117</sup>, S. Snyder <sup>30</sup>, R. Sobie <sup>169,ab</sup>, A. Soffer <sup>155</sup>,  
C.A. Solans Sanchez <sup>37</sup>, E.Yu. Soldatov <sup>39</sup>, U. Soldevila <sup>167</sup>, A.A. Solodkov <sup>39</sup>, S. Solomon <sup>27</sup>,  
A. Soloshenko <sup>40</sup>, K. Solovieva <sup>55</sup>, O.V. Solovyanov <sup>42</sup>, P. Sommer <sup>51</sup>, A. Sonay <sup>13</sup>,  
W.Y. Song <sup>159b</sup>, A. Sopczak <sup>135</sup>, A.L. Sopio <sup>53</sup>, F. Sopkova <sup>29b</sup>, J.D. Sorenson <sup>115</sup>,  
I.R. Sotarriva Alvarez <sup>141</sup>, V. Sothilingam <sup>64a</sup>, O.J. Soto Sandoval <sup>140c,140b</sup>, S. Sottocornola <sup>69</sup>,  
R. Soualah <sup>164</sup>, Z. Soumami <sup>36e</sup>, D. South <sup>49</sup>, N. Soybelman <sup>173</sup>, S. Spagnolo <sup>71a,71b</sup>,  
M. Spalla <sup>112</sup>, D. Sperlich <sup>55</sup>, B. Spisso <sup>73a,73b</sup>, D.P. Spiteri <sup>60</sup>, M. Spousta <sup>136</sup>, E.J. Staats <sup>35</sup>,  
R. Stamen <sup>64a</sup>, E. Stanecka <sup>88</sup>, W. Stanek-Maslouska <sup>49</sup>, M.V. Stange <sup>51</sup>, B. Stanislaus <sup>18a</sup>,  
M.M. Stanitzki <sup>49</sup>, B. Stapf <sup>49</sup>, E.A. Starchenko <sup>39</sup>, G.H. Stark <sup>139</sup>, J. Stark <sup>91</sup>, P. Staroba <sup>134</sup>,  
P. Starovoitov <sup>164</sup>, R. Staszewski <sup>88</sup>, G. Stavropoulos <sup>47</sup>, A. Steff <sup>37</sup>, P. Steinberg <sup>30</sup>,  
B. Stelzer <sup>146,159a</sup>, H.J. Stelzer <sup>132</sup>, O. Stelzer-Chilton <sup>159a</sup>, H. Stenzel <sup>59</sup>, T.J. Stevenson <sup>150</sup>,  
G.A. Stewart <sup>37</sup>, J.R. Stewart <sup>124</sup>, M.C. Stockton <sup>37</sup>, G. Stoicea <sup>28b</sup>, M. Stolarski <sup>133a</sup>,  
S. Stonjek <sup>112</sup>, A. Straessner <sup>51</sup>, J. Strandberg <sup>148</sup>, S. Strandberg <sup>48a,48b</sup>, M. Stratmann <sup>175</sup>,  
M. Strauss <sup>123</sup>, T. Streblor <sup>104</sup>, P. Strizenec <sup>29b</sup>, R. Ströhmer <sup>170</sup>, D.M. Strom <sup>126</sup>,  
R. Stroynowski <sup>46</sup>, A. Strubig <sup>48a,48b</sup>, S.A. Stucci <sup>30</sup>, B. Stugu <sup>17</sup>, J. Stupak <sup>123</sup>, N.A. Styles <sup>49</sup>,  
D. Su <sup>147</sup>, S. Su <sup>63a</sup>, W. Su <sup>63d</sup>, X. Su <sup>63a</sup>, D. Suchy <sup>29a</sup>, K. Sugizaki <sup>131</sup>, V.V. Sulin <sup>39</sup>,  
M.J. Sullivan <sup>94</sup>, D.M.S. Sultan <sup>129</sup>, L. Sultanaliyeva <sup>39</sup>, S. Sultansoy <sup>3b</sup>, S. Sun <sup>174</sup>, W. Sun <sup>14</sup>,  
O. Sunneborn Gudnadottir <sup>165</sup>, N. Sur <sup>104</sup>, M.R. Sutton <sup>150</sup>, H. Suzuki <sup>160</sup>, M. Svatos <sup>134</sup>,  
M. Swiatlowski <sup>159a</sup>, T. Swirski <sup>170</sup>, I. Sykora <sup>29a</sup>, M. Sykora <sup>136</sup>, T. Sykora <sup>136</sup>, D. Ta <sup>102</sup>,  
K. Tackmann <sup>49,y</sup>, A. Taffard <sup>162</sup>, R. Tafirout <sup>159a</sup>, J.S. Tafoya Vargas <sup>67</sup>, Y. Takubo <sup>85</sup>,  
M. Talby <sup>104</sup>, A.A. Talyshv <sup>39</sup>, K.C. Tam <sup>65b</sup>, N.M. Tamir <sup>155</sup>, A. Tanaka <sup>157</sup>, J. Tanaka <sup>157</sup>,  
R. Tanaka <sup>67</sup>, M. Tanasini <sup>149</sup>, Z. Tao <sup>168</sup>, S. Tapia Araya <sup>140f</sup>, S. Tapprogge <sup>102</sup>,  
A. Tarek Abouelfadl Mohamed <sup>109</sup>, S. Tarem <sup>154</sup>, K. Tariq <sup>14</sup>, G. Tarna <sup>28b</sup>, G.F. Tartarelli <sup>72a</sup>,  
M.J. Tartarin <sup>91</sup>, P. Tas <sup>136</sup>, M. Tasevsky <sup>134</sup>, E. Tassi <sup>45b,45a</sup>, A.C. Tate <sup>166</sup>, G. Tateno <sup>157</sup>,  
Y. Tayalati <sup>36e,aa</sup>, G.N. Taylor <sup>107</sup>, W. Taylor <sup>159b</sup>, P. Teixeira-Dias <sup>97</sup>, J.J. Teoh <sup>158</sup>,  
K. Terashi <sup>157</sup>, J. Terron <sup>101</sup>, S. Terzo <sup>13</sup>, M. Testa <sup>54</sup>, R.J. Teuscher <sup>158,ab</sup>, A. Thaler <sup>80</sup>,  
O. Theiner <sup>57</sup>, T. Thevenaux-Pelzer <sup>104</sup>, O. Thielmann <sup>175</sup>, D.W. Thomas <sup>97</sup>, J.P. Thomas <sup>21</sup>,  
E.A. Thompson <sup>18a</sup>, P.D. Thompson <sup>21</sup>, E. Thomson <sup>131</sup>, R.E. Thornberry <sup>46</sup>, C. Tian <sup>63a</sup>,  
Y. Tian <sup>57</sup>, V. Tikhomirov <sup>39,a</sup>, Yu.A. Tikhonov <sup>39</sup>, S. Timoshenko <sup>39</sup>, D. Timoshyn <sup>136</sup>,  
E.X.L. Ting <sup>1</sup>, P. Tipton <sup>176</sup>, A. Tishelman-Charny <sup>30</sup>, S.H. Tlou <sup>34g</sup>, K. Todome <sup>141</sup>,  
S. Todorova-Nova <sup>136</sup>, S. Todt <sup>51</sup>, L. Toffolin <sup>70a,70c</sup>, M. Togawa <sup>85</sup>, J. Tojo <sup>90</sup>, S. Tokár <sup>29a</sup>,  
O. Toldaiev <sup>69</sup>, G. Tolkachev <sup>104</sup>, M. Tomoto <sup>85,113</sup>, L. Tompkins <sup>147,o</sup>, E. Torrence <sup>126</sup>,



H. Torres <sup>91</sup>, E. Torró Pastor <sup>167</sup>, M. Toscani <sup>31</sup>, C. Tosciri <sup>41</sup>, M. Tost <sup>11</sup>, D.R. Tovey <sup>143</sup>,  
 T. Trefzger <sup>170</sup>, A. Tricoli <sup>30</sup>, I.M. Trigger <sup>159a</sup>, S. Trincaz-Duvoid <sup>130</sup>, D.A. Trischuk <sup>27</sup>,  
 A. Tropina <sup>40</sup>, L. Truong <sup>34c</sup>, M. Trzebinski <sup>88</sup>, A. Trzupiek <sup>88</sup>, F. Tsai <sup>149</sup>, M. Tsai <sup>108</sup>,  
 A. Tsiamis <sup>156</sup>, P.V. Tsiareshka <sup>40</sup>, S. Tsigaridas <sup>159a</sup>, A. Tsigotis <sup>156,u</sup>, V. Tsiskaridze <sup>158</sup>,  
 E.G. Tskhadadze <sup>153a</sup>, M. Tsopoulou <sup>156</sup>, Y. Tsujikawa <sup>89</sup>, I.I. Tsukerman <sup>39</sup>, V. Tsulaia <sup>18a</sup>,  
 S. Tsuno <sup>85</sup>, K. Tsuru <sup>121</sup>, D. Tsybychev <sup>149</sup>, Y. Tu <sup>65b</sup>, A. Tudorache <sup>28b</sup>, V. Tudorache <sup>28b</sup>,  
 S. Turchikhin <sup>58b,58a</sup>, I. Turk Cakir <sup>3a</sup>, R. Turra <sup>72a</sup>, T. Turtuvshin <sup>40</sup>, P.M. Tuts <sup>43</sup>,  
 S. Tzamarias <sup>156,e</sup>, E. Tzovara <sup>102</sup>, F. Ukegawa <sup>160</sup>, P.A. Ulloa Poblete <sup>140c,140b</sup>, E.N. Umaka <sup>30</sup>,  
 G. Unal <sup>37</sup>, A. Undrus <sup>30</sup>, G. Unel <sup>162</sup>, J. Urban <sup>29b</sup>, P. Urrejola <sup>140a</sup>, G. Usai <sup>8</sup>,  
 R. Ushioda <sup>141</sup>, M. Usman <sup>110</sup>, F. Ustuner <sup>53</sup>, Z. Uysal <sup>83</sup>, V. Vacek <sup>135</sup>, B. Vachon <sup>106</sup>,  
 T. Vafeiadis <sup>37</sup>, A. Vaitkus <sup>98</sup>, C. Valderanis <sup>111</sup>, E. Valdes Santurio <sup>48a,48b</sup>, M. Valente <sup>159a</sup>,  
 S. Valentinetti <sup>24b,24a</sup>, A. Valero <sup>167</sup>, E. Valiente Moreno <sup>167</sup>, A. Vallier <sup>91</sup>, J.A. Valls Ferrer <sup>167</sup>,  
 D.R. Van Arneeman <sup>117</sup>, T.R. Van Daalen <sup>142</sup>, A. Van Der Graaf <sup>50</sup>, P. Van Gemmeren <sup>6</sup>,  
 M. Van Rijnbach <sup>37</sup>, S. Van Stroud <sup>98</sup>, I. Van Vulpen <sup>117</sup>, P. Vana <sup>136</sup>, M. Vanadia <sup>77a,77b</sup>,  
 U.M. Vande Voorde <sup>148</sup>, W. Vandelli <sup>37</sup>, E.R. Vandewall <sup>124</sup>, D. Vannicola <sup>155</sup>, L. Vannoli <sup>54</sup>,  
 R. Vari <sup>76a</sup>, E.W. Varnes <sup>7</sup>, C. Varni <sup>18b</sup>, D. Varouchas <sup>67</sup>, L. Varriale <sup>167</sup>, K.E. Varvell <sup>151</sup>,  
 M.E. Vasile <sup>28b</sup>, L. Vaslin <sup>85</sup>, A. Vasyukov <sup>40</sup>, L.M. Vaughan <sup>124</sup>, R. Vavricka <sup>102</sup>,  
 T. Vazquez Schroeder <sup>13</sup>, J. Veatch <sup>32</sup>, V. Vecchio <sup>103</sup>, M.J. Veen <sup>105</sup>, I. Veliscek <sup>30</sup>,  
 L.M. Veloce <sup>158</sup>, F. Veloso <sup>133a,133c</sup>, S. Veneziano <sup>76a</sup>, A. Ventura <sup>71a,71b</sup>,  
 S. Ventura Gonzalez <sup>138</sup>, A. Verbytskyi <sup>112</sup>, M. Verducci <sup>75a,75b</sup>, C. Vergis <sup>96</sup>,  
 M. Verissimo De Araujo <sup>84b</sup>, W. Verkerke <sup>117</sup>, J.C. Vermeulen <sup>117</sup>, C. Vernieri <sup>147</sup>,  
 M. Vessella <sup>162</sup>, M.C. Vetterli <sup>146,ag</sup>, A. Vgenopoulos <sup>102</sup>, N. Viaux Maira <sup>140f</sup>, T. Vickey <sup>143</sup>,  
 O.E. Vickey Boeriu <sup>143</sup>, G.H.A. Viehhauser <sup>129</sup>, L. Vigani <sup>64b</sup>, M. Vigl <sup>112</sup>, M. Villa <sup>24b,24a</sup>,  
 M. Villaplana Perez <sup>167</sup>, E.M. Villhauer <sup>53</sup>, E. Vilucchi <sup>54</sup>, M.G. Vinciter <sup>35</sup>, A. Visibile <sup>117</sup>,  
 C. Vittori <sup>37</sup>, I. Vivarelli <sup>24b,24a</sup>, E. Voevodina <sup>112</sup>, F. Vogel <sup>111</sup>, J.C. Voigt <sup>51</sup>, P. Vokac <sup>135</sup>,  
 Yu. Volkotrub <sup>87b</sup>, E. Von Toerne <sup>25</sup>, B. Vormwald <sup>37</sup>, K. Vorobev <sup>39</sup>, M. Vos <sup>167</sup>, K. Voss <sup>145</sup>,  
 M. Vozak <sup>117</sup>, L. Vozdecky <sup>123</sup>, N. Vranjes <sup>16</sup>, M. Vranjes Milosavljevic <sup>16</sup>, M. Vreeswijk <sup>117</sup>,  
 N.K. Vu <sup>63d,63c</sup>, R. Vuillermet <sup>37</sup>, O. Vujanovic <sup>102</sup>, I. Vukotic <sup>41</sup>, I.K. Vyas <sup>35</sup>, S. Wada <sup>160</sup>,  
 C. Wagner <sup>147</sup>, J.M. Wagner <sup>18a</sup>, W. Wagner <sup>175</sup>, S. Wahdan <sup>175</sup>, H. Wahlberg <sup>92</sup>, C.H. Waits <sup>123</sup>,  
 J. Walder <sup>137</sup>, R. Walker <sup>111</sup>, W. Walkowiak <sup>145</sup>, A. Wall <sup>131</sup>, E.J. Wallin <sup>100</sup>, T. Wamorkar <sup>18a</sup>,  
 A.Z. Wang <sup>139</sup>, C. Wang <sup>102</sup>, C. Wang <sup>11</sup>, H. Wang <sup>18a</sup>, J. Wang <sup>65c</sup>, P. Wang <sup>103</sup>, P. Wang <sup>98</sup>,  
 R. Wang <sup>62</sup>, R. Wang <sup>6</sup>, S.M. Wang <sup>152</sup>, S. Wang <sup>14</sup>, T. Wang <sup>63a</sup>, W.T. Wang <sup>81</sup>, W. Wang <sup>14</sup>,  
 X. Wang <sup>166</sup>, X. Wang <sup>63c</sup>, Y. Wang <sup>114a</sup>, Y. Wang <sup>63a</sup>, Z. Wang <sup>108</sup>, Z. Wang <sup>63d,52,63c</sup>,  
 Z. Wang <sup>108</sup>, C. Wanotayaroj <sup>85</sup>, A. Warburton <sup>106</sup>, R.J. Ward <sup>21</sup>, A.L. Warnerbring <sup>145</sup>,  
 N. Warrack <sup>60</sup>, S. Waterhouse <sup>97</sup>, A.T. Watson <sup>21</sup>, H. Watson <sup>53</sup>, M.F. Watson <sup>21</sup>,  
 E. Watton <sup>60,137</sup>, G. Watts <sup>142</sup>, B.M. Waugh <sup>98</sup>, J.M. Webb <sup>55</sup>, C. Weber <sup>30</sup>, H.A. Weber <sup>19</sup>,  
 M.S. Weber <sup>20</sup>, S.M. Weber <sup>64a</sup>, C. Wei <sup>63a</sup>, Y. Wei <sup>55</sup>, A.R. Weidberg <sup>129</sup>, E.J. Weik <sup>120</sup>,  
 J. Weingarten <sup>50</sup>, C. Weiser <sup>55</sup>, C.J. Wells <sup>49</sup>, T. Wenaus <sup>30</sup>, B. Wendland <sup>50</sup>, T. Wengler <sup>37</sup>,  
 N.S. Wenke <sup>112</sup>, N. Wermes <sup>25</sup>, M. Wessels <sup>64a</sup>, A.M. Wharton <sup>93</sup>, A.S. White <sup>62</sup>, A. White <sup>8</sup>,  
 M.J. White <sup>1</sup>, D. Whiteson <sup>162</sup>, L. Wickremasinghe <sup>127</sup>, W. Wiedenmann <sup>174</sup>, M. Wielers <sup>137</sup>,  
 C. Wiglesworth <sup>44</sup>, D.J. Wilbern <sup>123</sup>, H.G. Wilkens <sup>37</sup>, J.J.H. Wilkinson <sup>33</sup>, D.M. Williams <sup>43</sup>,  
 H.H. Williams <sup>131</sup>, S. Williams <sup>33</sup>, S. Willocq <sup>105</sup>, B.J. Wilson <sup>103</sup>, D.J. Wilson <sup>103</sup>,  
 P.J. Windischhofer <sup>41</sup>, F.I. Winkel <sup>31</sup>, F. Winklmeier <sup>126</sup>, B.T. Winter <sup>55</sup>, M. Wittgen <sup>147</sup>,  
 M. Wobisch <sup>99</sup>, T. Wojtkowski <sup>61</sup>, Z. Wolffs <sup>117</sup>, J. Wollrath <sup>37</sup>, M.W. Wolter <sup>88</sup>, H. Wolters <sup>133a,133c</sup>,  
 M.C. Wong <sup>139</sup>, E.L. Woodward <sup>43</sup>, S.D. Worm <sup>49</sup>, B.K. Wosiek <sup>88</sup>, K.W. Woźniak <sup>88</sup>,  
 S. Wozniowski <sup>56</sup>, K. Wraight <sup>60</sup>, C. Wu <sup>21</sup>, M. Wu <sup>114b</sup>, M. Wu <sup>116</sup>, S.L. Wu <sup>174</sup>, X. Wu <sup>57</sup>,  
 X. Wu <sup>63a</sup>, Y. Wu <sup>63a</sup>, Z. Wu <sup>4</sup>, J. Wuerzinger <sup>112,ae</sup>, T.R. Wyatt <sup>103</sup>, B.M. Wynne <sup>53</sup>,

S. Xella <sup>44</sup>, L. Xia <sup>114a</sup>, M. Xia <sup>15</sup>, M. Xie <sup>63a</sup>, A. Xiong <sup>126</sup>, J. Xiong <sup>18a</sup>, D. Xu <sup>14</sup>, H. Xu <sup>63a</sup>, L. Xu <sup>63a</sup>, R. Xu <sup>131</sup>, T. Xu <sup>108</sup>, Y. Xu <sup>142</sup>, Z. Xu <sup>53</sup>, Z. Xu <sup>114a</sup>, B. Yabsley <sup>151</sup>, S. Yacoob <sup>34a</sup>, Y. Yamaguchi <sup>85</sup>, E. Yamashita <sup>157</sup>, H. Yamauchi <sup>160</sup>, T. Yamazaki <sup>18a</sup>, Y. Yamazaki <sup>86</sup>, S. Yan <sup>60</sup>, Z. Yan <sup>105</sup>, H.J. Yang <sup>63c,63d</sup>, H.T. Yang <sup>63a</sup>, S. Yang <sup>63a</sup>, T. Yang <sup>65c</sup>, X. Yang <sup>37</sup>, X. Yang <sup>14</sup>, Y. Yang <sup>46</sup>, Y. Yang <sup>63a</sup>, W.-M. Yao <sup>18a</sup>, H. Ye <sup>56</sup>, J. Ye <sup>14</sup>, S. Ye <sup>30</sup>, X. Ye <sup>63a</sup>, Y. Yeh <sup>98</sup>, I. Yeletsikh <sup>40</sup>, B. Yeo <sup>18b</sup>, M.R. Yexley <sup>98</sup>, T.P. Yildirim <sup>129</sup>, P. Yin <sup>43</sup>, K. Yorita <sup>172</sup>, S. Younas <sup>28b</sup>, C.J.S. Young <sup>37</sup>, C. Young <sup>147</sup>, N.D. Young <sup>126</sup>, Y. Yu <sup>63a</sup>, J. Yuan <sup>14,114c</sup>, M. Yuan <sup>108</sup>, R. Yuan <sup>63d,63c</sup>, L. Yue <sup>98</sup>, M. Zaazoua <sup>63a</sup>, B. Zabinski <sup>88</sup>, I. Zahir <sup>36a</sup>, Z.K. Zak <sup>88</sup>, T. Zakareishvili <sup>167</sup>, S. Zambito <sup>57</sup>, J.A. Zamora Saa <sup>140d,140b</sup>, J. Zang <sup>157</sup>, D. Zanzi <sup>55</sup>, R. Zanzottera <sup>72a,72b</sup>, O. Zaplatilek <sup>135</sup>, C. Zeitnitz <sup>175</sup>, H. Zeng <sup>14</sup>, J.C. Zeng <sup>166</sup>, D.T. Zenger Jr <sup>27</sup>, O. Zenin <sup>39</sup>, T. Ženiš <sup>29a</sup>, S. Zenz <sup>96</sup>, S. Zerradi <sup>36a</sup>, D. Zerwas <sup>67</sup>, M. Zhai <sup>14,114c</sup>, D.F. Zhang <sup>143</sup>, J. Zhang <sup>63b</sup>, J. Zhang <sup>6</sup>, K. Zhang <sup>14,114c</sup>, L. Zhang <sup>63a</sup>, L. Zhang <sup>114a</sup>, P. Zhang <sup>14,114c</sup>, R. Zhang <sup>174</sup>, S. Zhang <sup>91</sup>, T. Zhang <sup>157</sup>, X. Zhang <sup>63c</sup>, Y. Zhang <sup>142</sup>, Y. Zhang <sup>98</sup>, Y. Zhang <sup>63a</sup>, Y. Zhang <sup>114a</sup>, Z. Zhang <sup>18a</sup>, Z. Zhang <sup>63b</sup>, Z. Zhang <sup>67</sup>, H. Zhao <sup>142</sup>, T. Zhao <sup>63b</sup>, Y. Zhao <sup>35</sup>, Z. Zhao <sup>63a</sup>, Z. Zhao <sup>63a</sup>, A. Zhemchugov <sup>40</sup>, J. Zheng <sup>114a</sup>, K. Zheng <sup>166</sup>, X. Zheng <sup>63a</sup>, Z. Zheng <sup>147</sup>, D. Zhong <sup>166</sup>, B. Zhou <sup>108</sup>, H. Zhou <sup>7</sup>, N. Zhou <sup>63c</sup>, Y. Zhou <sup>15</sup>, Y. Zhou <sup>114a</sup>, Y. Zhou <sup>7</sup>, C.G. Zhu <sup>63b</sup>, J. Zhu <sup>108</sup>, X. Zhu <sup>63d</sup>, Y. Zhu <sup>63c</sup>, Y. Zhu <sup>63a</sup>, X. Zhuang <sup>14</sup>, K. Zhukov <sup>69</sup>, N.I. Zimine <sup>40</sup>, J. Zinsser <sup>64b</sup>, M. Ziolkowski <sup>145</sup>, L. Živković <sup>16</sup>, A. Zoccoli <sup>24b,24a</sup>, K. Zoch <sup>62</sup>, T.G. Zorbas <sup>143</sup>, O. Zormpa <sup>47</sup>, W. Zou <sup>43</sup>, L. Zwalinski <sup>37</sup>.

<sup>1</sup>Department of Physics, University of Adelaide, Adelaide; Australia.

<sup>2</sup>Department of Physics, University of Alberta, Edmonton AB; Canada.

<sup>3</sup>(<sup>a</sup>)Department of Physics, Ankara University, Ankara; (<sup>b</sup>)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

<sup>4</sup>LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

<sup>5</sup>APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

<sup>6</sup>High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

<sup>7</sup>Department of Physics, University of Arizona, Tucson AZ; United States of America.

<sup>8</sup>Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

<sup>9</sup>Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

<sup>10</sup>Physics Department, National Technical University of Athens, Zografou; Greece.

<sup>11</sup>Department of Physics, University of Texas at Austin, Austin TX; United States of America.

<sup>12</sup>Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

<sup>13</sup>Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

<sup>14</sup>Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; China.

<sup>15</sup>Physics Department, Tsinghua University, Beijing; China.

<sup>16</sup>Institute of Physics, University of Belgrade, Belgrade; Serbia.

<sup>17</sup>Department for Physics and Technology, University of Bergen, Bergen; Norway.

<sup>18</sup>(<sup>a</sup>)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (<sup>b</sup>)University of California, Berkeley CA; United States of America.

<sup>19</sup>Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

<sup>20</sup>Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

<sup>21</sup>School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

<sup>22</sup>(<sup>a</sup>)Department of Physics, Bogazici University, Istanbul; (<sup>b</sup>)Department of Physics Engineering,

- Gaziantep University, Gaziantep;<sup>(c)</sup> Department of Physics, Istanbul University, Istanbul; Türkiye.
- <sup>23(a)</sup> Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;<sup>(b)</sup> Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- <sup>24(a)</sup> Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna;<sup>(b)</sup> INFN Sezione di Bologna; Italy.
- <sup>25</sup> Physikalisches Institut, Universität Bonn, Bonn; Germany.
- <sup>26</sup> Department of Physics, Boston University, Boston MA; United States of America.
- <sup>27</sup> Department of Physics, Brandeis University, Waltham MA; United States of America.
- <sup>28(a)</sup> Transilvania University of Brasov, Brasov;<sup>(b)</sup> Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest;<sup>(c)</sup> Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;<sup>(d)</sup> National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca;<sup>(e)</sup> National University of Science and Technology Politehnica, Bucharest;<sup>(f)</sup> West University in Timisoara, Timisoara;<sup>(g)</sup> Faculty of Physics, University of Bucharest, Bucharest; Romania.
- <sup>29(a)</sup> Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava;<sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- <sup>30</sup> Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- <sup>31</sup> Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- <sup>32</sup> California State University, CA; United States of America.
- <sup>33</sup> Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- <sup>34(a)</sup> Department of Physics, University of Cape Town, Cape Town;<sup>(b)</sup> iThemba Labs, Western Cape;<sup>(c)</sup> Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;<sup>(d)</sup> National Institute of Physics, University of the Philippines Diliman (Philippines);<sup>(e)</sup> University of South Africa, Department of Physics, Pretoria;<sup>(f)</sup> University of Zululand, KwaDlangezwa;<sup>(g)</sup> School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- <sup>35</sup> Department of Physics, Carleton University, Ottawa ON; Canada.
- <sup>36(a)</sup> Faculté des Sciences Ain Chock, Université Hassan II de Casablanca;<sup>(b)</sup> Faculté des Sciences, Université Ibn-Tofail, Kénitra;<sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;<sup>(d)</sup> LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;<sup>(e)</sup> Faculté des sciences, Université Mohammed V, Rabat;<sup>(f)</sup> Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- <sup>37</sup> CERN, Geneva; Switzerland.
- <sup>38</sup> Affiliated with an institute formerly covered by a cooperation agreement with CERN.
- <sup>39</sup> Affiliated with an institute covered by a cooperation agreement with CERN.
- <sup>40</sup> Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- <sup>41</sup> Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- <sup>42</sup> LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- <sup>43</sup> Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- <sup>44</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- <sup>45(a)</sup> Dipartimento di Fisica, Università della Calabria, Rende;<sup>(b)</sup> INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- <sup>46</sup> Physics Department, Southern Methodist University, Dallas TX; United States of America.
- <sup>47</sup> National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- <sup>48(a)</sup> Department of Physics, Stockholm University;<sup>(b)</sup> Oskar Klein Centre, Stockholm; Sweden.
- <sup>49</sup> Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- <sup>50</sup> Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.

- <sup>51</sup>Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.
- <sup>52</sup>Department of Physics, Duke University, Durham NC; United States of America.
- <sup>53</sup>SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- <sup>54</sup>INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- <sup>55</sup>Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- <sup>56</sup>II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- <sup>57</sup>Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- <sup>58</sup><sup>(a)</sup> Dipartimento di Fisica, Università di Genova, Genova; <sup>(b)</sup> INFN Sezione di Genova; Italy.
- <sup>59</sup>II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- <sup>60</sup>SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- <sup>61</sup>LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- <sup>62</sup>Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- <sup>63</sup><sup>(a)</sup> Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; <sup>(b)</sup> Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; <sup>(c)</sup> School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; <sup>(d)</sup> Tsung-Dao Lee Institute, Shanghai; <sup>(e)</sup> School of Physics, Zhengzhou University; China.
- <sup>64</sup><sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- <sup>65</sup><sup>(a)</sup> Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; <sup>(b)</sup> Department of Physics, University of Hong Kong, Hong Kong; <sup>(c)</sup> Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- <sup>66</sup>Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- <sup>67</sup>IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- <sup>68</sup>Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- <sup>69</sup>Department of Physics, Indiana University, Bloomington IN; United States of America.
- <sup>70</sup><sup>(a)</sup> INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- <sup>71</sup><sup>(a)</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- <sup>72</sup><sup>(a)</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano; Italy.
- <sup>73</sup><sup>(a)</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- <sup>74</sup><sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- <sup>75</sup><sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- <sup>76</sup><sup>(a)</sup> INFN Sezione di Roma; <sup>(b)</sup> Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- <sup>77</sup><sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- <sup>78</sup><sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- <sup>79</sup><sup>(a)</sup> INFN-TIFPA; <sup>(b)</sup> Università degli Studi di Trento, Trento; Italy.
- <sup>80</sup>Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- <sup>81</sup>University of Iowa, Iowa City IA; United States of America.
- <sup>82</sup>Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- <sup>83</sup>Istinye University, Sariyer, Istanbul; Türkiye.
- <sup>84</sup><sup>(a)</sup> Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; <sup>(b)</sup> Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; <sup>(c)</sup> Instituto de Física,

Universidade de São Paulo, São Paulo;<sup>(d)</sup> Rio de Janeiro State University, Rio de Janeiro;<sup>(e)</sup> Federal University of Bahia, Bahia; Brazil.

<sup>85</sup> KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.

<sup>86</sup> Graduate School of Science, Kobe University, Kobe; Japan.

<sup>87</sup>(<sup>a</sup>) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;<sup>(b)</sup> Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.

<sup>88</sup> Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.

<sup>89</sup> Faculty of Science, Kyoto University, Kyoto; Japan.

<sup>90</sup> Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.

<sup>91</sup> L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.

<sup>92</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.

<sup>93</sup> Physics Department, Lancaster University, Lancaster; United Kingdom.

<sup>94</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.

<sup>95</sup> Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.

<sup>96</sup> School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.

<sup>97</sup> Department of Physics, Royal Holloway University of London, Egham; United Kingdom.

<sup>98</sup> Department of Physics and Astronomy, University College London, London; United Kingdom.

<sup>99</sup> Louisiana Tech University, Ruston LA; United States of America.

<sup>100</sup> Fysiska institutionen, Lunds universitet, Lund; Sweden.

<sup>101</sup> Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.

<sup>102</sup> Institut für Physik, Universität Mainz, Mainz; Germany.

<sup>103</sup> School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.

<sup>104</sup> CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.

<sup>105</sup> Department of Physics, University of Massachusetts, Amherst MA; United States of America.

<sup>106</sup> Department of Physics, McGill University, Montreal QC; Canada.

<sup>107</sup> School of Physics, University of Melbourne, Victoria; Australia.

<sup>108</sup> Department of Physics, University of Michigan, Ann Arbor MI; United States of America.

<sup>109</sup> Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

<sup>110</sup> Group of Particle Physics, University of Montreal, Montreal QC; Canada.

<sup>111</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.

<sup>112</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.

<sup>113</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.

<sup>114</sup>(<sup>a</sup>) Department of Physics, Nanjing University, Nanjing;<sup>(b)</sup> School of Science, Shenzhen Campus of Sun Yat-sen University;<sup>(c)</sup> University of Chinese Academy of Science (UCAS), Beijing; China.

<sup>115</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.

<sup>116</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.

<sup>117</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.

<sup>118</sup> Department of Physics, Northern Illinois University, DeKalb IL; United States of America.

<sup>119</sup>(<sup>a</sup>) New York University Abu Dhabi, Abu Dhabi;<sup>(b)</sup> United Arab Emirates University, Al Ain; United Arab Emirates.

<sup>120</sup> Department of Physics, New York University, New York NY; United States of America.

- <sup>121</sup>Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.
- <sup>122</sup>Ohio State University, Columbus OH; United States of America.
- <sup>123</sup>Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- <sup>124</sup>Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- <sup>125</sup>Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- <sup>126</sup>Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- <sup>127</sup>Graduate School of Science, Osaka University, Osaka; Japan.
- <sup>128</sup>Department of Physics, University of Oslo, Oslo; Norway.
- <sup>129</sup>Department of Physics, Oxford University, Oxford; United Kingdom.
- <sup>130</sup>LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- <sup>131</sup>Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- <sup>132</sup>Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- <sup>133</sup><sup>(a)</sup>Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa; <sup>(b)</sup>Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa; <sup>(c)</sup>Departamento de Física, Universidade de Coimbra, Coimbra; <sup>(d)</sup>Centro de Física Nuclear da Universidade de Lisboa, Lisboa; <sup>(e)</sup>Departamento de Física, Universidade do Minho, Braga; <sup>(f)</sup>Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain); <sup>(g)</sup>Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- <sup>134</sup>Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- <sup>135</sup>Czech Technical University in Prague, Prague; Czech Republic.
- <sup>136</sup>Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- <sup>137</sup>Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- <sup>138</sup>IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- <sup>139</sup>Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- <sup>140</sup><sup>(a)</sup>Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; <sup>(b)</sup>Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago; <sup>(c)</sup>Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena; <sup>(d)</sup>Universidad Andres Bello, Department of Physics, Santiago; <sup>(e)</sup>Instituto de Alta Investigación, Universidad de Tarapacá, Arica; <sup>(f)</sup>Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- <sup>141</sup>Department of Physics, Institute of Science, Tokyo; Japan.
- <sup>142</sup>Department of Physics, University of Washington, Seattle WA; United States of America.
- <sup>143</sup>Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- <sup>144</sup>Department of Physics, Shinshu University, Nagano; Japan.
- <sup>145</sup>Department Physik, Universität Siegen, Siegen; Germany.
- <sup>146</sup>Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- <sup>147</sup>SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- <sup>148</sup>Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- <sup>149</sup>Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- <sup>150</sup>Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- <sup>151</sup>School of Physics, University of Sydney, Sydney; Australia.
- <sup>152</sup>Institute of Physics, Academia Sinica, Taipei; Taiwan.
- <sup>153</sup><sup>(a)</sup>E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup>High

- Energy Physics Institute, Tbilisi State University, Tbilisi;<sup>(c)</sup> University of Georgia, Tbilisi; Georgia.
- <sup>154</sup> Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- <sup>155</sup> Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- <sup>156</sup> Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- <sup>157</sup> International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- <sup>158</sup> Department of Physics, University of Toronto, Toronto ON; Canada.
- <sup>159</sup> <sup>(a)</sup> TRIUMF, Vancouver BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto ON; Canada.
- <sup>160</sup> Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- <sup>161</sup> Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- <sup>162</sup> Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- <sup>163</sup> University of West Attica, Athens; Greece.
- <sup>164</sup> University of Sharjah, Sharjah; United Arab Emirates.
- <sup>165</sup> Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- <sup>166</sup> Department of Physics, University of Illinois, Urbana IL; United States of America.
- <sup>167</sup> Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- <sup>168</sup> Department of Physics, University of British Columbia, Vancouver BC; Canada.
- <sup>169</sup> Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- <sup>170</sup> Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- <sup>171</sup> Department of Physics, University of Warwick, Coventry; United Kingdom.
- <sup>172</sup> Waseda University, Tokyo; Japan.
- <sup>173</sup> Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- <sup>174</sup> Department of Physics, University of Wisconsin, Madison WI; United States of America.
- <sup>175</sup> Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- <sup>176</sup> Department of Physics, Yale University, New Haven CT; United States of America.
- <sup>177</sup> Yerevan Physics Institute, Yerevan; Armenia.
- <sup>a</sup> Also Affiliated with an institute covered by a cooperation agreement with CERN.
- <sup>b</sup> Also at An-Najah National University, Nablus; Palestine.
- <sup>c</sup> Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- <sup>d</sup> Also at Center for High Energy Physics, Peking University; China.
- <sup>e</sup> Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- <sup>f</sup> Also at CERN, Geneva; Switzerland.
- <sup>g</sup> Also at CMD-AC UNEC Research Center, Azerbaijan State University of Economics (UNEC); Azerbaijan.
- <sup>h</sup> Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- <sup>i</sup> Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- <sup>j</sup> Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- <sup>k</sup> Also at Department of Mathematical Sciences, University of South Africa, Johannesburg; South Africa.
- <sup>l</sup> Also at Department of Physics, Bolu Abant İzzet Baysal University, Bolu; Türkiye.
- <sup>m</sup> Also at Department of Physics, California State University, Sacramento; United States of America.
- <sup>n</sup> Also at Department of Physics, King's College London, London; United Kingdom.



- <sup>o</sup> Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- <sup>p</sup> Also at Department of Physics, Stellenbosch University; South Africa.
- <sup>q</sup> Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- <sup>r</sup> Also at Department of Physics, University of Thessaly; Greece.
- <sup>s</sup> Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- <sup>t</sup> Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.
- <sup>u</sup> Also at Hellenic Open University, Patras; Greece.
- <sup>v</sup> Also at Henan University; China.
- <sup>w</sup> Also at Imam Mohammad Ibn Saud Islamic University; Saudi Arabia.
- <sup>x</sup> Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- <sup>y</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- <sup>z</sup> Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- <sup>aa</sup> Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- <sup>ab</sup> Also at Institute of Particle Physics (IPP); Canada.
- <sup>ac</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- <sup>ad</sup> Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- <sup>ae</sup> Also at Technical University of Munich, Munich; Germany.
- <sup>af</sup> Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- <sup>ag</sup> Also at TRIUMF, Vancouver BC; Canada.
- <sup>ah</sup> Also at Università di Napoli Parthenope, Napoli; Italy.
- <sup>ai</sup> Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- <sup>aj</sup> Also at University of the Western Cape; South Africa.
- <sup>ak</sup> Also at Washington College, Chestertown, MD; United States of America.
- <sup>al</sup> Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- \* Deceased