

---

# Contents

---

List of figures .....	vii
List of tables .....	xiv
List of boxes .....	xvii
Preface .....	xix
Acknowledgements .....	xxx
1 The project on Bangladesh floods: Background, framework and key questions .....	1
2 Floods in Bangladesh: Understanding the basic principles .....	11
3 The data situation: The need to compromise .....	39
4 The history of flooding in the lowlands of the Ganga, Brahmaputra and Meghna rivers .....	52
5 Understanding Bangladesh floods in the context of highland– lowland linkages .....	108

5A Case-study appendices .....	222
Appendix 5.1: 1906 – A “flood year” .....	222
Appendix 5.2: 1910 – A “flood year” .....	236
Appendix 5.3: 1922 – A “flood year” .....	245
Appendix 5.4: 1955 – A “flood year” for Bangladesh .....	254
Appendix 5.5: 1974 – A “flood year” for Bangladesh .....	263
Appendix 5.6: 1987 – A “flood year” for Bangladesh .....	277
Appendix 5.7: 1988 – A “flood year” for Bangladesh .....	294
Appendix 5.8: 1998 – A “flood year” for Bangladesh .....	313
Appendix 5.9: 1923 – A “dry year” .....	330
Appendix 5.10: 1978 – A “dry year” for Bangladesh .....	336
Appendix 5.11: 1993 – An “average flood year” for Bangladesh .....	350
6 Erosion and sedimentation processes in the Ganga– Brahmaputra basin in the context of highland–lowland linkages .....	359
7 Floods in Bangladesh: The human dimension .....	389
8 Conclusions .....	423
References .....	438
Index .....	460

---

# Figures

---

P.1	<i>The collaborating institutions of the “Floods in Bangladesh” project</i> .....	xxv
1.1	The “Floods in Bangladesh” project: The key questions ..	6
1.2	Three geographical scales of project activities .....	8
1.3	From Tiger Hill (Darjiling Himalayas) to Tiger Point (Bay of Bengal): The route of a fascinating “seminar expedition” in 1994 for all project collaborators .....	9
2.1	Catchment area of the Ganga, Brahmaputra and Meghna rivers .....	13
2.2	The domains of the principal monsoon systems of the atmosphere during the northern hemisphere summer (a) and winter (b) .....	19
2.3	The annual cycle of the monsoon over the Indian subcontinent .....	20
2.4	Average monthly rainfall at selected stations in the Ganga–Brahmaputra–Meghna basin .....	24
2.5	Average monthly discharge at selected stations in the Ganga–Brahmaputra–Meghna basin .....	26
2.6	The main physiographical units of Bangladesh .....	28
2.7	Flood types in Bangladesh .....	31
2.8	The extent of normal flooding in Bangladesh .....	32
2.9	Average depth of inundation, slightly generalized .....	35
2.10	The causes of floods in Bangladesh .....	36

3.1	Location of raingauge stations .....	41
3.2	Location of discharge stations .....	48
3.3	Location of groundwater stations .....	50
4.1	Quaternary deltaic arcs in Bangladesh, schematic .....	60
4.2	Geological section of the Bengal lowland from north to south .....	61
4.3	List of historical floods, 1740–1890, in the Ganga and Brahmaputra basins .....	64
4.4	The flood-affected districts in Bengal in 1769, 1787, 1871 and 1885 .....	66
4.5	Historical map: Shifts in the courses of the Kosi, Tista, Padma and Brahmaputra rivers since the mid-eighteenth century .....	67
4.6	Major floods in Bangladesh, 1890–2004 .....	70
4.7	Extent of flood-affected areas in Bangladesh, 1954–2004 ..	72
4.8	Location and geographical area of Uttar Pradesh, Bihar, West Bengal, Assam and Bangladesh .....	79
4.9	Extent of flood-affected areas in Uttar Pradesh, Bihar, West Bengal, Assam and Bangladesh, 1954–1994 .....	82
4.10	August rainfall, combined July and August precipitation, monsoon totals (June to September) and trend lines for selected stations in India and Bangladesh, 1900–1998 .....	84
4.11	Monsoonal rainfall (June to September) for selected stations in India and Bangladesh, 1900–1995, 21-year averages .....	89
4.12	Standard deviation of monsoonal rainfall (June to September) for selected stations in India and Bangladesh, 21-year series 1900–1995 .....	90
4.13	August and monsoon discharge of selected rivers in the Ganga–Brahmaputra–Meghna basin .....	95
4.14	Maximum daily discharge per year of selected rivers in the Ganga–Brahmaputra–Meghna basin .....	97
4.15	Population development in Bangladesh, 1872–2001 .....	102
4.16	Flood-affected areas and people affected by floods in Bangladesh, 1964–1998 .....	103
4.17	Flood-affected areas and people affected by floods in Assam, 1963–1994 .....	105
5.1	The 13 subcatchments as defined for the project .....	113
5.2	Average patterns (1900–1990) of areal precipitation and precipitation volume in the 13 subcatchments and 6 time periods .....	122

5.3	Theoretical discharge factors for the west and east/south .	124
5.4	Average monthly temperature in Delhi (west), Gauhati (east) and Mymensingh (south).....	125
5.5	Average evapotranspiration and precipitation at selected stations showing the west-east/south and the highland-lowland differentiation .....	126
5.6	X-Y diagrams of potential runoff ( $R(\text{pot})$ ) for the Ganga catchment (SC1+SC2+SC4+SC5) and the discharge of the Ganga at Farakka, 1950-1980.....	134
5.7	Theoretical discharge curves at a gauging site in Bangladesh .....	138
5.8	Generalized discharge lines from the reference point in each subcatchment to the reference point in Bangladesh for the calculation of $R(\text{relev})$ .....	139
5.9	Average $R(\text{pot})$ and $R(\text{relev})$ , 1900-1990, for each subcatchment and six time periods .....	144
5.10	Average percentage $R(\text{pot})$ and $R(\text{relev})$ , 1900-1990, for each subcatchment and the six time periods compared with the percentage area of all 13 subcatchments .....	146
5.11	Flood-affected areas and flood intensities: 1906 .....	151
5.12	Flood-affected areas and flood intensities: 1910 .....	155
5.13	Flood-affected areas and flood intensities: 1922 .....	160
5.14	Flood-affected areas, synthesized for the entire monsoon season: 1955 .....	164
5.15	Flood affected areas, synthesized for the entire monsoon season: 1974 .....	168
5.16	Flood-affected areas, synthesized for the entire monsoon season: 1987 .....	173
5.17	Flood-affected areas, synthesized for the entire monsoon season: 1988 .....	178
5.18	Flood-affected areas and flood intensity, synthesized for the whole monsoon season: 1998.....	184
5.19	The 18 study areas defined for the analysis of cloud coverage for three test periods during the most extensive flooding in 1987 and 1988.....	201
5.20	Coverage with high and middle-high clouds of the 18 study areas in the period 28 July-20 August 1987 .....	203
5.21	Coverage with high and middle-high clouds of the 18 study areas in the period 1-20 July 1988 .....	205
5.22	Coverage with high and middle-high clouds of the 18 study areas in the period 20 August-5 September 1988 ...	208
5A.1	Flood-affected areas and flood intensities: 1906 .....	223

5A.2	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1906 .....	226
5A.3	Categories of daily rainfall for the period 1 June–30 September 1906 .....	230
5A.4	Daily water level of selected rivers for the period 15 June–30 September 1906, compared with flood and rainy periods .....	234
5A.5	Flood-affected areas and flood intensities: 1910 .....	237
5A.6	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1910 .....	238
5A.7	Categories of daily rainfall for the period 1 June–30 September 1910 .....	241
5A.8	Daily water level of selected rivers for the period 15 June–30 September 1910, compared with flood and rainy periods .....	243
5A.9	Flood-affected areas and flood intensities: 1922 .....	246
5A.10	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1922 .....	249
5A.11	Categories of daily rainfall for the period 1 June–30 September 1922 .....	250
5A.12	Daily water level of selected rivers for the period 15 June–20 September 1922, compared with flood and rainy periods .....	252
5A.13	Flood-affected areas, synthesized for the entire monsoon season: 1955 .....	255
5A.14	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1955 .....	257
5A.15	Monthly discharge variations as a percentage of the average for selected rivers in 1955 .....	259
5A.16	Categories of daily rainfall for the period 1 June–30 September 1955 in Bangladesh .....	260
5A.17	Daily water level of selected rivers in Bangladesh for the period 1 June–31 October 1955, in relation to the danger level and compared with rainy periods .....	262
5A.18	Flood-affected areas, synthesized for the entire monsoon season: 1974 .....	264
5A.19	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1974 .....	266

5A.20	Monthly discharge variations as a percentage of the average for selected rivers in 1974 .....	268
5A.21	Categories of daily rainfall for the period 1 June–30 September 1974 in Bangladesh .....	270
5A.22	Average daily discharge of selected rivers in Bangladesh for the period 1 June–31 October 1974, compared with flood periods, rainy periods and daily peak/year, on average .....	272
5A.23	Groundwater levels of selected stations in 1974, compared with flood periods and average groundwater levels over roughly 20 years .....	274
5A.24	Flood-affected areas, synthesized for the entire monsoon season: 1987 .....	278
5A.25	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1987 .....	280
5A.26	Monthly discharge variations as a percentage of the average for selected rivers in 1987 .....	283
5A.27	Categories of daily rainfall for the period 1 June–30 September 1987 in Bangladesh .....	285
5A.28	Average daily discharge of selected rivers in Bangladesh for the period 1 June–31 October 1987, compared with flood periods, rainy periods and daily peak/year, on average .....	288
5A.29	Average daily discharge of three selected rivers in Nepal for the period 1 June–31 October 1987, compared with the flood periods in Bangladesh .....	290
5A.30	Groundwater levels of selected stations in 1987, compared with flood periods and average groundwater levels over roughly 20 years .....	292
5A.31	Flood-affected areas, synthesized for the entire monsoon season: 1988 .....	295
5A.32	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1988 .....	298
5A.33	Monthly discharge variations as a percentage of the average for selected rivers in 1988 .....	300
5A.34	Categories of daily rainfall for the period 1 June–30 September 1988 in Bangladesh .....	302
5A.35	Average daily discharge of selected rivers in Bangladesh for the period 1 June–31 October 1988, compared with flood periods, rainy periods and daily peak/year, on average .....	304

5A.36	Average daily discharge of three selected rivers in Nepal for the period 1 June–31 October 1988, compared with flood periods in Bangladesh .....	308
5A.37	Groundwater levels of selected stations in 1988, compared with flood periods and average groundwater levels over roughly 20 years .....	310
5A.38	Daily discharge of the Meghna at Bhairab Bazar for the period 1 April–30 November 1988, compared with the moon phases .....	311
5A.39	Flood-affected areas and flood intensity, synthesized for the entire monsoon season: 1998 .....	314
5A.40	Monthly rainfall variations (May–September) in 1998 as a percentage of the average for selected stations in India and Nepal and in Bangladesh .....	318
5A.41	Categories of daily rainfall for the period 1 June–30 September 1998 in Bangladesh and for Kathmandu ....	322
5A.42	Daily water level of selected rivers in Bangladesh for the period 1 May–30 September 1998, compared with flood periods, rainy periods and danger level .....	324
5A.43	Daily water level for the Karnali River at Chispani, Nepal, for the period 1 May–30 September 1998, compared with the hydrograph of the Ganga at Hardinge Bridge and the rainy and flood periods in Bangladesh .....	328
5A.44	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1923 .....	332
5A.45	Categories of daily rainfall for the period 1 June–30 September 1923 .....	334
5A.46	Daily water level of selected rivers for the period 15 June–30 September 1923, compared with the rainy period .....	335
5A.47	Monthly potential runoff ( $R(\text{pot})$ ) and relevance for Bangladesh ( $R(\text{relev})$ ) in the 13 subcatchments for the four monsoon months of 1978 .....	338
5A.48	Monthly discharge variations as a percentage of the average for selected rivers in 1978 .....	340
5A.49	Categories of daily rainfall for the period 1 June–30 September 1978 in Bangladesh .....	341
5A.50	Average daily discharge of selected rivers in Bangladesh for the period 1 June–31 October 1978, compared with the rainy periods and daily peak/year, on average .....	343



5A.51	Groundwater levels of selected stations in 1978, compared with average groundwater levels over roughly 20 years .....	345
5A.52	Flooding in the Indian Ganga Plain in September 1978: Affected areas and chronology .....	346
5A.53	Monthly rainfall variations in July 1993 at selected stations in the Ganga–Brahmaputra–Meghna basin .....	351
5A.54	Categories of daily rainfall for the period 1 June–30 September 1993 in Bangladesh .....	353
5A.55	Average daily discharge of selected rivers in Nepal for the period 1 June–31 October 1993, compared with the flood period in Nepal .....	354
5A.56	Average daily discharge of selected rivers in Bangladesh for the period 1 June–31 October 1993, compared with flood periods in Bangladesh and Nepal, rainy periods and daily peak/year, on average .....	356
6.1	The river courses of the Brahmaputra at different times: 1848–1868, 1963/1964, and 1992 .....	376
6.2	The relationship between discharge and suspended sediments in the Ganga, Brahmaputra and Meghna for different time clusters .....	379
6.3a	Suspended sediments in the Ganga (Hardinge Bridge) for specific discharge ranges .....	380
6.3b	Suspended sediments in the Brahmaputra (Bahadurabad) for specific discharge ranges .....	381
6.3c	Suspended sediments in the Meghna (Bhairab Bazar) for specific discharge ranges .....	382
7.1	The location of the three test areas of the project .....	391
7.2	The rice and wheat crop calendar in relation to seasonal flooding, rainfall and temperature .....	401
7.3	Simplified scheme of migration strategies of people affected by river erosion on the mainland (in decreasing order of priority) .....	407
7.4	Dynamic geomorphological processes of the Brahmaputra: The shifting location of the Mathura marketplace since approximately 1850 .....	409

---

# Tables

---

P.1	The core institutions and the project team .....	xxi
P.2	The key institutions for data collection .....	xxvi
P.3	The main partner institutions and resource persons for information exchange .....	xxviii
2.1	Country profile of Bangladesh: Some basic facts .....	12
2.2	Watershed characteristics of the Ganga and the Brahmaputra/Meghna rivers compared with other big river systems of the world .....	15
3.1	List of rainfall data available for the project .....	42
3.2	Sources of rainfall data .....	44
3.3	List of discharge data available for the project .....	46
3.4	Sources of discharge data .....	47
4.1	Flood-affected areas in Bangladesh, 1954–2004 .....	71
4.2	Return period of different flood dimensions in Bangladesh .....	74
4.3	Flooding conditions in Bangladesh, 1954–1998: A comparison of sources .....	77
4.4	Flood-affected areas in Uttar Pradesh, Bihar, West Bengal, Assam and Bangladesh, 1954–1994 .....	80
4.5	Correlation of flood-affected areas of Uttar Pradesh, Bihar, West Bengal, Assam and Bangladesh, 1954–1994 ..	83
4.6	Rainfall trends of selected stations in India and Bangladesh, 1900–1998: Analysis of statistical significance .....	87

4.7	Discharge trends of selected rivers in the Ganga–Brahmaputra–Meghna basin: Analysis of statistical significance .....	98
4.8	Per capita land holdings in Bangladesh, 1950–1985 .....	103
5.1	The 13 subcatchments, their size and the raingauge stations that were used for the development of the methodology and the resulting data sets .....	115
5.2	Areal precipitation ( $P(\text{areal})$ ) and precipitation volume ( $P(\text{vol})$ ) for subcatchment 12: Example of a data set used for the case studies after 1950 .....	118
5.3	Estimated discharge factors and their application for subcatchments 1, 2, 4 and 5 .....	127
5.4	Calibrated discharge factors and their application for subcatchments 1, 2, 4 and 5 .....	130
5.5	Potential runoff for the Ganga catchment and discharge of the Ganga at Farakka, 1950–1980: A comparison .....	132
5.6	The discharge factors for the 13 subcatchments and 6 time periods .....	135
5.7	Absolute distances and weighted distances from the reference point of each subcatchment to the reference point in Bangladesh .....	140
5.8	Average potential runoff ( $R(\text{pot})$ ) and relevance ( $R(\text{relev})$ ), 1900–1990 .....	142
5.9	Data situation for the analysis of the case studies .....	148
5.10	Inundations inside and outside Bangladesh in eight major flood years of the twentieth century: A temporal comparison .....	212
5.11	Correlation of $R(\text{pot})$ among different subcatchments in the four monsoon months, 1950–1990 .....	214
5.12	A comparison of rain and flood periods in Bangladesh for eight flood years (1906, 1910, 1922, 1955, 1974, 1987, 1988, 1998), two dry years (1923, 1978) and one average flood year (1993) .....	217
5.13	A temporal comparison of highest daily discharge records in selected years .....	219
5A.1	The floods in 1906: Affected districts and chronology .....	225
5A.2	Threshold values of daily rainfall for return periods of two and five years at selected stations .....	231
5A.3	Rainfall for selected time periods, compared with monthly averages, at selected meteorological stations outside Bangladesh, 1987 .....	286
5A.4	Rainfall for selected time periods, compared with monthly averages, at selected meteorological stations outside Bangladesh, 1988 .....	303

5A.5	Above-danger-level flow and maximum daily peak discharge of the Ganga, Brahmaputra and Meghna, 1974, 1987 and 1988 .....	306
5A.6	Estimated effects of the 1998 flood .....	316
5A.7	Statistical analysis of monthly rainfall anomalies, May–September 1998, for a large number of rainfall stations within Bangladesh .....	321
5A.8	Timing of the two peak flow periods of the Ganga, the Brahmaputra and the Meghna in 1998 .....	325
5A.9	Above-danger-level flow, peak water level and maximum daily discharge of the Ganga, Brahmaputra and Meghna for selected years .....	326
5A.10	Details of above-danger-level flow in 1998 for a number of sites on the big rivers within Bangladesh .....	327
6.1	Sediment and phosphorus budgets of different reference areas for a pre-monsoon rainfall event in the Jhikhu Khola watershed, Nepal .....	369
7.1	The most important features of normal seasonal inundation ( <i>barsha</i> ) and abnormal flooding ( <i>bonna</i> ) .....	394

---

# Boxes

---

1.1	Media headlines referring to Bangladesh floods .....	2
4.1	Literature statements on the history and frequency of flooding in Bangladesh .....	53
4.2	Forest history in the Himalayas: The need for a differentiated discussion .....	57
4.3	The Farakka Barrage: A matter of political tensions .....	100
5.1	Literature statements on flooding in Bangladesh related to highland–lowland linkages .....	110
5.2	Investigation of the 1906 flood: Main points extracted from the detailed analysis presented in Appendix 5.1 .....	153
5.3	Investigation of the 1910 flood: Main points extracted from the detailed analysis presented in Appendix 5.2 .....	157
5.4	Investigation of the 1922 flood: Main points extracted from the detailed analysis presented in Appendix 5.3 .....	161
5.5	Investigation of the 1955 flood: Main points extracted from the detailed analysis presented in Appendix 5.4 .....	166
5.6	Investigation of the 1974 flood: Main points extracted from the detailed analysis presented in Appendix 5.5 .....	169
5.7	Investigation of the 1987 flood: Main points extracted from the detailed analysis presented in Appendix 5.6 .....	175
5.8	Investigation of the 1988 flood: Main points extracted from the detailed analysis presented in Appendix 5.7 .....	180
5.9	Investigation of the 1998 flood: Main points extracted from the detailed analysis presented in Appendix 5.8 .....	186

5.10	Investigation of the year 1923, a dry year for Bangladesh: Main points extracted from the detailed analysis presented in Appendix 5.9 .....	190
5.11	Investigation of the 1978 flooding situation: Main points extracted from the detailed analysis presented in Appendix 5.10 .....	192
5.12	Investigation of the 1993 flooding situation: Main points extracted from the detailed analysis presented in Appendix 5.11 .....	196
7.1	Oral testimonies: Flood perceptions of the affected population in the three test areas .....	394
7.2	Quotes related to the flood perceptions of the World Bank, politicians and engineers .....	397
7.3	Newspaper headlines on flooding in Bangladesh .....	398
7.4	Different stakeholders' perceptions and experiences of lateral river erosion .....	405
7.5	Status of the Flood Action Plan components as at March 1993 .....	414
7.6	Titles and key statements of publications related to the Flood Action Plan .....	415
7.7	Foreword to the National Water Policy by the Prime Minister, Government of the People's Republic of Bangladesh .....	418