

# Dialogue actions for natural language interfaces

Arne Jonsson

Department of Computer and Information Science  
Linköping University S-581 83 LINKÖPING, SWEDEN  
email arnjo@ida.hu.se

## Abstract

This paper presents an action scheme for dialogue management for natural language interfaces. The scheme guides a dialogue manager which directs the interface's dialogue with the user, communicates with the background system, and assists the interpretation and generation modules. The dialogue manager was designed on the basis of an investigation of empirical material collected in Wizard of Oz experiments. The empirical investigations revealed that in dialogues with database systems users specify an object, or a set of objects, and ask for domain concept information, e.g. the value of a property of that object or set of objects. The interface responds by performing the appropriate action, e.g. providing the requested information or initiating a clarification subdialogue. The action to be carried out by the interface can be determined based on how objects and properties are specified from information in the user utterance, the dialogue context, and the response from the background system and its domain model.

## 1 Introduction

Users of natural language interfaces, should conveniently be able to express the commands and queries that the background system can deal with, and the system should react quickly and accurately to all user input. Among other things this means that the interface must be able to cope with connected dialogue. However, it does not mean that the interface must be able to mimic human interaction. On the contrary, it is erroneous to assume that humans would like to interact with computers the same way as they communicate with humans (cf [Dahlback, 1991b, 1991a, Dahlback and Jonsson, 1992, Dahlback *et al.*, 1993, Krause, 1993]). Human computer interactions have their own sublanguages (cf [Gibson and Kittredge, 1986]) whose characteristics often allow a much simpler dialogue model than models capturing human interaction.

To illustrate some properties of such human computer interaction consider figure 1. In information retrieval

systems a common user initiative is a request for domain concept information of a specified object, or set of objects. Utterance U11 illustrates this. The requested domain concept information is the value of the property shape and the domain object is the Ford Fiesta costing 26 800 crowns. Unfortunately the system could not answer the question as the property (shape) is not utilized in the domain, instead in utterance S12 the system provides information about its capabilities. In U13 a new request for information on another property of the same domain object is presented. This time the pronoun it replaces the rephrasing of the specification of the object, i.e. the Ford Fiesta costing 26 800 crowns. In utterance U15 the user asks for the same concept information but related to another object while in U17 the object stays the same but the property is altered. In U19 the property remains the same but this time the user utilizes a definite description to specify an object discussed previously, and originally specified in utterance U11.

The dialogue model presented in this paper does not intend to mimic human conversation. It is based on the observation that for information retrieval applications a common user initiative is a request for domain concept information of a specified object or set of objects (cf [Ahrenberg 1987]). A dialogue manager utilizing this information when deciding which action to perform for user natives concerned with accessing the application will provide efficient and robust user-friendly human computer natural language interaction.

## 2 The Dialogue Manager

A dialogue manager directs a natural language interface and holds information needed by the modules in the interface, including the dialogue manager itself. The Dialogue Manager considered in this paper was designed from an analysis of a corpus of 21 dialogues using live different background systems [Ahrenberg *et al.* 1990, Jonsson 1991], collected in Wizard of Oz-experiments [Dahlback *et al.* 1993]. The Dialogue Manager needs to be customized to account for the sublanguage carried out in a specific application. Customization allows us to adapt the behaviour of the interface to the requirements of the application (see Jonsson [1993a, 1993b] for details).

The results presented here are based on the customiza-

U11 What is the shape of Ford Fiesta costing 26 800 crowns?  
 S12 Wait  
 Cars cannot answer questions concerning the shape of car models  
 U13 Is it rusty?  
 S14 Wait  
 Checking

Manufacturer	Model	Year	Rust
Ford	Fiesta	1982	2

U15 Does the Mercedes from 1982 have any rust damage?  
 S16 Wait  
 Checking

Manufacturer	Model	Year	Rust
Mercedes	200	1982	5

U17 How fast is a Mercedes 200?  
 S18 Wait  
 Checking

Manufacturer	Model	Year	Rust	Top Speed
Mercedes	200	1982	5	160

U19 How fast is the Fiesta?  
 S20 Wait  
 Checking

Manufacturer	Model	Year	Rust	Top Speed
Ford	Fiesta	1982	2	145

figure 1 Example of human computer dialogue using the CARS system. From a corpus of dialogues collected in Wizard of Oz-experiments. U denotes user utterances and S utterances from the system. The corpus examples are translated from Swedish.

tion of the dialogue manager for three applications, other than those utilized in the design, using a set of 30 new dialogues. One of the applications, CARS, allows users to retrieve information from a consumers guide on properties of used cars. In another application, TRAVEL the application domain was charter trips to the Greek archipelago. The TRAVEL application not only utilized information retrieval but also in one scenario, allowed users to order a specified charter trip.

Dialogue management information is modeled in dialogue objects. These represent the constituents of the dialogue. A dialogue object has two components. OIK component contains static information describing the properties and relations of the dialogue object. Another is a process description of a prototypical use of the dialogue object, an action plan [Jonsson, 1991]. During the course of interaction a dialogue tree is built up from instances of dialogue objects. (For more details on the Dialogue Manager see Jonsson.)

Two types of static parameters are distinguished: situation parameters and content parameters. The situation parameters specify the situation in which the dialogue object occurs, such as Initiator, Responder and contextual information. The content parameters are needed for focus structure and dialogue structure. Focus structure concerns the recording of entities mentioned in the discourse to allow a user to refer to them in the course of the interaction. Dialogue structure involves handling the relationships between the segments in the dialogue.

U27 what hotels are there on Crete  
 S28 Wait  
 The hotels in Platanias on Crete are Kronos, Agrimia, Village Suites and Villa Margarita  
 U29 which one is the cheapest  
 S30 Wait  
 Price Villa Margarita

	4/7	11/7	18/7	25/7
1 week	2725	2725	2675	2625
2 weeks	3272	3275	3225	3175

U31 what is next cheapest  
 S32 Wait  
 Price Village Suites

	4/7	11/7	18/7	25/7
1 week	3150	3150	3100	3050
2 weeks	4025	4025	3975	3925

U33 what service can these hotels provide  
 S34 Wait  
 The basic price at Villa Margarita includes shared apartment  
 Cleaning 3 days/week, no dish-washing. No meals  
 The basic price at Village Suites includes shared apartment  
 Cleaning 3 days/week, no dish-washing. No meals

Figure 2 Example of dialogue using the TRAVEL system.

## 2.1 Focus structure parameters

As discussed above, users of information retrieval systems request database information by specifying a database object, or a set of objects, and ask for the value of a property of that object or set of objects. The dialogue objects model database objects using a parameter termed Objects and the domain concept information in a parameter termed Properties. The values, to these parameters depend on the background system and the natural language interface needs to be customized to account for the demands from each application [Jonsson, 1993h]. For the CARS application a relational database is used and the objects are cars described by the sub-parameters (Manufacturer, Model, Year). The TRAVEL application utilizes a hierarchically structured database with the Greek archipelago on top, then the resorts and finally the hotels at each resort. However, it turns out that there is no need to explicitly represent the various levels in the hierarchy. Instead one single sub-parameter holding any of these object types is sufficient. To illustrate this, consider figure 1. After utterance 1127 the value of the Objects parameter is the resort Crete. This will be changed to a set of hotels when the response from the background system is generated, S28.

The value to the Objects parameter can be explicitly provided as for instance, it is in *show saab 900 of J9H5 modtl*. However, this is not often the case. Instead the user provides only partial information or a new set of objects by specifying properties, e.g. *Show all mtdtum size cars with a safety factor larger than 4*. It is also possible to describe new objects by way of other objects as for example in U27 in figure 2. The Objects parameter will achieve values from such intensionally specified object descriptions by the extensional specification provided from the database access system.

The Properties parameter models the domain concept in a Sub-parameter termed Aspect which can be specified, in another sub-parameter termed Value. For instance, utterance U17 in figure 1 *Bow fast is a MERCEDES 200?* provides Aspect information on the domain concept *speed* which is specified by the database manager to 160, i.e. the Value of the Aspect *speed* is 160.

For some applications a third focal parameter is needed, termed Secondary Objects. Its purpose is to restrict the search in the database to allow the user to investigate objects from a subset of objects one at a time as exemplified in figure 2. The user picks out the set of hotels at the resort but is only interested in a subset of them. If we apply the principle that holes are appended to the Objects parameter if the resort remains the same, the Objects parameter will hold the subset requested in U33. However, to restrict the database search in U31 to the set specified in S28 Secondary Objects is needed to hold the subset from which individual objects are investigated.

The focus parameters are properties of discourse segments (cf [Zancanaro *et al.*, 1991]), not moves. Focus is maintained using a simple copying principle where each new dialogue object is instantiated with a copy of the focus parameters from the previous dialogue object (cf [Seneff 1992]). This forms the initial context for the dialogue object and is updated with new information from the user initiative and the response from the background system.

The details on how to update the focal parameters vary and need to be considered when customizing the dialogue objects for a specific application. For instance consider the system response S18 in figure 1. This response does not only contain the requested information on the Aspect sub-parameter *top speed*. It also provides information on the Aspect sub-parameter *speed* specified in the previous user initiative. If the value to the Objects parameter remains the same (or is a subset of the previous value), the value to the Properties parameter will be the conjunction of the previous value and the new values provided in the new move. This principle is appropriate when information is presented in tables allowing additional information to be presented conveniently [Ahrenberg *et al.* 1993].

## 2.2 Dialogue structure parameters

The dialogue is divided into three main classes on the basis of structural complexity. There is one class corresponding to the size of a dialogue, another class corresponding to the size of a discourse segment and a third class corresponding to the size of a single speech act or dialogue move. Utterances, are not analyzed as dialogue objects, but as linguistic objects which function as vehicles of one or more moves. There are various other proposals as to the number of categories needed. They differ mainly on the modeling of complex units that consist of sequences of discourse segments, but do not comprise the whole dialogue. For instance, LOKI [Wachtel 198b] and SUNDIAL [Bilange 1991] use four. In LOKI the levels are conversation, dialogue, exchange and move. SUNDIAL uses the categories Transaction level, Exchange

level, Intervention level and Dialogue Acts. The feature characterizing the intermediate level (i.e. the Dialogue and Exchange levels respectively in Wachtel's and Bilange's models) is that of having a common topic, i.e. an object whose properties are discussed over a sequence of exchanges. However, as illustrated in figure 1, a sequence of segments may hang together in a number of different ways e.g. by being about one object for which different properties are at issue. But it may also be the other way around, so that the same property is topical while different objects are talked about (cf [Ahrenberg *et al.*, 1990]). Thus only one discourse segment category is distinguished and an Initiative-response (IR) structure is assumed (cf adjacency-pairs [Schegloff and Sacks, 1973]) where an initiative opens a segment by introducing a new goal and the response closes the segment [Dahlback 1991b].

To specify the functional role of a move we use the parameters Type and Topic.

Type corresponds to the illocutionary type of the move. For so-called simple service systems<sup>1</sup> two sub-goals can be identified [Hayes and Reddy 1983 p. 2bb]: 1) specifying a parameter to the system and 2) obtaining the specification of a parameter. Initiatives are categorized as being of two different types: 1) update, U where users provide information to the system and 2) question Q, where users obtain information from the system. Responses are categorized as answer A for database answers from the system or answers to clarification requests. The Dialogue Manager utilizes other Type categories such as Greeting, Farewell and Discourse Continuation (DC) [Dahlback 1991b] the latter being used for utterances from the system whose purpose is to keep the conversation going but they will not be further considered in this paper.

Topic describes which knowledge source to consult. For information retrieval applications three different knowledge sources are utilized: the database for solving a task (T), acquiring information about the database system related (S) or, finally, the ongoing dialogue (D). If the background system allows ordering of a specified item a fourth category is needed to account for such utterances.

The Type/Topic parameters can be used to describe the dialogue structure, in which action to be carried out by the interface. This in turn can be modeled in a dialogue grammar [Jonsson 1993a].

## 3 Actions for task-related initiatives

Normal!} a natural language interface to database information retrieval applications is user-directed. I.e. the user initiates a request for information from the background system and the interface responds with the requested information. The interface only takes the initiative to begin a clarification request under three

<sup>1</sup>Simple service systems "require in essence only that the customer or client identify certain entities to the person providing the service: these entities are parameters of the service and once they are identified the service can be provided" [Hayes and Reddy 1983 p. 252].

Objects	Properties	Action(s)
Correct Partly Correct Not Provided	Correct Partly Correct Aspect	$A_T$
Correct Partly correct Not provided Incompatible	Erroneous Value Ambiguous Aspect	$Q_D/A_D A_T$ ( $A_D$ )
Correct Erroneous	Not provided	$Q_D/A_D A_T$ $A_S$
-	Erroneous Aspect	$A_S$
-	Incompatible	$A_S$
-	(Too large to print)	$Q_D/A_D A_T$

Table 1 A summary of the Dialogue Manager's actions to task-related initiatives

circumstances<sup>2</sup>

- a difficulty arises when interpreting an utterance, e.g. unknown words or questions outside the domain of the database
- a difficulty arises when accessing the database e.g. when the user needs to provide a parameter for correct access
- a difficulty arises in the presentation of the result from the database access, e.g. the answer is too large to print on one screen

The action to be carried out for task-related questions depends on how the information in the user initiative together with the information copied from the previous IR-unit and context information from the dialogue tree and the answer from the database system specify the values to the focal parameters *Objects* and *Properties*. This contrasts with other structural based approaches such as Sitter and Stein [1992], where the user's purpose is considered primary when deciding which action to carry out. An object or property description can be either correct, partly correct incompatible ambiguous erroneous, or not provided. Erroneous means that the user has specified an object which is not in the database. Partly correct means that the description contains at least one correct object or property description, but also one or more erroneous descriptions. Incompatible descriptions utilize elements which do not belong together e.g. Volvo Camry.

The relation between the values to the *Objects* and *Properties* parameters and the resulting action described in terms of *Type* and *Topic* is summarized in table 1<sup>3</sup>. Any combination of *Objects* and *Properties* in a cell in a row results in the action to the right. From the table we

<sup>2</sup>The system also takes the initiative to collect ordering information

<sup>3</sup>When presenting the dialogue actions *Topic* type will be indicated with a subscript to the *Type*, e.g.  $A_T$  denotes a task related answer. IR units are presented as a *TypeTopic*-pair with the Initiative separated from the Response by a slash (/)

- U17 which 10 car models between 60 000 and 70 000 crowns are most spacious  
 S18 Wait  
 Checking  
 Information on space is either coupe or boot  
 Please be more specific  
 U19 best coupe

Figure 3 Example of ambiguous Aspect resulting in a clarification request

can identify three basic actions to task-related IR-units depending on the values of the parameters *Objects* and *Properties*  $A_T$ ,  $A_S$ , and  $Q_D/A_D A_T$

- $A_T$  is the normal action following a  $Q_T$ . This describes a successful task-related user initiative followed by a successful system answer with information taken from the database. This requires correct values for both *Objects* and *Properties*. The values for these parameters can be taken either from the preceding dialogue or they could be provided in the user input. What is important is that the initiative in context provides enough information so that it can be used to access the background system and that the answer from the background system is in some sense correct. A special case is when no explicit *Objects* description is provided but the *Properties* are fully specified and can be used to access the database e.g. show all medium class cars costing less than 70 000 crowns.

If the parameters *Objects* or *Properties* are partly correct, i.e. contain one or more erroneous items then an answer is presented on the correctly specified items together with information about what was erroneous, if possible.

- $Q_D/A_D A_T$  is to be considered as a special case of the normal  $A_T$  action as specified above. This category is concerned with cases where the system initiates a clarification subdialogue to achieve more information from the user in order to get fully and correctly specified values to *Objects* or *Properties*. If the user decides not to answer the clarification request then the values from the initiating IR-unit are copied to the new IR-unit and interaction proceeds from there. The treatment of multiple sequential clarifications follows the same pattern as that for one clarification subdialogue.

A clarification subdialogue can be initiated when the *Objects* are correctly specified but the values of the *Value* slot to the *Properties* are erroneous or under-specified. For instance, in *remove all cars with low operational safety* the expression *low* is too vague. Another case is where no *Aspect* is provided or the provided *Aspect* is ambiguous. The latter is illustrated in utterance U17 in figure 3.

Such cases are handled by a system initiated clarification subdialogue, a  $Q_D/A_D$ , directed from the IR unit which started the interaction, normally a  $Q_T$ , with the under-specified or ambiguous prop-

erty copied from the initiating IR-unit. The Aspect slot is used to hold the parameter for which the system wants an answer and the Value slot is used for the user's answer. If the user answers correctly at, in U19 in figure 3, the values for Properties in the initiating IR-unit are updated. A  $Q_p/A_p$  unit is identified from the type information, i.e. the Type of the response from the user is A. Otherwise the user move is regarded not to be an answer to the systems clarification request. A clarification subdialogue is not initiated unless the system is able to explicitly provide alternatives to the user.

A special case of clarification request occurs when a correct specification of the parameters Objects and Properties is provided, but the answer is too large to print on the screen. In such cases the system initiates a clarification subdialogue asking the user to restrict the number of items to be printed, for example, S2: *Wait. There are 16 car models which satisfy your requirements. CARS normally only shows 25 cars at a time. Do you want to see them all?* The answer can be either a number, a restriction such as *US remove cars costing less than 40 000 crowns-* or Yes or No. It is used to restrict the number of objects to output on the screen and also in some cases affect the values of the Objects parameter.

- $A_s$  is used for task related user initiatives resulting in a system answer which provides information about the database system. Information can be provided on various aspects of what type of information there is in the database and what type of questions that can be used to elicit this information. An example is *Cars cannot answer questions concerning the shape of car models.* An  $A_s$  is utilized for an utterance with erroneous Objects or Aspect. Incompatible Properties and Objects always result in an  $A_s$ , this means that although both Properties and Objects are correct they cannot be used together.

To illustrate the action scheme consider utterance U11: *What is the shape of hard Fusta costing 26 800 nowus?* in figure 1. This will be interpreted as a task-related question, a  $Q_T$  with correctly specified Objects parameter. However the Aspect parameter is erroneous as there is no information in the database on the concept *shape*. Furthermore the system can not provide alternatives to the user. Thus the resulting action is an  $A?$  S12. The next user utterance, U13, is a  $Q_T$  with both correct Objects, as copied from the previous IR-unit, and correct Aspect sub-parameter, *rust*. Thus the resulting action is an  $A_T$ , S14.

It is not always possible to directly use the values in the Objects and Properties slots even if correctly specified. For applications such as TRAVEL with hierarchically structured databases the Dialogue Manager sometimes needs to search the domain base or the dialogue tree to find an applicable object or property. For instance, if the user in the dialogue in figure 1 asks for concept information on properties associated with resorts, such as climate, when the hotels are in focus the domain model is utilized to find the appropriate resort.

There are user initiatives which do not depend on the values of Objects and Properties, such as system-related questions,  $Q_s$ , i.e. the user requests information about the system. These are recognized on the grounds of linguistic information provided by the syntactic/semantic analyzer [Ahrenberg, 1988].

If ordering is allowed it is important to know which task is currently being performed: exploring the database or ordering. This problem has been discussed by, for instance, Ramshaw [1991] and Lambert and Carberry [1991]. They present models using three different but interacting, levels of plans to know when users stop exploring different plane and instead commit themselves to one plan. However a result emerging from the analysis of our dialogues [Jonsson 1993a] is that the subjects clearly signal when they change plan using utterances such as *I would like to order a trip for two to Lefkada.* Thus retrieval of ordering information from the users can be collected in a formalized fashion controlled by the system (cf [Hoepfner et al 1980]).

## 4 Results

Dialogue objects has been customized to meet the demands of the three systems discussed above: CARS and TRAVEL with and without ordering. The customized dialogue objects for the CARS system has also been integrated with an INGRES database and interpreting modules using a grammar and a lexicon covering a subset of the utterances found in the corpus. A context free grammar with less than 20 rules can accurately model the dialogue structure, utilized in the corpus. The principle of copying information from ONE dialogue object to the other provides the correct context for most referring expressions. FOT (ARS only) 5% required a search in the dialogue tree. The corresponding numbers for TRAVEL were 6% for information retrieval and 2% if ordering is utilized (For more details on the results from customizing the dialogue and focus structures see Jonsson [1993a] and Ahrenberg et al [1993]).

The action scheme presented in table 1 covers all task-related user initiatives utilized in the corpus. In the CARS application 85% of the user initiatives are task related questions. In the TRAVEL application without ordering the number of task-related user initiatives account for 93% of the user utterances and dually when ordering is allowed 90% of the user utterances are task-related. The other user initiatives are system related questions, farewells, greetings, etc which are interpreted from linguistic information thus a majority of the user initiatives are task-related and will be handled efficiently and acclately using the action scheme.

## 5 Discussion

The Dialogue Manager presented in this paper is restricted to written human-computer interaction in natural language. However when communicating with a natural language interface, a user should not be limited to typed keyboard input and screen output. The possibilities of using various modalities must be addressed to further improve the interaction. Examples of sys-

terns which use a variety of modalities for both interpretation and generation include AIFresco [Stock, 1991], XTRA [Wahlster, 1991], Voyager [Zue, 1994] and CUBRICON [Neal and Shapiro, 1991]

The main difference between multi-modal interfaces to simple service systems and conventional natural language interfaces to such applications is their ability to utilize a combination of input and output modalities such as speech, graphics pointing and video output. Thus, more advanced interpretation and generation modules are required and principles for determining how to utilize each media are needed [Arens *et al*, 1993]

However, the dialogue and focus structures need not necessarily be more complicated. For instance, Voyager [Zue, 1994] successfully utilizes the approach presented here of copying the focus parameters from one segment to the other [Seneff, 1992]. Sitter and Stein [1992] present a model for dialogue management to information-seeking dialogues. The model assumes that conversation is based on possible sequences of dialogue acts which are modeled in a transition network. In Stein and Thiel [1993] the model is extended to handle multi-modal interaction as utilized in the MERIT system [Stein *et al* 1992]

Thus, it seems that for simple service systems the dialogue model presented here will be sufficient *not* only for natural language interfaces but also interfaces utilizing various other modalities. However, for task-oriented dialogues, where the user's task directs the dialogue [Loo and Bego, 1993], a model of this and the user's goals need to be consulted in order to provide user-friendly interaction (cf [Burger and Marshall, 1993]). This does not imply the necessity, of a sophisticated, model based on the user's intentions. Utilizing a hierarchical structure of plans based on the various tasks possible to carry out in the domain might do just as well (cf [Wahlster *et al* 1993])

## 6 Summary

Natural language interaction will be more robust and habitable if the users can participate in a coherent dialogue with the system. For natural language interfaces to information retrieval applications the necessary dialogue actions can be determined using a straightforward solution. Users specify a database object, or set of objects and ask for domain concept information of that object or objects. This is modeled in two parameters, one associated with the objects and another with the requested properties of that object. The parameters are specified from information in the user initiative, the discourse and the background system and its domain model. The action to be carried out by the interface can be determined from the specification of these objects and properties parameters.

## Acknowledgments

This work results from a project on Dynamic Natural-Language Understanding supported by The Swedish Council of Research in the Humanities and Social Sciences (HSFR) and The Swedish National Board for Industrial and Technical Development (NUTEK) in the

joint Research Program for Language Technology. The work has been carried out with the members of the Natural Language Processing Laboratory at Linköping University, Sweden, and I am especially indebted to Lars Ahrenberg, Nils Dahlback and Ake Thuree.

## References

- [Ahrenberg *et al*, 1990] Lars Ahrenberg, Arne Jonsson and Nils Dahlback. Discourse representation and discourse management for natural language interfaces. In *Proceedings of the Second Nordic Conference on Text Comprehension in Man and Machine*, Tdby, Sweden, 1990.
- [Ahrenberg *et al* 1993] Lars Ahrenberg, Arne Jonsson, and Ake Thuree. Customizing interaction for natural language interfaces. In *Workshop on Pragmatic in Dialogue, The XIV th Scandinavian Conference on Linguistics and the VIII th Conference of Nordic and General Linguistics*, Goteborg, Sweden, 1993.
- [Ahrenberg, 1987] Lars Ahrenberg. *Interrogative Structures of Swedish: Aspects of the Relation between grammar and speech acts*. PhD thesis, Uppsala University, 1987.
- [Ahrenberg, 1988] Lars Ahrenberg. Functional constraints in knowledge-based natural language understanding. In *Proceedings of the 12th International Conference on Computational Linguistics*, Budapest, pages 1V18, 1988.
- [Arens *et al*, 1993] Yigal Arens, Eduard Hovy and Mira Voßers. On the knowledge underlying multimedia presentations. In Mark T. Maybury editor. *Intelligent Multimedia Interfaces\** pages 280-306. MIT Press, 1993.
- [Bilange 1991] Eric Bilange. A task independent oral dialogue model. In *Proceedings of the Fifth Conference of the European Chapter of the Association for Computational Linguistics*, Berlin, 1991.
- [Burger and Marshall, 1993] John D. Burger and Ralph J. Marshall. The application of natural language models to intelligent multimedia. In Mark T. Maybury, editor, *Intelligent Multimedia Interfaces*, pages 174 - 196. MIT Press, 1993.
- [Dahlback and Jonsson, 1992] Nils Dahlback and Arne Jonsson. An empirically based computationally tractable dialogue model. In *Proceedings of the Fourteenth Annual Meeting of The Cognitive Science Society*, Bloomington, Indiana, 1992.
- [Dahlback *et al*, 1993] Nils Dahlback, Arne Jonsson, and Lars Ahrenberg. Wizard of Oz studies - why and how. *Knowledge-Based Systems*, 6(4) 258-266, 1993.
- [Dahlback, 1991a] Nils Dahlback. Empirical analysis of a discourse model for natural language interfaces. In *Proceedings of the Thirteenth Annual Meeting of The Cognitive Science Society*, Chicago, Illinois, pages 1-6, 1991.
- [Dahlback, 1991b] Nils Dahlback. *Representations of Discourse, Cognitive and Computational Aspects*. PhD thesis, Linköping University, 1991.

- [Grishman and Kittredge, 1986] Ralph Grishman and Richard I. Kittredge. *Analysing language in restricted domains*. Lawrence Erlbaum, 1986
- [Hayes and Reddy, 1983] Philip J. Hayes and D. Raj Reddy. Steps toward graceful interaction in spoken and written man-machine communication. *International Journal of Man Machine Studies* 10 231-284 1983
- [Hoepfner et al., 1986] Wolfgang Hoepfner, Katharina Monk, and Heinrich Marburger. Talking it over: The natural language dialog system HAMANS. In Leonard Bole and Matthias Jarke, editors. *Cooperative Interfaces to Information Systems*. Springer Verlag, Berlin Heidelberg, 1986
- [Jonsson, 1991] Arne Jonsson. A dialogue manager using initiative-response units and distributed control. In *Proceedings of the Fifth Conference of the European Chapter of the Association for Computational Linguistics, Berlin*, 1991
- [Jonsson, 1993a] Anne Jonsson. *Dialogue Management for Natural Language Interfaces - An Empirical Approach*. PhD thesis Linköping University 1993
- [Jonsson, 1993b] Arne Jonsson. A method for development of dialogue managers for natural language interfaces. In *Proceedings of the Eleventh National Conference of Artificial Intelligence Washington DC* pages 190-195 1993
- [Krause, 1993] Jürgen Krause. A multilayered empirical approach to multimodality: Towards mixed solutions of natural language and graphical interfaces. In Mark T. Maybury editor, *Intelligent Multimedia Interfaces*, pages 328 - 352 MIT Press, 1993
- [Lambert and Carberry, 1991] Lynn Lambert and Sandra Carberry. A tripartite plan-based model of dialogue. In *Proceedings of the 29th Annual Meeting of the ACL Berkeley*, pages 193-200, 1991
- [Loo and Bego, 1993] W. Van Loo and Ilse Bego. Agent tasks and dialogue management. In *Workshop on Pragmatics in Dialogue The 11th Scandinavian Conference of Linguistics and the 13th Conference of Nordic and General Linguistics* Göteborg Sweden 1993
- [Neal and Shapiro, 1991] Giannetta G. Neal and Stuart C. Shapiro. Intelligent multimedia interface technology. In Joseph W. Sullivan and Sherman W. Tyler editors, *Intelligent User Interfaces*. ACM Press Addison-Wesley 1991
- [Ramshaw, 1991] Lance A. Ramshaw. A three-level model for plan exploration. In *Proceedings of the 29th Annual Meeting of the ACL Berkeley* pages 39-46 1991
- [Schegloff and Sacks, 1973] Emanuel A. Schegloff and Harvey Sacks. Opening up closings. *Semiotica* 7 289-327, 1973
- [Seneff, 1992] Stephanie Seneff. A relaxation method for understanding spontaneous speech utterances. In *Paper presented at the Fifth DARPA Workshop on Speech and Natural Language* 1992
- [Sitter and Stein, 1992] Stefan Sitter and Adelheid Stein. Modeling the illocutionary aspects of information-seeking dialogues. *Information Processing & Management*, 28(2) 165-180 1992
- [Stem and Thiel, 1991] Adelheid Stein and Ulrich Thiel. A conversational model of multimodal interaction in information systems. In *Proceedings of the Eleventh National Conference of Artificial Intelligence Washington DC* pages 283 - 288 1993
- [Stein et al., 1992] Adelheid Stein, Ulrich Thiel, and Anne T. Ben. Knowledge based control of visual dialogues in information systems. In *Proceedings of the 1st International Workshop on Advanced Visual Interfaces Rome Italy* 1992
- [Stock, 1991] Oliviero Stock. Natural language exploration of an information space: the alfresco interactive system. In *Proceedings of the Twelfth International Joint Conference on Artificial Intelligence Sydney Australia* pages 972-978 1991
- [Waclilel, 1986] Ioin Wachlel. Pragmatic sensitivity in NL interfaces and the structure of conversation. In *Proceedings of the 11th International Conference of Computational Linguistics University of Bonn* pages 35-42 1986
- [Wahlsler et al., 1991] Wolfgang Wahlsler, Elisabeth Andre, Wolfgang Finkler, Hans Jürgen Prohlich, and Thomas Rist. Plan-based integration of natural language and graphics generation. *Artificial Intelligence* 63 387 - 427, 1993
- [Wahlsler, 1991] Wolfgang Wahlsler. User and discourse models for multimodal communication. In Joseph W. Sullivan and Sherman W. Tyler, editors. *Intelligent User Interfaces*. ACM Press, Addison-Wesley 1991
- [Zaneanero et al., 1993] Massimo Zancanaro, Oliviero Stock, and Carlo Strapparava. Dialogue cohesion sharing and adjusting in an enhanced multimodal environment. In *Proceedings of the International Joint Conference of Artificial Intelligence, Chambéry France* page-, 1230- 1236 1993
- [ZUP, 1994] Victor W. Zue. Low-level systems that understand spoken language. *IEEE Expert* 9 51-59 1994