

Slick 2.0

Stefan Zeiger



Typesafe



Slick

Scala Language Integrated Connection Kit

- Database query and access library for Scala
- Successor of ScalaQuery
- Developed at Typesafe and EPFL
- Open Source

Supported Databases

- PostgreSQL
- MySQL
- H2
- Hsqldb
- Derby / JavaDB
- SQLite
- Access


Closed-Source *Slick Extensions*
(with commercial support by
Typesafe):

- Oracle
- DB/2
- SQL Server

Write database code in Scala


- Instead of SQL, JPQL, Criteria API, etc.

```
for { p <- persons } yield p.name
```



```
select p.NAME from PERSON p
```

```
(for {
    p <- persons.filter(_.age < 20) ++
        persons.filter(_.age >= 50)
        if p.name.startsWith("A")
} yield p).groupBy(_.age).map { case (age, ps) =>
  (age, ps.length)
}
```



```
select x2.x3, count(1) from (
  select * from (
    select x4."NAME" as x5, x4."AGE" as x3
      from "PERSON" x4 where x4."AGE" < 20
    union all select x6."NAME" as x5, x6."AGE" as x3
      from "PERSON" x6 where x6."AGE" >= 50
    ) x7 where x7.x5 like 'A%' escape '^'
  ) x2
group by x2.x3
```

Functional-Relational Mapping

- Embraces the relational model

```
class Suppliers ... extends  
Table[(Int, String, String)](... "SUPPLIERS")  
  
sup.filter(_.id < 2) ++ sup.filter(_.id > 5)
```

Functional-Relational Mapping

- Composable Queries

```
def f(id1: Int, id2: Int) =  
    sup.filter(_.id < id1) ++ sup.filter(_.id > id2)  
  
val q = f(2, 5).map(_.name)
```

Functional-Relational Mapping

- Explicit control over statement execution
- Stateless
- No impedance mismatch

```
val result = q.run
```

Getting Started

- Typesafe Activator:

<http://typesafe.com/activator>

The screenshot shows the Typesafe Activator interface. At the top, there are tabs for Home, Code, Compile, Test, and Run. The Code tab is selected, showing the file `src/main/scala/HelloSlick.scala`. The code editor displays Scala code for a Slick application. On the right side, there is a sidebar titled "TUTORIAL (RELOAD)" with a "Run the App and the Tests" button. Below the sidebar, there is explanatory text about the application and its tests.

```
31  ("Colombian_Decaf", 101, 8.99, 0, 0),
32  ("French_Roast_Decaf", 49, 9.99, 0, 0)
33
34
35  val allSuppliers: List[(Int, String, String, String, String, String)] = 
36
37 / Print the number of rows inserted
38 offeesInsertResult foreach (numRows => println(s"Inserted $numRows rows
39
40
41 * Read / Query / Select */
42
43 / Print the SQL for the Coffees query
44 println("Generated SQL for base Coffees query:\n" + coffees.selectStatement
45
46 / Query the Coffees table using a foreach and print each row
47 offees foreach { case (name, supID, price, sales, total) =>
48   println(" " + name + "\t" + supID + "\t" + price + "\t" + sales + "\t"
49
50
51
52 * Filtering / Where */
53
54 / Construct a query where the price of Coffees is > 9.0
55 val filterQuery: Query[Column[Int], Int] = coffee
56
57 println("Generated SQL for filter query:\n" + filterQuery.selectStatement
58
59 / Execute the query
60 println(filterQuery.list)
61
62
63 * Update */
64
65 / Construct an update query with the sales column being the one to update
66 val updateQuery: Query[Column[Int], Int] = coffees.map(_.sales)
67
68 / Print the SQL for the Coffees update query
69 println("Generated SQL for Coffees update:\n" + updateQuery.updateStatement
70
71 / Perform the update
72 val numUpdatedRows = updateQuery.update(1)
73
74 println(s"Updated $numUpdatedRows rows")
```

Components

- **Lifted Embedding**
- Direct Embedding
- **Plain SQL**
- **Session Management**
- Schema Model
- **Code Generator**

Session Management

Unified Session Management


```
import scala.slick.driver.H2Driver.simple._

val db = Database.forURL("jdbc:h2:mem:test1",
                         driver = "org.h2.Driver")  
  • forName  
  • forDataSource
```

```
db withSession { implicit session =>
  doSomethingWithSession
}  
  withTransaction
```

Driver-Independence

```
class MyDAO(driver: JdbcProfile) {  
    import driver.simple._  
    ...  
}
```



→ MultiDBExample and
MultiDBCakeExample in
<https://github.com/slick/slick-examples>

Code Generator

sbt Setup

```
lazy val slick = TaskKey[Seq[File]]("gen-tables")
lazy val slickCodeGenTask =
  (sourceManaged, dependencyClasspath in Compile,
   runner in Compile, streams) map { (dir, cp, r, s) =>
    val outputDir = (dir / "slick").getPath
    val url = "jdbc:h2:~/test"
    val jdbcDriver = "org.h2.Driver"
    val slickDriver = "scala.slick.driver.H2Driver"
    val pkg = "demo"
    toError(r.run(
      "scala.slick.model.codegen.SourceCodeGenerator",
      cp.files, Array(slickDriver, jdbcDriver, url, outputDir,
      pkg), s.log))
    Seq(file(outputDir + "/demo/Tables.scala")))
}
```

Lifted Embedding

Table Definition

```
class Suppliers(tag: Tag) extends
    Table[(Int, String, String)](tag, "SUPPLIERS") {
  def id = column[Int]("SUP_ID",
                      0.PrimaryKey, 0.AutoInc)
  def name = column[String]("SUP_NAME")
  def city = column[String]("CITY")
  def * = (id, name, city)
}

val suppliers = TableQuery[Suppliers]
```

Custom Row Types

```
case class Supplier(id: Int, name: String,  
                    city: String)
```

```
class Suppliers(tag: Tag) extends  
    Table[Supplier](tag, "SUPPLIERS") {  
  def id = column[Int]("SUP_ID",  
                      0.PrimaryKey, 0.AutoInc)  
  def name = column[String]("SUP_NAME")  
  def city = column[String]("CITY")  
  def * = (id, name, city) <>  
    (Supplier.tupled, Supplier.unapply)  
}
```

```
val suppliers = TableQuery[Suppliers]
```

Custom Column Types

```
class SupplierId(val value: Int) extends AnyVal
```

```
case class Supplier(id: SupplierId, name: String,  
                    city: String)
```

```
implicit val supplierIdType = MappedColumnType.base  
[SupplierId, Int](_.value, new SupplierId(_))
```

```
class Suppliers(tag: Tag) extends  
  Table[Supplier](tag, "SUPPLIERS") {  
  def id = column[SupplierId]("SUP_ID", ...)  
  ...  
}
```

Custom Column Types

```
class SupplierId(val value: Int) extends MappedTo[Int]
```

```
case class Supplier(id: SupplierId, name: String,  
                    city: String)
```

```
class Suppliers(tag: Tag) extends  
  Table[Supplier](tag, "SUPPLIERS") {  
  def id = column[SupplierId]("SUP_ID", ...)  
  ...  
}
```

Foreign Keys

```
class Coffees(tag: Tag) extends Table[  
    (String, SupplierId, Double)](tag, "COFFEES") {  
    def name = column[String]("NAME", O.PrimaryKey)  
    def supID = column[SupplierId]("SUP_ID")  
    def price = column[Double]("PRICE")  
    def * = (name, supID, price)  
    def supplier =  
        foreignKey("SUP_FK", supID, suppliers)(_.id)  
}  
  
val coffees = TableQuery[Coffees]
```

Creating Tables and Inserting Data

```
val suppliers = new ArrayBuffer[Supplier]
val coffees = new ArrayBuffer[(String, SupplierId, Double)]
```

```
suppliers += Supplier(si1, "Acme, Inc.", "Groundsville")
suppliers += Supplier(si2, "Superior Coffee", "Mendocino")
suppliers += Supplier(si3, "The High Ground", "Meadows")
```

```
coffees ++= Seq(
  ("Colombian",           si1, 7.99),
  ("French_Roast",         si2, 8.99),
  ("Espresso",            si3, 9.99),
  ("Colombian_Decaf",     si1, 8.99),
  ("French_Roast_Decaf",   si2, 9.99)
)
```

Auto-Generated Keys

```
val ins = suppliers.map(s => (s.name, s.city))
  returning suppliers.map(_.id)

val si1 = ins += ("Acme, Inc.", "Groundsville")
val si2 = ins += ("Superior Coffee", "Mendocino")
val si3 = ins += ("The High Ground", "Meadows")

coffees ++= Seq(
  ("Colombian",           si1, 7.99),
  ("French_Roast",        si2, 8.99),
  ("Espresso",            si3, 9.99),
  ("Colombian_Decaf",    si1, 8.99),
  ("French_Roast_Decaf", si2, 9.99)
)
```

Queries

```
Query[ (Column[String], Column[String]), (String, String) ]
```

Coffees

Suppliers

```
(Column[String], Column[String])
```

```
val q = for {  
    c <- coffees if c.price < 9.0  
    s <- c.supplier  
} yield (c.name, s.name)
```

TableQuery[Coffees]

ColumnExtensionMethods.<

ConstColumn(9.0)

Column[Double]

```
val result = q.run(session)
```

```
Seq[ (String, String) ]
```

More Queries

```
val q1 = suppliers.filter(_.id === 42)  
val q2 = suppliers.filter(_.id =!= 42)
```

```
val q4 = (for {  
    c <- coffees  
    s <- c.supplier  
} yield (c, s)).groupBy(_.id).map { case (_, q) =>  
    (q.map(_.name).min.get, q.length)  
}
```

Column[Option[String]]

Plain SQL

JDBC

```
def personsMatching(pattern: String)(conn: Connection) = {  
    val st = conn.prepareStatement(  
        "select id, name from person where name like ?")  
    try {  
        st.setString(1, pattern)  
        val rs = st.executeQuery()  
        try {  
            val b = new ListBuffer[(Int, String)]  
            while(rs.next)  
                b.append((rs.getInt(1), rs.getString(2)))  
            b.toList  
        } finally rs.close()  
    } finally st.close()  
}
```

Slick

```
def personsMatching(pattern: String)(implicit s: Session) =  
  sql"select id, name from person where name like $pattern"  
    .as[(Int, String)].list
```

Outlook

Slick 2.0 – What's New

- Improved API
- Code Generator
- Query scheduling (experimental)
- New driver and back-end architecture

Outlook

- Slick 2.1: Focus on usability (API, docs, semantics, etc.)
- Default database library for Play 2.3
 - as part of the Typesafe Platform
- Macro-based type providers
 - Prototype based on type macros (*topic/type-providers*)
 - Macro annotations should be enough
 - Scala 2.12? Dotty?
- Investigating async support and Java API



slick.typesafe.com



@StefanZeiger

