

Index

A

Afghanistan 5,319,320,325,326,345
airborne light detection and ranging
(LIDAR) 237-243, 246,249
anchor 307
Arno Basin 252, 255
Arno River 251,254
avalanche 55

B

Bamiyan 5, 319, 320,324-328,345, 365,
366
-, Buddha niches (*see* Buddha)
-, valley 320
Bandung City 147
Barton on Sea 16
basin scale risk assessment 253
bedding 13,16-24,49,127,128,269,271,
323
-, control 18
Bettou-dani 155-158
-, Valley 151,159,162,164
Bingham flow 67
BisacciaHill 41
Bishop's simplified method 309
blockslide 115,124,129
-, model 125
Brindisi di Montagna mudslide 36
Britain, sketch map 14
British Columbia 52,54
British Isles 13
Buddha niches 319-321,325-331, 333,
334,336,337, 340-346

C

Čachtice Castle 272
Čachticky hrad Castle 271
Canada 54
case study 97,147,151,199,355
classification 13,14,27,50,113,237,242,
248,249,253, 320, 324,326,350,356
-, of landslides 50
clay
-, expansive minera 135,136,183,
190, 191
-, mineralogical aspect 183
-, mineralogy 190
-, sensitive 48,54

cliff 16

Coal Measures 13,15
coal mining waste 54
coastline 18
cohesion loss 48
collapse 122
communition 113,118-123,131
composition
-, chemical 135,137
-, mineralogical 135,141,143,145,
267, 324

compression test, triaxial 84,89,187-189,
295,310

confined layer 123

conservation strategy 333

consolidation 44,89,90,140,168,188,
295,298, 299,301,306,319, 320,324,
333,337, 338,343-345

-, effect 301

constitutive equation 297

constitutive model 309

constitutive relation 48,59,66,71,76

continuum model 66

convexity 248

core study 5

Cotopaxi Volcane 256

crack gauge monitoring system 344

cultural heritage 6,251,261, 319,320,
343,345, 363,365

cumulative rainfall 212

Cutigliano 257

cyclic loading test 204

D

debris flow

-, dynamics 65,69
-, erosion type 59,60, 76
-, event 354
-, hazard assessment 347, 348
-, immature 59,61,70-72
-, inertial 59,70,71,73,76
-, landslide-induced 63
-, modeling 59
-, occurrence 61
-, potential stream 355
-, quasi-static 69
-, risk analysis 358
-, slide-triggered 93
-, structure 71
-, types 70

-, velocity 68

-, viscous type 59,67,73,76

debris

-, avalanche 54, 55

-, fall 50

-, slide 53

deformation 28-30,39-41,113-115,
120-122,295-300,335-337

-, area 229

-, phenomena 40

diffraction analysis 188

digital elevation model 154,237,239-241,
246,249,256

dilution 50

disaster loss 350

discontinuity

-, geomechanic character 326

-, structural analysis 327

dispersive stress 123

displacement 49

-, calculated 42

-, measured 43

-, nodal 307,308

double-cylinder rotating apparatus 177

drainage pipe 308

dry silt flow 52

dynamic-loading ring-shear test 198

dynamics of rapid landslide 47

E

early warning system 257

earth fall 51

earthquake 5,41-43,48,54,81-83,91-93,

97,102,110,113,126,127,183,193,

195,197-203,206,209,225,237,277,

278,280,285,286,288,291,293,305,

309-311,326,363

-, Wave Loading Test 203

El Salvador earthquake 277

emergency

-, management 258

-, operation 285,288,290

engineering geology 319

England 13

enlargement of a failed area 229

entrainment

-, material 49

-, water 50

equation of motion 309

equilibrium transport 73

erosion 17
-, type 61
expansion, thermal 49, 261, 26, 266-268
explosion 131, 319, 327, 328, 330, 331,
336, 340, 341

F

failed landslide mass 171
failure
-, mode 176
-, point 301
-, progressive 28, 135, 229, 236, 295,
298, 299, 302
-, translational 54

Fairlight Clays 24

Falling Mountain 115, 130

-, rock avalanche 122, 129

Fellenius' method 309

FEM 305

field monitoring 229

fine-particle content 177, 179

finite element

- , analysis 305
- , method 19, 41, 280, 305-309, 311
- , dynamic elasto-plastic 309

First World Landslide Forum 8, 10

flood hazard assessment 348

flowslide 54

- , motion 173, 174, 177

fluid flow model 69

fluid model 73

fluidization 151, 162, 165, 209, 210, 216,
217, 223, 225

flume test 167

- , apparatus 169
- , experiment 68, 209, 210, 217
- , phenomena 171

force chain 113, 115, 116, 120, 121, 123,
127, 131

Fosso San Martino slide 29, 32

fracture

- , energy 113
- , zone 183-186, 189, 191

fragmentation 113, 117-119, 121-131

- , dynamic 122
- , dynamic grain 123
- , in confined layers 123
- , model 127

friction

- , angle 143, 144
- , internal 188-190

frictional

- , heating 49
- , resistance 113, 117, 123, 126-129

G

gap value 87

geographic information system 5, 253,
258, 347-349, 356, 360

Giant Buddha 328

- , Eastern 328-330, 332, 334-337,
341, 345
- , Western 328, 331, 332, 335, 342, 345

graben 21, 22

- , geometry 21

grain

- , -crushing Susceptibility 159
- , concentration 67, 99
- , crushing 91, 94, 99, 102, 104,
107-110, 117-119, 121, 199, 202,
204, 283
- , flow 113-118, 120-122, 132
- , Fragmentation 123
- , size 49, 89, 99, 100, 102, 105,
107, 110, 113, 115, 117-121, 123,
167, 168, 176, 177, 179, 180, 186,
202, 324
- , distribution 49, 89, 99, 100,
102, 104, 105, 107, 110, 117,
119-121, 186, 202, 324

groundwater 18, 20, 29, 30, 33, 63, 93,
130, 151, 158, 161-163, 165, 185, 186,
201-203, 205, 261

H

Haku-san Mountain 151, 152, 154

Harihara River 63

- , debris flow 63

Hayaguchigawa Formation 238

hazard

- , assessment 6, 47, 56, 253, 347-349
- , natural 251, 259, 313, 347, 353, 354

Higashi Takezawa

- , landslide 48, 200, 203, 204, 289, 290
- , reservoir 289
- , sand 203, 204

Hong Kong 55

Hsin-Dian County 350

human life loss 351

I

Imogawa-River 289

index property 135, 143

initial thickness 175

internal coherence 49

International Association of Engineering
Geology and the Environment
(IAEG) 4

International Consortium on Landslides
(ICL) 4, 6-11, 91, 97, 110, 195, 225,
251, 272, 313, 364-367

International Decade for Natural
Disaster Reduction (IDNDR) 3, 4, 6

International Programme on Landslides
(IPL) 6-9, 91, 97, 365

International Society for Rock Mechanics
(ISRM) 4

International Society for Soil Mechanics
and Geotechnical Engineering
(ISSMGE) 4

International Strategy for Disaster Risk
Reduction of the United Nations
(UN-ISDR) 4, 7-10, 363, 366, 367

Ironbridge Gorge 17

Isle of Sheppey 23

Isle of Wight 16

J

Japan 151, 237, 285

Jasper National Park 55

Jinnosuke-dani

- , landslide 151, 152, 154, 155
- , valley 153

K

kinematic analysis 328

Kyushu Island 93

L

laboratory

- , flume test 167
- , test 34, 36, 37, 48, 49, 66, 67, 123,
159, 167, 229, 232, 235, 262, 268,
322, 324, 345, 349

Lake Waikaremoana 126

landfill 147

- , failure 148

landform 17, 237, 239, 242, 244, 246, 248,
249

- , classification Map, automated 246

landslide

- , activation 185
- , characteristics 3
- , classification 3
- , dam 193, 195, 200, 285, 286, 288,
290-292
- , debris flow 63, 151, 155, 159
- , definition 3
- , disaster 277, 364
- , distribution 13, 135, 183, 286, 287
- , dynamics 3-5, 81
- , tests 202
- , earthquake-induced 91, 193, 194
- , experiment 209
- , extremely rapid 50
- , failed mass 221
- , fluidization process 210, 217, 220
- , fluidized 217, 225
- , fracture zone 183-185, 191
- , graben-type compound 21, 22
- , hazard 6
- , assessment 253
- , initiation 81, 162
- , inventory 251
- , management 251, 258, 365
- , mass 96, 277
- , movement 177
- , mechanism 297
- , modeling 254
- , monitoring 256
- , motion 213, 219
- , plan shape 24
- , post-failure motion 81
- , problems 13
- , rainfall-induced 167, 193
- , rapid 27, 47, 48, 55, 81, 82, 91, 92,
151, 162, 165, 195, 200, 202, 205, 206
- , re-sliding type 300, 302
- , response 251

- , risk 5-9,97,199,251,277,283, 363-365
-, science 3-5,18
-, section 202
-, simulation 199
-, slow active 27
-, terminology 19
-, travel path 162
-, trigger 198
-, triggering 95,194
-, types 4,19,193
-, virgin type 300,301
- Landslides Journal 5
Las Colinas landslide 277,278
Leakage Proof 87
Lednica Castle 270,271
Leuwigajah landfill 147
Leyte
-, Island 195
-, landslide 195,196
- LIDAR 237-239,242
-, data 246
-, -DEM contour map 241
- Lietava Castle 270
- liquefaction 47-49,53-55,59, 63,64, 76,81,83,89,91,93,97,107,167, 168,173,175,178,199,202,204-206, 209,214
- liquid limit 143,187
- loading test 295
- loading, undrained 22,47,49,54,55,81, 94,96,97,126,162,163,174,202,296
- loess 177,179
- London Clay 13
- loss
-, above the Ground 352
-, assessment 350,356
- low angle dip 19
- Lucumayo alluvial fan 315
-
- M**
- Machu Picchu 313,315-317,365
Mackenzie Mountains 54
Mandor alluvial fan 316
Mandormayo
-, alluvial fan 315
-, River 315
- mass movement 280
- Masseria Marino mudslide 37
- mechanics
-, of active lateral spread 39
-, of active slide 28
-, of slow active landslide 27
- mechanism
-, causing strength loss 47
-, instantaneous strength loss 48
-, of the landslide-debris flow 159
-, pore-pressure-maintaining 178
- medieval castle 261
- Mid-Niigata earthquake 203, 285
- Minamata
-, debris flow 93
-, landslide 94,96
- mineral ratio, expansive 183,191
- Ministry of Education, Culture, Sports, Science and Technology of the Government of Japan (MEXT) 6
- Miscano mudslide 33,34
- mixture theory 59,66,69,76
-, Coulomb 69
- Miyagi Earthquake 278
- model
-, dilatant 67
-, elasto-plastic constitutive 309
-, for debris flow dynamics 65
-, Newtonian fluid 73
-, simplified mathematical 64
-, single-phase continuum 66
-, two-phase fluid flow 69
-, visco-plastic 67
- modeling 19,59,113,131,254,255,261, 264,265,268,272,336,343
-, numerical 264
- Moh's stress circle 233
- monitoring 5,6,32,39,84,86, 87,89,92, 102,151,156,159,167,173,198,203, 229,231,232,251,256-258,261,263, 265,266,268,269,272,291,292,317, 337,339,340,344,345,365
- Monte Verna Mountain 40
- Mt. Kaba-san 218
- mudslide 16,20-22,27,28,33-37,39,43
-, active 35
- mudstone 127,135-137,140,141,143, 144, 185,238,245,246,287
- municipal waste 147
-
- N**
- New Cross 20
- New Zealand 114,118
- Newtonian fluid model 73
- Niigata Prefecture 135
- Nikawa slope 92
- Nishiikawa landslide 230,231
- normal stress 99,107,108
- numerical
-, analysis 265,305,311
-, simulation 347
-
- O**
- observation system 100
- Off Miyagi earthquake 280
-
- P**
- Peachland 52
- Peru 313
- pile 306
- plan shape 24
- plastic limit 187
- plasticity index 143
- pore (water)
-, pressure 27-36,39-44,87-90, 94-97,107-110, 173-180, 209-211,295-300
-, build-up 176
-, distribution 213
-
- S**
- sample
-, characteristics 89
~, consolidation 89
-, physical properties 101

- , saturation 88
 ~, setting 88
sand
 -, layer shape 211
 -, loose 89
 -, mixed 102
 -, saturated 88
 -, undrained shear behavior 89
saturation, checking 88
scanning electron microscopy 322
scenario analysis 258
Schum Wan Road debris avalanche 56
Scotland 13
sediment transport 62
Selborne 20
shear
 -, behavior 99,295
 -, box 86, 100, 103
 -, characteristics 189
 -, displacement 102, 104,105,108
 -, resistance 104,105,107
 -, speed 99,107,108
 -, strength 32-35,88-90,135,136,
 140,141, 143,144,148,167,174,
 184,186,188,190,193,196,205,265,
 295, 305-311,327-329,336,342
 -, instantaneous 48
 -, loss 47,49
 -, reduction 305
 -, residual 29,32,34,135,140,
 141, 143,144
 -, stress 234
 -, test 187,234
 -, direct 212,229,232
 -, transparent box 5,97,99,100,
 110,199
 -, zone 5,20,28,36,37,39,41,42,
 81-83,86,94,95,97,99-102,104,
 105,107-110,159,161,162,165,
 167,173,195,202,206,223,229,334
 -, development 99,100,102,110
 -, structure 99
shearing 49
Shikoku Island 183,184, 230
Shirakami Mountains 237,243
Shum Wan Road debris avalanche 55
siltstone 322
simulation
 -, numerical 36,277,281,283,347,
 349,350,354
 -, of earthquake-induced landslides
 91
Skalka Monastery 269
slide 4,6,13,14,17-24,27,29,30,32,35,
 36,47,49,50,54,56,93,95-97,113,
 124,125,127,129,162,195,201, 211,
 214,238,243-246,249,331
 -, active 28
sliding
 -, body 49
 -, distance 172
 -, surface 229,232
 -, formation 83,209,224,232
 -, liquefaction 47,49,54,91,93,
 97,203-205
 -, velocity 175
 -, velocity 172,174,176
slip surface 13,15-24,27-30,32,34-36,
 39,43,63,64,186,191,213,216,217,
 245,305,308-311
 -, at or close to the base of a slope 22
 -, perched 22
 -, position 23
slope 246,295,305
 -, active slow movement 27
 -, analysis 305
 -, artificial 209
 -, base 22
 -, experiment 217
 -, failure 292
 -, instability 14
 -, model 307,308
 -, movement 3
 -, natural 13,17,19,27,84,94,162,
 163,185, 209,210,217,225,299
 -, stability 306,308
 -, stabilization 305
Slovakia 261
snowmelt 291,292
soil
 -, cemented 48
 -, flow, fluidized 277
 -, granular 48, 54
 -, strong 15
 -, surface movement 209,219
 -, unsaturated 48
Song-Her Village 347
South Ashburton rockslide 130,131
South Eastern Britain 18
specimen 140,141
Spiš Castle 262,263
spread 4,27,40,44,113,115,129,131,
 201,236
 -, active lateral 39
St. Catherine's Point 16
stability analysis 328
stereo photogrammetry 209,210,218,221
strain, volumetric 214
Strečno Castle 268
stress 102
 -, history 48,295,301
Stromboli Volcano 258
structural analysis 327
surface
 -, roughness 49
 -, texture 246
susceptibility 159
-
- T**
- Taipei 355
 Taiwan 347
 Taren landslide 15
 Terano landslide 200
-
- Tertiary Mudstone** 135,136
Tokyo Action Plan 8, 366, 367
Tomari-no-iai landslide area 237
topography classification 243,247, 248
 -, map 237, 242
toppling 52,261,263,319,326,330
Toyoura silica sand 160
travel distance 280
traveling mechanism 159
triaxial test 83
Tsukidate landslide 278,279
typhoon 200
-
- U**
- undrained**
 -, loading 49
 -, shear 89
 -, behavior 89
 -, test 83,89,90,99
- Urubamba River 318
-
- V**
- Vallcebre landslide 31,32
valley deposit 159
velocity 5,27,31,33, 34,42,47,51,53, 56,
 59,60,63-69,71-73, 75,76,81,83,95,
 99,100,122,123,125-129,156,161-163,
 167,172-180,198,206, 210,214,216,
 217,222,223,229, 277,278,280, 322
 -, concentration 72
 -, distribution 68,69,72,75,99,100
 -, of fluidized soil flow 277
- video observation** 102
void ratio 173
 -, initial 173
volcanic product 277,283
-
- W**
- Waikaremoana blockslide 144, 125-128
 -, model 125
Waikaremoana landslide 114,126,128
Wales 13
Warden Point 23
waste failure 147
water
 -, leakage 84
 -, migration 298
 -, pressure 87
weathering index 135
West Java Island 147
Whin Sill 15
-
- X**
- X-ray diffraction 188,191,322
-
- Y**
- Yang-Que-Fe Palace 6