

Contents



| | |
|--|------|
| <i>Author biography</i> | xi |
| Introduction | xiii |
| Why the microscope? Purpose of the book | xiii |
| Use of the CD | xv |
| Browsing the CD | xv |
| I Rocks and minerals | 1 |
| 1.1 What is a mineral? | 1 |
| 1.1.1 An ordered atomic structure | 1 |
| 1.1.2 A given chemical composition | 6 |
| 1.2 Classification of the minerals | 8 |
| 1.3 Factors of occurrence of minerals | 10 |
| 1.3.1 Physical factors | 10 |
| 1.3.2 Chemical factors | 12 |
| 1.3.2.1 Parameters linked to the fluid phase | 14 |
| 1.3.2.2 Chemical composition of the rock | 14 |
| 1.3.2.3 Silica saturation of igneous rocks | 16 |
| 1.3.2.4 Alumina saturation of igneous rocks | 16 |
| 1.4 Plan adopted in this guide | 19 |
| 2 Observations with the petrographic microscope | 21 |
| 2.1 Indicatrix (refractive index ellipsoid) | 22 |
| 2.2 The petrographic microscope | 25 |
| 2.3 Crystalline plate with parallel faces in crossed polarized light | 28 |
| 2.4 Observations in parallel polarized light (PPL) | 33 |
| 2.4.1 Forms, fractures, cleavages | 33 |

| | | |
|----------|---|-----------|
| 2.4.2 | Index/refringence | 33 |
| 2.4.3 | Color – Pleochroism | 34 |
| 2.4.4 | Inclusions | 35 |
| 2.4.5 | Alterations | 35 |
| 2.5 | Observations in cross polarized light (CPL) | 35 |
| 2.5.1 | Interference colors – Birefringence | 35 |
| 2.5.2 | Anomalous interference colors | 35 |
| 2.5.3 | Position of the indicatrix – Angle of extinction | 36 |
| 2.5.4 | Sign of elongation | 36 |
| 2.5.5 | Twining | 37 |
| 2.6 | Observations in convergent polarized light | 38 |
| 2.6.1 | Obtain an interference figure | 39 |
| 2.6.2 | Uniaxial mineral: section perpendicular to the optic axis | 39 |
| 2.6.2.1 | Determining optic sign | 40 |
| 2.6.3 | Biaxial mineral: section perpendicular to an optic axis | 41 |
| 2.6.3.1 | Determining optic sign | 41 |
| 2.6.4 | Biaxial mineral: section perpendicular to the bisector of the acute angle of the optic axes | 42 |
| 2.6.4.1 | Determining optic sign | 42 |
| 2.6.5 | Dispersion | 43 |
| 2.7 | Fluid and melt inclusions in rock-forming minerals | 44 |
| 2.7.1 | Definitions | 44 |
| 2.7.2 | Identification of the fluid/melt content | 45 |
| 2.7.3 | Primary versus secondary inclusions | 46 |
| 2.7.4 | Potential interest of fluid/melt inclusion studies | 47 |
| 3 | Systematic mineralogy | 51 |
| 3.1 | Major tectosilicates: Quartz – feldspars – feldspathoids | 51 |
| 3.1.1 | Silica group | 52 |
| 3.1.2 | Feldspars | 54 |
| 3.1.2.1 | Chemical composition | 54 |
| 3.1.2.2 | Stability of feldspars | 57 |
| 3.1.2.3 | Occurrences of feldspars | 58 |
| 3.1.2.4 | Alteration of the feldspars | 65 |
| 3.1.3 | Feldspathoids | 66 |
| 3.1.3.1 | Chemical composition | 66 |
| 3.1.3.2 | Occurrences | 67 |
| 3.2 | Major ferro-magnesian minerals: micas, chlorites, amphiboles, pyroxenes, olivines, serpentines | 69 |

| | | |
|----------|--|-----|
| 3.2.1 | Micas and related minerals | 69 |
| 3.2.1.1 | Structure and chemical composition | 69 |
| 3.2.1.2 | Alterations of micas | 72 |
| 3.2.1.3 | Stability of micas | 72 |
| 3.2.1.4 | Occurrences of micas | 73 |
| 3.2.1.5 | Lithium-bearing micas | 78 |
| 3.2.1.6 | Paragonite | 78 |
| 3.2.1.7 | Brittle micas | 78 |
| 3.2.1.8 | Stilpnomelane | 79 |
| 3.2.1.9 | Talc | 80 |
| 3.2.1.10 | Zussmanite – Howieite – Deerite | 80 |
| 3.2.2 | Chlorites | 81 |
| 3.2.2.1 | Structure and chemical composition | 81 |
| 3.2.2.2 | Occurrences of chlorites | 81 |
| 3.2.3 | Amphiboles | 84 |
| 3.2.3.1 | Structure and chemical composition | 84 |
| 3.2.3.2 | Classification of the amphiboles (Leake, 1978) | 84 |
| 3.2.3.3 | Stability of amphiboles | 89 |
| 3.2.3.4 | Occurrences of amphiboles | 90 |
| 3.2.4 | Pyroxenes | 92 |
| 3.2.4.1 | Structure and chemical composition | 92 |
| 3.2.4.2 | Stability of pyroxenes | 97 |
| 3.2.4.3 | Occurrences of the pyroxenes | 98 |
| 3.2.5 | Olivine group | 102 |
| 3.2.5.1 | Structure and chemical composition | 102 |
| 3.2.5.2 | Stability of olivines | 103 |
| 3.2.5.3 | Occurrences of olivines | 103 |
| 3.2.5.4 | Alterations of olivine | 106 |
| 3.2.6 | Serpentine and serpentinization | 106 |
| 3.3 | Aluminous minerals | 108 |
| 3.3.1 | Structure and chemical composition | 108 |
| 3.3.1.1 | Alumina silicates: andalusite, sillimanite, kyanite | 108 |
| 3.3.1.2 | Aluminous garnets | 109 |
| 3.3.1.3 | Staurolite | 110 |
| 3.3.1.4 | Chloritoid | 111 |
| 3.3.1.5 | Cordierite | 111 |
| 3.3.1.6 | Magnesiocarpholite | 112 |
| 3.3.1.7 | Sapphirine | 113 |
| 3.3.1.8 | Topaz | 113 |

| | | |
|----------|--|-----|
| 3.3.1.9 | Beryl | 113 |
| 3.3.1.10 | Corundum | 113 |
| 3.3.1.11 | Pyrophyllite | 114 |
| 3.3.1.12 | Diaspore (gibbsite and boehmite) | 114 |
| 3.3.2 | Occurrences | 114 |
| 3.3.2.1 | Metamorphic rocks | 114 |
| 3.3.2.2 | Igneous rocks | 124 |
| 3.3.2.3 | Metasomatic rocks | 124 |
| 3.3.2.4 | Sedimentary rocks and alterites | 126 |
| 3.4 | Calcic, magnesian and calc-magnesian minerals | 126 |
| 3.4.1 | Chemical composition and stability | 126 |
| 3.4.1.1 | Carbonates | 126 |
| 3.4.1.2 | Aluminous, anhydrous and hydrated, calcic silicates | 130 |
| 3.4.1.3 | Non aluminous calcium silicates | 134 |
| 3.4.1.4 | Magnesian, non-aluminous silicates (oxides and hydroxides) (anhydrous and hydrated; saturated and under-saturated in silica) | 135 |
| 3.4.1.5 | Ferro-magnesian calcic silicates | 136 |
| 3.4.2 | Occurrences | 137 |
| 3.4.2.1 | Sedimentary rocks | 137 |
| 3.4.2.2 | Metamorphic rocks | 138 |
| 3.4.2.3 | Igneous rocks | 141 |
| 3.4.2.4 | Hydrothermal veins | 143 |
| 3.4.2.5 | Alteration minerals | 143 |
| 3.5 | Accessory minerals | 144 |
| 3.5.1 | Spinel group | 144 |
| 3.5.1.1 | Chemical composition | 144 |
| 3.5.1.2 | Occurrences | 146 |
| 3.5.2 | Boron minerals | 147 |
| 3.5.2.1 | Tourmaline | 147 |
| 3.5.2.2 | Axinite | 148 |
| 3.5.2.3 | Datolite | 148 |
| 3.5.3 | Phosphates | 149 |
| 3.5.3.1 | Apatite | 149 |
| 3.5.3.2 | Monazite | 150 |
| 3.5.3.3 | Xenotime | 150 |
| 3.5.4 | Lithium bearing minerals | 150 |
| 3.5.4.1 | Amblygonite | 150 |

| | | |
|--|--|------------|
| 3.5.4.2 | Petalite | 151 |
| 3.5.4.3 | Pollucite | 151 |
| 3.5.5 | Titanium bearing minerals | 151 |
| 3.5.5.1 | Rutile | 151 |
| 3.5.5.2 | Ilmenite | 152 |
| 3.5.5.3 | Titanite | 153 |
| 3.5.5.4 | Perovskite | 153 |
| 3.5.6 | Zircon | 153 |
| 3.5.7 | Titano- and zircono-silicates and silicates of the alkaline rocks | 155 |
| 3.5.8 | Oxides of niobium, tantal and zirconium of alkaline rocks | 157 |
| 3.6 | Minerals of sedimentary rocks and alterites | 157 |
| 3.6.1 | Clay minerals | 157 |
| 3.6.1.1 | Structure and chemical composition | 157 |
| 3.6.1.2 | Occurrences | 160 |
| 3.6.2 | Evaporites minerals | 162 |
| 3.7 | Ore minerals | 164 |
| 3.7.1 | Barite | 164 |
| 3.7.2 | Fluorite | 164 |
| 3.7.3 | Sphalerite | 164 |
| 3.7.4 | Scheelite | 166 |
| 3.7.5 | Cassiterite | 166 |
| Appendix – Calculation of the structural formula of a mineral | | 169 |
| <i>A selection of books</i> | | 175 |
| <i>References</i> | | 179 |
| <i>Websites</i> | | 183 |
| <i>Subject index</i> | | 185 |