

Contents



1 Introduction	1
1.1 Introduction	1
1.2 Distal Ejecta Layers: Formation and Nomenclature	6
1.3 Importance of Distal Impact Ejecta Layers	10
1.4 Objectives	13
2 Impact Crater Formation, Shock Metamorphism, and Distribution of Impact Ejecta	15
2.1 Introduction	15
2.2 Impact Cratering	15
2.2.1 Energy Considerations	15
2.2.2 Impact Crater Formation	16
2.2.3 Simple Craters, Complex Craters, and Multi-Ring Basins	22
2.3 Shock Metamorphism	23
2.3.1 Vaporization and Melting	26
2.3.2 Shock-Induced Decomposition or Dissociation	28
2.3.3 Phase Transformation: High-Pressure Phases	31
2.3.4 Microscopic Shock-Deformation Features	44
2.3.5 Megascopic Shock-Deformation Features: Shatter Cones	61
2.3.6 Stages of Shock Metamorphism	62
2.4 Ejection and Distribution of Ejecta	64
2.5 Numerical Modeling of the Cratering Process	69
2.6 Variations in Ejecta with Distance from the Source Crater	70
2.7 Complications	71
2.7.1 Effects of Earth's Rotation and Atmosphere on Transport and Distribution of Distal Ejecta from Large Impacts	71

2.7.2	Lobate and Ray-Like Ejecta Patterns	73
2.7.3	Reworking of Distal Impact Ejecta by Impact-Produced Tsunamis.	73
3	Distal Impact Ejecta Layers: Recognition, Confirmation, Dating, and Determining Source Craters	77
3.1	Recognition of Possible Distal Ejecta Layers	77
3.1.1	Stratigraphy/Lithology	77
3.1.2	Geochemistry	79
3.2	Confirmation of Impact Origin for a Suspected Distal Impact/Spherule Layer	91
3.2.1	Impact Spherules and Their Identification.	92
3.2.2	Shock Metamorphism.	118
3.3	Dating and Correlation of Distal Impact Ejecta Layers.	120
3.3.1	Stratigraphy	120
3.3.2	Radiometric Dating	122
3.4	Search for Source Craters of Distal Ejecta Layers	126
3.4.1	Age of the Source Crater	127
3.4.2	Nature of the Target Rock	127
3.4.3	Size of and Distance to Source Crater	130
3.5	Examples of Spherules Misidentified as Impact Spherules	133
4	Cenozoic Microtektite/Ejecta Layers.	137
4.1	Introduction	137
4.1.1	Background.	137
4.1.2	Tektites and Tektite Strewn Fields.	138
4.2	The Australasian Microtektite Layer	149
4.2.1	Description of the Australasian Microtektites	149
4.2.2	Composition of the Australasian Microtektites.	154
4.2.3	Age	155
4.2.4	Geographic Occurrence	157
4.2.5	Nature of the Australasian Microtektite Layer.	159
4.2.6	Iridium Anomaly Associated with the Australasian Microtektite Layer	160
4.2.7	Unmelted Ejecta in the Microtektite Layer	161
4.2.8	Transantarctic Mountain Microtektites	161
4.2.9	Geographic Variations Within the Australasian Microtektite Strewn Field	165
4.2.10	Parent Rocks and Estimated Location and Size of the Source Crater.	168
4.3	The Ivory Coast Microtektite Layer.	170
4.3.1	Description of the Ivory Coast Microtektites.	170
4.3.2	Composition	171
4.3.3	Age	173

4.3.4	The Ivory Coast Strewn Field	173
4.3.5	The Source Crater: Bosumtwi	174
4.4	The Central European Tektite Strewn Field	178
4.5	The North American Microtektite Layer.	180
4.5.1	Introduction	180
4.5.2	Description of the North American Microtektites.	181
4.5.3	Composition	182
4.5.4	Age	184
4.5.5	Geographic Occurrence	184
4.5.6	Relationship to the Clinopyroxene-Bearing Spherule Layer	184
4.5.7	Unmelted, Shock-Metamorphosed Ejecta Associated with the North American Microtektite Layer.	187
4.5.8	Geographic Variation Within the North American Strewn Field.	188
4.5.9	The Source Crater: Chesapeake Bay	189
4.6	The Clinopyroxene-Bearing Spherule Layer	190
4.6.1	Introduction	190
4.6.2	Description of Cpx Spherules	192
4.6.3	Composition	196
4.6.4	The Number of Upper Eocene Spherule Layers.	197
4.6.5	Age of the Cpx Spherule Layer.	202
4.6.6	Geographic Distribution of Cpx Spherules	202
4.6.7	Associated Ir Anomaly and Shock-Metamorphosed Grains	203
4.6.8	Nature of the Target Rock: Chemical Composition and Sr–Nd Isotopic Data.	205
4.6.9	Popigai: The Source Crater.	208
4.6.10	Meteoritic Contamination and Projectile Identification.	208
4.6.11	Geographic Variations Within and Ray-Like Nature of the Cpx Spherule Strewn Field	210
4.6.12	Formation of Cpx Spherules	211
4.6.13	Associated Climatic and Biological Changes.	212
4.7	Additional Probable Cenozoic Distal Ejecta Layers	214
4.7.1	North Pacific Microtektites	215
4.7.2	Early Pliocene (4.6–12.1 Ma) Tasman Rise Microtektites	217
4.7.3	Paleocene Nuussuaq Spherule Bed.	218
4.8	Distal Impact Glasses not Found in Stratigraphic Layers	221
4.8.1	Guatemalan (Tikal) Tektites (0.8 Ma)	221
4.8.2	Darwin Glass	223
4.8.3	South-Ural Glass	226
4.8.4	High Na/K “Australites”	226

4.8.5	Libyan Desert Glass	227
4.8.6	Urengoites	230
4.9	Other Proposed Cenozoic Distal Ejecta Layers	231
4.9.1	Younger Dryas “Impact” Layer	231
4.9.2	Late Pliocene “Ejecta” in the Ross Sea, Antarctica	233
4.9.3	The Paleocene-Eocene Event.	233
4.10	Miscellaneous	235
4.10.1	Argentine Impact Glasses	235
4.10.2	Meteoritic Dust Layers in Antarctic Ice	238
4.10.3	The Eltanin Event	241
5	Mesozoic Spherule/Impact Ejecta Layers	245
5.1	Introduction	245
5.2	Cretaceous-Tertiary (K-T) Boundary Impact Ejecta Layer	245
5.2.1	Introduction	245
5.2.2	General Description of the K-T Boundary Layer	246
5.2.3	Evidence for an Impact Origin	260
5.2.4	Radiometric Age of the Cretaceous-Tertiary (K-T) Boundary Layer.	286
5.2.5	Multiple Impact Ejecta Layers in Late Maastrichtian and Early Danian Deposits?	287
5.2.6	The K-T Boundary Source Crater: Chicxulub	289
5.2.7	Variations in Nature of the K-T Boundary Layer with Distance from Chicxulub.	293
5.2.8	Nature of the K-T Boundary (Chicxulub) Projectile	299
5.2.9	The K-T (Chicxulub) Impact as the Cause of the Terminal Cretaceous Mass Extinction	300
5.3	Distal Impact Ejecta from the Manson Impact Structure.	307
5.3.1	Manson Impact Structure	307
5.3.2	Distal Impact Ejecta from the Manson Impact Structure.	308
5.4	Late Triassic Impact Ejecta Layer	311
5.5	Triassic-Jurassic Boundary Impact?	316
6	Paleozoic Impact Spherule/Ejecta Layers	321
6.1	Introduction	321
6.2	Late Devonian Spherule/Ejecta Layers	324
6.2.1	Introduction	324
6.2.2	The Qidong Silicate Glass Spherule Layer	324
6.2.3	Evidence for an Impact Ejecta Layer Near the Frasnian–Famennian Boundary.	330

6.3	Proposed, but Not Accepted Distal Ejecta Layers	345
6.3.1	Permian–Triassic Boundary (PTB)	345
6.3.2	Possible Devonian–Carboniferous Boundary Distal Ejecta Layer	361
6.3.3	Middle Devonian (Eifelian–Givetian Boundary) Ejecta Layer?	363
6.4	Alamo Breccia Deposits	366
6.4.1	Introduction	366
6.4.2	Crater Size and Location	367
6.4.3	Distal Ejecta Deposits	368
7	Proterozoic Impact Spherule/Ejecta Layers Younger Than 2.4 Ga	371
7.1	Introduction	371
7.1.1	Stratigraphic Subdivision of the Precambrian	371
7.1.2	Secular Variation in Precambrian Ejecta Layers	372
7.2	Acraman Ejecta Layer (Neoproterozoic, South Australia)	375
7.2.1	Description of Layer	375
7.2.2	Radiometric Age	378
7.2.3	Evidence of Impact Origin and Extraterrestrial Component	380
7.2.4	Geographic Distribution and Variation	384
7.2.5	Evidence that the Acraman Impact Structure is the Source Crater	387
7.2.6	Possible Links to Biologic Changes	389
7.3	Sudbury Ejecta Layer (Paleoproterozoic, Lake Superior Region, North America)	391
7.3.1	Introduction	391
7.3.2	Description of Impact Ejecta	394
7.3.3	Radiometric Age	398
7.3.4	Evidence of Impact Origin and Sudbury as the Source Crater	399
7.3.5	Geographic Distribution and Variation	402
7.3.6	Possible Links to Biologic and Environmental Changes	405
7.4	Grønnesø Spherule Layer (Paleoproterozoic, South Greenland)	407
7.4.1	Introduction	407
7.4.2	Description of Layer and Spherules	409
7.4.3	Radiometric Age	415
7.4.4	Geographic Distribution and Variation	415
7.4.5	Evidence of Impact Origin	415
7.4.6	Constraints on Potential Source Crater	417
7.4.7	Possible Links to Biologic and Climatic Changes	418

8 Spherule Layers Near the Archean-Proterozoic Boundary	419
8.1 Introduction	419
8.2 Archean-Proterozoic Boundary Spherule Layers in Australia . . .	419
8.2.1 Introduction	419
8.2.2 Dales Gorge Spherule Layer	422
8.2.3 Bee Gorge Spherule Layer, Wittenoom Formation	435
8.2.4 Paraburdoo Spherule Layer, Wittenoom Formation	445
8.2.5 Carawine Spherule Layer	452
8.2.6 Jeerinah Spherule Layer	461
8.3 Archean-Proterozoic Boundary Spherule Layers in South Africa	470
8.3.1 Introduction	470
8.3.2 Kuruman Spherule Layer	472
8.3.3 Reivilo Spherule Layer	477
8.3.4 Monteville Spherule Layer	483
8.4 Correlations among Archean-Proterozoic Boundary Spherule Layers	491
8.4.1 Correlations within the Hamersley Basin	491
8.4.2 Correlations between the Hamersley and Griqualand West Basins	494
9 Paleoarchean Spherule Layers	499
9.1 Introduction: The Archean Stratigraphic Record	499
9.2 Spherule Layers in the Barberton Greenstone Belt	503
9.2.1 The S4 Layer	503
9.2.2 The S3 Layer	510
9.2.3 The S2 Layer	520
9.2.4 The S1 Layer	524
9.3 Spherule Layer(s) in East Pilbara Terrane	527
9.3.1 Warrawoona Spherule Layer	527
9.3.2 Possible Additional Layer(s)	531
10 Modeling Variations in Distal Impact Ejecta/Spherule Layers through Space and Time	533
10.1 Variation in Distal Ejecta with Distance from the Source Crater	533
10.1.1 Summary of Theoretical, Experimental, and Observational Studies	533
10.1.2 Spatial Variations in Phanerozoic Distal Ejecta Layers	536
10.2 Variation in Distal Ejecta with Distance from the Source Crater: A Preliminary Model	566
10.3 Using the Model to Study Other Distal Impact Ejecta Layers . . .	570
10.3.1 The Middle Paleocene Nuussuaq Spherule Bed	571

10.3.2	The K-T Boundary Layer	571
10.3.3	The Manson Impact Ejecta Layer	572
10.3.4	The Late Triassic Spherule Layer	573
10.3.5	Late Devonian Qidong Spherule Layer	576
10.3.6	Late Devonian Belgian Spherule Layer	577
10.3.7	Acraman Impact Ejecta	584
10.3.8	Sudbury Impact Ejecta	585
10.3.9	The Grønnesø (Greenland) Spherule/Ejecta Layer	587
10.3.10	The Early Paleoproterozoic Dales Gorge Spherule Layer	588
10.3.11	The Neoproterozoic Bee Gorge Spherule Layer	590
10.3.12	Paleoproterozoic Spherule Layers	591
10.4	Secular Variations in Distal Impact Ejecta Layers: Implications	592
11	Distal Impact Ejecta Layers and Earth History	595
11.1	Known Distal Impact Ejecta Layers	595
11.1.1	Preservation of Distal Impact Ejecta Layers	596
11.2	Distal Impact Ejecta Layers: Some Geological Applications	602
11.2.1	Bioturbation Studies	602
11.2.2	The Australasian Microtektite Layer, the B-M Reversal, and PDRM	602
11.2.3	Time-Stratigraphic Correlation	603
11.2.4	Cratering Mechanics and Plume Conditions	604
11.3	Distal Impact Ejecta Layers and Earth History	605
11.3.1	Terrestrial Cratering History	605
11.3.2	Impacts, Climate, and Life	608
11.3.3	Oceanic/Continental Crust	610
11.3.4	Impacts and Volcanism/Tectonics	611
11.3.5	Ocean Composition and Atmospheric Oxygen Content	613
11.4	Unanswered Questions and Future Studies	614
11.5	Synopsis	619
	Appendix A: Recovery of Ejecta Material from Confirmed, Probable, or Possible Distal Ejecta Layers	625
	References	641
	Index	707