

AUDITORY VERSUS VISUAL SPATIAL IMPRESSION: A STUDY OF TWO AUDITORIA

Densil Cabrera, Andy Nguyen and Young Ji Choi

School of Architecture, Design Science and Planning
The University of Sydney
NSW 2006, Australia
densil@arch.usyd.edu.au

ABSTRACT

Spatial impression refers to the attributes of subjective space beyond localization. In the field of auditorium acoustics, auditory spatial impression is often divided into 'apparent source width', 'envelopment' and sometimes 'intimacy'. In separate experiments, this study considers how visual and auditory spatial impression vary within two auditoria, and hence similarities between these two sensory modes.

In the visual experiment, the 'spaciousness', 'envelopment', 'stage dominance', 'intimacy' and target distance were judged by subjects using grayscale projected photographs, taken from various positions in the audience areas of the two auditoria when a visual target was on stage.

In the auditory experiment, the 'apparent source width', 'envelopment', 'intimacy' and performer distance were judged using an anechoic orchestral recording convolved with binaural impulse responses measured from the same positions in the two auditoria.

Results show target distance to be of primary importance in auditory and visual spatial impression – thereby providing a basis for covariance between some attributes of auditory and visual spatial impression. Nevertheless, some attributes of spatial impression diverge between the senses.

1. INTRODUCTION

For many years, researchers the field of auditorium acoustics have been interested in the auditory spatial impression of auditoria, and its variation within an auditorium. Auditory spatial impression contributes much to the judged acoustical quality of soundfields for music [1]. Three of the most commonly studied spatial attributes are apparent source width (commonly abbreviated to ASW), listener envelopment (LEV) and intimacy, with a high level of each of these being desirable for musical acoustics [1].

ASW, an aspect of the more general term 'spaciousness', is used to assess the effect of an auditorium environment on the auditory image size of a musical performance. Strong early lateral reflections are among the factors that can contribute to large ASW. Although ASW disregards expansion in dimensions other than width, width is thought to be the most significant expansion dimension, because of the horizontal separation between the two ears. The absolute maximum interaural cross-correlation coefficient (IACC) taken from the first 80 ms of a binaural impulse response is often used as a predictor of ASW.

LEV refers to the sense of being surrounded that is engendered by a reverberant field. While ASW is affected

primarily by the spatial impulse response 0-80 ms after the direct sound, LEV is primarily affected by the late sound, after 80 ms. The strength of the late lateral sound energy is an important predictor of LEV. IACC can also be used to predict LEV, although late lateral sound level measures are more effective.

Intimacy is a sense of closeness to and involvement with a performance – as opposed to a sense of detachment. The ability to discern detail is likely to be important for intimacy. While some researchers relate intimacy to the delay between the direct sound and the first significant reflection in the impulse response [2], this relationship may be of limited application [3]. Perceived distance is not normally considered directly in auditory spatial impression in the auditorium acoustics field, but could plausibly be related to intimacy. In rooms, perceived distance depends on multiple cues, such as sound pressure level, frequency content, familiarity with the source, and the ratio of direct to reverberant sound energy [4]. In auditory distance estimation experiments, there is a tendency for underestimation, especially in the far field – and there may be a context-dependent horizon beyond which all sound sources are heard as equally distant.

Beyond auditorium acoustics, auditory spatial impression has been studied in audio systems. Soulodre et al [5] have found that physical acoustic correlates of LEV apply to spatial audio reproduction in much the same way as in auditorium contexts. Rumsey [6] has identified dimensions of spatial audio reproduction, drawing partly on the auditorium acoustics tradition, as well as audio quality listening tests. His key attributes are grouped into those concerned with width, depth and immersion. The concepts of width, depth and immersion are applied to individual sound sources, the ensemble, and the environment. In fact the model is rather more complex than described here, its complexity suggesting that the three previously mentioned attributes of ASW, LEV and intimacy scarcely account for the variety of impressions available in spatial hearing, especially if contexts beyond auditorium acoustics are considered.

The study of visual space appears not to offer a concentrated body of work on spatial impression equivalent to that offered by auditorium acoustics. The approach of this paper is to apply visual spatial impression scales based on the three auditory spatial impression scales of ASW, LEV and intimacy.

ASW may not be simply related to an aspect of visual experience, because the visually perceived boundaries of images tend to be better defined than those of auditory images. In an auditorium context, the concept of 'stage dominance' could be a rough visual counterpart of ASW – if the stage is to be thought of as the visual target. The term 'spaciousness', which is often

closely related to ASW in the auditorium acoustics literature, pertains more to the perception of a room's field of view in vision [7, 8, 9] rather than the space occupied by performers. The perceived size of a space depends on the size of the visual solid angle and apparent depth of the visual image. Perspective is a cue for depth [9], and the balance of surfaces across visual images is controlled by room form (such as width and height).

Envelopment, in the visual world, is a feeling of being surrounded by objects, surface, people, light, and more. In phenomenological writings, envelopment refers to one's body in the center with the experiential world surrounding [10, 11]. According to this theory, we experience the world not only through vision, but also through the body. This seems to suggest that 'envelopment' seems to translate well between modes of experience, such as auditory, olfactory, and kinesthetics [12]. Roundness in an architectural space appears to encourage this sense of surroundedness. Darkness – or the depletion of visual perception – may also provide a sense of envelopment as the person relies on senses closer to the body [13].

Intimacy, in the visual world, relates to distance or proximity of the body to the surrounding visual elements such as surfaces, objects, or people. Visual intimacy is also associated with the ability to see clearly facial details or surface textures [12].

Visual distance cues include monocular accommodation and binocular convergence, perspective, knowledge of the target (especially its size), retinal image size of boundaries and textures, and many more [7, 8, 9, 14]. There is some evidence for progressive underestimation of visual distances with increasing physical distance, which may be analogous to the underestimation of auditory distances previously mentioned [8, 15].

Nguyen and Cabrera studied the visual spatial impression of three auditoria (two of which are represented in the present study) [16]. Subjects (professional architects) made judgements of grayscale photographs using the terms 'spaciousness', 'envelopment', 'stage dominance' and 'intimacy', and the subjects also estimated the performer distance. That study found performer distance to be judged rather accurately across the range from 10 m to 45 m, with a tendency to underestimate. Spaciousness was close to the inverse of intimacy, both being a function of distance from the visual target on the stage. Envelopment was not affected by distance, but instead was affected by the auditorium. Stage dominance was affected by distance and auditorium. However, that study mixed images from the three auditoria in the experiment, thereby focussing the subjects' attention on differences between the auditoria. In the present study subjects assess one auditorium at a time, and so the emphasis is on differences in spatial impression within each auditorium.

2. AIM

This study compares the auditory and visual spatial impression in representations of two auditoria. As a case study, it investigates the degree of commonality between auditory and visual spatial impression in each auditorium. If matching attributes of spatial impression in the two senses co-vary, then there is some prospect for sensory substitution in applications such as auditory display.




Figure 1. Photographs from the rear gallery of Hall A (top) and Hall B (bottom).

3. METHOD

3.1. Auditoria

The two auditoria that were tested contrasted in several ways. Hall A (the Michael Fowler Centre in Wellington, New Zealand) is a large volume concert and multipurpose auditorium. Hall B (the Verbrugghen Hall at the University of Sydney's Conservatorium of Music) is of moderate volume, primarily designed for music recital. Physical characteristics of these auditoria are summarized in Table 1.

	Hall A	Hall B
Volume	25,000 m ³	7650 m ³
Shape	Elliptic	Rectangular
Maximum Length	42 m	34 m
Maximum Width	36 m	18 m
Maximum Height	22 m	12.5 m
Stage Area (when visited)	100 m ²	235 m ²
Seats	2,500	450

Table 1: Physical characteristics of Hall A and B.

Note that the stage area in Hall B, which occupies 40% of the main floor area, is substantially larger than that of Hall A. The Hall A stage was in its smallest configuration when visited,

with choral risers replacing the rear of the stage, and without the front stage extension.

Both visual and auditory spatial impression were explicit considerations in the design of Hall A [17].

3.2. Auditory Experiment

Binaural impulse responses were measured in both halls using a Brüel & Kjær Head and Torso Simulator (HATS), and a loudspeaker in the center of the stage. The HATS ears were at a height of 1.2 m above the floor, and the loudspeaker at a height of 1.4 m, in the center of the stage. In Hall A, a Mackie HR824 loudspeaker was used as the measurement source, whilst a Soundsphere 2212-1 loudspeaker on a custom-built subwoofer was used in Hall B [18]. The loudspeaker for Hall A is a studio monitor, while the system in Hall B is closer to omnidirectional, more powerful, and covers a broader frequency range (logistics precluded taking this system to New Zealand). In both auditoria, impulse responses were obtained from logarithmic sine sweeps (60 Hz – 18 kHz, 60 s in Hall A; and 20 Hz – 20 kHz, 5.4 s in Hall B). Hall A had 15 receiver position (galleries and stalls), while Hall B had 9 (stalls only) – refer to Table 2. These responses were extracted and analyzed using Aurora software [19], yielding 2.5 to 3.5 seconds of impulse response data.

Seat Number	Hall	Distance from Source	Angle from Midline	Gallery or Stalls
23D6	A	12 m	60°	Gallery
24B6	A	13.5 m	35°	Gallery
24F4	A	20 m	35°	Gallery
25D6	A	20 m	25°	Gallery
26C9	A	20 m	10°	Gallery
26H3	A	25 m	0°	Gallery
H32	A	10 m	0°	Stalls
O34	A	15 m	0°	Stalls
O40	A	15 m	15°	Stalls
V26	A	20 m	15°	Stalls
W34	A	20 m	0°	Stalls
W08	A	22 m	45°	Stalls
AA25	A	25 m	25°	Stalls
BB35	A	25 m	25°	Stalls
HH44	A	30 m	15°	Stalls
D12	B	10 m	0°	Stalls
D17	B	10 m	15°	Stalls
D7	B	10 m	15°	Stalls
I12	B	15 m	0°	Stalls
I19	B	15 m	15°	Stalls
I5	B	15 m	15°	Stalls
M21	B	20 m	15°	Stalls
M3	B	20 m	15°	Stalls
N10	B	20 m	0°	Stalls

Table 2: Measurement positions represented by the auditory stimuli.

Measurements were calibrated, so that the sensitivity of the two ear channels could be matched, and the variation in sound pressure level through each auditorium could be maintained. However, the measurement system level between auditoria could not be matched meaningfully due to the different loudspeaker systems used.

An anechoic recording of the opening 15 seconds of the Overture to the *Marriage of Figaro* (Mozart) [20] was

convolved with the measured impulse responses to create the subjective experiment auditory stimuli. As this experiment used Sennheiser HD600 headphones, the transfer function between these headphones and the HATS ear simulators was compensated for through 1/3-octave band digital equalization.

Subjects listened to the stimuli in an anechoic room using headphones. Although anechoic conditions were not required, the low noise floor of this room (of 18 dBA) was presumed to be important in allowing subjects to hear the sometimes subtle differences between the sound stimuli. A black curtain covered the absorptive wall in front of the subjects so as to reduce visual distraction.

The 13 subjects (researchers and students in acoustics and audio) were mostly already familiar with the concepts of spatial impression such as ASW, LEV and intimacy. Nevertheless, these were defined and explained to them and illustrated graphically to ensure that they responded meaningfully to the scales. Stimuli representing the two auditoria were presented in different sessions, so as to emphasize sensitivities to differences within each hall. Subjects listened to all stimuli for an auditorium before beginning their assessment of that auditorium. For each auditorium, four audio compact discs were prepared containing all stimuli, in distinct randomly determined order. Subjects listened to one of these discs for training, and another for the experiment. Half the subjects assessed Hall A first, and the other assessed Hall B first. Thus stimulus order was systematically varied between subjects, such that no two subjects had the same overall stimulus order.

ASW, LEV and intimacy were rated on a discrete integer scale ranging between 0 (defined as ‘none’) and 10 (defined as ‘maximal’). Source distance was estimated in meters.

Table 3 summarizes the characteristics of the auditory stimuli, either in terms of the impulse response properties or binaural measurements of the actual stimuli. Unless otherwise stated, values are for mid frequencies (500 Hz and 1 kHz octave band mean). Low frequency values (mean of 125 Hz and 250 Hz octave bands) and high frequency values (mean of 2 kHz and 4 kHz octave bands) were also included in the analysis, as well as other kinds of acoustical measurement. Exponential means are used for decibels, and standard deviations are parenthesized.

	Hall A	Hall B
Reverberation Time RT_{30}	2.3 s (0.05)	2.2 s (0.04)
Early Decay Time	1.7 s (0.24)	2.3 s (0.09)
Clarity Index C_{50}	2.7 dB (1.1)	-6.5 dB (1.3)
Clarity Index C_{80}	4.5 dB (1.3)	-3.5 dB (1.0)
$IACC$	0.28 (0.09)	0.21 (0.09)
Broadband SPL	76 dB (1.8)	79 dB (1.3)

Table 3: Acoustical characteristics of the auditory stimuli. $IACC$ is the early inter-aural cross-correlation coefficient [1], and SPL is the equivalent sound pressure level (L_{eq}) measured at the microphones of a dummy head wearing the headphones used in the experiment.

3.3. Visual Experiment

Grayscale images were taken at a height of 1.2 m at selected seat positions, with a music stand and chair on the stage at the center of the frame (at the same location as the loudspeaker of the auditory experiment). Camera locations were the same as the dummy head locations of the auditory experiment, except that additional photographs were taken in Hall B, mainly in its gallery (no impulse responses had been recorded in the Hall B gallery for logistical reasons). A Nikon Coolpix 5400 digital

camera was used with a lens focal length equivalent to 28 mm (with respect to a 35 mm film camera). Typical minimal performance lighting conditions were used. Fifteen images were taken in each hall. The additional positions used for photographs in Hall B are summarized in Table 4.

Seat Number	Hall	Distance from Source	Angle from Midline	Gallery or Stalls
O5	B	20 m	10°	Stalls
O10*	B	20 m	0°	Stalls
GR3	B	10 m	45°	Gallery
GR15	B	25 m	15°	Gallery
GA10	B	20 m	0°	Gallery
GC10	B	22 m	0°	Gallery
GE10	B	25 m	0°	Gallery

Table 4: Additional measurement positions used in the visual but not the auditory experiment. Seat O10 was used instead of N10 in the visual experiment (these seats are both close to 20 m from the source, on the auditorium's midline).

The images were presented via a data projector, with the image size approximately 1.5 m across in a small windowless room. There were 13 subjects, 10 of whom had not participated in the auditory test. The distance between the subjects and the screen was from 2 to 3 m. The lights were dimmed in the room. The tests were presented using Microsoft PowerPoint, automatically changing the slides in a timed sequence. They began with a preview section, which allowed the subjects to see all 15 images for a hall. The first image was projected for 60 s, each subsequent image having a 2 s reduction, hence the last having a duration of 32 s. The two halls were presented in separate slide-shows, so as to emphasize sensitivity to differences between images within each hall. Image order was randomly varied between sessions.

For each image, subjects rated the *Sense of Spaciousness* (defined as the apparent volume of the room, as perceived from the image); the *Sense of Envelopment* (defined as the sense of being surrounded by the three-dimensional space); the *Stage Spatial Dominance* (defined as the degree to which the stage dominates the image); the *Sense of Intimacy* (defined as the apparent proximity or closeness to the performer); and the estimated distance from the camera to the performer (in meters). The first four subjective parameters were rated using a discrete scale (from 0 to 10, where 0 was defined as 'none', and 10 as 'maximal').

Table 5 summarizes some characteristics of the images used in the experiment. Note that some images in the stalls of Hall A scarcely had a view of the stage surface due to their angle of view.

	Hall A	Hall B
Image Brightness	78 (16)	91 (8)
Stage Brightness	213 (30)	173 (17)
Non-stage Brightness	75 (18)	81 (14)
Stage:Non-stage area ratio	0.02 (0.02)	0.12 (0.12)

Table 5: Image characteristics. Brightness is stated as an 8-bit number (ranging from 0-255).

4. RESULTS

As the two auditoria were tested in separate sessions in both the auditory and visual experiments, they are separated in the analysis (although they are charted together in the figures).

Analysis of variance (ANOVA, factorial) was used to test the significance of differences in subjective ratings for the single independent variable of *Seat Number*. ANOVA shows significance in both auditoria for the auditory scales of *LEV* and *Intimacy* and the visual scales of *Spaciousness*, *Stage Dominance*, *Intimacy* and *Estimated Distance*. Non-significant auditory results were obtained in the Hall A for ASW ($P=0.15$) and the ratio of perceived to actual distance ($P=0.09$). A non-significant visual envelopment result was obtained in Hall A ($P=0.12$).

4.1. Distance Estimates

Despite their lack of significance (which reflects a wide spread of responses) auditory distance results show some systematic relationships with distance in both auditoria (Figure 2). Using trim means (upper and lower quartiles excluded), the stall seats in Hall A match actual distance well ($r=0.87$, $P=0.001$), whilst the gallery seats lack such a relationship. In Hall B, distances are overestimated, but still correlate to actual distance ($r=0.70$, $P=0.03$). The differences in responses between the two auditoria appear to be partly due to the greater bass level achieved in Hall B, which gave the impression of a larger room (based on informal feedback given by the subjects). The use of an omnidirectional source in Hall B is also likely to have increased its distance estimates by giving a lower direct-to-reverberant sound energy ratio than a directional source. This contrast may have been increased both by the fact that Hall A was designed for great clarity [17], and that the smaller volume of Hall B for a similar reverberation time gives it a higher reverberant field energy. Sound pressure level is the strongest acoustical correlate of perceived distance in both auditoria, and it appears to provide some basis for the distance judgements in Hall A's gallery (Figure 3).

Individual visual distance estimates are much more reliable than auditory ones – which is understandable considering that subjects were able to use cues such as the number of seat rows in front of the camera. Mean visual distance estimates match real distance quite well in both auditoria for both stall and gallery seats (Figure 2).

4.2. Spaciousness, ASW and Envelopment

The results for visual spaciousness are consistent with the authors' previous study [16], in that generally ratings increase with distance, except for seats with a low overhanging ceiling (Figure 4). As the photographs were taken with a constant angle of view, the visible room size increases with distance from the stage.

The non-significance of results for ASW may be partly due to the use of non-individualized binaural reproduction – which, to some extent, causes the auditory image to be localized at arbitrary angles around the median saggital plane.




Figure 2. Auditory and visual distance estimates (auditory are trim-mean). 'A' and 'B' are the two halls, with '-' referring to stall positions and '+' to gallery positions.




Figure 3. Auditory distance estimate versus music sound pressure level (broadband unweighted L_{eq}) measured binaurally from the experiment stimuli.

The lack of significance in visual envelopment ratings in either auditorium is consistent with the authors' previous study [16], where visual envelopment varied significantly between auditoria, but not within an auditorium. That study found Hall A to be more visually enveloping than Hall B.




Figure 4. Visual spaciousness ratings, identifying the two images with a low overhanging ceiling.

The present study's result for auditory envelopment (LEV) shows a small decline in ratings as distance increases (Figure 5). In Hall A, sound pressure level (SPL) weakly correlates with LEV ($r=0.68, p<0.01$). Using stepwise regression, the residual is best accounted for by low frequency *IACC* – with low *IACC* values associated with increased LEV as might be expected ($r=0.83, p<0.001$ for the two-independent-variable model). Although LEV in Hall B is not well predicted by acoustic measurements, the Hall B results are not inconsistent with the two-parameter model derived from Hall A (Figure 6).




Figure 5. Listener Envelopment (LEV) ratings.




Figure 6. LEV regression, using sound pressure level and low frequency IACC.

4.3. Stage Dominance and Intimacy

Results for visual stage dominance, intimacy and distance are closely related. However, it appears that stage dominance varies little in gallery positions, while varying systematically with distance in stall positions for both auditoria. A similar effect for visual intimacy is found in Hall B, but not Hall A. Some subjects commented that the view of the organ in Hall B emphasizes the stage, whereas the choral risers in Hall A distract from the stage.




Figure 7. Visual stage dominance ratings.

Auditory intimacy decreases with distance. The gallery positions in Hall A exhibit less intimacy than the stall positions, contrasting with the visual intimacy results (Figure 8). In both halls high-frequency (2 kHz and 4 kHz octave bands) SPL is the best acoustical correlate of auditory intimacy ($r=0.90, p<0.0001$ for Hall A; $r=0.85, p<0.01$ for Hall B).

In this and the previous study four subjects commented that the light level contrast seems to increase visual intimacy for the more distant seating positions. However, the intimacy ratings actually decrease as stage to non-stage brightness contrast increases in both auditoria considered separately and together.




Figure 8. Auditory and visual intimacy ratings.

5. DISCUSSION

5.1. General

There are clear limitations to this study, both with the auditory and visual experiments. The auditory experiment used non-individualized binaural presentation, resulting in localization artifacts. There also are discrepancies between the stimuli of the two auditoria – with Hall B having a substantially bassier sound quality than Hall A due to the measurement system. In the visual experiment, experience was deliberately restricted to grayscale images to simplify the cues. The images did not use peripheral vision, which makes a substantial contribution to spatial impression [21]. Projected images also exclude cues from binocular convergence and monocular focussing. Both experiments present an unnaturally static environment, decoupled from the subjects' body movement. Despite these and other limitations, the study does yield results which seem reasonable pointers for more general application.

5.2. Auditory and Visual Spatial Impression

This study raises the question of the degree of correspondence between auditory and visual spatial impression. Such correspondence could be necessary (i.e. due to common

determinants) or arbitrary, and it could pertain to the structure or the content of spatial impression.

The concept of distance is simple, and easily defined in both auditory and visual modes – even if cues for its perception are complex and subtle. In previous studies, some structural commonality can be seen, with a tendency for underestimation, especially in the far field – implying a context-dependent horizon, beyond which all stimuli are judged equally distant. However in contexts such as that studied here, auditory distance cues are much less robust than visual distance cues. Auditory distance perception of a known source (eg the orchestral sound used in this study) relies primarily on sound intensity, its spectral balance and the direct to reverberant ratio. Visual distance cues available in this study include perspective, the number of objects of known size between the camera and target, the relative size of the target to other elements of the image, and many others.

Within most real contexts, auditory and visual distance should co-vary because, even though the cues are different, they originate from the form of the physical environment. Nevertheless, they can diverge greatly in situations such as whispering walls, or optical magnification.

Visual spaciousness was considered in this study mainly because ‘spaciousness’ is sometimes used as a term in auditory spatial impression (auditory spaciousness is related to ASW). However, as defined in this study, visual spaciousness refers to impression of room size, which had no direct equivalent in the auditory experiment. There has been little research on the auditory perception of room size, but it seems likely that reverberation is a major contributor (although being confounded with the absorptive qualities of room surfaces). With the direct-to-reverberant sound energy ratio decreasing with distance from a source, the perceived room size may be expected to increase with distance – which was the pattern found for visual spaciousness. However, over the range of possible room surface acoustic absorption conditions, auditory and visual room size should diverge considerably.

A closer visual analog of ASW is stage dominance. This study found neither a necessary nor arbitrary relationship between these, since the results for ASW were not significant. Even in theory, any relationship is likely to be largely arbitrary, as stage dominance depends on the proximity and angle of view to the stage, whilst ASW depends more on the strength of lateral reflections at the listener position (and hence is not directly related to the stage).

There seems some prospect for correspondence between visual and auditory envelopment, in that both vary more between auditoria than within an auditorium (based on previous studies). However the physical features that engender envelopment in the two senses seem unrelated. In vision, envelopment may come from roundness – hence the high visual envelopment ratings of Hall A in the authors’ previous study [16]. In audition, envelopment comes from the late lateral sound level, which is related in a more complex manner to the auditorium shape, as well as to surface absorption and diffusion. Nevertheless, with envelopment as a desirable characteristic of auditoria, it is possible to design spaces that optimize visual and auditory envelopment.

With a close relationship to perceived distance, auditory and visual intimacy are likely to co-vary in a given context. This study was not sensitive enough to make explicit the subtle differences between intimacy and perceived distance – that may be pursued in future work.

6. CONCLUSION

Space perception in vision and audition differ because of the physical characteristics of light and sound, their different interactions with the physical environment, differences between the sensory organs of the two modalities, and differences in the neural processing and cognition of these modes. Physically, the wavelength ranges of light and sound are in sharp contrast – with that of light spanning less than an ‘octave’ at very short wavelengths, whilst that of sound spans a ten octave range, between values substantially larger to substantially smaller than the human body. Diffraction and resonance are perhaps of esoteric interest in the optical world pertaining to vision, but are core components of the acoustic world pertaining to audition. If body movement is disregarded, vision is restricted to the view ahead of the person, and foveal vision covers an even smaller angle of view. By contrast, audition has an unlimited ‘angle of view’, and ‘focussing’ is achieved through signal analysis rather than relying on physical movement. The perception of direction and object boundaries has far greater ‘blur’ in audition than vision. There is some connection between auditory and haptic perception, with certain sounds being felt as well as heard – in this way audition has a stronger somatic association than vision. These and other comparisons might be taken to imply that audition is better at aspects of spatial impression than vision (especially envelopment, and perhaps intimacy), with vision being better at interpreting the geometry of the world around us. Nevertheless, the idea of at least a partial correspondence between the spatial impression gleaned from vision and from audition is appealing, and useful for applications such as auditory display.

This paper presents a limited case study using reduced optical and acoustical representations of two real spaces. Although the concept of a ‘necessary’ relationship between corresponding attributes of auditory and visual spatial impression may overstate any relationship’s basis, there are some attributes that are likely to co-vary in typical real-world contexts. In synthetic contexts, such relationships can either be exploited or discarded. Control of the degree of correspondence and contrast between visual and auditory spatial impression should allow the design of a rich diversity of spatial experience.

7. ACKNOWLEDGEMENTS

The authors are thankful to Miklin Halstead (Marshall Day, Wellington); Neville Brown (Michael Fowler Centre, Wellington); Peter McCallum and Magdalena Grubski (Conservatorium of Music, University of Sydney); and John Bassett and Riduan Osman (School of Architecture, Design Science and Planning, University of Sydney) for assistance with this research.

8. REFERENCES

- [1] L. Beranek, *Concert and Opera Halls: How they Sound*. Published for Acoustical Society of America through the American Institute of Physics, New York, 1996.
- [2] Y. Ando, *Concert Hall Acoustics*. Springer-Verlag, Berlin, 1985.
- [3] M. Barron, *Auditorium Acoustics and Architectural Design*. E&FN Spon, London, 1993.

- [4] P. Zahorik, "Assessing auditory distance perception using virtual acoustics," *J. Acoust. Soc. Am.*, vol. 111, pp. 1832-1846, 2002.
- [5] G. A. Souldre, M. C. Lavoie, and S. G. Norcross, "Objective measures of listener envelopment in multichannel surround systems," *J. Audio Eng. Soc.*, vol. 51, no. 9, pp. 826-840, Sept. 2003.
- [6] F. Rumsey, "Spatial quality evaluation for reproduced sound: terminology, meaning, and a scene-based paradigm," *J. Audio Eng. Soc.*, vol. 50, no. 9, pp. 651-666, Sept. 2002.
- [7] J. J. Gibson, *The Perception of the Visual World*. Houghton Mifflin, Boston, 1950.
- [8] A. S. Gilinsky, "Perceived size and distance in visual space.," *Psychological Review*, vol. 58, pp. 460 - 482, 1951.
- [9] W. H. Ittelson, *Visual Space Perception*. Springer, New York, 1960.
- [10] G. Bachelard, *The Poetics of Space* (Translated by Maria Jolas). Beacon Press, Boston, 1964.
- [11] J. Pallasmaa, *The Eye of the Skin: Architecture and The Senses*. Academy Group LTD, London, 1996.
- [12] E. T. Hall, *The Hidden Dimension: Man's Use of Space in Public and Private*. The Bodley, Head London, 1966.
- [13] M. Merleau-Ponty, *Phenomenology of Perception*. Routledge & Kegan Paul, London, 1962.
- [14] J. J. Gibson, "The perception of visual surfaces," *Am. J. Psych.*, Vol. 63, pp. 367 - 384, 1950.
- [15] P. A. Heelan, *Space-Perception and The Philosophy of Science*. University of California Press, Berkeley, 1983.
- [16] A. Nguyen and D. Cabrera, "Visual counterparts to spatial impression in auditorium acoustics," in *Proc. International Symposium on Room Acoustics: Design and Science*, Hyogo, Japan, April 2004.
- [17] A. H. Marshall and J. R. Hyde, "Some preliminary acoustical considerations in the design for the proposed Wellington (New Zealand) town hall," *J. Sound and Vibration*, vol. 63, no. 2, pp.201-221, 1979.
- [18] J. Bassett, R. Osman, Y. Choi and D. Cabrera, "A means of documenting the acoustic quality of spaces," in *Proc. 37th Australian and New Zealand Architectural Science Association (ANZAScA) Conference*, Sydney, Australia, November 2003.
- [19] A. Farina, "Simultaneous measurement of impulse response and distortion with a swept-sine technique," *Audio Engineering Society 108th Convention*, Paris, France, Preprint 5093 (D-4), February 2000.
- [20] Denon, *Denon Professional Test CDs*, PG6014, Disc 2, Track 25, 1993.
- [21] J. W. Danahy, "Technology for dynamic viewing and peripheral vision in landscape visualization," *Landscape and Urban Planning*, vol. 54, no. 1-4, May 2001, pp. 127-138.

9. APPENDIX

The measurement positions are indicated in the following figures, with the source/target position indicated by the open circle on the stage.




Figure 9. Measurement positions in Hall A.




Figure 10. Measurement positions in Hall B.