

# ws WebStorm

## DEFAULT OS X KEYMAP

### Editing

<b>Space</b>	Basic code completion
<b>Esc</b>	Show intention actions and quick-fixes
<b>P</b>	Parameter info (within method call arguments)
<b>J</b>	Quick documentation lookup
<b>⌘ + mouse over code</b>	Brief Info
<b>F1</b>	Show descriptions of error or warning at caret
<b>⌃, ⌘ N</b>	Generate code...
<b>⌃⌘ T</b>	Surround with... (if..else, try..catch, for, etc.)
<b>J</b>	Insert Live template
<b>/</b>	Comment/uncomment with line comment
<b>⌃ /</b>	Comment/uncomment with block comment
<b>⌃ ↑</b>	Select successively increasing code blocks
<b>⌃ ↓</b>	Decrease current selection to previous state
<b>⌃ Q</b>	Context info
<b>⌃⌘ L</b>	Reformat code
<b>⌃⌘ I</b>	Auto-indent line(s)
<b>→ i</b>	Indent selected lines
<b>↑ → i</b>	Unindent selected lines
<b>⌃ ⌄ V</b>	Paste from recent buffers...
<b>⌘ D</b>	Duplicate current line or selected block
<b>⌘ ⌂</b>	Delete line at caret
<b>⌃ ⌂ ↑</b>	Move line up
<b>⌃ ⌂ ↓</b>	Move line down
<b>⌃ ⌂ J</b>	Join lines
<b>⌘ ↵</b>	Split line
<b>⌃ ↵</b>	Start new line
<b>⌃ ⌂ U</b>	Toggle case for word at caret or selected block
<b>⌃ ⌂ ]</b>	Select till code block end
<b>⌃ ⌂ [</b>	Select till code block start
<b>⌃ ⌂ ⌂</b>	Delete to word end
<b>⌃ ⌂ ⌂</b>	Delete to word start
<b>⌘ + / ⌂ -</b>	Expand/collapse code block
<b>⌃ ⌂ +</b>	Expand all
<b>⌃ ⌂ -</b>	Collapse all
<b>⌘ W</b>	Close active editor tab

### Multiple carets and selections

<b>⌃ + Click</b>	Add or remove caret
<b>⌃ G</b>	Select all occurrences
<b>⌃ G</b>	Select next occurrence
<b>⌃ G</b>	Unselect occurrence
<b>⌃</b>	Unselect all occurrences or carets

### Running

<b>⌃ ⌂ R</b>	Select configuration and run
<b>⌃ ⌂ D</b>	Select configuration and debug
<b>⌃ ⌂ R / ⌃ ⌂ D</b>	Run/Debug
<b>⌃ ⌂ R, ⌃ ⌂ D</b>	Run context configuration from editor
<b>⌃ ⌂ R</b>	Rerun tests
<b>⌃ F11</b>	Run Gulp/Grunt/npm tasks

### Debugging

<b>F8 / F7</b>	Step over / step into
<b>⌃ F7</b>	Smart step into
<b>⌃ F8</b>	Step out
<b>⌃ F9</b>	Run to cursor
<b>⌃ F8</b>	Evaluate expression
<b>⌃ ⌂ R</b>	Resume
<b>⌘ F8</b>	Toggle breakpoint
<b>⌃ ⌂ F8</b>	View breakpoints

### Navigation

<b>⌘ B, ⌂ Click</b>	Go to declaration
<b>O</b>	Go to class
<b>⌃ O</b>	Go to file
<b>⌃ ⌂ O</b>	Go to symbol
<b>⌃ ⌂ ]</b>	Go to next editor tab
<b>⌃ ⌂ [</b>	Go to previous editor tab
<b>F12</b>	Go back to previous tool window
<b>⌃</b>	Go to editor (from tool window)
<b>⌘ L</b>	Go to line
<b>⌘ E</b>	Recent files popup
<b>⌃ ⌂ ←</b>	Navigate back
<b>⌃ ⌂ →</b>	Navigate forward
<b>⌃ ⌂ ⌂</b>	Navigate to last edit location
<b>⌃ F1</b>	Select current file or symbol in any view
<b>⌃ ⌂ B</b>	Go to implementation(s)
<b>Space, ⌂ Y</b>	Open quick definition lookup
<b>⌃ ⌂ B</b>	Go to type declaration
<b>⌘ U</b>	Go to super-method/super-class
<b>⌃ ⌂ ⌂</b>	Go to previous method
<b>⌃ ⌂ ⌂</b>	Go to next method
<b>⌃ ⌂ ]</b>	Move to code block end
<b>⌃ ⌂ [</b>	Move to code block start
<b>⌃ M</b>	Move caret to matching brace
<b>⌘ F12</b>	File structure popup
<b>⌃ H</b>	Type hierarchy
<b>⌃ ⌂ H</b>	Call hierarchy
<b>F2</b>	Next highlighted error
<b>⌃ F2</b>	Previous highlighted error
<b>F4, ⌂ ↓</b>	Jump to source
<b>⌃ ⌂ ⌂</b>	Jump to navigation bar
<b>F3</b>	Toggle bookmark
<b>⌃ F3</b>	Toggle bookmark with mnemonic
<b>⌃ ⌂ ⌂</b>	Go to numbered bookmark
<b>⌃ F3</b>	Show bookmarks

### Search/Replace

<b>⌘ F / ⌂ R</b>	Find / Replace
<b>⌘ G / ⌂ ⌂ G</b>	Find next/previous
<b>⌃ ⌂ F</b>	Find in path
<b>⌃ ⌂ R</b>	Replace in path

### Usage Search

<b>⌃ F7</b>	Find usages
<b>⌘ F7</b>	Find usages in file
<b>⌃ ⌂ F7</b>	Highlight usages in file
<b>⌃ ⌂ ⌂ F7</b>	Show usages

### Refactoring

<b>T</b>	Refactor this
<b>F5 / F6</b>	Copy / Move
<b>⌘ ⌂ ⌂</b>	Safe Delete
<b>⌃ F6</b>	Rename
<b>⌘ F6</b>	Change function signature
<b>⌃ ⌂ N</b>	Inline variable
<b>⌃ ⌂ V</b>	Extract Variable
<b>⌃ ⌂ C</b>	Extract Constant
<b>⌃ ⌂ P</b>	Extract Parameter

### VCS/Local History

<b>V</b>	'VCS' quick popup
<b>K</b>	Commit project to VCS
<b>T</b>	Update project from VCS
<b>⌃ ⌂ C</b>	View recent changes

### General

<b>Double ⌂</b>	Search everywhere
<b>⌃ ⌂ A</b>	Find Action
<b>⌘ O ... ⌂ 9</b>	Open corresponding tool window
<b>⌃ ⌂ ⌂ F12</b>	Toggle maximizing editor
<b>⌃ ⌂ F</b>	Add to Favorites
<b>⌃ ⌂ I</b>	Inspect current file with current profile
<b>⌃ ⌂ ⌂</b>	Quick switch current scheme
<b>⌃ ⌂ ⌂</b>	Open Preferences
<b>⌃ ⌂ ⌂</b>	Switch between tabs and tool window

To find any action inside the IDE use Find Action (**⌃ ⌂ A**)

# ws WebStorm

## DEFAULT WINDOWS & LINUX KEYMAP

### Editing

<b>Ctrl + Space</b>	Basic code completion
<b>Alt + Enter</b>	Show intention actions and quick-fixes
<b>Ctrl + P</b>	Parameter info (within method call arguments)
<b>Ctrl + Q</b>	Quick documentation lookup
<b>Ctrl + mouse over code</b>	Brief Info
<b>Ctrl + F1</b>	Show descriptions of error or warning at caret
<b>Alt + Insert</b>	Generate code...
<b>Ctrl + Alt + T</b>	Surround with... (if..else, try..catch, for, etc.)
<b>Ctrl + J</b>	Insert Live template
<b>Ctrl + /</b>	Comment/uncomment with line comment
<b>Ctrl + Shift + /</b>	Comment/uncomment with block comment
<b>Ctrl + W</b>	Select successively increasing code blocks
<b>Ctrl + Shift + W</b>	Decrease current selection to previous state
<b>Alt+Q</b>	Context Info
<b>Ctrl + Alt + L</b>	Reformat code
<b>Ctrl + Alt + I</b>	Auto-indent line(s)
<b>Tab</b>	Indent selected lines
<b>Shift + Tab</b>	Unindent selected lines
<b>Ctrl + Shift + V</b>	Paste from recent buffers...
<b>Ctrl + D</b>	Duplicate current line or selected block
<b>Ctrl + Y</b>	Delete line at caret
<b>Alt + Shift + Up</b>	Move line up
<b>Alt + Shift + Down</b>	Move line down
<b>Ctrl + Shift + J</b>	Join lines
<b>Ctrl + Enter</b>	Split lines
<b>Shift + Enter</b>	Start new line
<b>Ctrl + Shift + U</b>	Toggle case for word at caret or selected block
<b>Ctrl + Shift + ]</b>	Select till code block end
<b>Ctrl + Shift + [</b>	Select till code block start
<b>Ctrl + Delete</b>	Delete to word end
<b>Ctrl + Backspace</b>	Delete to word start
<b>Ctrl + NumPad+</b>	Expand code block
<b>Ctrl + NumPad-</b>	Collapse code block
<b>Ctrl + Shift + NumPad+</b>	Expand all
<b>Ctrl + Shift + NumPad-</b>	Collapse all
<b>Ctrl + F4</b>	Close active editor tab

### Multiple carets and selections

<b>Alt + Click</b>	Add or remove caret
<b>Shift + Ctrl + Alt + J</b>	Select all occurrences
<b>Alt + J</b>	Select next occurrence
<b>Alt + Shift + J</b>	Unselect occurrence
<b>Esc</b>	Unselect all occurrences or carets

### Running

<b>Alt + Shift + F10</b>	Select configuration and run
<b>Alt + Shift + F9</b>	Select configuration and debug
<b>Shift + F10</b>	Run
<b>Shift + F9</b>	Debug
<b>Ctrl + Shift + F10</b>	Run context configuration from editor
<b>Alt + Shift + R</b>	Rerun tests
<b>Alt + F11</b>	Run Gulp/Grunt/npm tasks

### Debugging

<b>F8</b>	Step over
<b>F7</b>	Step into
<b>Shift + F7</b>	Smart step into
<b>Shift + F8</b>	Step out
<b>Alt + F9</b>	Run to cursor
<b>Alt + F8</b>	Evaluate expression
<b>F9</b>	Resume program
<b>Ctrl + F8</b>	Toggle breakpoint
<b>Ctrl + Shift + F8</b>	View breakpoints

### Navigation

<b>Ctrl + B , Ctrl + Click</b>	Go to declaration
<b>Ctrl + N</b>	Go to class
<b>Ctrl + Shift + N</b>	Go to file
<b>Ctrl + Alt + Shift + N</b>	Go to symbol
<b>Alt + Right</b>	Go to next editor tab
<b>Alt + Left</b>	Go to previous editor tab
<b>F12</b>	Go back to previous tool window
<b>Esc</b>	Go to editor (from tool window)
<b>Ctrl + G</b>	Go to line
<b>Ctrl + E</b>	Recent files popup
<b>Ctrl + Alt + Right</b>	Navigate forward
<b>Ctrl + Alt + Left</b>	Navigate back
<b>Ctrl + Shift + Backspace</b>	Navigate to last edit location
<b>Alt + F1</b>	Select current file or symbol in any view
<b>Ctrl + Alt + B</b>	Go to implementation(s)
<b>Ctrl + Shift + I</b>	Open quick definition lookup
<b>Ctrl + Shift + B</b>	Go to type declaration
<b>Ctrl + U</b>	Go to super-method/super-class
<b>Alt + Up</b>	Go to previous method
<b>Alt + Down</b>	Go to next method
<b>Ctrl + ] / [</b>	Move to code block end/start
<b>Ctrl + Shift + M</b>	Move caret to matching brace
<b>Ctrl + F12</b>	File structure popup
<b>Ctrl + H</b>	Type hierarchy
<b>Ctrl + Alt + H</b>	Call hierarchy
<b>F2 / Shift + F2</b>	Next/previous highlighted error
<b>F4 , Ctrl + Enter</b>	Jump to source
<b>Alt + Home</b>	Jump to navigation bar
<b>F11</b>	Toggle bookmark
<b>Ctrl + Shift + F11</b>	Toggle bookmark with mnemonic
<b>Ctrl + #[0-9]</b>	Go to numbered bookmark
<b>Shift + F11</b>	Show bookmarks

### Search/Replace

<b>Ctrl + F</b>	Find
<b>F3</b>	Find next
<b>Shift + F3</b>	Find previous
<b>Ctrl + Shift + F</b>	Find in path
<b>Ctrl + R</b>	Replace
<b>Ctrl + Shift + R</b>	Replace in path

### Usage Search

<b>Alt + F7</b>	Find usages
<b>Ctrl + F7</b>	Find usages in file
<b>Ctrl + Shift + F7</b>	Highlight usages in file
<b>Ctrl + Alt + F7</b>	Show usages

### Refactoring

<b>Ctrl + Alt + Shift + T</b>	Refactor this
<b>F5 / F6</b>	Copy / Move
<b>Alt + Delete</b>	Safe Delete
<b>Shift + F6</b>	Rename
<b>Ctrl + F6</b>	Change function signature
<b>Ctrl + Alt + N</b>	Inline Variable
<b>Ctrl + Alt + M</b>	Extract Method
<b>Ctrl + Alt + V</b>	Extract Variable
<b>Ctrl + Alt + C</b>	Extract Constant
<b>Ctrl + Alt + P</b>	Extract Parameter

### VCS/Local History

<b>Alt + BackQuote (`)</b>	'VCS' quick popup
<b>Ctrl + K</b>	Commit project to VCS
<b>Ctrl + T</b>	Update project from VCS
<b>Alt + Shift + C</b>	View recent changes

### General

<b>Double Shift</b>	Search everywhere
<b>Ctrl + Shift + A</b>	Find Action
<b>Alt + #[0-9]</b>	Open corresponding tool window
<b>Ctrl + Shift + F12</b>	Toggle maximizing editor
<b>Alt + Shift + F</b>	Add to Favorites
<b>Alt + Shift + I</b>	Inspect current file with current profile
<b>Ctrl + BackQuote (`)</b>	Quick switch current scheme
<b>Ctrl + Alt + S</b>	Open Settings dialog
<b>Ctrl + Tab</b>	Switch between tabs and tool window

To find any action inside the IDE use Find Action (Ctrl+Shift+A)



[jetbrains.com/webstorm](#)

[blog.jetbrains.com/webstorm](#)

@WebStormIDE