

WINOGRANDE: An Adversarial Winograd Schema Challenge at Scale

Keisuke Sakaguchi*, Ronan Le Bras*, Chandra Bhagavatula*, Yejin Choi*†

*Allen Institute for Artificial Intelligence †University of Washington
 {keisukes, ronanlb, chandrab, yejinc}@allenai.org

Abstract

The Winograd Schema Challenge (WSC) (Levesque, Davis, and Morgenstern 2011), a benchmark for commonsense reasoning, is a set of 273 expert-crafted pronoun resolution problems originally designed to be unsolvable for statistical models that rely on selectional preferences or word associations. However, recent advances in neural language models have already reached around 90% accuracy on variants of WSC. This raises an important question whether these models have truly acquired robust commonsense capabilities or whether they rely on spurious biases in the datasets that lead to an overestimation of the true capabilities of machine commonsense.

To investigate this question, we introduce **WINOGRANDE**, a large-scale dataset of 44k problems, inspired by the original WSC design, but adjusted to improve both the scale and the hardness of the dataset. The key steps of the dataset construction consist of (1) a carefully designed crowdsourcing procedure, followed by (2) systematic bias reduction using a novel AFLITE algorithm that generalizes human-detectable *word associations* to machine-detectable *embedding associations*. The best state-of-the-art methods on WINOGRANDE achieve 59.4 – 79.1%, which are ~15-35% (absolute) below human performance of 94.0%, depending on the amount of the training data allowed (2% – 100% respectively).

Furthermore, we establish new state-of-the-art results on *five* related benchmarks — WSC (→ **90.1%**), DPR (→ **93.1%**), COPA (→ **90.6%**), KnowRef (→ **85.6%**), and Winogender (→ **97.1%**). These results have dual implications: on one hand, they demonstrate the effectiveness of WINOGRANDE when used as a resource for transfer learning. On the other hand, they raise a concern that we are likely to be overestimating the true capabilities of machine commonsense across all these benchmarks. We emphasize the importance of algorithmic bias reduction in existing and future benchmarks to mitigate such overestimation.

1 Introduction

The Winograd Schema Challenge (WSC) (Levesque, Davis, and Morgenstern 2011), proposed as an alternative to the Turing Test (Turing 1950), has been used as a benchmark for evaluating commonsense reasoning. WSC are designed to be pronoun resolution problems (see examples in Table 1) that are trivial for humans but hard for machines that merely

rely on statistical patterns without true capabilities of commonsense reasoning. However, recent advances in neural language models have already reported around 90% accuracy on a variant of WSC dataset.¹ This raises an important question:

Have neural language models successfully acquired commonsense or are we overestimating the true capabilities of machine commonsense?

This question about the potential overestimation leads to another crucial question regarding potential unwanted biases that the large-scale neural language models might be exploiting, essentially solving the problems *right*, but for *wrong* reasons. While WSC questions are expert-crafted, recent studies have shown that they are nevertheless prone to incidental biases. Trichelair et al. (2018) have reported *word-association* (13.5% of the cases, see Table 1 for examples) as well as other types of *dataset-specific* biases. While such biases and annotation artifacts are not apparent for individual instances, they get introduced in the dataset as problem authors subconsciously repeat similar problem-crafting strategies.

To investigate this question about the true estimation of the machine commonsense capabilities, we introduce **WINOGRANDE**, a new dataset with 44k problems that are inspired by the original design of WSC, but modified to improve both the scale and hardness of the problems. The key steps in WINOGRANDE construction consist of (1) a carefully designed crowdsourcing procedure, followed by (2) a novel algorithm AFLITE that generalizes human-detectable biases based on *word* occurrences to machine-detectable biases based on *embedding* occurrences. The key motivation of our approach is that it is difficult for humans to write problems without accidentally inserting unwanted biases.

While humans find WINOGRANDE problems trivial with 94% accuracy, best state-of-the-art results, including those from RoBERTa (Liu et al. 2019) are considerably lower, ranging between 59.4% - 79.1% depending on the amount of training data provided (from 800 to 41k instances), which falls 15 - 35% (absolute) below the human-level performance.

¹<https://github.com/pytorch/fairseq/tree/master/examples/roberta>. We note that this variant aggregates the original WSC, PDP (Morgenstern, Davis, and Ortiz 2016) and additional PDP-style examples, and recasts them into True/False binary problems.

	Twin sentences		Options (answer)
✓ (1)	a	The trophy doesn't fit into the brown suitcase because it's too <i>large</i> .	trophy / suitcase
	b	The trophy doesn't fit into the brown suitcase because it's too <i>small</i> .	trophy / suitcase
✓ (2)	a	Ann asked Mary what time the library closes, <i>because</i> she had forgotten.	Ann / Mary
	b	Ann asked Mary what time the library closes, <i>but</i> she had forgotten.	Ann / Mary
✗ (3)	a	The tree fell down and crashed through the roof of my house. Now, I have to get it <i>removed</i> .	tree / roof
	b	The tree fell down and crashed through the roof of my house. Now, I have to get it <i>repaired</i> .	tree / roof
✗ (4)	a	The lions ate the zebras because they are <i>predators</i> .	lions / zebras
	b	The lions ate the zebras because they are <i>meaty</i> .	lions / zebras

Table 1: WSC problems are constructed as pairs (called *twin*) of nearly identical questions with two answer choices. The questions include a *trigger word* that flips the correct answer choice between the questions. Examples (1)-(3) are drawn from WSC (Levesque, Davis, and Morgenstern 2011) and (4) from DPR (Rahman and Ng 2012)). Examples marked with ✗ have language-based bias that current language models can easily detect. Example (4) is undesirable since the word “predators” is more often associated with the word “lions”, compared to “zebras”

Furthermore, we also demonstrate that WINOGRANDE provides transfer learning to other existing WSC and related benchmarks, achieving new SOTA performances on *five* of them, including the original WSC (Levesque, Davis, and Morgenstern 2011) (→ **90.1%**), DPR (Rahman and Ng 2012) (→ **93.1%**), COPA (Roemmele, Bejan, and Gordon 2011) (→ **90.6%**), KnowRef (Emami et al. 2019) (→ **85.6%**), and Winogender (Rudinger et al. 2018) (→ **97.1%**).

Although the improvements of SOTA over multiple challenging benchmarks are exciting, we cautiously note that these positive results must be taken with a grain of salt. The result might also indicate the extent to which spurious effects are prevalent in existing datasets, which runs the risk of overestimating the true capabilities of machine intelligence on commonsense reasoning. More generally, human-crafted problems and tasks (regardless of whether they are crowdsourced or by experts) contains annotation artifacts in many cases, and algorithmic bias reduction such as AFLITE is essential to mitigate such dataset-specific bias.

2 Crowdsourcing WINOGRANDE at Scale

WSC problems have been considered challenging to craft by crowdsourcing due to the structural constraints of twins and the requirement of linguistic knowledge (Table 1). Nevertheless, we present an effective approach to creating a large-scale dataset (WINOGRANDE) of WSC problems while maintaining its original properties – i.e. trivial for humans but hard for AI systems. Our approach consists of a carefully designed crowdsourcing task followed by a novel adversarial filtering algorithm (§3) that systematically removes biases in the data.

Enhancing Crowd Creativity Creating twin sentences from scratch puts a high cognitive load on crowd workers who thereby subconsciously resort to writing pairs that are lexically and stylistically repetitive. To encourage creativity and reduce their cognitive load, we employed *creativity from constraints* (Stokes 2005) – a psychological notion which suggests that appropriate constraints can help structure and drive creativity. In practice, crowd workers are primed by a randomly chosen topic as a suggestive context (details below), while they are asked to follow precise guidelines on the structure of the curated data.

Crowdsourcing Task We collect WINOGRANDE problems via crowdsourcing on Amazon Mechanical Turk (AMT).² Workers are asked to write twin sentences (as shown in Table 1) that meet the requirements for WSC problems (e.g., avoiding word association, non-zero but small edit distance). To avoid repeating the same topics, workers were instructed to randomly pick an *anchor* word(s) from a randomly assigned WikiHow article³ and to ensure that the twin sentences contain the *anchor* word. The *anchor* word does not have to be a *trigger* word, but we ensured that it is not a function word such as *the, it, he, of*. In our pilot experiments, we found that this constraint drastically improves worker’s creativity and diversity of topics. Additionally, workers were instructed to keep twin sentence length in between 15 and 30 words while maintaining at least 70% word overlap between a pair of twins.⁴ Following the original WSC problems, we aimed to collect twins in two different domains – (i) social commonsense: a situation involving two same gender people with contrasting attributes, emotions, social roles, etc., and (ii) physical commonsense: a context involving two physical objects with contrasting properties, usage, locations, etc. In total, we collected 77k questions (i.e., 38k twins).

Data Validation We validate each collected question through a distinct set of three crowd workers. Following a rigorous process, a question is deemed valid if (1) the majority of the three workers chooses the correct answer option, (2) they agree that the two answer options are unambiguous (one option is clearly more plausible than the other) and (3) the question cannot be answered simply by word association in which local context around the target pronoun is given (e.g., “because **it** was going so fast.” (**race car** / school bus)).⁵ As a result, 68% of the questions (53k) were deemed valid and we discarded the invalid questions.

While our crowdsourcing procedure addresses some amount of instance-level biases like word association, it is

²Our datasets, crowdsourcing interface, and models are available at <http://winogrande.allenai.org>.

³<https://www.wikihow.com/Special:Randomizer>

⁴The workers met minimum qualification in AMT: 99% approval rate, 5k approvals. The reward was \$0.4 per twin sentences.

⁵For each sentence validation, workers were paid \$0.03.

still possible that the constructed dataset has *dataset-specific* biases – especially after it has been scaled up. To address this challenge, we propose a method for systematic bias reduction.

3 Algorithmic Data Bias Reduction

Several recent studies (Gururangan et al. 2018; Poliak et al. 2018; Tsuchiya 2018; Niven and Kao 2019; Geva, Goldberg, and Berant 2019) have reported the presence of *annotation artifacts* in large-scale datasets. Annotation artifacts are unintentional patterns in the data that leak information about the target label in an undesired way. State-of-the-art neural models are highly effective at exploiting such artifacts to solve problems *correctly*, but for *incorrect* reasons. To tackle this persistent challenge with dataset biases, we propose AFLITE – a novel algorithm that can systematically reduce biases using state-of-the-art contextual representation of words.

Light-weight adversarial filtering Our approach builds upon the adversarial filtering (AF) algorithm proposed by Zellers et al. (2018), but makes two key improvements: (1) AFLITE is much more broadly applicable (by not requiring over generation of data instances) and (2) it is considerably more lightweight (not requiring re-training a model at each iteration of AF). Overgenerating machine text from a language model to use in test instances runs the risk of distributional bias where a discriminator can learn to distinguish between machine generated instances and human-generated ones. In addition, AF depends on training a model at each iteration, which comes at extremely high computation cost when being adversarial to a model like BERT (Devlin et al. 2018).⁶

Instead of manually identified lexical features, we adopt a dense representation of instances using their *pre-computed* neural network embeddings. In this work, we use RoBERTa (Liu et al. 2019) fine-tuned on a small subset of the dataset. Concretely, we use 6k instances (5k for training and 1k for validation) from the dataset (containing 53k instances in total) to fine-tune RoBERTa (referred to as RoBERTa_{embed}). We use RoBERTa_{embed} to pre-compute the embeddings for the rest of the instances (47k) as the input for AFLITE. We discard the 6k instances from the final dataset.

Next, we use an ensemble of linear classifiers (logistic regressions) trained on random subsets of the data to determine whether the representation used in RoBERTa_{embed} is strongly indicative of the correct answer option. If so, we discard the corresponding instances and proceed iteratively.

Algorithm 1 provides the implementation of AFLITE. The algorithm takes as input the *pre-computed* embeddings \mathbf{X} and labels \mathbf{y} , along with the size n of the ensemble, the training size m for the classifiers in the ensemble, the size k of the filtering cutoff, and the filtering threshold τ . At each filtering phase, we train n linear classifiers on different random partitions of the data and we collect their predictions

⁶AFLITE is designed for filtering instances so that the resulting dataset is less biased, whereas the original AF algorithm (Zellers et al. 2018) is designed for “generating and modifying” individual instances, such as by creating better distractors. AFLITE and AF are therefore different in their goals and hence difficult to compare directly.

Algorithm 1: AFLITE

Input: dataset $\mathcal{D} = (\mathbf{X}, \mathbf{y})$, ensemble size n , training set size m , cutoff size k , filtering threshold τ
Output: dataset \mathcal{D}'

- 1 $\mathcal{D}' = \mathcal{D}$
- 2 **while** $|\mathcal{D}'| > m$ **do**
// Filtering phase
- 3 **forall** $e \in \mathcal{D}'$ **do**
- 4 Initialize the ensemble predictions $E(e) = \emptyset$
- 5 **for** iteration $i : 1..n$ **do**
- 6 Random partition $(\mathcal{T}_i, \mathcal{V}_i)$ of \mathcal{D}' s.t. $|\mathcal{T}_i| = m$
- 7 Train a linear classifier \mathcal{L} on \mathcal{T}_i
- 8 **forall** $e = (\mathbf{x}, y) \in \mathcal{V}_i$ **do**
- 9 Add $\mathcal{L}(\mathbf{x})$ to $E(e)$
- 10 **forall** $e = (\mathbf{x}, y) \in \mathcal{D}'$ **do**
- 11 $score(e) = \frac{|\{p \in E(e) \text{ s.t. } p=y\}|}{|E(e)|}$
- 12 Select the top- k elements \mathcal{S} in \mathcal{D}' s.t. $score(e) \geq \tau$
- 13 $\mathcal{D}' = \mathcal{D}' \setminus \mathcal{S}$
- 14 **if** $|\mathcal{S}| < k$ **then**
- 15 **break**
- 16 **return** \mathcal{D}'

on their corresponding validation set. For each instance, we compute its *score* as the ratio of correct predictions over the total number of predictions. We rank the instances according to their score and remove the top- k instances whose score is above threshold τ . We repeat this process until we remove fewer than k instances in a filtering phase or there are fewer than m remaining instances. When applying AFLITE to WINOGRANDE, we set $m = 10,000$, $n = 64$, $k = 500$, and $\tau = 0.75$.

This approach is also reminiscent of recent work in NLP on adversarial learning (Chen and Cardie 2018; Belinkov et al. 2019; Elazar and Goldberg 2018). Belinkov et al. (2019) propose an adversarial removal technique for NLI which encourages models to learn representations that are free of hypothesis-only biases. When proposing a new benchmark, however, we cannot enforce that any future model will purposefully avoid learning spurious correlations in the data. In addition, while the hypothesis-only bias is an insightful bias in NLI, we make no assumption about the possible sources of bias in WINOGRANDE. Instead, we adopt a more proactive form of bias reduction by relying on state-of-the-art (statistical) methods to uncover undesirable dataset shortcuts.

Assessment of AFLITE We assess the impact of AFLITE relative to two baselines: random data reduction and PMI-based filtering. In random data reduction, we randomly subsample the dataset to evaluate how a decrease in dataset size affects the bias. In PMI-based filtering, we compute the difference (f) of PMIs for each twin (t) as follows:

$$f(t_1, t_2) = \sum_{w \in t_1} \text{PMI}(y = 1; w) - \sum_{w \in t_2} \text{PMI}(y = 1; w).$$

Technically, we first pre-computed PMI between a word and the label $y = 1$ for each word in the dataset, following a method proposed by Gururangan et al. (2018). The sum of PMI value of each token in a given sentence indicates the




Figure 1: The effect of debiasing by AFLITE. RoBERTa pre-computed embeddings (applied PCA for dimension reduction) are shown in two-dimensional space (*top row*) and histograms regarding d_1 (*bottom row*) with the bin size being 100. Data points are colored depending on the label (i.e., the answer y is option 1 (blue) or 2 (red)). In the histograms, we show the KL-divergence between $p(d_1, y=1)$ and $q(d_1, y=2)$.

	Twin sentences	Options (answer)
✗	The monkey loved to play with the balls but ignored the blocks because he found them exciting . The monkey loved to play with the balls but ignored the blocks because he found them dull .	balls / blocks balls / blocks
✗	William could only climb beginner walls while Jason climbed advanced ones because he was very weak . William could only climb beginner walls while Jason climbed advanced ones because he was very strong .	William / Jason William / Jason
✓	Robert woke up at 9:00am while Samuel woke up at 6:00am, so he had less time to get ready for school. Robert woke up at 9:00am while Samuel woke up at 6:00am, so he had more time to get ready for school.	Robert / Samuel Robert / Samuel
✓	The child was screaming after the baby bottle and toy fell. Since the child was hungry , it stopped his crying. The child was screaming after the baby bottle and toy fell. Since the child was full , it stopped his crying.	baby bottle / toy baby bottle / toy

Table 2: Examples that have *dataset-specific* bias detected by AFLITE (marked with ✗). The words that include (dataset-specific) polarity bias (§3) are highlighted (positive and negative). For comparison, we show examples selected from WINOGRANDE_debiased (marked with ✓).

likelihood of the label $y = 1$ for the sentence. We only retain twins that have a small difference in their PMI values as it corresponds to twins that are hard to discriminate.⁷

Figure 1 plots RoBERTa pre-computed embeddings whose dimension is reduced to 2D (*top*) and 1D (*bottom*) using Principal Component Analysis (PCA). We observe that WINOGRANDE_all and the two baselines exhibit distinct components between the two correct answer options (i.e., $y \in \{1, 2\}$), whereas such distinction becomes less salient in WINOGRANDE_debiased, which implies that AFLITE successfully reduces the spurious correlation in the dataset (between instances and labels). To quantify the effect, we compute the KL divergence between the samples with answer options. We find that the random data reduction does not reduce the KL diver-

⁷We also evaluated other variations of PMI-filtering such as the absolute difference ($|f|$), max-PMI ($\max(\max_{w \in t_1} \text{PMI}(y; w), \max_{w \in t_2} \text{PMI}(y; w))$), and token-pairwise PMI ($\text{PMI}(y; w_1, w_2 \in t)$), but we did not observe a significant difference among them.

gence (2.53 \rightarrow 2.51). It is interesting to see that PMI-filtering marginally reduces the KL divergence (\rightarrow 2.42), although the principal component analysis on the PMI-filtered subset still leads to a significant separation between the labels. On the other hand, in WINOGRANDE_debiased, AFLITE reduces the KL divergence dramatically (\rightarrow 0.12) which suggests that this debiased dataset should be challenging for statistical models that solely rely on spurious correlation.

What bias has been actually detected by AFLITE? Is the bias really spurious and undesirable according to the original WSC’s goal? Table 2 presents examples that AFLITE has detected as a dataset-specific bias. We see a structural pattern in the first two twins, where the sentiment between the answer option and the target pronoun are highly correlated. In other words, these problems can be easily answered by simply exploiting the pattern of the polarity (positive or negative). Importantly, this dataset-specific bias is structural rather than at the token level, contrasting with the biases that have been

identified in the NLI literature (Gururangan et al. 2018; Poliak et al. 2018), and it is hard to detect these biases using heuristics such as lexical PMI-filtering. Instead of depending on such heuristics, AFLITE is able to detect samples that potentially have such biases algorithmically.

After applying the AFLITE algorithm, we obtain a *debiased* dataset of 12,282 instances split into training (9,248), development (1,267), and test (1,767) sets. We also release 31k problems that are filtered out by AFLITE for additional training set (§4) and resource (§5), resulting in a total number of problems in WINOGRANDE_{all} to be 43,972 (40,938 for training, 1,267 for development, and 1,767 for test).

3.1 WINOGRANDE V.S. the Original WSC

While WINOGRANDE is inspired by the original WSC, we make a few design choices that deviate from the original design guidelines of WSC in order to scale up the dataset considerably while ensuring the hardness of the dataset.

First, WINOGRANDE is formatted as a fill-in-the-blank problem where the blank corresponds to the mention of one of the two names in the context, following the same modification made by other recent WSC variants such as Trinh and Le (2018).⁸ In contrast, the original WSC explicitly places a pronoun (instead of a blank). From the modeling stand point, the use of blanks instead of explicit pronouns do not make the problem any easier.

Second, while we originally collected all problems in twins, the final questions in the filtered WINOGRANDE_{debiased} are not always twins because it is possible that AFLITE filters out only one of the twin sentences. In WINOGRANDE_{debiased}, about 1/3 of questions are not twins. We also release WINOGRANDE_{all} (training set) that all consists of twins.

Third, unlike the original WSC problems that were composed by just a few linguistics experts, WINOGRANDE is authored by crowdworkers. Thus, the language used in WINOGRANDE reflects the more diverse and noisy language used by crowds. Importantly, laymen still find WINOGRANDE problems easy to solve, with 94% accuracy (§4).

4 Experimental Results

4.1 Baseline Models

We evaluate the WINOGRANDE_{debiased} (dev and test) on methods/models that have been effective on the original WSC.

Wino Knowledge Hunting Wino Knowledge Hunting (WKH) by Emami et al. (2018) is based on an information retrieval approach, where the sentence is parsed into a set of queries and then the model looks for evidence for each answer candidate from the search result snippets. This IR-oriented approach comes from a line of work in coreference resolution (Kobdani et al. 2011; Ratinov and Roth 2012; Bansal and Klein 2012; Zheng et al. 2013; Peng, Khashabi, and Roth 2015).

Ensemble Neural LMs Trinh and Le (2018) is one of the first attempts to apply a neural language model which is

⁸https://github.com/tensorflow/models/tree/master/research/lm_commonsense

pre-trained on a very large corpora (including LM-1-Billion, CommonCrawl, SQuAD, and Gutenberg Books). In this approach, the task is treated as fill-in-the-blank question with binary choice. The target pronoun in the sentence is replaced by each answer candidate and the neural language model provides the likelihood of the two resulting sentences. This simple yet effective approach outperforms previous IR-based methods.

BERT BERT (Devlin et al. 2018) is another pre-trained neural language model which has bidirectional paths and consecutive sentence representations in hidden layers. We finetune BERT with splitting the input sentence into context and option using the candidate answer as delimiter. The input format becomes [CLS] context [SEP] option [SEP]; e.g., *The trophy doesn't fit into the brown suitcase because the ___ [SEP] is too large. [SEP]* (The blank ___ is filled with either option 1 or 2), and the [CLS] token embedding is used to classify which answer option is correct. We used grid-search for hyper-parameter tuning: learning rate $\{1e-5, 3e-5, 5e-5\}$, number of epochs $\{3, 4, 5, 8\}$, batch-size $\{8, 16\}$ with three different random seeds.

RoBERTa RoBERTa (Liu et al. 2019) is an improved variant of BERT that adds more training data with larger batch sizes and training time, as well as other refinements such as dynamic masking. RoBERTa performs consistently better than BERT across many benchmark datasets.

Word association baseline Using BERT and RoBERTa, we also run the word association baseline (*local-context-only*) to check if the dataset can be solved by language-based bias. In this baseline, the model is trained with only local contexts ($w_{t-2:EOS}$) surrounding the blank to be filled (w_t) (e.g., because the ___ [SEP] is too large. [SEP]). This is analogous to the *hypothesis-only* baseline in NLI (Poliak et al. 2018), where the task (dataset) does not require the full context to achieve high performance.

Finetuning on DPR dataset DPR (Definite Pronoun Resolution Dataset), collected by Rahman and Ng (2012), consists of 1,886 WSC style problems written by 30 undergraduate students. Kocijan et al. (2019) have recently shown that BERT finetuned with DPR boosts the performance on WSC (72.2% accuracy). As additional baselines, we finetune BERT and RoBERTa with DPR and evaluate on WINOGRANDE. This allows us to compare the difficulty of WSC and WINOGRANDE empirically.

Human evaluation In addition to the methods described above, we compute human performance as the majority vote of three crowd workers for each question.

4.2 Results

Table 3 shows the results. Two baselines, WKH and Ensemble LMs, only achieve chance-level performance (50%). The best model, RoBERTa, achieves 79.1% test-set accuracy⁹, whereas human performance achieve 94.0%, indicating that the WINOGRANDE_{debiased} is still easy for humans to

⁹When we use the debiased training set (9,248), both BERT and RoBERTa showed only chance level performance.

Methods	dev acc. (%)	test acc.(%)
WKH	49.4	49.6
Ensemble LMs	53.0	50.9
BERT	65.8	64.9
RoBERTa	79.3	79.1
<hr/>		
BERT (local context)	52.5	51.9
RoBERTa (local context)	52.1	50.0
<hr/>		
BERT-DPR*	50.2	51.0
RoBERTa-DPR*	59.4	58.9
<hr/>		
Human Perf.	94.1	94.0

Table 3: Performance of several baseline systems on WINOGRANDE_{debiased} (dev and test). The star (★) denotes that it is zero-shot setting (e.g., BERT-DPR* is a BERT model fine-tuned with the DPR dataset and evaluated on WINOGRANDE_{debiased}).

Training size	dev acc. (%)	test acc.(%)
XS (160)	51.5	50.4
S (640)	58.6	58.6
M (2,558)	66.9	67.6
L (10,234)	75.8	74.7
XL (40,938)	79.3	79.1

Table 4: Performance of RoBERTa with different training sizes.

answer as desired. Regarding the word association (i.e., local context) baselines, both BERT and RoBERTa achieve close to chance-level performance, illustrating that most WINOGRANDE_{debiased} problems cannot be answered by local context only. Finally, BERT and RoBERTa finetuned with DPR achieve chance-level to below 60% accuracy, which contrast with the performance boosts on WSC (72% by BERT (Kocijan et al. (2019))) and 83% in RoBERTa) and other existing WSC-style problems (shown in §5.3). This indicates that WINOGRANDE_{debiased} consists of more challenging problems than WSC and existing variants.

Learning Curve In order to see the effect of training size, Table 4 shows the performance by RoBERTa trained on different training sizes from 160 to 40k questions. Figure 2 shows the learning curve of the best model, RoBERTa, on the WINOGRANDE_{debiased} dev set. RoBERTa’s performance ranges from 59% to 79% when the size of training data is varied from 800 (2% of the training data) to 41K (100% of the training data) instances. To achieve human-level performance, current state-of-the-art models would need over 118K training instances.

Importantly, the lower end of the available training data (~800) in the learning curve roughly matches the size of the training data made available in previous variants of WSC (see Table 5). For most of these datasets, state-of-the-art already reaches around 90% (§5). In contrast, when we control for the training set size in WINOGRANDE, RoBERTa’s performance is considerably lower (59%) – demonstrating that our dataset




Figure 2: Learning curve on the dev set of WINOGRANDE. Each point on the plot is the best performance for a given number of randomly selected training examples, computed over ten random seeds.

construction method is able to compose WSC problems that are collectively considerably harder than previous datasets.

5 Transfer Learning from WINOGRANDE

WINOGRANDE contains a large number of WSC style questions. In addition to serving as a benchmark dataset, we use WINOGRANDE as a resource – we apply transfer learning by first fine-tuning a model on our dataset and evaluating its performance on related datasets: WSC, PDP, SuperGLUE-WSC, DPR, KnowRef, KnowRef, and Winogender). We establish state-of-the-art results across several of these existing benchmark datasets.

5.1 Existing WSC and Related Datasets

We briefly describe existing WSC variants and other related datasets. Table 5 provides their summary statistics.

WSC (Levesque, Davis, and Morgenstern 2011) This is the original Winograd Schema Challenge dataset, which consists of 273 problems. The problems are manually crafted by the authors to avoid word association bias as much as possible, although Trichelair et al. (2018) later report that 13.5% of the questions may still have word-association bias.

PDP (Morgenstern, Davis, and Ortiz 2016) PDP (Pronoun Disambiguation Problems) dataset is closely related to the original WSC, and used in the 2016 running of the Winograd Schema Challenge. The dataset consists of 80 pronoun disambiguation problems. It is formulated as a multiple choice task, in which a pronoun must be resolved to one of up to 5 (but mostly binary) possible antecedents.

SuperGLUE-WSC (Wang et al. 2019) SuperGLUE contains multiple datasets including a modified version of WSC, which we will refer to as SuperGLUE-WSC. This dataset aggregates the original WSC, PDP and additional PDP-style examples, and recasts them into True/False binary problems (e.g., “Pete envies **Martin** because *he* is very successful.” Q:

Dataset	#Probs	Avg Len	#Vocab
WSC	273	19.1	919
PDP	80	39.5	594
SuperGLUE-WSC	804	28.4	1,711
DPR	1,886	15.9	4,127
KnowRef	1,269	19.3	5,310
COPA	1,000	13.3	3,369
Winogender	720	15.6	523
WINOGRANDE _{debiased}	12,282	21.1	11,408
WINOGRANDE _{all}	43,972	20.6	16,469

Table 5: Statistics on WSC and related datasets (§5.1).

Does *he* refer to **Martin**? A: True). Therefore, the number of problems are roughly doubled from WSC and PDP, although the size is still relatively small (804 in total). We converted WinoGrande to the True/False binary problems.

DPR (Rahman and Ng 2012) DPR (Definite Pronoun Resolution Dataset) introduces 1,886 additional WSC problems authored by 30 undergraduate students. Trichelair et al. (2018) point out that this dataset is overall less challenging than the original WSC due to an increased level of language-based or dataset-specific biases. We split the original training set (1,332) into training (1,200) and development (122) sets, DPR does not have an official split for it.

KnowRef (Emami et al. 2019) KnowRef provides over 8k WSC-style coreference resolution problems that are extracted and filtered with heuristic rules from 100 million web sentences (Reddit, Wikipedia, and OpenSubtitles). We report results on the publicly available *test* set (1.2k problems).

COPA (Roemmele, Bejan, and Gordon 2011) This dataset introduces 1,000 problems that aim to test commonsense reasoning focusing on script knowledge, formulated as a binary choice about *causes* and *effects* of given premises. Since COPA does not provide a training set, we split the original development set (500) into training (400) and development (100) sets in the same way as SuperGLUE-COPA (Wang et al. 2019).

Winogender (Rudinger et al. 2018) This dataset introduces 720 problems focusing on pronouns resolution with respect to people, with distinct goal of measuring gender bias in coreference resolution systems.

5.2 Experimental Setup

Our model is based on RoBERTa finetuned with WINOGRANDE (train and dev sets). To compare different corpora used as a resource, we also finetune RoBERTa on DPR (train and test sets). For hyper parameter search, we use the same grid search strategy as in §4.

Additional Human Evaluation We also report human performance for WSC, PDP, and DPR to calibrate the quality of our crowd worker pool as well as to support previous findings. To our knowledge, this is the first work to report human performance on the DPR dataset.

WSC (Levesque, Davis, and Morgenstern 2011)	
Liu et al. (2016)	52.8
WKH (Emami et al. 2018)	57.1
Ensemble LMs (Trinh and Le 2018)	63.8
GPT2 (Radford et al. 2019)	70.7
BERT-DPR* (Kocijan et al. 2019)	72.2
HNN (He et al. 2019)	75.1 [†]
RoBERTa-DPR* (This work)	83.1
RoBERTa-WinoGrande* (This work)	90.1
Humans (Bender 2015)	92.1
Humans (This work)	96.5
PDP (Morgenstern, Davis, and Ortiz 2016)	
Liu et al. (2016)	61.7
Trinh and Le (2018)	70.0
RoBERTa-DPR* (This work)	86.3
RoBERTa-WinoGrande* (This work)	87.5
HNN (He et al. 2019)	90.0[†]
Humans (Davis, Morgenstern, and Ortiz 2016)	90.9
Humans (This work)	92.5
SuperGLUE-WSC (Wang et al. 2019)	
Majority baseline	65.1
RoBERTa-DPR-ft (This work)	83.6
RoBERTa-WinoGrande-ft (This work)	85.6
RoBERTa-ensemble (Liu et al. 2019)	89.0
Humans (Wang et al. 2019)	100
DPR (Rahman and Ng 2012)	
Rahman and Ng (2012)	73.0
Peng, Khashabi, and Roth (2015)	76.4
BERT-WinoGrande* (This work)	84.9
RoBERTa-ft (This work)	91.7
RoBERTa-WinoGrande* (This work)	92.5
RoBERTa-WinoGrande-ft (This work)	93.1
Humans (This work)	95.2
KnowRef (Emami et al. 2019)	
Emami et al. (2019)	65.0
RoBERTa-DPR* (This work)	84.2
RoBERTa-WinoGrande* (This work)	85.6
Humans (Emami et al. 2019)	92.0
COPA (Roemmele, Bejan, and Gordon 2011)	
Gordon, Bejan, and Sagae (2011)	65.4
Sasaki et al. (2017)	76.4
RoBERTa-WinoGrande* (This work)	84.4
RoBERTa-ft (This work)	86.4 [‡]
RoBERTa-WinoGrande-ft (This work)	90.6
Humans (Gordon, Kozareva, and Roemmele 2012)	99.0

Table 6: Accuracy (%) on existing WSC-related tasks (test set). The star (*) denotes that it is zero-shot setting. ‘-ft’ indicates *fine-tuning* on the targeted dataset (train and dev). RoBERTa-X-ft denotes sequential fine-tuning with dataset X followed by the targeted dataset. The daggers (†) indicate that the evaluation data is not exactly the same from ours. The double dagger (‡) denotes that we could not reproduce the same number as in SuperGLUE leaderboard (Wang et al. 2019).

Winogender (Rudinger et al. 2018)						
	Gotcha	Female	Male	$ \Delta F $	$ \Delta M $	
RULE	No	38.3	51.7	28.3	14.2	
	Yes	10.0	37.5			
STATS	No	50.8	61.7	5.0	21.7	
	Yes	45.8	40.0			
NEURAL	No	50.8	49.2	14.1	2.5	
	Yes	36.7	46.7			
RoBERTa-DPR (This work)	No	98.3	96.7	1.6	0.9	
	Yes	96.7	95.8			
RoBERTa-WG (This work)	No	97.5	96.7	0.8	0.8	
	Yes	96.7	97.5			

Table 7: Accuracy (%) and gender bias on Winogender dataset. “Gotcha” indicates whether the target gender pronoun (e.g., she) is minority in the correct answer option (e.g., doctor). $|\Delta F|$ and $|\Delta M|$ show the system performance gap between “Gotcha” and “non-Gotcha” for each gender (lower the better). The first three baselines are adopted from Rudinger et al. (2018); RULE is Lee et al. (2011), STATS is Durrett and Klein (2013), and NEURAL is Clark and Manning (2016).

5.3 Experimental Results

Tables 6 and 7 show results of applying transfer learning from WINOGRANDE to other WSC variants. Overall, RoBERTa fine-tuned on WINOGRANDE helps improve the accuracy on all the related tasks (Table 6), and performs consistently better than when RoBERTa is fine-tuned on DPR.

While improvements on some related datasets (particularly WSC, PDP, and DPR) might seem expected, the significant improvement on COPA is not so. The COPA task – identifying causes and effects – is very different from that in WINOGRANDE. This significant improvement on an unrelated task indicates that WINOGRANDE can serve as a resource for commonsense knowledge transfer.

Important Implications We consider that while these positive results over multiple challenging benchmarks are highly encouraging, they may need to be taken with a grain of salt. In particular, these results might also indicate the extent to which spurious dataset biases are prevalent in existing datasets, which runs the risk of overestimating the true capabilities of machine intelligence on commonsense reasoning.

Our results and analysis indicate the importance of continued research on debiasing benchmarks and the increasing need for algorithmic approaches for systematic bias reduction, which allows for the benchmarks to evolve together with evolving state of the art. We leave it as a future research question to further investigate how much of our improvements are due to dataset biases of the existing benchmarks as opposed to true strides in improving commonsense intelligence.

5.4 Diagnostics for Gender Bias

Winogender is designed as diagnostics for checking whether a model (and/or training corpora) suffers from gender bias. The bias is measured by the difference in accuracy between the cases where the pronoun gender matches the occupation’s

majority gender (called “non-gotcha”) or not (“gotcha”). Formally, it is computed as follows :

$$\Delta F = \text{Acc}_{(\text{Female, Non-gotcha})} - \text{Acc}_{(\text{Female, Gotcha})}$$

$$\Delta M = \text{Acc}_{(\text{Male, Non-gotcha})} - \text{Acc}_{(\text{Male, Gotcha})}$$

for female and male cases, respectively.

Large values of ΔF or ΔM indicate that the model is highly gender-biased, whereas $|\Delta F| = |\Delta M| = 0$ (along with high accuracy) is the ideal scenario. In addition, if ΔF or ΔM is largely *negative*, it implies that the model is biased in the other way around.

The result of the gender-bias diagnostics is shown in Table 7. While we find that the RoBERTa models finetuned on WINOGRANDE and DPR both demonstrate very high accuracy, the gender gap in RoBERTa-WinoGrande is smaller than RoBERTa-DPR.

6 Conclusions

We introduce WINOGRANDE, a new collection of 44k WSC-inspired problems that is significantly larger than existing variants of the WSC dataset. To create a dataset that is robust against spurious dataset-specific bias, we also present AFLITE – a novel light-weight adversarial filtering algorithm for systematic bias reduction. The resulting dataset is considerably more challenging for existing state-of-the-art models while still being trivially easy for humans. In addition, using WINOGRANDE as a resource, we demonstrate effective transfer learning and achieve state-of-the-art results on several related benchmarks.

In parallel, we also emphasize the potential risk of overestimating the performance of the state-of-the-art methods on the existing commonsense benchmarks; these models might be solving the problems *right* for the *wrong* reasons, by relying on spurious statistical patterns (annotation artifacts).

Our work suggests a new perspective for designing benchmarks for measuring progress in AI. Unlike past decades where the community constructed a *static* benchmark dataset to work on for many years to come, we now need AI algorithms to compose challenges that are hard enough for AI, which requires *dynamic* datasets that evolve together with the evolving state-of-the-art.

Acknowledgments

We thank the anonymous reviewers, Dan Weld, Noah Smith, Luke Zettlemoyer, Hannaneh Hajishirzi, Oren Etzioni, Leora Morgenstern, Ernest Davis, Gary Marcus, and Yuling Gu for their thoughtful feedback. This research was supported in part by NSF (IIS-1524371, IIS-1714566), DARPA under the CwC program through the ARO (W911NF-15-1-0543), and DARPA under the MCS program through NIWC Pacific (N66001-19-2-4031).

References

- Bansal, M., and Klein, D. 2012. Coreference semantics from web features. *ACL*.
- Belinkov, Y.; Poliak, A.; Shieber, S.; Van Durme, B.; and Rush, A. 2019. On adversarial removal of hypothesis-only bias in natural language inference. **SEM*.

- Bender, D. 2015. Establishing a human baseline for the winograd schema challenge. *MAICS*.
- Chen, X., and Cardie, C. 2018. Multinomial adversarial networks for multi-domain text classification. *NAACL*.
- Clark, K., and Manning, C. D. 2016. Deep reinforcement learning for mention-ranking coreference models. *EMNLP*.
- Davis, E.; Morgenstern, L.; and Ortiz, C. 2016. Human tests of materials for the winograd schema challenge 2016.
- Devlin, J.; Chang, M.-W.; Lee, K.; and Toutanova, K. 2018. BERT: Pre-training of deep bidirectional transformers for language understanding. *arXiv:1810.04805*.
- Durrett, G., and Klein, D. 2013. Easy victories and uphill battles in coreference resolution. *EMNLP*.
- Elazar, Y., and Goldberg, Y. 2018. Adversarial removal of demographic attributes from text data. *EMNLP*.
- Emami, A.; Trischler, A.; Suleman, K.; and Cheung, J. C. K. 2018. A generalized knowledge hunting framework for the winograd schema challenge. *NAACL: SRW*.
- Emami, A.; Trichelair, P.; Trischler, A.; Suleman, K.; Schulz, H.; and Cheung, J. C. K. 2019. The KnowRef coreference corpus: Removing gender and number cues for difficult pronominal anaphora resolution. *ACL*.
- Geva, M.; Goldberg, Y.; and Berant, J. 2019. Are we modeling the task or the annotator? an investigation of annotator bias in natural language understanding datasets. *arXiv:1908.07898*.
- Gordon, A. S.; Bejan, C. A.; and Sagae, K. 2011. Commonsense causal reasoning using millions of personal stories. *AAAI*.
- Gordon, A.; Kozareva, Z.; and Roemmele, M. 2012. SemEval-2012 task 7: Choice of plausible alternatives: An evaluation of commonsense causal reasoning. **SEM*.
- Gururangan, S.; Swayamdipta, S.; Levy, O.; Schwartz, R.; Bowman, S.; and Smith, N. A. 2018. Annotation artifacts in natural language inference data. *NAACL*.
- He, P.; Liu, X.; Chen, W.; and Gao, J. 2019. A hybrid neural network model for commonsense reasoning. *arXiv:1907.11983*.
- Kobdani, H.; Schuetze, H.; Schiehlen, M.; and Kamp, H. 2011. Bootstrapping coreference resolution using word associations. *ACL*.
- Kocijan, V.; Cretu, A.-M.; Camburu, O.-M.; Yordanov, Y.; and Lukasiewicz, T. 2019. A surprisingly robust trick for the winograd schema challenge. *ACL*.
- Lee, H.; Peirsman, Y.; Chang, A.; Chambers, N.; Surdeanu, M.; and Jurafsky, D. 2011. Stanford's multi-pass sieve coreference resolution system at the CoNLL-2011 shared task. *CoNLL: Shared Task*.
- Levesque, H. J.; Davis, E.; and Morgenstern, L. 2011. The winograd schema challenge. *AAAI Spring Symposium: Logical Formalizations of Commonsense Reasoning*.
- Liu, Q.; Jiang, H.; Ling, Z.-H.; Zhu, X.; Wei, S.; and Hu, Y. 2016. Commonsense knowledge enhanced embeddings for solving pronoun disambiguation problems in winograd schema challenge. *arXiv:1611.04146*.
- Liu, Y.; Ott, M.; Goyal, N.; Du, J.; Joshi, M. S.; Chen, D.; Levy, O.; Lewis, M.; Zettlemoyer, L. S.; and Stoyanov, V. 2019. Roberta: A robustly optimized bert pretraining approach. *ArXiv abs/1907.11692*.
- Morgenstern, L.; Davis, E.; and Ortiz, C. L. 2016. Planning, executing, and evaluating the winograd schema challenge. *AI Magazine* 37(1):50–54.
- Niven, T., and Kao, H.-Y. 2019. Probing neural network comprehension of natural language arguments. *ACL*.
- Peng, H.; Khashabi, D.; and Roth, D. 2015. Solving hard coreference problems. *NAACL*.
- Poliak, A.; Naradowsky, J.; Haldar, A.; Rudinger, R.; and Van Durme, B. 2018. Hypothesis only baselines in natural language inference. **SEM*.
- Radford, A.; Wu, J.; Child, R.; Luan, D.; Amodei, D.; and Sutskever, I. 2019. Language models are unsupervised multitask learners. *OpenAI Blog*.
- Rahman, A., and Ng, V. 2012. Resolving complex cases of definite pronouns: The winograd schema challenge. *EMNLP-CoNLL*.
- Ratinov, L., and Roth, D. 2012. Learning-based multi-sieve co-reference resolution with knowledge. *EMNLP-CoNLL*.
- Roemmele, M.; Bejan, C. A.; and Gordon, A. S. 2011. Choice of plausible alternatives: An evaluation of commonsense causal reasoning. *AAAI Spring Symposium: Logical Formalizations of Commonsense Reasoning*.
- Rudinger, R.; Naradowsky, J.; Leonard, B.; and Van Durme, B. 2018. Gender bias in coreference resolution. *NAACL*.
- Sasaki, S.; Takase, S.; Inoue, N.; Okazaki, N.; and Inui, K. 2017. Handling multiword expressions in causality estimation. *IWCS*.
- Stokes, P. D. 2005. *Creativity from constraints: The psychology of breakthrough*. Springer Publishing Company.
- Trichelair, P.; Emami, A.; Cheung, J. C. K.; Trischler, A.; Suleman, K.; and Diaz, F. 2018. On the evaluation of common-sense reasoning in natural language understanding. *arXiv:1811.01778*.
- Trinh, T. H., and Le, Q. V. 2018. A simple method for commonsense reasoning. *arXiv:1806.02847*.
- Tsuchiya, M. 2018. Performance impact caused by hidden bias of training data for recognizing textual entailment. *LREC*.
- Turing, A. M. 1950. Computing machinery and intelligence. *Mind*.
- Wang, A.; Pruksachatkun, Y.; Nangia, N.; Singh, A.; Michael, J.; Hill, F.; Levy, O.; and Bowman, S. R. 2019. SuperGlue: A stickier benchmark for general-purpose language understanding systems. *arXiv:1905.00537*.
- Zellers, R.; Bisk, Y.; Schwartz, R.; and Choi, Y. 2018. Swag: A large-scale adversarial dataset for grounded commonsense inference. *EMNLP*.
- Zheng, J.; Vilnis, L.; Singh, S.; Choi, J. D.; and McCallum, A. 2013. Dynamic knowledge-base alignment for coreference resolution. *CoNLL*.