

Searching for ER and/or NR-like dark matter signals with the especially low background liquid helium TPCs

Junhui Liao*

*Division of Nuclear Physics, China Institute of Atomic Energy,
Sanqiang Rd. 1, Fangshan district, Beijing, China, 102413.*

*Department of Physics, Brown University,
Hope St. 182, Providence, Rhode Island, USA, 02912.*

Yuanning Gao†

*School of Physics, Peking University, Chengfu Rd. 209,
Haidian district, Beijing, China, 10084.*

Jiangfeng Zhou, Zhuo Liang, Zhaohua Peng, Jian
Zheng, Haipeng An, Fengbo Gu, Meiyuenan Ma

*Division of Nuclear Physics , China Institute of Atomic Energy,
Sanqiang Rd. 1, Fangshan district, Beijing, China, 102413.*

Lifeng Zhang, Lei Zhang

*Division of Nuclear Synthesis Technology,
China Institute of Atomic Energy, Sanqiang Rd. 1,
Fangshan district, Beijing, China, 102413.*

Xiuliang Zhao

*School of Nuclear Technology, University of South China,
Shangsheng West Rd.28, Hengyang, Hunan, China, 421009.*

Junfeng Xia

*Shanghai Electric Cable Research Institute Co.,Ltd.,
Jungong Rd.1000, Yangpu District, Shanghai, China, 200093.*

Gang Liu, Shangmao Hu

lectric Power Research Institute, CSG, Guangzhou 510663, China;

*National Engineering Research Center of UHV Technology and
Novel Electrical Equipment Basis, Kunming 651705, China;*

(Dated: Monday 23rd October, 2023)

Abstract

In the Dark Matter (DM) direct detection community, the absence of convincing signals has become a “new normal” for decades. Among other possibilities, the “new normal” might indicate that DM-matter interactions could generate not only the hypothetical NR (Nuclear Recoil) events but also the ER (Electron Recoil) ones, which have often been tagged as backgrounds historically. Further, we argue that ER and NR-like DM signals could co-exist in a DM detector’s same dataset. So in total, there would be three scenarios we can search for DM signals: (i) ER excess only, (ii) NR excess only, and (iii) ER and NR excesses combined. To effectively identify any possible DM signal under the three scenarios, a DM detector should (a) have the minimum ER and NR backgrounds and (b) be capable of discriminating ER events from NR ones. Accordingly, we introduce the newly established project, ALETHEIA, which implements liquid helium-filled TPCs (Time Projection Chamber) in hunting for DM. Thanks to the nearly single-digit number of ER and NR backgrounds on 1 ton*yr exposure, presumably, the ALETHEIA detectors should be able to identify any form of DM-induced excess in its ROI (Research Of Interest). As far as we know, ALETHEIA is the first DM direct detection experiment claiming such an inclusive search; conventional detectors search DM mainly on the “ER excess only” and/or the “NR excess only” channel, not the “ER and NR excesses combined” channel.

I. THE “NEW NORMAL” OF DARK MATTER DIRECT DETECTION

Plenty of astronomical and cosmological observations have confirmed that Dark Matter (DM) exists in the Universe, the Milky Way, and the Solar System in which we live [1–9]. Particle physicists, however, know nothing about DM’s particle characters. The Weakly Interactive Massive Particles (WIMPs) paradigm [10] is the most discussed one, possibly because it proposes a reasonable solution to interpret today’s observed relic density of the universe with hypothetical particles sounding natural in particle physics [11]. Unfortunately, evidence of convincing WIMPs signals has been missed for decades, though complementary searches have been employed in the satellites in the sky, colliders of several kinds on the ground, and low-background detectors in underground labs. We limit our discussions to

* junhui.liao@brown.edu

† yuanning.gao@pku.edu.cn

underground direct detection in this paper. The “new normal” of null WIMPs signal has initiated many exotic ideas in identifying DM, theoretically and experimentally.

References [11, 12] reviewed many particle DM candidates: WIMPs, superWIMPs, light gravitinos, hidden DM, sterile ν , axions, supersymmetric candidates, light scalar dark matter, dark matter from little Higgs models, Kaluza-Klein states, superheavy dark matter, and Q-balls. In recent years, lots of new DM models/interpretations have arisen, including but not limited to the following categories: (a) Lower DM mass, all the way down to $\sim \text{MeV}/c^2$ DM [11, 13–16]. (b) New coupling or interaction, for instance, DM-electron coupling [17], Strongly Interacting Massive Particle (SIMP) models [18–22], Effective Field Theory (EFT) operators [23–25], and DM absorption [26]. (c) “Exotic” DM scenarios such as boosted dark matter, exothermic dark matter, and bosonic dark matter [27]. (d) Portable models [28–30]. (e) O-Helium (OHe) atoms, which is the composite of a hypothetical double-charged particle O^{--} and a ${}^4\text{He}$ atom, ${}^4\text{He}^{++} O^{--}$ [31]. The “Snowmass2021” review paper [32] also introduced other interesting DM models. We mainly discuss particle dark matter in the paper, though we will touch a little on axions in the following.

In the experimental community, LXe TPC experiments have pioneered progress in the high-mass WIMPs region ($\sim 10 \text{ GeV}/c^2 - 10 \text{ TeV}/c^2$) in the past fifteen years. For instance, the backgrounds of the XENON experiment mitigated from XENON-10’s 0.6 events/(kg · day · keV_{ee}) [33] to XENONnT’s 15.8 ± 1.3 events/(ton · yr · keV_{nr}) [34] or 4.3×10^{-5} events/(kg · day · keV_{nr}), which corresponds to a 4-order mitigation. XENON’s upper limits have been improved from $\sim 10^{-44} \text{ cm}^2$ [33] to $\sim 10^{-48} \text{ cm}^2$ [34] from 2008 to 2023 thanks to the improved backgrounds, greater exposures, and other technical developments. In the low-mass WIMPs region ($\sim 10 \text{ MeV}/c^2 - 10 \text{ GeV}/c^2$), the progress is relatively slower.

Facing the fact of no convincing DM signals, particle physicists mainly figured out two searching strategies: (a) in the high-mass WIMPs region, exploring “smaller cross-sections” and (b) looking for “lighter DM” signals in the low-mass area. The search for “smaller cross-sections” refers to exploring the cross-sections towards the atmospheric “neutrino floor” [35] or the “neutrino fog” [36]. Although the lowest 90% CL (Confidence Level) upper limits for $\sim 30 \text{ GeV}/c^2$ WIMPs-nucleon interaction has already been set to be $\sim 10^{-48} \text{ cm}^2$ by LXe TPC experiments [34, 37, 38], LXe experimentalists are planning to build a multi-ten tons LXe detector [39], which aims to reach the cross-section of $\sim 10^{-49} \text{ cm}^2$, therefore, fully touching down the atmospheric neutrino floor/fog. In the LAr community, DarkSide-20k

would achieve a cross-section equivalent to LZ and XENON-nT. With 1000 ton*yr exposure, the Argo project would touch down the atmospheric neutrino floor/fog [40].

The search for “lighter DM” means looking for DM signals in sub- GeV/c^2 or even $\sim \text{MeV}/c^2$ territory. Here, the “lighter DM” is not necessary to be WIMPs. Many exotic ideas with the ROI on the mass region were proposed (including our ALETHEIA project), as listed in reference [41]. The current upper limit for $\sim 100\text{s MeV}/c^2 - 10 \text{ GeV}/c^2$ is roughly between $\sim 10^{-37} \text{ cm}^2$ and 10^{-43} cm^2 . Given that the ${}^8\text{B}$ Solar neutrino floor/fog is roughly $\sim 10^{-45} \text{ cm}^2$, there exist two to eight orders of cross-sections to be explored in the low-mass region before reaching the ${}^8\text{B}$ neutrino floor/fog.

No matter which DM models to test and which mass interval to look for, searching for a particle-like DM signal essentially is to discover the interesting signals registered in a DM detector among “useless” backgrounds. According to the traditional SI (Spin-Independent) model, the signals are single-scattering NR events, while the backgrounds are ERs and multiple-scattering NRs. Actually, ER could also be DM signals under certain scenarios. For instance, DM-electron coupling [17], the axioelectric effect produced by hypothetical solar axions in the Sun [42], and other models. Different from the QCD axions [43–45], solar axions might be produced in the Sun through varying mechanisms [46–48]. XENON collaboration observed ER events excess in their XENON-1T dataset [49], though no similar excess showed up in the XENON-nT data [50]; PandaX-4T did not see noticeable ER excess neither [51].

Given that tens of elementary particles exist in the Standard Model (SM), it is reasonable to hypothesize that more than one type of “dark elementary particle” exists in the DM domain. If this is the case, it would be natural that some types of DM particles generate ER events in a detector through one unknown interaction while other types of DM register NR signals in the detector’s same dataset via another different unknown interaction. Moreover, even if DM comprises WIMPs alone, it could also register both ER [17] and NR signals. In summary, DM can leave ER and NR events in a DM detector.

Although nobody knows for sure which kind of recoil(s) DM will register in an underground detector, from a detector’s point of view, there might exist three kinds of excesses in the detector’s dataset: (i) ER excess only, or (ii) NR excess only, or (iii) ER and NR excesses combined. To capture possible DM signals under such a challenging scenario, ideally, a DM detector should (a) have the minimum (e.g. single-digit number) intrinsic ER

and NR backgrounds and (b) be capable of discriminating the two kinds of recoils with high efficiency. This way, a single-digit number of ER and/or NR excessing events could trigger an observation (often is a 3σ significance) or even a discovery (corresponds to a 5σ significance) [40]. On the other hand, imagining an underground DM detector has thousands of ER and/or NR backgrounds (which is the case for many currently running DM detectors), even if a small number of signal events existed in the dataset (hid in the bin with hundreds of events or the high density population), they would be buried in the backgrounds “sea” and mistakenly get rejected.

Taking the LZ detector as a template [52], our preliminary analysis showed that a three-year running with the 1.5-m size, 0.33-ton LHe (liquid helium) filled TPC would only have 11 ER and 0.5 NR background events, respectively. Such especially low ER and NR backgrounds make the detector alert to any possible excess caused by galactic DM particles, whether ER only, NR only, or both excesses come together. For details of the background estimation, please refer to our previous paper [53].

SUMMARY

Though the upper limits of WIMPs-nucleon interaction have been pushed down significantly in the past decades, no convincing signals have gradually become a “new normal”. Historically, ER events have been treated as backgrounds by the mainstream of the DM direct detection community. Before convincing results are obtained, DM direct searches should not exclude ER as a possible singal completely, which means ER and NR could both be DM candidate events. Accordingly, there would exist three possible excesses in a detector’s dataset: (a) ER only, (b) NR only, or (c) ER and NR co-existing. Under such scenarios, a DM detector should have minimum ER and NR backgrounds. Thanks to the nearly single-digit number of background events for both ER and NR with $\sim 1 \text{ ton}^*\text{yr}$ exposure, the ALETHEIA TPCs are well prepared for such searches.

ACKNOWLEDGMENTS

Junhui Liao would also thank the support of the “Yuanzhang” funding of CIAE to launch the ALETHEIA program. This work has also been supported by NSFC (National Natural

Science Foundation of China) under the contract of 12ED232612001001.

- [1] F. Zwicky, The redshift of extragalactic nebulae, *Helvetica Physica Acta* **6**, 110 (1933).
- [2] V. C. Rubin and J. Ford, W. Kent, Rotation of the andromeda nebula from a spectroscopic survey of emission regions, *Astrophys. J.* **159**, 379 (1970).
- [3] A. Refregier, Weak gravitational lensing by large-scale structure, *Annual Review of Astronomy and Astrophysics* **41**, 645 (2003).
- [4] D. Clowe, M. Bradač, A. H. Gonzalez, M. Markevitch, S. W. Randall, C. Jones, and D. Zaritsky, A direct empirical proof of the existence of dark matter, *The Astrophysical Journal* **648**, 109 (2006).
- [5] F. Braun and S. Subir, Big-bang nucleosynthesis (review of particle physics), *Journal of Physics G: Nuclear and Particle Physics* **33**, 1 (2006).
- [6] Planck Collaboration, Aghanim, N., Akrami, Y., Arroja, F., Ashdown, M., Aumont, J., Bacigalupi, C., Ballardini, M., Banday, A. J., Barreiro, R. B., Bartolo, N., Basak, S., Battye, R., Benabed, K., Bernard, J.-P., Bersanelli, M., Bielewicz, P., Bock, J. J., Bond, J. R., Borrill, J., Bouchet, F. R., Boulanger, F., Bucher, M., Burigana, C., Butler, R. C., Calabrese, E., Cardoso, J.-F., Carron, J., Casaponsa, B., Challinor, A., Chiang, H. C., Colombo, L. P. L., Combet, C., Contreras, D., Crill, B. P., Cuttaia, F., de Bernardis, P., de Zotti, G., Delabrouille, J., Delouis, J.-M., Désert, F.-X., Di Valentino, E., Dickinson, C., Diego, J. M., Donzelli, S., Doré, O., Douspis, M., Ducout, A., Dupac, X., Efstathiou, G., Elsner, F., Enßlin, T. A., Eriksen, H. K., Falgarone, E., Fantaye, Y., Fergusson, J., Fernandez-Cobos, R., Finelli, F., Forastieri, F., Frailis, M., Franceschi, E., Frolov, A., Galeotta, S., Galli, S., Ganga, K., Génova-Santos, R. T., Gerbino, M., Ghosh, T., González-Nuevo, J., Górski, K. M., Gratton, S., Gruppuso, A., Gudmundsson, J. E., Hamann, J., Handley, W., Hansen, F. K., Helou, G., Herranz, D., Hildebrandt, S. R., Hivon, E., Huang, Z., Jaffe, A. H., Jones, W. C., Karakci, A., Keihänen, E., Keskitalo, R., Kiiveri, K., Kim, J., Kisner, T. S., Knox, L., Krachmalnicoff, N., Kunz, M., Kurki-Suonio, H., Lagache, G., Lamarre, J.-M., Langer, M., Lasenby, A., Latanzi, M., Lawrence, C. R., Le Jeune, M., Leahy, J. P., Lesgourgues, J., Levrier, F., Lewis, A., Liguori, M., Lilje, P. B., Lilley, M., Lindholm, V., López-Caniego, M., Lubin, P. M., Ma, Y.-Z., Macías-Pérez, J. F., Maggio, G., Maino, D., Mandolesi, N., Mangilli, A., Marcos-Caballero,

- A., Maris, M., Martin, P. G., Martinelli, M., Martínez-González, E., Matarrese, S., Mauri, N., McEwen, J. D., Meerburg, P. D., Meinholt, P. R., Melchiorri, A., Mennella, A., Migliaccio, M., Millea, M., Mitra, S., Miville-Deschénes, M.-A., Molinari, D., Moneti, A., Montier, L., Morgante, G., Moss, A., Mottet, S., Münchmeyer, M., Natoli, P., Nørgaard-Nielsen, H. U., Oxborrow, C. A., Pagano, L., Paoletti, D., Partridge, B., Patanchon, G., Pearson, T. J., Peel, M., Peiris, H. V., Perrotta, F., Pettorino, V., Piacentini, F., Polastri, L., Polenta, G., Puget, J.-L., Rachen, J. P., Reinecke, M., Remazeilles, M., Renault, C., Renzi, A., Rocha, G., Rosset, C., Roudier, G., Rubiño-Martín, J. A., Ruiz-Granados, B., Salvati, L., Sandri, M., Savelainen, M., Scott, D., Shellard, E. P. S., Shiraishi, M., Sirignano, C., Sirri, G., Spencer, L. D., Sunyaev, R., Suur-Uski, A.-S., Tauber, J. A., Tavagnacco, D., Tenti, M., Terenzi, L., Toffolatti, L., Tomasi, M., Trombetti, T., Valiviita, J., Van Tent, B., Vibert, L., Vielva, P., Villa, F., Vittorio, N., Wandelt, B. D., Wehus, I. K., White, M., White, S. D. M., Zacchei, A., and Zonca, A., Planck 2018 results - i. overview and the cosmological legacy of planck, *A&A* **641**, A1 (2020), arXiv:1807.06205.
- [7] ESA, <http://sci.esa.int/gaia/> (2023).
- [8] Hagen, Jorrit H. J. and Helmi, Amina, The vertical force in the solar neighbourhood using red clump stars in tgas and rave - constraints on the local dark matter density, *A&A* **615**, A99 (2018).
- [9] Posti, Lorenzo and Helmi, Amina, Mass and shape of the milky way’s dark matter halo with globular clusters from gaia and hubble, *A&A* **621**, A56 (2019).
- [10] G. Steigman and M. S. Turner, Cosmological constraints on the properties of weakly interacting massive particles, *Nuclear Physics B* **253**, 375 (1985).
- [11] J. L. Feng, Dark matter candidates from particle physics and methods of detection, *Annual Review of Astronomy and Astrophysics* **48**, 495 (2010), <https://doi.org/10.1146/annurev-astro-082708-101659>.
- [12] G. Bertone, D. Hooper, and J. Silk, Particle dark matter: evidence, candidates and constraints, *Physics Reports* **405**, 279 (2005).
- [13] J. L. Feng and J. Kumar, Dark-matter particles without weak-scale masses or weak interactions, *Phys. Rev. Lett.* **101**, 231301 (2008).
- [14] C. Boehm, M. J. Dolan, and C. McCabe, A lower bound on the mass of cold thermal dark matter from planck, *Journal of Cosmology and Astroparticle Physics* **2013** (08), 041.

- [15] A. G. Cohen, D. B. Kaplan, and A. E. Nelson, Progress in electroweak baryogenesis, Annual Review of Nuclear and Particle Science **43**, 27 (1993), <https://doi.org/10.1146/annurev.ns.43.120193.000331>.
- [16] K. M. Zurek, Asymmetric dark matter: Theories, signatures, and constraints, Physics Reports **537**, 91 (2014), asymmetric Dark Matter: Theories, signatures, and constraints.
- [17] R. Essig, J. Mardon, and T. Volansky, Direct detection of sub-gev dark matter, Phys. Rev. D **85**, 076007 (2012).
- [18] M. J. Strassler and K. M. Zurek, Echoes of a hidden valley at hadron colliders, Physics Letters B **651**, 374 (2007).
- [19] Y. Hochberg, E. Kuflik, T. Volansky, and J. G. Wacker, Mechanism for thermal relic dark matter of strongly interacting massive particles, Phys. Rev. Lett. **113**, 171301 (2014).
- [20] Y. Hochberg, E. Kuflik, H. Murayama, T. Volansky, and J. G. Wacker, Model for thermal relic dark matter of strongly interacting massive particles, Phys. Rev. Lett. **115**, 021301 (2015).
- [21] E. Kuflik, M. Perelstein, N. R.-L. Lorier, and Y.-D. Tsai, Elastically decoupling dark matter, Phys. Rev. Lett. **116**, 221302 (2016).
- [22] E. Kuflik, M. Perelstein, N. R.-L. Lorier, and Y.-D. Tsai, Elastically decoupling dark matter, Journal of High Energy. Phys **78**, [https://doi.org/10.1007/JHEP08\(2017\)078](https://doi.org/10.1007/JHEP08(2017)078). (2017).
- [23] F. JiJi, R. Matthew, and W. Lian-Tao, Non-relativistic effective theory of dark matter direct detection, journal = Journal of Cosmology and Astroparticle Physics, Journal of Cosmology and Astroparticle Physics **2013** (02), 004.
- [24] A. L. Fitzpatrick, W. Haxton, E. Katz, N. Lubbers, and Y. Xu, The effective field theory of dark matter direct detection, Journal of Cosmology and Astroparticle Physics **2013** (02), 004.
- [25] N. Anand, A. L. Fitzpatrick, and W. C. Haxton, Weakly interacting massive particle-nucleus elastic scattering response, Phys. Rev. C **89**, 26 (2014).
- [26] J. A. Dror, G. Elor, and R. McGehee, Directly detecting signals from absorption of fermionic dark matter, Phys. Rev. Lett. **124**, 181301 (2020).
- [27] R. K. L. et al, Puzzling excess in dark matter searches and how to resolve them, arXiv: 2203.06859 (03).
- [28] A. DiFranzo, K. I. Nagao, A. Rajaraman, and T. M. P. Tait, Simplified models for dark matter interacting with quarks, Journal of High Energy Physics **2013**, 14 (2013).

- [29] A. Alves, S. Profumo, and F. S. Queiroz, The dark z' portal: direct, indirect and collider searches’ portal: direct, indirect and collider searches, *Journal of High Energy Physics* **2014**, 63 (2014).
- [30] M. R. Buckley, D. Feld, and D. Gonçalves, Scalar simplified models for dark matter, *Phys. Rev. D* **91**, 015017 (2015).
- [31] M. Khlopov, What comes after the standard model?, *Progress in Particle and Nuclear Physics* **116**, 103824 (2021).
- [32] Y. Kahn, M. E. Monzani, K. J. Palladino, T. Anderson, D. Bard, D. Baxter, M. Buuck, C. Cartaro, J. I. Collar, M. Diamond, A. Fan, S. Knapen, S. Kravitz, R. F. Lang, B. Nachman, I. O. Samblas, I. Ostrovskiy, A. Parikh, Q. Riffard, A. Roberts, K. Stifter, M. Szydagis, C. Tunnell, B. von Krosigk, D. Wright, T.-T. Yu, D. Akerib, R. Bunker, T. Y. Chen, G. B. Gelmini, D. Kim, J.-C. Park, T. Saab, R. Singh, S. Su, Y.-D. Tsai, and S. Westerdale, Snowmass2021 cosmic frontier: Modeling, statistics, simulations, and computing needs for direct dark matter (2022).
- [33] J. Angle, E. Aprile, F. Arneodo, L. Baudis, A. Bernstein, A. Bolozdynya, P. Brusov, L. C. C. Coelho, C. E. Dahl, L. DeViveiros, A. D. Ferella, L. M. P. Fernandes, S. Fiorucci, R. J. Gaitskell, K. L. Giboni, R. Gomez, R. Hasty, L. Kastens, J. Kwong, J. A. M. Lopes, N. Madden, A. Manalaysay, A. Manzur, D. N. McKinsey, M. E. Monzani, K. Ni, U. Oberlack, J. Orboeck, G. Plante, R. Santorelli, J. M. F. dos Santos, P. Shagin, T. Shutt, P. Sorensen, S. Schulte, C. Winant, and M. Yamashita (XENON Collaboration), First results from the xenon10 dark matter experiment at the gran sasso national laboratory, *Phys. Rev. Lett.* **100**, 021303 (2008).
- [34] X. Collaboration, E. Aprile, K. Abe, F. Agostini, S. A. Maouloud, L. Althueser, B. Andrieu, E. Angelino, J. R. Angevaare, V. C. Antochi, D. A. Martin, F. Arneodo, L. Baudis, A. L. Baxter, M. Bazyk, L. Bellagamba, R. Biondi, A. Bismark, E. J. Brookes, A. Brown, S. Bruenner, G. Bruno, R. Budnik, T. K. Bui, C. Cai, J. M. R. Cardoso, D. Cichon, A. P. C. Chavez, A. P. Colijn, J. Conrad, J. J. Cuenca-García, J. P. Cussonneau, V. D’Andrea, M. P. Decowski, P. D. Gangi, S. D. Pede, S. Diglio, K. Eitel, A. Elykov, S. Farrell, A. D. Ferella, C. Ferrari, H. Fischer, M. Flierman, W. Fulgione, C. Fuselli, P. Gaemers, R. Gaior, A. G. Rosso, M. Galloway, F. Gao, R. Glade-Beucke, L. Grandi, J. Grigat, H. Guan, M. Guida, R. Hammann, A. Higuera, C. Hils, L. Hoetzsch, N. F. Hood, J. Howlett, M. Iacovacci, Y. Itow,

- J. Jakob, F. Joerg, A. Joy, N. Kato, M. Kara, P. Kavrigin, S. Kazama, M. Kobayashi, G. Koltman, A. Kopec, F. Kuger, H. Landsman, R. F. Lang, L. Levinson, I. Li, S. Li, S. Liang, S. Lindemann, M. Lindner, K. Liu, J. Loizeau, F. Lombardi, J. Long, J. A. M. Lopes, Y. Ma, C. Macolino, J. Mahlstedt, A. Mancuso, L. Manenti, F. Marignetti, T. M. Undagoitia, K. Martens, J. Masbou, D. Masson, E. Masson, S. Mastrianni, M. Messina, K. Miuchi, K. Mizukoshi, A. Molinario, S. Moriyama, K. Morå, Y. Mosbacher, M. Murra, J. Müller, K. Ni, U. Oberlack, B. Paetsch, J. Palacio, R. Peres, C. Peters, J. Pienaar, M. Pierre, V. Pizzella, G. Plante, J. Qi, J. Qin, D. R. García, R. Singh, L. Sanchez, J. M. F. dos Santos, I. Sarnoff, G. Sartorelli, J. Schreiner, D. Schulte, P. Schulte, H. S. Eifring, M. Schumann, L. S. Lavina, M. Selvi, F. Semeria, P. Shagin, S. Shi, E. Shockley, M. Silva, H. Simgen, A. Takeda, P. L. Tan, A. Terliuk, D. Thers, F. Toschi, G. Trinchero, C. Tunnell, F. Tönnies, K. Valerius, G. Volta, C. Weinheimer, M. Weiss, D. Wenz, C. Wittweg, T. Wolf, V. H. S. Wu, Y. Xing, D. Xu, Z. Xu, M. Yamashita, L. Yang, J. Ye, L. Yuan, G. Zavattini, M. Zhong, and T. Zhu, First dark matter search with nuclear recoils from the xenonnt experiment, arXiv (2023).
- [35] J. Billard, E. Figueroa-Feliciano, and L. Strigari, Implication of neutrino backgrounds on the reach of next generation dark matter direct detection experiments, Phys. Rev. D **89**, 023524 (2014).
- [36] C. A. J. O’Hare, New definition of the neutrino floor for direct dark matter searches, Phys. Rev. Lett. **127**, 251802 (2021).
- [37] J. Aalbers, D. S. Akerib, C. W. Akerlof, A. K. A. Musalhi, F. Alder, A. Alqahtani, S. K. Alsum, C. S. Amarasinghe, A. Ames, T. J. Anderson, N. Angelides, H. M. Araújo, J. E. Armstrong, M. Arthurs, S. Azadi, A. J. Bailey, A. Baker, J. Balajthy, S. Balashov, J. Bang, J. W. Bargemann, M. J. Barry, J. Barthel, D. Bauer, A. Baxter, K. Beattie, J. Belle, P. Beltrame, J. Bensinger, T. Benson, E. P. Bernard, A. Bhatti, A. Biekert, T. P. Biesiadzinski, H. J. Birch, B. Birrittella, G. M. Blockinger, K. E. Boast, B. Boxer, R. Bramante, C. A. J. Brew, P. Brás, J. H. Buckley, V. V. Bugaev, S. Burdin, J. K. Busenitz, M. Buuck, R. Cabrita, C. Carels, D. L. Carlsmith, B. Carlson, M. C. Carmona-Benitez, M. Cascella, C. Chan, A. Chawla, H. Chen, J. J. Cherwinka, N. I. Chott, A. Cole, J. Coleman, M. V. Converse, A. Cottle, G. Cox, W. W. Craddock, O. Creaner, D. Curran, A. Currie, J. E. Cutter, C. E. Dahl, A. David, J. Davis, T. J. R. Davison, J. Delgaudio, S. Dey, L. de Viveiros, A. Dobi, J. E. Y. Dobson, E. Druszkiewicz, A. Dushkin, T. K. Edberg, W. R. Edwards, M. M. Elnimr, W. T.

Emmet, S. R. Eriksen, C. H. Faham, A. Fan, S. Fayer, N. M. Fearon, S. Fiorucci, H. Flaecher, P. Ford, V. B. Francis, E. D. Fraser, T. Fruth, R. J. Gaitskell, N. J. Gantos, D. Garcia, A. Geffre, V. M. Gehman, J. Genovesi, C. Ghag, R. Gibbons, E. Gibson, M. G. D. Gilchriese, S. Gokhale, B. Gomber, J. Green, A. Greenall, S. Greenwood, M. G. D. van der Grinten, C. B. Gwilliam, C. R. Hall, S. Hans, K. Hanzel, A. Harrison, E. Hartigan-O’Connor, S. J. Haselschwardt, S. A. Hertel, G. Heuermann, C. Hjemfelt, M. D. Hoff, E. Holtom, J. Y.-K. Hor, M. Horn, D. Q. Huang, D. Hunt, C. M. Ignarra, R. G. Jacobsen, O. Jahangir, R. S. James, S. N. Jeffery, W. Ji, J. Johnson, A. C. Kaboth, A. C. Kamaha, K. Kamdin, V. Kasey, K. Kazkaz, J. Keefner, D. Khaitan, M. Khaleeq, A. Khazov, I. Khurana, Y. D. Kim, C. D. Kocher, D. Kodroff, L. Korley, E. V. Korolkova, J. Kras, H. Kraus, S. Kravitz, H. J. Krebs, L. Kreczko, B. Krikler, V. A. Kudryavtsev, S. Kyre, B. Landerud, E. A. Leason, C. Lee, J. Lee, D. S. Leonard, R. Leonard, K. T. Lesko, C. Levy, J. Li, F. T. Liao, J. Liao, J. Lin, A. Lindote, R. Linehan, W. H. Lippincott, R. Liu, X. Liu, Y. Liu, C. Loniewski, M. I. Lopes, E. L. Asamar, B. L. Paredes, W. Lorenzon, D. Lucero, S. Luitz, J. M. Lyle, P. A. Majewski, J. Makkinje, D. C. Malling, A. Manalaysay, L. Manenti, R. L. Mannino, N. Marangou, M. F. Marzioni, C. Maupin, M. E. McCarthy, C. T. McConnell, D. N. McKinsey, J. McLaughlin, Y. Meng, J. Mignault, E. H. Miller, E. Mizrahi, J. A. Mock, A. Monte, M. E. Monzani, J. A. Morad, J. D. M. Mendoza, E. Morrison, B. J. Mount, M. Murdy, A. S. J. Murphy, D. Naim, A. Naylor, C. Nedlik, C. Nehrkorn, H. N. Nelson, F. Neves, A. Nguyen, J. A. Nikoleyczik, A. Nilima, J. O’Dell, F. G. O’Neill, K. O’Sullivan, I. Olcina, M. A. Olevitch, K. C. Oliver-Mallory, J. Orpwood, D. Pagenkopf, S. Pal, K. J. Palladino, J. Palmer, M. Pangilinan, N. Parveen, S. J. Patton, E. K. Pease, B. Penning, C. Pereira, G. Pereira, E. Perry, T. Pershing, I. B. Peterson, A. Piepke, J. Podczerwinski, D. Porzio, S. Powell, R. M. Preece, K. Pushkin, Y. Qie, B. N. Ratcliff, J. Reichenbacher, L. Reichhart, C. A. Rhyne, A. Richards, Q. Riffard, G. R. C. Rischbieter, J. P. Rodrigues, A. Rodriguez, H. J. Rose, R. Rosero, P. Rossiter, T. Rushton, G. Rutherford, D. Rynders, J. S. Saba, D. Santone, A. B. M. R. Sazzad, R. W. Schnee, P. R. Scovell, D. Seymour, S. Shaw, T. Shutt, J. J. Silk, C. Silva, G. Sinev, K. Skarpaas, W. Skulski, R. Smith, M. Solmaz, V. N. Solovov, P. Sorensen, J. Soria, I. Stancu, M. R. Stark, A. Stevens, T. M. Stiegler, K. Stifter, R. Studley, B. Suerfu, T. J. Sumner, P. Sutcliffe, N. Swanson, M. Szydagis, M. Tan, D. J. Taylor, R. Taylor, W. C. Taylor, D. J. Temples, B. P. Tennyson, P. A. Terman, K. J. Thomas, D. R. Tiedt, M. Timalsina, W. H. To, A. Tomás, Z. Tong,

- D. R. Tovey, J. Tranter, M. Trask, M. Tripathi, D. R. Tronstad, C. E. Tull, W. Turner, L. Tvrznikova, U. Utku, J. Va’vra, A. Vacheret, A. C. Vaitkus, J. R. Verbus, E. Voirin, W. L. Waldron, A. Wang, B. Wang, J. J. Wang, W. Wang, Y. Wang, J. R. Watson, R. C. Webb, A. White, D. T. White, J. T. White, R. G. White, T. J. Whitis, M. Williams, W. J. Wisniewski, M. S. Witherell, F. L. H. Wolfs, J. D. Wolfs, S. Woodford, D. Woodward, S. D. Worm, C. J. Wright, Q. Xia, X. Xiang, Q. Xiao, J. Xu, M. Yeh, J. Yin, I. Young, P. Zarzhitsky, A. Zuckerman, and E. A. Zweig, First dark matter search results from the lux-zeplin (lz) experiment, arXiv:2207.03764 (2022).
- [38] Y. Meng, Z. Wang, Y. Tao, A. Abdukerim, Z. Bo, W. Chen, X. Chen, Y. Chen, C. Cheng, Y. Cheng, X. Cui, Y. Fan, D. Fang, C. Fu, M. Fu, L. Geng, K. Giboni, L. Gu, X. Guo, K. Han, C. He, J. He, D. Huang, Y. Huang, Z. Huang, R. Hou, X. Ji, Y. Ju, C. Li, M. Li, S. Li, S. Li, Q. Lin, J. Liu, X. Lu, L. Luo, W. Ma, Y. Mao, N. Shaheed, X. Ning, N. Qi, Z. Qian, X. Ren, C. Shang, G. Shen, L. Si, W. Sun, A. Tan, A. Wang, M. Wang, Q. Wang, S. Wang, S. Wang, W. Wang, X. Wang, M. Wu, W. Wu, J. Xia, M. Xiao, X. Xiao, P. Xie, B. Yan, X. Yan, J. Yang, Y. Yang, C. Yu, J. Yuan, Y. Yuan, D. Zhang, M. Zhang, P. Zhang, T. Zhang, L. Zhao, Q. Zheng, J. Zhou, N. Zhou, X. Zhou, and Y. Zhou (PandaX-4T Collaboration), Dark matter search results from the pandax-4t commissioning run, Phys. Rev. Lett. **127**, 261802 (2021).
- [39] J. Aalbers, K. Abe, V. Aerne, F. Agostini, S. A. Maouloud, D. S. Akerib, D. Y. Akimov, J. Akshat, A. K. A. Musalhi, F. Alder, S. K. Alsum, L. Althueser, C. S. Amarasinghe, F. D. Amaro, A. Ames, T. J. Anderson, B. Andrieu, N. Angelides, E. Angelino, J. Angevaare, V. C. Antochi, D. A. Martin, B. Antunovic, E. Aprile, H. M. Araújo, J. E. Armstrong, F. Arneodo, M. Arthurs, P. Asadi, S. Baek, X. Bai, D. Bajpai, A. Baker, J. Balajthy, S. Balashov, M. Balzer, A. Bandyopadhyay, J. Bang, E. Barberio, J. W. Bargemann, L. Baudis, D. Bauer, D. Baur, A. Baxter, A. L. Baxter, M. Bazyk, K. Beattie, J. Behrens, N. F. Bell, L. Bellagamba, P. Beltrame, M. Benabderahmane, E. P. Bernard, G. F. Bertone, P. Bhattacharjee, A. Bhatti, A. Biekert, T. P. Biesiadzinski, A. R. Binau, R. Biondi, Y. Biondi, H. J. Birch, F. Bishara, A. Bismark, C. Blanco, G. M. Blockinger, E. Bodnia, C. Boehm, A. I. Bolozdynya, P. D. Bolton, S. Bottaro, C. Bourgeois, B. Boxer, P. Brás, A. Breskin, P. A. Breur, C. A. J. Brew, J. Brod, E. Brookes, A. Brown, E. Brown, S. Bruenner, G. Bruno, R. Budnik, T. K. Bui, S. Burdin, S. Buse, J. K. Busenitz, D. Buttazzo, M. Buuck, A. Buzulutskov, R. Cabrita, C. Cai, D. Cai, C. Capelli, J. M. R. Cardoso, M. C. Carmona-Benitez, M. Cascella, R. Catena,

S. Chakraborty, C. Chan, S. Chang, A. Chauvin, A. Chawla, H. Chen, V. Chepel, N. I. Chott, D. Cichon, A. C. Chavez, B. Cimmino, M. Clark, R. T. Co, A. P. Colijn, J. Conrad, M. V. Converse, M. Costa, A. Cottle, G. Cox, O. Creaner, J. J. C. Garcia, J. P. Cussonneau, J. E. Cutter, C. E. Dahl, V. D’Andrea, A. David, M. P. Decowski, J. B. Dent, F. F. Deppisch, L. de Viveiros, P. Di Gangi, A. Di Giovanni, S. Di Pede, J. Dierle, S. Diglio, J. E. Y. Dobson, M. Doerenkamp, D. Douillet, G. Drexlin, E. Druszkiewicz, D. Dunsky, K. Eitel, A. Elykov, T. Emken, R. Engel, S. R. Eriksen, M. Fairbairn, A. Fan, J. J. Fan, S. J. Farrell, S. Fayer, N. M. Fearon, A. Ferella, C. Ferrari, A. Fieguth, A. Fieguth, S. Fiorucci, H. Fischer, H. Flaecher, M. Flierman, T. Florek, R. Foot, P. J. Fox, R. Franceschini, E. D. Fraser, C. S. Frenk, S. Frohlich, T. Fruth, W. Fulgione, C. Fuselli, P. Gaemers, R. Gaior, R. J. Gaitskell, M. Gal-loway, F. Gao, I. G. Garcia, J. Genovesi, C. Ghag, S. Ghosh, E. Gibson, W. Gil, D. Giovagnoli, F. Girard, R. Glade-Beucke, F. Glück, S. Gokhale, A. de Gouvêa, L. Gráf, L. Grandi, J. Grigat, B. Grinstein, M. G. D. van der Grinten, R. Grössle, H. Guan, M. Guida, R. Gumbsheimer, C. B. Gwilliam, C. R. Hall, L. J. Hall, R. Hammann, K. Han, V. Hannen, S. Hansmann-Menzemer, R. Harata, S. P. Hardin, E. Hardy, C. A. Hardy, K. Harigaya, R. Harnik, S. J. Haselschwardt, M. Hernandez, S. A. Hertel, A. Higuera, C. Hils, S. Hochrein, L. Hoetzsch, M. Hoferichter, N. Hood, D. Hooper, M. Horn, J. Howlett, D. Q. Huang, Y. Huang, D. Hunt, M. Iacobacci, G. Iaquaniello, R. Ide, C. M. Ignarra, G. Iloglù, Y. Itow, E. Jacquet, O. Jahangir, J. Jakob, R. S. James, A. Jansen, W. Ji, X. Ji, F. Joerg, J. Johnson, A. Joy, A. C. Kaboth, A. C. Kamaha, K. Kanezaki, K. Kar, M. Kara, N. Kato, P. Kavrigin, S. Kazama, A. W. Keaveney, J. Kellerer, D. Khaitan, A. Khazov, G. Khundzakishvili, I. Khurana, B. Kilminster, M. Kleifges, P. Ko, M. Kobayashi, M. Kobayashi, D. Kodroff, G. Koltmann, A. Kopec, A. Kopmann, J. Kopp, L. Korley, V. N. Kornoukhov, E. V. Korolkova, H. Kraus, L. M. Krauss, S. Kravitz, L. Kreczko, V. A. Kudryavtsev, F. Kuger, J. Kumar, B. L. Paredes, L. LaCascio, Q. Laine, H. Landsman, R. F. Lang, E. A. Leason, J. Lee, D. S. Leonard, K. T. Lesko, L. Levin-son, C. Levy, I. Li, S. C. Li, T. Li, S. Liang, C. S. Liebenthal, J. Lin, Q. Lin, S. Lindemann, M. Lindner, A. Lindote, R. Linehan, W. H. Lippincott, X. Liu, K. Liu, J. Liu, J. Loizeau, F. Lombardi, J. Long, M. I. Lopes, E. L. Asamar, W. Lorenzon, C. Lu, S. Luitz, Y. Ma, P. A. N. Machado, C. Macolino, T. Maeda, J. Mahlstedt, P. A. Majewski, A. Manalaysay, A. Mancuso, L. Manenti, A. Manfredini, R. L. Mannino, N. Marangou, J. March-Russell, F. Marignetti, T. M. Undagoitia, K. Martens, R. Martin, I. Martinez-Soler, J. Masbou, D. Masson, E. Mas-

son, S. Mastroianni, M. Mastronardi, J. A. Matias-Lopes, M. E. McCarthy, N. McFadden, E. McGinness, D. N. McKinsey, J. McLaughlin, K. McMichael, P. Meinhardt, J. Menéndez, Y. Meng, M. Messina, R. Midha, D. Milisavljevic, E. H. Miller, B. Milosevic, S. Milutinovic, S. A. Mitra, K. Miuchi, E. Mizrachi, K. Mizukoshi, A. Molinario, A. Monte, C. M. B. Monteiro, M. E. Monzani, J. S. Moore, K. Morå, J. A. Morad, J. D. M. Mendoza, S. Moriyama, E. Morrison, E. Morteau, Y. Mosbacher, B. J. Mount, J. Mueller, A. S. J. Murphy, M. Murra, D. Naim, S. Nakamura, E. Nash, N. Navaieelavasani, A. Naylor, C. Nedlik, H. N. Nelson, F. Neves, J. L. Newstead, K. Ni, J. A. Nikoleyczik, V. Niro, U. G. Oberlack, M. Obradovic, K. Odgers, C. A. J. O’Hare, P. Oikonomou, I. Olcina, K. Oliver-Mallory, A. Oranday, J. Orpwood, I. Ostrovskiy, K. Ozaki, B. Paetsch, S. Pal, J. Palacio, K. J. Palladino, J. Palmer, P. Panci, M. Pandurovic, A. Parlati, N. Parveen, S. J. Patton, V. Pěč, Q. Pellegrini, B. Penning, G. Pereira, R. Peres, Y. Perez-Gonzalez, E. Perry, T. Pershing, R. Petrossian-Byrne, J. Pienaar, A. Piepke, G. Pieramico, M. Pierre, M. Piotter, V. Pizella, G. Plante, T. Pollmann, D. Porzio, J. Qi, Y. Qie, J. Qin, N. Raj, M. R. Silva, K. Ramanathan, D. R. García, J. Ravannis, L. Redard-Jacot, D. Redigolo, S. Reichard, J. Reichenbacher, C. A. Rhyne, A. Richards, Q. Riffard, G. R. C. Rischbieter, A. Rocchetti, S. L. Rosenfeld, R. Rosero, N. Rupp, T. Rushton, S. Saha, L. Sanchez, P. Sanchez-Lucas, D. Santone, J. M. F. d. Santos, I. Sarnoff, G. Sartorelli, A. B. M. R. Sazzad, M. Scheibelhut, R. W. Schnee, M. Schrank, J. Schreiner, P. Schulte, D. Schulte, H. S. Eissing, M. Schumann, T. Schwemberger, A. Schwenk, T. Schwetz, L. S. Lavina, P. R. Scovell, H. Sekiya, M. Selvi, E. Semenov, F. Semeria, P. Shagin, S. Shaw, S. Shi, E. Shockley, T. A. Shutt, R. Si-Ahmed, J. J. Silk, C. Silva, M. C. Silva, H. Simgen, F. Šimkovic, G. Sinev, R. Singh, W. Skulski, J. Smirnov, R. Smith, M. Solmaz, V. N. Solovov, P. Sorensen, J. Soria, T. J. Sparmann, I. Stancu, M. Steidl, A. Stevens, K. Stifter, L. E. Strigari, D. Subotic, B. Suerfu, A. M. Suliga, T. J. Sumner, P. Szabo, M. Szydagis, A. Takeda, Y. Takeuchi, P. L. Tan, C. Taricco, W. C. Taylor, D. J. Temples, A. Terliuk, P. A. Terman, D. Thers, K. Thieme, T. Thümmler, D. R. Tiedt, M. Timalsina, W. H. To, F. Toennies, Z. Tong, F. Toschi, D. R. Tovey, J. Tranter, M. Trask, G. C. Trinchero, M. Tripathi, D. R. Tronstad, R. Trotta, Y. D. Tsai, C. D. Tunnell, W. G. Turner, R. Ueno, P. Urquijo, U. Utku, A. Vaitkus, K. Valerius, E. Vassilev, S. Vecchi, V. Velan, S. Vetter, A. C. Vincent, L. Vittorio, G. Volta, B. von Krosigk, M. von Piechowski, D. Vorkapic, C. E. M. Wagner, A. M. Wang, B. Wang, Y. Wang, W. Wang, J. J. Wang, L. T. Wang, M. Wang, Y. Wang, J. R. Watson, Y. Wei,

- C. Weinheimer, E. Weisman, M. Weiss, D. Wenz, S. M. West, T. J. Whitis, M. Williams, M. J. Wilson, D. Winkler, C. Wittweg, J. Wolf, T. Wolf, F. L. H. Wolfs, S. Woodford, D. Woodward, C. J. Wright, V. H. S. Wu, P. Wu, S. Wüstling, M. Wurm, Q. Xia, X. Xiang, Y. Xing, J. Xu, Z. Xu, D. Xu, M. Yamashita, R. Yamazaki, H. Yan, L. Yang, Y. Yang, J. Ye, M. Yeh, I. Young, H. B. Yu, T. T. Yu, L. Yuan, G. Zavattini, S. Zerbo, Y. Zhang, M. Zhong, N. Zhou, X. Zhou, T. Zhu, Y. Zhu, Y. Zhuang, J. P. Zopounidis, K. Zuber, and J. Zupan, A next-generation liquid xenon observatory for dark matter and neutrino physics (2022).
- [40] C. E. Aalseth, F. Acerbi, P. Agnes, I. F. M. Albuquerque, T. Alexander, A. Alici, A. K. Alton, P. Antonioli, S. Arcelli, R. Ardito, and et al., Darkside-20k: A 20 tonne two-phase lar tpc for direct dark matter detection at lngs, *The European Physical Journal Plus* **133**, 10.1140/epjp/i2018-11973-4 (2018).
- [41] R. Essig, G. K. Giovanetti, N. Kurinsky, D. McKinsey, K. Ramanathan, K. Stifter, T.-T. Yu, A. Aboubrahim, D. Adams, D. S. M. Alves, T. Aralis, H. M. Araújo, D. Baxter, K. V. Berghaus, A. Berlin, C. Blanco, I. M. Bloch, W. M. Bonivento, R. Bunker, S. Burdin, A. Caminata, M. C. Carmona-Benitez, L. Chaplinsky, T. Y. Chen, S. E. Derenzo, L. de Viveiros, R. Dick, N. D. Marco, P. Du, B. Dutta, R. Ebadi, T. Emken, A. Esposito, E. Etzion, J. L. Feng, N. Fernandez, S. F. Ge, S. Ghosh, G. Giroux, L. Hamaide, S. A. Hertel, G. Herrera, Y. Hochberg, Y. Kahn, B. J. Kavanagh, A. N. Khan, H. Kluck, S. Kravitz, B. von Krosigk, J. Kumar, I. T. Lawson, B. V. Lehmann, T. Lin, J. Liao, S. A. Lyon, P. M. Majewski, C. A. Manzari, J. Monroe, M. E. Monzani, D. E. Morrissey, D. Norcini, A. Orly, A. Parikh, J. C. Park, P. K. Patel, S. Paul, J. Pérez-Ríos, A. Phipps, A. Pocar, A. Ritz, Y. Sarkis, P. Schuster, T. Schwetz, S. Shaw, S. Shin, A. Singal, R. Singh, O. Slone, P. Sorensen, C. Sun, M. Szydagis, D. J. Temples, G. Testera, K. Thieme, N. Toro, T. Trickle, S. Uemura, V. Velan, E. Vitagliano, F. Wagner, G. Wang, S. Westerdale, and K. M. Zurek, Snowmass2021 cosmic frontier: The landscape of low-threshold dark matter direct detection in the next decade (2023).
- [42] S. Dimopoulos, G. D. Starkman, and B. W. Lynn, Atomic enhancements in the detection of weakly interacting particles, *Physics Letters B* **168**, 145 (1986).
- [43] R. D. Peccei and H. R. Quinn, CP conservation in the presence of pseudoparticles, *Phys. Rev. Lett.* **38**, 1440 (1977).

- [44] F. Wilczek, Problem of strong p and t invariance in the presence of instantons, Phys. Rev. Lett. **40**, 279 (1978).
- [45] S. Weinberg, A new light boson?, Phys. Rev. Lett. **40**, 223 (1978).
- [46] H. Primakoff, Photo-production of neutral mesons in nuclear electric fields and the mean life of the neutral meson, Phys. Rev. **81**, 899 (1951).
- [47] S. Moriyama, Proposal to search for a monochromatic component of solar axions using ^{57}Fe , Phys. Rev. Lett. **75**, 3222 (1995).
- [48] J. Redondo, Solar axion flux from the axion-electron coupling, Journal of Cosmology and Astroparticle Physics **2013** (12), 008.
- [49] E. Aprile, J. Aalbers, F. Agostini, M. Alfonsi, L. Althueser, F. D. Amaro, V. C. Antochi, E. Angelino, J. R. Angevaare, F. Arneodo, D. Barge, L. Baudis, B. Bauermeister, L. Bel-lagamba, M. L. Benabderrahmane, T. Berger, A. Brown, E. Brown, S. Bruenner, G. Bruno, R. Budnik, C. Capelli, J. M. R. Cardoso, D. Cichon, B. Cimmino, M. Clark, D. Coderre, A. P. Colijn, J. Conrad, J. P. Cussonneau, M. P. Decowski, A. Depoian, P. Di Gangi, A. Di Giovanni, R. Di Stefano, S. Diglio, A. Elykov, G. Eurin, A. D. Ferella, W. Fulgione, P. Gaemers, R. Gaior, M. Galloway, F. Gao, L. Grandi, C. Hasterok, C. Hils, K. Hiraide, L. Hoetzsch, J. Howlett, M. Iacobacci, Y. Itow, F. Joerg, N. Kato, S. Kazama, M. Kobayashi, G. Koltman, A. Kopec, H. Landsman, R. F. Lang, L. Levinson, Q. Lin, S. Lindemann, M. Lindner, F. Lombardi, J. Long, J. A. M. Lopes, E. López Fune, C. Macolino, J. Mahlstedt, A. Mancuso, L. Manenti, A. Manfredini, F. Marignetti, T. Marrodán Undagoitia, K. Martens, J. Masbou, D. Masson, S. Mastroianni, M. Messina, K. Miuchi, K. Mizukoshi, A. Molinario, K. Morå, S. Moriyama, Y. Mosbacher, M. Murra, J. Naganoma, K. Ni, U. Oberlack, K. Odgers, J. Palacio, B. Pelssers, R. Peres, J. Pienaar, V. Pizzella, G. Plante, J. Qin, H. Qiu, D. Ramírez García, S. Reichard, A. Rocchetti, N. Rupp, J. M. F. dos Santos, G. Sartorelli, N. Šarčević, M. Scheibelhut, J. Schreiner, D. Schulte, M. Schumann, L. Scotto Lavina, M. Selvi, F. Semeria, P. Shagin, E. Shockley, M. Silva, H. Simgen, A. Takeda, C. Therreau, D. Thers, F. Toschi, G. Trinchero, C. Tunnell, M. Vargas, G. Volta, H. Wang, Y. Wei, C. Weinheimer, M. Weiss, D. Wenz, C. Wittweg, Z. Xu, M. Yamashita, J. Ye, G. Zavattini, Y. Zhang, T. Zhu, J. P. Zopounidis, and X. Mougeot (XENON Collaboration), Excess electronic recoil events in xenon1t, Phys. Rev. D **102**, 072004 (2020).

- [50] X. c. E. Aprile et al., Search for new physics in electronic recoil data from xenonnt, <http://xenonexperiment.org> (2022).
- [51] D. Zhang, A. Abdukerim, Z. Bo, W. Chen, X. Chen, Y. Chen, C. Cheng, Z. Cheng, X. Cui, Y. Fan, D. Fang, C. Fu, M. Fu, L. Geng, K. Giboni, L. Gu, X. Guo, K. Han, C. He, J. He, D. Huang, Y. Huang, Z. Huang, R. Hou, X. Ji, Y. Ju, C. Li, J. Li, M. Li, S. Li, S. Li, Q. Lin, J. Liu, X. Lu, L. Luo, Y. Luo, W. Ma, Y. Ma, N. Shaheed, Y. Meng, X. Ning, N. Qi, Z. Qian, X. Ren, C. Shang, X. Shang, G. Shen, L. Si, W. Sun, A. Tan, Y. Tao, A. Wang, M. Wang, Q. Wang, S. Wang, S. Wang, W. Wang, X. Wang, Z. Wang, Y. Wei, M. Wu, W. Wu, J. Xia, M. Xiao, X. Xiao, P. Xie, B. Yan, X. Yan, J. Yang, Y. Yang, C. Yu, J. Yuan, Y. Yuan, X. Zeng, M. Zhang, P. Zhang, S. Zhang, S. Zhang, T. Zhang, Y. Zhang, L. Zhao, Q. Zheng, J. Zhou, N. Zhou, X. Zhou, Y. Zhou, S.-F. Ge, X.-G. He, X.-D. Ma, and J. Sheng (PandaX Collaboration), Search for light fermionic dark matter absorption on electrons in pandax-4t, *Phys. Rev. Lett.* **129**, 161804 (2022).
- [52] B. J. Mount, S. Hans, R. Rosero, M. Yeh, C. Chan, R. J. Gaitskell, D. Q. Huang, J. Makkinje, D. C. Malling, M. Pangilinan, C. A. Rhyne, W. C. Taylor, J. R. Verbus, Y. D. Kim, H. S. Lee, J. Lee, D. S. Leonard, J. Li, J. Belle, A. Cottle, W. H. Lippincott, D. J. Markley, T. J. Martin, M. Sarychev, T. E. Tope, M. Utes, R. Wang, I. Young, H. M. Araújo, A. J. Bailey, D. Bauer, D. Colling, A. Currie, S. Fayer, F. Froborg, S. Greenwood, W. G. Jones, V. Kasey, M. Khaleeq, I. Olcina, B. L. Paredes, A. Richards, T. J. Sumner, A. Tomás, A. Vacheret, P. Brás, A. Lindote, M. I. Lopes, F. Neves, J. P. Rodrigues, C. Silva, V. N. Solovov, M. J. Barry, A. Cole, A. Dobi, W. R. Edwards, C. H. Faham, S. Fiorucci, N. J. Gantos, V. M. Gehman, M. G. D. Gilchriese, K. Hanzel, M. D. Hoff, K. Kamdin, K. T. Lesko, C. T. McConnell, K. O’Sullivan, K. C. Oliver-Mallory, S. J. Patton, J. S. Saba, P. Sorensen, K. J. Thomas, C. E. Tull, W. L. Waldron, M. S. Witherell, A. Bernstein, K. Kazkaz, J. Xu, D. Y. Akimov, A. I. Bolozdynya, A. V. Khromov, A. M. Konovalov, A. V. Kumpan, V. V. Sosnovtsev, C. E. Dahl, D. Temples, M. C. Carmona-Benitez, L. de Viveiros, D. S. Akerib, H. Auyeung, T. P. Biesiadzinski, M. Breidenbach, R. Bramante, R. Conley, W. W. Craddock, A. Fan, A. Hau, C. M. Ignarra, W. Ji, H. J. Krebs, R. Linehan, C. Lee, S. Luitz, E. Mizrahi, M. E. Monzani, F. G. O’Neill, S. Pierson, M. Racine, B. N. Ratcliff, G. W. Shutt, T. A. Shutt, K. Skarpaas, K. Stifter, W. H. To, J. Va’vra, T. J. Whitis, W. J. Wisniewski, X. Bai, R. Bunker, R. Coughlen, C. Hjemfelt, R. Leonard, E. H. Miller, E. Morrison, J. Reichen-

- bacher, R. W. Schnee, M. R. Stark, K. Sundarnath, D. R. Tiedt, M. Timalsina, P. Bauer, B. Carlson, M. Horn, M. Johnson, J. Keefner, C. Maupin, D. J. Taylor, S. Balashov, P. Ford, V. Francis, E. Holtom, A. Khazov, A. Kaboth, P. Majewski, J. A. Nikkel, J. O’Dell, R. M. Preece, M. G. D. van der Grinten, S. D. Worm, R. L. Mannino, T. M. Stiegler, P. A. Terman, R. C. Webb, C. Levy, J. Mock, M. Szydagis, J. K. Busenitz, M. Elnimr, J. Y.-K. Hor, Y. Meng, A. Piepke, I. Stancu, L. Kreczko, B. Krikler, B. Penning, E. P. Bernard, R. G. Jacobsen, D. N. McKinsey, R. Watson, J. E. Cutter, S. El-Jurf, R. M. Gerhard, D. Hemer, S. Hillbrand, B. Holbrook, B. G. Lenardo, A. G. Manalaysay, J. A. Morad, S. Stephenson, J. A. Thomson, M. Tripathi, S. Uvarov, S. J. Haselschwardt, S. Kyre, C. Nehrkorn, H. N. Nelson, M. Solmaz, D. T. White, M. Cascella, J. E. Y. Dobson, C. Ghag, X. Liu, L. Manenti, L. Reichhart, S. Shaw, U. Utiku, P. Beltrame, T. J. R. Davison, M. F. Marzioni, A. S. J. Murphy, A. Nilima, B. Boxer, S. Burdin, A. Greenall, S. Powell, H. J. Rose, P. Sutcliffe, J. Balajthy, T. K. Edberg, C. R. Hall, J. S. Silk, S. Hertel, C. W. Akerlof, M. Arthurs, W. Lorenzon, K. Pushkin, M. Schubnell, K. E. Boast, C. Carels, T. Fruth, H. Kraus, F. T. Liao, J. Lin, P. R. Scovell, E. Druszkiewicz, D. Khaitan, M. Koyuncu, W. Skulski, F. L. H. Wolfs, J. Yin, E. V. Korolkova, V. A. Kudryavtsev, P. Rossiter, D. Woodward, A. A. Chiller, C. Chiller, D. M. Mei, L. Wang, W. Z. Wei, M. While, C. Zhang, S. K. Alsum, T. Benson, D. L. Carlsmith, J. J. Cherwinka, S. Dasu, G. Gregerson, B. Gomber, A. Pagac, K. J. Palladino, C. O. Vuosalo, Q. Xiao, J. H. Buckley, V. V. Bugaev, M. A. Olevitch, E. M. Boulton, W. T. Emmet, T. W. Hurteau, N. A. Larsen, E. K. Pease, B. P. Tennyson, and L. Tvrznikova, Lux-zeplin (lz) technical design report (2017), arXiv:1703.09144 [physics.ins-det].
- [53] J. Liao, Y. Gao, Z. Liang, Z. Ouyang, Z. Peng, L. Zhang, L. Zhang, J. Zheng, and J. Zhou, Aletheia: hunting for low-mass dark matter with liquid helium tpc, The European Physical Journal Plus **138**, 128 (2023).
- [54] C. collaboration, F. Petricca, G. Angloher, P. Bauer, A. Bento, C. Bucci, L. Canonica, X. Defay, A. Erb, F. v. Feilitzsch, N. F. Iachellini, P. Gorla, A. Gütlein, D. Hauff, J. Jochum, M. Kiefer, H. Kluck, H. Kraus, J. C. Lanfranchi, A. Lagenkämper, J. Loebell, M. Mancuso, E. Mondragon, A. Münster, C. Pagliarone, W. Potzel, F. Pröbst, R. Puig, F. Reindl, J. Rothe, K. Schäffner, J. Schieck, S. Schönert, W. Seidel, M. Stahlberg, L. Stodolsky, C. Strandhagen, R. Strauss, A. Tanzke, H. H. T. Thi, C. Türkoğlu, A. Ulrich, I. Usherov, S. Wawoczny, M. Willers, and M. Wüstrich, First results on low-mass dark matter from the cresst-iii exper-

- iment (2017), arXiv:1711.07692 [astro-ph.CO].
- [55] R. Agnese, A. J. Anderson, T. Aramaki, M. Asai, W. Baker, D. Balakishiyeva, D. Barker, R. Basu Thakur, D. A. Bauer, J. Billard, A. Borgland, M. A. Bowles, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, R. Calkins, D. G. Cerdeno, H. Chagani, Y. Chen, J. Cooley, B. Cornell, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, M. Ghaith, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, D. Jardin, A. Jastram, O. Kamaev, B. Kara, M. H. Kelsey, A. Kennedy, A. Leder, B. Loer, E. Lopez Asamar, P. Lukens, R. Mahapatra, V. Mandic, N. Mast, N. Mirabolfathi, R. A. Moffatt, J. D. Morales Mendoza, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, Y. Ricci, A. Roberts, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, S. Scorza, B. Serfass, B. Shank, D. Speller, D. Toback, R. Underwood, S. Upadhyayula, A. N. Villano, B. Welliver, J. S. Wilson, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, and J. Zhang (SuperCDMS Collaboration), New results from the search for low-mass weakly interacting massive particles with the cdms low ionization threshold experiment, *Phys. Rev. Lett.* **116**, 071301 (2016).
- [56] H. Jiang, L. P. Jia, Q. Yue, K. J. Kang, J. P. Cheng, Y. J. Li, H. T. Wong, M. Agartioglu, H. P. An, J. P. Chang, J. H. Chen, Y. H. Chen, Z. Deng, Q. Du, H. Gong, L. He, J. W. Hu, Q. D. Hu, H. X. Huang, H. B. Li, H. Li, J. M. Li, J. Li, X. Li, X. Q. Li, Y. L. Li, B. Liao, F. K. Lin, S. T. Lin, S. K. Liu, Y. D. Liu, Y. Y. Liu, Z. Z. Liu, H. Ma, J. L. Ma, H. Pan, J. Ren, X. C. Ruan, B. Sevda, V. Sharma, M. B. Shen, L. Singh, M. K. Singh, T. X. Sun, C. J. Tang, W. Y. Tang, Y. Tian, G. F. Wang, J. M. Wang, L. Wang, Q. Wang, Y. Wang, S. Y. Wu, Y. C. Wu, H. Y. Xing, Y. Xu, T. Xue, L. T. Yang, S. W. Yang, N. Yi, C. X. Yu, H. J. Yu, J. F. Yue, X. H. Zeng, M. Zeng, Z. Zeng, F. S. Zhang, Y. H. Zhang, M. G. Zhao, J. F. Zhou, Z. Y. Zhou, J. J. Zhu, and Z. H. Zhu (CDEX Collaboration), Limits on light weakly interacting massive particles from the first 102.8 kg × day data of the cdex-10 experiment, *Phys. Rev. Lett.* **120**, 241301 (2018).
- [57] P. Agnes, I. F. M. Albuquerque, T. Alexander, A. K. Alton, G. R. Araujo, M. Ave, H. O. Back, B. Baldin, G. Batignani, K. Biery, V. Bocci, G. Bonfini, W. Bonivento, B. Bottino, F. Budano, S. Bussino, M. Cadeddu, M. Cadoni, F. Calaprice, A. Caminata, N. Canci, A. Candela, M. Caravati, M. Cariello, M. Carlini, M. Carpinelli, S. Catalanotti, V. Cataudella,

- P. Cavalcante, S. Cavaudi, A. Chepurnov, C. Cicalò, A. G. Cocco, G. Covone, D. D’Angelo, M. D’Incecco, D. D’Urso, S. Davini, A. De Candia, S. De Cecco, M. De Deo, G. De Filippis, G. De Rosa, M. De Vincenzi, A. V. Derbin, A. Devoto, F. Di Eusanio, G. Di Pietro, C. Dionisi, M. Downing, E. Edkins, A. Empl, A. Fan, G. Fiorillo, R. S. Fitzpatrick, K. Fomenko, D. Franco, F. Gabriele, C. Galbiati, C. Ghiano, S. Giagu, C. Giganti, G. K. Giovanetti, O. Gorchakov, A. M. Goretti, F. Granato, M. Gromov, M. Guan, Y. Guardincerri, M. Gulino, B. R. Hackett, K. Herner, B. Hosseini, D. Hughes, P. Humble, E. V. Hungerford, A. Ianni, V. Ippolito, I. James, T. N. Johnson, K. Keeter, C. L. Kendziora, I. Kochanek, G. Koh, D. Korablev, G. Korga, A. Kubankin, M. Kuss, M. La Commara, M. Lai, X. Li, M. Lissia, G. Longo, Y. Ma, A. A. Machado, I. N. Machulin, A. Mandarano, L. Mapelli, S. M. Mari, J. Maricic, C. J. Martoff, A. Messina, P. D. Meyers, R. Milincic, A. Monte, M. Morrocchi, B. J. Mount, V. N. Muratova, P. Musico, A. Navrer Agasson, A. O. Nozdrina, A. Oleinik, M. Orsini, F. Ortica, L. Pagani, M. Pallavicini, L. Pandola, E. Pantic, E. Paoloni, K. Pelczar, N. Pelliccia, A. Pocar, S. Pordes, S. S. Poudel, D. A. Pugachev, H. Qian, F. Ragusa, M. Razeti, A. Razeto, B. Reinhold, A. L. Renshaw, M. Rescigno, Q. Riffard, A. Romani, B. Rossi, N. Rossi, D. Sablone, O. Samoylov, W. Sands, S. Sanfilippo, C. Savarese, B. Schlitzer, E. Segreto, D. A. Semenov, A. Shchagin, A. Sheshukov, P. N. Singh, M. D. Skorokhvatov, O. Smirnov, A. Sotnikov, C. Stanford, S. Stracka, Y. Suvorov, R. Tartaglia, G. Testera, A. Tonazzo, P. Trinchese, E. V. Unzhakov, M. Verducci, A. Vishneva, B. Vogelaar, M. Wada, T. J. Waldrop, H. Wang, Y. Wang, A. W. Watson, S. Westerdale, M. M. Wojcik, X. Xiang, X. Xiao, C. Yang, Z. Ye, C. Zhu, and G. Zuzel (DarkSide Collaboration), Darkside-50 532-day dark matter search with low-radioactivity argon, Phys. Rev. D **98**, 102006 (2018).
- [58] P. Agnes, I. F. M. Albuquerque, T. Alexander, A. K. Alton, M. Ave, H. O. Back, G. Batignani, K. Biery, V. Bocci, W. M. Bonivento, B. Bottino, S. Bussino, M. Cadeddu, M. Cadoni, F. Calaprice, A. Caminata, N. Canci, M. Caravati, M. Cariello, M. Carlini, M. Carpinelli, V. Cataudella, P. Cavalcante, S. Cavaudi, S. Chashin, A. Chepurnov, C. Cicalò, G. Covone, D. D’Angelo, S. Davini, A. De Candia, S. De Cecco, G. De Filippis, G. De Rosa, A. V. Derbin, A. Devoto, M. D’Incecco, C. Dionisi, F. Dordei, M. Downing, D. D’Urso, G. Fiorillo, D. Franco, F. Gabriele, C. Galbiati, C. Ghiano, C. Giganti, G. K. Giovanetti, A. M. Goretti, G. G. di Cortona, A. Grobov, M. Gromov, M. Guan, M. Gulino, B. R. Hackett, K. Herner, T. Hessel, B. Hosseini, F. Hubaut, E. V. Hungerford, A. Ianni, V. Ippolito, K. Keeter, C. L. Kendziora,

- M. Kimura, I. Kochanek, D. Korablev, G. Korga, A. Kubankin, M. Kuss, M. La Commara, M. Lai, X. Li, M. Lissia, G. Longo, O. Lychagina, I. N. Machulin, L. P. Mapelli, S. M. Mari, J. Maricic, A. Messina, R. Milincic, J. Monroe, M. Morrocchi, X. Mougeot, V. N. Muratova, P. Musico, A. O. Nozdrina, A. Oleinik, F. Ortica, L. Pagani, M. Pallavicini, L. Pandola, E. Pantic, E. Paoloni, K. Pelczar, N. Pelliccia, S. Piacentini, S. Piacentini, E. Picciano, A. Pocar, D. M. Poehlmann, S. Pordes, S. S. Poudel, P. Pralavorio, D. D. Price, F. Ragaini, M. Razeti, A. Razeto, A. L. Renshaw, M. Rescigno, J. Rode, A. Romani, D. Sablone, O. Samoylov, W. Sands, S. Sanfilippo, E. Sanford, C. Savarese, B. Schlitzer, D. A. Semenov, A. Shchagin, A. Sheshukov, M. D. Skorokhvatov, O. Smirnov, A. Sotnikov, S. Stracka, Y. Suparov, R. Tartaglia, G. Testera, A. Tonazzo, E. V. Unzhakov, A. Vishneva, R. B. Vogelaar, M. Wada, H. Wang, Y. Wang, S. Westerdale, M. M. Wojcik, X. Xiao, C. Yang, and G. Zuzel, Search for low-mass dark matter wimps with 12 ton-day exposure of darkside-50 (2022).
- [59] C. Amole, M. Ardid, I. J. Arnquist, D. M. Asner, D. Baxter, E. Behnke, P. Bhattacharjee, H. Borsodi, M. Bou-Cabo, P. Campion, G. Cao, C. J. Chen, U. Chowdhury, K. Clark, J. I. Collar, P. S. Cooper, M. Crisler, G. Crowder, C. E. Dahl, M. Das, S. Fallows, J. Farine, I. Felis, R. Filgas, F. Girard, G. Giroux, J. Hall, O. Harris, E. W. Hoppe, M. Jin, C. B. Krauss, M. Laurin, I. Lawson, A. Leblanc, I. Levine, W. H. Lippincott, F. Mamedov, D. Maurya, P. Mitra, T. Nania, R. Neilson, A. J. Noble, S. Olson, A. Ortega, A. Plante, R. Podviyanuk, S. Priya, A. E. Robinson, A. Roeder, R. Rucinski, O. Scallon, S. Seth, A. Sonnenschein, N. Starinski, I. Štekl, F. Tardif, E. Vázquez-Jáuregui, J. Wells, U. Wichoski, Y. Yan, V. Zacek, and J. Zhang (PICO Collaboration), Dark matter search results from the PICO–60 c_3f_8 bubble chamber, Phys. Rev. Lett. **118**, 251301 (2017).
- [60] R. Agnese, A. J. Anderson, M. Asai, D. Balakishiyeva, R. Basu Thakur, D. A. Bauer, J. Beaty, J. Billard, A. Borgland, M. A. Bowles, D. Brandt, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, D. G. Cerdeno, H. Chagani, Y. Chen, M. Cherry, J. Cooley, B. Cornell, C. H. Crewdson, P. Cushman, M. Daal, D. DeVaney, P. C. F. Di Stefano, E. D. C. E. Silva, T. Doughty, L. Esteban, S. Fallows, E. Figueroa-Feliciano, G. L. Godfrey, S. R. Golwala, J. Hall, S. Hansen, H. R. Harris, S. A. Hertel, B. A. Hines, T. Hofer, D. Holmgren, L. Hsu, M. E. Huber, A. Jasstram, O. Kamaev, B. Kara, M. H. Kelsey, S. Kenany, A. Kennedy, M. Kiveni, K. Koch, A. Leder, B. Loer, E. Lopez Asamar, R. Mahapatra, V. Mandic, C. Martinez, K. A. McCarthy, N. Mirabolafathi, R. A. Moffatt, R. H. Nelson, L. Novak, K. Page, R. Partridge, M. Pepin,

- A. Phipps, M. Platt, K. Prasad, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, R. W. Resch, Y. Ricci, M. Ruschman, T. Saab, B. Sadoulet, J. Sander, R. L. Schmitt, K. Schneck, R. W. Schnee, S. Scorza, D. N. Seitz, B. Serfass, B. Shank, D. Speller, A. Tomada, S. Upadhyayula, A. N. Villano, B. Welliver, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, and J. Zhang (SuperCDMS Collaboration), Search for low-mass weakly interacting massive particles with supercdms, Phys. Rev. Lett. **112**, 241302 (2014).
- [61] R. Agnese, A. J. Anderson, T. Aramaki, I. Arnquist, W. Baker, D. Barker, R. Basu Thakur, D. A. Bauer, A. Borgland, M. A. Bowles, P. L. Brink, R. Bunker, B. Cabrera, D. O. Caldwell, R. Calkins, C. Cartaro, D. G. Cerdeño, H. Chagani, Y. Chen, J. Cooley, B. Cornell, P. Cushman, M. Daal, P. C. F. Di Stefano, T. Doughty, L. Esteban, S. Fallows, E. Figueiroa-Feliciano, M. Fritts, G. Gerbier, M. Ghaith, G. L. Godfrey, S. R. Golwala, J. Hall, H. R. Harris, T. Hofer, D. Holmgren, Z. Hong, E. Hoppe, L. Hsu, M. E. Huber, V. Iyer, D. Jardin, A. Jastram, M. H. Kelsey, A. Kennedy, A. Kubik, N. A. Kurinsky, A. Leder, B. Loer, E. Lopez Asamar, P. Lukens, R. Mahapatra, V. Mandic, N. Mast, N. Mirabolfathi, R. A. Moffatt, J. D. Morales Men-doza, J. L. Orrell, S. M. Oser, K. Page, W. A. Page, R. Partridge, M. Pepin, A. Phipps, S. Poudel, M. Pyle, H. Qiu, W. Rau, P. Redl, A. Reisetter, A. Roberts, A. E. Robinson, H. E. Rogers, T. Saab, B. Sadoulet, J. Sander, K. Schneck, R. W. Schnee, B. Serfass, D. Speller, M. Stein, J. Street, H. A. Tanaka, D. Toback, R. Underwood, A. N. Villano, B. von Krosigk, B. Welliver, J. S. Wilson, D. H. Wright, S. Yellin, J. J. Yen, B. A. Young, X. Zhang, and X. Zhao (SuperCDMS Collaboration), Projected sensitivity of the supercdms snolab experiment, Phys. Rev. D **95**, 082002 (2017).
- [62] E. Aprile, J. Aalbers, F. Agostini, M. Alfonsi, L. Althueser, F. D. Amaro, M. Anthony, F. Arneodo, L. Baudis, B. Bauermeister, M. L. Benabderahmane, T. Berger, P. A. Breur, A. Brown, A. Brown, E. Brown, S. Bruenner, G. Bruno, R. Budnik, C. Capelli, J. M. R. Cardoso, D. Cichon, D. Coderre, A. P. Colijn, J. Conrad, J. P. Cussonneau, M. P. Decowski, P. de Perio, P. Di Gangi, A. Di Giovanni, S. Diglio, A. Elykov, G. Eurin, J. Fei, A. D. Ferella, A. Fieguth, W. Fulgione, A. Gallo Rosso, M. Galloway, F. Gao, M. Garbini, C. Geis, L. Grandi, Z. Greene, H. Qiu, C. Hasterok, E. Hogenbirk, J. Howlett, R. Itay, F. Joerg, B. Kaminsky, S. Kazama, A. Kish, G. Koltman, H. Landsman, R. F. Lang, L. Levinson, Q. Lin, S. Lindemann, M. Lindner, F. Lombardi, J. A. M. Lopes, J. Mahlstedt, A. Manfredini, T. Marrodán Undagoitia, J. Masbou, D. Masson, M. Messina, K. Micheneau, K. Miller, A. Molinario,

- K. Morå, M. Murra, J. Naganoma, K. Ni, U. Oberlack, B. Pelssers, F. Piastra, J. Pienaar, V. Pizzella, G. Plante, R. Podviianiuk, N. Priel, D. Ramírez García, L. Rauch, S. Reichard, C. Reuter, B. Riedel, A. Rizzo, A. Rocchetti, N. Rupp, J. M. F. dos Santos, G. Sartorelli, M. Scheibelhut, S. Schindler, J. Schreiner, D. Schulte, M. Schumann, L. Scotto Lavina, M. Selvi, P. Shagin, E. Shockley, M. Silva, H. Simgen, D. Thers, F. Toschi, G. Trinchero, C. Tunnell, N. Upole, M. Vargas, O. Wack, H. Wang, Z. Wang, Y. Wei, C. Weinheimer, C. Wittweg, J. Wulf, J. Ye, Y. Zhang, and T. Zhu (XENON Collaboration 7), Dark matter search results from a one ton-year exposure of xenon1t, *Phys. Rev. Lett.* **121**, 111302 (2018).
- [63] <https://sd.fbk.eu/en>.
- [64] P. Eckert, H.-C. Schultz-Coulon, W. Shen, R. Stamen, and A. Tadday, Characterisation studies of silicon photomultipliers, *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Targets* **850** (2017) 16–22.
- [65] G. Zappalà, F. Acerbi, A. Ferri, A. Gola, G. Paternoster, N. Zorzi, and C. Piemonte, Set-up and methods for sipm photo-detection efficiency measurements, *Journal of Instrumentation* **11** (08), P08014.
- [66] X. Collaboration, E. Aprile, K. Abe, F. Agostini, S. A. Maouloud, L. Althueser, B. Andrieu, E. Angelino, J. R. Angevaare, V. C. Antochi, D. A. Martin, F. Arneodo, L. Baudis, A. L. Baxter, M. Bazyk, L. Bellagamba, R. Biondi, A. Bismark, E. J. Brookes, A. Brown, S. Bruennner, G. Bruno, R. Budnik, T. K. Bui, C. Cai, J. M. R. Cardoso, D. Cichon, A. P. C. Chavez, A. P. Colijn, J. Conrad, J. J. Cuenca-García, J. P. Cussonneau, V. D’Andrea, M. P. Decowski, P. D. Gangi, S. D. Pede, S. Diglio, K. Eitel, A. Elykov, S. Farrell, A. D. Ferella, C. Ferrari, H. Fischer, M. Flierman, W. Fulgione, C. Fuselli, P. Gaemers, R. Gaior, A. G. Rosso, M. Gal-loway, F. Gao, R. Glade-Beucke, L. Grandi, J. Grigat, H. Guan, M. Guida, R. Hammann, A. Higuera, C. Hils, L. Hoetzsche, N. F. Hood, J. Howlett, M. Iacobacci, Y. Itow, J. Jakob, F. Joerg, A. Joy, N. Kato, M. Kara, P. Kavrigin, S. Kazama, M. Kobayashi, G. Koltman, A. Kopec, F. Kuger, H. Landsman, R. F. Lang, L. Levinson, I. Li, S. Li, S. Liang, S. Linde-mann, M. Lindner, K. Liu, J. Loizeau, F. Lombardi, J. Long, J. A. M. Lopes, Y. Ma, C. Macolino, J. Mahlstedt, A. Mancuso, L. Manenti, F. Marignetti, T. M. Undagoitia, K. Martens, J. Masbou, D. Masson, E. Masson, S. Mastroianni, M. Messina, K. Miuchi, K. Mizukoshi, A. Molinario, S. Moriyama, K. Morå, Y. Mosbacher, M. Murra, J. Müller, K. Ni, U. Oberlack, B. Paetsch, J. Palacio, R. Peres, C. Peters, J. Pienaar, M. Pierre, V. Pizzella, G. Plante,

- J. Qi, J. Qin, D. R. García, R. Singh, L. Sanchez, J. M. F. dos Santos, I. Sarnoff, G. Sartorelli, J. Schreiner, D. Schulte, P. Schulte, H. S. Eißing, M. Schumann, L. S. Lavina, M. Selvi, F. Semeria, P. Shagin, S. Shi, E. Shockley, M. Silva, H. Simgen, A. Takeda, P. L. Tan, A. Terliuk, D. Thers, F. Toschi, G. Trinchero, C. Tunnell, F. Tönnies, K. Valerius, G. Volta, C. Weinheimer, M. Weiss, D. Wenz, C. Wittweg, T. Wolf, V. H. S. Wu, Y. Xing, D. Xu, Z. Xu, M. Yamashita, L. Yang, J. Ye, L. Yuan, G. Zavattini, M. Zhong, and T. Zhu, First dark matter search with nuclear recoils from the xenonnt experiment, arXiv: 2303.14729 (2023).
- [67] D. Tommasini, Dielectric insulation and high-voltage issues (2011).
- [68] M. Gençoğlu and M. Cebeci, The pollution flashover on high voltage insulators, Electric Power Systems Research **78**, 1914 (2008).
- [69] A. M. Rahal and C. Huraux, Flashover mechanism of high voltage insulators, IEEE Transactions on Power Apparatus and Systems **PAS-98**, 2223 (1979).
- [70] N. S. Phan, V. Cianciolo, S. M. Clayton, S. A. Currie, R. Dipert, T. M. Ito, S. W. T. MacDonald, C. M. O’Shaughnessy, J. C. Ramsey, G. M. Seidel, E. Smith, E. Tang, Z. Tang, and W. Yao, Effect of an electric field on liquid helium scintillation produced by fast electrons, Phys. Rev. C **102**, 035503 (2020).
- [71] IEC, Power cables with extruded insulation and their accessories for rated voltages above 150 kv (um = 170
- [72] D.c. extruded cable systems for power transmission at a rated voltage up to and including 500kv—part 2: D
- [73] *DuPont VESPEL parts and shapes (Chinese version)*, DuPont Company (2023).
- [74] *DuPont Kapton Summary of Properties*, DuPont Company, https://www.dupont.com/content/dam/dupont/amer/us/en/ei-transformation/public/documents/en/EI-10142_Kapton-Summary-of-Properties.pdf (2023).
- [75] O. Zebang, P. Zhaohua, Z. Jian, L. Zhuo, Z. Jiangfeng, Z. Xiuliang, and L. Junhui, Preliminary studies on tpb coating on the inner walls of a ten cm-scale cylindrical ptfe detector, Acta Phys. Sin. **10.7498/aps.71.20221283** (2022).
- [76] J. Zhou, Z. Ouyang, J. Liao, Z. Liang, Z. Peng, L. Zhang, L. Zhang, J. Zheng, and on behalf of ALETHEIA collaboration, Coating μm TPB on a cylindrical detector and studying the sample films being cooled to LN and LHe temperatures, Journal of Instrumentation **17** (12), P12001.