



Search for Higgs boson decays into a pair of pseudoscalar particles in the $\gamma\gamma\tau_{\text{had}}\tau_{\text{had}}$ final state using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector

The ATLAS Collaboration

A search for exotic decays of the 125 GeV Higgs boson into a pair of new spin-0 particles, $H \rightarrow aa$, where one decays into a photon pair and the other into a τ -lepton pair, is presented. Both τ -leptons are reconstructed in the hadronic decay modes using a dedicated tagger for collimated τ -lepton pairs. The search uses 140 fb^{-1} of proton–proton collision data at a centre-of-mass energy of $\sqrt{s} = 13$ TeV recorded between 2015 and 2018 by the ATLAS experiment at the Large Hadron Collider. The search is performed in the mass range of the a boson between 10 GeV and 60 GeV. No significant excess of events is observed above the Standard Model background expectation. Upper limits at 95% confidence level are set on the branching ratio of the Higgs boson to the $\gamma\gamma\tau\tau$ final state, $\mathcal{B}(H \rightarrow aa \rightarrow \gamma\gamma\tau\tau)$, ranging from 0.2% to 2%, depending on the a -boson mass hypothesis.

Contents

1	Introduction	2
2	ATLAS detector	3
3	Data and simulated event samples	4
4	Event reconstruction and selection	5
4.1	Event reconstruction	5
4.2	Event selection	6
5	Signal and background modelling	8
5.1	Signal parameterisation	8
5.2	Background estimation	8
6	Statistical analysis	11
7	Results	11
8	Conclusions	13

1 Introduction

The observation of a Standard Model (SM) like Higgs boson with a mass of 125 GeV [1, 2] marked the beginning of a new era in physics at the Large Hadron Collider (LHC). Currently, measurements of the properties of the Higgs boson have shown no significant deviations from the SM predictions, and the existing constraints on the couplings of the Higgs boson to SM particles limit the branching ratio into non-SM or *exotic* decays of the Higgs boson to less than approximately 10% [3, 4]. However, several beyond-the-SM scenarios predict a SM-like Higgs boson with a small intrinsic decay width ($\Gamma_H \sim 4$ MeV) and non-SM decays with a branching ratio of $\sim 10\%$ without modifying the couplings of the Higgs boson to SM particles beyond the existing bounds [5].

Light (pseudo)scalars, referred to here as a bosons, that couple to the 125 GeV Higgs boson (H) can enable new decay modes, and appear in many well-motivated extensions of the SM. Examples include theories with an extended Higgs sector [6–9], dark matter models [10–12], models with a first-order electroweak phase transition [13, 14], and theories with neutral naturalness [15, 16].

This paper presents a search for $H \rightarrow aa \rightarrow \gamma\gamma\tau_{\text{had}}\tau_{\text{had}}$, with the Higgs boson decaying into two a bosons, where one a decays into a photon pair and the other into a τ -lepton pair, reconstructed in the hadronic decay mode. The dataset consists of the proton–proton (pp) collisions recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector during the LHC Run 2 (2015–2018), corresponding to an integrated luminosity of 140 fb^{-1} . Searches targeting final states with either a photon pair or a τ -lepton pair, as decay products of such a (pseudo)scalar, have previously been conducted by both the ATLAS [17–19] and CMS [20–22] collaborations. However, this search presents the first result in the combined $\gamma\gamma\tau_{\text{had}}\tau_{\text{had}}$ final state. The two photons are used to provide a highly efficient trigger selection and an excellent mass resolution, while

the two τ -leptons benefit from a large branching ratio in models where the coupling is proportional to the particle mass, such as two-Higgs-doublet models [23].

This analysis uses the diphoton invariant mass, $m_{\gamma\gamma}$, as the main observable, further exploring the range below 60 GeV, probed for the first time with pp collisions as described in Ref. [24]. A similar strategy is implemented, requiring a boosted photon pair with transverse momentum $p_T^{\gamma\gamma}$ larger than 50 GeV, which eases the description of the background shape with analytical functions. The requirement of an additional pair of hadronically decaying τ -leptons further increases the background rejection and new reconstruction techniques for boosted τ -lepton pairs are implemented to improve the sensitivity in the low-mass regime.

The paper is structured as follows. A brief discussion of the ATLAS detector and an overview of the Monte Carlo samples and data used in the analysis are presented in Sections 2 and 3. The event reconstruction and selection are described in Section 4, with special focus on the custom reconstruction of boosted di- τ signals. The signal modelling and background estimates are discussed in Section 5, followed by a description of the dominant systematic uncertainties and the statistical method in Section 6. Finally, the results are presented in Section 7 and the conclusions are drawn in Section 8.

2 ATLAS detector

The ATLAS experiment [25] at the LHC is a multipurpose particle detector with a forward–backward symmetric cylindrical geometry and a near 4π coverage in solid angle.¹ It consists of an inner tracking detector surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer. The inner tracking detector covers the pseudorapidity range $|\eta| < 2.5$. It consists of silicon pixel, silicon microstrip, and transition radiation tracking detectors. Lead/liquid-argon (LAr) sampling calorimeters provide electromagnetic (EM) energy measurements with high granularity within the region $|\eta| < 3.2$. A steel/scintillator-tile hadronic calorimeter covers the central pseudorapidity range ($|\eta| < 1.7$). The endcap and forward regions are instrumented with LAr calorimeters for EM and hadronic energy measurements up to $|\eta| = 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. The muon spectrometer includes a system of precision tracking chambers up to $|\eta| = 2.7$ and fast detectors for triggering up to $|\eta| = 2.4$. The luminosity is measured mainly by the LUCID–2 [26] detector, which is located close to the beampipe. A two-level trigger system is used to select events [27]. The first-level trigger is implemented in hardware and uses a subset of the detector information to accept events at a rate below 100 kHz. This is followed by a software-based trigger that reduces the accepted event rate to 1 kHz on average depending on the data-taking conditions. A software suite [28] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2} \ln \left(\frac{E+p_z}{E-p_z} \right)$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta\phi)^2}$.

3 Data and simulated event samples

The search is performed using the 13 TeV pp collision dataset collected from 2015 to 2018 by the ATLAS detector, referred to as the full Run 2 dataset in the following. Only events with stable beam conditions and all ATLAS subsystems operational are considered [29], corresponding to an integrated luminosity of 140 fb^{-1} with an uncertainty of 0.83% [30]. The data were recorded using a set of diphoton triggers [31] that required two electromagnetic energy clusters satisfying identification criteria based on their expected shower shapes and transverse energies E_T above a certain threshold that varied across the data-taking period to cope with the increase in instantaneous luminosity over the years. In 2015 and the first portion of 2016, the trigger required a E_T threshold of 20 GeV, while in the remainder of 2016 the threshold was set to 22 GeV. During 2017 and 2018, the E_T threshold was set to 20 GeV along with isolation requirements. An alternative dataset is used for background estimation, collected with a prescaled diphoton trigger with looser identification criteria for the EM shower shapes and a E_T threshold of 20 GeV, corresponding to an integrated luminosity of 6.3 fb^{-1} .

Monte Carlo (MC) simulated samples are used to model signal and background processes, as well as to derive related modelling uncertainties. The generated signal events are processed through a full simulation [32] of the ATLAS geometry and response based on GEANT4 [33], while the background events are processed through a faster simulation where the full simulation of the calorimeter is replaced with a parameterisation of the calorimeter response [34]. The effects of multiple pp interactions in the same bunch crossing as the hard scatter and in neighbouring ones (defined as pile-up) are included using simulated events generated with PYTHIA 8.186 [35] using the A3 set of tuned parameters [36] and the NNPDF2.3LO [37] parton distribution functions (PDF) set. Simulated events are weighted to reproduce the distribution of the average number of interactions per bunch crossing observed in data. All simulated events are reconstructed with the same reconstruction algorithms as those used for data.

Signal event samples are generated for the SM Higgs boson produced through gluon–gluon fusion (ggF), using the NNLOPS approach [38] with POWHEG BOX v2 [39–42] interfaced with PYTHIA 8.245 [43] using the AZNLO set of tuned parameters [44] to simulate parton showering, hadronisation and the full decay chain, $H \rightarrow aa \rightarrow \gamma\gamma\tau\tau$, where the τ -leptons are set to decay hadronically. The next-to-next-to-leading-order (NNLO) PDF4LHC15 [45] sets of PDFs were used. To study on-shell decays of the Higgs boson, the mass of the pseudoscalar resonance, m_a , is varied in 5 GeV steps within the range 10 GeV to 60 GeV. The decay width of the hypothetical resonance is set to 4 MeV, consistent with the narrow-width approximation, as this value is negligible compared to the experimental resolution. Only the ggF process – the dominant Higgs boson production mechanism, accounting for approximately 87% of the total cross-section – is considered in this study, ignoring the contributions from the other Higgs boson production modes.

The main background in this search originates from events with two prompt photons and associated jets, which are simulated using the SHERPA 2.2.4 [46] event generator. The matrix elements are calculated at next-to-leading-order (NLO) in QCD for up to one additional parton and at leading-order (LO) in QCD for two or three partons, and are merged with the SHERPA parton shower simulation using the MEPS@NLO prescription [47–50]. The NNPDF3.0NNLO [51] PDF set was used in conjunction with a dedicated parton-shower tune in the SHERPA generator [52]. Processes with two photons and two τ -leptons in the final state, originating at lowest order from SM Z -boson decays, are not considered in the analysis, as the cross-section is negligible compared with the dominant background.

Interference effects between the resonant signal and the background processes are expected to be small for narrow-width signals and are neglected.

4 Event reconstruction and selection

4.1 Event reconstruction

Events are required to contain at least one reconstructed pp collision vertex candidate with at least two associated ID tracks with transverse momenta (p_T) larger than 0.5 GeV [53]. The primary vertex (PV) for each event is chosen as the reconstructed vertex with the highest sum of the p_T^2 of its associated tracks.

Photon candidates are reconstructed from topological clusters of energy deposited in the EM calorimeter, as well as from charged particle vertex and vertices reconstructed in the inner detector originating from photon conversions, and they are calibrated as described in Ref. [54]. The properties of the EM clusters associated with the two highest- E_T photons is used to correct the photon direction, resulting in improved diphoton mass resolution. To reduce the background from jets, photon candidates are required to satisfy *Tight* identification criteria based on the shape of EM showers in the LAr calorimeter and energy leakage into the hadronic calorimeter [54]. The criteria have an identification efficiency that increases with E_T from 70% at 22 GeV to 90% above 50 GeV. Events with one or both photon candidates satisfying a looser identification requirement from the prescaled data are kept for background estimations. To further improve the rejection of jets misidentified as photons, the candidates are required to be isolated using both calorimeter and tracking information. The calorimeter isolation transverse energy $E_T^{\text{iso,calo}}$ is required to be smaller than $0.065 \times E_T^\gamma$, where $E_T^{\text{iso,calo}}$ is defined as the sum of the transverse energies of positive-energy topological clusters [55] within a cone of size $\Delta R = 0.2$ around the photon candidate, excluding the photon transverse energy E_T^γ and correcting for pile-up and underlying-event contributions [56–58]. The track isolation transverse energy $E_T^{\text{iso,trk}}$ is required to be less than $0.05 \times E_T^\gamma$, where $E_T^{\text{iso,trk}}$ is defined as the scalar sum of the transverse momenta of tracks with $p_T > 1$ GeV in a $\Delta R = 0.2$ cone around the photon candidate. The tracks considered must satisfy some loose track-quality criteria [54], should not be associated with the photon conversion vertex if it exists, and originate from the PV set as the diphoton production vertex. The combined isolation efficiency for pairs of photons fulfilling the identification criteria in simulated signal samples increases with $m_{\gamma\gamma}$ from 80% at 10 GeV to 90% at 90 GeV.

Electrons are reconstructed from energy clusters in the EM calorimeter matched to tracks reconstructed in the ID, and are required to have $p_T > 27$ GeV and $|\eta| < 2.47$. Electrons in the calorimeter barrel–endcap transition region ($1.37 < |\eta| < 1.52$) are excluded. Electrons must satisfy the *Tight* identification criteria [59], the longitudinal impact parameter must be smaller than 0.5 mm, and the transverse impact parameter significance smaller than 5, both defined with respect to the beam line. Isolation criteria are applied to the selected electrons using both tracking and calorimeter information with a p_T -dependent cone radius [54].

Muons are reconstructed using different methods depending on the availability of the tracks in the MS and the ID [60], and are required to have $p_T > 27$ GeV and $|\eta| < 2.7$. Similarly to the electrons, muons are required to satisfy the *Medium* identification criteria [60], the longitudinal impact parameter smaller than 0.5 mm, and the transverse impact parameter significance smaller than 3. The isolation criteria are based on requirements from both the ID and calorimeters, also with a p_T -dependent cone radius [60].

Jets are reconstructed using the anti- k_t algorithm [61] as implemented in FASTJET [62] with a radius parameter $R = 0.4$. The inputs to this algorithm are particle flow objects [63], which combine measurements from the ID and calorimeters [55] to improve the jet energy resolution and increase the jet reconstruction efficiency, especially at low jet p_T . The jet energy scale is calibrated to the particle level using simulation and further corrected with in-situ methods [64]. Jets are required to have $p_T > 25$ GeV and $|\eta| < 2.5$.

The reconstruction of the visible component of hadronically decaying τ -lepton candidates, $\tau_{\text{had-vis}}$, is seeded from jets reconstructed using the anti- k_t algorithm with a radius parameter $R = 0.4$ whose inputs are topoclusters, three-dimensional clusters of calorimeter cells [55], calibrated using a local hadronic calibration [65]. Reconstructed τ_{had} candidates are required to have $p_T > 20$ GeV, $|\eta| < 2.5$ (excluding the transition region $1.37 < |\eta| < 1.52$) and either one or three associated tracks with a total charge of ± 1 [65]. The *Loose* identification criteria, applied for the $\tau_{\text{had-vis}}$ candidates, are based on a Recurrent Neural Network (RNN) algorithm, which uses tracks and calorimeter clusters associated to τ_{had} candidates as well as high-level discriminating variables, to reject background from jets misidentified as $\tau_{\text{had-vis}}$ candidates [66]. In the following, a *resolved* di- τ object refers to two separated $\tau_{\text{had-vis}}$ candidates. The RNN identification is used for resolved $\tau_{\text{had-vis}}$ candidates, while a dedicated algorithm for *boosted* di- τ objects is described below.

The boosted di- τ object refers to two $\tau_{\text{had-vis}}$ that are within $\Delta R < 0.4$ from each other, such that the reconstruction is performed via a custom algorithm [67] using the substructure of a large-radius jet. The large-radius jet is reconstructed using the anti- k_t jet algorithm with a radius parameter $R = 1.0$ from particle-flow objects and required to have $p_T > 50$ GeV, followed by the reclustering of its constituents into subjects with $p_T > 10$ GeV, using the anti- k_t algorithm with $R = 0.2$. At least two subjects are required to define a boosted di- τ candidate, with each of the two containing either one or three associated tracks. The subjects are ordered in p_T and referred to as the *leading* and *sub-leading* subjects, respectively. The charge product of the two leading subjects is ± 1 , where the charge of each subject is defined as the sum of the charges of the associated tracks. Then a dedicated identification algorithm is implemented to distinguish the boosted di- τ candidates from quark- or gluon-initiated jets, using a boosted decision tree (BDT) method, based on a set of kinematic variables. The discriminating variables are derived from track and calorimeter information of the subjects associated with the di- τ candidates. The performance of the reconstruction and identification algorithms is estimated in a calibration analysis, with the measurement of the di- τ identification efficiencies in data and simulation, the ratio of which is defined as the boosted di- τ *scale factor* (SF). The efficiency measurement is performed via the tag-and-probe technique using boosted di- τ objects from the SM $Z (\rightarrow \tau_{\text{had}}\tau_{\text{had}}) + \gamma$ process, recorded with a high- p_T photon trigger. A *Medium* di- τ BDT-based identification criterion is defined, corresponding to a BDT score > 0.35 selection. The estimated signal efficiency is approximately 70%, with a measured background rejection factor of about 240. The corresponding SF is 1.00 ± 0.35 (stat.) ± 0.13 (syst.). The di- τ BDT score distributions for both data and simulated signal samples corresponding to m_a values of 10 GeV and 30 GeV are shown in Figure 1.

The examination of the visible p_T of the di- τ decay products, $p_{T,\text{vis}}^{\tau\tau}$, in the boosted di- τ calibration analysis and in this search using simulated events, shows that the former exhibits values an order of magnitude higher. An extrapolation uncertainty is hence introduced to account for the different kinematic regimes probed in both studies. The boosted di- τ SF is extrapolated to the relevant $p_{T,\text{vis}}^{\tau\tau}$ range and is found to be consistent with unity within 50%, which is taken as a systematic uncertainty and added in quadrature to the boosted di- τ SF uncertainty.

4.2 Event selection

The event selection requires at least two photon candidates with transverse energies larger than 22 GeV and $|\eta| < 2.37$, excluding the transition regions of the calorimeter, $1.37 < |\eta| < 1.52$. The transverse energy requirement is chosen to mitigate the effects in the trigger efficiency near the trigger thresholds discussed in Section 3. The diphoton invariant mass is computed using the transverse energies of the leading




Figure 1: Di- τ BDT score distribution for data and two representative signal masspoints, for events that satisfy the selection criteria in Section 4 and contain a boosted di- τ candidate. The BDT score > 0.35 selection (dotted line) is referred to as the *Medium* di- τ identification working point and is used in the analysis. Statistical uncertainties in the data are represented by the errors bars around the points and in the simulated signal by the hatched bands around the histograms.

and sub-leading photon candidates and their angular separation in both azimuth ϕ and pseudorapidity η , determined from their positions in the calorimeter and the production vertex. An additional kinematic selection is placed on the transverse momentum of the diphoton system, $p_T^{\gamma\gamma}$, requiring events to have a diphoton pair with $p_T^{\gamma\gamma} > 50$ GeV. This requirement is motivated by the fact that the analysis targets diphoton pairs with low invariant masses, down to about half the trigger energy thresholds, and such pairs are typically highly boosted with respect to the ATLAS detector rest frame. Moreover, the $p_T^{\gamma\gamma}$ requirement is chosen to reach the best compromise between the statistical uncertainty in the lowest part of the diphoton invariant mass spectrum and sculpting effects on the background shape from the trigger thresholds, whose mismodelling would result in large systematic uncertainties.

The selection additionally requires a boosted di- τ candidate or two resolved τ -leptons to provide coverage for the whole m_a mass spectrum. If the event contains a di- τ signature that is reconstructed by both the boosted and the resolved di- τ algorithms, the resolved τ -lepton pair is selected due to its corresponding di- τ -related identification uncertainties being significantly smaller. Considering both the resolved and boosted topologies, the di- τ tagger recovers sensitivity mostly in the $m_{\gamma\gamma} \lesssim 25$ GeV domain, dominated by the presence of boosted di- τ objects, as shown in Figure 2. As the di- τ signal is expected from a neutral particle, the τ -leptons are required to have opposite charges. As for the identification criteria, the two leading resolved τ -leptons must satisfy the *Loose* identification working point [66], whereas the boosted di- τ should fulfil the *Medium* working point [67]. Additionally, the events are required to contain no electrons or muons to reject backgrounds involving leptonic final states, which are not expected from the signal.

Additionally, events that fail the τ -lepton pair requirements, as well as the photon identification and isolation criteria, are kept for background composition studies. For boosted di- τ objects, the identification requirement is inverted, and the two leading subjets are required to have the same charge. In events with a resolved τ -lepton pair, either the two leading τ -leptons are required to have the same charge, or one of them has to fail the *Loose* identification requirement. In the following, these selections are referred to as




Figure 2: Di- τ reconstruction and identification combined efficiency in signal for the different di- τ categories: *boosted* (circles), *resolved* (squares) and *boosted or resolved* (triangles). The analysis uses the latter to maximize the signal efficiency across the whole mass range probed. The efficiency is defined using the *truth-matched* preselection that refers to both boosted di- τ objects and resolved τ -leptons, geometrically matching the reconstructed object or its constituents to the particle-level object within $\Delta R = 0.2$. Connecting dashed lines are only for visualization purposes. Only statistical uncertainties are represented.

the *inverted di- τ selections*.

5 Signal and background modelling

5.1 Signal parameterisation

The signal modelling strategy consists of fitting the diphoton invariant mass distribution of simulated signal samples with different masses to a double-sided Crystal Ball (DSCB) function, composed of a Gaussian core with power-law tails [68, 69]. The parameters of the DSCB function are extracted from these fits for each signal m_a hypothesis and parameterised linearly with respect to m_a . The width of the Gaussian core, driven entirely by the detector resolution, ranges from 0.2 to 1.0 GeV. The signal model agrees well with the simulated signal samples, with differences below 2.5% of the fitted signal yield. This value is used as the signal modelling uncertainty.

5.2 Background estimation

Background decomposition

The dominant backgrounds generally consist of three components: the continuum diphoton production ($\gamma\gamma$), photon-jet (γj) and jet pair (jj) events, where one or more jets are misidentified as photons. In addition, these background processes contain a τ -lepton pair misidentified from one or more additional jets. The background consisting of events with genuine photons and hadronically decaying τ -lepton pairs – originating at lowest order from a Z boson decaying into a τ -lepton pair produced in association with




Figure 3: Diphoton invariant mass distribution in data after the inverted di- τ selections, and its decomposition into contributions from diphoton ($\gamma\gamma$), photon-jet (γj) and jet pair ($j j$) events as determined using the two-dimensional sideband method. The statistical uncertainties are shown as error bars, while the total uncertainties, including statistical and systematic components added in quadrature, are shown as shaded bands.

a photon pair – is highly suppressed due to its small cross-section and the boosted selections, and is estimated to contribute only about 1% of the data. This leaves the background to be dominated by the photon processes.

The search makes use of a data-driven background estimate in which the continuum background shape is parameterised by an analytical function. Background templates are built to estimate the robustness of the background parameterisation and derive modelling systematic uncertainties. The nominal background template is composed of the irreducible and reducible sources: the former being the $\gamma\gamma$ component obtained from simulated diphoton samples; and the latter combining the γj and $j j$ components obtained from control regions, inverting the photon identification criteria, in the alternative data samples. Those are recorded using the prescaled diphoton trigger that allows to relax the photon identification and isolation criteria. Due to the limited size of the data and simulated samples, both irreducible and reducible sources apply the inverted di- τ selections, defined in Section 4. Comparing the diphoton invariant mass distributions obtained for different di- τ selections, their shapes are observed to agree within statistical uncertainties, allowing the use of such di- τ selections to describe the expected background in data. The two sources are then combined according to their relative fractions estimated by using the two-dimensional sideband method [70]. This method is used in analyses with final states containing two photons, alternately inverting their isolation and identification criteria to measure the contribution of the $\gamma\gamma$, γj and $j j$ components, as shown in Figure 3. The overall diphoton purity, defined within the $m_{\gamma\gamma}$ range 6–68 GeV as the fraction of the $\gamma\gamma$ component in the data, is 0.61 ± 0.01 (stat.) ± 0.04 (syst.).

Template shape description

The entire background template shape is described using an analytic functional form. The chosen function is a product of a sigmoid function that effectively describes the turn-on at low masses, and an exponential function that models the smoothly falling shape at high masses:

$$f(m_{\gamma\gamma}; N, \delta_{\text{sgmd}}, \tau_{\text{sgmd}}, \lambda_{\text{exp}}) = N \times \frac{1}{1 + e^{-(m_{\gamma\gamma} - \delta_{\text{sgmd}})/\tau_{\text{sgmd}}}} \times e^{-\lambda_{\text{exp}} m_{\gamma\gamma}},$$

where N is a normalisation constant, δ_{sgmd} and τ_{sgmd} are the parameters regulating the step of the sigmoid function, while λ_{exp} is the exponential function decay constant. The function parameters are fit to the background template in the $m_{\gamma\gamma}$ range 6–68 GeV.

Variations of the nominal background template are built to validate the flexibility of the function and to estimate systematic uncertainties. The variations are obtained by either modifying the photon identification criteria, varying the $\gamma\gamma$ purity by its uncertainty, or altering the di- τ identification criteria. The difference in the yield between the various template shape variations and the nominal ranges up to 10% for different di- τ selections and up to 4% when the normalisation of the $\gamma\gamma$ component is varied.

Modelling bias evaluation

The uncertainty arising from the choice of background model is based on signal-plus-background fits to background-only template histograms [71]. Any fit signal yield is referred to as a *spurious signal* and is considered as a systematic uncertainty of the background model. The model described has a maximum bias of 13% of the statistical uncertainty of all the templates. Although the spurious signal is small, it is susceptible to statistical fluctuations in the data, as the template is built with limited statistics.

To reduce the statistical effects on the background modelling uncertainty, templates are smoothed using a Gaussian Processes regression [72]. This is a non-parametric regression technique used to estimate the underlying function of a dataset exploiting the correlation between points separated a certain distance denominated the *length scale*, without modifying significantly the background shape nor introducing any bias in the yield [24]. The length scale encodes the minimum feature size expected in the background shape, corresponding in this analysis to the trigger turn-on of size between 1 and 2 GeV, which is also larger than the signal resolution. Background templates in the full $m_{\gamma\gamma}$ range 6–68 GeV are smoothed, removing the statistical fluctuations. Since the smoothing is based on the correlation between neighbouring data, the combined signal and background model fit is performed using the $m_{\gamma\gamma}$ range 10–60 GeV to mitigate any mismodelling introduced by the edge effect. With the statistical fluctuations mitigated, the estimated spurious signal is reduced to less than approximately 5% of the statistical uncertainty of the template.

The spurious signal is then estimated for all the background template variations described previously. This allows to estimate the bias from the choice of background modelling, which is always largest at the turn-on region and up to 8% of the expected statistical uncertainty. The systematic uncertainty results from the envelope of the maximum spurious signal obtained for all background template variations.

6 Statistical analysis

The presence of a $H \rightarrow aa \rightarrow \gamma\gamma\tau_{\text{had}}\tau_{\text{had}}$ signal is tested by means of a likelihood function built from the observed diphoton invariant mass distribution and the analytic functions discussed in Sections 5.1 and 5.2, describing the signal and background components in the $m_{\gamma\gamma}$ range 6–68 GeV. The mass range is chosen to avoid bias in the background modelling due to another turn-on caused by the $p_{\text{T}}^{\gamma\gamma} > 50$ GeV selection. The search is then performed in the 10–60 GeV mass range to avoid edge effects. The parameter of interest to be extracted from the likelihood fit is the branching ratio $\mathcal{B}(H \rightarrow aa \rightarrow \gamma\gamma\tau\tau)$, which includes the Higgs boson production cross-section via the ggF process, 48.5 ± 2.4 pb [73], the dominant mechanism, and the total signal selection efficiency estimated from simulated signal samples. The efficiency accounts for the branching ratio for hadronically decaying τ -leptons, and it ranges from 2.2×10^{-4} to 1.0×10^{-4} for masses between 10 and 60 GeV. The mass dependence arises from the boosted and resolved selections – with the former being more efficient in the low-mass regime and the latter in the high-mass regime – as well as from the boosted topology required for the diphoton system via the $p_{\text{T}}^{\gamma\gamma}$ selection.

The systematic uncertainties are implemented in the likelihood function as nuisance parameters constrained by Gaussian penalty terms, and are summarised in Table 1. The theoretical uncertainties affecting the measurement of $\mathcal{B}(H \rightarrow aa \rightarrow \gamma\gamma\tau\tau)$ arise from variations of the renormalisation and factorisation scales, as well as the choice of the PDFs, modifying the total signal selection efficiency evaluated in simulated samples. The experimental uncertainties directly impacting the signal yield include those related to the integrated luminosity, the modelling of pile-up interactions in simulation, the trigger efficiency, the photon identification and isolation efficiencies, the photon energy scale and resolution, the boosted di- τ reconstruction efficiency that includes the extrapolation uncertainty, and the resolved τ -lepton reconstruction and identification efficiencies, as well as the τ -lepton energy scale. An additional systematic uncertainty in the trigger is included to account for the capability of the trigger system to identify two closely spaced electromagnetic showers, as done in Ref. [24]. Systematic uncertainties accounting for signal and background mismodelling are included, primarily arising from the signal shape parameterisation and the fit bias (discussed in Section 5.2). All systematic uncertainties, except those specific to either the boosted or resolved τ -lepton reconstruction, are applied to both categories.

The best-fit branching ratio is obtained by performing an unbinned likelihood fit to the data under the signal-plus-background hypothesis. The compatibility of the observed data and the background-only hypothesis for a given signal hypothesis m_a is tested by estimating a local p -value based on a profile-likelihood-ratio test statistic [74].

In the absence of a signal, the expected and observed 95% confidence level (CL) exclusion limits on the branching ratio are evaluated using the modified frequentist approach CL_s [75] with the asymptotic approximation to the test-statistic distribution [74]. The asymptotic approximation was validated with pseudo-experiments and agrees within 10%.

7 Results

The diphoton invariant mass distribution of events satisfying the analysis selections is shown in Figure 4, along with the background-only fit performed in the $m_{\gamma\gamma}$ range 6–68 GeV.

Table 1: Summary of the main sources of systematic uncertainty. Their impact on the branching ratio is shown, except for the background modelling uncertainty, which is expressed both as a number of events and relative to the expected statistical uncertainty δS of a fitted signal. The m_a -dependent uncertainties are given for two m_a values, 10 GeV and 50 GeV.

Source	Uncertainty	
	In $\mathcal{B}(H \rightarrow aa \rightarrow \gamma\gamma\tau\tau)$ [%]	
	$m_a = 10$ GeV	$m_a = 50$ GeV
Boosted di- τ reconstruction efficiency	63	0.8
Theory	9.9	27
Pile-up reweighting		4.5
Resolved τ reconstruction, identification and energy scale	0.3	4.0
Photon energy resolution		3.0
Photon identification efficiency		2.9
Signal shape modelling		2.5
Photon isolation efficiency		2.4
Photon trigger efficiency		1.1
Photon energy scale		< 1.0
Luminosity		0.8
Trigger on closely spaced photons	0.8	< 0.1
In background modelling		
Spurious signal	< $0.08 \sigma_{\text{stat}}$	< $0.01 \sigma_{\text{stat}}$
	0.16 events	0.06 events




Figure 4: Distribution of the diphoton invariant mass for all events satisfying the analysis selections in the full Run 2 dataset with the background-only fit superimposed (dotted line). The background-plus-signal fit is given as an example for $m_a = 39$ GeV (solid line), and the corresponding signal hypothesis is shown (dashed line). The bottom panel shows the difference between the data points and the background-plus-signal fit, expressed in units of the statistical uncertainty in the data.




Figure 5: (a) Scan of the observed p -value as a function of m_a for the background-only hypothesis. (b) Observed (solid line) and expected (dashed line) upper limits at 95% CL on the branching ratio for $H \rightarrow aa \rightarrow \gamma\gamma\tau\tau$ as a function of m_a . The surrounding shaded bands correspond to ± 1 and ± 2 standard deviations around the expected limit.

The result of the p -value scan as a function of the hypothesised resonance mass m_a is shown in Figure 5(a). The most significant deviations from the background-only hypothesis are observed for masses of 39 GeV and 48 GeV, and correspond to significances of 2.2σ and 2.1σ , respectively.

The observed and expected 95% CL upper limits on $\mathcal{B}(H \rightarrow aa \rightarrow \gamma\gamma\tau\tau)$ as a function of m_a are shown in Figure 5(b), ranging from 0.2% to 2% and 0.5% to 1%, respectively, where the best sensitivity is achieved in m_a range 10–35 GeV. The dominant uncertainties arise from the limited number of pp collisions collected, partially accounted for in the boosted di- τ identification uncertainty, and from the di- τ extrapolation uncertainty addressing the difference in the kinematic regimes probed in this analysis and in the di- τ calibration study.

8 Conclusions

A search for SM Higgs boson decays into two pseudoscalars, a , with one decaying into a photon pair and the other into a hadronically decaying τ -lepton pair, $H \rightarrow aa \rightarrow \gamma\gamma\tau_{\text{had}}\tau_{\text{had}}$, is performed using 140 fb $^{-1}$ of pp collision data at $\sqrt{s} = 13$ TeV collected with the ATLAS detector at the LHC. This analysis considers both resolved and boosted di- τ topologies, using for the first time a novel algorithm for reconstructing a collimated τ -lepton pair decaying hadronically, enhancing the search sensitivity at low values of the pseudoscalar mass. The diphoton invariant mass spectrum, ranging from 10 to 60 GeV, is analyzed to search for a narrow resonance on a smooth, quasi-flat background modelled by an analytic functional form. The data is consistent with the SM background expectation, and limits are set on the process branching ratio. The observed (expected) 95% confidence level upper limits on $\mathcal{B}(H \rightarrow aa \rightarrow \gamma\gamma\tau\tau)$ range from 0.2% (0.5%) to 2% (1%), with variations mainly due to statistical fluctuations of the data. As the first such search conducted at the LHC, it contributes to the broad program of searches for $H \rightarrow aa$ decays that is underway, probing different final states.

Acknowledgements

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (UK) and BNL (USA), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in Ref. [76].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ICHEP and Academy of Sciences and Humanities, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from Armenia: Yerevan Physics Institute (FAPERJ); CERN: European Organization for Nuclear Research (CERN DOCT); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1230812, FONDECYT 1230987, FONDECYT 1240864); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700, MOST-2023YFA1609300), National Natural Science Foundation of China (NSFC - 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR - 24-11373S), Ministry of Education Youth and Sports (FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC - 101002463); European Union: European Research Council (ERC - 948254, ERC 101089007, ERC, BARD, 101116429), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG - 469666862, DFG - CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (PRIN - 20223N7F8K - PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227, JSPS KAKENHI

JP23KK0245); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS 2023/51/B/ST2/02507, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, NCN & H2020 MSCA 945339, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085, UMO-2023/51/B/ST2/00920); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS 22:2312), Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF - PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

References

- [1] ATLAS Collaboration, *Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC*, *Phys. Lett. B* **716** (2012) 1, arXiv: [1207.7214 \[hep-ex\]](#).
- [2] CMS Collaboration, *Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC*, *Phys. Lett. B* **716** (2012) 30, arXiv: [1207.7235 \[hep-ex\]](#).
- [3] ATLAS Collaboration, *A detailed map of Higgs boson interactions by the ATLAS experiment ten years after the discovery*, *Nature* **607** (2022) 52, arXiv: [2207.00092 \[hep-ex\]](#), Erratum: *Nature* **612** (2022) E24.
- [4] CMS Collaboration, *A portrait of the Higgs boson by the CMS experiment ten years after the discovery*, *Nature* **607** (2022) 60, arXiv: [2207.00043 \[hep-ex\]](#), Erratum: *Nature* **623** (2023) E4.
- [5] D. Curtin et al., *Exotic decays of the 125 GeV Higgs boson*, *Phys. Rev. D* **90** (2014) 075004, arXiv: [1312.4992 \[hep-ph\]](#).
- [6] B. A. Dobrescu and K. T. Matchev, *Light axion within the next-to-minimal supersymmetric standard model*, *JHEP* **09** (2000) 031, arXiv: [hep-ph/0008192](#).
- [7] U. Ellwanger, J. F. Gunion, C. Hugonie and S. Moretti, *Towards a no lose theorem for NMSSM Higgs discovery at the LHC*, (2003), arXiv: [hep-ph/0305109](#).
- [8] R. Dermíšek and J. F. Gunion, *Escaping the Large Fine-Tuning and Little Hierarchy Problems in the Next to Minimal Supersymmetric Model and $h \rightarrow aa$ Decays*, *Phys. Rev. Lett.* **95** (2005), arXiv: [hep-ph/0502105 \[hep-ph\]](#).
- [9] S. Chang, R. Dermíšek, J. F. Gunion and N. Weiner, *Nonstandard Higgs Boson Decays*, *Ann. Rev. Nucl. Part. Sci.* **58** (2008) 75, arXiv: [0801.4554 \[hep-ph\]](#).

- [10] V. Silveira and A. Zee, *SCALAR PHANTOMS*, *Phys. Lett. B* **161** (1985) 136.
- [11] M. Pospelov, A. Ritz and M. Voloshin, *Secluded WIMP Dark Matter*, *Phys. Lett. B* **662** (2008) 53, arXiv: [0711.4866 \[hep-ph\]](#).
- [12] S. Ipek, D. McKeen and A. E. Nelson, *Renormalizable model for the Galactic Center gamma-ray excess from dark matter annihilation*, *Phys. Rev. D* **90** (2014) 055021, arXiv: [1404.3716 \[hep-ph\]](#).
- [13] S. Profumo, M. J. Ramsey-Musolf and G. Shaughnessy, *Singlet Higgs phenomenology and the electroweak phase transition*, *JHEP* **08** (2007) 010, arXiv: [0705.2425 \[hep-ph\]](#).
- [14] N. Blinov, J. Kozaczuk, D. E. Morrissey and C. Tamarit, *Electroweak Baryogenesis from Exotic Electroweak Symmetry Breaking*, *Phys. Rev. D* **92** (2015) 035012, arXiv: [1504.05195 \[hep-ph\]](#).
- [15] N. Craig, A. Katz, M. Strassler and R. Sundrum, *Naturalness in the Dark at the LHC*, *JHEP* **07** (2015) 105, arXiv: [1501.05310 \[hep-ph\]](#).
- [16] D. Curtin and C. B. Verhaaren, *Discovering Uncolored Naturalness in Exotic Higgs Decays*, *JHEP* **12** (2015) 1, arXiv: [1506.06141 \[hep-ph\]](#).
- [17] ATLAS Collaboration, *Search for decays of the Higgs boson into a pair of pseudoscalar particles decaying into $b\bar{b}\tau^+\tau^-$ using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **110** (2024) 052013, arXiv: [2407.01335 \[hep-ex\]](#).
- [18] ATLAS Collaboration, *Search for short- and long-lived axion-like particles in $H \rightarrow aa \rightarrow 4\gamma$ decays with the ATLAS experiment at the LHC*, *Eur. Phys. J. C* **84** (2024) 742, arXiv: [2312.03306 \[hep-ex\]](#).
- [19] ATLAS Collaboration, *Search for the decay of the Higgs boson to a Z boson and a light pseudoscalar particle decaying to two photons*, *Phys. Lett. B* **850** (2024) 138536, arXiv: [2312.01942 \[hep-ex\]](#).
- [20] CMS Collaboration, *Search for exotic decays of the Higgs boson to a pair of pseudoscalars in the $\mu\mu b\bar{b}$ and $\tau\tau b\bar{b}$ final states*, *Eur. Phys. J. C* **84** (2024) 493, arXiv: [2402.13358 \[hep-ex\]](#).
- [21] CMS Collaboration, *Search for the exotic decay of the Higgs boson into two light pseudoscalars with four photons in the final state in proton–proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **07** (2023) 148, arXiv: [2208.01469 \[hep-ex\]](#).
- [22] CMS Collaboration, *Search for an exotic decay of the Higgs boson into a Z boson and a pseudoscalar particle in proton-proton collisions at $s=13$ TeV*, *Phys. Lett. B* **852** (2024) 138582, arXiv: [2311.00130 \[hep-ex\]](#).
- [23] G. C. Branco et al., *Theory and phenomenology of two-Higgs-doublet models*, *Phys. Rept.* **516** (2012) 1, arXiv: [1106.0034 \[hep-ph\]](#).
- [24] ATLAS Collaboration, *Search for boosted diphoton resonances in the 10 to 70 GeV mass range using 138 fb^{-1} of 13 TeV pp collisions with the ATLAS detector*, *JHEP* **07** (2023) 155, arXiv: [2211.04172 \[hep-ex\]](#).
- [25] ATLAS Collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, *JINST* **3** (2008) S08003.
- [26] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *JINST* **13** (2018) P07017.

- [27] ATLAS Collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317, arXiv: 1611.09661 [hep-ex].
- [28] ATLAS Collaboration, *Software and computing for Run 3 of the ATLAS experiment at the LHC*, (2024), arXiv: 2404.06335 [hep-ex].
- [29] ATLAS Collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *JINST* **15** (2020) P04003, arXiv: 1911.04632 [physics.ins-det].
- [30] ATLAS Collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982, arXiv: 2212.09379 [hep-ex].
- [31] ATLAS Collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47, arXiv: 1909.00761 [hep-ex].
- [32] ATLAS Collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823, arXiv: 1005.4568 [physics.ins-det].
- [33] S. Agostinelli et al., *GEANT4 – a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250.
- [34] ATLAS Collaboration, *The simulation principle and performance of the ATLAS fast calorimeter simulation FastCaloSim*, ATL-PHYS-PUB-2010-013, 2010, URL: <https://cds.cern.ch/record/1300517>.
- [35] T. Sjöstrand, S. Mrenna and P. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852, arXiv: 0710.3820 [hep-ph].
- [36] ATLAS Collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie–Landshoff diffractive model*, ATL-PHYS-PUB-2016-017, 2016, URL: <https://cds.cern.ch/record/2206965>.
- [37] NNPDF Collaboration, R. D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244, arXiv: 1207.1303 [hep-ph].
- [38] K. Hamilton, P. Nason, E. Re and G. Zanderighi, *NNLOPS simulation of Higgs boson production*, *JHEP* **10** (2013) 222, arXiv: 1309.0017 [hep-ph].
- [39] P. Nason and C. Oleari, *NLO Higgs boson production via vector-boson fusion matched with shower in POWHEG*, *JHEP* **02** (2010) 037, arXiv: 0911.5299 [hep-ph].
- [40] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043, arXiv: 1002.2581 [hep-ph].
- [41] P. Nason, *A new method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040, arXiv: hep-ph/0409146.
- [42] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with parton shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070, arXiv: 0709.2092 [hep-ph].
- [43] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159, arXiv: 1410.3012 [hep-ph].
- [44] ATLAS Collaboration, *Measurement of the Z/γ^* boson transverse momentum distribution in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **09** (2014) 145, arXiv: 1406.3660 [hep-ex].

- [45] J. Butterworth et al., *PDF4LHC recommendations for LHC Run II*, *J. Phys. G* **43** (2016) 023001, arXiv: [1510.03865 \[hep-ph\]](#).
- [46] E. Bothmann et al., *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034, arXiv: [1905.09127 \[hep-ph\]](#).
- [47] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049, arXiv: [1111.1220 \[hep-ph\]](#).
- [48] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers. The NLO case*, *JHEP* **04** (2013) 027, arXiv: [1207.5030 \[hep-ph\]](#).
- [49] S. Catani, F. Krauss, B. R. Webber and R. Kuhn, *QCD Matrix Elements + Parton Showers*, *JHEP* **11** (2001) 063, arXiv: [hep-ph/0109231](#).
- [50] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053, arXiv: [0903.1219 \[hep-ph\]](#).
- [51] NNPDF Collaboration, R. D. Ball et al., *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040, arXiv: [1410.8849 \[hep-ph\]](#).
- [52] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani–Seymour dipole factorisation*, *JHEP* **03** (2008) 038, arXiv: [0709.1027 \[hep-ph\]](#).
- [53] ATLAS Collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026, 2015, URL: <https://cds.cern.ch/record/2037717>.
- [54] ATLAS Collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton–proton collision data*, *JINST* **14** (2019) P12006, arXiv: [1908.00005 \[hep-ex\]](#).
- [55] ATLAS Collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, *Eur. Phys. J. C* **77** (2017) 490, arXiv: [1603.02934 \[hep-ex\]](#).
- [56] ATLAS Collaboration, *Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *Phys. Rev. D* **83** (2011) 052005, arXiv: [1012.4389 \[hep-ex\]](#).
- [57] M. Cacciari, G. P. Salam and G. Soyez, *The catchment area of jets*, *JHEP* **04** (2008) 005, arXiv: [0802.1188 \[hep-ph\]](#).
- [58] M. Cacciari, G. P. Salam and S. Sapeta, *On the characterisation of the underlying event*, *JHEP* **04** (2010) 065, arXiv: [0912.4926 \[hep-ph\]](#).
- [59] ATLAS Collaboration, *Electron and photon energy calibration with the ATLAS detector using LHC Run 2 data*, *JINST* **19** (2024) P02009, arXiv: [2309.05471 \[hep-ex\]](#).
- [60] ATLAS Collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578, arXiv: [2012.00578 \[hep-ex\]](#).
- [61] M. Cacciari, G. P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063, arXiv: [0802.1189 \[hep-ph\]](#).

- [62] M. Cacciari, G. P. Salam and G. Soyez, *FastJet user manual*, *Eur. Phys. J. C* **72** (2012) 1896, arXiv: [1111.6097 \[hep-ph\]](#).
- [63] ATLAS Collaboration, *Jet reconstruction and performance using particle flow with the ATLAS Detector*, *Eur. Phys. J. C* **77** (2017) 466, arXiv: [1703.10485 \[hep-ex\]](#).
- [64] ATLAS Collaboration, *Jet energy scale measurements and their systematic uncertainties in proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002, arXiv: [1703.09665 \[hep-ex\]](#).
- [65] ATLAS Collaboration, *Reconstruction, Energy Calibration, and Identification of Hadronically Decaying Tau Leptons in the ATLAS Experiment for Run-2 of the LHC*, ATL-PHYS-PUB-2015-045, 2015, URL: <https://cds.cern.ch/record/2064383>.
- [66] ATLAS Collaboration, *Identification of hadronic tau lepton decays using neural networks in the ATLAS experiment*, ATL-PHYS-PUB-2019-033, 2019, URL: <https://cds.cern.ch/record/2688062>.
- [67] ATLAS Collaboration, *Reconstruction and identification of pairs of collimated τ -leptons decaying hadronically using $\sqrt{s} = 13$ TeV pp collision data with the ATLAS detector*, (2024), arXiv: [2411.09357 \[hep-ex\]](#).
- [68] ATLAS Collaboration, *Search for Scalar Diphoton Resonances in the Mass Range 65–600 GeV with the ATLAS Detector in pp Collision Data at $\sqrt{s} = 8$ TeV*, *Phys. Rev. Lett.* **113** (2014) 171801, arXiv: [1407.6583 \[hep-ex\]](#).
- [69] M. Oreglia, *A Study of the Reactions $\psi' \rightarrow \gamma\gamma\psi$* , PhD thesis, 1980, URL: <https://www.slac.stanford.edu/cgi-bin/getdoc/slac-r-236.pdf>.
- [70] ATLAS Collaboration, *Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector*, *JHEP* **01** (2013) 086, arXiv: [1211.1913 \[hep-ex\]](#).
- [71] ATLAS Collaboration, *Recommendations for the Modeling of Smooth Backgrounds*, ATL-PHYS-PUB-2020-028, 2020, URL: <https://cds.cern.ch/record/2743717>.
- [72] C. E. Rasmussen and C. K. I. Williams, *Gaussian Processes for Machine Learning (Adaptive Computation and Machine Learning)*, The MIT Press, 2005, ISBN: 026218253X.
- [73] D. de Florian et al., *Handbook of LHC Higgs Cross Sections: 4. Deciphering the Nature of the Higgs Sector*, (2017), arXiv: [1610.07922 \[hep-ph\]](#).
- [74] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554, arXiv: [1007.1727 \[physics.data-an\]](#), Erratum: *Eur. Phys. J. C* **73** (2013) 2501.
- [75] T. Junk, *Confidence level computation for combining searches with small statistics*, *Nucl. Instrum. Meth. A* **434** (1999) 435, arXiv: [hep-ex/9902006](#).
- [76] ATLAS Collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001, 2023, URL: <https://cds.cern.ch/record/2869272>.

The ATLAS Collaboration

G. Aad ¹⁰⁴, E. Aakvaag ¹⁷, B. Abbott ¹²³, S. Abdelhameed ^{119a}, K. Abeling ⁵⁶, N.J. Abicht ⁵⁰, S.H. Abidi ³⁰, M. Aboeela ⁴⁶, A. Aboulhorma ^{36e}, H. Abramowicz ¹⁵⁵, Y. Abulaiti ¹²⁰, B.S. Acharya ^{70a,70b,n}, A. Ackermann ^{64a}, C. Adam Bourdarios ⁴, L. Adamczyk ^{87a}, S.V. Addepalli ¹⁴⁷, M.J. Addison ¹⁰³, J. Adelman ¹¹⁸, A. Adiguzel ^{22c}, T. Adye ¹³⁷, A.A. Affolder ¹³⁹, Y. Afik ⁴¹, M.N. Agaras ¹³, A. Aggarwal ¹⁰², C. Agheorghiesei ^{28c}, F. Ahmadov ^{40,ac}, S. Ahuja ⁹⁷, X. Ai ^{63e}, G. Aielli ^{77a,77b}, A. Aikot ¹⁶⁸, M. Ait Tamlihat ^{36e}, B. Aitbenkikh ^{36a}, M. Akbiyik ¹⁰², T.P.A. Åkesson ¹⁰⁰, A.V. Akimov ¹⁴⁹, D. Akiyama ¹⁷³, N.N. Akolkar ²⁵, S. Aktas ^{22a}, G.L. Alberghi ^{24b}, J. Albert ¹⁷⁰, P. Albicocco ⁵⁴, G.L. Albouy ⁶¹, S. Alderweireldt ⁵³, Z.L. Alegria ¹²⁴, M. Aleksa ³⁷, I.N. Aleksandrov ⁴⁰, C. Alexa ^{28b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{24b}, M. Algren ⁵⁷, M. Alhroob ¹⁷², B. Ali ¹³⁵, H.M.J. Ali ^{93,w}, S. Ali ³², S.W. Alibocus ⁹⁴, M. Aliev ^{34c}, G. Alimonti ^{72a}, W. Alkahi ⁵⁶, C. Allaire ⁶⁷, B.M.M. Allbrooke ¹⁵⁰, J.S. Allen ¹⁰³, J.F. Allen ⁵³, P.P. Allport ²¹, A. Aloisio ^{73a,73b}, F. Alonso ⁹², C. Alpigiani ¹⁴², Z.M.K. Alsolami ⁹³, A. Alvarez Fernandez ¹⁰², M. Alves Cardoso ⁵⁷, M.G. Alviggi ^{73a,73b}, M. Aly ¹⁰³, Y. Amaral Coutinho ^{84b}, A. Ambler ¹⁰⁶, C. Amelung ³⁷, M. Amerl ¹⁰³, C.G. Ames ¹¹¹, D. Amidei ¹⁰⁸, B. Amini ⁵⁵, K.J. Amirie ¹⁵⁹, A. Amirkhanov ⁴⁰, S.P. Amor Dos Santos ^{133a}, K.R. Amos ¹⁶⁸, D. Amperiadou ¹⁵⁶, S. An ⁸⁵, V. Ananiev ¹²⁸, C. Anastopoulos ¹⁴³, T. Andeen ¹¹, J.K. Anders ⁹⁴, A.C. Anderson ⁶⁰, A. Andreazza ^{72a,72b}, S. Angelidakis ⁹, A. Angerami ⁴³, A.V. Anisenkov ⁴⁰, A. Annovi ^{75a}, C. Antel ⁵⁷, E. Antipov ¹⁴⁹, M. Antonelli ⁵⁴, F. Anulli ^{76a}, M. Aoki ⁸⁵, T. Aoki ¹⁵⁷, M.A. Aparo ¹⁵⁰, L. Aperio Bella ⁴⁹, C. Appelt ¹⁵⁵, A. Apyan ²⁷, S.J. Arbiol Val ⁸⁸, C. Arcangeletti ⁵⁴, A.T.H. Arce ⁵², J-F. Arguin ¹¹⁰, S. Argyropoulos ¹⁵⁶, J.-H. Arling ⁴⁹, O. Arnaez ⁴, H. Arnold ¹⁴⁹, G. Artoni ^{76a,76b}, H. Asada ¹¹³, K. Asai ¹²¹, S. Asai ¹⁵⁷, N.A. Asbah ³⁷, R.A. Ashby Pickering ¹⁷², A.M. Aslam ⁹⁷, K. Assamagan ³⁰, R. Astalos ^{29a}, K.S.V. Astrand ¹⁰⁰, S. Atashi ¹⁶³, R.J. Atkin ^{34a}, H. Atmani ^{36f}, P.A. Atlasiddha ¹³¹, K. Augsten ¹³⁵, A.D. Auriol ⁴², V.A. Austrup ¹⁰³, G. Avolio ³⁷, K. Axiotis ⁵⁷, G. Azuelos ^{110,ag}, D. Babal ^{29b}, H. Bachacou ¹³⁸, K. Bachas ^{156,r}, A. Bachiu ³⁵, E. Bachmann ⁵¹, M.J. Backes ^{64a}, A. Badea ⁴¹, T.M. Baer ¹⁰⁸, P. Bagnaia ^{76a,76b}, M. Bahmani ¹⁹, D. Bahner ⁵⁵, K. Bai ¹²⁶, J.T. Baines ¹³⁷, L. Baines ⁹⁶, O.K. Baker ¹⁷⁷, E. Bakos ¹⁶, D. Bakshi Gupta ⁸, L.E. Balabram Filho ^{84b}, V. Balakrishnan ¹²³, R. Balasubramanian ⁴, E.M. Baldin ³⁹, P. Balek ^{87a}, E. Ballabene ^{24b,24a}, F. Balli ¹³⁸, L.M. Baltes ^{64a}, W.K. Balunas ³³, J. Balz ¹⁰², I. Bamwidhi ^{119b}, E. Banas ⁸⁸, M. Bandieramonte ¹³², A. Bandyopadhyay ²⁵, S. Bansal ²⁵, L. Barak ¹⁵⁵, M. Barakat ⁴⁹, E.L. Barberio ¹⁰⁷, D. Barberis ^{58b,58a}, M. Barbero ¹⁰⁴, M.Z. Barel ¹¹⁷, T. Barillari ¹¹², M-S. Barisits ³⁷, T. Barklow ¹⁴⁷, P. Baron ¹²⁵, D.A. Baron Moreno ¹⁰³, A. Baroncelli ^{63a}, A.J. Barr ¹²⁹, J.D. Barr ⁹⁸, F. Barreiro ¹⁰¹, J. Barreiro Guimarães da Costa ¹⁴, M.G. Barros Teixeira ^{133a}, S. Barsov ³⁹, F. Bartels ^{64a}, R. Bartoldus ¹⁴⁷, A.E. Barton ⁹³, P. Bartos ^{29a}, A. Basan ¹⁰², M. Baselga ⁵⁰, S. Bashiri ⁸⁸, A. Bassalat ^{67,b}, M.J. Basso ^{160a}, S. Bataju ⁴⁶, R. Bate ¹⁶⁹, R.L. Bates ⁶⁰, S. Batlamous ¹⁰¹, M. Battaglia ¹³⁹, D. Battulga ¹⁹, M. Baucé ^{76a,76b}, M. Bauer ⁸⁰, P. Bauer ²⁵, L.T. Bayer ⁴⁹, L.T. Bazzano Hurrell ³¹, J.B. Beacham ¹¹², T. Beau ¹³⁰, J.Y. Beaucamp ⁹², P.H. Beauchemin ¹⁶², P. Bechtel ²⁵, H.P. Beck ^{20,q}, K. Becker ¹⁷², A.J. Beddall ⁸³, V.A. Bednyakov ⁴⁰, C.P. Bee ¹⁴⁹, L.J. Beemster ¹⁶, M. Begalli ^{84d}, M. Begel ³⁰, J.K. Behr ⁴⁹, J.F. Beirer ³⁷, F. Beisiegel ²⁵, M. Belfkir ^{119b}, G. Bella ¹⁵⁵, L. Bellagamba ^{24b}, A. Bellerive ³⁵, P. Bellos ²¹, K. Beloborodov ³⁹, D. Benchebroun ^{36a}, F. Bendebba ^{36a}, Y. Benhammou ¹⁵⁵, K.C. Benkendorfer ⁶², L. Beresford ⁴⁹, M. Beretta ⁵⁴, E. Bergeas Kuutmann ¹⁶⁶, N. Berger ⁴,

B. Bergmann [ID135](#), J. Beringer [ID18a](#), G. Bernardi [ID5](#), C. Bernius [ID147](#), F.U. Bernlochner [ID25](#),
 F. Bernon [ID37](#), A. Berrocal Guardia [ID13](#), T. Berry [ID97](#), P. Berta [ID136](#), A. Berthold [ID51](#), S. Bethke [ID112](#),
 A. Betti [ID76a,76b](#), A.J. Bevan [ID96](#), N.K. Bhalla [ID55](#), S. Bharthuar [ID112](#), S. Bhatta [ID149](#),
 D.S. Bhattacharya [ID171](#), P. Bhattarai [ID147](#), Z.M. Bhatti [ID120](#), K.D. Bhide [ID55](#), V.S. Bhopatkar [ID124](#),
 R.M. Bianchi [ID132](#), G. Bianco [ID24b,24a](#), O. Biebel [ID111](#), M. Biglietti [ID78a](#), C.S. Billingsley [ID46](#),
 Y. Bimgdi [ID36f](#), M. Bindi [ID56](#), A. Bingham [ID176](#), A. Bingul [ID22b](#), C. Bini [ID76a,76b](#), G.A. Bird [ID33](#),
 M. Birman [ID174](#), M. Biros [ID136](#), S. Biryukov [ID150](#), T. Bisanz [ID50](#), E. Bisceglie [ID45b,45a](#), J.P. Biswal [ID137](#),
 D. Biswas [ID145](#), I. Bloch [ID49](#), A. Blue [ID60](#), U. Blumenschein [ID96](#), J. Blumenthal [ID102](#),
 V.S. Bobrovnikov [ID40](#), M. Boehler [ID55](#), B. Boehm [ID171](#), D. Bogavac [ID37](#), A.G. Bogdanchikov [ID39](#),
 L.S. Boggia [ID130](#), V. Boisvert [ID97](#), P. Bokan [ID37](#), T. Bold [ID87a](#), M. Bomben [ID5](#), M. Bona [ID96](#),
 M. Boonekamp [ID138](#), A.G. Borbély [ID60](#), I.S. Bordulev [ID39](#), G. Borissov [ID93](#), D. Bortoletto [ID129](#),
 D. Boscherini [ID24b](#), M. Bosman [ID13](#), K. Bouaouda [ID36a](#), N. Bouchhar [ID168](#), L. Boudet [ID4](#),
 J. Boudreau [ID132](#), E.V. Bouhova-Thacker [ID93](#), D. Boumediene [ID42](#), R. Bouquet [ID58b,58a](#), A. Boveia [ID122](#),
 J. Boyd [ID37](#), D. Boye [ID30](#), I.R. Boyko [ID40](#), L. Bozianu [ID57](#), J. Bracinek [ID21](#), N. Brahimi [ID4](#),
 G. Brandt [ID176](#), O. Brandt [ID33](#), B. Brau [ID105](#), J.E. Brau [ID126](#), R. Brener [ID174](#), L. Brenner [ID117](#),
 R. Brenner [ID166](#), S. Bressler [ID174](#), G. Brianti [ID79a,79b](#), D. Britton [ID60](#), D. Britzger [ID112](#), I. Brock [ID25](#),
 R. Brock [ID109](#), G. Brooijmans [ID43](#), A.J. Brooks [ID69](#), E.M. Brooks [ID160b](#), E. Brost [ID30](#), L.M. Brown [ID170](#),
 L.E. Bruce [ID62](#), T.L. Bruckler [ID129](#), P.A. Bruckman de Renstrom [ID88](#), B. Brüers [ID49](#), A. Bruni [ID24b](#),
 G. Bruni [ID24b](#), D. Brunner [ID48a,48b](#), M. Bruschi [ID24b](#), N. Bruscinò [ID76a,76b](#), T. Buanes [ID17](#), Q. Buat [ID142](#),
 D. Buchin [ID112](#), A.G. Buckley [ID60](#), O. Bulekov [ID39](#), B.A. Bullard [ID147](#), S. Burdin [ID94](#), C.D. Burgard [ID50](#),
 A.M. Burger [ID37](#), B. Burghgrave [ID8](#), O. Burlayenko [ID55](#), J. Burleson [ID167](#), J.T.P. Burr [ID33](#),
 J.C. Burzynski [ID146](#), E.L. Busch [ID43](#), V. Büscher [ID102](#), P.J. Bussey [ID60](#), J.M. Butler [ID26](#), C.M. Buttar [ID60](#),
 J.M. Butterworth [ID98](#), W. Buttinger [ID137](#), C.J. Buxo Vazquez [ID109](#), A.R. Buzykaev [ID40](#),
 S. Cabrera Urbán [ID168](#), L. Cadamuro [ID67](#), D. Caforio [ID59](#), H. Cai [ID132](#), Y. Cai [ID24b,114c,24a](#), Y. Cai [ID114a](#),
 V.M.M. Cairo [ID37](#), O. Cakir [ID3a](#), N. Calace [ID37](#), P. Calafiura [ID18a](#), G. Calderini [ID130](#), P. Calfayan [ID35](#),
 G. Callea [ID60](#), L.P. Caloba [ID84b](#), D. Calvet [ID42](#), S. Calvet [ID42](#), R. Camacho Toro [ID130](#), S. Camarda [ID37](#),
 D. Camarero Munoz [ID27](#), P. Camarri [ID77a,77b](#), M.T. Camerlingo [ID73a,73b](#), D. Cameron [ID37](#),
 C. Camincher [ID170](#), M. Campanelli [ID98](#), A. Camplani [ID44](#), V. Canale [ID73a,73b](#), A.C. Canbay [ID3a](#),
 E. Canonero [ID97](#), J. Cantero [ID168](#), Y. Cao [ID167](#), F. Capocasa [ID27](#), M. Capua [ID45b,45a](#), A. Carbone [ID72a,72b](#),
 R. Cardarelli [ID77a](#), J.C.J. Cardenas [ID8](#), M.P. Cardiff [ID27](#), G. Carducci [ID45b,45a](#), T. Carli [ID37](#),
 G. Carlino [ID73a](#), J.I. Carlotto [ID13](#), B.T. Carlson [ID132,s](#), E.M. Carlson [ID170](#), J. Carmignani [ID94](#),
 L. Carminati [ID72a,72b](#), A. Carnelli [ID138](#), M. Carnesale [ID37](#), S. Caron [ID116](#), E. Carquin [ID140f](#),
 I.B. Carr [ID107](#), S. Carrá [ID72a](#), G. Carratta [ID24b,24a](#), A.M. Carroll [ID126](#), M.P. Casado [ID13,i](#), M. Caspar [ID49](#),
 F.L. Castillo [ID4](#), L. Castillo Garcia [ID13](#), V. Castillo Gimenez [ID168](#), N.F. Castro [ID133a,133e](#),
 A. Catinaccio [ID37](#), J.R. Catmore [ID128](#), T. Cavaliere [ID4](#), V. Cavaliere [ID30](#), L.J. Caviedes Betancourt [ID23b](#),
 Y.C. Cekmecelioglu [ID49](#), E. Celebi [ID83](#), S. Cella [ID37](#), V. Cepaitis [ID57](#), K. Cerny [ID125](#),
 A.S. Cerqueira [ID84a](#), A. Cerri [ID75a,75b](#), L. Cerrito [ID77a,77b](#), F. Cerutti [ID18a](#), B. Cervato [ID145](#),
 A. Cervelli [ID24b](#), G. Cesarini [ID54](#), S.A. Cetin [ID83](#), P.M. Chabrilat [ID130](#), J. Chan [ID18a](#), W.Y. Chan [ID157](#),
 J.D. Chapman [ID33](#), E. Chapon [ID138](#), B. Chargeishvili [ID153b](#), D.G. Charlton [ID21](#), C. Chauhan [ID136](#),
 Y. Che [ID114a](#), S. Chekanov [ID6](#), S.V. Chekulaev [ID160a](#), G.A. Chelkov [ID40,a](#), B. Chen [ID155](#), B. Chen [ID170](#),
 H. Chen [ID114a](#), H. Chen [ID30](#), J. Chen [ID63c](#), J. Chen [ID146](#), M. Chen [ID129](#), S. Chen [ID89](#), S.J. Chen [ID114a](#),
 X. Chen [ID63c](#), X. Chen [ID15,af](#), C.L. Cheng [ID175](#), H.C. Cheng [ID65a](#), S. Cheong [ID147](#), A. Cheplakov [ID40](#),
 E. Cheremushkina [ID49](#), E. Cherepanova [ID117](#), R. Cherkaoui El Moursli [ID36e](#), E. Cheu [ID7](#), K. Cheung [ID66](#),
 L. Chevalier [ID138](#), V. Chiarella [ID54](#), G. Chiarelli [ID75a](#), N. Chiedde [ID104](#), G. Chiodini [ID71a](#),
 A.S. Chisholm [ID21](#), A. Chitan [ID28b](#), M. Chitishvili [ID168](#), M.V. Chizhov [ID40,t](#), K. Choi [ID11](#), Y. Chou [ID142](#),
 E.Y.S. Chow [ID116](#), K.L. Chu [ID174](#), M.C. Chu [ID65a](#), X. Chu [ID14,114c](#), Z. Chubinidze [ID54](#), J. Chudoba [ID134](#),
 J.J. Chwastowski [ID88](#), D. Cieri [ID112](#), K.M. Ciesla [ID87a](#), V. Cindro [ID95](#), A. Ciocio [ID18a](#), F. Ciroto [ID73a,73b](#),

Z.H. Citron ¹⁷⁴, M. Citterio ^{72a}, D.A. Ciubotaru ^{28b}, A. Clark ⁵⁷, P.J. Clark ⁵³, N. Clarke Hall ⁹⁸, C. Clarry ¹⁵⁹, S.E. Clawson ⁴⁹, C. Clement ^{48a,48b}, Y. Coadou ¹⁰⁴, M. Cobal ^{70a,70c}, A. Coccaro ^{58b}, R.F. Coelho Barrue ^{133a}, R. Coelho Lopes De Sa ¹⁰⁵, S. Coelli ^{72a}, L.S. Colangeli ¹⁵⁹, B. Cole ⁴³, P. Collado Soto ¹⁰¹, J. Collot ⁶¹, P. Conde Muiño ^{133a,133g}, M.P. Connell ^{34c}, S.H. Connell ^{34c}, E.I. Conroy ¹²⁹, F. Conventi ^{73a,ah}, H.G. Cooke ²¹, A.M. Cooper-Sarkar ¹²⁹, F.A. Corchia ^{24b,24a}, A. Cordeiro Oudot Choi ¹³⁰, L.D. Corpe ⁴², M. Corradi ^{76a,76b}, F. Corriveau ^{106,ab}, A. Cortes-Gonzalez ¹⁹, M.J. Costa ¹⁶⁸, F. Costanza ⁴, D. Costanzo ¹⁴³, B.M. Cote ¹²², J. Couthures ⁴, G. Cowan ⁹⁷, K. Cranmer ¹⁷⁵, L. Cremer ⁵⁰, D. Cremonini ^{24b,24a}, S. Crépe-Renaudin ⁶¹, F. Crescioli ¹³⁰, M. Cristinziani ¹⁴⁵, M. Cristoforetti ^{79a,79b}, V. Croft ¹¹⁷, J.E. Crosby ¹²⁴, G. Crosetti ^{45b,45a}, A. Cueto ¹⁰¹, H. Cui ⁹⁸, Z. Cui ⁷, W.R. Cunningham ⁶⁰, F. Curcio ¹⁶⁸, J.R. Curran ⁵³, P. Czodrowski ³⁷, M.J. Da Cunha Sargedas De Sousa ^{58b,58a}, J.V. Da Fonseca Pinto ^{84b}, C. Da Via ¹⁰³, W. Dabrowski ^{87a}, T. Dado ³⁷, S. Dahbi ¹⁵², T. Dai ¹⁰⁸, D. Dal Santo ²⁰, C. Dallapiccola ¹⁰⁵, M. Dam ⁴⁴, G. D'amen ³⁰, V. D'Amico ¹¹¹, J. Damp ¹⁰², J.R. Dandoy ³⁵, D. Dannheim ³⁷, M. Danninger ¹⁴⁶, V. Dao ¹⁴⁹, G. Darbo ^{58b}, S.J. Das ³⁰, F. Dattola ⁴⁹, S. D'Auria ^{72a,72b}, A. D'Avanzo ^{73a,73b}, T. Davidek ¹³⁶, I. Dawson ⁹⁶, H.A. Day-hall ¹³⁵, K. De ⁸, C. De Almeida Rossi ¹⁵⁹, R. De Asmundis ^{73a}, N. De Biase ⁴⁹, S. De Castro ^{24b,24a}, N. De Groot ¹¹⁶, P. de Jong ¹¹⁷, H. De la Torre ¹¹⁸, A. De Maria ^{114a}, A. De Salvo ^{76a}, U. De Sanctis ^{77a,77b}, F. De Santis ^{71a,71b}, A. De Santo ¹⁵⁰, J.B. De Vivie De Regie ⁶¹, J. Debevc ⁹⁵, D.V. Dedovich ⁴⁰, J. Degens ⁹⁴, A.M. Deiana ⁴⁶, J. Del Peso ¹⁰¹, L. Delagrangé ¹³⁰, F. Deliot ¹³⁸, C.M. Delitzsch ⁵⁰, M. Della Pietra ^{73a,73b}, D. Della Volpe ⁵⁷, A. Dell'Acqua ³⁷, L. Dell'Asta ^{72a,72b}, M. Delmastro ⁴, C.C. Delogu ¹⁰², P.A. Delsart ⁶¹, S. Demers ¹⁷⁷, M. Demichev ⁴⁰, S.P. Denisov ³⁹, H. Denizli ^{22a,1}, L. D'Eramo ⁴², D. Derendarz ⁸⁸, F. Derue ¹³⁰, P. Dervan ⁹⁴, K. Desch ²⁵, C. Deutsch ²⁵, F.A. Di Bello ^{58b,58a}, A. Di Ciaccio ^{77a,77b}, L. Di Ciaccio ⁴, A. Di Domenico ^{76a,76b}, C. Di Donato ^{73a,73b}, A. Di Girolamo ³⁷, G. Di Gregorio ³⁷, A. Di Luca ^{79a,79b}, B. Di Micco ^{78a,78b}, R. Di Nardo ^{78a,78b}, K.F. Di Petrillo ⁴¹, M. Diamantopoulou ³⁵, F.A. Dias ¹¹⁷, T. Dias Do Vale ¹⁴⁶, M.A. Diaz ^{140a,140b}, A.R. Didenko ⁴⁰, M. Didenko ¹⁶⁸, E.B. Diehl ¹⁰⁸, S. Díez Cornell ⁴⁹, C. Díez Pardos ¹⁴⁵, C. Dimitriadi ¹⁴⁸, A. Dimitrievska ²¹, A. Dimri ¹⁴⁹, J. Dingfelder ²⁵, T. Dingley ¹²⁹, I-M. Dinu ^{28b}, S.J. Dittmeier ^{64b}, F. Dittus ³⁷, M. Divisek ¹³⁶, B. Dixit ⁹⁴, F. Djama ¹⁰⁴, T. Djobava ^{153b}, C. Doglioni ^{103,100}, A. Dohnalova ^{29a}, Z. Dolezal ¹³⁶, K. Domijan ^{87a}, K.M. Dona ⁴¹, M. Donadelli ^{84d}, B. Dong ¹⁰⁹, J. Donini ⁴², A. D'Onofrio ^{73a,73b}, M. D'Onofrio ⁹⁴, J. Dopke ¹³⁷, A. Doria ^{73a}, N. Dos Santos Fernandes ^{133a}, P. Dougan ¹⁰³, M.T. Dova ⁹², A.T. Doyle ⁶⁰, M.A. Draguet ¹²⁹, M.P. Drescher ⁵⁶, E. Dreyer ¹⁷⁴, I. Drivas-koulouris ¹⁰, M. Drnevich ¹²⁰, M. Drozdova ⁵⁷, D. Du ^{63a}, T.A. du Pree ¹¹⁷, F. Dubinin ³⁹, M. Dubovsky ^{29a}, E. Duchovni ¹⁷⁴, G. Duckeck ¹¹¹, O.A. Ducu ^{28b}, D. Duda ⁵³, A. Dudarev ³⁷, E.R. Duden ²⁷, M. D'uffizi ¹⁰³, L. Duflot ⁶⁷, M. Dührssen ³⁷, I. Duminica ^{28g}, A.E. Dumitriu ^{28b}, M. Dunford ^{64a}, S. Dungs ⁵⁰, K. Dunne ^{48a,48b}, A. Duperrin ¹⁰⁴, H. Duran Yildiz ^{3a}, M. Düren ⁵⁹, A. Durglishvili ^{153b}, D. Duvnjak ³⁵, B.L. Dwyer ¹¹⁸, G.I. Dyckes ^{18a}, M. Dyndal ^{87a}, B.S. Dziedzic ³⁷, Z.O. Earnshaw ¹⁵⁰, G.H. Eberwein ¹²⁹, B. Eckerova ^{29a}, S. Eggebrecht ⁵⁶, E. Egidio Purcino De Souza ^{84e}, G. Eigen ¹⁷, K. Einsweiler ^{18a}, T. Ekelof ¹⁶⁶, P.A. Ekman ¹⁰⁰, S. El Farkh ^{36b}, Y. El Ghazali ^{63a}, H. El Jarrari ³⁷, A. El Moussaouy ^{36a}, V. Ellajosyula ¹⁶⁶, M. Ellert ¹⁶⁶, F. Ellinghaus ¹⁷⁶, N. Ellis ³⁷, J. Elmsheuser ³⁰, M. Elsayy ^{119a}, M. Elsing ³⁷, D. Emelianov ¹³⁷, Y. Enari ⁸⁵, I. Ene ^{18a}, S. Epari ¹³, D. Ernani Martins Neto ⁸⁸, M. Errenst ¹⁷⁶, M. Escalier ⁶⁷, C. Escobar ¹⁶⁸, E. Etzion ¹⁵⁵, G. Evans ^{133a,133b}, H. Evans ⁶⁹, L.S. Evans ⁹⁷, A. Ezhilov ³⁹, S. Ezzarqtouni ^{36a}, F. Fabbri ^{24b,24a}, L. Fabbri ^{24b,24a}, G. Facini ⁹⁸, V. Fadeyev ¹³⁹, R.M. Fakhrutdinov ³⁹, D. Fakoudis ¹⁰², S. Falciano ^{76a},

L.F. Falda Ulhoa Coelho [ID133a](#), F. Fallavollita [ID112](#), G. Falsetti [ID45b,45a](#), J. Faltova [ID136](#), C. Fan [ID167](#),
 K.Y. Fan [ID65b](#), Y. Fan [ID14](#), Y. Fang [ID14,114c](#), M. Fanti [ID72a,72b](#), M. Faraj [ID70a,70b](#), Z. Farazpay [ID99](#),
 A. Farbin [ID8](#), A. Farilla [ID78a](#), T. Farooque [ID109](#), J.N. Farr [ID177](#), S.M. Farrington [ID137,53](#), F. Fassi [ID36e](#),
 D. Fassouliotis [ID9](#), L. Fayard [ID67](#), P. Federic [ID136](#), P. Federicova [ID134](#), O.L. Fedin [ID39,a](#), M. Feickert [ID175](#),
 L. Feligioni [ID104](#), D.E. Fellers [ID126](#), C. Feng [ID63b](#), Z. Feng [ID117](#), M.J. Fenton [ID163](#), L. Ferencz [ID49](#),
 P. Fernandez Martinez [ID68](#), M.J.V. Fernoux [ID104](#), J. Ferrando [ID93](#), A. Ferrari [ID166](#), P. Ferrari [ID117,116](#),
 R. Ferrari [ID74a](#), D. Ferrere [ID57](#), C. Ferretti [ID108](#), M.P. Fewell [ID1](#), D. Fiacco [ID76a,76b](#), F. Fiedler [ID102](#),
 P. Fiedler [ID135](#), S. Filimonov [ID39](#), A. Filipčič [ID95](#), E.K. Filmer [ID160a](#), F. Filthaut [ID116](#),
 M.C.N. Fiolhais [ID133a,133c,c](#), L. Fiorini [ID168](#), W.C. Fisher [ID109](#), T. Fitschen [ID103](#), P.M. Fitzhugh [ID138](#),
 I. Fleck [ID145](#), P. Fleischmann [ID108](#), T. Flick [ID176](#), M. Flores [ID34d,ad](#), L.R. Flores Castillo [ID65a](#),
 L. Flores Sanz De Acedo [ID37](#), F.M. Follega [ID79a,79b](#), N. Fomin [ID33](#), J.H. Foo [ID159](#), A. Formica [ID138](#),
 A.C. Forti [ID103](#), E. Fortin [ID37](#), A.W. Fortman [ID18a](#), L. Fountas [ID9,j](#), D. Fournier [ID67](#), H. Fox [ID93](#),
 P. Francavilla [ID75a,75b](#), S. Francescato [ID62](#), S. Franchellucci [ID57](#), M. Franchini [ID24b,24a](#),
 S. Franchino [ID64a](#), D. Francis [ID37](#), L. Franco [ID116](#), V. Franco Lima [ID37](#), L. Franconi [ID49](#), M. Franklin [ID62](#),
 G. Frattari [ID27](#), Y.Y. Frid [ID155](#), J. Friend [ID60](#), N. Fritzsche [ID37](#), A. Froch [ID57](#), D. Froidevaux [ID37](#),
 J.A. Frost [ID129](#), Y. Fu [ID109](#), S. Fuenzalida Garrido [ID140f](#), M. Fujimoto [ID104](#), K.Y. Fung [ID65a](#),
 E. Furtado De Simas Filho [ID84e](#), M. Furukawa [ID157](#), J. Fuster [ID168](#), A. Gaa [ID56](#), A. Gabrielli [ID24b,24a](#),
 A. Gabrielli [ID159](#), P. Gadow [ID37](#), G. Gagliardi [ID58b,58a](#), L.G. Gagnon [ID18a](#), S. Gaid [ID165](#),
 S. Galantzan [ID155](#), J. Gallagher [ID1](#), E.J. Gallas [ID129](#), A.L. Gallen [ID166](#), B.J. Gallop [ID137](#), K.K. Gan [ID122](#),
 S. Ganguly [ID157](#), Y. Gao [ID53](#), A. Garabaglu [ID142](#), F.M. Garay Walls [ID140a,140b](#), B. Garcia [ID30](#),
 C. García [ID168](#), A. Garcia Alonso [ID117](#), A.G. Garcia Caffaro [ID177](#), J.E. García Navarro [ID168](#),
 M. Garcia-Sciveres [ID18a](#), G.L. Gardner [ID131](#), R.W. Gardner [ID41](#), N. Garelli [ID162](#), R.B. Garg [ID147](#),
 J.M. Gargan [ID53](#), C.A. Garner [ID159](#), C.M. Garvey [ID34a](#), V.K. Gassmann [ID162](#), G. Gaudio [ID74a](#), V. Gautam [ID13](#),
 P. Gauzzi [ID76a,76b](#), J. Gavranovic [ID95](#), I.L. Gavrilenko [ID39](#), A. Gavrilyuk [ID39](#), C. Gay [ID169](#),
 G. Gaycken [ID126](#), E.N. Gazis [ID10](#), A. Gekow [ID122](#), C. Gemme [ID58b](#), M.H. Genest [ID61](#), A.D. Gentry [ID115](#),
 S. George [ID97](#), W.F. George [ID21](#), T. Gerialis [ID47](#), A.A. Gerwin [ID123](#), P. Gessinger-Befurt [ID37](#),
 M.E. Geyik [ID176](#), M. Ghani [ID172](#), K. Ghorbanian [ID96](#), A. Ghosal [ID145](#), A. Ghosh [ID163](#), A. Ghosh [ID7](#),
 B. Giacobbe [ID24b](#), S. Giagu [ID76a,76b](#), T. Giani [ID117](#), A. Giannini [ID63a](#), S.M. Gibson [ID97](#), M. Gignac [ID139](#),
 D.T. Gil [ID87b](#), A.K. Gilbert [ID87a](#), B.J. Gilbert [ID43](#), D. Gillberg [ID35](#), G. Gilles [ID117](#), L. Ginabat [ID130](#),
 D.M. Gingrich [ID2,ag](#), M.P. Giordani [ID70a,70c](#), P.F. Giraud [ID138](#), G. Giugliarelli [ID70a,70c](#), D. Giugni [ID72a](#),
 F. Giuli [ID77a,77b](#), I. Gkialas [ID9,j](#), L.K. Gladilin [ID39](#), C. Glasman [ID101](#), G. Glemža [ID49](#), M. Glisic [ID126](#),
 I. Gnesi [ID45b](#), Y. Go [ID30](#), M. Goblirsch-Kolb [ID37](#), B. Gocke [ID50](#), D. Godin [ID110](#), B. Gokturk [ID22a](#),
 S. Goldfarb [ID107](#), T. Golling [ID57](#), M.G.D. Gololo [ID34c](#), D. Golubkov [ID39](#), J.P. Gombas [ID109](#),
 A. Gomes [ID133a,133b](#), G. Gomes Da Silva [ID145](#), A.J. Gomez Delegido [ID168](#), R. Gonçalves [ID133a](#),
 L. Gonella [ID21](#), A. Gongadze [ID153c](#), F. Gonnella [ID21](#), J.L. Gonski [ID147](#), R.Y. González Andana [ID53](#),
 S. González de la Hoz [ID168](#), R. Gonzalez Lopez [ID94](#), C. Gonzalez Renteria [ID18a](#),
 M.V. Gonzalez Rodrigues [ID49](#), R. Gonzalez Suarez [ID166](#), S. Gonzalez-Sevilla [ID57](#), L. Goossens [ID37](#),
 B. Gorini [ID37](#), E. Gorini [ID71a,71b](#), A. Gorišek [ID95](#), T.C. Gosart [ID131](#), A.T. Goshaw [ID52](#), M.I. Gostkin [ID40](#),
 S. Goswami [ID124](#), C.A. Gottardo [ID37](#), S.A. Gotz [ID111](#), M. Goughri [ID36b](#), A.G. Goussiou [ID142](#),
 N. Govender [ID34c](#), R.P. Grabarczyk [ID129](#), I. Grabowska-Bold [ID87a](#), K. Graham [ID35](#), E. Gramstad [ID128](#),
 S. Grancagnolo [ID71a,71b](#), C.M. Grant [ID1,138](#), P.M. Gravila [ID28f](#), F.G. Gravili [ID71a,71b](#), H.M. Gray [ID18a](#),
 M. Greco [ID112](#), M.J. Green [ID1](#), C. Grefe [ID25](#), A.S. Grefsrud [ID17](#), I.M. Gregor [ID49](#), K.T. Greif [ID163](#),
 P. Grenier [ID147](#), S.G. Grewe [ID112](#), A.A. Grillo [ID139](#), K. Grimm [ID32](#), S. Grinstein [ID13,x](#), J.-F. Grivaz [ID67](#),
 E. Gross [ID174](#), J. Grosse-Knetter [ID56](#), L. Guan [ID108](#), G. Guerrieri [ID37](#), R. Gugel [ID102](#), J.A.M. Guhit [ID108](#),
 A. Guida [ID19](#), E. Guilloton [ID172](#), S. Guindon [ID37](#), F. Guo [ID14,114c](#), J. Guo [ID63c](#), L. Guo [ID49](#),
 L. Guo [ID114b,v](#), Y. Guo [ID108](#), A. Gupta [ID50](#), R. Gupta [ID132](#), S. Gurbuz [ID25](#), S.S. Gurdasani [ID49](#),
 G. Gustavino [ID76a,76b](#), P. Gutierrez [ID123](#), L.F. Gutierrez Zagazeta [ID131](#), M. Gutsche [ID51](#),

C. Gutschow ⁹⁸, C. Gwenlan ¹²⁹, C.B. Gwilliam ⁹⁴, E.S. Haaland ¹²⁸, A. Haas ¹²⁰,
 M. Habedank ⁶⁰, C. Haber ^{18a}, H.K. Hadavand ⁸, A. Haddad ⁴², A. Hadeef ⁵¹, A.I. Hagan ⁹³,
 J.J. Hahn ¹⁴⁵, E.H. Haines ⁹⁸, M. Haleem ¹⁷¹, J. Haley ¹²⁴, G.D. Hallewell ¹⁰⁴, L. Halser ²⁰,
 K. Hamano ¹⁷⁰, M. Hamer ²⁵, E.J. Hampshire ⁹⁷, J. Han ^{63b}, L. Han ^{114a}, L. Han ^{63a},
 S. Han ^{18a}, K. Hanagaki ⁸⁵, M. Hance ¹³⁹, D.A. Hangal ⁴³, H. Hanif ¹⁴⁶, M.D. Hank ¹³¹,
 J.B. Hansen ⁴⁴, P.H. Hansen ⁴⁴, D. Harada ⁵⁷, T. Harenberg ¹⁷⁶, S. Harkusha ¹⁷⁸,
 M.L. Harris ¹⁰⁵, Y.T. Harris ²⁵, J. Harrison ¹³, N.M. Harrison ¹²², P.F. Harrison ¹⁷²,
 N.M. Hartman ¹¹², N.M. Hartmann ¹¹¹, R.Z. Hasan ^{97,137}, Y. Hasegawa ¹⁴⁴, F. Haslbeck ¹²⁹,
 S. Hassan ¹⁷, R. Hauser ¹⁰⁹, C.M. Hawkes ²¹, R.J. Hawkings ³⁷, Y. Hayashi ¹⁵⁷, D. Hayden ¹⁰⁹,
 C. Hayes ¹⁰⁸, R.L. Hayes ¹¹⁷, C.P. Hays ¹²⁹, J.M. Hays ⁹⁶, H.S. Hayward ⁹⁴, F. He ^{63a},
 M. He ^{14,114c}, Y. He ⁴⁹, Y. He ⁹⁸, N.B. Heatley ⁹⁶, V. Hedberg ¹⁰⁰, A.L. Heggelund ¹²⁸,
 C. Heidegger ⁵⁵, K.K. Heidegger ⁵⁵, J. Heilman ³⁵, S. Heim ⁴⁹, T. Heim ^{18a}, J.G. Heinlein ¹³¹,
 J.J. Heinrich ¹²⁶, L. Heinrich ^{112,ae}, J. Hejbal ¹³⁴, A. Held ¹⁷⁵, S. Hellesund ¹⁷,
 C.M. Helling ¹⁶⁹, S. Hellman ^{48a,48b}, L. Henkelmann ³³, A.M. Henriques Correia ³⁷, H. Herde ¹⁰⁰,
 Y. Hernández Jiménez ¹⁴⁹, L.M. Herrmann ²⁵, T. Herrmann ⁵¹, G. Herten ⁵⁵, R. Hertenberger ¹¹¹,
 L. Hervas ³⁷, M.E. Hesping ¹⁰², N.P. Hessey ^{160a}, J. Hessler ¹¹², M. Hidaoui ^{36b}, N. Hidic ¹³⁶,
 E. Hill ¹⁵⁹, S.J. Hillier ²¹, J.R. Hinds ¹⁰⁹, F. Hinterkeuser ²⁵, M. Hirose ¹²⁷, S. Hirose ¹⁶¹,
 D. Hirschbuehl ¹⁷⁶, T.G. Hitchings ¹⁰³, B. Hiti ⁹⁵, J. Hobbs ¹⁴⁹, R. Hobincu ^{28e}, N. Hod ¹⁷⁴,
 M.C. Hodgkinson ¹⁴³, B.H. Hodgkinson ¹²⁹, A. Hoecker ³⁷, D.D. Hofer ¹⁰⁸, J. Hofer ¹⁶⁸,
 M. Holzbock ³⁷, L.B.A.H. Hommels ³³, B.P. Honan ¹⁰³, J.J. Hong ⁶⁹, J. Hong ^{63c},
 T.M. Hong ¹³², B.H. Hooberman ¹⁶⁷, W.H. Hopkins ⁶, M.C. Hoppesch ¹⁶⁷, Y. Horii ¹¹³,
 M.E. Horstmann ¹¹², S. Hou ¹⁵², M.R. Housenga ¹⁶⁷, A.S. Howard ⁹⁵, J. Howarth ⁶⁰, J. Hoya ⁶,
 M. Hrabovsky ¹²⁵, T. Hryn'ova ⁴, P.J. Hsu ⁶⁶, S.-C. Hsu ¹⁴², T. Hsu ⁶⁷, M. Hu ^{18a}, Q. Hu ^{63a},
 S. Huang ³³, X. Huang ^{14,114c}, Y. Huang ¹³⁶, Y. Huang ^{114b}, Y. Huang ¹⁰², Y. Huang ¹⁴,
 Z. Huang ¹⁰³, Z. Hubacek ¹³⁵, M. Huebner ²⁵, F. Huegging ²⁵, T.B. Huffman ¹²⁹,
 M. Hufnagel Maranha De Faria ^{84a}, C.A. Hugli ⁴⁹, M. Huhtinen ³⁷, S.K. Huiberts ¹⁷,
 R. Hulsken ¹⁰⁶, C.E. Hultquist ^{18a}, N. Huseynov ^{12,g}, J. Huston ¹⁰⁹, J. Huth ⁶², R. Hyneman ⁷,
 G. Iacobucci ⁵⁷, G. Iakovidis ³⁰, L. Iconomidou-Fayard ⁶⁷, J.P. Iddon ³⁷, P. Iengo ^{73a,73b},
 R. Iguchi ¹⁵⁷, Y. Iiyama ¹⁵⁷, T. Iizawa ¹²⁹, Y. Ikegami ⁸⁵, D. Iliadis ¹⁵⁶, N. Ilic ¹⁵⁹,
 H. Imam ^{84c}, G. Inacio Goncalves ^{84d}, S.A. Infante Cabanas ^{140c}, T. Ingebretsen Carlson ^{48a,48b},
 J.M. Inglis ⁹⁶, G. Introzzi ^{74a,74b}, M. Iodice ^{78a}, V. Ippolito ^{76a,76b}, R.K. Irwin ⁹⁴, M. Ishino ¹⁵⁷,
 W. Islam ¹⁷⁵, C. Issever ¹⁹, S. Istin ^{22a,al}, H. Ito ¹⁷³, R. Iuppa ^{79a,79b}, A. Ivina ¹⁷⁴, V. Izzo ^{73a},
 P. Jacka ¹³⁴, P. Jackson ¹, P. Jain ⁴⁹, K. Jakobs ⁵⁵, T. Jakoubek ¹⁷⁴, J. Jamieson ⁶⁰,
 W. Jang ¹⁵⁷, M. Javurkova ¹⁰⁵, P. Jawahar ¹⁰³, L. Jeanty ¹²⁶, J. Jejelava ^{153a}, P. Jenni ^{55,f},
 C.E. Jessiman ³⁵, C. Jia ^{63b}, H. Jia ¹⁶⁹, J. Jia ¹⁴⁹, X. Jia ^{14,114c}, Z. Jia ^{114a}, C. Jiang ⁵³,
 Q. Jiang ^{65b}, S. Jiggins ⁴⁹, J. Jimenez Pena ¹³, S. Jin ^{114a}, A. Jinaru ^{28b}, O. Jinnouchi ¹⁴¹,
 P. Johansson ¹⁴³, K.A. Johns ⁷, J.W. Johnson ¹³⁹, F.A. Jolly ⁴⁹, D.M. Jones ¹⁵⁰, E. Jones ⁴⁹,
 K.S. Jones ⁸, P. Jones ³³, R.W.L. Jones ⁹³, T.J. Jones ⁹⁴, H.L. Joos ^{56,37}, R. Joshi ¹²²,
 J. Jovicevic ¹⁶, X. Ju ^{18a}, J.J. Junggeburth ³⁷, T. Junkermann ^{64a}, A. Juste Rozas ^{13,x},
 M.K. Juzek ⁸⁸, S. Kabana ^{140e}, A. Kaczmarzka ⁸⁸, M. Kado ¹¹², H. Kagan ¹²², M. Kagan ¹⁴⁷,
 A. Kahn ¹³¹, C. Kahra ¹⁰², T. Kaji ¹⁵⁷, E. Kajomovitz ¹⁵⁴, N. Kakati ¹⁷⁴, I. Kalaitzidou ⁵⁵,
 N.J. Kang ¹³⁹, D. Kar ^{34g}, K. Karava ¹²⁹, E. Karentzos ²⁵, O. Karkout ¹¹⁷, S.N. Karpov ⁴⁰,
 Z.M. Karpova ⁴⁰, V. Kartvelishvili ⁹³, A.N. Karyukhin ³⁹, E. Kasimi ¹⁵⁶, J. Katzy ⁴⁹,
 S. Kaur ³⁵, K. Kawade ¹⁴⁴, M.P. Kawale ¹²³, C. Kawamoto ⁸⁹, T. Kawamoto ^{63a}, E.F. Kay ³⁷,
 F.I. Kaya ¹⁶², S. Kazakos ¹⁰⁹, V.F. Kazanin ³⁹, Y. Ke ¹⁴⁹, J.M. Keaveney ^{34a}, R. Keeler ¹⁷⁰,
 G.V. Kehris ⁶², J.S. Keller ³⁵, J.J. Kempster ¹⁵⁰, O. Kepka ¹³⁴, J. Kerr ^{160b}, B.P. Kerridge ¹³⁷,
 B.P. Kerševan ⁹⁵, L. Keszeghova ^{29a}, R.A. Khan ¹³², A. Khanov ¹²⁴, A.G. Kharlamov ³⁹,

T. Kharlamova [ID³⁹](#), E.E. Khoda [ID¹⁴²](#), M. Kholodenko [ID^{133a}](#), T.J. Khoo [ID¹⁹](#), G. Khoraiuli [ID¹⁷¹](#), J. Khubua [ID^{153b,*}](#), Y.A.R. Khwaira [ID¹³⁰](#), B. Kibirige^{34g}, D. Kim [ID⁶](#), D.W. Kim [ID^{48a,48b}](#), Y.K. Kim [ID⁴¹](#), N. Kimura [ID⁹⁸](#), M.K. Kingston [ID⁵⁶](#), A. Kirchhoff [ID⁵⁶](#), C. Kirfel [ID²⁵](#), F. Kirfel [ID²⁵](#), J. Kirk [ID¹³⁷](#), A.E. Kiryunin [ID¹¹²](#), S. Kita [ID¹⁶¹](#), C. Kitsaki [ID¹⁰](#), O. Kivernyk [ID²⁵](#), M. Klassen [ID¹⁶²](#), C. Klein [ID³⁵](#), L. Klein [ID¹⁷¹](#), M.H. Klein [ID⁴⁶](#), S.B. Klein [ID⁵⁷](#), U. Klein [ID⁹⁴](#), A. Klimentov [ID³⁰](#), T. Klioutchnikova [ID³⁷](#), P. Kluit [ID¹¹⁷](#), S. Kluth [ID¹¹²](#), E. Kneringer [ID⁸⁰](#), T.M. Knight [ID¹⁵⁹](#), A. Knue [ID⁵⁰](#), D. Kobylanskiy [ID¹⁷⁴](#), S.F. Koch [ID¹²⁹](#), M. Kocian [ID¹⁴⁷](#), P. Kodyš [ID¹³⁶](#), D.M. Koeck [ID¹²⁶](#), P.T. Koenig [ID²⁵](#), T. Koffas [ID³⁵](#), O. Kolay [ID⁵¹](#), I. Koletsou [ID⁴](#), T. Komarek [ID⁸⁸](#), K. Köneke [ID⁵⁶](#), A.X.Y. Kong [ID¹](#), T. Kono [ID¹²¹](#), N. Konstantinidis [ID⁹⁸](#), P. Kontaxakis [ID⁵⁷](#), B. Konya [ID¹⁰⁰](#), R. Kopeliansky [ID⁴³](#), S. Koperny [ID^{87a}](#), K. Korcyl [ID⁸⁸](#), K. Kordas [ID^{156,e}](#), A. Korn [ID⁹⁸](#), S. Korn [ID⁵⁶](#), I. Korolkov [ID¹³](#), N. Korotkova [ID³⁹](#), B. Kortman [ID¹¹⁷](#), O. Kortner [ID¹¹²](#), S. Kortner [ID¹¹²](#), W.H. Kostecka [ID¹¹⁸](#), V.V. Kostyukhin [ID¹⁴⁵](#), A. Kotsokechagia [ID³⁷](#), A. Kotwal [ID⁵²](#), A. Koulouris [ID³⁷](#), A. Kourkoumeli-Charalampidi [ID^{74a,74b}](#), C. Kourkoumelis [ID⁹](#), E. Kourlitis [ID^{112,ae}](#), O. Kovanda [ID¹²⁶](#), R. Kowalewski [ID¹⁷⁰](#), W. Kozanecki [ID¹²⁶](#), A.S. Kozhin [ID³⁹](#), V.A. Kramarenko [ID³⁹](#), G. Kramberger [ID⁹⁵](#), P. Kramer [ID²⁵](#), M.W. Krasny [ID¹³⁰](#), A. Krasznahorkay [ID¹⁰⁵](#), A.C. Kraus [ID¹¹⁸](#), J.W. Kraus [ID¹⁷⁶](#), J.A. Kremer [ID⁴⁹](#), T. Kresse [ID⁵¹](#), L. Kretschmann [ID¹⁷⁶](#), J. Kretschmar [ID⁹⁴](#), K. Kreul [ID¹⁹](#), P. Krieger [ID¹⁵⁹](#), K. Krizka [ID²¹](#), K. Kroeninger [ID⁵⁰](#), H. Kroha [ID¹¹²](#), J. Kroll [ID¹³⁴](#), J. Kroll [ID¹³¹](#), K.S. Krowpman [ID¹⁰⁹](#), U. Kruchonak [ID⁴⁰](#), H. Krüger [ID²⁵](#), N. Krumnack⁸², M.C. Kruse [ID⁵²](#), O. Kuchinskaia [ID³⁹](#), S. Kuday [ID^{3a}](#), S. Kuehn [ID³⁷](#), R. Kuesters [ID⁵⁵](#), T. Kuhl [ID⁴⁹](#), V. Kukhtin [ID⁴⁰](#), Y. Kulchitsky [ID⁴⁰](#), S. Kuleshov [ID^{140d,140b}](#), M. Kumar [ID^{34g}](#), N. Kumari [ID⁴⁹](#), P. Kumari [ID^{160b}](#), A. Kupco [ID¹³⁴](#), T. Kupfer⁵⁰, A. Kupich [ID³⁹](#), O. Kuprash [ID⁵⁵](#), H. Kurashige [ID⁸⁶](#), L.L. Kurchaninov [ID^{160a}](#), O. Kurdysh [ID⁴](#), Y.A. Kurochkin [ID³⁸](#), A. Kurova [ID³⁹](#), M. Kuze [ID¹⁴¹](#), A.K. Kvam [ID¹⁰⁵](#), J. Kvita [ID¹²⁵](#), N.G. Kyriacou [ID¹⁰⁸](#), L.A.O. Laatu [ID¹⁰⁴](#), C. Lacasta [ID¹⁶⁸](#), F. Lacava [ID^{76a,76b}](#), H. Lacker [ID¹⁹](#), D. Lacour [ID¹³⁰](#), N.N. Lad [ID⁹⁸](#), E. Ladygin [ID⁴⁰](#), A. Lafarge [ID⁴²](#), B. Laforge [ID¹³⁰](#), T. Lagouri [ID¹⁷⁷](#), F.Z. Lahbabi [ID^{36a}](#), S. Lai [ID⁵⁶](#), J.E. Lambert [ID¹⁷⁰](#), S. Lammers [ID⁶⁹](#), W. Lampl [ID⁷](#), C. Lampoudis [ID^{156,e}](#), G. Lamprinoudis [ID¹⁰²](#), A.N. Lancaster [ID¹¹⁸](#), E. Lançon [ID³⁰](#), U. Landgraf [ID⁵⁵](#), M.P.J. Landon [ID⁹⁶](#), V.S. Lang [ID⁵⁵](#), O.K.B. Langrekken [ID¹²⁸](#), A.J. Lankford [ID¹⁶³](#), F. Lanni [ID³⁷](#), K. Lantzsck [ID²⁵](#), A. Lanza [ID^{74a}](#), M. Lanzac Berrocal [ID¹⁶⁸](#), J.F. Laporte [ID¹³⁸](#), T. Lari [ID^{72a}](#), F. Lasagni Manghi [ID^{24b}](#), M. Lassnig [ID³⁷](#), V. Latonova [ID¹³⁴](#), S.D. Lawlor [ID¹⁴³](#), Z. Lawrence [ID¹⁰³](#), R. Lazaridou¹⁷², M. Lazzaroni [ID^{72a,72b}](#), H.D.M. Le [ID¹⁰⁹](#), E.M. Le Boulicaut [ID¹⁷⁷](#), L.T. Le Pottier [ID^{18a}](#), B. Leban [ID^{24b,24a}](#), M. LeBlanc [ID¹⁰³](#), F. Ledroit-Guillon [ID⁶¹](#), S.C. Lee [ID¹⁵²](#), T.F. Lee [ID⁹⁴](#), L.L. Leeuw [ID^{34c,aj}](#), M. Lefebvre [ID¹⁷⁰](#), C. Leggett [ID^{18a}](#), G. Lehmann Miotto [ID³⁷](#), M. Leigh [ID⁵⁷](#), W.A. Leight [ID¹⁰⁵](#), W. Leinonen [ID¹¹⁶](#), A. Leisos [ID^{156,u}](#), M.A.L. Leite [ID^{84c}](#), C.E. Leitgeb [ID¹⁹](#), R. Leitner [ID¹³⁶](#), K.J.C. Leney [ID⁴⁶](#), T. Lenz [ID²⁵](#), S. Leone [ID^{75a}](#), C. Leonidopoulos [ID⁵³](#), A. Leopold [ID¹⁴⁸](#), J.H. Lepage Bourbonnais [ID³⁵](#), R. Les [ID¹⁰⁹](#), C.G. Lester [ID³³](#), M. Levchenko [ID³⁹](#), J. Levêque [ID⁴](#), L.J. Levinson [ID¹⁷⁴](#), G. Levrini [ID^{24b,24a}](#), M.P. Lewicki [ID⁸⁸](#), C. Lewis [ID¹⁴²](#), D.J. Lewis [ID⁴](#), L. Lewitt [ID¹⁴³](#), A. Li [ID³⁰](#), B. Li [ID^{63b}](#), C. Li¹⁰⁸, C-Q. Li [ID¹¹²](#), H. Li [ID^{63a}](#), H. Li [ID^{63b}](#), H. Li [ID¹⁰³](#), H. Li [ID¹⁵](#), H. Li [ID^{63b}](#), J. Li [ID^{63c}](#), K. Li [ID¹⁴](#), L. Li [ID^{63c}](#), R. Li [ID¹⁷⁷](#), S. Li [ID^{14,114c}](#), S. Li [ID^{63d,63c,d}](#), T. Li [ID⁵](#), X. Li [ID¹⁰⁶](#), Z. Li [ID¹⁵⁷](#), Z. Li [ID^{14,114c}](#), Z. Li [ID^{63a}](#), S. Liang [ID^{14,114c}](#), Z. Liang [ID¹⁴](#), M. Liberatore [ID¹³⁸](#), B. Liberti [ID^{77a}](#), K. Lie [ID^{65c}](#), J. Lieber Marin [ID^{84e}](#), H. Lien [ID⁶⁹](#), H. Lin [ID¹⁰⁸](#), L. Linden [ID¹¹¹](#), R.E. Lindley [ID⁷](#), J.H. Lindon [ID²](#), J. Ling [ID⁶²](#), E. Lipeles [ID¹³¹](#), A. Lipniacka [ID¹⁷](#), A. Lister [ID¹⁶⁹](#), J.D. Little [ID⁶⁹](#), B. Liu [ID¹⁴](#), B.X. Liu [ID^{114b}](#), D. Liu [ID^{63d,63c}](#), E.H.L. Liu [ID²¹](#), J.K.K. Liu [ID³³](#), K. Liu [ID^{63d}](#), K. Liu [ID^{63d,63c}](#), M. Liu [ID^{63a}](#), M.Y. Liu [ID^{63a}](#), P. Liu [ID¹⁴](#), Q. Liu [ID^{63d,142,63c}](#), X. Liu [ID^{63a}](#), X. Liu [ID^{63b}](#), Y. Liu [ID^{114b,114c}](#), Y.L. Liu [ID^{63b}](#), Y.W. Liu [ID^{63a}](#), S.L. Lloyd [ID⁹⁶](#), E.M. Lobodzinska [ID⁴⁹](#), P. Loch [ID⁷](#), E. Lodhi [ID¹⁵⁹](#), T. Lohse [ID¹⁹](#), K. Lohwasser [ID¹⁴³](#), E. Loiacono [ID⁴⁹](#), J.D. Lomas [ID²¹](#), J.D. Long [ID⁴³](#), I. Longarini [ID¹⁶³](#), R. Longo [ID¹⁶⁷](#), A. Lopez Solis [ID⁴⁹](#), N.A. Lopez-canelas [ID⁷](#), N. Lorenzo Martinez [ID⁴](#), A.M. Lory [ID¹¹¹](#), M. Losada [ID^{119a}](#), G. Lösckke Centeno [ID¹⁵⁰](#), O. Loseva [ID³⁹](#), X. Lou [ID^{48a,48b}](#), X. Lou [ID^{14,114c}](#), A. Lounis [ID⁶⁷](#), P.A. Love [ID⁹³](#), G. Lu [ID^{14,114c}](#), M. Lu [ID⁶⁷](#), S. Lu [ID¹³¹](#), Y.J. Lu [ID¹⁵²](#), H.J. Lubatti [ID¹⁴²](#),

C. Luci ^{76a,76b}, F.L. Lucio Alves ^{114a}, F. Luehring ⁶⁹, B.S. Lunday ¹³¹, O. Lundberg ¹⁴⁸, B. Lund-Jensen ^{148,*}, N.A. Luongo ⁶, M.S. Lutz ³⁷, A.B. Lux ²⁶, D. Lynn ³⁰, R. Lysak ¹³⁴, E. Lytken ¹⁰⁰, V. Lyubushkin ⁴⁰, T. Lyubushkina ⁴⁰, M.M. Lyukova ¹⁴⁹, M.Firdaus M. Soberi ⁵³, H. Ma ³⁰, K. Ma ^{63a}, L.L. Ma ^{63b}, W. Ma ^{63a}, Y. Ma ¹²⁴, J.C. MacDonald ¹⁰², P.C. Machado De Abreu Farias ^{84e}, R. Madar ⁴², T. Madula ⁹⁸, J. Maeda ⁸⁶, T. Maeno ³⁰, P.T. Mafa ^{34c,k}, H. Maguire ¹⁴³, V. Maiboroda ¹³⁸, A. Maio ^{133a,133b,133d}, K. Maj ^{87a}, O. Majersky ⁴⁹, S. Majewski ¹²⁶, R. Makhmanazarov ³⁹, N. Makovec ⁶⁷, V. Maksimovic ¹⁶, B. Malaescu ¹³⁰, Pa. Malecki ⁸⁸, V.P. Maleev ³⁹, F. Malek ^{61,p}, M. Mali ⁹⁵, D. Malito ⁹⁷, U. Mallik ^{81,*}, S. Maltezos ¹⁰, S. Malyukov ⁴⁰, J. Mamuzic ¹³, G. Mancini ⁵⁴, M.N. Mancini ²⁷, G. Manco ^{74a,74b}, J.P. Mandalia ⁹⁶, S.S. Mandarry ¹⁵⁰, I. Mandić ⁹⁵, L. Manhaes de Andrade Filho ^{84a}, I.M. Maniatis ¹⁷⁴, J. Manjarres Ramos ⁹¹, D.C. Mankad ¹⁷⁴, A. Mann ¹¹¹, S. Manzoni ³⁷, L. Mao ^{63c}, X. Mapekula ^{34c}, A. Marantis ^{156,u}, G. Marchiori ⁵, M. Marcisovsky ¹³⁴, C. Marcon ^{72a}, M. Marinescu ²¹, S. Marium ⁴⁹, M. Marjanovic ¹²³, A. Markhoos ⁵⁵, M. Markovitch ⁶⁷, M.K. Maroun ¹⁰⁵, E.J. Marshall ⁹³, Z. Marshall ^{18a}, S. Marti-Garcia ¹⁶⁸, J. Martin ⁹⁸, T.A. Martin ¹³⁷, V.J. Martin ⁵³, B. Martin dit Latour ¹⁷, L. Martinelli ^{76a,76b}, M. Martinez ^{13,x}, P. Martinez Agullo ¹⁶⁸, V.I. Martinez Outschoorn ¹⁰⁵, P. Martinez Suarez ¹³, S. Martin-Haugh ¹³⁷, G. Martinovicova ¹³⁶, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁹⁸, A. Marzin ³⁷, D. Mascione ^{79a,79b}, L. Masetti ¹⁰², J. Masik ¹⁰³, A.L. Maslennikov ⁴⁰, S.L. Mason ⁴³, P. Massarotti ^{73a,73b}, P. Mastrandrea ^{75a,75b}, A. Mastroberardino ^{45b,45a}, T. Masubuchi ¹²⁷, T.T. Mathew ¹²⁶, J. Matousek ¹³⁶, D.M. Mattern ⁵⁰, J. Maurer ^{28b}, T. Maurin ⁶⁰, A.J. Maury ⁶⁷, B. Maček ⁹⁵, D.A. Maximov ³⁹, A.E. May ¹⁰³, E. Mayer ⁴², R. Mazini ^{34g}, I. Maznas ¹¹⁸, M. Mazza ¹⁰⁹, S.M. Mazza ¹³⁹, E. Mazzeo ^{72a,72b}, J.P. Mc Gowan ¹⁷⁰, S.P. Mc Kee ¹⁰⁸, C.A. Mc Lean ⁶, C.C. McCracken ¹⁶⁹, E.F. McDonald ¹⁰⁷, A.E. McDougall ¹¹⁷, L.F. Mcelhinney ⁹³, J.A. Mcfayden ¹⁵⁰, R.P. McGovern ¹³¹, R.P. Mckenzie ^{34g}, T.C. Mclachlan ⁴⁹, D.J. Mclaughlin ⁹⁸, S.J. McMahon ¹³⁷, C.M. Mcpartland ⁹⁴, R.A. McPherson ^{170,ab}, S. Mehlhase ¹¹¹, A. Mehta ⁹⁴, D. Melini ¹⁶⁸, B.R. Mellado Garcia ^{34g}, A.H. Melo ⁵⁶, F. Meloni ⁴⁹, A.M. Mendes Jacques Da Costa ¹⁰³, H.Y. Meng ¹⁵⁹, L. Meng ⁹³, S. Menke ¹¹², M. Mentink ³⁷, E. Meoni ^{45b,45a}, G. Mercado ¹¹⁸, S. Merianos ¹⁵⁶, C. Merlassino ^{70a,70c}, C. Meroni ^{72a,72b}, J. Metcalfe ⁶, A.S. Mete ⁶, E. Meuser ¹⁰², C. Meyer ⁶⁹, J-P. Meyer ¹³⁸, R.P. Middleton ¹³⁷, L. Mijović ⁵³, G. Mikenberg ¹⁷⁴, M. Mikeskikova ¹³⁴, M. Mikuž ⁹⁵, H. Mildner ¹⁰², A. Milic ³⁷, D.W. Miller ⁴¹, E.H. Miller ¹⁴⁷, L.S. Miller ³⁵, A. Milov ¹⁷⁴, D.A. Milstead ^{48a,48b}, T. Min ^{114a}, A.A. Minaenko ³⁹, I.A. Minashvili ^{153b}, A.I. Mincer ¹²⁰, B. Mindur ^{87a}, M. Mineev ⁴⁰, Y. Mino ⁸⁹, L.M. Mir ¹³, M. Miralles Lopez ⁶⁰, M. Mironova ^{18a}, M.C. Missio ¹¹⁶, A. Mitra ¹⁷², V.A. Mitsou ¹⁶⁸, Y. Mitsumori ¹¹³, O. Miu ¹⁵⁹, P.S. Miyagawa ⁹⁶, T. Mkrtchyan ^{64a}, M. Mlinarevic ⁹⁸, T. Mlinarevic ⁹⁸, M. Mlynarikova ³⁷, S. Mobius ²⁰, P. Mogg ¹¹¹, M.H. Mohamed Farook ¹¹⁵, A.F. Mohammed ^{14,114c}, S. Mohapatra ⁴³, S. Mohiuddin ¹²⁴, G. Mokgatitwane ^{34g}, L. Moleri ¹⁷⁴, B. Mondal ¹⁴⁵, S. Mondal ¹³⁵, K. Mönig ⁴⁹, E. Monnier ¹⁰⁴, L. Monsonis Romero ¹⁶⁸, J. Montejo Berlingen ¹³, A. Montella ^{48a,48b}, M. Montella ¹²², F. Montekali ^{78a,78b}, F. Monticelli ⁹², S. Monzani ^{70a,70c}, A. Morancho Tarda ⁴⁴, N. Morange ⁶⁷, A.L. Moreira De Carvalho ⁴⁹, M. Moreno Llácer ¹⁶⁸, C. Moreno Martinez ⁵⁷, J.M. Moreno Perez ^{23b}, P. Morettini ^{58b}, S. Morgenstern ³⁷, M. Morii ⁶², M. Morinaga ¹⁵⁷, M. Moritsu ⁹⁰, F. Morodei ^{76a,76b}, P. Moschovakos ³⁷, B. Moser ¹²⁹, M. Mosidze ^{153b}, T. Moskalets ⁴⁶, P. Moskvitina ¹¹⁶, J. Moss ^{32,m}, P. Moszkowicz ^{87a}, A. Moussa ^{36d}, Y. Moyal ¹⁷⁴, E.J.W. Moyse ¹⁰⁵, O. Mtintsilana ^{34g}, S. Muanza ¹⁰⁴, J. Mueller ¹³², R. Müller ³⁷, G.A. Mullier ¹⁶⁶, A.J. Mullin ³³, J.J. Mullin ⁵², A.E. Mulski ⁶², D.P. Mungo ¹⁵⁹, D. Munoz Perez ¹⁶⁸, F.J. Munoz Sanchez ¹⁰³, M. Murin ¹⁰³, W.J. Murray ^{172,137}, M. Muškinja ⁹⁵,

C. Mwewa ³⁰, A.G. Myagkov ^{39,a}, A.J. Myers ⁸, G. Myers ¹⁰⁸, M. Myska ¹³⁵,
 B.P. Nachman ^{18a}, K. Nagai ¹²⁹, K. Nagano ⁸⁵, R. Nagasaka ¹⁵⁷, J.L. Nagle ^{30,ai}, E. Nagy ¹⁰⁴,
 A.M. Nairz ³⁷, Y. Nakahama ⁸⁵, K. Nakamura ⁸⁵, K. Nakkalil ⁵, H. Nanjo ¹²⁷,
 E.A. Narayanan ⁴⁶, Y. Narukawa ¹⁵⁷, I. Naryshkin ³⁹, L. Nasella ^{72a,72b}, S. Nasri ^{119b},
 C. Nass ²⁵, G. Navarro ^{23a}, J. Navarro-Gonzalez ¹⁶⁸, A. Nayaz ¹⁹, P.Y. Nechaeva ³⁹,
 S. Nechaeva ^{24b,24a}, F. Nechansky ¹³⁴, L. Nedic ¹²⁹, T.J. Neep ²¹, A. Negri ^{74a,74b},
 M. Negrini ^{24b}, C. Nellist ¹¹⁷, C. Nelson ¹⁰⁶, K. Nelson ¹⁰⁸, S. Nemecek ¹³⁴, M. Nessi ^{37,h},
 M.S. Neubauer ¹⁶⁷, F. Neuhaus ¹⁰², J. Newell ⁹⁴, P.R. Newman ²¹, Y.W.Y. Ng ¹⁶⁷, B. Ngair ^{119a},
 H.D.N. Nguyen ¹¹⁰, R.B. Nickerson ¹²⁹, R. Nicolaidou ¹³⁸, J. Nielsen ¹³⁹, M. Niemeyer ⁵⁶,
 J. Niermann ³⁷, N. Nikiforou ³⁷, V. Nikolaenko ^{39,a}, I. Nikolic-Audit ¹³⁰, P. Nilsson ³⁰,
 I. Ninca ⁴⁹, G. Ninio ¹⁵⁵, A. Nisati ^{76a}, N. Nishu ², R. Nisius ¹¹², N. Nitika ^{70a,70c},
 J-E. Nitschke ⁵¹, E.K. Nkadimeng ^{34g}, T. Nobe ¹⁵⁷, T. Nommensen ¹⁵¹, M.B. Norfolk ¹⁴³,
 B.J. Norman ³⁵, M. Noury ^{36a}, J. Novak ⁹⁵, T. Novak ⁹⁵, R. Novotny ¹¹⁵, L. Nozka ¹²⁵,
 K. Ntekas ¹⁶³, N.M.J. Nunes De Moura Junior ^{84b}, J. Ocariz ¹³⁰, A. Ochi ⁸⁶, I. Ochoa ^{133a},
 S. Oerdek ^{49,y}, J.T. Offermann ⁴¹, A. Ogrodnik ¹³⁶, A. Oh ¹⁰³, C.C. Ohm ¹⁴⁸, H. Oide ⁸⁵,
 R. Oishi ¹⁵⁷, M.L. Ojeda ³⁷, Y. Okumura ¹⁵⁷, L.F. Oleiro Seabra ^{133a}, I. Oleksiyuk ⁵⁷,
 S.A. Olivares Pino ^{140d}, G. Oliveira Correa ¹³, D. Oliveira Damazio ³⁰, J.L. Oliver ¹⁶³,
 Ö.O. Öncel ⁵⁵, A.P. O'Neill ²⁰, A. Onofre ^{133a,133e}, P.U.E. Onyisi ¹¹, M.J. Oreglia ⁴¹,
 D. Orestano ^{78a,78b}, R.S. Orr ¹⁵⁹, L.M. Osojnak ¹³¹, Y. Osumi ¹¹³, G. Otero y Garzon ³¹,
 H. Otono ⁹⁰, G.J. Ottino ^{18a}, M. Ouchrif ^{36d}, F. Ould-Saada ¹²⁸, T. Ovsianikova ¹⁴²,
 M. Owen ⁶⁰, R.E. Owen ¹³⁷, V.E. Ozcan ^{22a}, F. Ozturk ⁸⁸, N. Ozturk ⁸, S. Ozturk ⁸³,
 H.A. Pacey ¹²⁹, K. Pachal ^{160a}, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³, G. Padovano ^{76a,76b},
 S. Pagan Griso ^{18a}, G. Palacino ⁶⁹, A. Palazzo ^{71a,71b}, J. Pampel ²⁵, J. Pan ¹⁷⁷, T. Pan ^{65a},
 D.K. Panchal ¹¹, C.E. Pandini ¹¹⁷, J.G. Panduro Vazquez ¹³⁷, H.D. Pandya ¹, H. Pang ¹³⁸,
 P. Pani ⁴⁹, G. Panizzo ^{70a,70c}, L. Panwar ¹³⁰, L. Paolozzi ⁵⁷, S. Parajuli ¹⁶⁷, A. Paramonov ⁶,
 C. Paraskevopoulos ⁵⁴, D. Paredes Hernandez ^{65b}, A. Pareti ^{74a,74b}, K.R. Park ⁴³, T.H. Park ¹¹²,
 F. Parodi ^{58b,58a}, J.A. Parsons ⁴³, U. Parzefall ⁵⁵, B. Pascual Dias ⁴², L. Pascual Dominguez ¹⁰¹,
 E. Pasqualucci ^{76a}, S. Passaggio ^{58b}, F. Pastore ⁹⁷, P. Patel ⁸⁸, U.M. Patel ⁵², J.R. Pater ¹⁰³,
 T. Pauly ³⁷, F. Pauwels ¹³⁶, C.I. Pazos ¹⁶², M. Pedersen ¹²⁸, R. Pedro ^{133a}, S.V. Peleganchuk ³⁹,
 O. Penc ³⁷, E.A. Pender ⁵³, S. Peng ¹⁵, G.D. Penn ¹⁷⁷, K.E. Penski ¹¹¹, M. Penzin ³⁹,
 B.S. Peralva ^{84d}, A.P. Pereira Peixoto ¹⁴², L. Pereira Sanchez ¹⁴⁷, D.V. Perepelitsa ^{30,ai},
 G. Perera ¹⁰⁵, E. Perez Codina ^{160a}, M. Perganti ¹⁰, H. Pernegger ³⁷, S. Perrella ^{76a,76b},
 O. Perrin ⁴², K. Peters ⁴⁹, R.F.Y. Peters ¹⁰³, B.A. Petersen ³⁷, T.C. Petersen ⁴⁴, E. Petit ¹⁰⁴,
 V. Petousis ¹³⁵, C. Petridou ^{156,e}, T. Petru ¹³⁶, A. Petrukhin ¹⁴⁵, M. Pettee ^{18a}, A. Petukhov ⁸³,
 K. Petukhova ³⁷, R. Pezoa ^{140f}, L. Pezzotti ^{24b,24a}, G. Pezzullo ¹⁷⁷, L. Pfaffenbichler ³⁷,
 A.J. Pflieger ³⁷, T.M. Pham ¹⁷⁵, T. Pham ¹⁰⁷, P.W. Phillips ¹³⁷, G. Piacquadio ¹⁴⁹, E. Pianori ^{18a},
 F. Piazza ¹²⁶, R. Piegai ³¹, D. Pietreanu ^{28b}, A.D. Pilkington ¹⁰³, M. Pinamonti ^{70a,70c},
 J.L. Pinfeld ², B.C. Pinheiro Pereira ^{133a}, J. Pinol Bel ¹³, A.E. Pinto Pinoargote ¹³⁸,
 L. Pintucci ^{70a,70c}, K.M. Piper ¹⁵⁰, A. Pirttikoski ⁵⁷, D.A. Pizzi ³⁵, L. Pizzimento ^{65b},
 M.-A. Pleier ³⁰, V. Pleskot ¹³⁶, E. Plotnikova ⁴⁰, G. Poddar ⁹⁶, R. Poettgen ¹⁰⁰, L. Poggioli ¹³⁰,
 S. Polacek ¹³⁶, G. Polesello ^{74a}, A. Poley ^{146,160a}, A. Polini ^{24b}, C.S. Pollard ¹⁷²,
 Z.B. Pollock ¹²², E. Pompa Pacchi ¹²³, N.I. Pond ⁹⁸, D. Ponomarenko ⁶⁹, L. Pontecorvo ³⁷,
 S. Popa ^{28a}, G.A. Popeneciu ^{28d}, A. Poreba ³⁷, D.M. Portillo Quintero ^{160a}, S. Pospisil ¹³⁵,
 M.A. Postill ¹⁴³, P. Postolache ^{28c}, K. Potamianos ¹⁷², P.A. Potepa ^{87a}, I.N. Potrap ⁴⁰,
 C.J. Potter ³³, H. Potti ¹⁵¹, J. Poveda ¹⁶⁸, M.E. Pozo Astigarraga ³⁷, A. Prades Ibanez ^{77a,77b},
 J. Pretel ¹⁷⁰, D. Price ¹⁰³, M. Primavera ^{71a}, L. Primomo ^{70a,70c}, M.A. Principe Martin ¹⁰¹,
 R. Privara ¹²⁵, T. Procter ⁶⁰, M.L. Proffitt ¹⁴², N. Proklova ¹³¹, K. Prokofiev ^{65c}, G. Proto ¹¹²,

J. Proudfoot ⁶, M. Przybycien ^{87a}, W.W. Przygoda ^{87b}, A. Psallidas ⁴⁷, J.E. Puddefoot ¹⁴³,
 D. Pudzha ⁵⁵, D. Pyatiizbyantseva ¹¹⁶, J. Qian ¹⁰⁸, R. Qian ¹⁰⁹, D. Qichen ¹⁰³, Y. Qin ¹³,
 T. Qiu ⁵³, A. Quadt ⁵⁶, M. Queitsch-Maitland ¹⁰³, G. Quetant ⁵⁷, R.P. Quinn ¹⁶⁹,
 G. Rabanal Bolanos ⁶², D. Rafanoharana ⁵⁵, F. Raffaelli ^{77a,77b}, F. Ragusa ^{72a,72b}, J.L. Rainbolt ⁴¹,
 J.A. Raine ⁵⁷, S. Rajagopalan ³⁰, E. Ramakoti ³⁹, L. Rambelli ^{58b,58a}, I.A. Ramirez-Berend ³⁵,
 K. Ran ^{49,114c}, D.S. Rankin ¹³¹, N.P. Rapheeha ^{34g}, H. Rasheed ^{28b}, V. Raskina ¹³⁰,
 D.F. Rassloff ^{64a}, A. Rastogi ^{18a}, S. Rave ¹⁰², S. Ravera ^{58b,58a}, B. Ravina ³⁷, I. Ravinovich ¹⁷⁴,
 M. Raymond ³⁷, A.L. Read ¹²⁸, N.P. Readioff ¹⁴³, D.M. Rebuzzi ^{74a,74b}, A.S. Reed ¹¹²,
 K. Reeves ²⁷, J.A. Reidelsturz ¹⁷⁶, D. Reikher ¹²⁶, A. Rej ⁵⁰, C. Rembser ³⁷, H. Ren ^{63a},
 M. Renda ^{28b}, F. Renner ⁴⁹, A.G. Rennie ¹⁶³, A.L. Rescia ⁴⁹, S. Resconi ^{72a},
 M. Ressegotti ^{58b,58a}, S. Rettie ³⁷, W.F. Rettie ³⁵, J.G. Reyes Rivera ¹⁰⁹, E. Reynolds ^{18a},
 O.L. Rezanova ⁴⁰, P. Reznicek ¹³⁶, H. Riani ^{36d}, N. Ribaric ⁵², E. Ricci ^{79a,79b}, R. Richter ¹¹²,
 S. Richter ^{48a,48b}, E. Richter-Was ^{87b}, M. Ridel ¹³⁰, S. Ridouani ^{36d}, P. Rieck ¹²⁰, P. Riedler ³⁷,
 E.M. Riefel ^{48a,48b}, J.O. Rieger ¹¹⁷, M. Rijssenbeek ¹⁴⁹, M. Rimoldi ³⁷, L. Rinaldi ^{24b,24a},
 P. Rincke ^{56,166}, G. Ripellino ¹⁶⁶, I. Riu ¹³, J.C. Rivera Vergara ¹⁷⁰, F. Rizatdinova ¹²⁴,
 E. Rizvi ⁹⁶, B.R. Roberts ^{18a}, S.S. Roberts ¹³⁹, D. Robinson ³³, M. Robles Manzano ¹⁰²,
 A. Robson ⁶⁰, A. Rocchi ^{77a,77b}, C. Roda ^{75a,75b}, S. Rodriguez Bosca ³⁷, Y. Rodriguez Garcia ^{23a},
 A.M. Rodríguez Vera ¹¹⁸, S. Roe ³⁷, J.T. Roemer ³⁷, O. Røhne ¹²⁸, C.P.A. Roland ¹³⁰, J. Roloff ³⁰,
 A. Romaniouk ⁸⁰, E. Romano ^{74a,74b}, M. Romano ^{24b}, A.C. Romero Hernandez ¹⁶⁷,
 N. Rompotis ⁹⁴, L. Roos ¹³⁰, S. Rosati ^{76a}, B.J. Rosser ⁴¹, E. Rossi ¹²⁹, E. Rossi ^{73a,73b},
 L.P. Rossi ⁶², L. Rossini ⁵⁵, R. Rosten ¹²², M. Rotaru ^{28b}, B. Rottler ⁵⁵, D. Rousseau ⁶⁷,
 D. Rouso ⁴⁹, S. Roy-Garand ¹⁵⁹, A. Rozanov ¹⁰⁴, Z.M.A. Rozario ⁶⁰, Y. Rozen ¹⁵⁴,
 A. Rubio Jimenez ¹⁶⁸, V.H. Ruelas Rivera ¹⁹, T.A. Ruggeri ¹, A. Ruggiero ¹²⁹,
 A. Ruiz-Martinez ¹⁶⁸, A. Rummler ³⁷, Z. Rurikova ⁵⁵, N.A. Rusakovich ⁴⁰, H.L. Russell ¹⁷⁰,
 G. Russo ^{76a,76b}, J.P. Rutherford ⁷, S. Rutherford Colmenares ³³, M. Rybar ¹³⁶, E.B. Rye ¹²⁸,
 A. Ryzhov ⁴⁶, J.A. Sabater Iglesias ⁵⁷, H.F.W. Sadrozinski ¹³⁹, F. Safai Tehrani ^{76a}, S. Saha ¹,
 M. Sahinsoy ⁸³, A. Saibel ¹⁶⁸, B.T. Saifuddin ¹²³, M. Saimpert ¹³⁸, M. Saito ¹⁵⁷, T. Saito ¹⁵⁷,
 A. Sala ^{72a,72b}, D. Salamani ³⁷, A. Salnikov ¹⁴⁷, J. Salt ¹⁶⁸, A. Salvador Salas ¹⁵⁵,
 D. Salvatore ^{45b,45a}, F. Salvatore ¹⁵⁰, A. Salzburger ³⁷, D. Sammel ⁵⁵, E. Sampson ⁹³,
 D. Sampsonidis ^{156,e}, D. Sampsonidou ¹²⁶, J. Sánchez ¹⁶⁸, V. Sanchez Sebastian ¹⁶⁸,
 H. Sandaker ¹²⁸, C.O. Sander ⁴⁹, J.A. Sandesara ¹⁰⁵, M. Sandhoff ¹⁷⁶, C. Sandoval ^{23b},
 L. Sanfilippo ^{64a}, D.P.C. Sankey ¹³⁷, T. Sano ⁸⁹, A. Sansoni ⁵⁴, L. Santi ³⁷, C. Santoni ⁴²,
 H. Santos ^{133a,133b}, A. Santra ¹⁷⁴, E. Sanzani ^{24b,24a}, K.A. Saoucha ¹⁶⁵, J.G. Saraiva ^{133a,133d},
 J. Sardain ⁷, O. Sasaki ⁸⁵, K. Sato ¹⁶¹, C. Sauer ³⁷, E. Sauvan ⁴, P. Savard ^{159,ag}, R. Sawada ¹⁵⁷,
 C. Sawyer ¹³⁷, L. Sawyer ⁹⁹, C. Sbarra ^{24b}, A. Sbrizzi ^{24b,24a}, T. Scanlon ⁹⁸,
 J. Schaarschmidt ¹⁴², U. Schäfer ¹⁰², A.C. Schaffer ^{67,46}, D. Schaile ¹¹¹, R.D. Schamberger ¹⁴⁹,
 C. Scharf ¹⁹, M.M. Schefer ²⁰, V.A. Schegelsky ³⁹, D. Scheirich ¹³⁶, M. Schernau ^{140e},
 C. Scheulen ⁵⁷, C. Schiavi ^{58b,58a}, M. Schioppa ^{45b,45a}, B. Schlag ¹⁴⁷, S. Schlenker ³⁷,
 J. Schmeing ¹⁷⁶, M.A. Schmidt ¹⁷⁶, K. Schmieden ¹⁰², C. Schmitt ¹⁰², N. Schmitt ¹⁰²,
 S. Schmitt ⁴⁹, L. Schoeffel ¹³⁸, A. Schoening ^{64b}, P.G. Scholer ³⁵, E. Schopf ¹⁴⁵, M. Schott ²⁵,
 S. Schramm ⁵⁷, T. Schroer ⁵⁷, H-C. Schultz-Coulon ^{64a}, M. Schumacher ⁵⁵, B.A. Schumm ¹³⁹,
 Ph. Schune ¹³⁸, H.R. Schwartz ¹³⁹, A. Schwartzman ¹⁴⁷, T.A. Schwarz ¹⁰⁸, Ph. Schwemling ¹³⁸,
 R. Schwienhorst ¹⁰⁹, F.G. Sciacca ²⁰, A. Sciandra ³⁰, G. Sciolla ²⁷, F. Scuri ^{75a},
 C.D. Sebastiani ³⁷, K. Sedlaczek ¹¹⁸, S.C. Seidel ¹¹⁵, A. Seiden ¹³⁹, B.D. Seidlitz ⁴³,
 C. Seitz ⁴⁹, J.M. Seixas ^{84b}, G. Sekhniaidze ^{73a}, L. Selem ⁶¹, N. Semprini-Cesari ^{24b,24a},
 A. Semushin ^{178,39}, D. Sengupta ⁵⁷, V. Senthilkumar ¹⁶⁸, L. Serin ⁶⁷, M. Sessa ^{77a,77b},
 H. Severini ¹²³, F. Sforza ^{58b,58a}, A. Sfyrly ⁵⁷, Q. Sha ¹⁴, E. Shabalina ⁵⁶, I.I. Shabat ¹⁵⁵,

H. Shaddix ¹¹⁸, A.H. Shah ³³, R. Shaheen ¹⁴⁸, J.D. Shahinian ¹³¹, D. Shaked Renous ¹⁷⁴,
 M. Shamim ³⁷, L.Y. Shan ¹⁴, M. Shapiro ^{18a}, A. Sharma ³⁷, A.S. Sharma ¹⁶⁹, P. Sharma ³⁰,
 P.B. Shatalov ³⁹, K. Shaw ¹⁵⁰, S.M. Shaw ¹⁰³, Q. Shen ^{63c}, D.J. Sheppard ¹⁴⁶, P. Sherwood ⁹⁸,
 L. Shi ⁹⁸, X. Shi ¹⁴, S. Shimizu ⁸⁵, C.O. Shimmin ¹⁷⁷, I.P.J. Shipsey ^{129,*}, S. Shirabe ⁹⁰,
 M. Shiyakova ^{40,z}, M.J. Shochet ⁴¹, D.R. Shope ¹²⁸, B. Shrestha ¹²³, S. Shrestha ^{122,ak},
 I. Shreyber ³⁹, M.J. Shroff ¹⁷⁰, P. Sicho ¹³⁴, A.M. Sickles ¹⁶⁷, E. Sideras Haddad ^{34g,164},
 A.C. Sidley ¹¹⁷, A. Sidoti ^{24b}, F. Siegert ⁵¹, Dj. Sijacki ¹⁶, F. Sili ⁹², J.M. Silva ⁵³,
 I. Silva Ferreira ^{84b}, M.V. Silva Oliveira ³⁰, S.B. Silverstein ^{48a}, S. Simion ⁶⁷, R. Simoniello ³⁷,
 E.L. Simpson ¹⁰³, H. Simpson ¹⁵⁰, L.R. Simpson ¹⁰⁸, S. Simsek ⁸³, S. Sindhu ⁵⁶, P. Sinervo ¹⁵⁹,
 S.N. Singh ²⁷, S. Singh ³⁰, S. Sinha ⁴⁹, S. Sinha ¹⁰³, M. Sioli ^{24b,24a}, K. Sioulas ⁹, I. Siral ³⁷,
 E. Sitnikova ⁴⁹, J. Sjölin ^{48a,48b}, A. Skaf ⁵⁶, E. Skorda ²¹, P. Skubic ¹²³, M. Slawinska ⁸⁸,
 I. Slazyk ¹⁷, V. Smakhtin ¹⁷⁴, B.H. Smart ¹³⁷, S.Yu. Smirnov ^{140b}, Y. Smirnov ³⁹,
 L.N. Smirnova ^{39,a}, O. Smirnova ¹⁰⁰, A.C. Smith ⁴³, D.R. Smith ¹⁶³, E.A. Smith ⁴¹, J.L. Smith ¹⁰³,
 M.B. Smith ³⁵, R. Smith ¹⁴⁷, H. Smitmanns ¹⁰², M. Smizanska ⁹³, K. Smolek ¹³⁵,
 A.A. Snesarev ⁴⁰, H.L. Snoek ¹¹⁷, S. Snyder ³⁰, R. Sobie ^{170,ab}, A. Soffer ¹⁵⁵,
 C.A. Solans Sanchez ³⁷, E.Yu. Soldatov ³⁹, U. Soldevila ¹⁶⁸, A.A. Solodkov ^{34g}, S. Solomon ²⁷,
 A. Soloshenko ⁴⁰, K. Solovieva ⁵⁵, O.V. Solovyanov ⁴², P. Sommer ⁵¹, A. Sonay ¹³,
 W.Y. Song ^{160b}, A. Sopczak ¹³⁵, A.L. Sopio ⁵³, F. Sopkova ^{29b}, J.D. Sorenson ¹¹⁵,
 I.R. Sotarriva Alvarez ¹⁴¹, V. Sothilingam ^{64a}, O.J. Soto Sandoval ^{140c,140b}, S. Sottocornola ⁶⁹,
 R. Soualah ¹⁶⁵, Z. Soumami ^{36e}, D. South ⁴⁹, N. Soybelman ¹⁷⁴, S. Spagnolo ^{71a,71b},
 M. Spalla ¹¹², D. Sperlich ⁵⁵, B. Spisso ^{73a,73b}, D.P. Spiteri ⁶⁰, M. Spousta ¹³⁶, E.J. Staats ³⁵,
 R. Stamen ^{64a}, E. Stanecka ⁸⁸, W. Stanek-Maslouska ⁴⁹, M.V. Stange ⁵¹, B. Stanislaus ^{18a},
 M.M. Stanitzki ⁴⁹, B. Stapf ⁴⁹, E.A. Starchenko ³⁹, G.H. Stark ¹³⁹, J. Stark ⁹¹, P. Staroba ¹³⁴,
 P. Starovoitov ¹⁶⁵, R. Staszewski ⁸⁸, G. Stavropoulos ⁴⁷, A. Stefl ³⁷, P. Steinberg ³⁰,
 B. Stelzer ^{146,160a}, H.J. Stelzer ¹³², O. Stelzer-Chilton ^{160a}, H. Stenzel ⁵⁹, T.J. Stevenson ¹⁵⁰,
 G.A. Stewart ³⁷, J.R. Stewart ¹²⁴, M.C. Stockton ³⁷, G. Stoicea ^{28b}, M. Stolarski ^{133a},
 S. Stonjek ¹¹², A. Straessner ⁵¹, J. Strandberg ¹⁴⁸, S. Strandberg ^{48a,48b}, M. Stratmann ¹⁷⁶,
 M. Strauss ¹²³, T. Streblner ¹⁰⁴, P. Strizenec ^{29b}, R. Ströhmer ¹⁷¹, D.M. Strom ¹²⁶,
 R. Stroynowski ⁴⁶, A. Strubig ^{48a,48b}, S.A. Stucci ³⁰, B. Stugu ¹⁷, J. Stupak ¹²³, N.A. Styles ⁴⁹,
 D. Su ¹⁴⁷, S. Su ^{63a}, W. Su ^{63d}, X. Su ^{63a}, D. Suchy ^{29a}, K. Sugizaki ¹³¹, V.V. Sulim ³⁹,
 M.J. Sullivan ⁹⁴, D.M.S. Sultan ¹²⁹, L. Sultanaliev ³⁹, S. Sultansoy ^{3b}, S. Sun ¹⁷⁵, W. Sun ¹⁴,
 O. Sunneborn Gudnadottir ¹⁶⁶, N. Sur ¹⁰⁴, M.R. Sutton ¹⁵⁰, H. Suzuki ¹⁶¹, M. Svatos ¹³⁴,
 M. Swiatlowski ^{160a}, T. Swirski ¹⁷¹, I. Sykora ^{29a}, M. Sykora ¹³⁶, T. Sykora ¹³⁶, D. Ta ¹⁰²,
 K. Tackmann ^{49,y}, A. Taffard ¹⁶³, R. Tafirout ^{160a}, J.S. Tafuya Vargas ⁵⁷, Y. Takubo ⁸⁵,
 M. Talby ¹⁰⁴, A.A. Talyshev ³⁹, K.C. Tam ^{65b}, N.M. Tamir ¹⁵⁵, A. Tanaka ¹⁵⁷, J. Tanaka ¹⁵⁷,
 R. Tanaka ⁶⁷, M. Tanasini ¹⁴⁹, Z. Tao ¹⁶⁹, S. Tapia Araya ^{140f}, S. Tapprogge ¹⁰²,
 A. Tarek Abouelfadl Mohamed ¹⁰⁹, S. Tarem ¹⁵⁴, K. Tariq ¹⁴, G. Tarna ^{28b}, G.F. Tartarelli ^{72a},
 M.J. Tartarin ⁹¹, P. Tas ¹³⁶, M. Tasevsky ¹³⁴, E. Tassi ^{45b,45a}, A.C. Tate ¹⁶⁷, G. Tateno ¹⁵⁷,
 Y. Tayalati ^{36e,aa}, G.N. Taylor ¹⁰⁷, W. Taylor ^{160b}, A.S. Tegetmeier ⁹¹, P. Teixeira-Dias ⁹⁷,
 J.J. Teoh ¹⁵⁹, K. Terashi ¹⁵⁷, J. Terron ¹⁰¹, S. Terzo ¹³, M. Testa ⁵⁴, R.J. Teuscher ^{159,ab},
 A. Thaler ⁸⁰, O. Theiner ⁵⁷, T. Theveneaux-Pelzer ¹⁰⁴, O. Thielmann ¹⁷⁶, D.W. Thomas ⁹⁷,
 J.P. Thomas ²¹, E.A. Thompson ^{18a}, P.D. Thompson ²¹, E. Thomson ¹³¹, R.E. Thornberry ⁴⁶,
 C. Tian ^{63a}, Y. Tian ⁵⁷, V. Tikhomirov ^{39,a}, Yu.A. Tikhonov ³⁹, S. Timoshenko ³⁹,
 D. Timoshyn ¹³⁶, E.X.L. Ting ¹, P. Tipton ¹⁷⁷, A. Tishelman-Charny ³⁰, S.H. Tlou ^{34g},
 K. Todome ¹⁴¹, S. Todorova-Nova ¹³⁶, S. Todt ⁵¹, L. Toffolin ^{70a,70c}, M. Togawa ⁸⁵, J. Tojo ⁹⁰,
 S. Tokár ^{29a}, O. Toldaiev ⁶⁹, G. Tolkachev ¹⁰⁴, M. Tomoto ^{85,113}, L. Tompkins ^{147,o},
 E. Torrence ¹²⁶, H. Torres ⁹¹, E. Torró Pastor ¹⁶⁸, M. Toscani ³¹, C. Toscirri ⁴¹, M. Tost ¹¹,

D.R. Tovey ¹⁴³, T. Trefzger ¹⁷¹, A. Tricoli ³⁰, I.M. Trigger ^{160a}, S. Trincaz-Duvoid ¹³⁰,
 D.A. Trischuk ²⁷, A. Tropina ⁴⁰, L. Truong ^{34c}, M. Trzebinski ⁸⁸, A. Trzupke ⁸⁸, F. Tsai ¹⁴⁹,
 M. Tsai ¹⁰⁸, A. Tsiamis ¹⁵⁶, P.V. Tsiarashka ⁴⁰, S. Tsigaridas ^{160a}, A. Tsigotis ^{156,u},
 V. Tsiskaridze ¹⁵⁹, E.G. Tskhadadze ^{153a}, M. Tsopoulou ¹⁵⁶, Y. Tsujikawa ⁸⁹, I.I. Tsukerman ³⁹,
 V. Tsulaia ^{18a}, S. Tsuno ⁸⁵, K. Tsuri ¹²¹, D. Tsybychev ¹⁴⁹, Y. Tu ^{65b}, A. Tudorache ^{28b},
 V. Tudorache ^{28b}, S. Turchikhin ^{58b,58a}, I. Turk Cakir ^{3a}, R. Turra ^{72a}, T. Turtuvshin ⁴⁰,
 P.M. Tuts ⁴³, S. Tzamarias ^{156,e}, E. Tzovara ¹⁰², F. Ukegawa ¹⁶¹, P.A. Ulloa Poblete ^{140c,140b},
 E.N. Umaka ³⁰, G. Unal ³⁷, A. Undrus ³⁰, G. Unel ¹⁶³, J. Urban ^{29b}, P. Urrejola ^{140a},
 G. Usai ⁸, R. Ushioda ¹⁵⁸, M. Usman ¹¹⁰, F. Ustuner ⁵³, Z. Uysal ⁸³, V. Vacek ¹³⁵,
 B. Vachon ¹⁰⁶, T. Vafeiadis ³⁷, A. Vaitkus ⁹⁸, C. Valderanis ¹¹¹, E. Valdes Santurio ^{48a,48b},
 M. Valente ^{160a}, S. Valentinetti ^{24b,24a}, A. Valero ¹⁶⁸, E. Valiente Moreno ¹⁶⁸, A. Vallier ⁹¹,
 J.A. Valls Ferrer ¹⁶⁸, D.R. Van Arneman ¹¹⁷, T.R. Van Daalen ¹⁴², A. Van Der Graaf ⁵⁰,
 H.Z. Van Der Schyf ^{34g}, P. Van Gemmeren ⁶, M. Van Rijnbach ³⁷, S. Van Stroud ⁹⁸,
 I. Van Vulpen ¹¹⁷, P. Vana ¹³⁶, M. Vanadia ^{77a,77b}, U.M. Vande Voorde ¹⁴⁸, W. Vandelli ³⁷,
 E.R. Vandewall ¹²⁴, D. Vannicola ¹⁵⁵, L. Vannoli ⁵⁴, R. Vari ^{76a}, E.W. Varnes ⁷, C. Varni ^{18b},
 D. Varouchas ⁶⁷, L. Varriale ¹⁶⁸, K.E. Varvell ¹⁵¹, M.E. Vasile ^{28b}, L. Vaslin ⁸⁵, A. Vasyukov ⁴⁰,
 L.M. Vaughan ¹²⁴, R. Vavricka ¹³⁶, T. Vazquez Schroeder ¹³, J. Veatch ³², V. Vecchio ¹⁰³,
 M.J. Veen ¹⁰⁵, I. Veliscek ³⁰, L.M. Veloce ¹⁵⁹, F. Veloso ^{133a,133c}, S. Veneziano ^{76a},
 A. Ventura ^{71a,71b}, S. Ventura Gonzalez ¹³⁸, A. Verbytskyi ¹¹², M. Verducci ^{75a,75b}, C. Vergis ⁹⁶,
 M. Verissimo De Araujo ^{84b}, W. Verkerke ¹¹⁷, J.C. Vermeulen ¹¹⁷, C. Vernieri ¹⁴⁷,
 M. Vessella ¹⁶³, M.C. Vetterli ^{146,ag}, A. Vgenopoulos ¹⁰², N. Viaux Maira ^{140f}, T. Vickey ¹⁴³,
 O.E. Vickey Boeriu ¹⁴³, G.H.A. Viehhauser ¹²⁹, L. Vigani ^{64b}, M. Vigl ¹¹², M. Villa ^{24b,24a},
 M. Villaplana Perez ¹⁶⁸, E.M. Villhauer ⁵³, E. Vilucchi ⁵⁴, M.G. Vincter ³⁵, A. Visibile ¹¹⁷,
 C. Vittori ³⁷, I. Vivarelli ^{24b,24a}, E. Voevodina ¹¹², F. Vogel ¹¹¹, J.C. Voigt ⁵¹, P. Vokac ¹³⁵,
 Yu. Volkotrub ^{87b}, E. Von Toerne ²⁵, B. Vormwald ³⁷, K. Vorobev ³⁹, M. Vos ¹⁶⁸, K. Voss ¹⁴⁵,
 M. Vozak ³⁷, L. Vozdecky ¹²³, N. Vranjes ¹⁶, M. Vranjes Milosavljevic ¹⁶, M. Vreeswijk ¹¹⁷,
 N.K. Vu ^{63d,63c}, R. Vuillermet ³⁷, O. Vujanovic ¹⁰², I. Vukotic ⁴¹, I.K. Vyas ³⁵, S. Wada ¹⁶¹,
 C. Wagner ¹⁴⁷, J.M. Wagner ^{18a}, W. Wagner ¹⁷⁶, S. Wahdan ¹⁷⁶, H. Wahlberg ⁹², C.H. Waits ¹²³,
 J. Walder ¹³⁷, R. Walker ¹¹¹, W. Walkowiak ¹⁴⁵, A. Wall ¹³¹, E.J. Wallin ¹⁰⁰, T. Wamorkar ^{18a},
 A.Z. Wang ¹³⁹, C. Wang ¹⁰², C. Wang ¹¹, H. Wang ^{18a}, J. Wang ^{65c}, P. Wang ¹⁰³, P. Wang ⁹⁸,
 R. Wang ⁶², R. Wang ⁶, S.M. Wang ¹⁵², S. Wang ¹⁴, T. Wang ^{63a}, W.T. Wang ⁸¹, W. Wang ¹⁴,
 X. Wang ¹⁶⁷, X. Wang ^{63c}, Y. Wang ^{114a}, Y. Wang ^{63a}, Z. Wang ¹⁰⁸, Z. Wang ^{63d,52,63c},
 Z. Wang ¹⁰⁸, C. Wanotayaroj ⁸⁵, A. Warburton ¹⁰⁶, R.J. Ward ²¹, A.L. Warnerbring ¹⁴⁵,
 N. Warrack ⁶⁰, S. Waterhouse ⁹⁷, A.T. Watson ²¹, H. Watson ⁵³, M.F. Watson ²¹, E. Watton ⁶⁰,
 G. Watts ¹⁴², B.M. Waugh ⁹⁸, J.M. Webb ⁵⁵, C. Weber ³⁰, H.A. Weber ¹⁹, M.S. Weber ²⁰,
 S.M. Weber ^{64a}, C. Wei ^{63a}, Y. Wei ⁵⁵, A.R. Weidberg ¹²⁹, E.J. Weik ¹²⁰, J. Weingarten ⁵⁰,
 C. Weiser ⁵⁵, C.J. Wells ⁴⁹, T. Wenaus ³⁰, B. Wendland ⁵⁰, T. Wengler ³⁷, N.S. Wenke ¹¹²,
 N. Wermes ²⁵, M. Wessels ^{64a}, A.M. Wharton ⁹³, A.S. White ⁶², A. White ⁸, M.J. White ¹,
 D. Whiteson ¹⁶³, L. Wickremasinghe ¹²⁷, W. Wiedenmann ¹⁷⁵, M. Wielers ¹³⁷,
 C. Wiglesworth ⁴⁴, D.J. Wilbern ¹²³, H.G. Wilkens ³⁷, J.J.H. Wilkinson ³³, D.M. Williams ⁴³,
 H.H. Williams ¹³¹, S. Williams ³³, S. Willocq ¹⁰⁵, B.J. Wilson ¹⁰³, D.J. Wilson ¹⁰³,
 P.J. Windischhofer ⁴¹, F.I. Winkel ³¹, F. Winklmeier ¹²⁶, B.T. Winter ⁵⁵, M. Wittgen ¹⁴⁷,
 M. Wobisch ⁹⁹, T. Wojtkowski ⁶¹, Z. Wolffs ¹¹⁷, J. Wollrath ³⁷, M.W. Wolter ⁸⁸, H. Wolters ^{133a,133c},
 M.C. Wong ¹³⁹, E.L. Woodward ⁴³, S.D. Worm ⁴⁹, B.K. Wosiek ⁸⁸, K.W. Woźniak ⁸⁸,
 S. Wozniowski ⁵⁶, K. Wraight ⁶⁰, C. Wu ²¹, M. Wu ^{114b}, M. Wu ¹¹⁶, S.L. Wu ¹⁷⁵, X. Wu ⁵⁷,
 X. Wu ^{63a}, Y. Wu ^{63a}, Z. Wu ⁴, J. Wuerzinger ^{112,ae}, T.R. Wyatt ¹⁰³, B.M. Wynne ⁵³,
 S. Xella ⁴⁴, L. Xia ^{114a}, M. Xia ¹⁵, M. Xie ^{63a}, A. Xiong ¹²⁶, J. Xiong ^{18a}, D. Xu ¹⁴,

H. Xu ¹, L. Xu ², R. Xu ³, T. Xu ⁴, Y. Xu ⁵, Z. Xu ⁶, Z. Xu ⁷, B. Yabsley ⁸, S. Yacoob ⁹, Y. Yamaguchi ¹⁰, E. Yamashita ¹¹, H. Yamauchi ¹², T. Yamazaki ¹³, Y. Yamazaki ¹⁴, S. Yan ¹⁵, Z. Yan ¹⁶, H.J. Yang ¹⁷, H.T. Yang ¹⁸, S. Yang ¹⁹, T. Yang ²⁰, X. Yang ²¹, X. Yang ²², Y. Yang ²³, Y. Yang ²⁴, W-M. Yao ²⁵, H. Ye ²⁶, J. Ye ²⁷, S. Ye ²⁸, X. Ye ²⁹, Y. Yeh ³⁰, I. Yeletskikh ³¹, B. Yeo ³², M.R. Yexley ³³, T.P. Yildirim ³⁴, P. Yin ³⁵, K. Yorita ³⁶, S. Younas ³⁷, C.J.S. Young ³⁸, C. Young ³⁹, N.D. Young ⁴⁰, Y. Yu ⁴¹, J. Yuan ⁴², M. Yuan ⁴³, R. Yuan ⁴⁴, L. Yue ⁴⁵, M. Zaazoua ⁴⁶, B. Zabinski ⁴⁷, I. Zahir ⁴⁸, Z.K. Zak ⁴⁹, T. Zakareishvili ⁵⁰, S. Zambito ⁵¹, J.A. Zamora Saa ⁵², J. Zang ⁵³, D. Zanzi ⁵⁴, R. Zanzottera ⁵⁵, O. Zaplatilek ⁵⁶, C. Zeitnitz ⁵⁷, H. Zeng ⁵⁸, J.C. Zeng ⁵⁹, D.T. Zenger Jr ⁶⁰, O. Zenin ⁶¹, T. Ženiš ⁶², S. Zenz ⁶³, S. Zerradi ⁶⁴, D. Zerwas ⁶⁵, M. Zhai ⁶⁶, D.F. Zhang ⁶⁷, J. Zhang ⁶⁸, J. Zhang ⁶⁹, K. Zhang ⁷⁰, L. Zhang ⁷¹, L. Zhang ⁷², P. Zhang ⁷³, R. Zhang ⁷⁴, S. Zhang ⁷⁵, T. Zhang ⁷⁶, X. Zhang ⁷⁷, Y. Zhang ⁷⁸, Y. Zhang ⁷⁹, Y. Zhang ⁸⁰, Y. Zhang ⁸¹, Z. Zhang ⁸², Z. Zhang ⁸³, H. Zhao ⁸⁴, T. Zhao ⁸⁵, Y. Zhao ⁸⁶, Z. Zhao ⁸⁷, A. Zhemchugov ⁸⁸, J. Zheng ⁸⁹, K. Zheng ⁹⁰, X. Zheng ⁹¹, Z. Zheng ⁹², D. Zhong ⁹³, B. Zhou ⁹⁴, H. Zhou ⁹⁵, N. Zhou ⁹⁶, Y. Zhou ⁹⁷, Y. Zhou ⁹⁸, Y. Zhou ⁹⁹, C.G. Zhu ¹⁰⁰, J. Zhu ¹⁰¹, X. Zhu ¹⁰², Y. Zhu ¹⁰³, Y. Zhu ¹⁰⁴, X. Zhuang ¹⁰⁵, K. Zhukov ¹⁰⁶, N.I. Zimine ¹⁰⁷, J. Zinsser ¹⁰⁸, M. Ziolkowski ¹⁰⁹, L. Živković ¹¹⁰, A. Zoccoli ¹¹¹, K. Zoch ¹¹², T.G. Zorbas ¹¹³, O. Zormpa ¹¹⁴, W. Zou ¹¹⁵, L. Zwalinski ¹¹⁶.

¹Department of Physics, University of Adelaide, Adelaide; Australia.

²Department of Physics, University of Alberta, Edmonton AB; Canada.

³(^a)Department of Physics, Ankara University, Ankara; (^b)Division of Physics, TOBB University of Economics and Technology, Ankara; Türkiye.

⁴LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy; France.

⁵APC, Université Paris Cité, CNRS/IN2P3, Paris; France.

⁶High Energy Physics Division, Argonne National Laboratory, Argonne IL; United States of America.

⁷Department of Physics, University of Arizona, Tucson AZ; United States of America.

⁸Department of Physics, University of Texas at Arlington, Arlington TX; United States of America.

⁹Physics Department, National and Kapodistrian University of Athens, Athens; Greece.

¹⁰Physics Department, National Technical University of Athens, Zografou; Greece.

¹¹Department of Physics, University of Texas at Austin, Austin TX; United States of America.

¹²Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.

¹³Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona; Spain.

¹⁴Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; China.

¹⁵Physics Department, Tsinghua University, Beijing; China.

¹⁶Institute of Physics, University of Belgrade, Belgrade; Serbia.

¹⁷Department for Physics and Technology, University of Bergen, Bergen; Norway.

¹⁸(^a)Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; (^b)University of California, Berkeley CA; United States of America.

¹⁹Institut für Physik, Humboldt Universität zu Berlin, Berlin; Germany.

²⁰Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern; Switzerland.

²¹School of Physics and Astronomy, University of Birmingham, Birmingham; United Kingdom.

²²(^a)Department of Physics, Bogazici University, Istanbul; (^b)Department of Physics Engineering, Gaziantep University, Gaziantep; (^c)Department of Physics, Istanbul University, Istanbul; Türkiye.

- ²³(*a*) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá; (*b*) Departamento de Física, Universidad Nacional de Colombia, Bogotá; Colombia.
- ²⁴(*a*) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; (*b*) INFN Sezione di Bologna; Italy.
- ²⁵Physikalisches Institut, Universität Bonn, Bonn; Germany.
- ²⁶Department of Physics, Boston University, Boston MA; United States of America.
- ²⁷Department of Physics, Brandeis University, Waltham MA; United States of America.
- ²⁸(*a*) Transilvania University of Brasov, Brasov; (*b*) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (*c*) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi; (*d*) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca; (*e*) National University of Science and Technology Politehnica, Bucharest; (*f*) West University in Timisoara, Timisoara; (*g*) Faculty of Physics, University of Bucharest, Bucharest; Romania.
- ²⁹(*a*) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; (*b*) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice; Slovak Republic.
- ³⁰Physics Department, Brookhaven National Laboratory, Upton NY; United States of America.
- ³¹Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires; Argentina.
- ³²California State University, CA; United States of America.
- ³³Cavendish Laboratory, University of Cambridge, Cambridge; United Kingdom.
- ³⁴(*a*) Department of Physics, University of Cape Town, Cape Town; (*b*) iThemba Labs, Western Cape; (*c*) Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg; (*d*) National Institute of Physics, University of the Philippines Diliman (Philippines); (*e*) University of South Africa, Department of Physics, Pretoria; (*f*) University of Zululand, KwaDlangezwa; (*g*) School of Physics, University of the Witwatersrand, Johannesburg; South Africa.
- ³⁵Department of Physics, Carleton University, Ottawa ON; Canada.
- ³⁶(*a*) Faculté des Sciences Ain Chock, Université Hassan II de Casablanca; (*b*) Faculté des Sciences, Université Ibn-Tofail, Kénitra; (*c*) Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech; (*d*) LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda; (*e*) Faculté des sciences, Université Mohammed V, Rabat; (*f*) Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ³⁷CERN, Geneva; Switzerland.
- ³⁸Affiliated with an institute formerly covered by a cooperation agreement with CERN.
- ³⁹Affiliated with an institute covered by a cooperation agreement with CERN.
- ⁴⁰Affiliated with an international laboratory covered by a cooperation agreement with CERN.
- ⁴¹Enrico Fermi Institute, University of Chicago, Chicago IL; United States of America.
- ⁴²LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand; France.
- ⁴³Nevis Laboratory, Columbia University, Irvington NY; United States of America.
- ⁴⁴Niels Bohr Institute, University of Copenhagen, Copenhagen; Denmark.
- ⁴⁵(*a*) Dipartimento di Fisica, Università della Calabria, Rende; (*b*) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; Italy.
- ⁴⁶Physics Department, Southern Methodist University, Dallas TX; United States of America.
- ⁴⁷National Centre for Scientific Research "Demokritos", Agia Paraskevi; Greece.
- ⁴⁸(*a*) Department of Physics, Stockholm University; (*b*) Oskar Klein Centre, Stockholm; Sweden.
- ⁴⁹Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen; Germany.
- ⁵⁰Fakultät Physik, Technische Universität Dortmund, Dortmund; Germany.
- ⁵¹Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden; Germany.

- ⁵²Department of Physics, Duke University, Durham NC; United States of America.
- ⁵³SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh; United Kingdom.
- ⁵⁴INFN e Laboratori Nazionali di Frascati, Frascati; Italy.
- ⁵⁵Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg; Germany.
- ⁵⁶II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen; Germany.
- ⁵⁷Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁵⁸(^a) Dipartimento di Fisica, Università di Genova, Genova; (^b) INFN Sezione di Genova; Italy.
- ⁵⁹II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen; Germany.
- ⁶⁰SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow; United Kingdom.
- ⁶¹LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble; France.
- ⁶²Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA; United States of America.
- ⁶³(^a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei; (^b) Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao; (^c) School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai; (^d) Tsung-Dao Lee Institute, Shanghai; (^e) School of Physics, Zhengzhou University; China.
- ⁶⁴(^a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (^b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg; Germany.
- ⁶⁵(^a) Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong; (^b) Department of Physics, University of Hong Kong, Hong Kong; (^c) Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong; China.
- ⁶⁶Department of Physics, National Tsing Hua University, Hsinchu; Taiwan.
- ⁶⁷IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay; France.
- ⁶⁸Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona; Spain.
- ⁶⁹Department of Physics, Indiana University, Bloomington IN; United States of America.
- ⁷⁰(^a) INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; (^b) ICTP, Trieste; (^c) Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine; Italy.
- ⁷¹(^a) INFN Sezione di Lecce; (^b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce; Italy.
- ⁷²(^a) INFN Sezione di Milano; (^b) Dipartimento di Fisica, Università di Milano, Milano; Italy.
- ⁷³(^a) INFN Sezione di Napoli; (^b) Dipartimento di Fisica, Università di Napoli, Napoli; Italy.
- ⁷⁴(^a) INFN Sezione di Pavia; (^b) Dipartimento di Fisica, Università di Pavia, Pavia; Italy.
- ⁷⁵(^a) INFN Sezione di Pisa; (^b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa; Italy.
- ⁷⁶(^a) INFN Sezione di Roma; (^b) Dipartimento di Fisica, Sapienza Università di Roma, Roma; Italy.
- ⁷⁷(^a) INFN Sezione di Roma Tor Vergata; (^b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma; Italy.
- ⁷⁸(^a) INFN Sezione di Roma Tre; (^b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma; Italy.
- ⁷⁹(^a) INFN-TIFPA; (^b) Università degli Studi di Trento, Trento; Italy.
- ⁸⁰Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck; Austria.
- ⁸¹University of Iowa, Iowa City IA; United States of America.
- ⁸²Department of Physics and Astronomy, Iowa State University, Ames IA; United States of America.
- ⁸³Istinye University, Sariyer, Istanbul; Türkiye.
- ⁸⁴(^a) Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora; (^b) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (^c) Instituto de Física, Universidade de São Paulo, São Paulo; (^d) Rio de Janeiro State University, Rio de Janeiro; (^e) Federal

University of Bahia, Bahia; Brazil.

⁸⁵KEK, High Energy Accelerator Research Organization, Tsukuba; Japan.

⁸⁶Graduate School of Science, Kobe University, Kobe; Japan.

⁸⁷(^a) AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow; (^b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow; Poland.

⁸⁸Institute of Nuclear Physics Polish Academy of Sciences, Krakow; Poland.

⁸⁹Faculty of Science, Kyoto University, Kyoto; Japan.

⁹⁰Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka ; Japan.

⁹¹L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse; France.

⁹²Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata; Argentina.

⁹³Physics Department, Lancaster University, Lancaster; United Kingdom.

⁹⁴Oliver Lodge Laboratory, University of Liverpool, Liverpool; United Kingdom.

⁹⁵Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana; Slovenia.

⁹⁶School of Physics and Astronomy, Queen Mary University of London, London; United Kingdom.

⁹⁷Department of Physics, Royal Holloway University of London, Egham; United Kingdom.

⁹⁸Department of Physics and Astronomy, University College London, London; United Kingdom.

⁹⁹Louisiana Tech University, Ruston LA; United States of America.

¹⁰⁰Fysiska institutionen, Lunds universitet, Lund; Sweden.

¹⁰¹Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid; Spain.

¹⁰²Institut für Physik, Universität Mainz, Mainz; Germany.

¹⁰³School of Physics and Astronomy, University of Manchester, Manchester; United Kingdom.

¹⁰⁴CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille; France.

¹⁰⁵Department of Physics, University of Massachusetts, Amherst MA; United States of America.

¹⁰⁶Department of Physics, McGill University, Montreal QC; Canada.

¹⁰⁷School of Physics, University of Melbourne, Victoria; Australia.

¹⁰⁸Department of Physics, University of Michigan, Ann Arbor MI; United States of America.

¹⁰⁹Department of Physics and Astronomy, Michigan State University, East Lansing MI; United States of America.

¹¹⁰Group of Particle Physics, University of Montreal, Montreal QC; Canada.

¹¹¹Fakultät für Physik, Ludwig-Maximilians-Universität München, München; Germany.

¹¹²Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München; Germany.

¹¹³Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya; Japan.

¹¹⁴(^a) Department of Physics, Nanjing University, Nanjing; (^b) School of Science, Shenzhen Campus of Sun Yat-sen University; (^c) University of Chinese Academy of Science (UCAS), Beijing; China.

¹¹⁵Department of Physics and Astronomy, University of New Mexico, Albuquerque NM; United States of America.

¹¹⁶Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen; Netherlands.

¹¹⁷Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam; Netherlands.

¹¹⁸Department of Physics, Northern Illinois University, DeKalb IL; United States of America.

¹¹⁹(^a) New York University Abu Dhabi, Abu Dhabi; (^b) United Arab Emirates University, Al Ain; United Arab Emirates.

¹²⁰Department of Physics, New York University, New York NY; United States of America.

¹²¹Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo; Japan.

- ¹²²Ohio State University, Columbus OH; United States of America.
- ¹²³Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK; United States of America.
- ¹²⁴Department of Physics, Oklahoma State University, Stillwater OK; United States of America.
- ¹²⁵Palacký University, Joint Laboratory of Optics, Olomouc; Czech Republic.
- ¹²⁶Institute for Fundamental Science, University of Oregon, Eugene, OR; United States of America.
- ¹²⁷Graduate School of Science, Osaka University, Osaka; Japan.
- ¹²⁸Department of Physics, University of Oslo, Oslo; Norway.
- ¹²⁹Department of Physics, Oxford University, Oxford; United Kingdom.
- ¹³⁰LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris; France.
- ¹³¹Department of Physics, University of Pennsylvania, Philadelphia PA; United States of America.
- ¹³²Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA; United States of America.
- ¹³³^(a)Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;^(b)Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;^(c)Departamento de Física, Universidade de Coimbra, Coimbra;^(d)Centro de Física Nuclear da Universidade de Lisboa, Lisboa;^(e)Departamento de Física, Universidade do Minho, Braga;^(f)Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);^(g)Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa; Portugal.
- ¹³⁴Institute of Physics of the Czech Academy of Sciences, Prague; Czech Republic.
- ¹³⁵Czech Technical University in Prague, Prague; Czech Republic.
- ¹³⁶Charles University, Faculty of Mathematics and Physics, Prague; Czech Republic.
- ¹³⁷Particle Physics Department, Rutherford Appleton Laboratory, Didcot; United Kingdom.
- ¹³⁸IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette; France.
- ¹³⁹Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA; United States of America.
- ¹⁴⁰^(a)Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;^(b)Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;^(c)Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;^(d)Universidad Andres Bello, Department of Physics, Santiago;^(e)Instituto de Alta Investigación, Universidad de Tarapacá, Arica;^(f)Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso; Chile.
- ¹⁴¹Department of Physics, Institute of Science, Tokyo; Japan.
- ¹⁴²Department of Physics, University of Washington, Seattle WA; United States of America.
- ¹⁴³Department of Physics and Astronomy, University of Sheffield, Sheffield; United Kingdom.
- ¹⁴⁴Department of Physics, Shinshu University, Nagano; Japan.
- ¹⁴⁵Department Physik, Universität Siegen, Siegen; Germany.
- ¹⁴⁶Department of Physics, Simon Fraser University, Burnaby BC; Canada.
- ¹⁴⁷SLAC National Accelerator Laboratory, Stanford CA; United States of America.
- ¹⁴⁸Department of Physics, Royal Institute of Technology, Stockholm; Sweden.
- ¹⁴⁹Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY; United States of America.
- ¹⁵⁰Department of Physics and Astronomy, University of Sussex, Brighton; United Kingdom.
- ¹⁵¹School of Physics, University of Sydney, Sydney; Australia.
- ¹⁵²Institute of Physics, Academia Sinica, Taipei; Taiwan.
- ¹⁵³^(a)E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi;^(b)High Energy Physics Institute, Tbilisi State University, Tbilisi;^(c)University of Georgia, Tbilisi; Georgia.

- ¹⁵⁴Department of Physics, Technion, Israel Institute of Technology, Haifa; Israel.
- ¹⁵⁵Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv; Israel.
- ¹⁵⁶Department of Physics, Aristotle University of Thessaloniki, Thessaloniki; Greece.
- ¹⁵⁷International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo; Japan.
- ¹⁵⁸Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo; Japan.
- ¹⁵⁹Department of Physics, University of Toronto, Toronto ON; Canada.
- ¹⁶⁰(^a) TRIUMF, Vancouver BC; (^b) Department of Physics and Astronomy, York University, Toronto ON; Canada.
- ¹⁶¹Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba; Japan.
- ¹⁶²Department of Physics and Astronomy, Tufts University, Medford MA; United States of America.
- ¹⁶³Department of Physics and Astronomy, University of California Irvine, Irvine CA; United States of America.
- ¹⁶⁴University of West Attica, Athens; Greece.
- ¹⁶⁵University of Sharjah, Sharjah; United Arab Emirates.
- ¹⁶⁶Department of Physics and Astronomy, University of Uppsala, Uppsala; Sweden.
- ¹⁶⁷Department of Physics, University of Illinois, Urbana IL; United States of America.
- ¹⁶⁸Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia; Spain.
- ¹⁶⁹Department of Physics, University of British Columbia, Vancouver BC; Canada.
- ¹⁷⁰Department of Physics and Astronomy, University of Victoria, Victoria BC; Canada.
- ¹⁷¹Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg; Germany.
- ¹⁷²Department of Physics, University of Warwick, Coventry; United Kingdom.
- ¹⁷³Waseda University, Tokyo; Japan.
- ¹⁷⁴Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot; Israel.
- ¹⁷⁵Department of Physics, University of Wisconsin, Madison WI; United States of America.
- ¹⁷⁶Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal; Germany.
- ¹⁷⁷Department of Physics, Yale University, New Haven CT; United States of America.
- ¹⁷⁸Yerevan Physics Institute, Yerevan; Armenia.
- ^a Also Affiliated with an institute covered by a cooperation agreement with CERN.
- ^b Also at An-Najah National University, Nablus; Palestine.
- ^c Also at Borough of Manhattan Community College, City University of New York, New York NY; United States of America.
- ^d Also at Center for High Energy Physics, Peking University; China.
- ^e Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki; Greece.
- ^f Also at CERN, Geneva; Switzerland.
- ^g Also at CMD-AC UNEC Research Center, Azerbaijan State University of Economics (UNEC); Azerbaijan.
- ^h Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève; Switzerland.
- ⁱ Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona; Spain.
- ^j Also at Department of Financial and Management Engineering, University of the Aegean, Chios; Greece.
- ^k Also at Department of Mathematical Sciences, University of South Africa, Johannesburg; South Africa.
- ^l Also at Department of Physics, Bolu Abant İzzet Baysal University, Bolu; Türkiye.
- ^m Also at Department of Physics, California State University, Sacramento; United States of America.
- ⁿ Also at Department of Physics, King's College London, London; United Kingdom.

- ^o Also at Department of Physics, Stanford University, Stanford CA; United States of America.
- ^p Also at Department of Physics, Stellenbosch University; South Africa.
- ^q Also at Department of Physics, University of Fribourg, Fribourg; Switzerland.
- ^r Also at Department of Physics, University of Thessaly; Greece.
- ^s Also at Department of Physics, Westmont College, Santa Barbara; United States of America.
- ^t Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia; Bulgaria.
- ^u Also at Hellenic Open University, Patras; Greece.
- ^v Also at Henan University; China.
- ^w Also at Imam Mohammad Ibn Saud Islamic University; Saudi Arabia.
- ^x Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona; Spain.
- ^y Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg; Germany.
- ^z Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia; Bulgaria.
- ^{aa} Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir; Morocco.
- ^{ab} Also at Institute of Particle Physics (IPP); Canada.
- ^{ac} Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku; Azerbaijan.
- ^{ad} Also at National Institute of Physics, University of the Philippines Diliman (Philippines); Philippines.
- ^{ae} Also at Technical University of Munich, Munich; Germany.
- ^{af} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing; China.
- ^{ag} Also at TRIUMF, Vancouver BC; Canada.
- ^{ah} Also at Università di Napoli Parthenope, Napoli; Italy.
- ^{ai} Also at University of Colorado Boulder, Department of Physics, Colorado; United States of America.
- ^{aj} Also at University of the Western Cape; South Africa.
- ^{ak} Also at Washington College, Chestertown, MD; United States of America.
- ^{al} Also at Yeditepe University, Physics Department, Istanbul; Türkiye.
- * Deceased