

Drivers Timor-Leste




| | Page |
|--|------|
| Insufficient physical activity | 2 |
| Average daily frequency of carbonated soft drink consumption | 8 |
| Estimated per capita fruit intake | 9 |
| Prevalence of less than daily fruit consumption | 10 |
| Prevalence of less than daily vegetable consumption | 11 |
| Average weekly frequency of fast food consumption | 12 |
| Estimated per-capita processed meat intake | 13 |
| Estimated per capita whole grains intake | 14 |
| Mental health - depression disorders | 15 |
| Mental health - anxiety disorders | 16 |
| % Infants exclusively breastfed 0-5 months | 17 |



Insufficient physical activity


Adults, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X (18)30357-7




Men, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7




Women, 2016



References: Guthold R, Stevens GA, Riley LM, Bull FC. Worldwide trends in insufficient physical activity from 2001 to 2016: a pooled analysis of 358 population-based surveys with 1.9 million participants. Lancet 2018 http://dx.doi.org/10.1016/S2214-109X
(18)30357-7



Children, 2016




| Survey type: | Self-reported |
|-----------------|--|
| Age: | 11-17 |
| References: | Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21) |
| Notes: | % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 |

Definitions: % Adolescents insufficiently active (age standardised estimate)

minutes of moderate- to vigorous-intensity physical activity daily.



Boys, 2016




| Survey type: | Self-reported |
|-----------------|--|
| Age: | 11-17 |
| References: | Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21) |
| Notes: | % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 |

Definitions: % Adolescents insufficiently active (age standardised estimate)

minutes of moderate- to vigorous-intensity physical activity daily.



Girls, 2016



| Survey | Self-reported | |
|-------------|--|--|
| type: | | |
| Age: | 11-17 | |
| References: | Global Health Observatory data repository, World Health Organisation, https://apps.who.int/gho/data/node.main.A893ADO?lang=en (last accessed 16.03.21) | |
| | | |


Notes: % of school going adolescents not meeting WHO recommendations on Physical Activity for Health, i.e. doing less than 60 minutes of moderate- to vigorous-intensity physical activity daily.

Definitions: % Adolescents insufficiently active (age standardised estimate)



Average daily frequency of carbonated soft drink consumption

Children, 2014-2015



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.


https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$



Estimated per capita fruit intake

Adults, 2017



Survey type:

Age:

Clobal Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/


Definitions:

Estimated per-capita fruit intake (g/day)



Prevalence of less than daily fruit consumption

Children, 2008-2015



Survey Measured

type:

Age: 12-17

References: Global School-based Student Health Surveys. Beal et al (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated

Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition

Bulletin. https://doi.org/10.1177/0379572119848287. Sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily fruit consumption (% less-than-daily fruit consumption)



Prevalence of less than daily vegetable consumption

Children, 2008-2015



Survey Measured

type:

Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.

https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

http://www.foodsystemsdashboard.org/food-system


Definitions:

Prevalence of less-than-daily vegetable consumption (% less-than-daily vegetable consumption)



Average weekly frequency of fast food consumption

Children, 2014-2015



Age: 12-17

References:

Beal et al. (2019). Global Patterns of Adolescent Fruit, Vegetable, Carbonated Soft Drink, and Fast-food consumption: A meta-analysis of global school-based student health surveys. Food and Nutrition Bulletin.


https://doi.org/10.1177/0379572119848287 sourced from Food Systems Dashboard

 $\underline{\text{http://www.foodsystemsdashboard.org/food-system}}$



Estimated per-capita processed meat intake

Adults, 2017



Survey type: Measured

Age: 25+


References: Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/

Definitions: Estimated per-capita processed meat intake (g per day)



Estimated per capita whole grains intake

Adults, 2017



Age: 25+


References: Global Burden of Disease, the Institute for Health Metrics and Evaluation http://ghdx.healthdata.org/

Definitions: Estimated per-capita whole grains intake (g/day)



Mental health - depression disorders

Adults, 2015




References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions: % of population with depression disorders



Mental health - anxiety disorders

Adults, 2015




References: Prevalence data from Global Burden of Disease study 2015 (http://ghdx.healthdata.org) published in: Depression and Other Common Mental Disorders: Global Health Estimates. Geneva: World Health Organization; 2017. Licence: CC BY-NC-SA 3.0 IGO.

Definitions: % of population with anxiety disorders



% Infants exclusively breastfed 0-5 months

Infants, 2015-2022



References:

Timor-Leste Food and Nutrition Survey 2020

Notes:

Full details are available. Original citation United Nations Children's Fund, Division of Data, Analysis, Planning and Monitoring (2023). Global UNICEF Global Databases: Infant and Young Child Feeding: Exclusive breastfeeding, New York, October 2023.



PDF created on August 7, 2024