

## Contents

<i>Murray, M., Dorsch, N. W. C.:</i> Advances in vasospasm research . . . . .	1
<b>Vasospasm pathogenies</b>	
<i>Cahill, J., Zhang, J. H.:</i> Pre-vasospasm: early brain injury . . . . .	7
<i>Cahill, J., Solaroglu, I., Zhang, J. H.:</i> Apoptotic markers in vasospasm after an experimental subarachnoid haemorrhage . . . . .	11
<i>Kafadar, A. M., Uzan, M., Tanriverdi, T., Sanus, G. Z., Uzun, H., Kaynar, M. Y., Kuday, C.:</i> Cerebrospinal fluid soluble Fas and Fas ligand levels after aneurysmal subarachnoid haemorrhage . . . . .	17
<i>Shi, W., Huang, L. Y., Wang, R. Z., Sun, J. J., Wang, F. R., Liu, C. X., Zhou, L., Zhang, J. H.:</i> Time course of oxyhemoglobin induces apoptosis in mice brain cells <i>in vivo</i> . . . . .	23
<i>Yatsushige, H., Yamaguchi-Okada, M., Zhou, C., Calvert, J. W., Cahill, J., Colohan, A. R. T., Zhang, J. H.:</i> Inhibition of c-Jun N-terminal kinase pathway attenuates cerebral vasospasm after experimental subarachnoid hemorrhage through the suppression of apoptosis . . . . .	27
<i>Ayer, R. E., Zhang, J. H.:</i> Oxidative stress in subarachnoid haemorrhage: significance in acute brain injury and vasospasm . . . . .	33
<i>Wurster, W. L., Pyne-Geithman, G. J., Peat, I. R., Clark, J. F.:</i> Bilirubin oxidation products (BOXes): synthesis, stability and chemical characteristics . . . . .	43
<i>Sengul, G., Kadioglu, H. H.:</i> Vascular contractility changes due to vasospasm induced by periarterial whole blood and thrombocyte rich plasma . . . . .	51
<b>Vasospasm biochemistry</b>	
<i>Nishizawa, S.:</i> Vasospasm biochemistry . . . . .	55
<i>Nishizawa, S., Koide, M., Yamaguchi-Okada, M.:</i> The roles of cross-talk mechanisms in the signal transduction systems in the pathophysiology of the cerebral vasospasm after subarachnoid haemorrhage – what we know and what we do not know . . . . .	59
<i>Ansar, S., Hansen-Schwartz, J., Edvinsson, L.:</i> Subarachnoid hemorrhage induces upregulation of vascular receptors and reduction in rCBF via an ERK1/2 mechanism . . . . .	65

<i>Ono, S., Hishikawa, T., Ogawa, T., Nishiguchi, M., Onoda, K., Tokunaga, K., Sugi, K., Date, I.:</i> Effect of deferoxamine-activated hypoxia inducible factor-1 on the brainstem following subarachnoid haemorrhage . . . . .	69
<i>Chen, S.-C., Wu, S.-C., Lo, Y.-C., Huang, S.-Y., Winardi, W., Winardi, D., Chen, I.-J., Howng, S.-L., Kwan, A.-L.:</i> Urgosedin downregulates mRNA expression of TNF- $\alpha$ in brain tissue of rats subjected to experimental subarachnoid haemorrhage . . . . .	75
<i>Jabre, A., Patel, A., Macyszyn, L., Taylor, D., Keady, M., Bao, Y., Chen, J.-F.:</i> Nucleotide-induced cerebral vasospasm in an <i>in vivo</i> mouse model . . . . .	79
<i>Jabre, A., Macyszyn, L., Keady, M., Bao, Y., Patel, A., Chen, J.-F.:</i> Effects of ADPbetaS on purine receptor expression in mouse cerebral vasculature . . . . .	81
<b>Vasospasm electrophysiology</b>	
<i>Kawashima, A., Macdonald, R. L.:</i> Electrophysiology of cerebral vasospasm . . . . .	87
<i>Ishiguro, M., Wellman, G. C.:</i> Cellular basis of vasospasm: role of small diameter arteries and voltage-dependent Ca <sup>2+</sup> channels. . . . .	95
<i>Ishiguro, M., Murakami, K., Link, T., Zvarova, K., Tranmer, B. I., Morielli, A. D., Wellman, G. C.:</i> Acute and chronic effects of oxyhemoglobin on voltage-dependent ion channels in cerebral arteries. . . . .	99
<i>Hänggi, D., Turowski, B., Perrin, J., Rapp, M., Liersch, J., Sabel, M., Steiger, H.-J.:</i> The effect of an intracisternal nimodipine slow-release system on cerebral vasospasm after experimental subarachnoid haemorrhage in the rat . . . . .	103
<i>Kasuya, H., Onda, H., Krischek, B., Hori, T.:</i> Cerebral vasospasm following subarachnoid haemorrhage is completely prevented by L-type calcium channel antagonist in human . . . . .	109
<b>Vasospasm pharmacology</b>	
<i>Vatter, H., Seifert, V.:</i> Vasospasm pharmacology . . . . .	115
<i>Winardi, W., Kwan, A. L., Lin, C. L., Jeng, A. Y., Cheng, K. I.:</i> Endothelin-converting enzyme inhibitor versus cerebrovasospasm. . . . .	119
<i>van Giersbergen, P. L. M., Vajkoczy, P., Meyer, B., Weidauer, S., Raabe, A., Thome, C., Ringel, F., Breu, V., Schmiedek, P., Dingemans, J.:</i> A pharmacokinetic study of clazosentan in patients with aneurysmal subarachnoid haemorrhage . . . . .	125
<i>van Giersbergen, P. L. M., Dingemans, J.:</i> Pharmacokinetic and pharmacodynamic aspects of the interaction between clazosentan and nimodipine in healthy subjects . . . . .	127
<i>Lin, C. L., Cheng, K. I., Winardi, D., Chu, K. S., Wu, S. C., Lue, S. I., Chen, D. I., Liu, C. S., Jeng, A. Y., Kwan, A. L.:</i> Attenuation of intercellular adhesion molecule-1 and cerebral vasospasm in rabbits subjected to experimental subarachnoid haemorrhage by CGS 26303 . . . . .	131

<i>Su, Y. F., Lin, C. L., Lieu, A. S., Lee, K. S., Wang, C. J., Chang, C. Z., Chan, T. F., Cheng, K. I., Howng, S. L., Kwan, A. L.:</i> The effect of 17 $\beta$ -estradiol in the prevention of cerebral vasospasm and endothelin-1 production after subarachnoid haemorrhage . . . . .	135
<i>Pluta, R. M.:</i> Dysfunction of nitric oxide synthases as a cause and therapeutic target in delayed cerebral vasospasm after SAH . . . . .	139
<i>Lin, C. L., Chang, C. Z., Su, Y. F., Lieu, A. S., Lee, K. S., Loh, J. K., Chan, T. F., Wang, C. J., Howng, S. L., Kwan, A. L.:</i> An adenosine A <sub>1</sub> receptor agonist preserves eNOS expression and attenuates cerebrovasospasm after subarachnoid haemorrhage . . . . .	149
<b>Vasospasm molecular biology</b>	
<i>Heistad, D. D., Watanabe, Y., Chu, Y.:</i> Gene transfer after subarachnoid hemorrhage: a tool and potential therapy . . . . .	157
<i>Ogawa, T., Ono, S., Ichikawa, T., Michiue, H., Arimitsu, S., Onoda, K., Tokunaga, K., Sugiu, K., Tomizawa, K., Matsui, H., Date, I.:</i> Direct protein transduction method to cerebral arteries by using 11R: new strategy for the treatment of cerebral vasospasm after subarachnoid haemorrhage . . . . .	161
<i>Ogawa, T., Ono, S., Ichikawa, T., Arimitsu, S., Onoda, K., Tokunaga, K., Sugiu, K., Tomizawa, K., Matsui, H., Date, I.:</i> Endothelial nitric oxide synthase-11R protein therapy for prevention of cerebral vasospasm in rats: a preliminary report . . . . .	165
<i>Sasaki, T., Kasuya, H., Aihara, Y., Hori, T.:</i> Microarray analysis of hemolysate-induced differential gene expression in cultured human vascular smooth muscle cells (HVSMC) . . . . .	169
<b>Vasospasm remodeling</b>	
<i>Ohkuma, H., Munakata, A., Suzuki, S.:</i> Role of vascular remodeling in cerebral vasospasm. . . . .	175
<i>Suzuki, H., Kanamaru, K., Suzuki, Y., Aimi, Y., Matsubara, N., Araki, T., Takayasu, M., Takeuchi, T., Okada, K., Kinoshita, N., Imanaka-Yoshida, K., Yoshida, T., Taki, W.:</i> Possible role of tenascin-C in cerebral vasospasm after aneurysmal subarachnoid haemorrhage . . . . .	179
<i>Chen, Z., Zhu, G., Zhang, J. H., Liu, Z., Tang, W., Feng, H.:</i> Ecdysterone-sensitive smooth muscle cell proliferation stimulated by conditioned medium of endothelial cells cultured with bloody cerebrospinal fluid . . . . .	183
<i>Tang, W.-H., Zhu, G., Zhang, J. H., Chen, Z., Liu, Z., Feng, H.:</i> The effect of oxyhemoglobin on the proliferation and migration of cultured vascular advential fibroblasts . . . . .	189
<i>Tang, W.-H., Zhu, G., Zhang, J. H., Chen, Z., Liu, Z., Feng, H.:</i> The effect of oxyhemoglobin on the proliferation and migration of cultured vascular smooth muscle cells . . . . .	197

<i>Kuo, J. R., Yen, C. P., Wu, S. C., Su, Y. F., Howng, S. L., Kwan, A. L., Jeng, A. Y., Winardi, W., Kassell, N. F., Chang, C. Z.:</i> Comparison of three measurement methods for basilar artery with neurological changes in rabbits subjected to experimental subarachnoid haemorrhage . . . . .	203
<b>Vasospasm diagnostic</b>	
<i>Vajkoczy, P., Münch, E.:</i> Vasospasm diagnosis strategies . . . . .	211
<i>Ono, S., Arimitsu, S., Ogawa, T., Manabe, H., Onoda, K., Tokunaga, K., Sugi, K., Date, I.:</i> Continuous evaluation of regional oxygen saturation in cerebral vasospasm after subarachnoid haemorrhage using INVOS <sup>®</sup> , portable near infrared spectrography . . . . .	215
<i>Iwabuchi, S., Yokouchi, T., Terada, H., Hayashi, M., Kimura, H., Tomiyama, A., Hirata, Y., Saito, N., Harashina, J., Nakayama, H., Sato, K., Hamazaki, K., Aoki, K., Samejima, H., Ueda, M.:</i> Automated voxel-based analysis of brain perfusion SPECT for vasospasm after subarachnoid haemorrhage . . . . .	219
<i>Nathal, E., López-González, F., Rios, C.:</i> Angiographic scale for evaluation of cerebral vasospasm . . . . .	225
<i>Wanifuchi, H., Sasahara, A., Sato, S.:</i> CT evaluation of late cerebral infarction after operation for ruptured cerebral aneurysm . . . . .	229
<i>Ansar, S., Edvinsson, L.:</i> Elevated intracranial pressure or subarachnoid blood responsible for reduction in cerebral blood flow after SAH . . . . .	231
<i>Sugawara, T., Wang, A., Jadhav, V., Tsubokawa, T., Obenaus, A., Zhang, J. H.:</i> Magnetic resonance imaging in the canine double-haemorrhage subarachnoid haemorrhage model. . . . .	235
<i>Beck, J., Raabe, A., Lanfermann, H., Berkefeld, J., du Mesnil de Rochemont, R., Zanella, F., Seifert, V., Weidauer, S.:</i> Perfusion/diffusion-weighted imaging protocol for the diagnosis of cerebral vasospasm and management of treatment after subarachnoid haemorrhage. . . . .	241
<i>Sencer, S., Kırış, T., Sencer, A., Yaka, U., Sahinbas, M., Aydın, K., Tiryaki, B., Karasu, A., Agus, O., Ozkan, M., Imer, M., Unal, F.:</i> Diffusion and perfusion MRI findings with clinical correlation in patients with subarachnoid haemorrhage related vasospasm . . . . .	245
<i>Schatlo, B., Gläsker, S., Zauner, A., Thompson, G. B., Oldfield, E. H., Pluta, R. M.:</i> Correlation of end-tidal CO <sub>2</sub> with transcranial Doppler flow velocity is decreased during chemoregulation in delayed cerebral vasospasm after subarachnoid haemorrhage – results of a pilot study. . . . .	249
<i>Chierigato, A., Battaglia, R., Sabia, G., Compagnone, C., Cocciolo, F., Tagliaferri, F., Pascarella, R., Pasquini, U., Frattarelli, M., Targa, L.:</i> A diagnostic flowchart, including TCD, Xe-CT and angiography, to improve the diagnosis of vasospasm critically affecting cerebral blood flow in patients with subarachnoid haemorrhage, sedated and ventilated . . . . .	251
<i>Sviri, G. E., Zaaroor, M., Britz, G. W., Douville, C. M., Lam, A., Newell, D. W.:</i> Basilar artery vasospasm: diagnosis and grading by transcranial Doppler. . . . .	255

*Can, M., Kahyaoğlu, O., Çolak, İ., Aydın, Y.:*

- Predictive value of transcranial Doppler to detect clinical vasospasm in patients with aneurysmal subarachnoid haemorrhage. . . . . 259

### **Vasospasm medical treatment**

*Wong, G. K., Poon, W. S., Chan, M. T. V.:*

- Intravenous magnesium sulfate after aneurysmal subarachnoid hemorrhage: a meta-analysis of published data . . . . . 265

*Wong, G. K., Poon, W. S., Chan, M. T. V.:*

- Hypomagnesemia after ruptured middle cerebral artery aneurysms: predictive factor and pathophysiological implication . . . . . 267

*Fountas, K. N., Machinis, T. G., Robinson, J. S., Sevin, C., Fezoulidis, N. I.,*

*Castresana, M., Kapsalaki, E. Z.:*

- The role of magnesium sulfate in the treatment of vasospasm in patients with spontaneous subarachnoid haemorrhage . . . . . 269

*Shibuya, M., Ikeda, A., Ohsuka, K., Yamamoto, Y., Satoh, S.:*

- Fasudil (a rho-kinase inhibitor) may specifically increase rCBF in spastic area . . . . . 275

*Ono, S., Arimitsu, S., Ogawa, T., Onoda, K., Tokunaga, K., Sugiu, K., Date, I.:*

- Multimodality therapy for cerebral vasospasm after SAH: importance of intensive care and intraarterial injection of fasudil hydrochloride . . . . . 279

*Sung, K.-C., Yen, C.-P., Hsu, J.-H., Wu, S.-C., Wu, Y.-C., Lue, S.-I., Winardi, W.,*

*Cheng, K.-I., Kwan, A.-L.:*

- The effect of KMUVS-1 on experimental subarachnoid haemorrhage-induced cerebrovasospasm . . . . . 283

*Sugawara, T., Ayer, R., Zhang, J. H.:*

- Role of statins in cerebral vasospasm . . . . . 287

*Bilginer, B., Önal, B., Yiğitkanlı, K., Söylemezoglu, F., Bavbek, M., Ziyal, I. M., Özgen, T.:*

- Treatment of cerebral vasospasm with cilostazol in subarachnoid haemorrhage model . . . . . 291

*Liu, Z., Zhu, G., Zhang, J. H., Chen, Z., Tang, W.-H., Wang, X.-R., Feng, H.:*

- Ecdysterone attenuates vasospasm following experimental subarachnoid haemorrhage in rabbits . . . . . 297

### **Vasospasm chemical surgery**

*Toyoda, T., Ohta, T., Kin, T., Tanishima, T.:*

- Clot-clearance rate in the sylvian cistern is associated with severity of cerebral vasospasm after subarachnoid haemorrhage . . . . . 305

*Hänggi, D., Liersch, J., Wöbker, G., Steiger, H.-J.:*

- Simultaneous head rotation and lumboventricular lavage in patients after severe subarachnoid haemorrhage: an initial analysis of the influence on clot clearance rate and cerebral vasospasm. . . . . 309

*Kai, Y., Morioka, M., Yano, S., Mizuno, T., Kuratsu, J.-I., Hamada, J.-I., Todaka, T.:*

- Intrathecal urokinase infusion through a microcatheter into the cisterna magna to prevent cerebral vasospasm: experimental study in dogs . . . . . 315

*Hayashi, Y., Kai, Y., Mohri, M., Uchiyama, N., Hamada, J.-I.:*

- Microcatheter intrathecal urokinase infusion into cisterna magna for prevention of cerebral vasospasm. . . . . 321

<i>Kodama, N., Sasaki, T., Matsumoto, M., Suzuki, K., Sakuma, J., Endo, Y., Oinuma, M., Ishikawa, T., Sato, T.:</i> Prevention of symptomatic vasospasm – effect of continuous cisternal irrigation with urokinase and ascorbic acid . . . . .	325
<i>Nakgomi, T., Ishii, T., Furuya, K., Nagashima, H., Hirata, M., Tamura, A.:</i> Cisternal washing therapy for the prevention of cerebral vasospasm following SAH: analysis of 308 consecutive cases with Fisher group 3 SAH. . . . .	329
<b>Surgical treatment</b>	
<i>Jaeger, M., Schuhmann, M. U., Meixensberger, J.:</i> Questionable value of decompressive craniectomy after severe aneurysmal subarachnoid haemorrhage . . . . .	335
<i>Yoshino, Y., Takasato, Y., Masaoka, H., Hayakawa, T., Otani, N., Yatsushige, H., Sugawara, T., Kitahashi, A., Obikane, Y., Aoyagi, C.:</i> Low incidence of cerebral vasospasm after aneurysmal subarachnoid haemorrhage: a comparison between surgical repairs and endovascular coil occlusions . . . . .	337
<i>Balak, N., Çerçi, A., Şerefhan, A., Coşkun, K., Sari, R., Işık, N., Elmaci, I.:</i> Microsurgical treatment of unruptured intracranial aneurysms . . . . .	341
<i>Aihara, N., Mase, M., Yamada, K.:</i> Coil embolization decrease the incidence of symptomatic vasospasm, except in patients with poor grade subarachnoid hemorrhage . . . . .	343
<i>Delgado, A. L., Jahromi, B., Müller, N., Farhat, H., Salame, J., Zauner, A.:</i> Endovascular therapy of cerebral vasospasm: two year experience with angioplasty and/or intraarterial administration of nicardipine and verapamil . . . . .	347
<i>Nathal, E., García-Perales, C., Lee, A., Ondarza, R., Zenteno, M.:</i> Utility of intra-arterial nimodipine for cerebral vasospasm. . . . .	353
<i>Lin, K.-C., Chung, C.-C., Kwan, A.-L., Kuo, Y.-L., Howng, S.-L., Chang, K.-A., Wu, S.-C., Chou, A.-K.:</i> Intra-arterial nicardipine successfully relieved post-subarachnoid hemorrhage cerebral vasospasm during aneurysm embolization: a case report . . . . .	357
<b>Prognosis</b>	
<i>Hatiboglu, M. A., Bikmaz, K., Iplikcioglu, A. C., Turgut, N.:</i> Evaluating the factors affecting cerebral vasospasm in patients after aneurysmal subarachnoid haemorrhage . . . . .	363
<i>Kojima, J., Katayama, Y., Igarashi, T., Yoneko, M., Itoh, K., Kawamata, T., Mori, T., Moro, N.:</i> Is cerebral salt wasting after subarachnoid haemorrhage caused by bleeding? . . . . .	367
<i>Şerefhan, A., Balak, N., Çerçi, A., Coşkun, K., Sari, R., Silav, G., Işık, N., Çelik, M., Elmaci, I.:</i> Relationship between the development of vasospasm after aneurysmal subarachnoid haemorrhage and the levels of dendroaspis natriuretic peptide in body fluids . . . . .	371
<i>Tabuchi, S., Hirano, N., Tanabe, M., Akatsuka, K., Watanabe, T.:</i> An abrupt fall in blood pressure in aneurysmal subarachnoid hemorrhage . . . . .	373
<i>Fountas, K. N., Kassam, M., Machinis, T. G., Dimopoulos, V. G., Robinson III, J. S., Ajjan, M., Grigorian, A. A., Kapsalaki, E. Z.:</i> C-reactive protein might predict outcome in aneurysmal subarachnoid haemorrhage . . . . .	377

<i>Hamamcioglu, M. K., Kilincer, C., Altunrende, E., Hicdonmez, T., Simsek, O., Akyel, S., Cobanoglu, S.:</i> Factors affecting the incidence and severity of vasospasm after subarachnoid haemorrhage . . . . .	383
<i>Sviri, G. E., Zaaroor, M., Britz, G. W., Douville, C. M., Lam, A., Newell, D. W.:</i> Basilar artery vasospasm: impact on outcome. . . . .	387
<i>Kang, S.:</i> Change of management results in good-grade aneurysm patients . . . . .	391
<i>Sakowitz, O. W., Krajewski, K. L., Haux, D., Orakcioglu, B., Unterberg, A. W., Kiening, K. L.:</i> Quantification of transient ischemic and metabolic events in patients after subarachnoid haemorrhage . . . . .	395
<b>Other vasospasm</b>	
<i>Westra, D. L., Colohan, A. R. T.:</i> Pediatric subarachnoid haemorrhage . . . . .	401
<i>Sencer, A., Kırış, T., Aydoseli, A., Göker, B., Tatlı, B., Karasu, A., Hepgül, K., İzgi, N., Canbolat, A.:</i> Childhood intracranial aneurysms . . . . .	407
<i>Tatlı, M., Guzel, A., Kilincer, C., Goksel, H. M.:</i> Pediatric cerebral aneurysms: a report of 9 cases . . . . .	411
<i>Mosiewicz, A., Markiewicz, P., Szajner, M., Trojanowski, T.:</i> Intracranial aneurysms during childhood and puberty . . . . .	415
<i>Armin, S. S., Colohan, A. R. T., Zhang, J. H.:</i> Vasospasm in traumatic brain injury . . . . .	421
<i>Stein, S., Le Roux, P.:</i> Traumatic vasospasm . . . . .	427
<i>Farhoudi, M., Zeinali, A., Aghajanloo, M., Asghari, M.:</i> Cerebral vasospasm in diffuse axonal injury patients. . . . .	433
<i>Tatlı, M., Guzel, A., Kilinçer, C., Batun, S.:</i> The effects of nimopidine on platelet aggregation in severe head injury . . . . .	437
<i>Ghostine, S., Colohan, A.:</i> “Street drugs” and subarachnoid haemorrhage . . . . .	441
Author index . . . . .	445
Index of keywords . . . . .	449

*Listed in Current Contents*