CONTENTS

	les	
List of fig	ures	xiii
Acknowle	edgments	χV
Introducti	on	1
PART 1		
Environm	ental change in the Near East during the Second Millennium BCE	7
Chapter 1		
Present-da	ay ecosystems of Upper Mesopotamia	9
1.1	Geographical setting and climate	9
1.1.1	Topography	9
1.1.1.1	The Ğazīra plateau	9
1.1.1.2	The Tigris	
1.1.1.3	The Euphrates	10
1.1.1.4	The Ḥābūr	
1.1.1.5	The Balīḫ	
1.1.2	Climate	
1.2	Agro-pastoral geography of Upper Mesopotamia	15
1.2.1	The zone of dry-farming	
1.2.2	The zone of marginal cultivation	
1.2.3	The arid zone	17
1.2.4	River oases	
1.3	Actual and potential ecosystems of Upper Mesopotamia	. 17
1.3.1	Reduced waterflows	
1.3.1.1	The Tigris	
1.3.1.2	The Euphrates	
1.3.1.3	The Ḥābūr	
1.3.1.4	The Balīḫ	. 20
1.3.2	A degraded fauna and flora	
1.3.3	Potential ecosystems of Upper Mesopotamia	
1.3.3.1	The North-East: open park woodland	
1.3.3.2	The South-West: from terebinth-almond woodland-steppe to arid steppe	
1.3.3.3	Valley floors: riverine forest	. 24
Chapter 2		
Environm	nental change in the 2 nd Millennium BCE according to palaeo-climatic studies	. 27
2.1	2 nd Millennium BCE climate in long-term sequences	. 27
2.1.1	Global sequences.	
2.1.1.1	The 2 nd Millennium BCE in the Greenland ice cores	
2.1.1.2	The 2 nd Millennium BCE in the North-Atlantic cores	
2.1.1.3	Greenland and North Atlantic cores in Near-Eastern perspective	. 29

vi Contents

2.1.2	Regional sequences	30
2.1.2.1	Upper Mesopotamian palaeo-climatic records of the 2 nd Millennium BCE	
2.1.2.2	Eastern Mediterranean palaeo-climatic records of the 2 nd Millennium BCE	
2.1.2.2.1	Levels of the Dead Sea and the Sea of Galilee	
2.1.2.2.2	Speleothems from the Soreq Cave	
2.1.2.3	2 nd Millennium BCE palaeo-climatic records from	
	Northern and Eastern mountain ranges	34
2.1.2.3.1	Lake isotope records from Turkey	
2.1.2.3.2	Lake isotope records from Western Iran	35
2.2	Upper Mesopotamian ecosystems in the 2 nd Millennium BCE and their meaning in terms of climate	38
2.2.1	Changes in vegetation cover according to long-term pollen records	
2.2.2.1	The pollen diagram from Buara (Southern Ğazīra)	
2.2.2.2	Near Eastern pollen diagrams outside Upper Mesopotamia	
2.2.2	Changes in vegetation cover according to botanical evidence	
2.2.2	from archaeological contexts	41
2.2.2.1	Preserved riverine ecosystems	
2.2.2.2	The steppic plateau and mountain ranges: an elusive evidence	
2.3	2 nd Millennium BCE climatic conditions according	
	to sediment archives of Upper Mesopotamia	. 45
2.3.1	Phase 1 (11,000 BP-7000 BP [ca. 10,800-5600 BCE]; Pre-Ḥassūna, Ḥassūna,	
	and Sāmarrā periods): aggradation processes in a warm and moist context	. 45
2.3.2	Phase 2 (7000 BP-5000 BP [ca. 5600-3700 BCE]; the Ḥalāf and 'Obēd periods):	
	colder and moister conditions during the "second Holocene Optimum",	
	a transitional phase?	. 47
2.3.3	Phase 3 (5000-4000° BP [3700-ca. 2500° BCE], the Uruk period and the beginning	
	of the Early Bronze Age): drier climatic conditions and incision of rivers in the previously built terraces	40
224	Phase 4 (4000°-2900° Bp [2500°-900° BCE], the [late Early], Middle and Late	. + >
2.3.4	Bronze Ages): aridity, dramatic floods and the constitution of the Q_{0b} terrace	50
2.3.4.1	Increased aridity and high flood episodes in the 3^{rd} and early 2^{nd} Millennia BCE	
2.3.4.2	Dating the Q _{0b} aggradation phase	
2.3.4.2.1	The ceramic sequence of the Q_{0b} formation: Early to Late Bronze Age	
2.3.4.2.2	The Q_{0b} formation at Emār and Ḥarrādum	53
2.3.4.2.3	Instability of the Euphrates channel according to the Mari letters	56
2.3.4.3	The Q_{0h} aggradation phase: climatic and/or anthropogenic?	
2.3.4.4	End of the Q_{0b} aggradation phase and the renewal of river incision.	
2.3.7.7	End of the Q _{0b} aggradation phase and the renewal of five metalon	. 50
Chapter 3		
	rends of Late Bronze Age Anatolia / Northern Syria according	
	crophysical Climate Model.	
3.1	Modelized rainfall at Qamišlī	
3.2	Modelized climates of Anatolia	
3.3	Modelized discharge of the Euphrates and Hābūr	. 63
Conclusio	on of part 1: Late Bronze Age Upper Mesopotamia in palaeo-climatic perspective	. 67

Contents

PART 2		
Middle As	syrian yields and the limit of dry-farming in the 13th century BCE:	
a view fro	m the texts	71
Chapter 4		
-	agriculture and dry-farming in Upper Mesopotamia according	
_		73
4.1	•	73
4.1.1	· · · · · · · · · · · · · · · · · · ·	73
4.1.1		74
4.1.3		76
4.1.3		76
4.2.1		76
	8	
4.2.2	<u> </u>	78
4.2.3	Ŭ , J	79
4.3	Dry-farming and/or irrigation on the Lower Ḥābūr? The case of Middle Assyrian Dūr-Katlimmu	79
4.3.1	·	80
4.3.1		81
4.3.2.1		81
4.3.2.1	E .	
	*	82
4.3.2.2.1	,	82
4.3.2.2.2		84
4.3.2.3	Use of wādī waters in irrigated and non irrigated context	88
Chapter 5		
Middle As	ssyrian yields in the 13th century BCE: methodological issues	93
5.1	Middle Assyrian texts and cereal yields:	
	possibilities and limits.	93
5.1.1	Middle Assyrian yields: the state of research	94
5.1.2	Nature of the evidence	95
5.1.2.1	Documents issued during the "clearance of the grain heap"	
	(Dūr-Katlimmu & Aššur)	
5.1.2.2		
5.1.2.3	E	
5.1.3	Scribal errors and how they affect yield estimates	01
5.1.3.1	Mistakes in additions and substractions	
5.1.3.2	Mistakes in multiplications and divisions	03
5.2	Metrological issues:	
	Middle Assyrian capacity measures and their relations	
5.2.1	The relation between the small $s\bar{u}tu$ and the $s\bar{u}tu$ of the $Hiburnu$	
5.2.2	The relation between the old $s\bar{u}tu$ and the $s\bar{u}tu$ of the $Hiburnu$	
5.2.2.1	The state of research: 1 old $s\bar{u}tu = 1$ $s\bar{u}tu$ of the $Hiburnu$	
5.2.2.2	A new hypothesis: $1 \ s\bar{u}tu$ of the $Hiburnu = 1,25$ old $s\bar{u}tu$	
5.2.2.2.1	BATSH 9 72, 6-10	
5.2.2.2.2	BATSH 9 74: a strong contradiction or a scribal error?	109

viii Contents

5.2.2.2.3	Seed estimates in the documents from Tall Šēḫ Ḥamad	
5.2.2.2.4	MARV [1] 1+, i 49'-60'	
5.2.3	The value of the 'unspecified <i>sūtu</i> '	
5.3	Yields ancient and modern: the limits of comparison	
5.3.1	The absolute value of Middle Assyrian measures	
5.3.1.1	The absolute value of Middle Assyrian surface units	
5.3.1.2	The absolute value of Middle Assyrian capacity units	
5.3.1.2.1	Old Babylonian <i>sūtu</i> of Šamaš and Middle Assyrian old <i>sūtu</i>	123
5.3.1.2.2	Middle Assyrian inscribed jars from Tall Ḥuwēra and Tall Šēḫ Ḥamad	125
5.3.2	Ancient and modern seed/yields rates: some comparative evidence	127
Chapter 6		
Middle As	syrian yields and the limits of dry-farming	129
6.1	Productivity of fields in the Middle Assyrian kingdom	129
6.1.1	Productivity of fields from the Eastern part of the kingdom	129
6.1.1.1	Fields from Ḥiššutu	129
6.1.1.2	Fields from Nēmad-Eštar	130
6.1.1.3	Fields from Tarbašhe	131
6.1.1.4	Fields from Kār-Tukultī-Ninurta	
6.1.2	Productivity of fields along the Lower Ḥābūr	133
6.1.2.1	The fields of Dūr-Katlimmu	133
6.1.2.1.1	Dūr-Katlimmu Field No. 1 (the šar[ra]²u-field)	133
6.1.2.1.2	Dūr-Katlimmu Field No. 2	136
6.1.2.1.3	Dūr-Katlimmu Field No. 3	138
6.1.2.1.4	Dūr-Katlimmu Field No. 4	141
6.1.2.1.5	Dūr-Katlimmu Field No. 5	143
6.1.2.2	The fields of Duara	143
6.2	In search of the dry-farming belt: Middle Assyrian yields in comparison	146
6.2.1	A comparison of Middle Assyrian yields per $ik\hat{u}$	146
6.2.2	Irrelevancy of yields as an indicator of dry-farming	150
6.2.3	High and low seed/yield rates in irrigation agriculture: the Nuzi case	151
Chapter 7		
	es, bad times: yield variability during the 13th century BCE	155
7.1	Chronological prolegomena	
7.1.1	Eponyms of the reign of Salmanassar I (1263-1234 BCE)	100
/.1.1	according to the 'yield-texts'	156
7.1.1.1	The chronology of the Aššur 'yield-texts'	
7.1.1.2	"Old grain" in Aššur and Dūr-Katlimmu,	
	and its meaning in terms of chronology	159
7.1.2	Eponyms of the reign of Tukultī-Ninurta I (1233-1197)	
	according to the 'yield-texts'	
7.1.2.1	The Overseers of Ploughmen and the chronology of the Dūr-Katlimmu 'yield-texts'	163
7.1.2.1.1	The sequence of the Overseers of Ploughmen: methodological aspects	163

Contents

7.1.2.1.2	The eponyms Libūr-zānin-Aššur and Aššur-nādin-apli	165
7.1.2.1.3	The last years documented by the <i>pišerti karu'e</i> documents	
7.1.2.1.4	Summary of the evidence: the Overseers of Ploughmen of Dūr-Katlimmu	
	in chronological order	167
7.1.2.2	The Kār-Tukultī-Ninurta texts	169
7.1.3	The periodicity and date of the 'clearance of the grain-heap'	169
7.2	Inter- and intra-annual variabilty of yields in irrigated context:	
	the Lower Habūr	173
7.2.1	Inter-annual variability as a climatic indicator	173
7.2.1.1	Strong interannual variability of barley yields at Dūr-Katlimmu and Duara during the 13th century BCE	173
7.2.1.2	Seed/yield rates from the heartland of Assyria in view of the Dūr-Katlimmu evidence	176
7.2.1.3	Interannual variability of wheat yields at Dūr-Katlimmu	
	during the 13 th century BCE	180
7.2.2	Inter annual variability and irrigation	
7.2.2.1	The importance of rainfall for irrigation agriculture	182
7.2.2.2	Irrigation techniques: furrow or basin irrigation?	183
7.2.2.3	Sources of water and their accessibility	184
7.2.3	Intra-annual variability and crop failure at Dūr-Katlimmu and Duara	187
7.2.3.1	Variations of productivity gains on the šar(ra) u-fields	187
7.2.3.2	The fields of Dūr-Katlimmu and Duara: a tentative location	188
7.2.3.2.1	The agricultural catchment of Dūr-Katlimmu	188
7.2.3.2.2	Types of land and access to water around Dūr-Katlimmu	191
7.3	Poor harvests in Kār-Tukultī-Ninurta at the end of the 13 th century BCE	198
7.3.1	Low yields and strong intra-annual variability in irrigated context	199
7.3.2	Kār-Tukultī-Ninurta and bad climatic conditions: which came first?	200
Conclusion	n ·	207
Appendix		
	syrian Texts pertaining to yield reconstructions, in transcription and translation	
App. 1	Texts from Aššur	
App. 2	Texts from Kār-Tukultī-Ninurta	
App. 3	Texts from Dūr-Katlimmu	
App. 3.1	Texts from the "clearance of the grain-heap"	
App. 3.2	Deliveries of grain as seeds.	260
Bibliograp	hy	263
Index		285