





Get better at Math.
Get better at
everything.

Come experience the Cuemath methodology and ensure your child stays ahead at math this summer.





Adaptive Platform



Interactive Visual Simulations



Personalized Attention

For Grades 1 - 10



LIVE online classes by trained and certified experts.

Get the Cuemath advantage

Book a FREE trial class



Division Worksheet-2

- 1) Find the quotient if we divide 624 from 4.
- 2) State whether the statement is true or false: On dividing 724 from 4 we get 181 as the quotient.
- 3) Joel needs 492 balloons for the party but balloons come in a pack of 6. How many packs should he buy?




4) Find the quotient of the following using long division:

5) Paula was reading a book and if the book has 264 pages and she can read 8 pages in a day. Then how many days will it take her to complete the book?





6) Find the quotient.



7) Find the missing number:

a.
$$\underline{} \div 15 = 8$$

b. $76 \div \underline{} = 4$

8) In a marriage party every 8th person brought a bouquet. If 560 people attended the marriage, how many bouquets have been received?



9) Choose two numbers from 32, 96, 14, 98, 102 complete the sentence.

____ ÷ ____ have a quotient 3 ____ ÷ ____ have a quotient 7

10) If a man earns \$20 per day, in how many days will he be able to earn \$ 1000?



When you learn math in an interesting way, you never forget.



25 Million

Math classes & counting

100K+

Students learning Math the right way

20+ Countries

Present across USA, UK, Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Gary Schwartz

- Kirk Riley

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class







1)	156
2)	True
3)	82
4)	224
5)	33 days
6)	188
7)	a) 120, b) 19
8)	70 bouquets
9)	96 ÷ 32
	98 ÷ 14
10)	50 days



FUN FACT

- 1. The modern algorithm to solve <u>long division</u> was given by Henry Briggs in 1600 AD.
- <u>Division</u> algorithm, Dividend = <u>Divisor</u> x
 <u>Quotient</u> + <u>Remainder</u>
- 3. Dividing any number by 1 does not change the value of the number.

