


Quick Install Guide.

verizon[✓]

One Talk SM
T46G IP Desk Phone, Medium

www.verizonwireless.com/Support/One-Talk

Packaging contents



T46 Desk Phone




T46 Handset



Handset cord



Ethernet cable




T46 Stand



Quick Reference Guide & Quick Install Guide



T46 Power Adapter




T46 Wall Mount Bracket (not included)

Note: If you find anything missing, contact your system administrator.


Assembling the phone

1. Attach the stand.



Note: You can also mount the phone to a wall. Purchase of the optional T46G Wall mount bracket is required.

2. Connect the handset and optional headset.




Insert the handset cord with the longer straight end into the back of the phone and affix into the channel.

Note: The headset, Bluetooth USB Dongle BT40 and wireless headset adapter EHS36 must be purchased separately. The EXT port can also be used to connect the expansion module EXP40. For more information on how to use the EHS36, EXP40 and Bluetooth USB Dongle, refer to the respective Meet Your Device.

3. Connect to broadband and power.

You have two options for broadband and power connections. Your system administrator will advise you on which one to use.


Note: Ethernet cable from either Wall jack or data router.



Note: If inline power (PoE) is provided, you don't need to connect the power adapter. Make sure the hub/switch is PoE-compliant.

Startup

When the One Talk phone is connected to the network and powered on, it automatically begins the initialization process. After startup, and confirming the 911 address, the phone is ready for use.



During initializing:

The Power light will start as a steady red light, will then blink, and then turn off when initialization is complete.

