


One Talk W59VR Ruggedized Wireless Handset for the W60

W59VR DECT IP One Talk Phone




Package contents


The following items are included in your package.




W59VR handset




Charging cradle




Power adaptor




Battery cover



Rechargeable battery



Decorative cover





Quick-start guide



Note: The One Talk phone should be used with the original power adaptor (5 V/1.2 A) only. The use of a third-party power adaptor may cause damage to the phone. If inline (power over Ethernet, or PoE) is provided, you don't need to connect the power adaptor. Make sure the network switch is PoE compliant.

Assembling your phone


1. Insert the battery into the handset



2. (Optional) Mount the charging cradle to the wallset



3. Connect the charging cradle and charge the handset




Note:

- Use Yealink®-supplied power adaptor (5 V/0.6 A). A third-party power adaptor may damage the handset
- Check the charging status on the top-right corner of the LCD screen

Starting the phone

After the IP phone is connected to a network and supplied with power, it will automatically begin the initialization process. The phone will go through a series of screens and update the firmware on the device. The first-time setup process takes about 15 minutes and should not be interrupted. You will know the phone is ready to be used when the 911 address appears on the screen of the device.



Technical specifications

Item	Specifications
Frequency band	1920 to 1930 MHz
Battery type	1460 mAh Lithium-ion 3.7 V, 5.4 WH
Talk time	28 hours/24 hours (with Bluetooth®)
Standby time	360 hours (15 days)/240 hours (with Bluetooth)
Charging time	Less than 4 hours
Charger	DC 5 V/0.6 A Input
Power adaptor	Input: 100 to 240 V -50/60 Hz 0.2 A Output: 5 V 0.6 A 3.0 W
Security	IEC 62133-2:2017

Regulatory notices

Operating ambient temperatures:

- Operating temperature: +14° F to 122° F (-10° C to 50° C)
- Relative humidity: 5% to 90%, noncondensing
- Storage temperature: -22° F to +160° F (-30° C to +70° C)

Safety instructions

Save these instructions. Read these safety instructions before use!

The following basic safety precautions should always be followed to reduce the risk of fire, electrical shock and other personal injury.

⚠ General requirements

- Before you install and use the device, read the safety instructions carefully
- During the process of storage, transportation and operation, please always keep the device dry and clean
- During the process of storage, transportation and operation, please avoid smashing or dropping the device
- Do not attempt to dismantle the device

⚠ Environmental requirements

- Place the device in a well-ventilated place. Do not expose the device to direct sunlight
- Keep the device dry and free of dust
- Place the device on a stable and level surface
- Please do not place heavy objects on the device

- Do not place the device on or near any flammable or fire-vulnerable materials, such as rubber
- Keep the device away from any heat source or open flame, such as a candle or an electric heater
- Keep the device away from any household appliance with a strong magnetic field or electromagnetic field, such as a microwave oven or a refrigerator

Operating requirements

- Do not let a child operate the device without supervision
- Do not let a child play with the device or any accessory in case of accidental swallowing
- Please use only the accessories provided or authorized by the manufacturer
- The power supply of the device should meet the requirements of the input voltage of the device
- Before plugging in or unplugging any cable, make sure that your hands are completely dry
- Do not spill liquid of any kind on the product or use the equipment near water, for example, near a bathtub, washbowl, kitchen sink, wet basement or swimming pool
- Do not tread on, pull or overbend any cable in case of malfunction of the device
- During a thunderstorm, stop using the device and disconnect it from the power supply
- If the device emits smoke or an abnormal noise or smell, disconnect the device from the power supply and unplug the power plug immediately. Contact the specified maintenance center for repair
- Do not insert any object into equipment slots that is not part of the product or auxiliary product
- Before connecting a cable, connect the grounding cable of the device. Do not disconnect the grounding cable until you disconnect all other cables


Cleaning requirements

- Before cleaning the device, stop using it and disconnect it from the power supply
- Use a piece of soft, dry antistatic cloth to clean the device
- Keep the power plug clean and dry. Using a dirty or wet power plug may lead to electric shock or other hazards

FCC statement

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: 1) This device may not cause harmful interference, and 2) this device must accept any interference received, including interference that may cause undesired operation.

Environmental recycling

 This device needs to be treated as an electronic device for recycling purposes.

Technical support

For additional support information, please visit [verizon.com/support/one-talk](https://www.verizon.com/support/one-talk)